

Objects X

M Properties

Menu Menu

Object

"[object Object]"

[0,11,22,abc]

Thu Oct 20 2022 13:08:47 GMT...

Window

[0,11,22]

"Small is beautiful"

[0,11,22]

[0,11,22]

CSS

HighlightRegistry

Iterator

Menu

a: [0,11,22,abc]

c: Object

d: Thu Oct 20 2022 13:08:47 ...

s: "Small is beautiful"

window: Window

Object

Methods ☒ sort

Menu

allKeysIn

allValuesOf

deepEqual

toString

Object

new Date()

[object Menu] Menu — 5 properties and 4 methods

Dosyaları Seç Dosya seçilmedi

Console Elements Recorder

top Filter

_.slice(0,3) ⇒ 0,11,22

_.toString(123) ⇒ [object Object]

_.getFullYear(d) ⇒ 2022

_.indexOf("a") ⇒ 2

_.entries(1) ⇒ [object Iterator]

>

Console Elements Recorder Source

top Filter

_.deepEqual([2,3,4] , [2,3,6]) ⇒ false

_.deepEqual(["a","b","c"],["... ⇒ true

The screenshot shows a Java Swing IDE window titled "Menu Menu". The window has a yellow title bar with three buttons: a back arrow, a forward arrow, and a close button (X). The main content area is divided into two panes. The left pane shows the "Menu Menu" class with its constructor and a "new Date()" call. The right pane shows the "Menu" class with its constructor and a "new Date()" call. The "Menu" class is highlighted in blue, indicating it is the selected class.

Menu Menu

Menu Menu Chap4

[Entry: 3 events,Entry: 5 ev...
[0,11,22,abc]
[Entry: 3 events,Entry: 5 ev...
[ar,ar,ar,ar,ar,ar,ar,ar,...

Menu

a: [0,11,22,abc]
c: **Object**
d: Thu Oct 20 2022 13:26:46 ...
s: "Small is beautiful"
window: **Window**

Object

Methods ☒ sort

Menu

allKeysIn
allValuesOf
deepEqual
toString

Object

new Date()

[object Menu] Menu — 5 properties and 4 methods

Dosyaları Seç Dosya seçilmedi

```
_.filter(x => x.events[0] ==... => Entry: 3 events,Entry: 5 events,Entry: 4 events,Entry...
_.map(x => x.events[0].slice... => ar,ar,ar,ar,ar,ar,ar,ar,ar,ar,ar,ar,ar,ar,ar,ar,ar
```

>