

TestCase

Report

Created on 14.10.2022 by Admin



Name	Value	Action Mode
© Successful Sign Up		
⊘ OpenUrl		
■ Url	https://demo.webmate.io	Input
Click on sign up		
■ Sign Up	X	Input
sign up via test email		
■ E-Mail Address	{SENDKEYS[""{CP[TestEmail]}""]}	Input
■ Name	{SENDKEYS["Schnelltest"]}	Input
Organization	{SENDKEYS["Qnit AG"]}	Input
Privacy Policy Text	True	Verify
Privacy - Checkbox (False)	{CLICK}	Input
Privacy - Checkbox	True	Verify
♂ Click on sign up		
■ Sign up	X	Input
Verify success message		
M Pass/Fail		Input
■ Title	webmate*	Input
Clear Browser Cache		
■ Path	cmd	Input
Arguments	{NULL}	Select
Argument	/C	Input
Argument	del	Input
Argument	/q	Input
Argument	/s	Input
Argument	/f	Input
Argument	{CP[CachePath]}	Input
♂ TBox Delete Buffer		



	Action Mode
sible	
https://demo.webmate.io	Input
X	Input
{CP[TestEmail]}	Input
Schnelltest	Input
Qnit AG	Input
True	Verify
{CLICK}	Input
True	Verify
False	Verify
X	Input
webmate*	Input
cmd	Input
{NULL}	Select
/C	Input
del	Input
/q	Input
/s	Input
/f	Input
{CP[CachePath]}	Input
	X {CP[TestEmail]} Schnelltest Qnit AG True {CLICK} True False X webmate* cmd {NULL} /C del /q /s /f



Name	Value	Action Mode
© Self Sign Up Error Message		
⊘ OpenUrl		
Url	https://demo.webmate.io	Input
€ Click on sign up		
■ Sign Up	X	Input
Try to sign up via test email		
■ E-Mail Address	{SENDKEYS[""{CP[TestEmail]}""]}	Input
■ Name	{SENDKEYS["Schnelltest"]}	Input
Organization	{SENDKEYS["Qnit AG"]}	Input
■ Privacy Policy Text	True	Verify
Privacy - Checkbox (False)	{CLICK}	Input
Privacy - Checkbox	True	Verify
♂ Click on sign up		
■ Sign up	X	Input
signup-error	True	Verify
signup-error	Self signup is not available	Verify
■ Title	webmate*	Input
Clear Browser Cache		
■ Path	cmd	Input
Arguments	{NULL}	Select
Argument	/C	Input
Argument	del	Input
Argument	/q	Input
Argument	/s	Input
Argument	/f	Input
Argument	{CP[CachePath]}	Input
C TBox Delete Buffer		



Name	Value	Action Mode
C Test Login Chrome105- Windows10		
⊘ OpenUrl		
■ Url	https://demo.webmate.io	Input
email	{SENDKEYS[""{CP[Username]}""]}	Input
password	{SENDKEYS[""{CP[Password]}""]}	Input
■ Sign in	X	Input
Verify Project Overview is shown		
■ Project Overview	True	WaitOn
■ Title	webmate*	Input
■ Path	cmd	Input
Arguments	{NULL}	Select
Argument	/C	Input
Argument	del	Input
Argument	/q	Input
Argument	/s	Input
Argument	/f	Input
Argument	{CP[CachePath]}	Input
♂ TBox Delete Buffer		



Name	Value	Action Mode
C Test Login Firefox105 - Windows10		
⊘ OpenUrl		
Url	https://demo.webmate.io	Input
	·	
■ email	{SENDKEYS[""{CP[Username]}""]}	Input
password	{SENDKEYS[""{CP[Password]}""]}	Input
■ Sign in	X	Input
Verify Project Overview is shown		
■ Project Overview	True	WaitOn
■ Title	webmate*	Input
Clear Browser Cache		
■ Path	cmd	Input
Arguments	{NULL}	Select
Argument	/C	Input
Argument	del	Input
Argument	/q	Input
Argument	/s	Input
Argument	/f	Input
Argument	{CP[CachePath]}	Input
♂ TBox Delete Buffer		



Name	Value	Action Mode
② OpenUrl		
Url	https://demo.webmate.io	Input
	mtps://demo.webmate.io	Input
email	(SENDKEYS!""(CD[Llcornomo])""])	Input
	{SENDKEYS[""{CP[Username]}""]}	Input
password	{SENDKEYS[""{CP[Password]}""]}	Input
■ Sign in	X	Input
Verify Project Overview is shown		
■ Project Overview	True	WaitOn
Title	webmate*	Input
■ Path	cmd	Input
Arguments	{NULL}	Select
Argument	/C	Input
Argument	del	Input
Argument	/q	Input
Argument	/s	Input
Argument	/f	Input
Argument	{CP[CachePath]}	Input



Name	Value	Action Mode
C Test Login IE21H1 - Windows10		
② OpenUrl		
Url	https://demo.webmate.io	Input
≥ Login with Email	·	·
■ email	{SENDKEYS[""{CP[Username]}""]}	Input
password	{SENDKEYS[""{CP[Password]}""]}	Input
■ Sign in	X	Input
∀erify Project Overview is shown		
■ Project Overview	True	WaitOn
■ Title	webmate*	Input
Clear Browser Cache		
Path	cmd	Input
Arguments	{NULL}	Select
Argument	/C	Input
Argument	del	Input
Argument	/q	Input
Argument	/s	Input
Argument	/f	Input
Argument	{CP[CachePath]}	Input
♂ TBox Delete Buffer		



Name	Value	Action Mode
© Forgot Password Error Message		
② OpenUrl		
Url	https://demo.webmate.io	Input
Click on forgot password	The point of the control of the cont	mpat
email	{SENDKEYS[""{CP[TestEmail]}""]}	Input
Forgot password?	X	Input
webmate by Testfabrik -Forgot Password	^	mpat
Reset Password Title	True	Verify
Reset Password Subtext	True	Verify
■ Email Input	{SENDKEYS[""{CP[TestEmail]}""]}	Input
Reset Button	X	Input
webmate by Testfabrik - reset password error	A	Input
reset-password-errormessage	True	Verify
reset-password-errormessage	An error occurred. Please try again.	Verify
€ CloseBrowser	An end decaned. I lease try again.	Verify
Title	webmate*	Input
♂ Clear Browser Cache	webiliate	Imput
Path	cmd	Input
Arguments	{NULL}	Select
	/C	
Argument		Input
Argument	del	Input
Argument	/q	Input
■ Argument	/s	Input
■ Argument	/f	Input
Argument	{CP[CachePath]}	Input
TBox Delete Buffer		



Name	Value	Action Mode
C Login Fail - Wrong Username/Password		
② OpenUrl		
Url	https://demo.webmate.io	Input
email	{SENDKEYS["asafdafsdfas"]}	Input
password	{SENDKEYS[""{CP[Password]}""]}	Input
■ Sign in	X	Input
∀erify Login Error		
login-error	True	Verify
Enter correct username but wrong password	1.130	
■ email	{SENDKEYS["^{a}"]}	Input
■ email	{SENDKEYS["{DEL}"]}	Input
password	{SENDKEYS["^{a}"]}	Input
password	{SENDKEYS["{DEL}"]}	Input
■ email	{SENDKEYS[""{CP[Username]}""]}	Input
password	{SENDKEYS["asafdafsdfas"]}	Input
■ Sign in	X	Input
∀erify Login Error		
login-error	True	Verify
Enter correct username and wrong password		,
■ email	{SENDKEYS["^{a}"]}	Input
■ email	{SENDKEYS["{DEL}"]}	Input
password	{SENDKEYS["^{a}"]}	Input
password	{SENDKEYS["{DEL}"]}	Input
■ email	{SENDKEYS["asafdafsdfas"]}	Input
password	{SENDKEYS["asafdafsdfas"]}	Input
■ Sign in	X	Input
∀erify Login Error		P. S.
login-error	True	Verify
■ Title	webmate*	Input
■ Path	cmd	Input
■ Arguments	{NULL}	Select
■ Argument	/C	Input
■ Argument	del	Input
■ Argument	/q	Input
■ Argument	/s	Input
■ Argument	/f	Input
■ Argument	{CP[CachePath]}	Input
	, , , , , , , , , , , , , , , , , , ,	, , , ,



Name	Value	Action Mode
------	-------	--------------------

C Login Fail - Internet Connection Lost



Name	Value	Action Mode

© Verify Login Page and Links



me	Value	Action Mode
----	-------	--------------------

C Successful Logout



Value	Action Mode
https://demo.webmate.io	Input
{SENDKEYS[""{CP[Username]}""]}	Input
{SENDKEYS[""{CP[Password]}""]}	Input
X	Input
True	WaitOn
{Click}	Input
Newly created key	Buffer
{B[Newly created key]}	Verify
Warning: For security reasons, this key will be only shown to you once. Please store it in a safe place.	Verify
webmate*	Input
cmd	Input
{NULL}	Select
/C	Input
del	Input
/q	Input
/s	Input
/f	Input
{CP[CachePath]}	Input
	https://demo.webmate.io {SENDKEYS[""{CP[Username]}""]} {SENDKEYS["""{CP[Password]}""]} X True {Click} {Click} {Click} Newly created key {B[Newly created key]} Warning: For security reasons, this key will be only shown to you once. Please store it in a safe place. webmate* cmd {NULL} /C del /q /s /f



ame	Value	Action Mod
Verify Profile - General		
⊘ OpenUrl		
■ Url	https://demo.webmate.io	Input
≥ Login with Email		
■ email	{SENDKEYS[""{CP[Username]}""]}	Input
password	{SENDKEYS[""{CP[Password]}""]}	Input
■ Sign in	X	Input
∀erify Project Overview is shown		
■ Project Overview	True	WaitOn
Procedure		
Click on profile on project menu		
■ Profile	{Click}	Input
Navigate to profile		
■ Profile	{Click}	Input
∀erify information and navigate to general		
■ GENERAL	{Click}	Input
■ Choose File	True	Verify
Save Profile Changes	False	Verify
Verify if changing name is possible		
■ INPUT	{SENDKEYS[""Test""]}	Input
Save Profile Changes	True	Verify
■ Title	webmate*	Input
Clear Browser Cache		
Path	cmd	Input
Arguments	{NULL}	Select
Argument	/C	Input
Argument	del	Input
Argument	/q	Input
Argument	/s	Input
Argument	/f	Input
Argument	{CP[CachePath]}	Input



Name	Value	Action Mode
○ Profile - Change Password		
⊘ OpenUrl		
■ Url	https://demo.webmate.io	Input
	·	
■ email	{SENDKEYS[""{CP[Username]}""]}	Input
password	{SENDKEYS[""{CP[Password]}""]}	Input
■ Sign in	X	Input
Verify Project Overview is shown		
■ Project Overview	True	WaitOn
Procedure		
■ Profile	{Click}	Input
Navigate to profile		
■ Profile	{Click}	Input
Navigate to general		
■ PASSWORD	{Click}	Input
Duration	2000	Input
Old Pw	True	WaitOn
■ New Pw	**************************************	Input
■ Repeate Pw	**************************************	Input
■ Change Password	False	Verify
Old Pw	**************************************	Input
⊘ CloseBrowser		
■ Title	webmate*	Input
Clear Browser Cache		
Path	cmd	Input
Arguments	{NULL}	Select
Argument	/C	Input
Argument	del	Input
Argument	/q	Input
Argument	/s	Input
Argument	/f	Input



	Argument	{CP[CachePath]}	Input
3	TBox Delete Buffer		



Name	Value	Action Mode

C Configure your plan



Name	Value	Action Mode
------	-------	--------------------

C Verify Help Options



Name	Value	Action Mode
------	-------	--------------------

C Verify Notifications



Name	Value	Action Mode
------	-------	--------------------

C Verify User Links



Name	Value	Action Mode
C Verify project filtering		
⊘ OpenUrl		
Url	https://demo.webmate.io	Input
2 Login with Email		
■ email	{SENDKEYS[""{CP[Username]}""]}	Input
password	{SENDKEYS[""{CP[Password]}""]}	Input
■ Sign in	X	Input
∀erify Project Overview is shown		
■ Project Overview	True	WaitOn
Filter by non-existing project name		
Filter projects	{SENDKEYS["Tesst"]}	Input
webmate by Testfabrik - No Content Error		
project overview no contents error	True	WaitOn
Filter by existing project name		
Filter projects	{SENDKEYS["^{a}"]}	Input
Filter projects	{SENDKEYS["{DEL}"]}	Input
Filter projects	{SENDKEYS["Schnelltest"]}	Input
Verify Project Summary Appears		
■ WM-PROJECT-SUMMARY	{NULL}	Select
■ Team name	True	Verify
■ Team description	True	Verify
CloseBrowser CloseBrowser		
■ Title	webmate*	Input
■ Path	cmd	Input
Arguments	{NULL}	Select
Argument	/C	Input
Argument	del	Input
Argument	/q	Input
Argument	/s	Input
Argument	/f	Input
Argument	{CP[CachePath]}	Input



Name	Value	Action Mode

C Verify project selection dropdown menu



ame	Value	Action Mode
Verify and open of Schnelltest Project	t by project elements	
② OpenUrl	Project cicinomo	
Url	https://demo.webmate.io	Input
⊋ Login with Email	Tittps://demo.webmate.io	при
email	{SENDKEYS[""{CP[Username]}""]}	Input
	{SENDKEYS[""{CP[Password]}""]}	•
passwordSign in	X	Input
	^	Input
∀erify Project Overview is shown Project Overview.	Two	WeitOn
Project Overview	True	WaitOn
Filter by specific project name	(OFNDVEVOUA(-)#1)	la a cot
Filter projects	{SENDKEYS["^{a}"]}	Input
Filter projects	{SENDKEYS["{DEL}"]}	Input
Filter projects	{SENDKEYS["Schnelltest"]}	Input
Verify Project Summary appears	(4000)	
WM-PROJECT-SUMMARY	{NULL}	Select
Team name	Schnelltest	Verify
■ Team description Verify Buttons appear	We as Qnit 's Tosca experts are focused on up-to-date, effective and reliable testing. We enhance and put together our know-how to reduce the unwanted wastes through the QA process via test automation. We believe on what we do.	Verify
■ WM-PROJECT-SUMMARY	{NULL}	Select
■ Team description	{MOUSEOVER}	Input
OPEN Button	True	WaitOn
DEVICES Button	True	WaitOn
Open Project	Title	vvaitori
■ WM-PROJECT-SUMMARY	{NULL}	Select
OPEN Button	X	Input
Verify Project Dashboard is shown	^	Input
topbar-header	True	Verify
€ CloseBrowser	1100	Verily
Title	webmate*	Input
Clear Browser Cache	webiliate	input
Path	cmd	Input
	{NULL}	Select
■ Arguments	/C	
Argument		Input
Argument	del	Input
Argument	/q	Input
Argument	/s	Input
Argument	/f	Input
Argument	{CP[CachePath]}	Input



Name	Value	Action Mode
- Turino	raido	/ 1011011 III.0 GO

© Open Schnelltest Project Devices by project elements



Name	Value	Action Mode
C Verify Project Dashboard elements and la	itest 3 activities	
⊘ OpenUrl		
■ Url	https://demo.webmate.io	Input
∠ Login with Email		
■ email	{SENDKEYS[""{CP[Username]}""]}	Input
password	{SENDKEYS[""{CP[Password]}""]}	Input
■ Sign in	X	Input
Verify Project Overview is shown		
■ Project Overview	True	WaitOn
⊘ Open Project		
■ WM-PROJECT-SUMMARY	{NULL}	Select
■ Team description	{MOUSEOVER}	Input
OPEN Button	True	WaitOn
OPEN Button	X	Input
Project Dashboard - Verify Useage and Slot Overview elements are shown		
■ topbar-header	True	Verify
Refresh Button	True	Verify
■ WM-PROJECT-SUMMARY	True	Verify
slotutilization-percent	True	Verify
slotutilization-label	True	Verify
dashboard-users-number	True	Verify
dashboard-users-label	True	Verify
userinfo-active number	True	Verify
userinfo-active numberlabel	True	Verify
Device Slot Overview Header	True	Verify
Desktop Slot	True	Verify
Public Device Slot	True	Verify
Refresh Button	X	Input
Verify latest 3 activities and their time stamps		
Project Activity Header	True	Verify
project-activity-entry	{NULL}	Select
#1	Today at {XB[LatestActivityTime]} PM	Verify
#1	LatestActivity	Buffer
project-activity-entry	{NULL}	Select
# 2	Today at {XB[Latest2ndActivityTime]} PM	Verify
# 2	Latest2ndActivity	Buffer
project-activity-entry	{NULL}	Select
# 3	Today at {XB[Latest3rdActivityTime]} PM	Verify
#3	Latest3rdActivity	Buffer
■ Title	webmate*	Input



Clear Browser Cache Clear Browser Cache		
■ Path	cmd	Input
Arguments	{NULL}	Select
Argument	/C	Input
Argument	del	Input
Argument	/q	Input
Argument	/s	Input
Argument	/f	Input
Argument	{CP[CachePath]}	Input



Name	Value	Action Mode
Recent test runs - Navigate to a test s	session	
⊘ OpenUrl		
■ Url	https://demo.webmate.io	Input
	·	
■ email	{SENDKEYS[""{CP[Username]}""]}	Input
password	{SENDKEYS[""{CP[Password]}""]}	Input
■ Sign in	X	Input
Verify Project Overview is shown		
■ Project Overview	True	WaitOn
Open Project		
WM-PROJECT-SUMMARY	{NULL}	Select
■ Team description	{MOUSEOVER}	Input
OPEN Button	True	WaitOn
OPEN Button	X	Input
♥ Verify Project Dashboard		
■ topbar-header	True	Verify
□ Refresh the page		
Refresh Button	X	Input
☑ Verify latest test run time		
Recent Test Runs Header	True	Verify
# 1	Today at {XB[LatestTestRunTime]} PM	Verify
#1	True	Verify
# 1	{click}	Input
□ ② Verify Test Run Info Page		
■ Test Run Header	True	WaitOn
■ Test Run Status	True	WaitOn
■ Test Run Time Stamp	True	Verify
Test Run Status	TestRunStatus	Buffer
■ Test Run Time Stamp	*{B[LatestTestRunTime]}	Verify
CloseBrowser		-
Title	webmate*	Input
Clear Browser Cache		
■ Path	cmd	Input
Arguments	{NULL}	Select
■ Argument	/C	Input
Argument	del	Input
■ Argument	/q	Input
■ Argument	/s	Input
Argument	/f	Input
■ Argument	{CP[CachePath]}	Input



Name	Value	Action Mode

Verify number of active users



Name	Value	Action Mode

C Verify number of devices in-use



lame	Value	Action Mode
Apps - Cross browser Testing		
⊘ OpenUrl		
■ Url	https://demo.webmate.io	Input
email	{SENDKEYS[""{CP[Username]}""]}	Input
password	{SENDKEYS[""{CP[Password]}""]}	Input
■ Sign in	X	Input
Verify Project Overview is shown		
Project Overview	True	WaitOn
Procedure		
Select Project Sele		
■ WM-PROJECTCHOOSER	{NULL}	Select
■ FA-ICON	{Click}	Input
SCHNELLTEST	{Click}	Input
■ APPS	{Click}	Input
		-
CrossBrowser	{Click}	Input
Filter by report name		
■ Save	{Click}	Input
Report Name	{SENDKEYS[""TestTest""]}	Input
■ Save_1	{Click}	Input
Verify the pattern		
₩ Passed	8	Verify
▼ Pending	5	Verify
⊘ CloseBrowser		
Title	webmate*	Input
♂ Clear Browser Cache		
■ Path	cmd	Input
Arguments	{NULL}	Select
■ Argument	/C	Input
Argument	del	Input
Argument	/q	Input
Argument	/s	Input
Argument	/f	Input
Argument	{CP[CachePath]}	Input



Name	Value	Action Mode
C Apps - Selenium Services		
⊘ OpenUrl		
■ Url	https://demo.webmate.io	Input
email	{SENDKEYS[""{CP[Username]}""]}	Input
password	{SENDKEYS[""{CP[Password]}""]}	Input
■ Sign in	X	Input
Verify Project Overview is shown		
■ Project Overview	True	WaitOn
■ Procedure		
Select Project Sele		
■ WM-PROJECTCHOOSER	{NULL}	Select
■ FA-ICON	{Click}	Input
SCHNELLTEST	{Click}	Input
■ APPS	{Click}	Input
Select Selenium		
Selenium	{Click}	Input
Show capabilities		
■ Show Capabilities	{Click}	Input
copy to clipboard		
Appium	{Click}	Input
■ Copy To Clipboard	True	Verify
■ I	{Click}	Input
select this page		
this page	{Click}	Input
New tab opens		
🤏 getting started page opens		Input
⊘ CloseBrowser		
■ Title	webmate*	Input
■ Path	cmd	Input
Arguments	{NULL}	Select
Argument	/C	Input
Argument	del	Input
Argument	/q	Input
Argument	/s	Input
Argument	/f	Input
Argument	{CP[CachePath]}	Input



Name	Value	Action Mode

[™] Test Lab - Verify Test Runs Page



Name	Value	Action Mode
1.101110	1 4.0.0	,

C Test Lab - Filter Test Runs



Name	Value	Action Mode

© Verify and use Templates



me	Value	Action Mode
----	-------	--------------------

C Verify a specific test run



lame	Value	Action Mode
Test Lab - Export the test report as cs	SV	
⊘ OpenUrl		
■ Url	https://demo.webmate.io	Input
Login with Email		
■ email	{SENDKEYS[""{CP[Username]}""]}	Input
password	{SENDKEYS[""{CP[Password]}""]}	Input
■ Sign in	X	Input
Verify Project Overview is shown		
■ Project Overview	True	WaitOn
Procedure		
■ WM-PROJECTCHOOSER	{NULL}	Select
■ FA-ICON	{Click}	Input
SCHNELLTEST	{Click}	Input
e webmate Navigation		
■ APPS	{Click}	Input
e webmate_Apps		
CrossBrowser	{Click}	Input
e webmate TestLab_Test Runs		
■ Export CSV	{Click}	Input
Verify that Excel contains all devices		
* the same number of devices		Input
■ Title	webmate*	Input
Clear Browser Cache		
■ Path	cmd	Input
Arguments	{NULL}	Select
Argument	/C	Input
Argument	del	Input
Argument	/q	Input
Argument	/s	Input
Argument	/f	Input
Argument	{CP[CachePath]}	Input



Name	Value	Action Mode
Device Reservation		
Setup		
② OpenUrl		
■ Url	https://demo.webmate.io/	Input
■ UseActiveTab	mups.//demo.webmate.io/	Input
⊋ Login		mput
■ email	{SENDKEYS[{CP[Username]}]}	Input
password	**************************************	Input Input
password	***********	Input

■ Sign in	X	Input
Process		
⊘ Navigate to Project		
■ Schnelltest Container	{NULL}	Select
■ Schnelltest Text	{click}	Input
■ DEVICES	х	Input
Click on Deploy Device		
Device Slots in Project	{NULL}	Select
Desktop Device Slot	{NULL}	Select
Deploy device	х	Input
Filter	{SENDKEYS["WINDOWS 11"]}	Input
Devices ready for Deployment	{NULL}	Select
1. Device	{click}	Input
Name for new device	Windows	Input
Allow automated jobs	{click}	Input
DEPLOY	х	Input
Click on Reservations		
Reservations	х	Input
Click on New Slot Reservation		
Available Reservations	{NULL}	Select
■ New Slot Reservation	х	Input
Choose Desktop Slot		
Select Device Slot	{NULL}	Select
■ Desktop Slot	{click}	Input
START	{Click}	Input
■ Date/Time Table	{NULL}	Select
\$4	{NULL}	Select
\$ 3	{click}	Input
Click on End Date		



■ END	{Click}	Input
Set Reservation End ■		
■ Date/Time Table	{NULL}	Select
\$4	{NULL}	Select
\$4	{CLICK}	Input
Create Reservation		
■ Create Reservation	{Click}	Input
Verify if reserved on Device Reservations Page		
Available Reservations	{NULL}	Select
Desktop Slot Container	{NULL}	Select
Desktop Slot	True	Verify
Revoke	True	Verify
Navigate to Devices		
■ DEVICES	x	Input
Duration	5000	Input
Verify if reserved on Devices Page		
■ Devices In Project	{NULL}	Select
Windows	{NULL}	Select
Reservation Status	Ordered Values, Count: 3	Verify
Click on Reservations		
Reservations	х	Input
Revoke Reservation		-
Available Reservations	{NULL}	Select
Desktop Slot Container	{NULL}	Select
Revoke	{Click}	Input
Reservation Deletion Popup		
Yes, continue	x	Input
Available Reservations	{NULL}	Select
None of the device slots in this project have any reservations.	True	Verify
■ DEVICES	х	Input
∀erify if deployed and delete		
■ Devices In Project	{NULL}	Select
Windows	True	Verify
Delete	х	Input
■ Delete Device	x	Input
DASHBOARD	x	Input
⊘ CloseBrowser		
■ Title	webmate*	Input
Clear Browser Cache		



Path	cmd	Input
Arguments	{NULL}	Select
Argument	/C	Input
Argument	del	Input
Argument	/q	Input
Argument	/s	Input
Argument	/f	Input
Argument	{CP[CachePath]}	Input
₹ TBox Delete Buffer		



Name	Value	Action Mode
C Public Device Deployment		
Setup		
⊘ OpenUrl		
Url	https://demo.webmate.io/	Input
■ UseActiveTab		Input
⊘ Login		1
■ email	{SENDKEYS[{CP[Username]}]}	Input
password	************	Input
	**************	,

■ Sign in	x	Input
Process		
Navigate to Project		
■ Schnelltest Container	{NULL}	Select
■ Schnelltest Text	{click}	Input
Navigate to Devices		
■ DEVICES	x	Input
Click on Deploy Device		
Device Slots in Project	{NULL}	Select
■ Public Device Slot	{NULL}	Select
Deploy device	x	Input
Choose a device to deploy into slot Public Device Slot		
Filter	True	WaitOn
Devices ready for Deployment	{NULL}	Select
■ 1. Device	{click}	Input
Name for new device	iPhone SE	Input
Allow automated jobs	{click}	Input
■ DEPLOY	{Click}	Input
Filter	{SENDKEYS[iPhone SE]}	Input
Verify if deployed and delete		
■ Devices In Project	{NULL}	Select
■ iPhone	True	Verify
Delete	х	Input
Approve Deletion		
■ Delete Device	х	Input
Navigate to Homepage		
DASHBOARD	x	Input
■ Title	webmate*	Input
■ Path	cmd	Input



Arguments	{NULL}	Select
Argument	/C	Input
Argument	del	Input
Argument	/q	Input
Argument	/s	Input
Argument	/f	Input
Argument	{CP[CachePath]}	Input
₹ TBox Delete Buffer		



Name	Value	Action Mode
© Desktop Device Deployment		
■ Setup		
⊘ OpenUrl		
Url	https://demo.webmate.io/	Input
■ UseActiveTab	inipen, demonstrations,	Input
⊘ Login		
■ email	{SENDKEYS[{CP[Username]}]}	Input
password	**************************************	Input
■ Sign in	х	Input
Process		
Navigate to Project		
■ Schnelltest Container	{NULL}	Select
■ Schnelltest Text	{click}	Input
■ DEVICES	х	Input
■ Device Slots in Project	{NULL}	Select
Desktop Device Slot	{NULL}	Select
Deploy device	х	Input
Desktop Devices ready to Deploy		
Filter	{SENDKEYS["WINDOWS 11"]}	Input
Devices ready for Deployment	{NULL}	Select
■ 1. Device	{click}	Input
Name for new device	Windows	Input
Allow automated jobs	{click}	Input
DEPLOY	х	Input
∀erify if deployed and delete		
■ Devices In Project	{NULL}	Select
Windows	True	Verify
Delete	х	Input
a Approve Deletion		
■ Delete Device	х	Input
Navigate to Homepage		
DASHBOARD	x	Input
⊘ CloseBrowser		
■ Title	webmate*	Input
Clear Browser Cache		
■ Path	cmd	Input
Arguments	{NULL}	Select
Argument	/C	Input



Argument	del	Input
Argument	/q	Input
Argument	/s	Input
Argument	/f	Input
Argument	{CP[CachePath]}	Input
♂ TBox Delete Buffer		



ame	Value	Action Mode
Report Malfunction		
Setup		
⊘ OpenUrl		
Url	https://demo.webmate.io/	Input
■ UseActiveTab	Titipo.//defilio.webiliate.io/	Input
≥ Login		При
■ email	{SENDKEYS[{CP[Username]}]}	Input
password	**************************************	Input
password	************	Input

■ Sign in	x	Input
Process		
⊘ Navigate to Project		
■ Schnelltest Container	{NULL}	Select
■ Schnelltest Text	{click}	Input
■ DEVICES	х	Input
Click on Deploy Device		
Device Slots in Project	{NULL}	Select
■ Public Device Slot	{NULL}	Select
Deploy device	х	Input
Choose a device to deploy into slot Public Device Slot		
Filter	True	WaitOn
Devices ready for Deployment	{NULL}	Select
1. Device	{click}	Input
Name for new device	iPhone SE	Input
Allow automated jobs	{click}	Input
■ DEPLOY	{Click}	Input
Filter	{SENDKEYS[iPhone SE]}	Input
Click on Advanced Options		
■ Devices In Project	{NULL}	Select
■ iPhone	{NULL}	Select
Advanced Options	{Click}	Input
Click on Report Malfunction		
Report malfunction	х	Input
■ Issue Details	{SENDKEYS[Malfunction detected.]}	Input
■ Send Report	{Click}	Input
Verify if deployed and delete		
■ Devices In Project	{NULL}	Select
iPhone	True	Verify



Delete	x	Input
Approve Deletion		
■ Delete Device	х	Input
Navigate to Devices		
DASHBOARD	х	Input
Title	webmate*	Input
Clear Browser Cache		
■ Path	cmd	Input
Arguments	{NULL}	Select
Argument	/C	Input
Argument	del	Input
Argument	/q	Input
Argument	/s	Input
Argument	/f	Input
Argument	{CP[CachePath]}	Input



ame	Value	Action Mode
Enable Daily Redeployment		
Setup		
② OpenUrl		
	https://domo.wohmoto.io/	Innut
■ Url ■ UseActiveTab	https://demo.webmate.io/	Input
		Input
≥ Login	(OENDKEVOKODKI I a a ma a ma a 111)	lant
■ email	{SENDKEYS[{CP[Username]}]}	Input
password	**************************************	Input
■ Sign in	х	Input
Process		
■ Schnelltest Container	{NULL}	Select
■ Schnelltest Text	{click}	Input
■ DEVICES	х	Input
Click on Deploy Device		
■ Device Slots in Project	{NULL}	Select
■ Public Device Slot	{NULL}	Select
Deploy device	х	Input
Choose a device to deploy into slot Public Device Slot		
Filter	True	WaitOn
Devices ready for Deployment	{NULL}	Select
■ 1. Device	{click}	Input
Name for new device	iPhone SE	Input
Allow automated jobs	{click}	Input
DEPLOY	{Click}	Input
Filter	{SENDKEYS[iPhone SE]}	Input
Click on Advanced Options for iPhone		
Devices In Project	{NULL}	Select
■ iPhone	{NULL}	Select
Advanced Options	х	Input
■ Enable daily redeployment	x	Input
∂ Wait 2s		
Duration	2000	Input
Verify if deployed daily		
■ Devices In Project	{NULL}	Select
■ iPhone	{NULL}	Select
■ Deployment Status	redeployed daily	Verify



Click on Advanced Options for iPhone		
Devices In Project	{NULL}	Select
■ iPhone	{NULL}	Select
Advanced Options	х	Input
Disable Daily Redeployment		
Disable daily redeployment	х	Input
Wait 2s ■ Wait 2s		
Duration	2000	Input
Verify if not deployed daily		
■ Devices In Project	{NULL}	Select
■ iPhone	{NULL}	Select
Deployment Status	no daily redeployment	Verify
Verify if deployed and delete		
■ Devices In Project	{NULL}	Select
■ iPhone	True	Verify
Delete	х	Input
Approve Deletion		
■ Delete Device	х	Input
Navigate to Devices		
DASHBOARD	х	Input
■ Title	webmate*	Input
■ Path	cmd	Input
Arguments	{NULL}	Select
Argument	/C	Input
Argument	del	Input
Argument	/q	Input
Argument	/s	Input
Argument	/f	Input
Argument	{CP[CachePath]}	Input



Name	Value	Action Mode

Try to deploy 2 mobile devices (test fail)



ame	Value	Action Mode
iPhone		
Setup		
⊘ OpenUrl		
■ Url	https://demo.webmate.io/	Input
■ UseActiveTab	Titips://demo.webmate.io/	Input
≥ Login		input
email	{SENDKEYS[{CP[Username]}]}	Input
	**************************************	Input
password	**************************************	Input

■ Sign in	x	Input
Process		
■ Schnelltest Container	{NULL}	Select
■ Schnelltest Text	{click}	Input
Navigate to Devices		
■ DEVICES	х	Input
Click on Deploy Device		
Device Slots in Project	{NULL}	Select
■ Public Device Slot	{NULL}	Select
Deploy device	x	Input
Choose a device to deploy into slot Public Device Slot		
Filter	True	WaitOn
Devices ready for Deployment	{NULL}	Select
■ 1. Device	{click}	Input
Name for new device	iPhone SE	Input
Allow automated jobs	{click}	Input
■ DEPLOY	{Click}	Input
Filter	{SENDKEYS[iPhone]}	Input
Access iPhone		
■ Devices In Project	{NULL}	Select
■ iPhone	{NULL}	Select
Access	True	WaitOn
Access	x	Input
iPhone Simulation Controls		
■ iPhone Controls Toolbar	{NULL}	Select
Simulations	{MOUSEOVER}	Input
Simulations - Biometrics	{CLICK}	Input
■ Simulations - Camera	{CLICK}	Input
■ Simulations - GPS	{CLICK}	Input
■ Testing Tools	{MOUSEOVER}	Input



Testing Tools - Test Mails	{click}	Input
■ Testing Tools - Log	{click}	Input
■ Testing Tools - Stream Quality	{click}	Input
∂ iPhone Simulation Widgets		
Generate Test Mail Address	True	Verify
Streaming Quality	True	Verify
■ Biometric Authentication	True	Verify
■ Camera Simulation	True	Verify
Location	True	Verify
♂ CloseBrowser		
■ Title	iPhone*	Input
Verify if deployed and delete		
■ Devices In Project	{NULL}	Select
■ iPhone	True	Verify
Delete	х	Input
Approve Deletion		
■ Delete Device	х	Input
Navigate to Homepage		
DASHBOARD	х	Input
Teardown		



lame	Value	Action Mode
Windows		
Setup		
② OpenUrl		
Url	https://demo.webmate.io/	Input
■ UseActiveTab	The point de monte de marche de marc	Input
€ Login		mpat
mail	{SENDKEYS[{CP[Username]}]}	Input
password	***************************************	Input

Sign in	х	Input
Navigate to Project		
■ Schnelltest Container	{NULL}	Select
■ Schnelltest Text	{click}	Input
Process		
Navigate to Devices		
■ DEVICES	х	Input
Device Slots in Project	{NULL}	Select
Desktop Device Slot	{NULL}	Select
Deploy device	х	Input
Desktop Devices ready to Deploy		
■ Filter	{SENDKEYS["Windows"]}	Input
Devices ready for Deployment	{NULL}	Select
1. Device	{click}	Input
Name for new device	Windows	Input
Allow automated jobs	{click}	Input
■ DEPLOY	х	Input
Duration	5000	Input
a Access Windows		
Devices In Project	{NULL}	Select
Windows	{NULL}	Select
Access	True	WaitOn
Access	X	Input
Activate Simulation Controls		
Windows Toolbar	{NULL}	Select
■ Use Clipboard	{CLICK}	Input
Show Test Run Info	{CLICK}	Input
■ Testing Tools	{MOUSEOVER}	Input
■ Test Mails ② Verify Simulation Controls	{CLICK}	Input



Clipboard	True	Verify
Test Management	True	Verify
■ Generate Test Mail Address	True	Verify
■ Create Address		Input
■ Created E-Mail Address	True	Verify
CloseBrowser CloseBrowser		
■ Title	WINDOWS*	Input
Verify if deployed and delete		
■ Devices In Project	{NULL}	Select
Windows	True	Verify
Delete	х	Input
■ Delete Device	х	Input
DASHBOARD	х	Input
Teardown		
■ Title	webmate by Testfabrik	Input



Name	Value	Action Mode
1.101110	1 4.4.0	/

Close session and re-access to device



Name	Value	Action Mode
------	-------	--------------------

C Add App&Packages



Name	Value	Action Mode

C Verify all items amount for searching



Name	Value	Action Mode
1.101110	1 4.4.0	/

© Search and download an image by its name



Name	Value	Action Mode
1.101110	1 4.4.0	/

© Search and download a video



Name	Value	Action Mode

© Search image by its file size



Name Value Action Mode

C Verify no image search possible with time stamp



Name	Value	Action Mode
------	-------	--------------------

C Upload an image



Name	Value	Action Mode

C Verify video search only by its name



Name	Value	Action Mode
1.101110	1 4.4.0	/

Verify video search options