Enrolment No:	92500588046		
Student Name:	Booker A Tengbeh		
Subject	**DBMS-ii**	**Academic Year**	**2025-2026**
Subject Code	**05BS0204**	**Subject Type**	**Department level**

1) Write a PL/SQL block that explains the use of ZERO_DIVIDE exception.

2) Write a PL/SQL block to accept student name from a user if it is exist display his/her result from RESULT table otherwise display appropriate message using exception handling.

3) Write a PL/SQL block to accept employee name from a user if it is exist display his/her basic salary otherwise display appropriate message using exception handling.

4) Write a PL/SQL block to display the salary of that employee whose age is 50 year otherwise display appropriate message using exception handling.

5) Write a PL/SQL block using a cursor to insert the records of employee in EMP_BACKUP table for given department number, also raise a user defined exception NO_DEPT_FOUND when no records are found for entered DEPT_NO. (Use User Defined Exception)

Answers

1) PL/SQL Block for ZERO_DIVIDE Exception

```
Set serverout on
DECLARE
    num1 NUMBER := 10;
    num2 NUMBER := 0;
    result NUMBER;

BEGIN
    result := num1 / num2;
    DBMS_OUTPUT.PUT_LINE('Result = ' || result);

EXCEPTION
    WHEN ZERO_DIVIDE THEN
        DBMS_OUTPUT.PUT_LINE('Error: Division by Zero is not
allowed');
END;
/
```

2) PL/SQL Block to Display Student Result Using Exception

```
Set serverout on
DECLARE
    v_name RESULT.Name%TYPE;
    v_total RESULT.Total%TYPE;
    v_grade RESULT.Grade%TYPE;

BEGIN
    v_name := '&Enter_Student_Name';

    SELECT Total, Grade
    INTO v_total, v_grade
    FROM RESULT
    WHERE Name = v_name;

    DBMS_OUTPUT.PUT_LINE('Total = ' || v_total);
    DBMS_OUTPUT.PUT_LINE('Grade = ' || v_grade);

EXCEPTION
    WHEN NO_DATA_FOUND THEN
        DBMS_OUTPUT.PUT_LINE('Student Record Not Found');
```

```
END;
/
```

3) PL/SQL Block to Display Employee Salary

```
Set serveroutput on
DECLARE
    v_name EMP.EName%TYPE;
    v_salary EMP.BasicSal%TYPE;

BEGIN
    v_name := '&Enter_Employee_Name';

    SELECT BasicSal
    INTO v_salary
    FROM EMP
    WHERE EName = v_name;

    DBMS_OUTPUT.PUT_LINE('Salary = ' || v_salary);

EXCEPTION
    WHEN NO_DATA_FOUND THEN
        DBMS_OUTPUT.PUT_LINE('Employee Not Found');
END;
/
```

4) PL/SQL Block to Display Salary of Employee Age 50

```
Set serveroutput on
DECLARE
    v_salary EMP.BasicSal%TYPE;

BEGIN
    SELECT BasicSal
    INTO v_salary
    FROM EMP
    WHERE Age = 50;

    DBMS_OUTPUT.PUT_LINE('Salary = ' || v_salary);

EXCEPTION
    WHEN NO_DATA_FOUND THEN
        DBMS_OUTPUT.PUT_LINE('No Employee with Age 50 Found');
END;
/
```

5) PL/SQL Block Using Cursor and User Defined Exception

```
Set serveroutput on
DECLARE

CURSOR c1 IS
SELECT * FROM EMP
WHERE Deptno = &Dept_No;

v_record EMP%ROWTYPE;

NO_DEPT_FOUND EXCEPTION;

count1 NUMBER := 0;

BEGIN

OPEN c1;

LOOP
FETCH c1 INTO v_record;
EXIT WHEN c1%NOTFOUND;

INSERT INTO EMP_BACKUP VALUES v_record;

count1 := count1 + 1;

END LOOP;

IF count1 = 0 THEN
RAISE NO_DEPT_FOUND;
END IF;

DBMS_OUTPUT.PUT_LINE('Records Inserted Successfully');

CLOSE c1;

EXCEPTION
WHEN NO_DEPT_FOUND THEN
DBMS_OUTPUT.PUT_LINE('No Records Found for Given Department');

END;
/
```