| | | | |
|---|---|---|---|
| **Enrolment No:** | 92500588046 | | |
| **Student Name:** | Booker A Tengbeh | | |
| **Subject** | **ITECH** | **Academic Year** | **2025-2026** |
| **Subject Code** | **05BS0204** | **Subject Type** | **LAP MANNUAL PRACTICAL** |

UNIT TWO (5)

1. Write a program to change the HTML content using javascript.

2. Write a program to create an array in javascript.

3. Write a program to create a function using javascript.

4. Write a program to for different loops in Javascripts.

5. Write a program to represent all events of JavaScript.

6. Write a program for Mouse events of JQuery

7. Write a program for Keyboard events of JQuery

8. Write a program for Form events of JQuery

9. Write a program for Keyboard events of JQuery

10.Write a program for Form events of JQuery

Answer

# 1. Change HTML Content Using JavaScript

```
<!DOCTYPE html>
<html>
<head>
<title>Change Content</title>
</head>

<body>

<h2 id="demo">Hello World</h2>

<button onclick="changeText()">Click Me</button>
```

```
<script>
function changeText()
{
document.getElementById("demo").innerHTML="Welcome to JavaScript";
}
</script>

</body>
</html>
```

---

# 2. Create an Array in JavaScript

```
<!DOCTYPE html>
<html>
<head>
<title>Array</title>
</head>

<body>

<p id="demo"></p>

<script>

var fruits=["Apple","Banana","Mango","Orange"];

document.getElementById("demo").innerHTML=fruits;

</script>

</body>
</html>
```

---

# 3. Create a Function in JavaScript

```
<!DOCTYPE html>
<html>
<head>
<title>Function</title>
</head>

<body>

<button onclick="myFunction()">Click</button>

<p id="demo"></p>

<script>

function myFunction()
```

```
{
document.getElementById("demo").innerHTML="Function Called";
}

</script>

</body>
</html>
```

---

# 4. Different Loops in JavaScript

```
<!DOCTYPE html>
<html>
<head>
<title>Loops</title>
</head>

<body>

<p id="demo"></p>

<script>

var text="";

for(i=1;i<=5;i++)
{
text+="For Loop "+i+"<br>";
}

var j=1;
while(j<=3)
{
text+="While Loop "+j+"<br>";
j++;
}

var k=1;
do
{
text+="Do While "+k+"<br>";
k++;
}
while(k<=2);

document.getElementById("demo").innerHTML=text;

</script>

</body>
</html>
```

---

# 5. JavaScript Events Example

```
<!DOCTYPE html>
<html>
<head>
<title>Events</title>
</head>

<body>

<button onclick="clickEvent()">Click</button>
<button ondblclick="dblClick()">Double Click</button>

<input type="text" onkeyup="keyEvent()">

<p id="demo"></p>

<script>

function clickEvent()
{
document.getElementById("demo").innerHTML="Click Event";
}

function dblClick()
{
document.getElementById("demo").innerHTML="Double Click Event";
}

function keyEvent()
{
document.getElementById("demo").innerHTML="Key Pressed";
}

</script>

</body>
</html>
```

---

# 6. Mouse Events using jQuery

```
<!DOCTYPE html>
<html>
<head>

<script src="https://code.jquery.com/jquery-3.6.0.min.js"></script>

<script>

$(document).ready(function(){

$("p").click(function(){
```

```
alert("Mouse Click");
});

$("p").mouseenter(function(){
$(this).css("color","red");
});

});

</script>

</head>

<body>

<p>Mouse Event Example</p>

</body>
</html>
```

---

# 7. Keyboard Events using jQuery

```
<!DOCTYPE html>
<html>
<head>

<script src="https://code.jquery.com/jquery-3.6.0.min.js"></script>

<script>

$(document).ready(function(){

$("input").keypress(function(){
alert("Key Pressed");
});

});

</script>

</head>

<body>

Enter Text:
<input type="text">

</body>
</html>
```

---

# 8. Form Events using jQuery

```
<!DOCTYPE html>
<html>
<head>

<script src="https://code.jquery.com/jquery-3.6.0.min.js"></script>

<script>

$(document).ready(function(){

$("input").focus(function(){
$(this).css("background","yellow");
});

$("input").blur(function(){
$(this).css("background","white");
});

});

</script>

</head>

<body>

Name:
<input type="text">

</body>
</html>
```

---

# 9. Keyboard Events using jQuery (Another Example)

```
<!DOCTYPE html>
<html>
<head>

<script src="https://code.jquery.com/jquery-3.6.0.min.js"></script>

<script>

$(document).ready(function(){

$("input").keydown(function(){
alert("Key Down");
});
```

```
});

</script>

</head>

<body>

<input type="text">

</body>
</html>
```

---

# 10. Form Events using jQuery

```
<!DOCTYPE html>
<html>
<head>

<script src="https://code.jquery.com/jquery-3.6.0.min.js"></script>

<script>

$(document).ready(function(){

$("form").submit(function(){
alert("Form Submitted");
});

});

</script>

</head>

<body>
```