| | | | |
|---|---|---|---|
| **Enrolment No:** | 92500588046 | | |
| **Student Name:** | Booker A Tengbeh | | |
| **Subject** | **ITECH** | **Academic Year** | **2025-2026** |
| **Subject Code** | **05BS0204** | **Subject Type** | **LAP MANNUAL PRACTICAL** |

UNIT TWO (3)

1. Write an HTML code to create table with iframe to display student data.
2. Write an HTML code to use action attribute of form.
3. Write an HTML code to use method attribute of form.
4. Write an HTML code to use label and textarea elements of form.
5. Write an HTML code to use button and select elements of form.
6. Write an HTML code to use input element of form.
7. Write an HTML code to play a video file.
8. Write an HTML code to play an audio file
9. Write an HTML code to draw 4 different Canvas.
10. Write an HTML code to draw 4 different shapes using SVG.

Answer

# 1. HTML Code to Create Table with Iframe to Display Student Data

index.html

```
<!DOCTYPE html>
<html>
<head>
<title>Student Data</title>
</head>

<body>

<h2>Student Table</h2>

<table border="1">
<tr>
<th>Name</th>
<th>Details</th>
</tr>
```

```
<tr>
<td>John</td>
<td><a href="student1.html" target="frame">View</a></td>
</tr>

<tr>
<td>Mary</td>
<td><a href="student2.html" target="frame">View</a></td>
</tr>

</table>

<br>

<iframe name="frame" width="400" height="200"></iframe>

</body>
</html>
```

---

# 2. HTML Code to Use Action Attribute

```
<!DOCTYPE html>
<html>
<head>
<title>Form Action</title>
</head>

<body>

<form action="submit.html">
Name:
<input type="text"><br><br>

<input type="submit">
</form>

</body>
</html>
```

---

# 3. HTML Code to Use Method Attribute

```
<!DOCTYPE html>
<html>
<head>
<title>Form Method</title>
</head>

<body>
```

```
<form method="post">
Username:
<input type="text"><br><br>

Password:
<input type="password"><br><br>

<input type="submit">
</form>

</body>
</html>
```

---

# 4. HTML Code to Use Label and Textarea

```
<!DOCTYPE html>
<html>
<head>
<title>Textarea</title>
</head>

<body>

<form>

<label>Name:</label>
<input type="text"><br><br>

<label>Address:</label><br>
<textarea rows="5" cols="30"></textarea>

<br><br>
<input type="submit">

</form>

</body>
</html>
```

---

# 5. HTML Code to Use Button and Select

```
<!DOCTYPE html>
<html>
<head>
<title>Select Example</title>
</head>

<body>

<form>
```

```
Select Course:
<select>
<option>HTML</option>
<option>CSS</option>
<option>JavaScript</option>
</select>

<br><br>

<button>Submit</button>

</form>

</body>
</html>
```

---

# 6. HTML Code to Use Input Element

```
<!DOCTYPE html>
<html>
<head>
<title>Input Example</title>
</head>

<body>

<form>

Name:
<input type="text"><br><br>

Password:
<input type="password"><br><br>

Email:
<input type="email"><br><br>

Gender:
<input type="radio" name="g">Male
<input type="radio" name="g">Female

<br><br>

<input type="submit">

</form>

</body>
</html>
```

---

# 7. HTML Code to Play Video File

```
<!DOCTYPE html>
<html>
<head>
<title>Video</title>
</head>

<body>

<h2>Video Player</h2>

<video width="400" controls>
<source src="video.mp4" type="video/mp4">
</video>

</body>
</html>
```

---

# 8. HTML Code to Play Audio File

```
<!DOCTYPE html>
<html>
<head>
<title>Audio</title>
</head>

<body>

<h2>Audio Player</h2>

<audio controls>
<source src="audio.mp3" type="audio/mp3">
</audio>

</body>
</html>
```

---

# 9. HTML Code to Draw 4 Different Canvas

```
<!DOCTYPE html>
<html>
<head>
<title>Canvas</title>
</head>

<body>
```

```
<canvas id="c1" width="200" height="100" style="border:1px solid
black"></canvas>
<canvas id="c2" width="200" height="100" style="border:1px solid
black"></canvas>
<canvas id="c3" width="200" height="100" style="border:1px solid
black"></canvas>
<canvas id="c4" width="200" height="100" style="border:1px solid
black"></canvas>

<script>

var c1=document.getElementById("c1").getContext("2d");
c1.fillRect(20,20,100,50);

var c2=document.getElementById("c2").getContext("2d");
c2.moveTo(0,0);
c2.lineTo(200,100);
c2.stroke();

var c3=document.getElementById("c3").getContext("2d");
c3.arc(95,50,40,0,2*Math.PI);
c3.stroke();

var c4=document.getElementById("c4").getContext("2d");
c4.font="20px Arial";
c4.fillText("Hello",50,50);

</script>

</body>
</html>
```

---

# 10. HTML Code to Draw 4 Shapes Using SVG

```
<!DOCTYPE html>
<html>
<head>
<title>SVG Shapes</title>
</head>

<body>

<svg width="400" height="300">

<rect x="10" y="10" width="100" height="50" fill="blue"/>

<circle cx="200" cy="40" r="30" fill="red"/>

<ellipse cx="100" cy="150" rx="50" ry="25" fill="green"/>

<line x1="200" y1="100" x2="350" y2="200" stroke="black"/>
```

```
</svg>

</body>
</html>
```