



Figure C. Several phenotypes under one rule: what is observed, and how far it is checked

ONE LANE: evidence from Lane 6 (PR #11, merged @ f72db9e); no second-lane reproduction of the coexistence yet.
Claim statuses checked against research/claims.md as updated in PR #22 @ db4b894 (unmerged; C039 refuted, D2).



c At the coexistence rule (μ 0.155, σ 0.020): persistence is not the same as a verified attractor

C038 · reproduced C039 · refuted C040 · observed C042 · reproduced C043 · observed C047 · indep. checked

	persistence at the coexistence rule				same lane, stronger tests		independent	
	T10 R13	R 26, bilinear seed	R 26, block / nearest / cubic	T40 R13	clean rerun	returns after 1001 attenuation	second lane reproduces	catalog identity
glider (Orbium cells)	glider m 0.487	glider m 0.487	not run	→ static m 0.387	no trace at this rule	≤ 10% (2 phases)	not yet	Orbium
circler S102	circler m 0.523	died	circler, all 3 at R 26 and 39 (2 engines)	circler m 0.497	bitwise S102- 5bfac8f95f	at 5%: kept in 1 of 2 phases	not yet	OG2g
static ring S103	static m 0.379	static m 0.379	static, block seed m 0.381, ≠ seed (Lane 3, C048)	static m 0.379	bitwise S103- 1d8c158cdd	bitwise, ≤ 20% (1 phase, dossier)	not yet	C01a

● glider ■ static ■ filled the world ◆ circler ● died ▨ glider + circler coexist (σ location moves with the numerics)

--- $\sigma = 0.020$ (coexistence rule) | sampled σ without coexistence