



Figure C. Several phenotypes under one rule: what is observed, and how far it is checked

ONE LANE: evidence from Lane 6 (PR #11, merged @ f72db9e); no second-lane reproduction of the coexistence yet.
Claim statuses checked against research/claims.md as updated in PR #25 @ 5363da2 (unmerged; C039 refuted, D2).



c At the coexistence rule (μ 0.155, σ 0.020): persistence is not the same as a verified attractor
C038 · reproduced **C039 · refuted** **C040 · observed** **C042 · reproduced** **C043 · observed** **C047 · indep. checked**

	persistence at the coexistence rule				same lane, stronger tests		independent		
	T10 R13	R 26, bilinear seed	R 26, block / nearest / cubic	T40 R13	clean rerun	returns after 1001 attenuation	second lane reproduces	catalog identity	
glider (Orbium cells)	glider m 0.487	glider m 0.487	not run	→ static m 0.387	no trace at this rule	≤ 10% (2 phases)	not yet	Orbium	
circler S102	circler m 0.523	died	circler, all 3, R 26 and 39 (Lane 3; Lane 6 rerun matches)	circler m 0.497	bitwise S102- 5bfac8f95f	at 5%: kept in 1 of 2 phases	not yet	OG2g	
static ring S103	static m 0.379	static m 0.379	static, block seed m 0.381, ≠ seed (Lane 3, C048)	static m 0.379	bitwise S103- 1d8c158cdd	bitwise, ≤ 20% (1 phase, dossier)	not yet	C01a	

● glider ■ static ■ filled the world $\sigma = 0.020$ (coexistence rule)
◆ circler ● died ▨ glider + circler coexist (σ location moves with the numerics) | sampled σ without coexistence