FORGOTTEN
FORMULA PMA

ALLIO

KATHRYN SMITH

Injectable Peptide & Bioregulator Schedule

Generated: March 16, 2026 | FF PMA 5R Framework

INJECTABLE PEPTIDES

Peptide	Vial	Reconstitution	Dose	Frequency	Duration	Purpose
LL-37	5mg	1mL BAC water	4-8 units	Daily	6 weeks	Antimicrobial — patho
PNC-27	10mg	1mL BAC water	20 units	Daily	6 weeks	Cancer cell targeting –
Thymogen	20mg	2mL BAC water	20 units	M/W/F	4 weeks	Thymic immune recons
Epithalon+Pinealon	45mg	2mL BAC water	10-20 u	Daily	30 days	Telomere/pineal restora
FOXO4-DRI	10mg	2mL BAC water	5mg wk	Weekly	4 wks	Senolytic — zombie ce
KGlow-25	25mg	2mL BAC water	10-20 u	M/W/F	90 days	Tissue regen, collagen
Gonadorelin	2mg	1mL BAC water	20 units	M/W/F	8 weeks	Hormonal axis optimiza

PCC BIOREGULATORS

Bioregulator	Target Organ	Dose	Frequency	Duration
Thymus PCC	Thymus	1 capsule	Daily (AM)	90 days
Mammary PCC	Mammary/Breast	1 capsule	2x daily	90 days
Liver PCC	Liver	1 capsule	Daily (AM)	90 days
Ovary PCC	Ovary	1 capsule	Daily (AM)	90 days
Pineal PCC	Pineal Gland	1 capsule	Daily (PM)	90 days

ORAL PEPTIDES (Weeks 7-12 Transition)

Peptide	Dose	Frequency	Duration	Purpose
Thymogen Alpha-1	1 cap	Daily	Wks 7-12	Immune modulation continuation
TB-Frag Max	1 cap	Daily	Wks 7-12	Tissue repair
GutFeeling	1 cap	2x daily	Wks 7-12	Gut barrier restoration
Pineal Pep	1 cap	Bedtime	Wks 7-12	Pineal/melatonin support
5-Amino-1MQ	1 cap	Daily	Wks 7-12	Metabolic optimization
Dihexa	1 cap	Daily	Wks 7-12	Cognitive support

PARASITE / ANTIVIRAL PROTOCOLS

Agent	Dose	Schedule	Duration	Purpose
Fenbendazole	222mg	3 days on, 4 off	12 weeks	Anti-parasitic + anti-cancer
Ivermectin	12mg	2x/week	12 weeks	Broad-spectrum anti-parasiti
Nitazoxanide	500mg	2x/day	Weeks 1-4	Anti-protozoal
Blushwood Berry	Per label	Daily bedtime	12 weeks	Tumor necrosis compound

IV / IM THERAPIES

Therapy	Frequency	Duration	Purpose
FF Detox IV (Full Sequence)	1x (Wk 1)	Week 1 only	EDTA + Myers' + Glutathione + ALA +
IV Vitamin C (High Dose)	Mon/Wed	Wks 2-12	Pro-oxidant cancer cell destruction

Ozonated Glycerin IV	Friday	Wks 2-12	Immune activation, pathogen eliminati
NAD+ IM	1x/week	Ongoing	Mitochondrial restoration
LipoB IM	1x/week	Ongoing	Fat metabolism, liver support

RECONSTITUTION NOTES: All peptides reconstituted with Bacteriostatic (BAC) Water. Store reconstituted vials refrigerated. Use insulin syringes for SubQ injections. Rotate injection sites (abdomen, thigh). Allow vial to reach room temperature before injection.