

TRAINING • TECHNIZER INDIA

GitHub Copilot

Architecture, Models & Developer Capabilities

Facilitator

Manish Sharma

Technizer India



GPT-5

Claude Opus 4.5

Gemini 3 Pro


Grok Code Fast



HOW IT WORKS

Copilot Request Flow — From Editor to Model

A request from your IDE travels through a proxy, hits the model, returns a response, and is then purged from memory.



Privacy by design — prompts and code suggestions are not retained after the request completes.

DATA FLOW

Inbound & Outbound

The complete journey — from your keystroke to a code suggestion and back

→ Inbound Flow

 Context Signals


← Outbound Flow



DATA FLOW

Inbound Flow — Prompt to LLM

Every keystroke triggers a 4-stage pipeline before a suggestion reaches your cursor.



Privacy by design — prompts and context are not retained after the request completes.



DATA FLOW

What Copilot Collects — 6 Context Signals

Gathered simultaneously during Stage 1 — before any filter runs.



Cursor Position

Code before and after the cursor — immediate editing context for precise suggestions



Filename & File Type

Language and file extension tailor suggestions to .ts, .py, .cs context



Adjacent Open Tabs

Other open editor tabs provide cross-file coherence and consistency



Project Structure

File paths and directory layout help Copilot respect project architecture patterns



Languages & Frameworks

Detected stack (React, Django, Spring) shapes idioms and import suggestions




FIM Pre-processing

Fill-in-the-Middle technique expands model context using both preceding and following code



Outbound Flow — LLM to Your Editor

A suggestion only reaches you after passing 3 post-processing gates.




🔄 Feedback loop — every accept and reject trains Copilot to serve you better over time.



ARCHITECTURE

The Copilot Stack — Layered View

Each layer has a single responsibility: the frontend collects context, the orchestrator builds a safe prompt, the foundation layer generates the answer.



FOUNDATION MODELS

Routed per task & plan

OpenAI

GPT-5 • GPT-5.1 • GPT-5-Codex

Anthropic

Claude Opus 4.5 • Sonnet 4.5 • Haiku 4.5

Google

Gemini 3 Pro • Gemini 2.5 Pro

xAI

Grok Code Fast 1



Model Availability Across Copilot Plans

✓ Included — Not available • Family colour indicates provider

Family	Model	Free	Pro	Pro+	Business	Enterprise
Anthropic	Claude Haiku 4.5	✓	✓	✓	✓	✓
Anthropic	Claude Sonnet 4	—	✓	✓	✓	✓
Anthropic	Claude Sonnet 4.5	—	✓	✓	✓	✓
Anthropic	Claude Opus 4.1	—	—	✓	—	✓
Anthropic	Claude Opus 4.5	—	✓	✓	✓	✓
OpenAI	GPT-4.1	✓	✓	✓	✓	✓
OpenAI	GPT-5 mini	—	✓	✓	✓	✓
OpenAI	GPT-5	—	✓	✓	✓	✓
OpenAI	GPT-5-Codex	—	✓	✓	✓	✓
OpenAI	GPT-5.1	—	✓	✓	✓	✓
OpenAI	GPT-5.1-Codex	—	✓	✓	✓	✓
OpenAI	GPT-5.1-Codex-Mini	—	✓	✓	✓	✓
OpenAI	GPT-5.1-Codex-Max	—	✓	✓	✓	✓
Google	Gemini 2.5 Pro	—	✓	✓	✓	✓
Google	Gemini 3 Pro	—	✓	✓	✓	✓
xAI	Grok Code Fast 1	—	✓	✓	✓	✓
GitHub	Raptor mini	✓	✓	✓	—	—



MODEL SELECTION

Model vs Task — At a Glance



DEEP
REASONING

GPT-5 & Claude Opus

Best for debugging and architecture-level thinking.



SPEED

Haiku 4.5 & Raptor mini

Best for speed and repetitive developer tasks.



BALANCED

Sonnet 4 / 4.5

Best balance for agents and daily dev workflows.



RESEARCH

Gemini 2.5 Pro

Ideal for research and complex debugging.



LOW
LATENCY

Grok Code Fast 1

Optimised for low-latency, fast coding.



REPAIR

Qwen2.5

Good for reasoning and code repair.



Detailed Model Capabilities

Model	Task Area	Excels At	Capabilities
GPT-5-Codex	General-purpose coding	Fast, accurate completions and explanations	<i>Agent mode</i>
GPT-5 mini	General-purpose coding	Fast, accurate completions and explanations	<i>Agent, reasoning, vision</i>
GPT-5	Deep reasoning & debugging	Multi-step problem solving, architecture analysis	<i>Reasoning</i>
Claude Haiku 4.5	Lightweight tasks	Fast, reliable answers to simple questions	<i>Agent mode</i>
Claude Sonnet 4.5	Coding & agent tasks	Complex problem-solving, sophisticated reasoning	<i>Agent mode</i>
Claude Opus 4.1	Deep reasoning & debugging	Complex problem-solving, sophisticated reasoning	<i>Reasoning, vision</i>
Claude Sonnet 4	Deep reasoning & debugging	Performance and practicality, balanced for coding	<i>Agent mode, vision</i>
Gemini 2.5 Pro	Deep reasoning & debugging	Complex code gen, debugging, research workflows	<i>Reasoning, vision</i>
Grok Code Fast 1	General-purpose coding	Fast, accurate completions and explanations	<i>Agent mode</i>
Qwen2.5	General-purpose coding	Code generation, reasoning, code repair	<i>Reasoning</i>
Raptor mini	General-purpose coding	Fast, accurate code	<i>Agent mode</i>

The Prompt Formula



Role	Who is Copilot acting as? "Acting as a senior TypeScript engineer..."
Task	The one verb-driven thing you want done.
Context	What does it need to know? The framework, the file's purpose, the data shape.
Constraints	What must it not do, must use, must avoid?
Output Format	Code only? Code + explanation? A specific function signature?

Heads up: Not every prompt needs all five. Inline completions lean on the file's context — a one-line comment may be enough. Chat prompts, especially for non-trivial tasks, should use the full formula.



Slash Commands — Quick Actions in Chat



Slash commands

Trigger built-in Copilot actions directly from the chat. Type / followed by the command to run a specific task on your active editor or workspace.

Command	Description
<code>/clear</code>	Start a new chat session.
<code>/explain</code>	Explain how the code in your active editor works.
<code>/fix</code>	Propose a fix for problems in the selected code.
<code>/fixTestFailure</code>	Find and fix a failing test.
<code>/help</code>	Quick reference and basics of using GitHub Copilot.
<code>/new</code>	Create a new project.
<code>/tests</code>	Generate unit tests for the selected code.



Chat Variables — Bring Precise Context



Chat variables

Reference specific scope in your prompt.
Type # in the chat box and pick a
variable to inject exactly the right
context — no copy-paste.

Variable	Description
#block	Includes the current block of code in the prompt.
#class	Includes the current class in the prompt.
#comment	Includes the current comment in the prompt.
#file	Includes the current file's content in the prompt.
#function	Includes the current function or method in the prompt.
#line	Includes the current line of code in the prompt.
#path	Includes the file path in the prompt.
#project	Includes the project context in the prompt.
#selection	Includes the currently selected text in the prompt.
#sym	Includes the current symbol in the prompt.



Chat Participants — Specialised Assistants



Chat participants

Domain experts you can summon by typing @ in the chat. Each participant knows a specific area and pulls the right context automatically.

Participant	Description
@azure	Context on Azure services — use to deploy and manage Azure resources. (Public preview)
@github	Use GitHub-specific Copilot skills directly from the IDE.
@terminal	Context about the VS Code terminal — for creating or debugging shell commands.
@vscode	Context about VS Code commands and features.
@workspace	Context about the structure of your project, how parts interact, and design patterns.



WORKING WITH COPILOT

Copilot Chat — Three Modes, Three Intents


Pick the mode that matches what you want Copilot to do — answer, act, or plan.



ANSWER

Ask mode

Get answers to coding questions and code suggestions inline.



EXECUTE

Agent mode

Autonomously accomplish a set task with tools and iteration.



DESIGN

Plan mode

Produce detailed implementation plans before any code is written.

Rule of thumb: Ask for understanding • Plan before complex work • Agent for autonomous execution.

[ROLE]

Act as a [Senior/Expert Tier] [Specialization] Engineer.

[TASK]

I need you to [High-Level Goal / Feature Name] in our application.

[CONTEXT]

- Core Logic/Routes: [File Paths]
- Models/Database: [File Paths]
- Existing Configuration: [File Paths]

[CONSTRAINTS]

- Tech Stack Limits: Do not use [Libraries/Frameworks]. Use [Existing Packages].
- Security/Business Rules: Enforce [Limits/Validations/Rules].
- Scope: Only modify files related to [Feature], do not refactor outside this scope.

[EXECUTION STEPS]

1. Database: Update [File] to include [Fields/Types].
2. Logic: Create [File Path] and implement [Specific Algorithm/Logic].
3. Routing: Expose the feature at [Endpoint/Page URL].

[VERIFICATION]

- Run [Local Test Script / Simulation Command] to test cases: [Case A, Case B].
- Run [Build/Lint Command] to ensure zero compilation or styling errors.



C O P I L O T C L I

GitHub Copilot CLI — Terminal-Native Agent

GA: Feb 2026 • Public Preview: Sep 2025 • Install: `npm install -g @github/copilot`

KEY COMMANDS

/plan Outlines the work before any code is written

/fleet Runs subagents in parallel across tasks or models

/model Switch LLM mid-session (GPT, Claude, Gemini)

/delegate Creates branch, implements feature, opens PR

/resume Picks up long-running sessions across days

/mcp Native GitHub — issues, PRs, branches in natural language

WHAT IT CAN DO

Autonomous Execution

Plans, edits files, runs tests, opens PRs — without leaving your terminal. Every action requires your approval.

GitHub-Native via MCP

Read issues, analyse labels, move from backlog to implementation — authenticated with your GitHub account.

⚠ Uses Premium Requests

Each prompt you send = 1 premium request. Autonomous tool calls in between do NOT count. Billing moves to AI Credits (token-based) June 1, 2026.



C O P I L O T C L I

Copilot CLI vs Copilot Chat

Chat answers. | CLI acts.

Copilot Chat	Copilot CLI
Where Inside VS Code / JetBrains / GitHub.com	Where Your terminal — standalone, any OS
Output Text, code snippets, explanations	Output Actual file changes, commits, PRs
Runs commands No — suggests only	Runs commands Yes — with your explicit approval each time
GitHub Issues / PRs No native integration	GitHub Issues / PRs Yes — native via /mcp
Session memory Resets per window	Session memory Persists across sessions — /resume
Billing Premium requests (GPT-4.1, GPT-5 mini free on paid plans)	Billing Uses premium requests — each prompt you send counts

Note: GitHub is moving from premium requests to AI Credits (token-based billing) on June 1, 2026. Both Chat and CLI will be affected.

LET'S CONTINUE THE CONVERSATION

Thank you.

Questions, feedback, or follow-up training — reach out any time.

Manish Sharma

Technizer India

✉ manishvbn@gmail.com

✉ manish.sharma@technizerindia.com

📞 WhatsApp • +91 98220 25942

🌐 LinkedIn • Manish Sharma Technizer (Search)

GitHub

Copilot

Corporate Training

2026