LispPad Library Reference

Version 1.5.2

Matthias Zenger

2020-12-23

Table of contents

1 Introduction

1.1 Overview

LispPad is an integrated development environment for Scheme on macOS. LispPad's Scheme interpreter is based on LispKit, a R7RS-compliant implementation of Scheme which comes with a large number of pre-packaged Scheme libraries. This document is a reference manual for the core Scheme libraries coming with LispKit. The LispPad homepage provides access to frequently updated online documentation.

1.2 Further reading

There are several books which can be recommended for learning Scheme and related topics:

- "The Scheme Programming Language" by R. Kent Dybvig provides a comprehensive introduction into Scheme based on R6RS. It discusses several advanced topics and covers many Scheme libraries.
- "Simply Scheme: Introducing Computer Science" by Brian Harvey and Matthew Wright introduces Scheme slowly to beginners.
- "Structure and Interpretation of Computer Programs" by Harold Abelson and Gerald Jay Syssman is the ultimate book teaching Computer Science, all in Scheme. The book covers a broad range of Computer Science topics and should be standing on every Scheme programmers desk.
- "Essentials of Programming Languages" by Daniel P. Friedman and Mitchell Wand provides a deep understanding of the essential concepts of programming languages and uses Scheme as the language to implement the concepts.

1.3 Acknowledgments

Some of this documentation is derived from existing Scheme language specifications, such as the R5RS, the R6RS, and the R7RS standards. In recent years, these standards evolved using the SRFI process, which provides access to a large number of standardized Scheme components and libraries.

The following people have contributed over the last 20 years to the evolution, standardization, and documentation of Scheme: R. Kelsey, W. Clinger, J. Rees, H. Abelson, N. I. Adams IV, D. H. Bartley, G. Brooks, R. K. Dybvig, D. P. Friedman, R. Halstead, C. Hanson, C. T. Haynes, E. Kohlbecker, D. Oxley, K. M. Pitman, M. Sperber, M. Flatt, A. v. Straaten, A. Shinn, J. Cowan, A. A. Gleckler, S. Ganz, A. W. Hsu, B. Lucier, E. Medernach, A. Radul, J. T. Read, D. Rush, B. L. Russel, O. Shivers, A. Snell-Pym, and G. J. Sussman.

2 LispKit Base

Library `(lispkit base)` aggregates all exported values, parameter objects, and functions from the following libraries and re-exports them.

- `(lispkit box)`
- `(lispkit bytevector)`
- `(lispkit char)`
- `(lispkit control)`
- `(lispkit core)`
- `(lispkit dynamic)`
- `(lispkit hashtable)`
- `(lispkit list)`
- `(lispkit math)`
- `(lispkit port)`
- `(lispkit record)`
- `(lispkit string)`
- `(lispkit system)`
- `(lispkit type)`
- `(lispkit vector)`

3 LispKit Box

LispKit is a R7RS-compliant implementation with one exception: pairs are immutable. This library provides implementations of basic mutable data structures with reference semantics: mutable multi-place buffers, also called *boxes*, and mutable pairs. The difference between a two-place box and a mutable pair is that a mutable pair allows mutations of the two elements independent of each other.

3.1 Boxes

(box? *obj*) `procedure`
Returns `#t` if *obj* is a box; `#f` otherwise.

(box *obj* …) `procedure`
Returns a new box object that contains the objects *obj* ….

(unbox *box*) `procedure`
Returns the current contents of *box*. If multiple values have been stored in the box, `unbox` will return multiple values. This procedure fails if *box* is not referring to a box.

(set-box! *box obj* …) `procedure`
Sets the content of *box* to objects *obj* …. This procedure fails if *box* is not referring to a box.

(update-box! *box proc*) `procedure`
Invokes *proc* with the content of *box* and stores the result of this function invocation in *box*. `update-box!` is implemented like this:

```
(define (update-box! box proc)
  (set-box! box (apply-with-values proc (unbox box))))
```

3.2 Mutable pairs

(mpair? *obj*) `procedure`
Returns `#t` if v is a mutable pair (mpair); `#f` otherwise.

(mcons *car cdr*) `procedure`
Returns a new mutable pair whose first element is set to *car* and whose second element is set to *cdr*.

(mcar *mpair*) `procedure`
Returns the first element of the mutable pair *mpair*.

(mcdr *mpair*) `procedure`
Returns the second element of the mutable pair *mpair*.

(set-mcar! *mpair obj*) `procedure`
Sets the first element of the mutable pair *mpair* to *obj*.

(set-mcdr! *mpair obj*) `procedure`
Sets the second element of the mutable pair *mpair* to *obj*.

4 LispKit Bytevector

Bytevectors represent blocks of binary data. They are fixed-length sequences of bytes, where a *byte* is a fixnum in the range from 0 to 255 inclusive. A bytevector is typically more space-efficient than a vector containing the same values.

The *length* of a bytevector is the number of elements that it contains. The length is a non-negative integer that is fixed when the bytevector is created. The *valid indexes* of a bytevector are the exact non-negative integers less than the length of the bytevector, starting at index zero as with vectors.

Bytevectors are written using the notation `#u8(byte ...)`. For example, a bytevector of length 3 containing the byte 0 in element 0, the byte 10 in element 1, and the byte 5 in element 2 can be written as follows: `#u8(0 10 5)`. Bytevector constants are self-evaluating, so they do not need to be quoted.

4.1 Basic

(bytevector? *obj***)** `procedure`
Returns `#t` if *obj* is a bytevector; otherwise, `#f` is returned.

(bytevector *byte ...***)** `procedure`
Returns a newly allocated bytevector containing its arguments as bytes in the given order.

```
(bytevector 1 3 5 1 3 5)  ⇒  #u8(1 3 5 1 3 5)
(bytevector)              ⇒  #u8()
```

(make-bytevector *k***)** `procedure`
(make-bytevector *k byte***)**

The `make-bytevector` procedure returns a newly allocated bytevector of length *k*. If *byte* is given, then all elements of the bytevector are initialized to *byte*, otherwise the contents of each element are unspecified.

```
(make-bytevector 3 12)  ⇒  #u8(12 12 12)
```

(bytevector-length *bytevector***)** `procedure`
Returns the length of bytevector in bytes as an exact integer.

(bytevector-u8-ref *bytevector k***)** `procedure`
Returns the *k*-th byte of *bytevector*. It is an error if *k* is not a valid index of bytevector.

```
(bytevector-u8-ref #u8(1 1 2 3 5 8 13 21) 5)  ⇒  8
```

(bytevector-u8-set! *bytevector k byte***)** `procedure`
Stores *byte* as the *k*-th byte of bytevector. It is an error if *k* is not a valid index of bytevector.

```
(let ((bv (bytevector 1 2 3 4)))
  (bytevector-u8-set! bv 1 3)
  bv)
⇒ #u8(1 3 3 4)
```

(bytevector-copy *bytevector***)** procedure
(bytevector-copy *bytevector start***)**
(bytevector-copy *bytevector start end***)**

Returns a newly allocated bytevector containing the bytes in *bytevector* between *start* and *end*. If *end* is not provided, it is assumed to be the length of *bytevector*. If *start* is not provided, it is assumed to be 0.

```
(define a #u8(1 2 3 4 5))
(bytevector-copy a 2 4))   ⇒  #u8(3 4)
```

(bytevector-copy! *to at from***)** procedure
(bytevector-copy! *to at from start***)**
(bytevector-copy! *to at from start end***)**

Copies the bytes of bytevector *from* between *start* and *end* to bytevector *to*, starting at *at*. The order in which bytes are copied is unspecified, except that if the source and destination overlap, copying takes place as if the source is first copied into a temporary bytevector and then into the destination. This can be achieved without allocating storage by making sure to copy in the correct direction in such circumstances.

It is an error if *at* is less than zero or greater than the length of *to*. It is also an error if `(- (bytevector-length to) at)` is less than `(- end start)`.

```
(define a (bytevector 1 2 3 4 5))
(define b (bytevector 10 20 30 40 50))
(bytevector-copy! b 1 a 0 2)
b  ⇒  #u8(10 1 2 40 50)
```

(bytevector-append *bytevector …***)** procedure
Returns a newly allocated bytevector whose elements are the concatenation of the elements in the given bytevectors.

```
(bytevector-append #u8(0 1 2) #u8(3 4 5))
  ⇒  #u8(0 1 2 3 4 5)
```

4.2 Advanced

(utf8->string *bytevector***)** procedure
(utf8->string *bytevector start***)**
(utf8->string *bytevector start end***)**
(string->utf8 *string***)**
(string->utf8 *string start***)**
(string->utf8 *string start end***)**

These procedures translate between strings and bytevectors that encode those strings using the UTF-8 encoding. The `utf8->string` procedure decodes the bytes of a *bytevector* between *start* and *end* and returns the corresponding string. The `string->utf8` procedure encodes the characters of a *string* between *start* and *end* and returns the corresponding bytevector.

It is an error for *bytevector* to contain invalid UTF-8 byte sequences.

```
(utf8->string #u8(#x41))  ⇒  "A"
(string->utf8 "λ")        ⇒  #u8(#xCE #xBB)
```

(bytevector->base64 *bytevector*)   `procedure`
(bytevector->base64 *bytevector start*)
(bytevector->base64 *bytevector start end*)

`bytevector->base64` encodes *bytevector* between *start* and *end* as a string consisting of ASCII characters using the *Base64* encoding scheme. If *end* is not provided, it is assumed to be the length of *bytevector*. If *start* is not provided, it is assumed to be 0.

(base64->bytevector *str*)   `procedure`
(base64->bytevector *str start*)
(base64->bytevector *str start end*)

`base64->bytevector` assumes string *str* is encoded using *Base64* between *start* and *end* and returns a corresponding new decoded bytevector.

If is an error if *str* between *start* and *end* is not a valid *Base64*-encoded string. If *end* is not provided, it is assumed to be the length of *str*. If *start* is not provided, it is assumed to be 0.

(bytevector-deflate *bytevector*)   `procedure`
(bytevector-deflate *bytevector start*)
(bytevector-deflate *bytevector start end*)

`bytevector-deflate` encodes *bytevector* between *start* and *end* using the *Deflate* data compression alogrithm returning a new compressed bytevector. If *end* is not provided, it is assumed to be the length of *bytevector*. If *start* is not provided, it is assumed to be 0.

(bytevector-inflate *bytevector*)   `procedure`
(bytevector-inflate *bytevector start*)
(bytevector-inflate *bytevector start end*)

`bytevector-inflate` assumes *bytevector* is encoded using the *Deflate* data compression alogrithm between *start* and *end*. The procedure returns a corresponding new decoded bytevector.

If is an error if *bytevector*, between *start* and *end*, is not encoded using *Deflate*. If *end* is not provided, it is assumed to be the length of *bytevector*. If *start* is not provided, it is assumed to be 0.

4.3 Input/Output

(read-binary-file *path*)   `procedure`
Reads the file at *path* and stores its content in a new bytevector which gets returned by `read-binary-file`.

(write-binary-file *path bytevector*)   `procedure`
(write-binary-file *path bytevector start*)
(write-binary-file *path bytevector start end*)

Writes the bytes of *bytevector* between *start* and *end* into a new binary file at *path*. If *end* is not provided, it is assumed to be the length of *bytevector*. If *start* is not provided, it is assumed to be 0.

5 LispKit Char-Set

Library (`lispkit char-set`) implements efficient means to represent and manipulate sets of characters. Its design is based on SRFI 14 but the implementation is specific to the definition of characters in LispKit; i.e. library (`lispkit char-set`) assumes that characters are UTF-16 code units.

As opposed to SRFI 14, it can be assumed that the update procedures ending with "!" are mutating the corresponding character set. This means that clients of these procedures may rely on these procedures performing their functionality in terms of side effects.

In the procedure specifications below, the following conventions are used:

- A *cs* parameter is a character set.
- A *s* parameter is a string.
- A *char* parameter is a character.
- A *char-list* parameter is a list of characters.
- A *pred* parameter is a unary character predicate procedure, returning either `#t` or `#f` when applied to a character.
- An *obj* parameter may be any value at all.

Passing values to procedures with these parameters that do not satisfy these types is an error.

Unless otherwise noted in the specification of a procedure, procedures always return character sets that are distinct from the parameter character sets (unless the procedure mutates a character set and its name ends with "!"). For example, `char-set-adjoin` is guaranteed to provide a fresh character set, even if it is not given any character parameters.

Library (`lispkit char-set`) supports both mutable as well as immutable character sets. Character sets are assumed to be mutable unless they are explicitly specified to be immutable.

5.1 Constants

char-set:lower-case   constant
char-set:upper-case
char-set:title-case
char-set:letter
char-set:digit
char-set:letter+digit
char-set:graphic
char-set:printing
char-set:whitespace
char-set:newlines
char-set:iso-control
char-set:punctuation
char-set:symbol
char-set:hex-digit
char-set:blank

char-set:ascii
char-set:empty
char-set:full

Library (`lispkit char-set`) predefines these frequently used immutable character sets.

Note that there may be characters in `char-set:letter` that are neither upper or lower case. The `char-set:whitespaces` character set contains whitespace and newline characters. `char-set:blanks` only contains whitespace (i.e. "blank") characters. `char-set:newlines` only contains newline characters.

5.2 Predicates

(char-set? *obj*)   procedure
Returns `#t` if *obj* is a character set, otherwise returns `#f`.

(char-set-empty? *cs*)   procedure
Returns `#t` if the character set *cs* does not contain any characters, otherwise returns `#f`.

(char-set=? *cs ...*)   procedure
Returns `#t` if all the provided character sets *cs ...* contain the exact same characters; returns `#f` otherwise. For both corner cases, (char-set=?) and (char-set=? cs), char-set=? returns `#t`.

(char-set<=? *cs ...*)   procedure
Returns `#t` if every character set *cs-i* is a subset of character set *cs-i+1*; returns `#f` otherwise. For both corner cases, (char-set<=?) and (char-set<=? cs), char-set<=? returns `#t`.

(char-set-disjoint? *cs1 cs2*)   procedure
Returns `#t` if character sets *cs1* and *cs2* are disjoint, i.e. they do not share a single character; returns `#f` otherwise.

(char-set-contains? *cs char*)   procedure
Returns `#t` if character *char* is contained in character set *cs*; returns `#f` otherwise.

(char-set-every? *pred cs*)   procedure
(char-set-any? *pred cs*)

The `char-set-every?` procedure returns `#t` if predicate *pred* returns `#t` for every character in the character set *cs*. Likewise, `char-set-any?` applies *pred* to every character in character set *cs*, and returns `#t` if there is at least one character for which *pred* returns `#t`. If no character produces a `#t` value, it returns `#f`. The order in which these procedures sequence through the elements of *cs* is not specified.

5.3 Constructors

(char-set *char ...*)   procedure
Return a newly allocated mutable character set containing the given characters.

(immutable-char-set *char ...*)   procedure
Return a newly allocated immutable character set containing the given characters.

(char-set-copy *cs*)   procedure
(char-set-copy *cs mutable?*)

Returns a newly allocated copy of the character set *cs*. The copy is mutable by default unless parameter *mutable?* is provided and set to `#f`.

(list->char-set *char-list*)   `procedure`
(list->char-set *char-list base-cs*)

Return a newly allocated mutable character set containing the characters in the list of characters *char-list*. If character set *base-cs* is provided, the characters from *base-cs* are added to it as well.

(string->char-set *s*)   `procedure`
(string->char-set *s base-cs*)

Return a newly allocated mutable character set containing the characters of the string *s*. If character set *base-cs* is provided, the characters from *base-cs* are added to it as well.

(ucs-range->char-set *lower upper*)   `procedure`
(ucs-range->char-set *lower upper base-cs*)
(ucs-range->char-set *lower upper limit base-cs*)

Returns a newly allocated mutable character set containing every character whose ISO/IEC 10646 UCS-4 code lies in the half-open range *[lower,upper)*. *lower* and *upper* are exact non-negative integers where *lower <= upper <= limit* is required to hold. *limit* is either an exact non-negative integer specifying the maximum upper limit, or it is `#t` which specifies the maximum UTF-16 code unit value. If *limit* is not provided, a very large default is assumed (equivalent to *limit* being `#f`).

This signature is compatible with the SRFI 16 specification which states that if the requested range includes unassigned UCS values, these are silently ignored. If the requested range includes "private" or "user space" codes, these are passed through transparently. If any code from the requested range specifies a valid, assigned UCS character that has no corresponding representative in the implementation's character type, then

1. an error is raised if *limit* is `#t`, and
2. the code is ignored if *limit* is `#f` (the default).

If character set *base-cs* is provided, the characters of *base-cs* are included in the newly allocated mutable character set.

(char-set-filter *pred cs*)   `procedure`
(char-set-filter *pred cs base-cs*)

Returns a new character set containing every character *c* in character set *cs* such that *(pred c)* returns true. If character set *base-cs* is provided, the characters specified by *base-cs* are added to it.

(->char-set *x*)   `procedure`
Coerces object *x* into a character set. *x* may be a string, character or character set. A string is converted to the set of its constituent characters; a character is converted to a singleton character set; a character set is returned as is. This procedure is intended for use by other procedures that want to provide "user-friendly", wide-spectrum interfaces to their clients.

5.4 Querying character sets

(char-set-size *cs*)   `procedure`
Returns the number of elements in character set *cs*.

(char-set-count *pred cs*)   `procedure`
Apply *pred* to the characters of character set *cs*, and return the number of characters that caused the predicate to return `#t`.

(char-set->list *cs*)   `procedure`
This procedure returns a list of the characters of character set *cs*. The order in which *cs*'s characters appear in the list is not defined, and may be different from one call to another.

(char-set->string *cs*) `procedure`

This procedure returns a string containing the characters of character set *cs*. The order in which *cs*'s characters appear in the string is not defined, and may be different from one call to another.

(char-set-hash *cs*) `procedure`
(char-set-hash *cs bound*)

Compute a hash value for the character set *cs*. *bound* is a non-negative exact integer specifying the range of the hash function. A positive value restricts the return value to the range *[0, bound)*. If *bound* is either zero or not given, a default value is used, chosen to be as large as it is efficiently practical.

5.5 Character set algebra

(char-set-adjoin *cs char …*) `procedure`
Return a newly allocated mutable copy of *cs* into which the characters *char …* were inserted.

(char-set-delete *cs char …*) `procedure`
Return a newly allocated mutable copy of *cs* from which the characters *char …* were removed.

(char-set-complement *cs*) `procedure`
Return a newly allocated character set containing all characters that are not contained in *cs*.

(char-set-union *cs …*) `procedure`
(char-set-intersection *cs …*)
(char-set-difference *cs …*)
(char-set-xor *cs …*)
(char-set-diff+intersection *cs1 cs2 …*)

These procedures implement set complement, union, intersection, difference, and exclusive-or for character sets. The union, intersection and xor operations are n-ary. The difference function is also n-ary, associates to the left (that is, it computes the difference between its first argument and the union of all the other arguments), and requires at least one argument.

Boundary cases:

```
(char-set-union)          ⇒  char-set:empty
(char-set-intersection)   ⇒  char-set:full
(char-set-xor)            ⇒  char-set:empty
(char-set-difference cs)  ⇒  cs
```

`char-set-diff+intersection` returns both the difference and the intersection of the arguments, i.e. it partitions its first parameter. It is equivalent to `(values (char-set-difference cs1 cs2 ...) (char-set-intersection cs1 (char-set-union cs2 ...)))` but can be implemented more efficiently.

(char-set-filter *pred cs*) `procedure`
(char-set-filter *pred cs base-cs*)

Returns a new character set containing every character *c* in *cs* such that *(pred c)* returns `#t`. If character set *base-cs* is provided, the characters specified by *pred* are added to a copy of it.

5.6 Mutating character sets

(char-set-adjoin! *cs char …*) `procedure`
Insert the characters *char …* into the character set *cs*.

(char-set-delete! *cs char …*) `procedure`
Remove the characters *char …* from the character set *cs*.

(char-set-complement! *cs*) `procedure`
Complement the character set *cs* by including all characters that were not contained in *cs* previously and by removing all previously contained characters.

(char-set-union! *cs1 cs2 …*) `procedure`
(char-set-intersection! *cs1 cs2 …*)
(char-set-difference! *cs1 cs2 …*)
(char-set-xor! *cs1 cs2 …*)
(char-set-diff+intersection! *cs1 cs2 cs3 …*)

These are update variants of the set-algebra functions mutating the first character set *cs1* instead of creating a new one. `char-set-diff+intersection!` will perform a side-effect on both of its two required parameters *cs1* and *cs2*.

(char-set-filter! *pred cs base-cs*) `procedure`
Adds every character *c* in *cs* for which *(pred c)* returns `#t` to the given character set `base-cs`.

(list->char-set! *char-list base-cs*) `procedure`
Add the characters from the character list *char-list* to character set *base-cs* and return the mutated character set *base-cs*.

(string->char-set! *s base-cs*) `procedure`
Add the characters of the string *s* to character set *base-cs* and return the mutated character set *base-cs*.

(ucs-range->char-set! *lower upper base-cs*) `procedure`
(ucs-range->char-set! *lower upper limit base-cs*)

Mutates the mutable character set *base-cs* including every character whose ISO/IEC 10646 UCS-4 code lies in the half-open range *[lower, upper)*. *lower* and *upper* are exact non-negative integers where *lower <= upper <= limit* is required to hold. *limit* is either an exact non-negative integer specifying the maximum upper limit, or it is `#t` which specifies the maximum UTF-16 code unit value. If *limit* is not provided, a very large default is assumed (equivalent to *limit* being `#f`).

(char-set-unfold! *f p g seed base-cs*) `procedure`
This is a fundamental constructor for character sets.

- *g* is used to generate a series of "seed" values from the initial seed: seed, (g seed), (g2 seed), (g3 seed), …
- *p* tells us when to stop by returning `#t` when applied to one of these seed values.
- *f* maps each seed value to a character. These characters are added to the base character set *base-cs* to form the result. `char-set-unfold!` adds the characters by mutating *base-cs* as a side effect.

5.7 Iterating over character sets

(char-set-cursor *cs*) `procedure`
(char-set-ref *cs cursor*)
(char-set-cursor-next *cs cursor*)
(end-of-char-set? *cursor*)

Cursors are a low-level facility for iterating over the characters in a character set *cs*. A cursor is a value that indexes a character in a character set. `char-set-cursor` produces a new cursor for a given character set. The set element indexed by the cursor is fetched with `char-set-ref`. A cursor index is incremented with `char-set-cursor-next`; in this way, code can step through every character in a character set. Stepping

a cursor "past the end" of a character set produces a cursor that answers true to `end-of-char-set?` . It is an error to pass such a cursor to `char-set-ref` or to `char-set-cursor-next` .

A cursor value may not be used in conjunction with a different character set; if it is passed to `char-set-ref` or `char-set-cursor-next` with a character set other than the one used to create it, the results and effects are undefined. These primitives are necessary to export an iteration facility for character sets to loop macros.

```
(define cs (char-set #\G #\a #\T #\e #\c #\h))

;; Collect elts of CS into a list.
(let lp ((cur (char-set-cursor cs)) (ans '()))
  (if (end-of-char-set? cur) ans
      (lp (char-set-cursor-next cs cur)
          (cons (char-set-ref cs cur) ans))))
  ⇒  (#\G #\T #\a #\c #\e #\h)

;; Equivalently, using a list unfold (from SRFI 1):
(unfold-right end-of-char-set?
              (curry char-set-ref cs)
              (curry char-set-cursor-next cs)
              (char-set-cursor cs))
  ⇒  (#\G #\T #\a #\c #\e #\h)
```

(char-set-fold *kons knil cs*)   procedure

This is the fundamental iterator for character sets. Applies the function *kons* across the character set *cs* using initial state value *knil*. That is, if *cs* is the empty set, the procedure returns *knil*. Otherwise, some element *c* of *cs* is chosen; let *cs'* be the remaining, unchosen characters. The procedure returns `(char-set-fold kons (kons c knil) cs')` .

```
; CHAR-SET-MEMBERS
(lambda (cs) (char-set-fold cons '() cs))
; CHAR-SET-SIZE
(lambda (cs) (char-set-fold (lambda (c i) (+ i 1)) 0 cs))
; How many vowels in the char set?
(lambda (cs)
  (char-set-fold (lambda (c i) (if (vowel? c) (+ i 1) i)) 0 cs))
```

(char-set-unfold *f p g seed*)   procedure
(char-set-unfold *f p g seed base-cs*)

This is a fundamental constructor for character sets.

- *g* is used to generate a series of "seed" values from the initial seed: seed, (g seed), (g2 seed), (g3 seed), …
- *p* tells us when to stop, when it returns `#t` when applied to one of these seed values.
- *f* maps each seed value to a character. These characters are added to a mutable copy of the base character set *base-cs* to form the result; *base-cs* defaults to an empty set.

More precisely, the following definitions hold, ignoring the optional-argument issues:

```
(define (char-set-unfold p f g seed base-cs)
  (char-set-unfold! p f g seed (char-set-copy base-cs)))

(define (char-set-unfold! p f g seed base-cs)
  (let lp ((seed seed) (cs base-cs))
    (if (p seed) cs                          ; P says we are done
        (lp (g seed)                         ; Loop on (G SEED)
            (char-set-adjoin! cs (f seed))))))  ; Add (F SEED) to set
```

Examples:

```
(port->char-set p) = (char-set-unfold eof-object?
                                       values
                                       (lambda (x) (read-char p))
                                       (read-char p))
(list->char-set lis) = (char-set-unfold null? car cdr lis)
```

(char-set-for-each *proc cs*) `procedure`

Apply procedure *proc* to each character in the character set *cs*. Note that the order in which proc is applied to the characters in the set is not specified, and may even change from one procedure application to another.

(char-set-map *proc cs*) `procedure`

proc is a procedure mapping characters to characters. It will be applied to all the characters in the character set *cs*, and the results will be collected in a newly allocated mutable character set which will be returned by `char-set-map`.

6 LispKit Char

Characters are objects that represent printed characters such as letters and digits. In LispKit, characters are UTF-16 code units.

Character literals are written using the notation `#\` *character,* or `#\` *character-name,* or `#\x` *hex-scalar-value.* Characters written using this `#\` notation are self-evaluating, i.e. they do not have to be quoted.

The following standard character names are supported by LispKit:

- `#\alarm` : U+0007
- `#\backspace` : U+0008
- `#\delete` : U+007F
- `#\escape` : U+001B
- `#\newline` : the linefeed character U+000A
- `#\null` : the null character U+0000
- `#\return` : the return character U+000D
- `#\space` : the space character U+0020
- `#\tab` : the tab character U+0009

Here are some examples using the `#\` notation:

- `#\m` : lowercase letter 'm'
- `#\M` : uppercase letter 'M'
- `#\(` : left parenthesis ')'
- `#\\` : backslash '\'
- `#\ ` : space character ' '
- `#\x03BB` : the lambda character

Case is significant in `#\` *character,* and in `#\` *character-name,* but not in `#\x` *hex-scalar-value.* If *character* in `#\` *character* is alphabetic, then any character immediately following *character* cannot be one that can appear in an identifier. This rule resolves the ambiguous case where, for example, the sequence of characters `#\space` could be taken to be either a representation of the space character or a representation of the character `#\s` followed by a representation of the symbol `pace`.

Some of the procedures that operate on characters ignore the difference between upper case and lower case. The procedures that ignore case have "-ci" (for "case insensitive") embedded in their names.

6.1 Predicates

(char? *obj***)**   procedure
Returns `#t` if *obj* is a character, otherwise returns `#f`.

(char=? *char …***)**   procedure
(char<? *char …***)**
(char>? *char …***)**
(char<=? *char …***)**
(char>=? *char …***)**

These procedures return `#t` if the results of passing their arguments to `char->integer` are respectively equal, monotonically increasing, monotonically decreasing, monotonically non-decreasing, or monotonically non-increasing. These predicates are transitive.

(char-ci=? *char* ...) `procedure`
(char-ci<? *char* ...)
(char-ci>? *char* ...)
(char-ci<=? *char* ...)
(char-ci>=? *char* ...)

These procedures are similar to `char=?` etc., but they treat upper case and lower case letters as the same. For example, `(char-ci=? #\A #\a)` returns `#t`. Specifically, these procedures behave as if `char-foldcase` were applied to their arguments before they were compared.

(char-alphabetic? *char*) `procedure`
Procedure `char-alphabetic?` returns `#t` if its argument is a alphabetic character, otherwise it returns `#f`. Note that many Unicode characters are alphabetic but neither upper nor lower case.

(char-numeric? *char*) `procedure`
Procedure `char-numeric?` returns `#t` if its argument is a numeric character, otherwise it returns `#f`.

(char-whitespace? *char*) `procedure`
Procedure `char-whitespace?` returns `#t` if its argument is a whitespace character, otherwise it returns `#f`.

(char-upper-case? *char*) `procedure`
Procedure `char-upper-case??` returns `#t` if its argument is an upper-case character, otherwise it returns `#f`.

(char-lower-case? *char*) `procedure`
Procedure `char-lower-case?` returns `#t` if its argument is a lower-case character, otherwise it returns `#f`.

6.2 Transforming characters

(char-upcase *char*) `procedure`
The `char-upcase` procedure, given an argument that is the lowercase part of a Unicode casing pair, returns the uppercase member of the pair, provided that both characters are supported by LispKit. Note that language-sensitive casing pairs are not used. If the argument is not the lowercase member of such a pair, it is returned.

(char-downcase *char*) `procedure`
The `char-downcase` procedure, given an argument that is the uppercase part of a Unicode casing pair, returns the lowercase member of the pair, provided that both characters are supported by LispKit. If the argument is not the uppercase member of such a pair, it is returned.

(char-foldcase *char*) `procedure`
The `char-foldcase` procedure applies the Unicode simple case-folding algorithm to its argument and returns the result. Note that language-sensitive folding is not used. If the argument is an uppercase letter, the result will be either a lowercase letter or the same as the argument if the lowercase letter does not exist or is not supported by LispKit.

6.3 Converting characters

(digit-value *char*)   procedure

Procedure `digit-value` returns the numeric value (0 to 9) of its argument if it is a numeric digit (that is, if `char-numeric?` returns `#t`), or `#f` on any other character.

```
(digit-value #\3)      ⇒  3
(digit-value #\x0EA6)  ⇒  #f
```

(char->integer *char*)   procedure
(integer->char *n*)

Given a Unicode character, `char->integer` returns an exact integer between 0 and #xD7FF or between #xE000 and #x10FFFF which is equal to the Unicode scalar value of that character. Given a non-Unicode character, it returns an exact integer greater than #x10FFFF.

Given an exact integer that is the value returned by a character when `char->integer` is applied to it, `integer->char` returns that character.

7 LispKit Combinator

Library (`lispkit combinator`) defines abstractions for *combinator-style programming*. It provides means to create and compose functions.

(const *c* **…)** procedure

Returns a function accepting any number of arguments and returning the values `c` … .

(flip *f***)** procedure

Takes a function with two parameters and returns an equivalent function where the two parameters are swapped.

```
(define snoc (flip cons))
(snoc (snoc (snoc '() 3) 2) 1)  ⇒  (1 2 3)
```

(negate *f***)** procedure

Returns a function which invokes `f` and returns the logical negation.

```
(define gvector-has-elements? (negate gvector-empty?))
(gvector-has-elements? #g(1 2 3))  ⇒  #t
```

(partial f *arg* **…)** procedure

Applies arguments *arg* … partially to *f* and returns a new function accepting the remaining arguments. For a function (`f a1 a2 a3 ... an`), (`partial f a1 a2`) will return a function (`lambda (a3 ... an) (f a1 a2 a3 ... an)`).

(compose *f* **…)** procedure

Composes the given functions *f* … such that ((`compose f1 f2 ... fn`) `x`) is equivalent to (`f1 (f2 (... (fn x))))`. `compose` supports functions returning multiple arguments.

(o *f* **…)** procedure

Composes the given functions *f* … such that ((`o f1 f2 ... fn`) `x`) is equivalent to (`f1 (f2 (... (fn x))))`. `o` is a more efficient version of `compose` which only works if the involved functions only return a single argument. `compose` is more general and supports functions returning multiple arguments.

(conjoin *f* **…)** procedure

Returns a function invoking all functions *f* … and combining the results with `and`. ((`conjoin f1 f2 ...`) `x ...`) is equivalent to (`and (f1 x ...) (f2 x ...) ...`).

(disjoin *f* **…)** procedure

Returns a function invoking all functions *f* … and combining the results with `or`. ((`disjoin f1 f2 ...`) `x ...`) is equivalent to (`or (f1 x ...) (f2 x ...) ...`).

(list-of? *f***)** procedure

Returns a predicate which takes a list as its argument and returns `#t` if for every element *x* of the list *(f x)* returns true.

(each *f* **…)** procedure

Returns a function which applies the functions `f` … each individually to its arguments in the given order, returning the result of the last function application.

(cut f) `syntax`
(cut f <...>)
(cut f arg ...)
(cut f arg ... <...>)

Special form `cut` transforms an expression *(f arg ...)* into a lambda expression with as many formal variables as there are slots `<>` in the expression *(f arg ...)*. The body of the resulting lambda expression calls procedure *f* with arguments *arg ...* in the order they appear. In case there is a rest symbol `<...>` at the end, the resulting procedure is of variable arity, and the body calls *f* with all arguments provided to the actual call of the specialized procedure.

```
(cut cons (+ a 1) <>)    ⇒  (lambda (x2) (cons (+ a 1) x2))
(cut list 1 <> 3 <> 5)   ⇒  (lambda (x2 x4) (list 1 x2 3 x4 5))
(cut list 1 <> 3 <...>)  ⇒  (lambda (x2 . xs) (apply list 1 x2 3 xs))
```

(cute f) `syntax`
(cute f <...>)
(cute f arg ...)
(cute f arg ... <...>)

Special form `cute` is similar to `cut`, except that it first binds new variables to the result of evaluating the non-slot expressions (in an unspecific order) and then substituting the variables for the non-slot expressions. In effect, `cut` evaluates non-slot expressions at the time the resulting procedure is called, whereas `cute` evaluates the non-slot expressions at the time the procedure is constructed.

```
(cute cons (+ a 1) <>)
⇒  (let ((a1 (+ a 1))) (lambda (x2) (cons a1 x2)))
```

(Y f) `procedure`
Y combinator for computing a fixed point of a function *f*. This is a value that is mapped to itself.

```
; factorial function
(define fac
  (Y (lambda (r)
       (lambda (x) (if (< x 2) 1 (* x (r (- x 1))))))))
; fibonacci numbers
(define fib
  (Y (lambda (f)
       (lambda (x)
         (if (< x 2) x (+ (f (- x 1)) (f (- x 2))))))))
```

8 LispKit Comparator

Comparators bundle a type test predicate, an equality predicate, an optional ordering predicate, and an optional hash function into a single object. By packaging these procedures together, they can be treated as a single item for use in the implementation of data structures that typically rely on a consistent combination of such functions.

Library `(lispkit comparator)` implements a large part of the API of SRFI 128 and thus, can be used as a drop-in replacement for the core functionality of library `(srfi 128)`. A few procedures and objects from SRFI 162 were adopted as well.

8.1 Comparator objects

Comparators are objects of a distinct type which bundle procedures together that are useful for comparing two objects in a total order. It is an error, if any of the procedures have side effects. There are four procedures in the bundle:

- The *type test predicate* returns `#t` if its argument has the correct type to be passed as an argument to the other three procedures, and `#f` otherwise.
- The *equality predicate* returns `#t` if the two objects are the same in the sense of the comparator, and `#f` otherwise. It is the programmer's responsibility to ensure that it is reflexive, symmetric, transitive, and can handle any arguments that satisfy the type test predicate.
- The *ordering predicate* returns `#t` if the first object precedes the second in a total order, and `#f` otherwise. Note that if it is true, the equality predicate must be false. It is the programmer's responsibility to ensure that it is irreflexive, antisymmetric, transitive, and can handle any arguments that satisfy the type test predicate.
- The *hash function* takes an object and returns an exact non-negative integer. It is the programmer's responsibility to ensure that it can handle any argument that satisfies the type test predicate, and that it returns the same value on two objects if the equality predicate says they are the same (but not necessarily the converse).

It is also the programmer's responsibility to ensure that all four procedures provide the same result whenever they are applied to the same objects in the sense of `eqv?`, unless the objects have been mutated since the last invocation.

Comparator objects are not applicable to circular structure, or to objects containing any of these. Attempts to pass any such objects to any procedure defined here, or to any procedure that is part of a comparator defined here, has undefined behavior.

8.2 Predicates

(comparator? *obj***)** `procedure`
Returns `#t` if obj is a comparator, and `#f` otherwise.

(comparator-ordered? *cmp***)** `procedure`
Returns `#t` if comparator *cmp* has a supplied ordering predicate, and `#f` otherwise.

(comparator-hashable? *cmp***)** `procedure`
Returns `#t` if comparator *cmp* has a supplied hash function, and `#f` otherwise.

8.3 Constructors

(make-comparator *test equality ordering hash***)** `procedure`
Returns a comparator which bundles the *test*, *equality*, *ordering*, and *hash* procedures provided as arguments to `make-comparator`. If *ordering* or *hash* is `#f`, a procedure is provided that signals an error on application. The predicates `comparator-ordered?` and `comparator-hashable?` will return `#f` in the respective cases.

Here are calls on `make-comparator` that will return useful comparators for standard Scheme types:

- `(make-comparator boolean? boolean=? (lambda (x y) (and (not x) y)) boolean-hash)` will return a comparator for booleans, expressing the ordering `#f < #t` and the standard hash function for booleans
- `(make-comparator real? = < (lambda (x) (exact (abs x))))` will return a comparator expressing the natural ordering of real numbers and a plausible hash function
- `(make-comparator string? string=? string<? string-hash)` will return a comparator expressing the implementation's ordering of strings and the standard hash function
- `(make-comparator string? string-ci=? string-ci<? string-ci-hash)` will return a comparator expressing the implementation's case-insensitive ordering of strings and the standard case-insensitive hash function

(make-pair-comparator *car-comparator cdr-comparator***)** `procedure`
This procedure returns comparators whose functions behave as follows:

- The type test returns `#t` if its argument is a pair, if the car satisfies the type test predicate of *car-comparator*, and the cdr satisfies the type test predicate of *cdr-comparator*
- The equality function returns `#t` if the cars are equal according to *car-comparator* and the cdrs are equal according to *cdr-comparator*, and `#f` otherwise. The ordering function first compares the cars of its pairs using the equality predicate of *car-comparator*. If they are not equal, then the ordering predicate of *car-comparator* is applied to the cars and its value is returned. Otherwise, the predicate compares the cdrs using the equality predicate of *cdr-comparator*. If they are not equal, then the ordering predicate of *cdr-comparator* is applied to the cdrs and its value is returned
- The hash function computes the hash values of the car and the cdr using the hash functions of *car-comparator* and *cdr-comparator* respectively and then hashes them together in an implementation-defined way

(make-list-comparator *element-comparator type-test empty? head tail***)** `procedure`
This procedure returns comparators whose functions behave as follows:

- The type test returns `#t` if its argument satisfies *type-test* and the elements satisfy the type test predicate of *element-comparator*
- The total order defined by the equality and ordering functions is *lexicographic*. It is defined as follows:

  - The empty sequence, as determined by calling *empty?*, compares equal to itself
  - The empty sequence compares less than any non-empty sequence
  - Two non-empty sequences are compared by calling the *head* procedure on each. If the heads are not equal when compared using *element-comparator*, the result is the result of that comparison. Otherwise, the results of calling the *tail* procedure are compared recursively.

- The hash function computes the hash values of the elements using the hash function of *element-comparator* and then hashes them together in an implementation-defined way

(make-vector-comparator *element-comparator type-test length ref***)**   `procedure`
This procedure returns comparators whose functions behave as follows:

- The type test returns `#t` if its argument satisfies *type-test* and the elements satisfy the type test predicate of *element-comparator*.
- The equality predicate returns `#t` if both of the following tests are satisfied in order: the lengths of the vectors are the same in the sense of `=` , and the elements of the vectors are the same in the sense of the equality predicate of *element-comparator*.
- The ordering predicate returns `#t` if the results of applying *length* to the first vector is less than the result of applying *length* to the second vector. If the lengths are equal, then the elements are examined pairwise using the ordering predicate of *element-comparator*. If any pair of elements returns `#t` , then that is the result of the list comparator's ordering predicate; otherwise the result is `#f`
- The hash function computes the hash values of the elements using the hash function of *element-comparator* and then hashes them together in an implementation-defined way

Here is an example, which returns a comparator for byte vectors:

```
(make-vector-comparator
  (make-comparator exact-integer? = < number-hash)
  bytevector?
  bytevector-length
  bytevector-u8-ref)
```

8.4 Default comparators

eq-comparator   `object`
eqv-comparator
equal-comparator

These objects implement comparators whose functions behave as follows:

- The type test returns `#t` in all cases
- The equality functions are `eq?` , `eqv?` , and `equal?` respectively
- The ordering function is implementation-defined, except that it must conform to the rules for ordering functions. It may signal an error instead.
- The hash functions are `eq-hash` , `eqv-hash` , and `equal-hash` respectively

boolean-comparator   `object`
`boolean-comparator` is defined as follows:

```
(make-comparator boolean? boolean=? (lambda (x y) (and (not x) y)) boolean-hash))
```

real-comparator   `object`
`real-comparator` is defined as follows:

```
(make-comparator real? = < number-hash))
```

char-comparator   `object`
`char-comparator` is defined as follows:

```
(make-comparator char? char=? char<? char-hash))
```

char-ci-comparator   object

`char-ci-comparator` is defined as follows:

```
(make-comparator char? char-ci=? char-ci<? char-ci-hash))
```

string-comparator   object

`string-comparator` is defined as follows:

```
(make-comparator string? string=? string<? string-hash))
```

string-ci-comparator   object

`string-ci-comparator` is defined as follows:

```
(make-comparator string? string-ci=? string-ci<? string-ci-hash))
```

8.5 Accessors and invokers

(comparator-type-test-predicate *cmp*)   procedure

Returns the type test predicate of comparator *cmp*.

(comparator-equality-predicate *cmp*)   procedure

Returns the equality predicate of comparator *cmp*.

(comparator-ordering-predicate *cmp*)   procedure

Returns the ordering predicate of comparator *cmp*.

(comparator-hash-function *cmp*)   procedure

Returns the hash function of comparator *cmp*.

(comparator-test-type *cmp obj*)   procedure

Invokes the type test predicate of comparator *cmp* on *obj* and returns what it returns. This procedure
is convenient than `comparator-type-test-predicate`, but less efficient when the predicate is called
repeatedly.

(comparator-check-type *cmp obj*)   procedure

Invokes the type test predicate of comparator *cmp* on *obj* and returns `#t` if it returns `#t`, but signals an
error otherwise. This procedure is more convenient than `comparator-type-test-predicate`, but less
efficient when the predicate is called repeatedly.

(comparator-hash *cmp obj*)   procedure

Invokes the hash function of comparator *cmp* on *obj* and returns what it returns. This procedure is more
convenient than comparator-hash-function, but less efficient when the function is called repeatedly.

8.6 Comparison predicates

(=? *cmp object1 object2 object3 …*)   procedure
(<? *cmp object1 object2 object3 …*)
(>? *cmp object1 object2 object3 …*)

(<=? *cmp object1 object2 object3 …*)
(>=? *cmp object1 object2 object3 …*)

These procedures are analogous to the number, character, and string comparison predicates of Scheme. They allow the convenient use of comparators to handle variable data types.

These procedures apply the equality and ordering predicates of comparator *cmp* to the *objects* as follows. If the specified relation returns `#t` for all *objecti* and *objectj* where *n* is the number of objects and $1 <= i < j <= n$, then the procedures return `#t`, but otherwise `#f`. Because the relations are transitive, it suffices to compare each object with its successor. The order in which the values are compared is unspecified.

(comparator-max *cmp obj1 obj2 …*)   procedure
(comparator-min *cmp obj1 obj2 …*)
(comparator-max-in-list *cmp list*)
(comparator-min-in-list *cmp list*)

These procedures are analogous to `min` and `max` respectively, but may be applied to any orderable objects, not just to real numbers. They apply the ordering procedure of comparator *cmp* to the objects *obj1 …* to find and return a minimal or maximal object. The order in which the values are compared is unspecified. If two objects are equal in the sense of the comparator *cmp*, either may be returned.

The `-in-list` versions of the procedures accept a single list argument.

8.7 Syntax

(comparator-if<=> *obj1 obj2 less-than equal-to greater-than*)   syntax
(comparator-if<=> *cmp obj1 obj2 less-than equal-to greater-than*)

It is an error unless comparator *cmp* evaluates to a comparator and *obj1* and *obj2* evaluate to objects that the comparator can handle. If the ordering predicate returns `#t` when applied to the values of *obj1* and *obj2* in that order, then expression *less-than* is evaluated and its value is returned. If the equality predicate returns `#t` when applied in the same way, then expression *equal-to* is evaluated and its value is returned. If neither returns `#t`, expression *greater-than* is evaluated and its value is returned.

If *cmp* is omitted, `equal-comparator` is used as a default.

(if<=> *obj1 obj2 less-than equal-to greater-than*)   syntax

This special form is equivalent to `(comparator-if<=> obj1 obj2 less-than equal-to greater-than)`, i.e. it uses the predicates provided by `equal-comparator` to determine whether expression *less-than*, *equal-to*, or *greater-than* gets evaluated and its value returned.

This documentation was derived from the SRFI 128 and the SRFI 162 specifications by John Cowan.

9 LispKit Control

9.1 Sequencing

(begin *expr … exprn***)** syntax

`begin` evaluates *expr, …, exprn* sequentially from left to right. The values of the last expression *exprn* are returned. This special form is typically used to sequence side effects such as assignments or input and output.

9.2 Conditionals

(if *test consequent***)** syntax
(if *test consequent alternate***)**

An `if` expression is evaluated as follows: first, expression *test* is evaluated. If it yields a true value, then expression *consequent* is evaluated and its values are returned. Otherwise, *alternate* is evaluated and its values are returned. If expression *test* yields a false value and no *alternate* expression is specified, then the result of the expression is *void*.

```
(if (> 3 2) 'yes 'no)        ⇒ yes
(if (> 2 3) 'yes 'no)        ⇒ yes
(if (> 3 2) (- 3 2) (+ 3 2)) ⇒ 1
```

(when *test consequent …***)** syntax

The *test* expression is evaluated, and if it evaluates to a true value, the expressions *consequent …* are evaluated in order. The result of the `when` expression is the value to which the last *consequent* expression evaluates or *void* if *test* evaluates to false.

```
(when (= 1 1.0)
  (display "1")
  (display "2")) ⇒ (void), prints: 12
```

(unless *test alternate …***)** syntax

The *test* is evaluated, and if it evaluates to false, the expressions *alternate …* are evaluated in order. The result of the `unless` expression is the value to which the last *consequent* expression evaluates or *void* if *test* evaluates to a true value.

```
(unless (= 1 1.0)
  (display "1")
  (display "2")) ⇒ (void), prints nothing
```

(cond *clause1 clause2 …***)** syntax

Clauses like *clause1* and *clause2* take one of two forms, either

- (_test expr1 ..._), or

- `(_test_ => _expr_)`

The last clause in a `cond` expression can be an "else clause", which has the form

- `(else _expr1 expr2 ..._)`

A `cond` expression is evaluated by evaluating the *test* expressions of successive clauses in order until one of them evaluates to a true value. When a *test* expression evaluates to a true value, the remaining expressions in its clause are evaluated in order, and the results of the last expression are returned as the results of the entire `cond` expression.

If the selected *clause* contains only the *test* and no expressions, then the value of the *test* expression is returned as the result of the `cond` expression. If the selected clause uses the `=>` alternate form, then the expression is evaluated. It is an error if its value is not a procedure that accepts one argument. This procedure is then called on the value of the *test* and the values returned by this procedure are returned by the `cond` expression.

If all tests evaluate to `#f`, and there is no `else` clause, then the result of the conditional expression is *void*. If there is an `else` clause, then its expressions are evaluated in order, and the values of the last one are returned.

```
(cond ((> 3 2) 'greater)
      ((< 3 2) 'less))       ⇒ greater
(cond ((> 3 3) 'greater)
      ((< 3 3) 'less)
      (else 'equal))         ⇒ equal
(cond ((assv 'b '((a 1) (b 2))) => cadr)
      (else #f))             ⇒ 2
```

(case *key clause1 clause2 …*) `syntax`

key can be any expression. Each clause *clause1, clause2, …* has the form:

- `((_datum1 ..._) _expr1 expr2 ..._)`

where each *datum* is an external representation of some object. It is an error if any of the datums are the same anywhere in the expression. Alternatively, a clause can be of the form:

- `((_datum1 ..._) => _expr_)`

The last clause in a `case` expression can be an "else clause", which has one of the following forms:

- `(else _expr1 expr2 ..._)`, or
- `(else => _expr_)`

A case expression is evaluated as follows. Expression *key* is evaluated and its result is compared against each *datum*. If the result of evaluating *key* is the same, in the sense of `eqv?`, to a *datum*, then the expressions in the corresponding clause are evaluated in order and the results of the last expression in the clause are returned as the results of the `case` expression.

If the result of evaluating *key* is different from every *datum*, then if there is an `else` clause, its expressions are evaluated and the results of the last are the results of the `case` expression. Otherwise, the result of the `case` expression is *void*.

If the selected *clause* or `else` clause uses the `=>` alternate form, then the expression is evaluated. It is an error, if its value is not a procedure accepting one argument. This procedure is then called on the value of the *key* and the values returned by this procedure are returned by the `case` expression.

```
(case (* 2 3)
  ((2 3 5 7) 'prime)
  ((1 4 6 8 9) 'composite))    ⇒ composite
(case (car '(c d))
  ((a) 'a)
  ((b) 'b))                    ⇒ (void)
(case (car '(c d))
  ((a e i o u) 'vowel)
  ((w y) 'semivowel)
  (else => (lambda (x) x)))    ⇒ c
```

9.3 Local bindings

The binding constructs `let`, `let*`, `letrec`, `letrec*`, `let-values`, and `let*-values` give Scheme a block structure. The syntax of the first four constructs is identical, but they differ in the regions they establish for their variable bindings. In a `let` expression, the initial values are computed before any of the variables become bound. In a `let*` expression, the bindings and evaluations are performed sequentially. While in `letrec` and `letrec*` expressions, all the bindings are in effect while their initial values are being computed, thus allowing mutually recursive definitions. The `let-values` and `let*-values` constructs are analogous to `let` and `let*` respectively, but are designed to handle multiple-valued expressions, binding different identifiers to the returned values.

(let *bindings body*)   `syntax`

bindings has the form `(( variable init ) ...)`, where each *init* is an expression, and *body* is a sequence of zero or more definitions followed by a sequence of one or more expressions. It is an error for *variable* to appear more than once in the list of variables being bound.

All *init* expressions are evaluated in the current environment, the variables are bound to fresh locations holding the results, the *body* is evaluated in the extended environment, and the values of the last expression of *body* are returned. Each binding of a *variable* has *body* as its scope.

```
(let ((x 2) (y 3))
  (* x y))              ⇒  6
(let ((x 2) (y 3))
  (let ((x 7)
        (z (+ x y)))
    (* z x)))           ⇒ 35
```

(let* *bindings body*)   `syntax`

bindings has the form `(( variable init ) ...)`, where each *init* is an expression, and *body* is a sequence of zero or more definitions followed by a sequence of one or more expressions.

The `let*` binding construct is similar to let, but the bindings are performed sequentially from left to right, and the region of a binding indicated by `( variable init )` is that part of the `let*` expression to the right of the binding. Thus, the second binding is done in an environment in which the first binding is visible, and so on. The variables need not be distinct.

```
(let ((x 2) (y 3))
     (let* ((x 7)
            (z (+ x y)))
       (* z x)))        ⇒  70
```

(letrec *bindings body*)   `syntax`

bindings has the form `(( variable init ) ...)`, where each *init* is an expression, and *body* is a sequence

of zero or more definitions followed by a sequence of one or more expressions. It is an error for *variable* to appear more than once in the list of variables being bound.

The variables are bound to fresh locations holding unspecified values, the *init* expressions are evaluated in the resulting environment, each *variable* is assigned to the result of the corresponding *init* expression, the *body* is evaluated in the resulting environment, and the values of the last expression in *body* are returned. Each binding of a *variable* has the entire `letrec` expression as its scope, making it possible to define mutually recursive procedures.

```
(letrec ((even? (lambda (n)
                  (if (zero? n) #t (odd? (- n 1)))))
         (odd?  (lambda (n)
                  (if (zero? n) #f (even? (- n 1))))))
  (even? 88))  ⇒  #t
```

One restriction of `letrec` is very important: if it is not possible to evaluate each *init* expression without assigning or referring to the value of any *variable*, it is an error. The restriction is necessary because `letrec` is defined in terms of a procedure call where a `lambda` expression binds the variables to the values of the *init* expressions. In the most common uses of `letrec`, all the *init* expressions are lambda expressions and the restriction is satisfied automatically.

(letrec* *bindings body*)
bindings has the form `(( variable init ) ...)`, where each *init* is an expression, and *body* is a sequence of zero or more definitions followed by a sequence of one or more expressions. It is an error for *variable* to appear more than once in the list of variables being bound.

The variables are bound to fresh locations, each *variable* is assigned in left-to-right order to the result of evaluating the corresponding *init* expression, the *body* is evaluated in the resulting environment, and the values of the last expression in *body* are returned. Despite the left-to-right evaluation and assignment order, each binding of a *variable* has the entire `letrec*` expression as its region, making it possible to define mutually recursive procedures. If it is not possible to evaluate each *init* expression without assigning or referring to the value of the corresponding *variable* or the *variable* of any of the bindings that follow it in *bindings*, it is an error. Another restriction is that it is an error to invoke the continuation of an *init* expression more than once.

```
(letrec* ((p (lambda (x)
               (+ 1 (q (- x 1)))))
          (q (lambda (y)
               (if (zero? y) 0 (+ 1 (p (- y 1))))))
          (x (p 5))
          (y x))
  y)  ⇒  5
```

(let-values *bindings body*)
bindings has the form `(( formals init ) ...)`, where each *formals* is a list of variables, *init* is an expression, and *body* is zero or more definitions followed by a sequence of one or more expressions. It is an error for a variable to appear more than once in *formals*.

The *init* expressions are evaluated in the current environment as if by invoking `call-with-values`, and the variables occurring in list *formals* are bound to fresh locations holding the values returned by the *init* expressions, where the *formals* are matched to the return values in the same way that the *formals* in a lambda expression are matched to the arguments in a procedure call. Then, *body* is evaluated in the extended environment, and the values of the last expression of *body* are returned. Each binding of a variable has *body* as its scope.

It is an error if the variables in list *formals* do not match the number of values returned by the corresponding *init* expression.

```
(let-values (((root rem) (exact-integer-sqrt 32)))
  (* root rem))  ⇒  35
```

(let*-values *bindings body***)** syntax

bindings has the form `(( formals init ) ...)` , where each *formals* is a list of variables, *init* is an expression, and *body* is zero or more definitions followed by a sequence of one or more expressions. It is an error for a variable to appear more than once.

The `let*-values` construct is similar to `let-values` , but the *init* expressions are evaluated and bindings created sequentially from left to right, with the region of the bindings of each variable in *formals* including the *init* expressions to its right as well as *body*. Thus the second *init* expression is evaluated in an environment in which the first set of bindings is visible and initialized, and so on.

```
(let ((a 'a) (b 'b) (x 'x) (y 'y))
  (let*-values (((a b) (values x y))
                ((x y) (values a b)))
    (list a b x y)))  ⇒  (x y x y)
```

(letrec-values *bindings body***)** syntax

bindings has the form `(( formals init ) ...)` , where each *formals* is a list of variables, *init* is an expression, and *body* is zero or more definitions followed by a sequence of one or more expressions. It is an error for a variable to appear more than once.

First, the variables of the *formals* lists are bound to fresh locations holding unspecified values. Then, the *init* expressions are evaluated in the current environment as if by invoking `call-with-values` , where the *formals* are matched to the return values in the same way that the *formals* in a lambda expression are matched to the arguments in a procedure call. Finally, *body* is evaluated in the resulting environment, and the values of the last expression in *body* are returned. Each binding of a *variable* has the entire `letrec-values` expression as its scope, making it possible to define mutually recursive procedures.

```
(letrec-values (((a)   (lambda (n)
                         (if (zero? n) #t (odd? (- n 1)))))
                ((b c) (values
                         (lambda (n)
                           (if (zero? n) #f (even? (- n 1))))
                         a)))
  (list (a 1972) (b 1972) (c 1972)))  ⇒  (#t #f #t)
```

(let-optionals *args* **((***var default***) ...)** *body* **...)** syntax

This binding construct can be used to handle optional arguments of procedures. *args* refers to the rest parameter list of a procedure or lambda expression. `let-optionals` binds the variables *var, ...* to the arguments available in *args*, or to *default, ...* if there are not enough arguments provided in *args*. Variables are bound in parallel, i.e. all *default* expressions are evaluated in the current environment in which the new variables are not bound yet. Then, *body* is evaluated in the extended environment including all variable definitions of `let-optionals` , and the values of the last expression of *body* are returned. Each binding of a variable has *body* as its scope.

```
(let-optionals '("one" "two")
               ((one 1) (two 2) (three 3))
  (list one two three))  ⇒  ("one" "two" 3)
```

(let*-optionals *args* **((***var default***) ...)** *body* **...)** syntax

The `let*-optionals` construct is similar to `let-optionals` , but the *default* expressions are evaluated

and bindings created sequentially from left to right, with the scope of the bindings of each variable including the *default* expressions to its right as well as *body*. Thus the second *default* expression is evaluated in an environment in which the first binding is visible and initialized, and so on.

```
(let*-optionals '(10 20)
                ((one 1) (two (+ one 1)) (three (+ two 1)))
  (list one two three))  ⇒  (10 20 21)
```

(let-keywords *args* (*binding* …) *body* …)   syntax
binding has one of two forms:

- (*var default*) , and
- (*var keyword default*)

where *var* is a variable, *keyword* is a symbol, and *default* is an expression. It is an error for a variable *var* to appear more than once.

This binding construct can be used to handle keyword arguments of procedures. *args* refers to the rest parameter list of a procedure or lambda expression. `let-keywords` binds the variables *var*, … by name, i.e. by searching in *args* for the keyword argument. If an optional *keyword* is provided, it is used as the name of the keyword to search for, otherwise, *var* is used, appending `:` . If the keyword is not found in *args*, *var* is bound to *default*.

Variables are bound in parallel, i.e. all *default* expressions are evaluated in the current environment in which the new variables are not bound yet. Then, *body* is evaluated in the extended environment including all variable definitions of `let-keywords` , and the values of the last expression of *body* are returned. Each binding of a variable has *body* as its scope.

```
(define (make-person . args)
  (let-keywords args ((name "J. Doe")
                      (age 0)
                      (occupation job: 'unknown))
    (list name age occupation)))
(make-person)                      ⇒  ("J. Doe" 0 unknown)
(make-person 'name: "M. Zenger")   ⇒  ("M. Zenger" 0 unknown)
(make-person 'age: 31 'job: 'eng)  ⇒  ("J. Doe" 31 eng)
```

(let*-keywords *args* (*binding* …) *body* …)   syntax
binding has one of two forms:

- (*var default*) , and
- (*var keyword default*)

where *var* is a variable, *keyword* is a symbol, and *default* is an expression. It is an error for a variable *var* to appear more than once.

The `let*-keywords` construct is similar to `let-keywords` , but the *default* expressions are evaluated and bindings created sequentially from left to right, with the scope of the bindings of each variable including the *default* expressions to its right as well as *body*. Thus the second *default* expression is evaluated in an environment in which the first binding is visible and initialized, and so on.

9.4 Local syntax bindings

The `let-syntax` and `letrec-syntax` binding constructs are analogous to `let` and `letrec` , but they bind syntactic keywords to macro transformers instead of binding variables to locations that contain values. Syntactic keywords can also be bound globally or locally with `define-syntax` .

(let-syntax *bindings body*) ⸤syntax⸥

bindings has the form `((` *keyword transformer* `)` `...)` . Each *keyword* is an identifier, each *transformer* is an instance of `syntax-rules` , and *body* is a sequence of one or more definitions followed by one or more expressions. It is an error for a *keyword* to appear more than once in the list of keywords being bound.

body is expanded in the syntactic environment obtained by extending the syntactic environment of the `let-syntax` expression with macros whose keywords are the *keyword* symbols bound to the specified transformers. Each binding of a *keyword* has *body* as its scope.

```
(let-syntax
  ((given-that (syntax-rules ()
                 ((_ test stmt1 stmt2 ...)
                  (if test
                      (begin stmt1 stmt2 ...))))))
  (let ((if #t))
    (given-that if (set! if 'now))
    if))        ⇒  now
(let ((x 'outer))
  (let-syntax ((m (syntax-rules () ((m) x))))
    (let ((x 'inner))
      (m))))  ⇒  outer
```

(letrec-syntax *bindings body*) ⸤syntax⸥

bindings has the form `((` *keyword transformer* `)` `...)` . Each *keyword* is an identifier, each *transformer* is an instance of `syntax-rules` , and *body* is a sequence of one or more definitions followed by one or more expressions. It is an error for a *keyword* to appear more than once in the list of keywords being bound.

body is expanded in the syntactic environment obtained by extending the syntactic environment of the `letrec-syntax` expression with macros whose keywords are the keywords, bound to the specified transformers. Each binding of a *keyword* symbol has the *transformer* as well as the *body* within its scope, so the transformers can transcribe expressions into uses of the macros introduced by the `letrec-syntax` expression.

```
(letrec-syntax
      ((my-or (syntax-rules ()
                ((my-or) #f)
                ((my-or e) e)
                ((my-or e1 e2 ...)
                 (let ((temp e1))
                   (if temp temp (my-or e2 ...)))))))
  (let ((x #f)
        (y 7)
        (temp 8)
        (let odd?)
        (if even?))
    (my-or x (let temp) (if y) y)))  ⇒  7
```

9.5 Iteration

(do ((*variable init step*) ...) ⸤syntax⸥
    (*test res* ...)
  command ...)

A `do` expression is an iteration construct. It specifies a set of variables to be bound, how they are to be initialized at the start, and how they are to be updated on each iteration. When a termination condition *test* is met (i.e. it evaluates to `#t`), the loop exits after evaluating the *res* expressions.

A `do` expression is evaluated as follows: The *init* expressions are evaluated, the variables are bound to fresh locations, the results of the *init* expressions are stored in the bindings of the variables, and then the iteration phase begins.

Each iteration begins by evaluating *test*. If the result is false, then the *command* expressions are evaluated in order, the *step* expressions are evaluated in some unspecified order, the variables are bound to fresh locations, the results of the *step* expressions are stored in the bindings of the variables, and the next iteration begins.

If *test* evaluates to `#t`, then the *res* expressions are evaluated from left to right and the values of the last *res* expression are returned. If no *res* expressions are present, then the `do` expression evaluates to void.

The scope of the binding of a variable consists of the entire `do` expression except for the *init* expressions. It is an error for a variable to appear more than once in the list of `do` variables. A *step* can be omitted, in which case the effect is the same as if (*variable init variable*) had been written instead of (*variable init*) .

```
(do ((vec (make-vector 5))
     (i 0 (+ i 1)))
    ((= i 5) vec)
  (vector-set! vec i i))  ⇒  #(0 1 2 3 4)

(let ((x '(1 3 5 7 9)))
  (do ((x x (cdr x))
       (sum 0 (+ sum (car x))))
      ((null? x) sum)))  ⇒  25
```

10 LispKit Core

10.1 Basic primitives

(procedure? *obj***)** procedure
Returns `#t` if *obj* is a procedure. Otherwise, it returns `#f` .

(eval *expr env***)** procedure
If *expr* is an expression, it is evaluated in the specified environment and its values are returned. If it is a definition, the specified identifiers are defined in the specified environment, provided the environment is not immutable.

(apply *proc arg1 … args***)** procedure
The `apply` procedure calls *proc* with the elements of the list `(append (list arg1 ...) args)` as the actual arguments.

(equal? *obj1 obj2***)** procedure
The `equal?` procedure, when applied to pairs, vectors, strings and bytevectors, recursively compares them, returning `#t` when the unfoldings of its arguments into possibly infinite trees are equal (in the sense of `equal?`) as ordered trees, and `#f` otherwise. It returns the same as `eqv?` when applied to booleans, symbols, numbers, characters, ports, procedures, and the empty list. If two objects are `eqv?` , they must be `equal?` as well. In all other cases, `equal?` may return either `#t` or `#f` . Even if its arguments are circular data structures, `equal?` must always terminate. As a rule of thumb, objects are generally `equal?` if they print the same.

(eqv? *obj1 obj2***)** procedure
The `eqv?` procedure defines a useful equivalence relation on objects. It returns `#t` if *obj1* and *obj2* are regarded as the same object.

The `eqv?` procedure returns `#t` if:

- *obj1* and *obj2* are both `#t` or both `#f`
- *obj1* and *obj2* are both symbols and are the same symbol according to the `symbol=?` procedure
- *obj1* and *obj2* are both exact numbers and are numerically equal in the sense of `=`
- *obj1* and *obj2* are both inexact numbers such that they are numerically equal in the sense of `=` , and they yield the same results in the sense of `eqv?` when passed as arguments to any other procedure that can be defined as a finite composition of Scheme's standard arithmetic procedures, provided it does not result in a NaN value
- *obj1* and *obj2* are both characters and are the same character according to the `char=?` procedure
- *obj1* and *obj2* are both the empty list
- *obj1* and *obj2* are both a pair and `car` and `cdr` of both pairs are the same in the sense of `eqv?`
- *obj1* and *obj2* are ports, vectors, hashtables, bytevectors, records, or strings that denote the same location in the store
- *obj1* and *obj2* are procedures whose location tags are equal

The `eqv?` procedure returns `#f` if:

- *obj1* and *obj2* are of different types
- one of *obj1* and *obj2* is `#t` but the other is `#f`

- *obj1* and *obj2* are symbols but are not the same symbol according to the `symbol=?` procedure
- one of *obj1* and *obj2* is an exact number but the other is an inexact number
- *obj1* and *obj2* are both exact numbers and are numerically unequal in the sense of `=`
- *obj1* and *obj2* are both inexact numbers such that either they are numerically unequal in the sense of `=`, or they do not yield the same results in the sense of `eqv?` when passed as arguments to any other procedure that can be defined as a finite composition of Scheme's standard arithmetic procedures, provided it does not result in a NaN value. As an exception, the behavior of `eqv?` is unspecified when both *obj1* and *obj2* are NaN.
- *obj1* and *obj2* are characters for which the `char=?` procedure returns #f
- one of *obj1* and *obj2* is the empty list but the other is not
- *obj1* and *obj2* are both a pair but either `car` or `cdr` of both pairs are not the same in the sense of `eqv?`
- *obj1* and *obj2* are ports, vectors, hashtables, bytevectors, records, or strings that denote distinct locations
- *obj1* and *obj2* are procedures that would behave differently (i.e. return different values or have different side effects) for some arguments

(eq? *obj1 obj2*) procedure

The `eq?` procedure is similar to `eqv?` except that in some cases it is capable of discerning distinctions finer than those detectable by `eqv?`. It always returns #f when `eqv?` also would, but returns #f in some cases where `eqv?` would return #t . On symbols, booleans, the empty list, pairs, and records, and also on non-empty strings, vectors, and bytevectors, `eq?` and `eqv?` are guaranteed to have the same behavior.

(quote *datum*) syntax

`(quote datum)` evaluates to *datum*. *datum* can be any external representation of a LispKit object. This notation is used to include literal constants in LispKit code. `(quote datum)` can be abbreviated as '*datum*. The two notations are equivalent in all respects. Numerical constants, string constants, character constants, vector constants, bytevector constants, and boolean constants evaluate to themselves. They need not be quoted.

(quasiquote *template*) syntax

Quasiquote expressions are useful for constructing a list or vector structure when some but not all of the desired structure is known in advance. If no commas appear within *template*, the result of evaluating `(quasiquote template)` is equivalent to the result of evaluating `(quote template)`. If a comma appears within *template*, however, the expression following the comma is evaluated ("unquoted") and its result is inserted into the structure instead of the comma and the expression. If a comma appears followed without intervening whitespace by `@`, then it is an error if the following expression does not evaluate to a list; the opening and closing parentheses of the list are then "stripped away" and the elements of the list are inserted in place of the `,@` expression sequence. `,@` normally appears only within a list or vector.

Quasiquote expressions can be nested. Substitutions are made only for unquoted components appearing at the same nesting level as the outermost quasiquote. The nesting level increases by one inside each successive quasiquotation, and decreases by one inside each unquotation. Comma corresponds to form `unquote`, `,@` corresponds to form `unquote-splicing`.

(lambda (*arg1 ...*) *expr ...*) syntax
(lambda (*arg1 ... . rest*) *expr ...*)
(lambda *rest expr ...*)

A lambda expression evaluates to a procedure. The environment in effect when the lambda expression was evaluated is remembered as part of the procedure. When the procedure is later called with some actual arguments, the environment in which the lambda expression was evaluated will be extended by binding the variables in the formal argument list *arg1 ...* to fresh locations, and the corresponding actual argument values will be stored in those locations. Next, the expressions in the body of the lambda expression will

be evaluated sequentially in the extended environment. The results of the last expression in the body will be returned as the results of the procedure call.

(case-lambda *(formals expr …)* **…)**   `syntax`
A case-lambda expression evaluates to a procedure that accepts a variable number of arguments and is lexically scoped in the same manner as a procedure resulting from a lambda expression. When the procedure is called, the first clause for which the arguments agree with *formals* is selected, where agreement is specified as for *formals* of a lambda expression. The variables of *formals* are bound to fresh locations, the values of the arguments are stored in those locations, the expressions in the body are evaluated in the extended environment, and the results of the last expression in the body is returned as the results of the procedure call. It is an error for the arguments not to agree with *formals* of any clause.

Here is an example showing how to use `case-lambda` for defining a simple accumulator:

```
(define (make-accumulator n)
  (case-lambda
    (()  n)
    ((m) (set! n (+ n m)) n)))
(define a (make-accumulator 1))
(a)                             ⇒ 1
(a 5)                           ⇒ 6
(a)                             ⇒ 6
```

(thunk *expr …*)   `syntax`
Returns a procedure accepting no arguments and evaluating *expr* …, returning the result of the last expression being evaluated as the result of a procedure call. `(thunk expr ...)` is equivalent to `(lambda () expr ...)`.

(thunk* *expr …*)   `syntax`
Returns a procedure accepting an arbitrary amount of arguments and evaluating *expr* …, returning the result of the last expression being evaluated as the result of a procedure call. `(thunk* expr ...)` is equivalent to `(lambda args expr ...)`.

10.2 Definition primitives

(define *var expr***)**   `syntax`
(define *(f arg …) expr***)**

At the outermost level of a program, a definition `(define var expr)` has essentially the same effect as the assignment expression `(set! var expr)` if variable *var* is bound to a non-syntax value. However, if *var* is not bound, or is a syntactic keyword, then the definition will bind *var* to a new location before performing the assignment, whereas it would be an error to perform a `set!` on an unbound variable.

The form `(define (f arg … ) expr )` defines a function *f* with arguments *arg …* and body *expr*. It is equivalent to `(define f (lambda ( arg … ) expr ))`.

(define-values *(var …) expr***)**   `syntax`
`define-values` creates multiple definitions *var …* from a single expression *expr* returning multiple values. It is allowed wherever `define` is allowed.

expr is evaluated, and the variables *var …* are bound to the return values in the same way that the formal arguments in a `lambda` expression are matched to the actual arguments in a procedure call.

It is an error if a variable *var* appears more than once in *var …*.

```
(define-values (x y) (integer-sqrt 17))
(list x y)                              ⇒ (4 1)
```

(define-syntax *keyword transformer*)   `syntax`

Syntax definitions have the form `(define-syntax` *keyword transformer* `)` . *keyword* is an identifier, and *transformer* is an instance of `syntax-rules` . Like variable definitions, syntax definitions can appear at the outermost level or nested within a body.

If the `define-syntax` occurs at the outermost level, then the global syntactic environment is extended by binding the *keyword* to the specified *transformer*, but previous expansions of any global binding for *keyword* remain unchanged. Otherwise, it is an internal syntax definition, and is local to the "body" in which it is defined. Any use of a syntax keyword before its corresponding definition is an error.

Macros can expand into definitions in any context that permits them. However, it is an error for a definition to define an identifier whose binding has to be known in order to determine the meaning of the definition itself, or of any preceding definition that belongs to the same group of internal definitions. Similarly, it is an error for an internal definition to define an identifier whose binding has to be known in order to determine the boundary between the internal definitions and the expressions of the body it belongs to.

Here is an example defining syntax for `while` loops. `while` evaluates the body of the loop as long as the predicate is true.

```
(define-syntax while
  (syntax-rules ()
    ((_ pred body ...)
      (let loop () (when pred body ... (loop))))))
```

(syntax-rules (*literal …*) *rule …*)   `syntax`
(syntax-rules *ellipsis* (*literal …*) *rule …*)

A *transformer spec* has one of the two forms listed above. It is an error if any of the *literal …*, or the *ellipsis* symbol in the second form, is not an identifier. It is also an error if syntax rules *rule* are not of the form

- (*pattern template*) .

The *pattern* in a *rule* is a list pattern whose first element is an identifier. In general, a *pattern* is either an identifier, a constant, or one of the following:

- (*pattern …*)
- (*pattern pattern … . pattern*)
- (*pattern … pattern ellipsis pattern …*) (*pattern … pattern ellipsis pattern … . pattern*)
- #(*pattern …*)
- #(*pattern … pattern ellipsis pattern …*)

A *template* is either an identifier, a constant, or one of the following:

- (*element …*)
- (*element element … . template*) (*ellipsis template*)
- #(*element …*)

where an *element* is a *template* optionally followed by an *ellipsis*. An *ellipsis* is the identifier specified in the second form of `syntax-rules` , or the default identifier `...` (three consecutive periods) otherwise.

Here is an example showcasing how `when` can be defined in terms of `if` :

```
(define-syntax when
  (syntax-rules ()
    ((_ c e ...)
      (if c (begin e ...)))))
```

(define-library (*name ...*) *declaration ...*) `syntax`
A library definition takes the following form: `(define-library (` *name ...* `)` *declaration ...* `)`. `(` *name ...* `)` is a list whose members are identifiers and exact non-negative integers. It is used to identify the library uniquely when importing from other programs or libraries. It is inadvisable, but not an error, for identifiers in library names to contain any of the characters `|, \, ?, *, <, ", :, >, +, [, ], /`.

A *declaration* is any of:

- `(export` *exportspec ...* `)`
- `(import` *importset ...* `)`
- `(begin` *statement ...* `)`
- `(include` *filename ...* `)`
- `(include-ci` *filename ...* `)`
- `(include-library-declarations` *filename ...* `)`
- `(cond-expand` *clause ...* `)`

An export declaration specifies a list of identifiers which can be made visible to other libraries or programs. An *exportspec* takes one of the following forms:

- *ident*
- `(rename` *ident1 ident2* `)`

In an *exportspec*, an identifier *ident* names a single binding defined within or imported into the library, where the external name for the export is the same as the name of the binding within the library. A `rename` spec exports the binding defined within or imported into the library and named by *ident1* in each `(` *ident1 ident2* `)` pairing, using *ident2* as the external name.

An `import` declaration provides a way to import the identifiers exported by another library. It has the same syntax and semantics as an `import` declaration used in a program or at the read-eval-print loop.

The `begin`, `include`, and `include-ci` declarations are used to specify the body of the library. They have the same syntax and semantics as the corresponding expression types.

The `include-library-declarations` declaration is similar to `include` except that the contents of the file are spliced directly into the current library definition. This can be used, for example, to share the same `export` declaration among multiple libraries as a simple form of library interface.

The `cond-expand` declaration has the same syntax and semantics as the `cond-expand` expression type, except that it expands to spliced-in library declarations rather than expressions enclosed in `begin`.

(set! *var expr*) `syntax`
Procedure `set!` is used to assign values to variables. *expr* is evaluated, and the resulting value is stored in the location to which variable *var* is bound. It is an error if *var* is not bound either in some region enclosing the `set!` expression or else globally. The result of the `set!` expression is unspecified.

10.3 Importing definitions

(import *importset ...*) `syntax`
An `import` declaration provides a way to import identifiers exported by a library. Each *importset* names a set of bindings from a library and possibly specifies local names for the imported bindings. It takes one of the following forms:

- *libraryname*
- (only *importset identifier* ...)
- (except *importset identifier* ...)
- (prefix *importset identifier*)
- (rename *importset* (*ifrom ito*) ...)

In the first form, all of the identifiers in the named library's export clauses are imported with the same names (or the exported names if exported with rename). The additional *importset* forms modify this set as follows:

- only produces a subset of the given *importset* including only the listed identifiers (after any renaming). It is an error if any of the listed identifiers are not found in the original set.
- except produces a subset of the given *importset*, excluding the listed identifiers (after any renaming). It is an error if any of the listed identifiers are not found in the original set.
- rename modifies the given *importset*, replacing each instance of *ifrom* with *ito*. It is an error if any of the listed identifiers are not found in the original set.
- prefix automatically renames all identifiers in the given *importset*, prefixing each with the specified identifier.

In a program or library declaration, it is an error to import the same identifier more than once with different bindings, or to redefine or mutate an imported binding with a definition or with set! , or to refer to an identifier before it is imported. However, a read-eval-print loop will permit these actions.

10.4 Delayed execution

LispKit provides *promises* to delay the execution of code. Built on top of *promises* are *streams*. Streams are similar to lists, except that the tail of a stream is not computed until it is de-referenced. This allows streams to be used to represent infinitely long lists. Library (lispkit core) only defines procedures for *streams* equivalent to *promises*. Library (lispkit stream) provides all the list-like functionality.

(promise? *obj***)**   procedure
The promise? procedure returns #t if argument *obj* is a promise, and #f otherwise.

(make-promise *obj***)**   procedure
(eager *obj***)**

The make-promise procedure returns a promise which, when forced, will return *obj*. It is similar to delay , but does not delay its argument: it is a procedure rather than syntax. If *obj* is already a promise, it is returned. eager is the same procedure like make-promise .

(delay *expr***)**   syntax
The delay construct is used together with the procedure force to implement lazy evaluation or "call by need". (delay expr) returns an object called a promise which, at some point in the future, can be asked (by the force procedure) to evaluate *expr*, and deliver the resulting value.

(delay-force *expr***)**   syntax
(lazy *expr***)**

The expression (delay-force expr) is conceptually similar to (delay (force expr)) , with the difference that forcing the result of delay-force will in effect result in a tail call to (force expr) , while forcing the result of (delay (force expr)) might not. Thus iterative lazy algorithms that might result in a long series of chains of delay and force can be rewritten using delay-force to prevent consuming unbounded space during evaluation. lazy is the same procedure like delay-force .

(force *promise***)** `procedure`

The `force` procedure forces the value of a promise created by `delay`, `delay-force`, or `make-promise`. If no value has been computed for the promise, then a value is computed and returned. The value of the promise must be cached (or "memoized") so that if it is forced a second time, the previously computed value is returned. Consequently, a delayed expression is evaluated using the parameter values and exception handler of the call to `force` which first requested its value. If *promise* is not a promise, it may be returned unchanged.

```
(force (delay (+ 1 2)))        ⇒ 3

(let ((p (delay (+ 1 2))))
  (list (force p) (force p)))  ⇒ (3 3)

(define integers
  (letrec ((next (lambda (n)
                   (delay (cons n (next (+ n 1)))))))
    (next 0)))
(define head
  (lambda (stream) (car (force stream))))
(define tail
  (lambda (stream) (cdr (force stream))))

(head (tail (tail integers)))  ⇒ 2
```

The following example is a mechanical transformation of a lazy stream-filtering algorithm into Scheme. Each call to a constructor is wrapped in `delay`, and each argument passed to a deconstructor is wrapped in `force`. The use of `(delay-force ...)` instead of `(delay (force ...))` around the body of the procedure ensures that an ever-growing sequence of pending promises does not exhaust available storage, because `force` will, in effect, force such sequences iteratively.

```
(define (stream-filter p? s)
  (delay-force
    (if (null? (force s))
        (delay '())
        (let ((h (car (force s)))
              (t (cdr (force s))))
          (if (p? h)
              (delay (cons h (stream-filter p? t)))
              (stream-filter p? t))))))

(head (tail (tail (stream-filter odd? integers))))  ⇒ 5
```

The following examples are not intended to illustrate good programming style, as `delay`, `force`, and `delay-force` are mainly intended for programs written in the functional style. However, they do illustrate the property that only one value is computed for a promise, no matter how many times it is forced.

```
(define count 0)
(define p
  (delay (begin (set! count (+ count 1))
                (if (> count x) count (force p)))))
(define x 5)
p                               ⇒ a promise
(force p)                       ⇒ 6
p                               ⇒ a promise
(begin (set! x 10) (force p))   ⇒ 6
```

(stream? *obj***)** `procedure`

The `stream?` procedure returns `#t` if argument *obj* is a stream, and `#f` otherwise. If *obj* is a stream,

`stream?` does not force its promise. If `(stream? obj)` is `#t`, then one of `(stream-null? obj)` and `(stream-pair? obj)` will be `#t` and the other will be `#f`; if `(stream? obj)` is `#f`, both `(stream-null? obj)` and `(stream-pair? obj)` will be `#f`.

(make-stream *obj***)**   procedure
(stream-eager *obj***)**

The `make-stream` procedure returns a stream which, when forced, will return *obj*. It is similar to `stream-delay`, but does not delay its argument: it is a procedure rather than syntax. If *obj* is already a stream, it is returned. `stream-eager` represents the same procedure like `make-stream`.

(stream-delay *expr***)**   syntax
The `stream-delay` syntax is used together with procedure `stream-force` to implement lazy evaluation or "call by need". `(stream-delay expr)` returns an object called a stream which, at some point in the future, can be asked (by the `stream-force` procedure) to evaluate *expr*, and deliver the resulting value.

(stream-delay-force *expr***)**   syntax
(stream-lazy *expr***)**

The expression `(stream-delay-force expr)` is conceptually similar to `(stream-delay (stream-force expr))`, with the difference that forcing the result of `stream-delay-force` will in effect result in a tail call to `(stream-force expr)`, while forcing the result of `(stream-delay (stream-force expr))` might not. Thus iterative lazy algorithms that might result in a long series of chains of delay and force can be rewritten using `stream-delay-force` to prevent consuming unbounded space during evaluation. `stream-lazy` represents the same procedure like `stream-delay-force`.

10.5 Symbols

(symbol? *obj***)**   procedure
Returns `#t` if *obj* is a symbol, otherwise returns `#f`.

(symbol-interned? *obj***)**   procedure
Returns `#t` if *obj* is an interned symbol, otherwise returns `#f`.

(gensym)   procedure
(gensym *str***)**

Returns a new (fresh) symbol whose name consists of prefix *str* followed by a number. If *str* is not provided, "g" is used as a prefix.

(symbol=? *sym ...***)**   procedure
Returns `#t` if all the arguments are symbols and all have the same names in the sense of `string=?`.

(string->symbol *str***)**   procedure
Returns the symbol whose name is string *str*. This procedure can create symbols with names containing special characters that would require escaping when written, but does not interpret escapes in its input.

(string->uninterned-symbol *str***)**   procedure
Returns a new uninterned symbol whose name is *str*. This procedure can create symbols with names containing special characters that would require escaping when written, but does not interpret escapes in its input.

(symbol->string *sym***)**   procedure
Returns the name of symbol *sym* as a string, but without adding escapes.

10.6 Booleans

The standard boolean objects for true and false are written as `#t` and `#f` . Alternatively, they can be written `#true` and `#false` , respectively. What really matters, though, are the objects that the Scheme conditional expressions (`if` , `cond` , `and` , `or` , `when` , `unless` , `do`) treat as true or false. The phrase a "true value" (or sometimes just "true") means any object treated as true by the conditional expressions, and the phrase "a false value" (or "false") means any object treated as false by the conditional expressions.

Of all the Scheme values, only `#f` counts as false in conditional expressions. All other Scheme values, including `#t` , count as true. Boolean literals evaluate to themselves, so they do not need to be quoted in programs.

(boolean? *obj***)** procedure

The `boolean?` predicate returns `#t` if *obj* is either `#t` or `#f` and returns `#f` otherwise.

```
(boolean? #f)    ⇒  #t
(boolean? 0)     ⇒  #f
(boolean? '())   ⇒  #f
```

(boolean=? *obj1 obj2 ...***)** procedure

Returns `#t` if all the arguments are booleans and all are `#t` or all are `#f` .

(and *test ...***)** syntax

The *test ...* expressions are evaluated from left to right, and if any expression evaluates to `#f` , then `#f` is returned. Any remaining expressions are not evaluated. If all the expressions evaluate to true values, the values of the last expression are returned. If there are no expressions, then `#t` is returned.

```
(and (= 2 2) (> 2 1))  ⇒  #t
(and (= 2 2) (< 2 1))  ⇒  #f
(and 12 'c '(f g))     ⇒  (f g)
(and)                  ⇒  #t
```

(or *test ...***)** syntax

The *test ...* expressions are evaluated from left to right, and the value of the first expression that evaluates to a true value is returned. Any remaining expressions are not evaluated. If all expressions evaluate to `#f` or if there are no expressions, then `#f` is returned.

```
(or (= 2 2) (> 2 1))          ⇒  #t
(or (= 2 2) (< 2 1))          ⇒  #t
(or #f #f #f)                 ⇒  #f
(or (memq 'b '(a b c)) (/ 3 0)) ⇒  (b c)
```

(not *obj***)** procedure

The `not` procedure returns `#t` if *obj* is false, and returns `#f` otherwise.

```
(not #t)       ⇒  #f
(not 3)        ⇒  #f
(not (list 3)) ⇒  #f
(not #f)       ⇒  #t
(not '())      ⇒  #f
(not (list))   ⇒  #f
(not 'nil)     ⇒  #f
```

(opt *pred obj***)** procedure
(opt *pred obj failval***)**

The `opt` procedure returns *failval* if *obj* is `#f`. If *obj* is not `#f`, `opt` applies predicate *pred* to *obj* and returns the result of this function application. If *failval* is not provided, `#t` is used as a default. This function is useful to verify a given predicate *pred* for an optional value *obj*.

10.7 Conditional and inclusion compilation

(cond-expand *ce-clause1 ce-clause2 …*) `syntax`
The `cond-expand` expression type provides a way to statically expand different expressions depending on the implementation. A *ce-clause* takes the following form:

(*featurerequirement expression …*)

The last clause can be an "else clause," which has the form:

(else *expression …*)

A *featurerequirement* takes one of the following forms: - *featureidentifier* - (`library` *name*) - (`and` *featurerequirement …*) - (`or` *featurerequirement …*) - (`not` *featurerequirement*)

LispKit maintains a list of feature identifiers which are present, as well as a list of libraries which can be imported. The value of a *featurerequirement* is determined by replacing each *featureidentifier* and (`library` *name*) with `#t`, and all other feature identifiers and library names with `#f`, then evaluating the resulting expression as a Scheme boolean expression under the normal interpretation of `and`, `or`, and `not`.

A `cond-expand` is then expanded by evaluating the *featurerequirements* of successive *ce-clause* in order until one of them returns `#t`. When a true clause is found, the corresponding *expression …* are expanded to a `begin`, and the remaining clauses are ignored. If none of the listed *featurerequirement* evaluates to `#t`, then if there is an "else" clause, its *expression …* are included. Otherwise, the behavior of the `cond-expand` is unspecified. Unlike `cond`, `cond-expand` does not depend on the value of any variables. The exact features provided are defined by the implementation, its environment and host platform.

LispKit supports the following *featureidentifier*:

- `lispkit`
- `r7rs`
- `ratios`
- `complex`
- `syntax-rules`
- `little-endian`
- `big-endian`
- `dynamic-loading`
- `modules`
- `32bit`
- `64bit`
- `macos`
- `macosx`
- `ios`
- `linux`
- `i386`
- `x86-64`
- `arm64`
- `arm`

(include *str1 str2 …*) `syntax`
(include-ci *str1 str2 …*)

Both `include` and `include-ci` take one or more filenames expressed as string literals, apply an implementation-specific algorithm to find corresponding files, read the contents of the files in the specified order as if by repeated applications of read, and effectively replace the `include` or `include-ci` expression with a `begin` expression containing what was read from the files. The difference between the two is that `include-ci` reads each file as if it began with the `#!fold-case` directive, while `include` does not.

10.8 Multiple values

(values *obj …*) `procedure`
Delivers all of its arguments to its continuation. The `values` procedure might be defined as follows:

```
(define (values . things)
  (call-with-current-continuation
    (lambda (cont) (apply cont things))))
```

(call-with-values *producer consumer*) `procedure`
Calls its *producer* argument with no arguments and a continuation that, when passed some values, calls the *consumer* procedure with those values as arguments. The continuation for the call to *consumer* is the continuation of the call to `call-with-values`.

```
(call-with-values (lambda () (values 4 5))
                  (lambda (a b) b))
  ⇒  5
(call-with-values * -)
  ⇒  -1
```

(apply-with-values *proc vals*) `procedure`
`apply-with-values` calls procedure *proc* with *vals* as its arguments and returns the corresponding result. *vals* might refer to multiple values created via procedure `values`. This is a LispKit-specific procedure that relies on multiple return values being represented by a container object.

10.9 Environments

(environment? *obj*) `procedure`
Returns #t if *obj* is an environment. Otherwise, it returns #f.

(environment *list1 …*) `procedure`
This procedure returns an environment that results by starting with an empty environment and then importing each list, considered as an import set, into it. The bindings of the environment represented by the specifier are immutable, as is the environment itself.

(environment-bound-names *env*) `procedure`
Returns a list of the symbols that are bound by environment *env*.

(environment-bindings *env*) `procedure`
Returns a list of the bindings of environment *env*. Each element of this list takes one of two forms: the form *(name)* indicates that *name* is bound but unassigned, while *(name obj)* indicates that *name* is bound to value *obj*.

(environment-bound? *env ident***)** `procedure`
Returns `#t` if symbol *ident* is bound in environment *env*; otherwise returns `#f` .

(environment-lookup *env ident***)** `procedure`
Returns the value to which symbol *ident* is bound in environment *env*. This procedure throws an error if *ident* is not bound to a value in *env*.

(environment-assignable? *env ident***)** `procedure`
Symbol *ident* must be bound in environment *env*. Procedure `environment-assignable?` returns `#t` if the binding of *ident* may be modified.

(environment-assign! *env ident obj***)** `procedure`
Symbol *ident* must be bound in environment *env* and must be assignable. Procedure `environment-assign!` modifies the binding to have *obj* as its value.

(scheme-report-environment *version***)** `procedure`
If *version* is equal to 5, corresponding to R5RS, *scheme-report-environment* returns an environment that contains only the bindings defined in the R5RS library.

(null-environment *version***)** `procedure`
If *version* is equal to 5, corresponding to R5RS, the *null-environment* procedure returns an environment that contains only the bindings for all syntactic keywords defined in the R5RS library.

(interaction-environment) `procedure`
This procedure returns a mutable environment which is the environment in which expressions entered by the user into a read-eval-print loop are evaluated. This is typically a superset of bindings from *(lispkit base)*.

10.10 Syntax errors

(syntax-error *message args …***)** `syntax`
`syntax-error` behaves similarly to `error` except that implementations with an expansion pass separate from evaluation should signal an error as soon as `syntax-error` is expanded. This can be used as a `syntax-rules` *template* for a *pattern* that is an invalid use of the macro, which can provide more descriptive error messages.

message is a string literal, and *args* … are arbitrary expressions providing additional information. Applications cannot count on being able to catch syntax errors with exception handlers or guards.

```
(define-syntax simple-let
  (syntax-rules ()
    ((_ (head ... ((x . y) val) . tail) body1 body2 ...)
      (syntax-error "expected an identifier but got" (x . y)))
    ((_ ((name val) ...) body1 body2 ...)
      ((lambda (name ...) body1 body2 ...) val ...))))
```

10.11 Utilities

(void) `procedure`
Performs no operation and returns nothing. This is often useful as a placeholder or whenever a no-op statement is needed.

(void? *obj***)** `procedure`
Returns `#t` if *obj* is the "void" value (i.e. no value); returns `#f` otherwise.

(identity *obj*) procedure

The identity function is always returning its argument *obj*.

11 LispKit CSV

Library `(lispkit csv)` provides a simple API for reading and writing structured data in CSV format from a text file. The API provides two different levels of abstraction: reading and writing at

1. line-level (lower-level API), and
2. record-level (higher-level API).

A text file in CSV format typically has the following structure:

```
"First name", "Last name", "Birth date"
Steve, Jobs, 1955-02-24
Bill, Gates, "1955-10-28"
"Jeff", "Bezos", "1964-01-12"
```

The first line is called the *header*. It defines the names and the order of the columns. Columns are separated by a *separator* character (which is `,` in the example above). The *column names* can optionally be wrapped by a *quotation* character, which is needed if the name contains, for instance, the separator character.

Each following line defines one data record which provides values for the columns defined in the header. The values are again separated by the *separator* character and they may be optionally wrapped by the *quotation* character. If a value is wrapped with a quotation character, the same character can be used within the value if it is escaped. The quotation character can be escaped by a sequence of two quotation characters (e.g. if `"` is used as a quotation character, `""` encodes a single `"` character within the string value).

The client of the API decides how to handle inconsistencies between the lines, e.g. if lines have too few or too many values.

11.1 CSV ports

Both levels use a *CSV port* to configure the textual input/output port, the separator and quotation character.

(csv-port? *obj***)** `procedure`
Returns `#t` if *obj* is a CSV port; returns `#f` otherwise.

(csv-input-port? *obj***)** `procedure`
Returns `#t` if *obj* is a CSV port for reading data; returns `#f` otherwise.

(csv-output-port? *obj***)** `procedure`
Returns `#t` if *obj* is a CSV port for writing data; returns `#f` otherwise.

(make-csv-port) `procedure`
(make-csv-port *tport***)**
(make-csv-port *tport sep***)**
(make-csv-port *tport sep quote***)**

Returns a new CSV port for reading or writing data via an underlying textual port *tport*. If *tport* is an output port, the CSV port can be used for writing. If *tport* is an input port, the CSV port can be used for reading. The default for *tport* is the current input port `current-input-port` exported from library `(lispkit port)`.

The separation character used by the CSV port is *sep*, the quotation character is *quote*. The default for *sep* is `#\,` and for *quote* the default is `#\"`.

(csv-base-port *csvp*)   `procedure`
Returns the textual port on which the CSV port *csvp* is based on.

(csv-separator *csvp*)   `procedure`
Returns the separation character used by the CSV port *csvp*.

(csv-quotechar *csvp*)   `procedure`
Returns the quotation character used by the CSV port *csvp*.

11.2 Line-level API

The line-level API provides means to read a whole CSV file via `csv-read` and write data in CSV format via `csv-write`.

(csv-read *csvp*)   `procedure`
(csv-read *csvp readheader?*)

Reads from CSV port *csvp* first the header, if `readheader?` is set to `#t`, and then all the lines until the end of the input is reached. Procedure `csv-read` returns two values: the header line (a list of strings representing the column names), and a vector of all data lines, which itself are lists of strings representing the individual field values. The default for *readheader?* is `#t`. If *readheader?* is set to `#f`, the first result of `csv-read` is always `#f`.

(csv-write *csvp header lines*)   `procedure`
Writes to CSV port *csvp* first the *header* (a list of strings representing the column names) unless *header* is set to `#f`. Then procedure `csv-write` writes each line of `lines`. `lines` is a vector of lists representing the individual field values in string form.

11.3 Record-level API

The higher level API has a notion of records. The default representation for records are association lists. The functions for reading and writing records are `csv-read-records` and `csv-write-records`:

(csv-read-records *csvp*)   `procedure`
(csv-read-records *csvp make-col*)
(csv-read-records *csvp make-col make-record*)

Reads from CSV port *csvp* first the header and then all the data lines until the end of the input is reached. Header names (strings) are mapped via procedure *make-col* into *column identifiers* or *column factories* (i.e. procedures which take one argument, a column value, and they return either a representation of this column if the value is valid, or `#f` if the column value is invalid). With `make-record` a list of *column identifiers* and *column factories* as well as a list of column values (strings) of a data line are mapped into a record. Procedure `csv-read-records` returns a vector of records.

The default *make-col* procedure is `make-symbol-column`. The default `make-record` function is `make-alist-record/excess`.

(csv-write-records *csvp header records***)** `procedure`
(csv-write-records *csvp header records col->str***)**
(csv-write-records *csvp header records col->str field->str***)**

First writes the header to CSV port *csvp* by mapping `header`, which is a list of column identifiers. to a list of header names using procedure *col->str*. Then, `csv-write-records` writes all the records from the vector *records* by mapping each record to a data line. This is done by applying *field->str* to all column identifiers for the record. *field->str* takes two arguments: a column identifier and the record.

The default implementation for procedure *col->str* is `symbol->string`. The default implementation for procedure *field->str* is `alist-field->string`.

(make-symbol-column *str***)** `procedure`
Returns a symbol representing the trimmed string *str*. If the trimmed string is empty, `make-symbol-column` returns `#t`. This procedure can be used for creating column identifers out of column names in procedure `csv-read-records`.

(make-alist-record *cols fields***)** `procedure`
Returns a new record given a list of column identifiers or column factories (i.e. procedures which take one argument, a column value, and they return either a representation of this column if the value is valid, or `#f` if the column value is invalid) *cols*, and a list of column values *fields*.

This procedure represents records as association lists, iterating through all *cols* and *fields* values. If there are more *fields* values than *cols* expressions, than they are skipped. If there are more *cols* expressions than *fields* values, `#f` is used as a default for missing *fields* values. If a *cols* expression is a procedure, the association entry gets created by calling the procedure with the corresponding *fields* value. For all other *cols* expression types, a pair is created with the *cols* expression being the car and the *fields* value being the cdr.

(make-alist-record/excess *?***)** `procedure`
Returns a new record given a list of column identifiers or column factories (i.e. procedures which take one argument, a column value, and they return either a representation of this column if the value is valid, or `#f` if the column value is invalid) *cols*, and a list of column values *fields*.

This procedure represents records as association lists, iterating through all *cols* and *fields* values. If there are more *fields* values than *cols* expressions, than `#f` is used as a default *cols* expression. If there are more *cols* expressions than *fields* values, `#f` is used as a default for missing *fields* values. If a *cols* expression is a procedure, the association entry gets created by calling the procedure with the corresponding *fields* value. For all other *cols* expression types, a pair is created with the *cols* expression being the car and the *fields* value being the cdr.

(alist-field->string *record col***)** `procedure`
Returns the column value of column *col* from association list *record*. `alist-field->string` assumes that *record* is an association list whose values are strings. This is how the procedure is defined:

```
(define (alist-field->string record column)
  (cdr (assq column record)))
```

12 LispKit Datatype

Library (`lispkit datatype`) implements algebraic datatypes for LispKit. It provides the following functionality:

- `define-datatype` creates a new algebraic datatype consisting of a type test predicate and a number of variants. Each variant implicitly defines a constructor and a pattern.
- `define-pattern` introduces a new pattern and constructor for an existing datatype variant.
- `match` matches a value of an algebraic datatype against patterns, binding pattern variables and executing the code of the first case whose pattern matches the value.

12.1 Usage

Here is an example of a datatype defining a tree for storing and finding elements:

```
(define-datatype tree tree?
  (empty)
  (node left element right) where (and (tree? left) (tree? right)))
```

The datatype `tree` defines a predicate `tree?` for checking whether a value is of type `tree`. In addition, it defines two variants with corresponding constructors `empty` and `node` for creating values of type `tree`. Variant `node` defines an invariant that prevents nodes from being constructed unless `left` and `right` are also trees.

The following line defines a new tree:

```
(define t1 (node (empty) 4 (node 7 (empty) (empty))))
```

Using `match`, values like `t1` can be deconstructed using pattern matching. The following function `elements` shows how to collect all elements from a tree in a list:

```
  (define (elements tree)
    (match tree
      ((empty)       ())
      ((node l e r)  (append (elements l) (list e) (elements r)))))
```

`match` is a special form which takes a value of an algebraic datatype and matches it against a list of cases. Each case defines a pattern and a sequence of statements which get executed if the pattern matches the value.

Cases can also optionally define a guard which is a boolean expression that gets executed if the pattern of the case matches a value. Only if the guard evaluates to true, the statements of the case get executed. Otherwise, pattern matching continues. The following function `insert` demonstrates this functionality:

```
(define (insert tree x)
  (match tree
    ((empty)
      (node (empty) x (empty)))
    ((node l e r) where (< x e)
      (node (insert l x) e r))
    ((node l e r)
      (node l e (insert r x)))))
```

A new tree `t2` , with two new elements inserted, can be created like this:

```
(define t2 (insert (insert t1 2) 9))
```

If a pattern is used frequently containing a lot of boilerplate, it is possible to define a shortcut using the `define-pattern` syntax:

```
(define-pattern (single x)
  (node (empty) x (empty)))
```

With this declaration, it is possible to use `single` in patterns. The following example also shows that it is possible to use `else` for defining a fallback case, if no other pattern is matching.

```
(match t
  ((empty) #f)
  ((single x) x)
  (else (error "two many elements")))
```

`single` can also be used as a constructor for creating trees with a single element:

```
(single 6)
```

An advanced feature of `match` is the usage of pattern alternatives in a single case of a `match` construct. This can be achieved using the `or` form on the top level of a pattern:

```
(define (has-many-elements tree)
  (match tree
    ((or (empty) (single _)) #f)
    (else #t)))
```

The underscore in the `(single _)` subpattern is a wildcard that matches every value and that does not bind a new variable.

12.2 API

(define-datatype *type (constr arg …) …***)**   syntax
(define-datatype *type pred (constr arg …) …***)**
(define-datatype *type pred (constr arg …)* where *condition …*_)**

Defines a new datatype with a given number of datatype variants. The definition requires the symbol *type* denoting the new type, an optional symbol *pred* which gets bound to a type test function for testing whether a value is an instance of this type, and a list of constructors of the form *(constr arg1 arg2 …)*

---

where *constr* is the constructor and *arg1*, *arg2*, … are parameter names of the constructor. A constructor can be annotated with an invariant for defining requirements the parameters need to meet. This is done via clause `where` *expr* succeeding the constructor declaration. *condition* is a boolean expression which gets checked when the constructor gets invoked.

(define-pattern *(constr arg …) (impl expr …)***)** syntax

Defines a new pattern *(constr arg …)* which specializes an existing pattern *(impl expr …)*. Such custom patterns can be used in pattern matching expressions as well as constructors for defining values of an algebraic datatype.

(match *expr case …***)** syntax
(match *expr case …* **(else** *stat …***))**

`match` provides a mechanism for decomposing values of algebraic datatypes via pattern matching. A `match` construct takes a value *expr* to pattern match on, as well as a sequence of cases. Each case consists of pattern alternatives, an optional guard, and a sequence of statements:

```
case     =  `(` patterns stat ... `)`
         |  `(` patterns `where` condition stat ... `)`
patterns =  pattern
         |  `(` `or` pattern ... `)`
pattern  =  '_'                               ; wildcard
         |  var                               ; variable
         |  `#t`                              ; literal boolean (true)
         |  `#f`                              ; literal boolean (false)
         |  string                            ; literal string
         |  number                            ; literal number
         |  character                         ; literal character
         |  vector                            ; literal vector
         |  `'` expr                          ; constant expression
         |  `,` expr                          ; value (result of evaluating expr)
         |  pattern `as` var                  ; pattern bound to variable
         |  `(` `list` pattern ... `)`        ; list pattern
         |  `(` `list` pattern ... `.` var `)` ; list pattern with rest
         |  `(` `list` pattern ... `.` `_` `)` ; list pattern with unbound rest
         |  `(` constr pattern ... `)`        ; variant pattern
```

`match` iterates through the cases and executes the sequence of statements *stat …* of the first case whose pattern is matching `expr` and whose guard *condition* evaluates to true. The value returned by this sequence of statements is returned by `match`.

13 LispKit Date-Time

Library (`lispkit date-time`) provides functionality for handling time zones, dates, and times. Time zones are represented by string identifiers referring to the region and corresponding city, e.g. `"America/Los_Angeles"`. Dates and times are represented via `date-time` data structures. These encapsulate the following components:

- *time zone*: the time zone of the date
- *date*: the date consisting of its year, month, and day
- *time*: the time on *date* consisting of the hour ($>= 0, < 24$), the minute ($>= 0, < 60$), the second ($>= 60, < 60$), and the nano second.

The library uses a floating-point representation of seconds since 00:00 UTC on January 1, 1970, as a means to refer to specific points in time independent of timezones. This means that, for instance, for comparing date-times with each other, a user would have to convert them to seconds and then compare the seconds instead.

For now, (`lispkit date-time`) assumes all dates are based on the Gregorian calendar, independent of the settings at the operating system-level.

13.1 Time zones

Time zones are represented by string identifiers referring to the region and corresponding city, e.g. `"America/Los_Angeles"`. Procedure `timezones` returns a list of all supported time zone identifiers. Each time zone has a locale-specific name and an offset in seconds from Greenwhich Mean Time. Some time zones also have an abbreviation which can be used as an alternative way to identify a timezone.

(timezones) procedure
(timezones *filter*)

Returns a list of string identifiers for all supported time zones. If *filter* is provided, it can either be set to `#f`, in which case a list of abbreviations is returned instead, or it is a string, and only time zone identifiers which contain *filter* are returned.

(timezone? *obj*) procedure
Returns `#t` if *obj* is a valid time zone identifier or time zone abbreviation; returns `#f` otherwise.

(timezone) procedure
(timezone *ident*)

Returns the identifier for the time zone specified by *ident*. *ident* can either be an identifier, an abbreviation or a GMT offset as a floating-point number or integer. If *ident* does not refer to a supported time zone, procedure `timezone` will fail.

(timezone-name *tz*) procedure
(timezone-name *tz locale*)
(timezone-name *tz locale format*)

Returns a locale-specific name for time zone *tz*. If *locale* is not specified, the current locale defined at the operating-system level is used. *format* specifies the name format. It can have one of the following symbolic values:

- `standard`
- `standard-short`
- `dst`
- `dst-short`
- `generic`
- `generic-short`

(timezone-abbreviation *tz*) `procedure`

Returns a string representing a time zone abbreviation for *tz*; e.g. `"PDT"` . If the time zone *tz* does not have an abbreviation, this function returns `#f` .

(timezone-gmt-offset *tz*) `procedure`

Returns the difference in seconds between time zone *tz* and Greenwich Mean Time. The difference is returned as a floating-point number (since seconds are always represented as such by this library).

13.2 Time stamps

Time stamps, i.e. discreet points in time, are represented as floating-point numbers corresponding to the number of seconds since 00:00 UTC on January 1, 1970.

(current-seconds) `procedure`

Returns a floating-point number representing the number of seconds since 00:00 UTC on January 1, 1970.

(seconds->date-time *secs*) `procedure`
(seconds->date-time *secs tz*)

Converts the given number of seconds *secs* into date-time format for the given time zone *tz*. *secs* is a floating-point number. It is interpreted as the number of seconds since 00:00 UTC on January 1, 1970. *secs* is negative if the date-time is earlier than 00:00 UTC on January 1, 1970. If *tz* is missing, the current, operating-system defined time zone is used.

(date-time->seconds *dtime*) `procedure`

Returns a floating-point number representing the number of seconds since 00:00 UTC on January 1, 1970 for the given date-time object *dtime*.

13.3 Date-times

(date-time? *obj*) `procedure`

Returns `#t` if *obj* is a date-time object; returns `#f` otherwise.

(date-time) `procedure`
(date-time *year month day*)
(date-time *year month day hour*)
(date-time *year month day hour min*)
(date-time *year month day hour min sec*)
(date-time *year month day hour min sec nano*)
(date-time *tz*)
(date-time *tz year month day*)

(date-time *tz year month day hour***)**
(date-time *tz year month day hour min***)**
(date-time *tz year month day hour min sec***)**
(date-time *tz year month day hour min sec nano***)**

Constructs a date-time representation out of the given date time components. *tz* is the only string argument; it is referring to a time zone. All other arguments are numeric arguments. This procedure returns a date-time object for the specified time at the given date. If no date components are provided as arguments, procedure `date-time` returns a date-time for the current date and time.

(week->date-time *year week***)** procedure
(week->date-time *year week wday***)**
(week->date-time *year week wday hour***)**
(week->date-time *year week wday hour min***)**
(week->date-time *year week wday hour min sec***)**
(week->date-time *year week wday hour min sec nano***)**
(week->date-time *tz year week***)** **(week->date-time** *tz year week wday***)**
(week->date-time *tz year week wday hour***)**
(week->date-time *tz year week wday hour min***)**
(week->date-time *tz year week wday hour min sec***)**
(week->date-time *tz year week wday hour min sec nano***)**

Constructs a date-time representation out of the given date time components. *tz* is the only string argument; it is referring to a time zone. All other arguments are numeric arguments. Argument *wday* specifies the week day in the given week. Week days are given numbers from 1 (= Monday) to 7 (= Sunday). This procedure returns a date-time object for the specified time at the given date.

The difference to `date-time` is that this procedure does not refer to a month and day. It rather refers to the week number as well as the weekday within this specified week number.

(date-time-in-timezone *dtime***)** procedure
(date-time-in-timezone *dtime tzone***)**

Constructs a date-time representation of the same point in time like *dtime*, but in a potentially different time zone *tzone*. If *tzone* is not given, the default time zone specified by the user in the operating system will be used.

(string->date-time *str***)** procedure
(string->date-time *str tz***)**
(string->date-time *str tz locale***)**
(string->date-time *str tz locale format***)**

Extracts a date and time from the given string *str* in the time zone *tz*, or the current time zone if *tz* is omitted. The format of the string representation is defined in terms of *locale* and *format*. *format* can have three different forms:

1. Combined format identifier for date and time: `date-time` parsing is based on the settings of the operating system. *format* is one of the following symbols: `none`, `short`, `medium`, `long`, or `full`.

2. Separate format identifiers for date and time: `date-time` parsing is based on the settings of the operating system, but the format for dates and times is specified separately. *format* is a list of the form `(` *dateformat timeformat* `)` where both *dateformat* and *timeformat* are one of the 5 symbols listed under 1. This makes it possible, for instance, to just parse a date (without time) in string form to a date-time object, e.g. by using `(short none)` as *format*.

3. Custom format specifier: `date-time` parsing is based on a custom format string. *format* is a string using the following characters as placeholders. Repetitions of the placeholder characters are used to specify the width and format of the field.

- y : Year
- M : Month
- d : Day
- H : Hour (12 hours)
- h : Hour (24 hours)
- m : Minute
- s : Second
- S : Micro second
- Z : Time zone
- a : AM/PM
- E : Weekday

Here are a few examples:

```
EEEE, MMM d, yyyy        ~~>  Thursday, Feb 8, 1973
dd/MM/yyyy               ~~>  08/02/1973
dd-MM-yyyy HH:mm         ~~>  08-02-1973 17:01
MMM d, h:mm a            ~~>  Thu 8, 2:11 AM
yyyy-MM-dd'T'HH:mm:ssZ   ~~>  1973-08-02T17:01:31+0000
HH:mm:ss.SSS             ~~>  11:02:19.213
```

(date-time->string *dtime*)   `procedure`
(date-time->string *dtime locale*)
(date-time->string *dtime locale format*)

Returns a string representation of the date-time object *dtime*. The format of the string is defined in terms of *locale* and *format*. *format* can have three different forms (just like for `string->date-time`):

1. Combined format identifier for date and time: `date-time` formatting is based on the settings of the operating system. *format* is one of the following symbols: `none` , `short` , `medium` , `long` , or `full` .
2. Separate format identifiers for date and time: `date-time` formatting is based on the settings of the operating system, but the format for dates and times is specified separately. *format* is a list of the form (*dateformat timeformat*) where both *dateformat* and *timeformat* are one of the 5 symbols listed under 1. This makes it possible, for instance, to just output a date (without time) in string form, e.g. by using (`short none`) as *format*.
3. Custom format specifier: `date-time` formatting is based on a custom format string. *format* is a string using the following characters as placeholders. Repetitions of the placeholder characters are used to specify the width and format of the field.

   - y : Year
   - M : Month
   - d : Day
   - H : Hour (12 hours)
   - h : Hour (24 hours)
   - m : Minute
   - s : Second
   - S : Micro second
   - Z : Time zone
   - a : AM/PM
   - E : Weekday

Here are a few examples:

```
EEEE, MMM d, yyyy       ~~>  Thursday, Feb 8, 1973
dd/MM/yyyy              ~~>  08/02/1973
dd-MM-yyyy HH:mm        ~~>  08-02-1973 17:01
MMM d, h:mm a           ~~>  Thu 8, 2:11 AM
yyyy-MM-dd'T'HH:mm:ssZ  ~~>  1973-08-02T17:01:31+0000
HH:mm:ss.SSS            ~~>  11:02:19.213
```

(date-time->iso8601-string *dtime*)   procedure
Returns a string representation of the date-time object *dtime* in ISO 8601 format.

(date-time-timezone *dtime*)   procedure
Returns the time zone of *dtime*.

(date-time-year *dtime*)   procedure
Returns the year of *dtime*.

(date-time-month *dtime*)   procedure
Returns the month of *dtime*.

(date-time-day *dtime*)   procedure
Returns the day of *dtime*.

(date-time-hour *dtime*)   procedure
Returns the hour of *dtime*.

(date-time-minute *dtime*)   procedure
Returns the minute of *dtime*.

(date-time-second *dtime*)   procedure
Returns the second of *dtime*.

(date-time-nano *dtime*)   procedure
Returns the nano-second of *dtime*.

(date-time-weekday *dtime*)   procedure
Returns the week day of *dtime*. Week days are represented as fixnums where 1 is Monday, 2 is Tuesday, …, and 7 is Sunday.

(date-time-week *dtime*)   procedure
Returns the week number of *dtime* according to the ISO-8601 standard. Based on this standard, weeks start on Monday. The first week of the year is the week that contains that year's first Thursday.

(date-time-dst-offset *dtime*)   procedure
Returns the daylight saving time offset of *dtime* in seconds related to GMT. If daylight savings time is not active, `date-time-dst-offset` returns `0.0`. The result is always a floating-point number.

(date-time-hash *dtime*)   procedure
Returns a hash code for the given date-time object. This hash code can be used in combination with both `date-time=?` and `date-time-same?`.

13.4 Date-time predicates

(date-time-same? *dtime1* *dtime2*)   procedure
Returns `#t` if date-time *dtime1* and *dtime2* have the same timezone and refer to the same point in time, i.e. `(date-time->seconds dtime1)` and `(date-time->seconds dtime2)` are equals.

```
(define d1 (date-time 'CET))
(define d2 (date-time-in-timezone d1 'PST))
(date-time-same? d1 d1)  ⇒  #t
(date-time-same? d1 d2)  ⇒  #f
(date-time=? d1 d2)      ⇒  #t
```

(date-time=? *dtime1 dtime2*)   `procedure`

Returns `#t` if date-time *dtime1* and *dtime2* specify the same point in time, i.e. `(date-time->seconds dtime1)` and `(date-time->seconds dtime2)` are equals.

```
(define d1 (date-time 'CET))
(define d2 (date-time-in-timezone d1 'PST))
(date-time=? d1 d2)                 ⇒  #t
(date-time=? d1 (date-time 'CET))  ⇒  #f
```

(date-time<? *dtime1 dtime2*)   `procedure`

Returns `#t` if date-time *dtime1* specifies an earlier point in time compared to *dtime2*, i.e. `(date-time->seconds dtime1)` is less than `(date-time->seconds dtime2)`.

(date-time>? *dtime1 dtime2*)   `procedure`

Returns `#t` if date-time *dtime1* specifies a later point in time compared to *dtime2*, i.e. `(date-time->seconds dtime1)` is greater than `(date-time->seconds dtime2)`.

(date-time<=? *dtime1 dtime2*)   `procedure`

Returns `#t` if date-time *dtime1* specifies an earlier or equal point in time compared to *dtime2*, i.e. `(date-time->seconds dtime1)` is less than or equal to `(date-time->seconds dtime2)`.

(date-time>=? *dtime1 dtime2*)   `procedure`

Returns `#t` if date-time *dtime1* specifies a later or equal point in time compared to *dtime2*, i.e. `(date-time->seconds dtime1)` is greater than or equal to `(date-time->seconds dtime2)`.

(date-time-has-dst? *dtime*)   `procedure`

Returns `#t` if daylight saving time is active for *dtime*; returns `#f` otherwise.

13.5 Date-time operations

(date-time-add *dtime days*)   `procedure`
(date-time-add *dtime days hrs*)
(date-time-add *dtime days hrs min*)
(date-time-add *dtime days hrs min sec*)
(date-time-add *dtime days hrs min sec nano*)

Compute a new date-time from adding *days*, *hrs*, *min*, *sec*, and *nano* (all fixnums) to the given date-time *dtime*. The resulting date-time is using the same timezone like *dtime*.

(date-time-add-seconds *dtime sec*)   `procedure`

Compute a new date-time from adding the number of seconds *sec* (a flonum) to the given date-time *dtime*.

(date-time-diff-seconds *dtime1 dtime2*)   `procedure`

Computes the difference between *dtime2* and *dtime1* as a number of seconds (a flonum).

(next-dst-transition *dtime*)   `procedure`

Returns the date and time when the next daylight savings time transition takes place after *dtime*. `next-dst-transition` returns `#f` if there is no daylight savings time for the time zone of *dtime*.

14 LispKit Debug

Library (`lispkit debug`) provides utilities for debugging code. Available are procedures for measuring execution latencies, for tracing procedure calls, for expanding macros, for disassembling code, as well as for inspecting the execution environment.

14.1 Timing execution

(time *expr*) `syntax`

`time` compiles *expr* and executes it. The form displays the time it took to execute *expr* as a side-effect. It returns the result of executing *expr*.

(time-values *expr*) `syntax`

`time-values` executes *expr*. If *expr* evaluates to *n* values `x1, ..., xn`, `time-values` returns $n + 1$ values `t, x1, ..., xn` where `t` is the time it takes to evaluate *expr*.

14.2 Tracing procedure calls

(trace-calls) `procedure`
(trace-calls *level*)

This function is used to enable/disable call tracing. When call tracing is enabled, all function calls that are executed by the virtual machine are being printed to the console. Call tracing operates at three levels:

- `0` : Call tracing is switched off
- `1` : Call tracing is enabled only for procedures for which it is enabled (via function `set-procedure-trace!`)
- `2` : Call tracing is switched on for all procedures (independent of procedure-level tracing being enabled or disabled)

(`trace-calls n`) will set call tracing to level `n`. If the level is ommitted, `trace-calls` will return the current call tracing level.

For instance, if call tracing is enabled via (`trace-calls 2`), executing (`fib 3`) will print the following call trace.

```
> (define (fib n)
    (if (< n 2) n (+ (fib (- n 1)) (fib (- n 2)))))
> (trace-calls 2)
> (fib 2)
  ↘ (fib 2) in <repl>
    → (< 2 2) in fib
    ← #f from <
    → (- 2 1) in fib
    ← 1 from -
    → (fib 1) in fib
      → (< 1 2) in fib
```

```
      ← #t from < in fib
    ← 1 from fib in fib
    → (- 2 2) in fib
    ← 0 from -
    → (fib 0) in fib
      → (< 0 2) in fib
      ← #t from < in fib
    ← 0 from fib in fib
  ↘ (+ 1 0) in fib
  ← 1 from fib
1
```

Function invocations are prefixed with → , or ↘ if it's a tail call. The value returned by a function call is prefixed with ← .

(procedure-trace? *proc***)** procedure
Returns #f if procedure-level call tracing is disabled for *proc*, #t otherwise.

(set-procedure-trace! *proc trace?***)** procedure
Enables procedure-level call tracing for procedure *proc* if *trace?* is set to #t . It disables call tracing for *proc* if *trace?* is #f .

14.3 Macro expansion

(quote-expanded *expr***)** syntax
quote-expanded is syntax for macro-expanding expression *expr* in the current syntactical environment. Macro-expansion is applied consecutively as long as the top-level can be expanded further.

```
(quote-expanded (assert (+ 1 2)))
⇒  (if (not (+ 1 2))
       (assertion (quote (+ 1 2))))
```

(quote-expanded-1 *expr***)** syntax

quote-expanded-1 is syntax for macro-expanding expression *expr* in the current syntactical environment. Macro-expansion is applied at most once, even if the top-level can be expanded further.

```
(quote-expanded-1 (for x in '(1 2 3) (display x)))
⇒  (dolist (x (quote (1 2 3))) (display x))
```

(macroexpand *expr***)** procedure
(macroexpand *expr env***)**

Procedure macroexpand applies macro-expansion to the expression *expr* in the environment *env* as long as the expression on its top-level can be expanded further. If *env* is not provided, the current interaction environment is used.

```
(macroexpand
  '(dotimes (x (+ 2 2)) (display x) (newline)))
⇒  (do ((maxvar (+ 2 2))
        (x 0 (fx1+ x)))
       ((fx>= x maxvar))
     (display x)
     (newline))
```

(macroexpand-1 *expr***)** procedure
(macroexpand-1 *expr env***)**

Procedure `macroexpand-1` applies macro-expansion to the expression *expr* in the environment *env* at most once. The resulting expression might therefore only be partially expanded at the top-level. If *env* is not provided, the current interaction environment is used.

```
(macroexpand-1 '(for x in '(1 2 3) (display x)))
⇒  (dolist (x (quote (1 2 3))) (display x))
(macroexpand-1
  (macroexpand-1
    '(for x in '(1 2 3) (display x))))
⇒  (let ((x (quote ()))
         (ys (quote (1 2 3))))
     (if (null? ys)
         (void)
         (do ((xs ys (cdr xs)))
             ((null? xs))
           (set! x (car xs))
           (display x))))
```

14.4 Disassembling code

(compile *expr***)** procedure
Compiles expression *expr* and displays the disassembled code. This is what is being printed when executing
`(compile '(do ((i 0 (fx1+ i)))((fx> i 10))(display i)(newline)))`:

```
CONSTANTS:
    0: #<procedure display>
    1: #<procedure newline>
INSTRUCTIONS:
    0: alloc 1
    1: push_fixnum 0
    2: make_local_variable 0
    3: push_local_value 0
    4: push_fixnum 10
    5: fx_gt
    6: branch_if 14                  ;; jump to 20
    7: make_frame
    8: push_constant 0               ;; #<procedure display>
    9: push_local_value 0
   10: call 1
   11: pop
   12: make_frame
   13: push_constant 1               ;; #<procedure newline>
   14: call 0
   15: pop
   16: push_local_value 0
   17: fx_inc
   18: set_local_value 0
   19: branch -16                    ;; jump to 3
   20: push_void
   21: reset 0, 1
```

```
    22: return
```

(disassemble *proc*) `procedure`

Disassembles procedure *proc* and prints out the code. This is what is being printed when executing `(disassemble caddr)`:

```
CONSTANTS:
INSTRUCTIONS:
    0: assert_arg_count 1
    1: push_global 426
    2: make_frame
    3: push_global 431
    4: push_local 0
    5: call 1
    6: tail_call 1
```

14.5 Execution environment

(gc) `procedure`

Force garbage collection to be performed.

(available-symbols) `procedure`

Returns a list of all symbols that have been used so far.

(loaded-libraries) `procedure`

Returns a list of all libraries that have been loaded so far.

```
> (loaded-libraries)
((lispkit draw) (lispkit base) (lispkit port) (lispkit control) (lispkit type) (lispkit list)
↪  (lispkit string) (lispkit math) (lispkit date-time) (lispkit dynamic) (lispkit char-set)
↪  (lispkit bytevector) (lispkit char) (lispkit vector) (lispkit regexp) (lispkit record)
↪  (lispkit hashtable) (lispkit system) (lispkit core) (lispkit gvector) (lispkit box))
```

(loaded-sources) `procedure`

Returns a list of all sources that have been loaded.

(environment-info) `procedure`

Prints out debug information about the current execution environment (mostly relevant for developing LispKit).

15 LispKit Disjoint-Set

Library (`lispkit disjoint-set`) implements disjoint sets, a mutable union-find data structure that tracks a set of elements partitioned into disjoint subsets. Disjoint sets are based on hashtables and require the definition of an equality and a hash function.

(disjoint-set? *obj*) `procedure`
Returns `#t` if *obj* is a disjoint set object; otherwise `#f` is returned.

(make-eq-disjoint-set) `procedure`
Returns a new empty disjoint set using `eq` as equality and `eq-hash` as hash function.

(make-eqv-disjoint-set) `procedure`
Returns a new empty disjoint set using `eqv` as equality and `eqv-hash` as hash function.

(make-disjoint-set *comparator*) `procedure`
(make-disjoint-set *hash eql*)

Returns a new empty disjoint set using *eql* as equality and *hash* as hash function. Instead of providing two functions, a new disjoint set can also be created based on a *comparator*.

(disjoint-set-make *dset x*) `procedure`
Adds a new singleton set *x* to *dset* if element *x* does not exist already in disjoint set *dset*.

(disjoint-set-find *dset x*) `procedure`
(disjoint-set-find *dset x default*)

Looks up element *x* in *dset* and returns the set in which *x* is currently contained. Returns *default* if element *x* is not found. If *default* is not provided, `disjoint-set-find` uses `#f` instead.

(disjoint-set-union *dset x y*) `procedure`
Unifies the sets containing *x* and *y* in disjoint set *dset*.

(disjoint-set-size *dset*) `procedure`
Returns the number of sets in *dset*.

16 LispKit Draw

Library `(lispkit draw)` provides an API for creating *drawings*. A drawing is defined in terms of a sequence of instructions for drawing *shapes* and *images*. Drawings can be composed and saved as a PDF. It is also possible to draw a drawing into a *bitmap* and save it in formats like PNG, JPG, or TIFF. A *bitmap* is a special *image* that is not based on vector graphics.

Both drawings and shapes are based on a coordinate system whose zero point is in the upper left corner of a plane. The x and y axis extend to the right and down. Coordinates and dimensions are always expressed in terms of floating-point numbers.

16.1 Drawings

Drawings are mutable objects created via `make-drawing`. The functions listed in this section change the state of a drawing object and they persist drawing instructions defining the drawing. For most functions, the drawing is an optional argument. If it is not provided, the function applies to the drawing provided by the `current-drawing` parammeter object.

current-drawing `parameter object`
Defines the *current drawing*, which is used as a default by all functions for which the drawing argument is optional. If there is no current drawing, this parameter is set to `#f`.

(drawing? *obj***)** `procedure`
Returns `#t` if *obj* is a drawing. Otherwise, it returns `#f`.

(make-drawing) `procedure`
Returns a new, empty drawing. A drawing consists of a sequence of drawing instructions and drawing state consisting of the following components:

- Stroke color (set via `set-color`)
- Fill color (set via `fill-color`)
- Shadow (set via `set-shadow` and `remove-shadow`)
- Transformation (add transformation via `enable-transformation` and remove via `disable-transformation`)

(copy-drawing *drawing***)** `procedure`
Returns a copy of the given drawing.

(set-color *color***)** `procedure`
(set-color *color drawing***)**

Sets the *stroke color* for the given drawing, or `current-drawing` if the drawing argument is not provided.

(set-fill-color *color***)** `procedure`
(set-fill-color *color drawing***)**

Sets the *fill color* for the given drawing, or `current-drawing` if the drawing argument is not provided.

(set-line-width *width***)** `procedure`
(set-line-width *width drawing***)**

Sets the default *stroke width* for the given drawing, or `current-drawing` if the drawing argument is not provided.

(set-shadow *color size blur-radius*) procedure
(set-shadow *color size blur-radius drawing*)

Defines a shadow for the given drawing, or `current-drawing` if the drawing argument is not provided. *color* is the color of the shade, *blur-radius* defines the radius for bluring the shadow.

(remove-shadow) procedure
(remove-shadow *drawing*)

Removes shadow for the subsequent drawing instructions of the given drawing, or `current-drawing` if the drawing argument is missing.

(enable-transformation *tf*) procedure
(enable-transformation *tf drawing*)

Enables the transformation *tf* for subsequent drawing instructions of the given drawing, or `current-drawing` if the drawing argument is missing. Each drawing maintains an active affine transformation for shifting, rotating, and scaling the coordinate systems of subsequent drawing instructions.

(disable-transformation *tf*) procedure
(disable-transformation *tf drawing*)

Disables the transformation *tf* for subsequent drawing instructions of the given drawing, or `current-drawing` if the drawing argument is missing.

(draw *shape*) procedure
(draw *shape width*)
(draw *shape width drawing*)

Draws *shape* with a given stroke *width* into the drawing specified via *drawing* or parameter object `current-drawing` if *drawing* is not provided. The default for *width*, in case it is not provided, is set via *set-line-width*. The stroke is drawn in the current stroke color of the drawing.

(draw-dashed *shape lengths phase*) procedure
(draw-dashed *shape lengths phase width*)
(draw-dashed *shape lengths phase width drawing*)

Draws *shape* with a dashed stroke of width *width* into the drawing specified via *drawing* or parameter object `current-drawing` if *drawing* is not provided. `1.0` is the default for *width* in case it is not provided. *lengths* specifies an alternating list of dash/space lengths. *phase* determines the start of the dash/space pattern. The dashed stroke is drawn in the current stroke color of the drawing.

(fill *shape*) procedure
(fill *shape drawing*)

Fills *shape* with the current *fill color* in the drawing specified via *drawing* or parameter object `current-drawing` if *drawing* is not provided.

(fill-gradient *shape colors*) procedure
(fill-gradient *shape colors spec*)
(fill-gradient *shape colors spec drawing*)

Fills *shape* with a gradient in the drawing specified via argument *drawing* or parameter object `current-drawing` if *drawing* is not provided. The gradient is specified in terms of a list of *colors* and argument *spec*. *spec* can either be a number or a point. If *spec* is a number, this number determines an angle for a linear gradient. If *spec* is a point, it is the center of a radial gradient.

(draw-line *start end*) procedure
(draw-line *start end drawing*)

Draws a line between point *start* and point *end* in the drawing specified via argument *drawing* or parameter object `current-drawing` , if *drawing* is not provided. The line is drawn in the default *stroke width* and the current *stroke color*.

(draw-rect *rect*) `procedure`
(draw-rect *rect drawing*)

Draws a rectangular given by *rect* in the drawing specified via argument *drawing* or parameter object `current-drawing` , if *drawing* is not provided. The rectangular is drawn in the default *stroke width* and the current *stroke color*.

(fill-rect *rect*) `procedure`
(fill-rect *rect drawing*)

Fills a rectangular given by *rect* with the current *fill color* in the drawing specified via argument *drawing* or parameter object `current-drawing` , if *drawing* is not provided.

(draw-ellipse *rect*) `procedure`
(draw-ellipse *rect drawing*)

Draws an ellipse into the rectangular *rect* in the drawing specified via argument *drawing* or parameter object `current-drawing` , if *drawing* is not provided. The ellipse is drawn in the default *stroke width* and the current *stroke color*.

(fill-ellipse *rect*) `procedure`
(fill-ellipse *rect drawing*)

Fills an ellipse given by rectangular *rect* with the current *fill color* in the drawing specified via argument *drawing* or parameter object `current-drawing` , if *drawing* is not provided.

(draw-text *str location font*) `procedure`
(draw-text *str location font color*)
(draw-text *str location font color drawing*)

Draws string *str* at *location* in the given font and color in the drawing specified by argument *drawing* or parameter object `current-drawing` if *drawing* is not provided. *location* is either the left, top-most point at which the string is drawn, or it is a rect specifying a bounding box. *color* specifies the text color. If it is not provided, the text is drawn in black.

(text-size *text*) `procedure`
(text-size *text font*)
(text-size *text font dimensions*)

Returns a size object describing the width and height needed to draw string *html* using *font* in a space constrained by *dimensions*. *dimensions* is either a size object specifying the maximum width and height, or it is a number constraining the width only, assuming infinite hight. If *dimensions* is omitted, the maximum width and height is infinity.

(draw-html *html location*) `procedure`
(draw-html *html location drawing*)

Draws a string *html* containing HTML source code at *location* in the drawing specified by argument *drawing* or parameter object `current-drawing` if *drawing* is not provided. *location* is either the left, top-most point at which the HTML is drawn, or it is a rect specifying a bounding box.

(html-size *html*) `procedure`
(html-size *html dimensions*)

Returns a size object describing the width and height needed to render the HTML in string *html* in a space constrained by *dimensions*. *dimensions* is either a size object specifying the maximum width and height, or

it is a number constraining the width only, assuming infinite hight. If *dimensions* is omitted, the maximum width and height is infinity.

(draw-image *image location*)   procedure
(draw-image *image location opacity*)
(draw-image *image location opacity composition*)
(draw-image *image location opacity composition drawing*)

Draws image *image* at *location* with the given *opacity* and *composition* method. The image is drawn in the drawing specified by argument *drawing* or parameter object `current-drawing` if *drawing* is not provided. *location* is either the left, top-most point at which the image is drawn, or it is a rect specifying a bounding box for the image. *composition* is a floating-point number between 0.0 (= transparent) and 1.0 (= completely not transparent) with 1.0 being the default. *composition* refers to a symbol specifying a composition method. The following methods are supported (the source is the image, the destination is the drawing):

- `clear` : Transparency everywhere.
- `copy` : The source image (default).
- `multiply` : The source color is multiplied by the destination color.
- `overlay` : Source colors overlay the destination.
- `source-over` : The source image wherever it is opaque, and the destination elsewhere.
- `source-in` : The source image wherever both images are opaque, and transparent elsewhere.
- `source-out` : The source image wherever it is opaque and the destination is transparent, and transparent elsewhere.
- `source-atop` : The source image wherever both source and destination are opaque, the destination wherever it is opaque but the source image is transparent, and transparent elsewhere.
- `destination-over` : The destination wherever it is opaque, and the source image elsewhere.
- `destination-in` : The destination wherever both images are opaque, and transparent elsewhere.
- `destination-out` : The destination wherever it is opaque and the source image is transparent, and transparent elsewhere.
- `destination-atop` : The destination wherever both image and destination are opaque, the source image wherever it is opaque and the destination is transparent, and transparent elsehwere.

(draw-drawing *other*)   procedure
(draw-drawing *other drawing*)

Draws drawing *other* into the drawing specified by argument *drawing* or parameter object `current-drawing` if *drawing* is not provided. This function can be used to compose drawings.

(clip-drawing *other clippingshape*)   procedure
(clip-drawing *other clippingshape drawing*)

Draws drawing *other* into the drawing specified by argument *drawing* or parameter object `current-drawing` if *drawing* is not provided. This function clips the drawing using shape *clippingshape*; i.e. only parts within *clippingshape* are drawn.

(inline-drawing *other*)   procedure
(inline-drawing *other drawing*)

Draws drawing *other* into the drawing specified by argument *drawing* or parameter object `current-drawing` if *drawing* is not provided. This function can be used to compose drawings in a way such that the drawing instructions from *other* are inlined into *drawing*.

(save-drawing *path drawing size*)   procedure
(save-drawing *path drawing size title*)
(save-drawing *path drawing size title author*)

Saves *drawing* into a PDF file at the given filepath *path*. *size* is a size specifying the width and height of the PDF page containing the drawing in points; i.e. the media box of the page is `(rect zero-point `*size*`)`. *title* and *author* are optional strings defining the title and author metadata for the generated PDF file.

(save-drawings *path pages*) `procedure`
(save-drawings *path pages title*)
(save-drawings *path pages title author*)

Saves a list of pages into a PDF file at the given filepath *path*. A page is defined in terms of a list of two elements (*drawing size*), where *drawing* is a drawing for that page and *size* is a media box for the page. *title* and *author* are optional strings defining the title and author metadata for the generated PDF file.

(drawing *body* …) `syntax`
Creates a new empty drawing, binds parameter object `current-drawing` to it and executes the body statements in the dynamic scope of this binding. This special form returns the new drawing.

(with-drawing *drawing body* …) `syntax`
Binds parameter object `current-drawing` to *drawing* and executes the body statements in the dynamic scope of this binding. This special form returns the result of the last statement in the body.

(transform *tf body* …) `syntax`
This form is used in the context of drawing into `current-drawing`. It enables the transformation *tf*, executes the statements in the body and disables the transformation again.

16.2 Shapes

Shapes are mutable objects created via a number of constructors, including `make-shape`, `copy-shape`, `line`, `polygon`, `rectangular`, `circle`, `oval`, `arc`, and `glyphs`. Besides the constructors, functions like `move-to`, `line-to` and `curve-to` are used to extend a shape. For those functions, the affected shape is an optional argument. If it is not provided, the function applies to the shape defined by the `current-shape` parammeter object.

current-shape `parameter object`
Defines the *current shape*, which is used as a default by all functions for which the shape argument is optional. If there is no current shape, this parameter is set to `#f`.

(shape? *obj*) `procedure`
Returns `#t` if *obj* is a shape. Otherwise, it returns `#f`.

(make-shape) `procedure`
(make-shape *prototype*)

Returns a new shape object. If argument *prototype* is provided, the new shape object will inherit from shape *prototype*; i.e. the new shape's definition will extend the definition of shape *prototype*.

(copy-shape *shape*) `procedure`
Returns a copy of *shape*.

(line *start end*) `procedure`
Retuns a new line shape. *start* and *end* are the start and end points of the line.

(polygon *point* …) `procedure`
Returns a new polygon shape. The polygon is defined in terms of a sequence of points.

(rectangle *point size*) `procedure`
(rectangle *point size radius*)
(rectangle *point size xradius yradius*)

Returns a new rectangular shape. The rectangle is defined in terms of the left, topmost point and a *size* defining both width and height of the rectangle. The optional *radius*, *xradius* and *yradius* arguments are used to create a rounded rectangular whose rounded edges are defined in terms of an x and y-radius. If only one radius is provided, it defines both x and y-radius.

(circle *point radius*)   `procedure`

Returns a new circle shape. The circle is defined in terms of a center point and a radius.

(oval *point size*)   `procedure`

Returns a new oval shape. The oval is defined in terms of a rectangle whose left, topmost point is provided as argument *point,* and whose width and height are given via argument *size*.

(arc *point radius start end*)   `procedure`
(arc *point radius start end clockwise*)

Returns a new arc shape. The arc is defined via the arguments *point*, *radius*, *start* , *end* and optionally *clockwise*. *point* is the starting point of the arc, *radius* defines the radius of the arc, *start* is a starting angle in radians, and *end* is the end angle in radians. *clockwise* is a boolean argument defining whether the arc is drawn clockwise or counter-clockwise. The default is `#t` .

(glyphs *str point size font*)   `procedure`

Returns a new "glyphs" shape. This is a shape defined by a string *str* rendered in the given size and font at a given point. *font* is a font object, *size* is the font size in points, and *point* are the start coordinates where the glyphs are drawn.

(transform-shape *shape tf*)   `procedure`

Returns a new shape derived from *shape* by applying transformation *tf*.

(flip-shape *shape*)   `procedure`
(flip-shape *shape box*)
(flip-shape *shape box orientation*)

Returns a new shape by flipping/mirroring *shape* within *box*. *box* is a rect. If it is not provided, the bounding box of *shape* is used as a default. Argument *orientation* is a symbol defining along which axis the shape is flipped. Supported are `horizontal` , `vertical` , and `mirror` . Default is `vertical` .

(interpolate *points*)   `procedure`
(interpolate *points closed*)
(interpolate *points closed alpha*)
(interpolate *points closed alpha method*)

Returns a shape interpolating a list of points. *closed* is an optional boolean argument specifying whether the shape is closed. The default for *closed* is `#f` . *alpha* is an interpolation parameter in the range [0.0,1.0]; default is 0.33. *method* specifies the interpolation method via a symbol. The following two methods are supported: `hermite` and `catmull-rom` ; default is `hermite` .

(move-to *point*)   `procedure`
(move-to *point shape*)

Sets the "current point" to *point* for the shape specified by argument *shape* or parameter object `current-shape` if *shape* is not provided.

(line-to *point ...*)   `procedure`
(line-to *point ... shape*)

Creates a line from the "current point" to *point* for the shape specified by argument *shape* or parameter object `current-shape` if *shape* is not provided. *point* becomes the new "current point".

(curve-to *point cntrl1 cntrl2*)   `procedure`
(curve-to *point cntrl1 cntrl2 shape*)

Creates a curve from the "current point" to *point* for the shape specified by argument *shape* or parameter object `current-shape` if *shape* is not provided. *cntrl1* and *cntrl2* are control points defining tangets shaping the curve at the start and end points.

(relative-move-to *point***)** [procedure]
(relative-move-to *point shape***)**

This function is equivalent to `move-to` with the exception that *point* is relative to the "current point".

(relative-line-to *point ...***)** [procedure]
(relative-line-to *point ... shape***)**

This function is equivalent to `line-to` with the exception that *point* is relative to the "current point".

(relative-curve-to *point cntrl1 cntrl2***)** [procedure]
(relative-curve-to *point cntrl1 cntrl2 shape***)**

This function is equivalent to `curve-to` with the exception that *point*, *cntrl1* and *cntrl2* are relative to the "current point".

(add-shape *other***)** [procedure]
(add-shape *other shape***)**

Adds shape *other* to the shape specified by argument *shape* or parameter object `current-shape` if *shape* is not provided. This function is typically used to compose shapes.

(shape-bounds *shape***)** [procedure]
Returns the bounding box for the given shape as a rect.

(shape *body ...***)** [syntax]
Creates a new empty shape, binds parameter object `current-shape` to it and executes the body statements in the dynamic scope of this binding. This special form returns the new drawing.

(with-shape *shape body ...***)** [syntax]
Binds parameter object `current-shape` to *shape* and executes the body statements in the dynamic scope of this binding. This special form returns the result of the last statement in the body.

16.3 Images

Images are objects representing immutable pictures of mutable size and metadata. Images are either loaded from image files or they are created from drawings. Images are either vector-based or bitmap-based. The current image API only allows loading vector-based images from PDF files. Bitmap-based images, on the other hand, can be loaded from PNG, JPG, GIF, etc. image files or they are created by drawing a drawing object into an empty bitmap. Bitmap-based images optionally have mutable EXIF data.

(image? *obj***)** [procedure]
Returns `#t` if *obj* is an image. Otherwise, it returns `#f`.

(load-image *path***)** [procedure]
Loads an image from the file at *path* and returns the corresponding image object.

(load-image-asset *path type***)** [procedure]
(load-image-asset *path type dir***)**

Loads an image from the file at the given relative file *path* and returns the corresponding image object. *type* refers to the default suffix of the file to load (e.g. `"png"` for PNG images).

`load-image-asset` constructs a relative file path in the following way (assuming *path* does not have a suffix already):

dir/path.type

where *dir* is `"Images"` if it is not provided as a parameter. It then searches the asset paths in their given order for a file matching this relative file path. Once the first matching file is found, the file is loaded as an image file and the image gets returned by `load-image-asset`. It is an error if no matching image was found.

(image-size *image*) `procedure`

Returns the size of the given image object in points.

(set-image-size! *image size*) `procedure`

Sets the size of *image* to *size*, a size in points.

(bitmap? *obj*) `procedure`

Returns `#t` if *obj* is a bitmap-based image. Otherwise, it returns `#f`.

(bitmap-size *bmap*) `procedure`

Returns the size of the bitmap *bmap* in points. If *bmap* is not a bitmap object, `bitmap-size` returns `#f`.

(bitmap-pixels *bmap*) `procedure`

Returns the number of horizontal and vertical pixels of the bitmap *bmap* as a size. If *bmap* is not a bitmap object, `bitmap-size` returns `#f`.

(bitmap-exif-data *bmap*) `procedure`

Returns the EXIF metadata associated with bitmap *bmap*. EXIF metadata is represented as an association list in which symbols are used as keys.

```
> (define photo (load-image (asset-file-path "Regensberg" "jpeg" "Images")))
> (bitmap-exif-data photo)
((ExposureBiasValue . 0)
 (CustomRendered . 6)
 (SensingMethod . 2)
 (SubsecTimeOriginal . "615")
 (SubsecTimeDigitized . "615")
 (Flash . 0)
 (ExposureTime . 0.00040306328093510683)
 (OffsetTime . "+01:00")
 (PixelXDimension . 8066)
 (ExifVersion 2 3 1)
 (OffsetTimeDigitized . "+01:00")
 (ISOSpeedRatings 25)
 (OffsetTimeOriginal . "+01:00")
 (DateTimeDigitized . "2019:10:27 14:21:39")
 (FlashPixVersion 1 0)
 (WhiteBalance . 0)
 (PixelYDimension . 3552)
 (LensSpecification 4.25 4.25 1.7999999523162842 1.7999999523162842)
 (ColorSpace . 65535)
 (LensModel . "iPhone XS back camera 4.25mm f/1.8")
 (SceneCaptureType . 0)
 (ApertureValue . 1.6959938128383605)
 (SceneType . 1)
 (ShutterSpeedValue . 11.276932534193945)
 (FocalLength . 4.25)
 (FNumber . 1.8)
 (LensMake . "Apple")
 (FocalLenIn35mmFilm . 26)
 (BrightnessValue . 10.652484683458134)
 (ComponentsConfiguration 1 2 3 0)
 (MeteringMode . 5)
 (DateTimeOriginal . "2019:10:27 14:21:39"))
```

(set-bitmap-exif-data! *bmap exif***)** `procedure`

Sets the EXIF metadata for the given bitmap *bmap* to *exif*. *exif* is an association list defining all the EXIF attributes with symbols being used as keys.

```
> (define photo (load-image (asset-file-path "Regensberg" "jpeg" "Images")))
> (set-bitmap-exif-data! photo
    '((ExposureBiasValue . 0)
      (Flash . 0)
      (ExposureTime . 0.0005)
      (PixelXDimension . 8066)
      (PixelYDimension . 3552)
      (ExifVersion 2 3 1)
      (ISOSpeedRatings 25)
      (FlashPixVersion 1 0)
      (WhiteBalance . 0)
      (LensSpecification 4.25 4.25 1.7999999523162842 1.7999999523162842)
      (ColorSpace . 65535)
      (SceneCaptureType . 0)
      (ApertureValue . 1.6959938128383605)
      (SceneType . 1)
      (ShutterSpeedValue . 11.276932534193945)
      (FocalLength . 4.25)
      (FNumber . 1.8)
      (BrightnessValue . 10.652484683458134)
      (ComponentsConfiguration 1 2 3 0)
      (OffsetTime . "+01:00")
      (OffsetTimeOriginal . "+01:00")
      (DateTimeOriginal . "2019:10:27 14:21:39")
      (OffsetTimeDigitized . "+01:00")
      (DateTimeDigitized . "2019:10:27 14:21:39")))
```

(make-bitmap *drawing size***)** `procedure`
(make-bitmap *drawing size ppi***)**

Creates a new bitmap-based image by drawing the object *drawing* into an empty bitmap of size *size* in points. *ppi* determines the number of pixels per inch. By default, *ppi* is set to 72. In this case, the number of pixels of the bitmap corresponds to the number of points (since 1 pixel corresponds to 1/72 of an inch). For a *ppi* value of 144, the horizontal and vertial number of pixels is doubled, etc.

(save-bitmap *path bitmap format***)** `procedure`

Saves a given bitmap-based image *bitmap* in a file at filepath *path*. *format* is a symbol specifying the image file format. Supported are: `png`, `jpg`, `gif`, `bmp`, and `tiff`.

16.4 Transformations

A transformation is an immutable object defining an affine transformation. Transformations can be used to:

- shift,
- scale, and
- rotate coordinate systems.

Transformations are typically used in drawings to transform drawing instructions. They can also be used to transform shapes.

(transformation? *obj***)** `procedure`
Returns `#t` if *obj* is a transformation. Otherwise, it returns `#f`.

(transformation *tf* …) `procedure`
Creates a new transformation by composing the given transformations *tf*.

(invert *tf*) `procedure`
Inverts transformation *tf* and returns a new transformation object for it.

(translate *dx dy*) `procedure`
(translate *dx dy tf*)

Returns a transformation for shifting the coordinate system by *dx* and *dy*. If transformation *tf* is provided, the translation transformation extends *tf*.

(scale *dx dy*) `procedure`
(scale *dx dy tf*)

Returns a transformation for scaling the coordinate system by *dx* and *dy*. If transformation *tf* is provided, the scaling transformation extends *tf*.

(rotate *angle*) `procedure`
(rotate *angle tf*)

Returns a transformation for rotating the coordinate system by *angle* (in radians). If transformation *tf* is provided, the rotation transformation extends *tf*.

16.5 Colors

Colors are immutable objects defining colors in terms of four components: red, green, blue and alpha. Library `(lispkit draw)` currently only supports RGB color spaces.

`(lispkit draw)` supports the concept of *color lists* on *macOS*. A color list is provided as a `.plist` file and stored in the "ColorLists" asset directory of LispKit. It maps color names expressed as symbols to color values. Color lists need to be loaded explicitly via procedure `load-color-list`.

(color? *obj*) `procedure`
Returns `#t` if *obj* is a color. Otherwise, it returns `#f`.

(color *spec*) `procedure`
(color *name clist*)
(color *r g b*)
(color *r g b alpha*)

This procedure returns new color objects. If *spec* is provided, it either is a string containing a color description in hex format, or it is a symbol referring to the name of a color in the default color list (`White Yellow Red Purple Orange Magenta Green Cyan Brown Blue Black`). If a different color list should be used, its name can be specified via string *clist*. Procedure `(available-color-lists)` returns a list of all available color lists. If the color is specified via a hex string, the following formats can be used: `"ccc"`, `"#ccc"`, `"rrggbb"`, and `"#rrggbb"`.

The color can also be specified using color components *r, g, b,* and *alpha*. *alpha* determines the transparency of the color (0.0 = fully transparent, 1.0 = no transparency). The default value for *alpha* is 1.0.

(color-red *color*) `procedure`
Returns the red color component of *color*.

(color-green *color*) `procedure`
Returns the green color component of *color*.

(color-blue *color***)**   procedure

Returns the blue color component of *color*.

(color-alpha *color***)**   procedure

Returns the alpha color component of *color*.

(color->hex *color***)**   procedure

Returns a representation of the given *color* in hex form as a string.

```
(color->hex (color 1.0 0.5 0.1))  ⇒  "#FF801A"
(color->hex (color "#6AF"))       ⇒  "#66AAFF"
```

black   object
gray
white
red
green
blue
yellow

Predefined color objects.

(available-color-lists)   procedure

Returns a list of available color lists. The LispKit installation guarantees that there is at least color list
"HTML" containing all named colors from the HTML 5 specification.

```
(available-color-lists)
⇒  ("HTML" "Web Safe Colors" "Crayons" "System" "Apple")
```

(load-color-list *name path***)**   procedure

Loads a new color list stored as a `.plist` file in the assets directory of LispKit at the given file *path* (which
can also refer to color lists outside of the assets directory via absolute file paths). *name* is a string which
specifies the name of the color list. It is added to the list of available colors if loading of the color list was
successful. `load-color-list` returns `#t` if the color list could be successfully loaded, `#f` otherwise.

(available-colors *clist***)**   procedure

Returns a list of color identifiers supported by the given color list. *clist* is a string specifying the name of
the color list.

```
(available-colors "HTML")
⇒  (YellowGreen Yellow WhiteSmoke White Wheat Violet Turquoise Tomato Thistle Teal Tan
↪  SteelBlue Snow SlateGrey SlateGray SlateBlue SkyBlue Silver Sienna SeaShell SeaGreen
↪  SandyBrown Salmon SaddleBrown RoyalBlue RosyBrown Red RebeccaPurple Purple PowderBlue Plum
↪  Pink Peru PeachPuff PapayaWhip PaleVioletRed PaleTurquoise PaleGreen PaleGoldenRod Orchid
↪  OrangeRed Orange OliveDrab Olive OldLace Navy NavajoWhite Moccasin MistyRose MintCream
↪  MidnightBlue MediumVioletRed MediumTurquoise MediumSpringGreen MediumSlateBlue
↪  MediumSeaGreen MediumPurple MediumOrchid MediumBlue MediumAquaMarine Maroon Magenta Linen
↪  LimeGreen Lime LightYellow LightSteelBlue LightSlateGrey LightSlateGray LightSkyBlue
↪  LightSeaGreen LightSalmon LightPink LightGrey LightGreen LightGray LightGoldenRodYellow
↪  LightCyan LightCoral LightBlue LemonChiffon LawnGreen LavenderBlush Lavender Khaki Ivory
↪  Indigo IndianRed HotPink HoneyDew Grey GreenYellow Green Gray GoldenRod Gold GhostWhite
↪  Gainsboro Fuchsia ForestGreen FloralWhite FireBrick DodgerBlue DimGrey DimGray DeepSkyBlue
↪  DeepPink DarkViolet DarkTurquoise DarkSlateGrey DarkSlateGray DarkSlateBlue DarkSeaGreen
↪  DarkSalmon DarkRed DarkOrchid DarkOrange DarkOliveGreen DarkMagenta DarkKhaki DarkGrey
↪  DarkGreen DarkGray DarkGoldenRod DarkCyan DarkBlue Cyan Crimson Cornsilk CornflowerBlue
↪  Coral Chocolate Chartreuse CadetBlue BurlyWood Brown BlueViolet Blue BlanchedAlmond Black
↪  Bisque Beige Azure Aquamarine Aqua AntiqueWhite AliceBlue)
```

16.6 Fonts

Fonts are immutable objects defining fonts in terms of a font name and a font size (in points).

(font? *obj***)** procedure
Returns `#t` if *obj* is a font. Otherwise, it returns `#f` .

(font *fontname size***)** procedure
(font *familyname size weight trait …***)**

If only two arguments, *fontname* and *size*, are provided, `font` will return a new font object for a font with the given font name and font size (in points). If more than two arguments are provided, `font` will return a new font object for a font with the given font family name, font size (in points), font weight, as well as a number of font traits.

The weight of a font is specified as an integer on a scale from 0 to 15. Library `(lispkit draw)` exports the following weight constants:

- `ultralight` (1)
- `thin` (2)
- `light` (3)
- `book` (4)
- `normal` (5)
- `medium` (6)
- `demi` (7)
- `semi` (8)
- `bold` (9)
- `extra` (10)
- `heavy` (11)
- `super` (12)
- `ultra` (13)
- `extrablack` (14)

Font traits are specified as integer masks. The following trait constants are exported from library `(lispkit draw)` :

- `italic`
- `boldface`
- `unitalic`
- `unboldface`
- `narrow`
- `expanded`
- `condensed`
- `small-caps`
- `poster`
- `compressed`
- `monospace`

(font-name *font***)** procedure
Returns the font name of *font*.

(font-family-name *font***)** procedure
Returns the font family name of *font*.

(font-size *font***)** procedure
Returns the font size of *font* in points.

(font-weight *font*) procedure
Returns the font weight of *font*. See documentation of function `font` for details.

(font-traits *font*) procedure
Returns the font traits of *font* as an integer bitmask. See documentation of function `font` for details.

(font-has-traits *font trait …*) procedure
Returns `#t` if font *font* has all the given traits.

(available-fonts) procedure
(available-fonts *trait …*)

Returns all the available fonts that have matching font traits.

(available-font-families) procedure
Returns all the available font families, i.e. all font families for which there is at least one font installed.

16.7 Points

A *point* describes a location on a two-dimensional plane consisting of a *x* and *y* coordinate. Points are represented as pairs of floating-point numbers where the car representes the x-coordinate and the cdr represents the y-coordinate. Even though an expression like `'(3.5 . -2.0)` does represent a point, it is recommended to always construct points via function `point`; e.g. `(point 3.5 -2.0)`.

(point? *obj*) procedure
Returns `#t` if *obj* is a valid point. Otherwise, it returns `#f`.

(point *x y*) procedure
Returns a point for coordinates *x* and *y*.

(move-point *point dx fy*) procedure
Moves *point* by *dx* and *dy* and returns the result as a point.

(point-x *point*) procedure
Returns the x-coordinate for *point*.

(point-y *point*) procedure
Returns the y-coordinate for *point*.

zero-point object
The *zero point*, i.e `(point 0.0 0.0)`.

16.8 Size

A *size* describes the dimensions of a rectangle consisting of *width* and *height* values. Sizes are represented as pairs of floating-point numbers where the car representes the width and the cdr represents the height. Even though an expression like `'(5.0 . 3.0)` does represent a size, it is recommended to always construct sizes via function `size`; e.g. `(size 5.0 3.0)`.

(size? *obj*) procedure
Returns `#t` if *obj* is a valid size. Otherwise, it returns `#f`.

(size *w h*) procedure
Returns a size for the given width *w* and height *h*.

(size-width *size*) procedure
Returns the width for *size*.

(size-height *size*) `procedure`
Returns the height for *size*.

(increase-size *size dx dy*) `procedure`
Returns a new size object whose width is increased by *dx* and whose height is increased by *dy*.

(scale-size *size factor*) `procedure`
Returns a new size object whose width and height is multiplied by *factor*.

16.9 Rects

A *rect* describes a rectangle in terms of an upper left *point* and a *size*. Rects are represented as pairs whose car is a point and whose cdr is a size. Even though an expression like `'((1.0 . 2.0) . (3.0 4.0))` does represent a rect, it is recommended to always construct rects via function `rect`; e.g. `(rect (point 1.0 2.0) (size 3.0 4.0))`.

(rect? *obj*) `procedure`
Returns `#t` if *obj* is a valid rect. Otherwise, it returns `#f`.

(rect *point size*) `procedure`
(rect *x y width height*)

Returns a rect either from the given *point* and *size*, or from x-coordinate *x*, y-coordinate *y*, width *w*, and height *h*.

(move-rect *rect dx dy*) `procedure`
Moves *rect* by *dx* and *dy* and returns the result.

(rect-point *rect*) `procedure`
Returns the upper left corner point of *rect*.

(rect-size *rect*) `procedure`
Returns the size of the *rect*.

(rect-x *rect*) `procedure`
Returns the x-coordinate of the upper left corner point of *rect*.

(rect-y *rect*) `procedure`
Returns the y-coordinate of the upper left corner point of *rect*.

(rect-size *rect*) `procedure`
Returns the size of *rect* as a size, i.e. as a pair of floating-point numbers where the car representes the width and the cdr represents the height of *rect*.

(rect-width *rect*) `procedure`
Returns the width of *rect*.

(rect-height *rect*) `procedure`
Returns the height of *rect*.

17 LispKit Draw Turtle

Library (`lispkit draw turtle`) defines a simple "turtle graphics" API. The API provides functionality for creating turtles and for moving turtles on a plane generating *drawings* as a side-effect. A *drawing* is a data structure defined by library (`lispkit draw`).

A *turtle* is defined in terms of the following components: - A position *(x, y)* defining the coordinates where the turtle is currently located within a coordinate system defined by parameters used to create the turtle via `make-turtle` - A heading *angle* which defines the direction in degrees into which the turtle is moving - A boolean flag *pen down* which, if set to `#t`, will make the turtle draw lines on the graphics plane when moving. - A *line width* defining the width of lines drawn by the turtle - A *color* defining the color of lines drawn by the turtle - A *drawing* which records the moves of the turtle while the pen is down.

Turtles are mutable objects created via `make-turtle`. The functions listed below change the state of a turtle. In particular, they generate a drawing as a side-effect which can be accessed via `turtle-drawing`. For most functions, the turtle is an optional argument. If it is not provided, the function applies to the turtle provided by the `current-turtle` parammeter object.

current-turtle   `parameter object`

Defines the *current turtle*, which is used as a default by all functions for which the turtle argument is optional. If there is no current turtle, this parameter is set to `#f`.

(turtle? *obj***)**   `procedure`

Returns `#t` if *obj* is a turtle. Otherwise, it returns `#f`.

(make-turtle *x y scale***)**   `procedure`

Returns a new turtle object. *x* and *y* determine the "home point" of the turtle. This is equivalent to the zero point of the coordinate system in which the turtle navigates. *scale* is a scaling factor.

(turtle-drawing *turtle***)**   `procedure`

Returns the drawing associated with the given *turtle*.

(pen-up)   `procedure`
(pen-up *turtle***)**

Lifts *turtle* from the plane. If *turtle* is not provided, the turtle defined by `current-turtle` is used. Subsequent `forward` and `backward` operations don't lead to lines being drawn. Only the current coordinates are getting updated.

(pen-down)   `procedure`
(pen-down *turtle***)**

Drops *turtle* onto the plane. If *turtle* is not provided, the turtle defined by `current-turtle` is used. Subsequent `forward` and `backward` operations will lead to lines being drawn.

(pen-color *color***)**   `procedure`
(pen-color *color turtle***)**

Sets the drawing color of *turtle* to *color*. If *turtle* is not provided, the turtle defined by `current-turtle` is used. *color* is a color object as defined by library (`lispkit draw`).

(pen-size *size***)**   `procedure`
(pen-size *size turtle***)**

Sets the pen size of *turtle* to *size*. If *turtle* is not provided, the turtle defined by `current-turtle` is used. The pen size corresponds to the width of lines drawn by `forward` and `backward`.

(home) `procedure`
(home *turtle*)

Moves *turtle* to its home position. If *turtle* is not provided, the turtle defined by `current-turtle` is used.

(move *x y*) `procedure`
(move *x y turtle*)

Moves *turtle* to the position described by the coordinates *x* and *y*. If *turtle* is not provided, the turtle defined by `current-turtle` is used.

(heading *angle*) `procedure`
(heading *angle turtle*)

Sets the heading of *turtle* to *angle*. If *turtle* is not provided, the turtle defined by `current-turtle` is used. *angle* is expressed in terms of degrees.

(turn *angle*) `procedure`
(turn *angle turtle*)

Adjusts the heading of *turtle* by *angle* degrees. If *turtle* is not provided, the turtle defined by `current-turtle` is used.

(right *angle*) `procedure`
(right *angle turtle*)

Adjusts the heading of *turtle* by *angle* degrees. If *turtle* is not provided, the turtle defined by `current-turtle` is used.

(left *angle*) `procedure`
(left *angle turtle*)

Adjusts the heading of *turtle* by *-angle* degrees. If *turtle* is not provided, the turtle defined by `current-turtle` is used.

(forward *distance*) `procedure`
(forward *distance turtle*)

Moves *turtle* forward by *distance* units drawing a line if the pen is down. If *turtle* is not provided, the turtle defined by `current-turtle` is used.

(backward *distance*) `procedure`
(backward *distance turtle*)

Moves *turtle* backward by *distance* units drawing a line if the pen is down. If *turtle* is not provided, the turtle defined by `current-turtle` is used.

18 LispKit Dynamic

18.1 Dynamic bindings

(make-parameter *init*) procedure
(make-parameter *init converter*)

Returns a newly allocated parameter object, which is a procedure that accepts zero arguments and returns the value associated with the parameter object. Initially, this value is the value of (*converter init*) , or of *init* if the conversion procedure *converter* is not specified. The associated value can be temporarily changed using `parameterize` . The default associated value can be changed by invoking the parameter object as a function with the new value as the only argument.

Parameter objects can be used to specify configurable settings for a computation without the need to pass the value to every procedure in the call chain explicitly.

(parameterize ((*param value*) …) *body*) syntax

A `parameterize` expression is used to change the values returned by specified parameter objects *param* during the evaluation of *body*. The *param* and *value* expressions are evaluated in an unspecified order. The *body* is evaluated in a dynamic environment in which calls to the parameters return the results of passing the corresponding values to the conversion procedure specified when the parameters were created. Then the previous values of the parameters are restored without passing them to the conversion procedure. The results of the last expression in the *body* are returned as the results of the entire `parameterize` expression.

```
(define radix
  (make-parameter 10 (lambda (x)
                       (if (and (exact-integer? x) (<= 2 x 16))
                           x
                           (error "invalid radix")))))
(define (f n) (number->string n (radix)))
(f 12)                            ⇒  "12"
(parameterize ((radix 2)) (f 12))  ⇒  "1100"
(f 12)                            ⇒  "12"
(radix 16)
(parameterize ((radix 0)) (f 12))  ⇒  error: invalid radix
```

(make-dynamic-environment) syntax

Returns a newly allocated copy of the current dynamic environment. Dynamic environments are represented as mutable hashtables.

(dynamic-environment) syntax

Returns the current dynamic environment represented as mutable hashtables.

(set-dynamic-environment! *hashtable*) syntax

Sets the current dynamic environment to the given dynamic environment object. Dynamic environments are modeled as hashtables.

18.2 Continuations

(continuation? *obj***)**   `procedure`
Returns `#t` if *obj* is a continuation procedure, `#f` otherwise.

(call-with-current-continuation *proc***)**   `procedure`
(call/cc *proc***)**

The procedure `call-with-current-continuation` (or its equivalent abbreviation `call/cc`) packages the current continuation as an "escape procedure" and passes it as an argument to *proc*. It is an error if *proc* does not accept one argument.

The escape procedure is a Scheme procedure that, if it is later called, will abandon whatever continuation is in effect at that later time and will instead use the continuation that was in effect when the escape procedure was created. Calling the escape procedure will cause the invocation of before and after thunks installed using `dynamic-wind`.

The escape procedure accepts the same number of arguments as the continuation to the original call to `call-with-current-continuation`. Most continuations take only one value. Continuations created by the `call-with-values` procedure (including the initialization expressions of `define-values`, `let-values`, and `let*-values` expressions), take the number of values that the consumer expects. The continuations of all non-final expressions within a sequence of expressions, such as in `lambda`, `case-lambda`, `begin`, `let`, `let*`, `letrec`, `letrec*`, `let-values`, `let*-values`, `let-syntax`, `letrec-syntax`, `parameterize`, `guard`, `case`, `cond`, `when`, and `unless` expressions, take an arbitrary number of values because they discard the values passed to them in any event. The effect of passing no val- ues or more than one value to continuations that were not created in one of these ways is unspecified.

The escape procedure that is passed to proc has unlimited extent just like any other procedure in Scheme. It can be stored in variables or data structures and can be called as many times as desired. However, like the `raise` and `error` procedures, it never returns to its caller.

The following examples show only the simplest ways in which `call-with-current-continuation` is used. If all real uses were as simple as these examples, there would be no need for a procedure with the power of `call-with-current-continuation`.

```
(call-with-current-continuation
  (lambda (exit)
    (for-each (lambda (x) (if (negative? x) (exit x)))
              '(54 0 37 -3 245 19)) #t))  ⇒  -3
(define list-length
  (lambda (obj)
    (call-with-current-continuation
      (lambda (return)
        (letrec
          ((r (lambda (obj)
                (cond ((null? obj) 0)
                      ((pair? obj) (+ (r (cdr obj)) 1))
                      (else        (return #f))))))
          (r obj))))))
(list-length '(1 2 3 4))     ⇒  4
(list-length '(a b . c))     ⇒  #f
```

(dynamic-wind *before thunk after***)**   `procedure`
Calls *thunk* without arguments, returning the result(s) of this call. *before* and *after* are called, also without arguments, as required by the following rules. Note that, in the absence of calls to continuations captured using `call-with-current-continuation`, the three arguments are called once each, in order. *before* is called whenever execution enters the dynamic extent of the call to *thunk* and *after* is called whenever it

exits that dynamic extent. The dynamic extent of a procedure call is the period between when the call is initiated and when it returns. The *before* and *after* thunks are called in the same dynamic environment as the call to `dynamic-wind`. In Scheme, because of `call-with-current-continuation`, the dynamic extent of a call is not always a single, connected time period. It is defined as follows:

- The dynamic extent is entered when execution of the body of the called procedure begins.
- The dynamic extent is also entered when execution is not within the dynamic extent and a continuation is invoked that was captured (using `call-with-current-continuation`) during the dynamic extent.
- It is exited when the called procedure returns.
- It is also exited when execution is within the dynamic extent and a continuation is invoked that was captured while not within the dynamic extent.

If a second call to `dynamic-wind` occurs within the dynamic extent of the call to *thunk* and then a continuation is invoked in such a way that the *afters* from these two invocations of `dynamic-wind` are both to be called, then the *after* associated with the second (inner) call to `dynamic-wind` is called first.

If a second call to `dynamic-wind` occurs within the dynamic extent of the call to *thunk* and then a continuation is invoked in such a way that the *befores* from these two invocations of `dynamic-wind` are both to be called, then the before associated with the first (outer) call to `dynamic-wind` is called first.

If invoking a continuation requires calling the *before* from one call to `dynamic-wind` and the after from another, then the *after* is called first.

The effect of using a captured continuation to enter or exit the dynamic extent of a call to *before* or *after* is unspecified.

```
(let ((path '())
      (c #f))
  (let ((add (lambda (s)
        (set! path (cons s path)))))
    (dynamic-wind
      (lambda () (add 'connect))
      (lambda () (add (call-with-current-continuation
                       (lambda (c0) (set! c c0) 'talk1))))
      (lambda () (add 'disconnect)))
    (if (< (length path) 4)
        (c 'talk2)
        (reverse path))))
⇒  (connect talk1 disconnect connect talk2 disconnect)
```

(unwind-protect *body cleanup* …)   syntax
Executes expression *body* guaranteeing that statements *cleanup* … are executed when *body*'s execution is finished or when an exception is thrown during the execution of *body*. `unwind-protect` returns the result of executing *body*.

(return *obj*)   procedure
Returns to the top-level of the read-eval-print loop with *obj* as the result (or terminates the program with *obj* as its return value).

18.3 Exceptions

(with-exception-handler *handler thunk*)   procedure
The `with-exception-handler` procedure returns the results of invoking *thunk*. *handler* is installed as the current exception handler in the dynamic environment used for the invocation of *thunk*. It is an error if *handler* does not accept one argument. It is also an error if *thunk* does not accept zero arguments.

```
(call-with-current-continuation
  (lambda (k)
    (with-exception-handler
      (lambda (x)
        (display "condition: ")(write x)(newline)(k 'exception))
      (lambda ()
        (+ 1 (raise 'an-error))))))  ⇒ exception; prints "condition: an-error"
(with-exception-handler
  (lambda (x) (display "something went wrong\n"))
  (lambda () (+ 1 (raise 'an-error))))   ⇒ prints "something went wrong"
```

After printing, the second example then raises another exception: "exception handler returned".

(try *thunk***)** `procedure`
(try *thunk handler***)**

`try` executes argument-less procedure *thunk* and returns the result as the result of `try` if *thunk*'s execution completes normally. If an exception is thrown, procedure *handler* is called with the exception object as its argument. The result of executing *handler* is returned by *try*.

(guard (*var cond-clause …***)** *body***)** `syntax`
The *body* is evaluated with an exception handler that binds the raised object to *var* and, within the scope of that binding, evaluates the clauses as if they were the clauses of a `cond` expression. That implicit `cond` expression is evaluated with the continuation and dynamic environment of the `guard` expression. If every *cond-clause*'s *test* evaluates to `#f` and there is no "else" clause, then `raise-continuable` is invoked on the raised object within the dynamic environment of the original call to `raise` or `raise-continuable`, except that the current exception handler is that of the `guard` expression.

Please note that each *cond-clause* is as in the specification of `cond` .

```
(guard (condition
         ((assq 'a condition) => cdr)
         ((assq 'b condition)))
  (raise (list (cons 'a 42))))        ⇒  42
(guard (condition
         ((assq 'a condition) => cdr)
         ((assq 'b condition)))
  (raise (list (cons 'b 23))))        ⇒ (b . 23)
```

(make-error *message irrlist***)** `procedure`
Returns a newly allocated custom error object consisting of *message* as its error message and the list of irritants *irrlist*.

(make-assertion-error *procname expr***)** `procedure`
Returns a newly allocated assertion error object referring to a procedure of name *procname* and an expression *expr* which triggered the assertion. Assertion errors that were raised should never be caught as they indicate a violation of an invariant.

(raise *obj***)** `procedure`
Raises an exception by invoking the current exception handler on *obj*. The handler is called with the same dynamic environment as that of the call to `raise` , except that the current exception handler is the one that was in place when the handler being called was installed. If the handler returns, a secondary exception is raised in the same dynamic environment as the handler. The relationship between *obj* and the object raised by the secondary exception is unspecified.

(raise-continuable *obj***)** `procedure`
Raises an exception by invoking the current exception handler on *obj*. The handler is called with the same dynamic environment as the call to `raise-continuable` , except that: (1) the current exception handler

is the one that was in place when the handler being called was installed, and (2) if the handler being called returns, then it will again become the current exception handler. If the handler returns, the values it returns become the values returned by the call to `raise-continuable`.

```
(with-exception-handler
  (lambda (con)
    (cond ((string? con) (display con))
          (else          (display "a warning has been issued")))
    42)
  (lambda ()
    (+ (raise-continuable "should be a number") 23)))
prints: should be a number
 ⇒  65
```

(error *message obj …*) procedure

Raises an exception as if by calling `raise` on a newly allocated error object which encapsulates the information provided by *message,* as well as any *obj,* known as the irritants. The procedure `error-object?` must return `#t` on such objects. *message* is required to be a string.

```
(define (null-list? l)
  (cond ((pair? l) #f)
        ((null? l) #t)
        (else (error "null-list?: argument out of domain" l))))
```

(assertion *expr*) procedure

Raises an exception as if by calling `raise` on a newly allocated assertion error object encapsulating *expr* as the expression which triggered the assertion failure and the current procedure's name. Assertion errors that are raised via `assertion` should never be caught as they indicate a violation of a critical invariant.

```
(define (null-list? l)
  (cond ((pair? l) #f)
        ((null? l) #t)
        (else (assertion '(list? l)))))
```

(assert *expr0 expr1 …*) syntax

Executes *expr0, expr1, …* in the given order and raises an assertion error as soon as the first expression is evaluating to `#f`. The raised assertion error encapsulates the expression that evaluated to `#f` and the name of the procedure in which the `assert` statement was placed.

```
(define (drop-elements xs n)
  (assert (list? xs) (fixnum? n) (not (negative? n)))
  (if (or (null? xs) (zero? n)) xs (drop-elements (cdr xs) (fx1- n))))
```

(error-object? *obj*) procedure

Returns `#t` if *obj* is an error object, `#f` otherwise. Error objects are either implicitly created via `error` or they are created explicitly with procedure `make-error`.

(error-object-message *err*) procedure

Returns the message (which is a string) encapsulated by the error object *err*.

(error-object-irritants *err*) procedure

Returns a list of the irritants encapsulated by the error object *err*.

(error-object-stacktrace *err*) procedure

Returns a list of procedures representing the stack trace encapsulated by the error object *err*. The stack

trace reflects the currently active procedures at the time the error object was created (either implicitly via `error` or explicitly via `make-error`).

(read-error? *obj***)** procedure

This error type predicate returns `#t` if *obj* is an error object raised by the `read` procedure; otherwise, it returns `#f` .

(file-error? *obj***)** procedure

This error type predicate returns `#t` if *obj* is an error object raised by the inability to open an input or output port on a file; otherwise, it returns `#f` .

18.4 Exiting

(exit) procedure
(exit *obj***)**

Runs all outstanding `dynamic-wind` after procedures, terminates the running program, and communicates an exit value to the operating system. If no argument is supplied, or if *obj* is `#t` , the `exit` procedure should communicate to the operating system that the program exited normally. If *obj* is `#f` , the `exit` procedure will communicate to the operating system that the program exited abnormally. Otherwise, `exit` should translate *obj* into an appropriate exit value for the operating system, if possible. The `exit` procedure must not signal an exception or return to its continuation.

(emergency-exit) procedure
(emergency-exit *obj***)**

Terminates the program without running any outstanding `dynamic-wind` "after procedures" and communicates an exit value to the operating system in the same manner as `exit` .

19 LispKit Enum

Library `(lispkit enum)` provides an implementation of enumerated values and sets of enumerated values based on the API defined by R6RS.

Enumerated values are represented by ordinary symbols, while finite sets of enumerated values form a separate type, known as *enumeration set*. The enumeration sets are further partitioned into sets that share the same universe and enumeration type. These universes and enumeration types are created by the `make-enumeration` procedure. Each call to that procedure creates a new enumeration type.

In the descriptions of the following procedures, *enum-set* ranges over the enumeration sets, which are defined as the subsets of the universes that can be defined using `make-enumeration`.

(make-enumeration *symbol-list*) `procedure`

Argument *symbol-list* must be a list of symbols. The `make-enumeration` procedure creates a new enumeration type whose universe consists of those symbols (in canonical order of their first appearance in the list) and returns that universe as an enumeration set whose universe is itself and whose enumeration type is the newly created enumeration type.

(enum-set-universe *enum-set*) `procedure`

Returns the set of all symbols that comprise the universe of its argument *enum-set*, as an enumeration set.

(enum-set-indexer *enum-set*) `procedure`

Returns a unary procedure that, given a symbol that is in the universe of *enum-set*, returns its 0-origin index within the canonical ordering of the symbols in the universe; given a value not in the universe, the unary procedure returns `#f`.

```
(let* ((e (make-enumeration '(red green blue)))
       (i (enum-set-indexer e)))
  (list (i 'red) (i 'green) (i 'blue) (i 'yellow)))
⇒ (0 1 2 #f)
```

The `enum-set-indexer` procedure could be defined as follows using the `memq` procedure:

```
(define (enum-set-indexer set)
  (let* ((symbols (enum-set->list (enum-set-universe set)))
         (cardinality (length symbols)))
    (lambda (x)
      (cond ((memq x symbols) =>
              (lambda (probe) (- cardinality (length probe))))
            (else #f)))))
```

(enum-set-constructor *enum-set*) `procedure`

Returns a unary procedure that, given a list of symbols that belong to the universe of *enum-set*, returns a subset of that universe that contains exactly the symbols in the list. The values in the list must all belong to the universe.

(enum-set->list *enum-set*) `procedure`

Returns a list of the symbols that belong to its argument, in the canonical order of the universe of *enum-set*.

```
(let* ((e (make-enumeration '(red green blue)))
       (c (enum-set-constructor e)))
  (enum-set->list (c '(blue red))))
⇒ (red blue)
```

(enum-set-member? *symbol enum-set*)   `procedure`
(enum-set-subset? *enum-set1 enum-set2*)
(enum-set=? *enum-set1 enum-set2*)
The `enum-set-member?` procedure returns `#t` if its first argument is an element of its second argument, `#f` otherwise.

The `enum-set-subset?` procedure returns `#t` if the universe of *enum-set1* is a subset of the universe of *enum-set2* (considered as sets of symbols) and every element of *enum-set1* is a member of *enum-set2*. It returns `#f` otherwise.

The `enum-set=?` procedure returns `#t` if *enum-set1* is a subset of *enum-set2* and vice versa, as determined by the `enum-set-subset?` procedure. This implies that the universes of the two sets are equal as sets of symbols, but does not imply that they are equal as enumeration types. Otherwise, `#f` is returned.

```
(let* ((e (make-enumeration '(red green blue)))
       (c (enum-set-constructor e)))
  (list (enum-set-member? 'blue (c '(red blue)))
        (enum-set-member? 'green (c '(red blue)))
        (enum-set-subset? (c '(red blue)) e)
        (enum-set-subset? (c '(red blue)) (c '(blue red)))
        (enum-set-subset? (c '(red blue)) (c '(red)))
        (enum-set=? (c '(red blue)) (c '(blue red)))))
⇒ (#t #f #t #t #f #t)
```

(enum-set-union *enum-set1 enum-set2*)   `procedure`
(enum-set-intersection *enum-set1 enum-set2*)
(enum-set-difference *enum-set1 enum-set2*)
Arguments *enum-set1* and *enum-set2* must be enumeration sets that have the same enumeration type.

The `enum-set-union` procedure returns the union of *enum-set1* and *enum-set2*. The `enum-set-intersection` procedure returns the intersection of *enum-set1* and *enum-set2*. The `enum-set-difference` procedure returns the difference of *enum-set1* and *enum-set2*.

```
(let* ((e (make-enumeration '(red green blue)))
       (c (enum-set-constructor e)))
  (list (enum-set->list (enum-set-union (c '(blue)) (c '(red))))
        (enum-set->list
          (enum-set-intersection (c '(red green)) (c '(red blue))))
        (enum-set->list
          (enum-set-difference (c '(red green)) (c '(red blue))))))
⇒ ((red blue) (red) (green))
```

(enum-set-complement *enum-set*)   `procedure`
Returns *enum-set*'s complement with respect to its universe.

```
(let* ((e (make-enumeration '(red green blue)))
       (c (enum-set-constructor e)))
  (enum-set->list (enum-set-complement (c '(red)))))
⇒ (green blue)
```

(enum-set-projection *enum-set1 enum-set2***)**   `procedure`

Projects *enum-set1* into the universe of *enum-set2*, dropping any elements of *enum-set1* that do not belong to the universe of *enum-set2*. If *enum-set1* is a subset of the universe of its second, no elements are dropped, and the injection is returned.

```
(let ((e1 (make-enumeration '(red green blue black)))
      (e2 (make-enumeration '(red black white))))
  (enum-set->list (enum-set-projection e1 e2))))
⇒ (red black)
```

(define-enumeration *type-name (symbol …) constructor***)**   `syntax`

The `define-enumeration` form defines an enumeration type and provides two macros for constructing its members and sets of its members. A `define-enumeration` form is a definition and can appear anywhere any other definition can appear.

type-name is an identifier that is bound as a syntactic keyword; *symbol …* are the symbols that comprise the universe of the enumeration (in order).

(*type-name symbol*) checks whether the name of *symbol* is in the universe associated with *type-name*. If it is, (*type-name symbol*) is equivalent to *symbol*. It is a syntax violation if it is not.

constructor is an identifier that is bound to a syntactic form that, given any finite sequence of the symbols in the universe, possibly with duplicates, expands into an expression that evaluates to the enumeration set of those symbols.

(*constructor symbol …*) checks whether every … is in the universe associated with *type-name*. It is a syntax violation if one or more is not. Otherwise (*constructor symbol> …*) is equivalent to ((enum-set-constructor (*constructor-syntax*)) '(*symbol …*)).

Here is a complete example:

```
(define-enumeration color (black white purple maroon) color-set)
(color black)                  ⇒ black
(color purpel)                 ⇒ error: symbol not in enumeration universe
(enum-set->list (color-set))   ⇒ ()
(enum-set->list
  (color-set maroon white))    ⇒ (white maroon)
```

20 LispKit Gvector

This library defines an API for *growable vectors*. Just like regular vectors, *growable vectors* are heterogeneous sequences of elements which are indexed by a range of integers. Unlike for regular vectors, the length of a *growable vector* is not fixed. Growable vectors may expand or shrink in length. Nevertheless, growable vectors are fully compatible to regular vectors and all operations from library `(lispkit vector)` may also be used in combination with growable vectors. The main significance of library `(lispkit gvector)` is in providing functions to construct growable vectors. Growable vectors are always *mutable* by design.

Just like for vectors with a fixed length, the valid indexes of a growable vector are the exact, non-negative integers less than the length of the vector. The first element in a vector is indexed by zero, and the last element is indexed by one less than the length of the growable vector.

Two growable vectors are `equal?` if they have the same length, and if the values in corresponding slots of the vectors are `equal?`. A growable vector is never `equal?` a regular vector of fixed length.

Growable vectors are written using the notation `#g(obj ...)`. For example, a growable vector of initial length 3 containing the number one as element 0, the list (8 16 32) as element 1, and the string "Scheme" as element 2 can be written as follows: `#g(1 (8 16 32) "Scheme")`.

Growable vector constants are self-evaluating, so they do not need to be quoted in programs.

20.1 Predicates

(gvector? *obj*) `procedure`
Returns `#t` if *obj* is a growable vector; otherwise returns `#f`.

(gvector-empty? *obj*) `procedure`
Returns `#t` if *obj* is a growable vector of length zero; otherwise returns `#f`.

20.2 Constructors

(make-gvector) `procedure`
(make-gvector *c*)

Returns a newly allocated growable vector of capacity *c*. The capacity is used to pre-allocate space for up to *c* elements.

(gvector *obj …*) `procedure`
Returns a newly allocated growable vector whose elements contain the given arguments.

```
(gvector 'a 'b 'c)  ⇒  #g(a b c)
```

(list->gvector *list*) `procedure`
The `list->gvector` procedure returns a newly created growable vector initialized to the elements of the list *list* in the order of the list.

```
(list->gvector '(a b c))  ⇒  #g(a b c)
```

(vector->gvector *vector***)** procedure

Returns a newly allocated growable vector initialized to the elements of the vector *vector* in the order of *vector*.

(gvector-copy *vector***)** procedure
(gvector-copy *vector start***)**
(gvector-copy *vector start end***)**

Returns a newly allocated copy of the elements of the given growable vector between *start* and *end*, but excluding the element at index *end*. The elements of the new vector are the same (in the sense of `eqv?`) as the elements of the old.

(gvector-append *vector …***)** procedure

Returns a newly allocated growable vector whose elements are the concatenation of the elements of the given vectors.

```
(gvector-append #(a b c) #g(d e f))  ⇒  #g(a b c d e f)
```

(gvector-concatenate *vector xs***)** procedure

Returns a newly allocated growable vector whose elements are the concatenation of the elements of the vectors in *xs*. *xs* is a proper list of vectors.

```
(gvector-concatenate '(#g(a b c) #(d) #g(e f)))  ⇒  #g(a b c d e f)
```

(gvector-map *f vector1 vector2 …***)** procedure

Constructs a new growable vector of the shortest size of the vector arguments *vector1*, *vector2*, etc. Each element at index *i* of the new vector is mapped from the old vectors by `(f (vector-ref vector1 i) (vector-ref vector2 i) ...)`. The dynamic order of the application of f is unspecified.

```
(gvector-map + #(1 2 3 4 5) #g(10 20 30 40))  ⇒  #g(11 22 33 44)
```

(gvector-map/index *f vector1 vector2 …***)** procedure

Constructs a new growable vector of the shortest size of the vector arguments *vector1*, *vector2*, etc. Each element at index *i* of the new vector is mapped from the old vectors by `(f i (vector-ref vector1 i) (vector-ref vector2 i) ...)`. The dynamic order of the application of f is unspecified.

```
(gvector-map/index (lambda (i x y) (cons i (+ x y))) #g(1 2 3) #(10 20 30))  ⇒  #g((0 . 11) (1 .
↪  22) (2 . 33))
```

20.3 Iterating over vector elements

(gvector-for-each *f vector1 vector2 …***)** procedure

`gvector-for-each` implements a simple vector iterator: it applies *f* to the corresponding list of parallel elements from vectors *vector1 vector2 …* in the range *[0, length)*, where *length* is the length of the smallest vector argument passed. In contrast with `gvector-map`, *f* is reliably applied to each subsequent element, starting at index 0, in the vectors.

```
(gvector-for-each (lambda (x) (display x) (newline))
                  #g("foo" "bar" "baz" "quux" "zot"))
⇒
foo
bar
baz
quux
zot
```

(gvector-for-each/index *f vector1 vector2 …***)**   `procedure`

gvector-for-each/index implements a simple vector iterator: it applies *f* to the index *i* and the corresponding list of parallel elements from *vector1 vector2 …* in the range *[0, length)*, where *length* is the length of the smallest vector argument passed. The only difference to gvector-for-each is that gvector-for-each/index always passes the current index as the first argument of *f* in addition to the elements from the vectors *vector1 vector2 …*.

```
(gvector-for-each/index
  (lambda (i x) (display i)(display ": ")(display x)(newline))
  #g("foo" "bar" "baz" "quux" "zot"))
⇒
0: foo
1: bar
2: baz
3: quux
4: zot
```

20.4 Managing vector state

(gvector-length *vector***)**   `procedure`

Returns the number of elements in growable vector *vector* as an exact integer.

(gvector-ref *vector k***)**   `procedure`

The gvector-ref procedure returns the contents of element *k* of *vector*. It is an error if *k* is not a valid index of *vector* or if *vector* is not a growable vector.

```
(gvector-ref '#g(1 1 2 3 5 8 13 21) 5) ⇒  8
(gvector-ref '#g(1 1 2 3 5 8 13 21) (exact (round (* 2 (acos -1))))) ⇒ 13
```

(gvector-set! *vector k obj***)**   `procedure`

The vector-set! procedure stores *obj* in element *k* of growable vector *vector*. It is an error if *k* is not a valid index of *vector* or if *vector* is not a growable vector.

```
(let ((vec (gvector 0 '(2 2 2 2) "Anna")))
  (gvector-set! vec 1 '("Sue" "Sue"))
  vec)
⇒  #g(0 ("Sue" "Sue") "Anna")
```

(gvector-add! *vector obj …***)**   `procedure`

Appends the values *obj, …* to growable vector *vector*. This increases the length of the growable vector by the number of *obj* arguments.

```
(let ((vec (gvector 0 '(2 2 2 2) "Anna")))
  (gvector-add! vec "Micha")
  vec)
⇒  #g(0 (2 2 2 2) "Anna" "Micha")
```

(gvector-insert! *vector k obj*) procedure

Inserts the value *obj* into growable vector *vector* at index *k*. This increases the length of the growable vector by one.

```
(let ((vec (gvector 0 '(2 2 2 2) "Anna")))
  (gvector-insert! vec 1 "Micha")
  vec)
⇒  #g(0 "Micha" (2 2 2 2) "Anna")
```

(gvector-remove! *vector k*) procedure

Removes the element at index *k* from growable vector *vector*. This decreases the length of the growable vector by one.

```
(let ((vec (gvector 0 '(2 2 2 2) "Anna")))
  (gvector-remove! vec 1)
  vec)
⇒  #g(0 "Anna")
```

(gvector-remove-last! *vector*) procedure

Removes the last element of the growable vector *vector*. This decreases the length of the growable vector by one.

```
(let ((vec (gvector 0 '(2 2 2 2) "Anna")))
  (gvector-remove-last! vec)
  vec)
⇒  #g(0 (2 2 2 2))
```

20.5 Destructive growable vector operations

Procedures which operate only on a part of a growable vector specify the applicable range in terms of an index interval [*start*; *end*[; i.e. the *end* index is always exclusive.

(gvector-copy! *to at from*) procedure
(gvector-copy! *to at from start*)
(gvector-copy! *to at from start end*)

Copies the elements of vector *from* between *start* and *end* to growable vector *to*, starting at *at*. The order in which elements are copied is unspecified, except that if the source and destination overlap, copying takes place as if the source is first copied into a temporary vector and then into the destination. *start* defaults to 0 and *end* defaults to the length of *vector*.

It is an error if *at* is less than zero or greater than the length of *to*. It is also an error if `(- (gvector-length to) at)` is less than `(- end start)`.

```
(define a (vector 1 2 3 4 5))
(define b (gvector 10 20 30 40 50))
(gvector-copy! b 1 a 0 2)
b  ⇒  #g(10 1 2 40 50)
```

(gvector-append! *vector v1 …***)** procedure

Appends the elements of the vectors *v1 …* to the growable vector *vector* in the given order.

(gvector-reverse! *vector***)** procedure
(gvector-reverse! *vector start***)**
(gvector-reverse! *vector start end***)**

Procedure `gvector-reverse!` destructively reverses the contents of growable *vector* between *start* and *end*. *start* defaults to 0 and *end* defaults to the length of *vector*.

```
(define a (gvector 1 2 3 4 5))
(vector-reverse! a)
a  ⇒  #g(5 4 3 2 1)
```

(gvector-sort! *pred vector***)** procedure

Procedure `gvector-sort!` destructively sorts the elements of growable vector *vector* using the "less than" predicate *pred*.

```
(define a (gvector 7 4 9 1 2 8 5))
(gvector-sort! < a)
a  ⇒  #g(1 2 4 5 7 8 9)
```

(gvector-map! *f vector1 vector2 …***)** procedure

Similar to `gvector-map` which maps the various elements into a new vector via function *f*, procedure `gvector-map!` destructively inserts the mapped elements into growable vector *vector1*. The dynamic order in which *f* gets applied to the elements is unspecified.

```
(define a (gvector 1 2 3 4))
(gvector-map! + a #(10 20 30))
a  ⇒  #g(11 22 33 4)
```

(gvector-map/index! *f vector1 vector2 …***)** procedure

Similar to `gvector-map/index` which maps the various elements together with their index into a new vector via function *f*, procedure `gvector-map/index!` destructively inserts the mapped elements into growable vector *vector1*. The dynamic order in which *f* gets applied to the elements is unspecified.

```
(define a #g(1 2 3 4))
(gvector-map/index! (lambda (i x y) (cons i (+ x y))) a #(10 20 30))
a  ⇒  #g((0 . 11) (1 . 22) (2 . 33) 4)
```

20.6 Converting growable vectors

(gvector->list *vector***)** procedure
(gvector->list *vector start***)**
(gvector->list *vector start end***)**

The `gvector->list` procedure returns a newly allocated list of the objects contained in the elements of growable *vector* between *start* and *end* in the same order as in *vector*.

```
(gvector->list '#g(dah dah didah))      ⇒  (dah dah didah)
(gvector->list '#g(dah dah didah) 1 2)  ⇒  (dah)
```

(gvector->vector *vector***)** procedure
(gvector->vector *vector start***)**
(gvector->vector *vector start end***)**

The `gvector->list` procedure returns a newly allocated list of the objects contained in the elements of growable vector *vector* between *start* and *end* in the same order as in *vector*.

```
(gvector->list '#(dah dah didah))  ⇒  error since the argument is not a gvector
(gvector->list '#g(dah dah didah) 1 2)  ⇒  (dah)
```

21 LispKit Hashtable

Library (`lispkit hashtable`) provides a native implementation of hashtables based on the API defined by R6RS.

A hashtable is a data structure that associates keys with values. Any object can be used as a key, provided a hash function and a suitable equivalence function is available. A hash function is a procedure that maps keys to exact integer objects. It is the programmer's responsibility to ensure that the hash function is compatible with the equivalence function, which is a procedure that accepts two keys and returns true if they are equivalent and `#f` otherwise. Standard hashtables for arbitrary objects based on the `eq?`, `eqv?`, and `equal?` predicates are provided. Also, hash functions for arbitrary objects, strings, and symbols are included.

The specification below uses the *hashtable* parameter name for arguments that must be hashtables, and the *key* parameter name for arguments that must be hashtable keys.

21.1 Constructors

(make-eq-hashtable) procedure
(make-eq-hashtable *k*)

Returns a newly allocated mutable hashtable that accepts arbitrary objects as keys and compares those keys with `eq?`. If an argument is given, the initial capacity of the hashtable is set to approximately *k* elements.

(make-eqv-hashtable) procedure
(make-eqv-hashtable *k*)

Returns a newly allocated mutable hashtable that accepts arbitrary objects as keys and compares those keys with `eqv?`. If an argument is given, the initial capacity of the hashtable is set to approximately *k* elements.

(make-equal-hashtable) procedure
(make-equal-hashtable *k*)

Returns a newly allocated mutable hashtable that accepts arbitrary objects as keys and compares those keys with `equal?`. If an argument is given, the initial capacity of the hashtable is set to approximately *k* elements.

(make-hashtable *hash equiv*) procedure
(make-hashtable *hash equiv k*)

Returns a newly allocated mutable hashtable using *hash* as the hash function and *equiv* as the equivalence function for comparing keys. If a third argument *k* is given, the initial capacity of the hashtable is set to approximately *k* elements.

hash and *equiv* must be procedures. *hash* should accept a key as an argument and should return a non-negative exact integer object. *equiv* should accept two keys as arguments and return a single boolean value. Neither procedure should mutate the hashtable returned by `make-hashtable`. Both *hash* and *equiv* should behave like pure functions on the domain of keys. For example, the `string-hash` and

`string=?` procedures are permissible only if all keys are strings and the contents of those strings are never changed so long as any of them continues to serve as a key in the hashtable. Furthermore, any pair of keys for which *equiv* returns true should be hashed to the same exact integer objects by *hash*.

(alist->eq-hashtable *alist*)   procedure
(alist->eq-hashtable *alist k*)

Returns a newly allocated mutable hashtable consisting of the mappings contained in the association list *alist*. Keys are compared with `eq?` . If argument *k* is given, the capacity of the returned hashtable is set to at least *k* elements.

(alist->eqv-hashtable *alist*)   procedure
(alist->eqv-hashtable *alist k*)

Returns a newly allocated mutable hashtable consisting of the mappings contained in the association list *alist*. Keys are compared with `eqv?` . If argument *k* is given, the capacity of the returned hashtable is set to at least *k* elements.

(alist->equal-hashtable *alist*)   procedure
(alist->equal-hashtable *alist k*)

Returns a newly allocated mutable hashtable consisting of the mappings contained in the association list *alist*. Keys are compared with `equal?` . If argument *k* is given, the capacity of the returned hashtable is set to at least *k* elements.

(hashtable-copy *hashtable*)   procedure
(hashtable-copy *hashtable mutable*)

Returns a copy of *hashtable*. If the *mutable* argument is provided and is true, the returned hashtable is mutable; otherwise it is immutable.

(hashtable-empty-copy *hashtable*)   procedure
Returns a new mutable hashtable that uses the same hash and equivalence functions like *hashtable*.

21.2 Type tests

(hashtable? *obj*)   procedure
Returns `#t` if *obj* is a hashtable. Otherwise, it returns `#f` .

(eq-hashtable? *obj*)   procedure
Returns `#t` if *obj* is a hashtable which uses `eq?` for comparing keys. Otherwise, it returns `#f` .

(eqv-hashtable? *obj*)   procedure
Returns `#t` if *obj* is a hashtable which uses `eqv?` for comparing keys. Otherwise, it returns `#f` .

(equal-hashtable? *obj*)   procedure
Returns `#t` if *obj* is a hashtable which uses `equal?` for comparing keys. Otherwise, it returns `#f` .

21.3 Inspection

(hashtable-equivalence-function *hashtable*)   procedure
Returns the equivalence function used by *hashtable* to compare keys. For hashtables created with `make-eq-hashtable` , `make-eqv-hashtable` , and `make-equal-hashtable` , returns `eq?` , `eqv?` , and `equal?` respectively.

(hashtable-hash-function *hashtable***)** `procedure`
(hashtable-hash-function *hashtable force?***)** `procedure`

Returns the hash function used by *hashtable*. For hashtables created by `make-eq-hashtable` and `make-eqv-hashtable` , `#f` is returned. This behavior can be disabled if boolean parameter *force?* is being provided and set to `#t` . In this case, `hashtable-hash-function` will also return hash functions for `eq` and `eqv` -based hashtables.

(hashtable-mutable? *hashtable***)** `procedure`
Returns `#t` if hashtable is mutable, otherwise `#f` .

21.4 Hash functions

The `equal-hash` , `string-hash` , and `string-ci-hash` procedures are acceptable as the hash functions of a hashtable only, if the keys on which they are called are not mutated while they remain in use as keys in the hashtable.

(equal-hash *obj***)** `procedure`
Returns an integer hash value for *obj*, based on its structure and current contents. This hash function is suitable for use with `equal?` as an equivalence function. Like `equal?` , the `equal-hash` procedure must always terminate, even if its arguments contain cycles.

(eqv-hash *obj***)** `procedure`
Returns an integer hash value for *obj*, based on *obj*'s identity. This hash function is suitable for use with `eqv?` as an equivalence function.

(eq-hash *obj***)** `procedure`
Returns an integer hash value for *obj*, based on *obj*'s identity. This hash function is suitable for use with `eq?` as an equivalence function.

(boolean-hash *b***)** `procedure`
Returns an integer hash value for boolean *b*.

(char-hash *ch***)** `procedure`
Returns an integer hash value for character *ch*. This hash function is suitable for use with `char=?` as an equivalence function.

(char-ci-hash *ch***)** `procedure`
Returns an integer hash value for character *ch*, ignoring case. This hash function is suitable for use with `char-ci=?` as an equivalence function.

(string-hash *str***)** `procedure`
Returns an integer hash value for string *str*, based on its current characters. This hash function is suitable for use with `string=?` as an equivalence function.

(string-ci-hash *str***)** `procedure`
Returns an integer hash value for string *str* based on its current characters, ignoring case. This hash function is suitable for use with `string-ci=?` as an equivalence function.

(symbol-hash *sym***)** `procedure`
Returns an integer hash value for symbol *sym*.

(number-hash *x***)** `procedure`
Returns an integer hash value for numeric value *x*.

(combine-hash *h* ...**)** `procedure`
Combines the integer hash values *h* ... into a single hash value.

21.5 Procedures

(hashtable-size *hashtable*) procedure

Returns the number of keys contained in hashtable as an exact integer object.

(hashtable-load *hashtable*) procedure

Returns the load factor of the hashtable. The load factor is defined as the ratio between the number of keys and the number of hash buckets of *hashtable*.

(hashtable-ref *hashtable key default*) procedure

Returns the value in *hashtable* associated with *key*. If *hashtable* does not contain an association for *key*, *default* is returned.

(hashtable-get *hashtable key*) procedure

Returns a pair consisting of a key matching *key* and associated value from *hashtable*. If *hashtable* does not contain an association for *key*, `hashtable-get` returns `#f`.

For example, for a hashtable `ht` containing the mapping `3` to `"three"`, `(hashtable-get ht 3)` will return `(3 . "three")`.

(hashtable-set! *hashtable key obj*) procedure

Changes *hashtable* to associate *key* with *obj*, adding a new association or replacing any existing association for *key*.

(hashtable-delete! *hashtable key*) procedure

Removes any association for *key* within *hashtable*.

(hashtable-add! *hashtable key obj*) procedure

Changes *hashtable* to associate *key* with *obj*, adding a new association for *key*. The difference to `hashtable-set!` is that existing associations of *key* will remain in *hashtable*, whereas `hashtable-set!` replaces an existing association for *key*.

(hashtable-remove! *hashtable key*) procedure

Removes the association for *key* within *hashtable* which was added last, and returns it as a pair consisting of the key matching *key* and its associated value. If there is no association of *key* in *hashtable*, `hashtable-remove!` will return `#f`.

(alist->hashtable! *hashtable alist*) procedure

Adds all the associations from *alist* to *hashtable* using `hashtable-add!`.

(hashtable-contains? *hashtable key*) procedure

Returns `#t` if *hashtable* contains an association for *key*, `#f` otherwise.

(hashtable-update! *hashtable key proc default*) procedure

`hashtable-update!` applies *proc* to the value in *hashtable* associated with *key*, or to *default* if *hashtable* does not contain an association for *key*. The hashtable is then changed to associate *key* with the value returned by *proc*. *proc* is a procedure which should accept one argument, it should return a single value, and should not mutate *hashtable*. The behavior of `hashtable-update!` is equivalent to the following code:

```
(hashtable-set! hashtable
                key
                (proc (hashtable-ref hashtable key default)))
```

(hashtable-clear! *hashtable*) procedure
(hashtable-clear! *hashtable k*)

Removes all associations from *hashtable*. If a second argument *k* is given, the current capacity of the hashtable is reset to approximately *k* elements.

(hashtable-keys *hashtable***)** `procedure`
Returns an immutable vector of all keys in *hashtable*.

(hashtable-values *hashtable***)** `procedure`
Returns an immutable vector of all values in *hashtable*.

(hashtable-entries *hashtable***)** `procedure`
Returns two values, an immutable vector of the keys in *hashtable*, and an immutable vector of the corresponding values.

(hashtable-key-list *hashtable***)** `procedure`
Returns a list of all keys in *hashtable*.

(hashtable-value-list *hashtable***)** `procedure`
Returns a list of all values in *hashtable*.

(hashtable->alist *hashtable***)** `procedure`
Returns a list of all associations in *hashtable* as an association list. Each association is represented as a pair consisting of the key and the corresponding value.

(hashtable-for-each *proc hashtable***)** `procedure`
Applies *proc* to every association in *hashtable*. *proc* should be a procedure accepting two values, a key and a corresponding value.

(hashtable-map! *proc hashtable***)** `procedure`
Applies *proc* to every association in *hashtable*. *proc* should be a procedure accepting two values, a key and a corresponding value, and returning one value. This value and the key will replace the existing binding.

21.6 Composition

(hashtable-union! *hashtable1 hashtable2***)** `procedure`
Includes all associations from *hashtable2* in *hashtable1* if the key of the association is not already contained in *hashtable1*.

(hashtable-intersection! *hashtable1 hashtable2***)** `procedure`
Removes all associations from *hashtable1* for which the key of the association is not contained in *hashtable2*.

(hashtable-difference! *hashtable1 hashtable2***)** `procedure`
Removes all associations from *hashtable1* for which the key of the association is contained in *hashtable2*.

22 LispKit Heap

Library (`lispkit heap`) provides an implementation of a *priority queue* in form of a *binary max heap*. A *max heap* is a tree-based data structure in which for any given node *C*, if *P* is a parent node of *C*, then the value of *P* is greater than or equal to the value of *C*. Heaps as implemented by (`lispkit heap`) are mutable objects.

(make-heap *pred<?*) `procedure`
Returns a new empty binary max heap with *pred<?* being the associated ordering function.

(heap-empty? *hp*) `procedure`
Returns `#t` if the heap *hp* is empty, otherwise `#f` is returned.

(heap-max *hp*) `procedure`
Returns the largest item in heap *hp*, i.e. the item which is larger than all others according to the comparison function of *hp*. Note, `heap-max` does not remove the largest item as opposed to `heap-delete-max!`. If there are no items on the heap, an error is signaled.

(heap-add! *hp e1 …*) `procedure`
Inserts an item into the heap. The same item can be inserted multiple times.

(heap-delete-max! *hp*) `procedure`
Returns the largest item in heap *hp*, i.e. the item which is larger than all others according to the comparison function of *hp*, and removes the item from the heap. If there are no items on the heap, an error is signaled.

(heap-clear! *hp*) `procedure`
Removes all items from *hp*. After this procedure has been executed, the heap is empty.

(heap-copy *hp*) `procedure`
Returns a copy of heap *hp*.

(heap->vector *hp*) `procedure`
Returns a new vector containing all items of the heap *hp* in descending order. This procedure does not mutate *hp*.

(heap->list *hp*) `procedure`
Returns a list containing all items of the heap *hp* in descending order.

(heap->reversed-list *hp*) `procedure`
Returns a list containing all items of the heap *hp* in ascending order.

(list->heap! *hp items*) `procedure`
Inserts all the items from list *items* into heap *hp*.

(list->heap *items pred<?*) `procedure`
Creates a new heap for the given ordering predicate *pred<?* and inserts all the items from list *items* into it. `list-\>heap` returns the new heap.

(vector->heap *vec pred<?*) `procedure`
Creates and returns a new heap for the given ordering predicate *pred<?* and inserts all the items from vector *vec* into it.

23 LispKit Iterate

Library (`lispkit iterate`) defines syntactical forms supporting frequently used iteration patterns. Some of the special forms were inspired by Common Lisp.

(dotimes (*var count*) *body …*)   `syntax`
(dotimes (*var count result*) *body …*)

`dotimes` iterates variable *var* over the integer range *[0, count[*, executing *body* for every iteration.

`dotimes` first evaluates *count*, which has to evaluate to a fixnum. If *count* evaluates to zero or a negative number, *body …* is not executed. `dotimes` then executes *body …* once for each integer from 0 up to, but not including, the value of *count*, with *var* bound to each integer. Then, *result* is evaluated and its value is returned as the value of the `dotimes` form. If *result* is not provided, no value is being returned.

```
(let ((res 0))
  (dotimes (i 10 res)
    (set! res (+ res i))))
⇒  45
```

(dolist (*var lst*) *body …*)   `syntax`
(dolist (*var lst result*) *body …*)

`dolist` iterates variable *var* over the elements of list *lst*, executing *body …* for every iteration.

`dolist` first evaluates *lst*, which has to evaluate to a list. It then executes *body …* once for each element in the list, with *var* bound to the current element of the list. Then, *result* is evaluated and its value is returned as the value of the `dolist` form. If *result* is not provided, no value is being returned.

```
(let ((res ""))
  (dolist (x '("a" "b" "c") res)
    (set! res (string-append res x))))
⇒  "abc"
```

(loop *break body …*)   `syntax`

`loop` iterates infinitely, executing *body …* in each iteration. *break* is a variable bound to an exit function which can be used to leave the `loop` form. *break* receives one argument which is the result of the `loop` form.

```
(let ((i 1))
  (loop break
    (if (> i 100)
        (break i)
        (set! i (* i 2)))))
⇒  128
```

(while *condition body …*)   `syntax`
(while *condition* unless *break body …*)

while iterates as long as *condition* evaluates to a value other than #f, executing *body …* in each iteration. unless can be used to bind an exit funtion to variable *break* so that it is possible to leave the loop by calling thunk *break*. while forms never return a result.

```
(let ((i 0)(sum 0))
  (while (< sum 100) unless exit
    (if (> i 10) (exit))
    (set! sum (+ sum i))
    (set! i (fx1+ i)))
  (cons i sum))
⇒  (11 . 55)
```

(for *var* from *lo* to *hi* body …)   syntax
(for *var* from *lo* to *hi* step *s* body …)

This form of for iterates through all the fixnums from *lo* to *hi* (both inclusive), executing *body …* in each iteration. If step *s* is provided, *s* is used as the increment of variable *var* which iterates through the elements of the given range.

When this for form is being executed, first *lo* and *hi* are evaluated. Both have to evaluate to a fixnum. Then, *body …* is executed once for each integer in the given range, with *var* bound to the current integer. The form returns no result.

```
(let ((res '()))
  (for x from 1 to 16 step 2
    (set! res (cons x res)))
  res)
⇒  (15 13 11 9 7 5 3 1)
```

(for *var* in *lst* body …)   syntax
(for *var* in *lst* where *condition* body …)
(for *var* from *(x …)* body …)

This form of for iterates through all the elements of a list, executing *body …* in each iteration. The list is either explicitly given via *lst* or its elements are enumerated in the form *(x …)*. If a *where* predicate is provided, the it acts as a filter on the elements through which variable *var* is iterated.

When this for form is being executed, first *lst* or *(x …)* is evaluated. Then, *body …* is executed once for each element in the list, with *var* bound to the current element of the list. The form returns no result.

```
(let ((res '()))
  (for x in (iota 16) where (odd? x)
    (set! res (cons x res)))
  res)
⇒  (15 13 11 9 7 5 3 1)
```

(exit-with *break* body …)   syntax
(exit-with *break* from body …)

exit-with is not an iteration construct by itself. It is often used in combination with iteration constructs to declare an exit function for leaving statements *body …*. *break* is a variable which gets bound to the exit function in the scope of statements *body …*. exit-with either returns the result of the last statement of *body …* or it returns the value passed to *break* in case the exit function gets called.

```
(exit-with break
  (display "hello")
  (break #f)
  (display "world"))
⇒  #f  ; printing "hello"
```

24 LispKit List

Lists are heterogeneous data structures constructed out of *pairs* and an *empty list* object.

A *pair* consists of two fields called *car* and *cdr* (for historical reasons). Pairs are created by the procedure `cons`. The *car* and *cdr* fields are accessed by the procedures `car` and `cdr`. As opposed to most other Scheme implementations, lists are immutable in LispKit. Thus, it is not possible to set the car and cdr fields of an already existing pair.

Pairs are used primarily to represent lists. A list is defined recursively as either the empty list or a pair whose cdr is a list. More precisely, the set of lists is defined as the smallest set X such that

- The empty list is in X
- If *list* is in X, then any pair whose cdr field contains *list* is also in X.

The objects in the car fields of successive pairs of a list are the *elements* of the list. For example, a two-element list is a pair whose car is the first element and whose cdr is a pair whose car is the second element and whose cdr is the empty list. The *length* of a list is the number of elements, which is the same as the number of pairs.

The empty list is a special object of its own type. It is not a pair, it has no elements, and its length is zero.

The most general notation (external representation) for Scheme pairs is the "dotted" notation `(c1 . c2)` where `c1` is the value of the car field and `c2` is the value of the cdr field. For example `(4 . 5)` is a pair whose car is `4` and whose cdr is `5`. Note that `(4 . 5)` is the external representation of a pair, not an expression that evaluates to a pair.

A more streamlined notation can be used for lists: the elements of the list are simply enclosed in parentheses and separated by spaces. The empty list is written `()`. For example,

```
(a b c d e)
```

and

```
(a . (b . (c . (d . (e . ())))))
```

are equivalent notations for a list of symbols.

A chain of pairs not ending in the empty list is called an *improper list*. Note that an improper list is not a list. The list and dotted notations can be combined to represent improper lists:

```
(a b c . d)
```

is equivalent to

```
(a . (b . (c . d)))
```

24.1 Basic constructors and procedures

(cons *x y*) procedure
Returns a pair whose car is *x* and whose cdr is *y*.

(car *xs*) procedure
Returns the contents of the car field of pair *xs*. Note that it is an error to take the car of the empty list.

(cdr *xs*) procedure
Returns the contents of the cdr field of pair *xs*. Note that it is an error to take the cdr of the empty list.

(caar *xs*) procedure
(cadr *xs*)
(cdar *xs*)
(cddr *xs*)

These procedures are compositions of `car` and `cdr` as follows:

```
(define (caar x) (car (car x)))
(define (cadr x) (car (cdr x)))
(define (cdar x) (cdr (car x)))
(define (cddr x) (cdr (cdr x)))
```

(caaar *xs*) procedure
(caadr *xs*)
(cadar *xs*)
(caddr *xs*)
(cdaar *xs*)
(cdadr *xs*)
(cddar *xs*)
(cdddr *xs*)

These eight procedures are further compositions of `car` and `cdr` on the same principles. For example, `caddr` could be defined by `(define caddr (lambda (x) (car (cdr (cdr x)))))`. Arbitrary compositions up to four deep are provided.

(caaaar *xs*) procedure
(caaadr *xs*)
(caadar *xs*)
(caaddr *xs*)
(cadaar *xs*)
(cadadr *xs*)
(caddar *xs*)
(cadddr *xs*)
(cdaaar *xs*)
(cdaadr *xs*)
(cdadar *xs*)
(cdaddr *xs*)
(cddaar *xs*)
(cddadr *xs*)
(cdddar *xs*)
(cddddr *xs*)

These sixteen procedures are further compositions of `car` and `cdr` on the same principles. For example, `cadddr` could be defined by `(define cadddr (lambda (x) (car (cdr (cdr (cdr x))))))`. Arbitrary compositions up to four deep are provided.

(make-list *k*)   `procedure`
(make-list *k fill*)

Returns a list of *k* elements. If argument *fill* is given, then each element is set to *fill*. Otherwise the content of each element is the empty list.

(list *x* …)   `procedure`
Returns a list of its arguments, i.e. (*x* …).

```
(list 'a (+ 3 4) 'c)   ⇒   (a 7 c)
(list)                 ⇒   ()
```

(cons* *e1 e2* …)   `procedure`
Like `list`, but the last argument provides the tail of the constructed list, returning (cons e1 (cons e2 (cons ... en))). This function is called `list*` in Common Lisp.

```
(cons* 1 2 3 4)  ⇒   (1 2 3 . 4)
(cons* 1)        ⇒   1
```

(length *xs*)   `procedure`
Returns the length of list *xs*.

```
(length '(a b c))        ⇒   3
(length '(a (b) (c d e)))  ⇒   3
(length '())             ⇒   0
```

24.2 Predicates

(pair? *obj*)   `procedure`
Returns `#t` if *obj* is a pair, `#f` otherwise.

(null? *obj*)   `procedure`
Returns `#t` if *obj* is an empty list, `#f` otherwise.

(list? *obj*)   `procedure`
Returns `#t` if *obj* is a proper list, `#f` otherwise. A chain of pairs ending in the empty list is called a *proper list*.

(every? *pred xs* …)   `procedure`
Applies the predicate *pred* across the lists *xs* …, returning `#t` if the predicate returns `#t` on every application. If there are *n* list arguments *xs1 … xsn*, then *pred* must be a procedure taking *n* arguments and returning a single value, interpreted as a boolean. If an application of *pred* returns *#f*, then `every?` returns `#f` immediately without applying *pred* further anymore.

(any? *pred xs* …)   `procedure`
Applies the predicate *pred* across the lists *xs* …, returning `#t` if the predicate returns `#t` for at least one application. If there are *n* list arguments *xs1 … xsn*, then *pred* must be a procedure taking *n* arguments and returning a single value, interpreted as a boolean. If an application of *pred* returns *#t*, then `any?` returns `#t` immediately without applying *pred* further anymore.

24.3 Composing and transforming lists

(append *xs* …)   `procedure`
Returns a list consisting of the elements of the first list *xs* followed by the elements of the other lists. If

there are no arguments, the empty list is returned. If there is exactly one argument, it is returned. The last argument, if there is one, can be of any type. An improper list results if the last argument is not a proper list.

```
(append '(x) '(y))          ⇒  (x y)
(append '(a) '(b c d))      ⇒  (a b c d)
(append '(a (b)) '((c)))    ⇒  (a (b) (c))
(append '(a b) '(c . d))    ⇒  (a b c . d)
(append '() 'a)             ⇒  a
```

(concatenate *xss*)   `procedure`

This procedure appends the elements of the list of lists *xss*. That is, `concatenate` returns (`apply append xss`).

(reverse *xs*)   `procedure`

Procedure `reverse` returns a list consisting of the elements of list *xs* in reverse order.

```
(reverse '(a b c))          ⇒ (c b a)
(reverse '(a (b c) d (e (f))))  ⇒ ((e (f)) d (b c) a)
```

(filter *pred xs*)   `procedure`

Returns all the elements of list *xs* that satisfy predicate *pred*. Elements in the result list occur in the same order as they occur in the argument list *xs*.

```
(filter even? '(0 7 8 8 43 -4))  ⇒  (0 8 8 -4)
```

(remove *pred xs*)   `procedure`

Returns a list without the elements of list *xs* that satisfy predicate *pred*: `(lambda (pred list) (filter (lambda (x) (not (pred x))) list))`. Elements in the result list occur in the same order as they occur in the argument list *xs*.

```
(remove even? '(0 7 8 8 43 -4))  ⇒  (7 43)
```

(partition *pred xs*)   `procedure`

Partitions the elements of list *xs* with predicate *pred* returning two values: the list of in-elements (i.e. elements from *xs* satisfying *pred*) and the list of out-elements. Elements occur in the result lists in the same order as they occur in the argument list *xs*.

```
(partition symbol? '(one 2 3 four five 6))  ⇒  (one four five)
                                               (2 3 6)
```

(map *f xs* ...)   `procedure`

The `map` procedure applies procedure *proc* element-wise to the elements of the lists *xs* ... and returns a list of the results, in order. If more than one list is given and not all lists have the same length, map terminates when the shortest list runs out. The dynamic order in which *proc* is applied to the elements of the lists is unspecified.

It is an error if *proc* does not accept as many arguments as there are lists *xs* ... and return a single value.

```
(map cadr '((a b) (d e) (g h)))          ⇒  (b e h)

(map (lambda (n) (expt n n)) '(1 2 3 4 5))  ⇒  (1 4 27 256 3125)
```

```
(map + '(1 2 3) '(4 5 6 7))                    ⇒  (5 7 9)

(let ((count 0))
  (map (lambda (ignored)
         (set! count (+ count 1)) count)
       '(a b)))                                ⇒  (1 2)
```

(append-map *f xs ...*) `procedure`

Maps *f* over the elements of the lists *xs* ..., just as in function `map`. However, the results of the applications are appended together to determine the final result. `append-map` uses `append` to append the results together. The dynamic order in which the various applications of *f* are made is not specified. At least one of the list arguments *xs* ... must be finite.

This is equivalent to `(apply append (map f xs ...))`.

```
(append-map!
  (lambda (x)
    (list x (- x))) '(1 3 8))
⇒ (1 -1 3 -3 8 -8)
```

(filter-map *f xs ...*) `procedure`

This function works like `map`, but only values differently from `#f` are being included in the resulting list. The dynamic order in which the various applications of *f* are made is not specified. At least one of the list arguments *xs* ... must be finite.

```
(filter-map
  (lambda (x)
    (and (number? x) (* x x))) '(a 1 b 3 c 7))
⇒ (1 9 49)
```

(for-each *f xs ...*) `procedure`

The arguments to `for-each` *xs* ... are like the arguments to `map`, but `for-each` calls *proc* for its side effects rather than for its values. Unlike `map`, `for-each` is guaranteed to call *proc* on the elements of the lists in order from the first element to the last. If more than one list is given and not all lists have the same length, `for-each` terminates when the shortest list runs out.

(fold-left *f z xs ...*) `procedure`

Fundamental list recursion operator applying *f* to the elements *x1 ... xn* of list *xs* in the following way: `(f ... (f (f z x1) x2) ... xn)`. In other words, this function applies *f* recursively based on the following rules, assuming one list parameter *xs*:

```
(fold-left f z xs)   ⇒  (fold-left f (f z (car xs)) (cdr xs))
(fold-left f z '())  ⇒  z
```

If *n* list arguments are provided, then function *f* must take *n + 1* parameters: one element from each list, and the "seed" or fold state, which is initially *z* as its very first argument. The `fold-left` operation terminates when the shortest list runs out of values.

```
(fold-left (lambda (x y) (cons y x)) '() '(1 2 3 4))  ⇒  (4 3 2 1)
(define (xcons+ rest a b) (cons (+ a b) rest))
(fold-left xcons+ '() '(1 2 3 4) '(10 20 30 40 50))   ⇒  (44 33 22 11)
```

Please note, compared to function `fold` from library `(srfi 1)`, this function applies the "seed"/fold state always as its first argument to *f*.

(fold-right *f z xs* ...)   procedure

Fundamental list recursion operator applying *f* to the elements *x1* ... *xn* of list *xs* in the following way:
`(f x1 (f x2 ... (f xn z)))`. In other words, this function applies *f* recursively based on the following
rules, assuming one list parameter *xs*:

```
(fold-right f z xs)            ⇒  (f (car xs) (fold-right f z (cdr xs)))
(fold-right f z '())          ⇒  z
(define (xcons xs x) (cons x xs))
(fold-left xcons '() '(1 2 3 4))  ⇒  (4 3 2 1)
```

If *n* list arguments *xs* ... are provided, then function *f* must take *n + 1* parameters: one element from
each list, and the "seed" or fold state, which is initially *z*. The `fold-right` operation terminates when
the shortest list runs out of values.

```
(fold-right (lambda (x l) (if (even? x) (cons x l) l))
            '()
            '(1 2 3 4 5 6))  ⇒  (2 4 6)
```

As opposed to `fold-left`, procedure `fold-right` is not tail-recursive.

(sort *less xs*)   procedure

Returns a sorted list containing all elements of *xs* such that for every element *xi* at position *i*, (less *xj xi*
) returns `#t` for all elements *xj* at position *j* where *j < i*.

(merge *less xs ys*)   procedure

Merges two lists *xs* and *ys* which are both sorted with respect to the total ordering predicate *less* and
returns the result as a list.

(tabulate *count proc*)   procedure

Returns a list with *count* elements. Element *i* of the list, where *0 ≤ i < count*, is produced by (*proc i*)
.

```
(tabulate 4 fx1+)  ⇒  (1 2 3 4)
```

(iota *count*)   procedure
(iota *count start*)
(iota *count start step*)

Returns a list containing the elements `(start start+step ... start+(count-1)*step)`. The *start*
and *step* parameters default to 0 and 1.

```
(iota 5)         ⇒  (0 1 2 3 4)
(iota 5 0 -0.1)  ⇒  (0 -0.1 -0.2 -0.3 -0.4)
```

24.4 Finding and extracting elements

(list-tail *xs k*)   procedure

Returns the sublist of list *xs* obtained by omitting the first *k* elements. Procedure `list-tail` could be
defined by

```
(define (list-tail xs k)
  (if (zero? k) xs (list-tail (cdr xs) (- k 1))))
```

(list-ref *xs k*)   `procedure`

Returns the *k*-th element of list *xs*. This is the same as the car of (`list-tail xs k`) .

(memq *obj xs*)   `procedure`
(memv *obj xs*)
(member *obj xs*)
(member *obj xs compare*)

These procedures return the first sublist of *xs* whose car is *obj*, where the sublists of *xs* are the non-empty lists returned by (`list-tail` *xs k*) for *k* less than the length of *xs*. If *obj* does not occur in *xs*, then `#f` is returned. The `memq` procedure uses `eq?` to compare *obj* with the elements of *xs*, while `memv` uses `eqv?` and `member` uses *compare*, if given, and `equal?` otherwise.

(delq *obj xs*)   `procedure`
(delv *obj xs*)
(delete *obj xs*)
(delete *obj xs compare*)

Returns a copy of list *xs* with all entries equal to element *obj* removed. `delq` uses `eq?` to compare `obj` with the elements in list *xs*, `delv` uses `eqv?` , and `delete` uses *compare* if given, and `equal?` otherwise.

(assq *obj alist*)   `procedure`
(assv *obj alist*)
(assoc *obj alist*)
(assoc *obj alist compare*)

alist must be an association list, i.e. a list of key/value pairs. This family of procedures finds the first pair in *alist* whose car field is *obj*, and returns that pair. If no pair in *alist* has *obj* as its car, then `#f` is returned. The `assq` procedure uses `eq?` to compare *obj* with the car fields of the pairs in *alist*, while `assv` uses `eqv?` and `assoc` uses *compare* if given, and `equal?` otherwise.

```
(define e '((a 1) (b 2) (c 3)))
(assq 'a e)                          ⇒  (a 1)
(assq 'b e)                          ⇒  (b 2)
(assq 'd e)                          ⇒  #f
(assq (list 'a) '(((a)) ((b)) ((c))))   ⇒  #f
(assoc (list 'a) '(((a)) ((b)) ((c))))  ⇒  ((a))
(assq 5 '((2 3) (5 7) (11 13)))      ⇒  unspecified
(assv 5 '((2 3) (5 7) (11 13)))      ⇒  (5 7)
```

(alist-delq *obj alist*)   `procedure`
(alist-delv *obj alist*)
(alist-delete *obj alist*)
(alist-delete *obj alist compare*)

Returns a copy of association list *alist* with all entries removed whose `car` is equal to element *obj*. `alist-delq` uses `eq?` to compare `obj` with the first elements of all members of list *xs*, `alist-delv` uses `eqv?` , and `alist-delete` uses *compare* if given, and `equal?` otherwise.

(key *xs*)   `procedure`
(key *xs default*)

Returns (`car xs`) if *xs* is a pair, otherwise *default* is being returned. If *default* is not provided as an argument, `#f` is used instead.

(value *xs*)   `procedure`
(value *xs default*)

Returns `(cdr xs)` if *xs* is a pair, otherwise *default* is being returned. If *default* is not provided as an argument, `#f` is used instead.

25 LispKit Log

Library (`lispkit log`) defines a simple logging API for LispKit. Log entries are sent to a *logger*. A logger processes each log entry, e.g. by adding or filtering information, and eventually persists it if the severity of the log entry is at or above the level of the severity of the logger. Supported are logging to a port and into a file. The macOS IDE *LispPad* implements a special version of (`lispkit log`) which makes log messages available in a session logging user interface supporting filtering, sorting, and exporting of log entries.

A log entry consists of the following four components: a timestamp, a severity, a sequence of tags, and a log message. Timestamps are generated via `current-second`. There are five severities, represented as symbols, supported by this library: `debug`, `info`, `warn`, `err`, and `fatal`. Also tags are represented as symbols. The sequence of tags is represented as a list of symbols. A log message is a string.

Logging functions take the logger as an optional argument. If it is not provided, the *current logger* is chosen. The current logger is represented via the parameter object `current-logger`. The current logger is initially set to `default-logger`.

25.1 Log severities

Log severities are represented using symbols. The following symbols are supported:

- `debug` (0),
- `info` (1),
- `warn` (2),
- `err` (3), and
- `fatal` (4).

Each severity has an associated *severity level* (previously listed in parenthesis for each severity). The higher the level, the more severe a logged issue.

default-severity   `object`
The default logging severity that is used if no severity is specified (initially `'debug`) when a new empty logger is created via procedure `logger`.

(severity? *obj***)**   `procedure`
Returns `#t` if *obj* is an object representing a log severity, `#f` otherwise. The following symbols are representing severities: `debug`, `info`, `warn`, `err`, and `fatal`.

(severity->level *sev***)**   `procedure`
Returns the severity level of severity *sev* as a fixnum.

(severity->string *sev***)**   `procedure`
Returns a human readable string (in English) for the default textual representation of the given severity *sev*.

25.2 Log formatters

Log formatters are used by port and file loggers to map a structured logging request consisting of a timestamp, severity, log message, and logging tags into a string.

default-log-formatter `object`
The default log formatting procedure. It is used by default when a new port or file logger gets created and no formatter procedure is provided.

(long-log-formatter *timestamp sev message tags***)** `procedure`
Formatter procedure using a long format.

(short-log-formatter *timestamp sev message tags***)** `procedure`
Formatter procedure using a short format.

25.3 Logger objects

default-logger `object`
The default logger that is initially created by the logging library. The native implementation for LispKit logs to standard out, the native implementation for LispPad logs into the session logging system of LispPad.

current-logger `parameter object`
Parameter object referring to the current logger that is used as a default if no logger object is provided for a logging request. Initially `current-logger` is set to `default-logger`.

(logger? *obj***)** `procedure`
Returns `#t` if *obj* is a logger object, `#f` otherwise.

(logger) `procedure`
(logger *sev***)**

Returns a new empty logger with the lowest persisted severity *sev*. The logger does not perform any logging action. If *sev* is not provided, `default-severity` is used as a default.

(make-logger *logproc lg***)** `procedure`
(make-logger *logproc deinit lg***)**

Returns a new logger with logging procedure *logproc*, the de-initialization thunk *deinit*, and a logger object *lg* which can be used as a delegate and whose state will be inherited (e.g. the lowest persisted severity).

logproc gets called by logging requests via procedures such as `log`, `log-debug`, etc. *logproc* is a procedure with the following signature: `(logproc timestamp sev message tags)`. *timestamp* is a floating-point number representing the number of seconds since 00:00 UTC on January 1, 1970 (e.g. returned by `current-second`), *sev* is a severity, *message* is the log message string, and *tags* is a list of logging tags. A tag is represented as a symbol.

Procedure *deinit* is called without parameters when the logger gets closed via *close-logger* before the de-initialization procedure of *lg* is called.

(make-port-logger *port***)** `procedure`
(make-port-logger *port formatter***)**
(make-port-logger *port formatter sev***)**

Returns a new port logger object which forwards log messages formatted by *formatter* to *port* if the severity is above the lowest persisted severity *sev*.

formatter is a procedure with the following signature: `(formatter timestamp sev message tags)`. *timestamp* is a floating-point number representing the number of seconds since 00:00 UTC on January

1, 1970, *sev* is a severity, *message* is the log message string, and *tags* is a list of logging tags. A tag is represented as a symbol.

(make-file-logger *path*)   procedure
(make-file-logger *path formatter*)
(make-file-logger *path formatter sev*)

Returns a new file logger object which writes log messages formatted by *formatter* into a new file at the given file path *path* if the severity is above the lowest persisted severity *sev*.

formatter is a procedure with the following signature: `(formatter timestamp sev message tags)`. *timestamp* is a floating-point number representing the number of seconds since 00:00 UTC on January 1, 1970, *sev* is a severity, *message* is the log message string, and *tags* is a list of logging tags. A tag is represented as a symbol.

(make-tag-logger *tag lg*)   procedure
Returns a new logger which includes *tag* into the tags to log and forwards the logging request to logger *lg*.

(make-filter-logger *filter lg*)   procedure
Returns a new logger which filters logging requests via procedure *filter* and forwards the requests which pass the filter to logger *lg*.

filter is a predicate with the following signature: `(filter timestamp sev message tags)`. *timestamp* is a floating-point number representing the number of seconds since 00:00 UTC on January 1, 1970, *sev* is a severity, *message* is the log message string, and *tags* is a list of logging tags. A tag is represented as a symbol.

(close-logger *lg*)   procedure
Closes the logger *lg* by calling the deinitialization procedures of the full logger chain of *lg*.

(logger-addproc *lg*)   procedure
Returns the logging request procedure used by logger *lg*.

(logger-severity *lg*)   procedure
Returns the default logging severity used by logger *lg*.

(logger-severity-set! *lg sev*)   procedure
Sets the default logging severity used by logger *lg* to *sev*.

25.4 Logging procedures

(log *sev message*)   procedure
(log *sev message tag*)
(log *sev message lg*)
(log *sev message tag lg*)

Logs message string *message* with severity *sev* into logger *lg* with *tag* if provided. If *lg* is not provided, the current logger (as defined by parameter object `current-logger`) is used.

(log-debug *message*)   procedure
(log-debug *message tag*)
(log-debug *message lg*)
(log-debug *message tag lg*)

Logs message string *message* with severity `debug` into logger *lg* with *tag* if provided. If *lg* is not provided, the current logger (as defined by parameter object `current-logger`) is used.

(log-info *message***)** `procedure`
(log-info *message tag***)**
(log-info *message lg***)**
(log-info *message tag lg***)**

Logs message string *message* with severity `info` into logger *lg* with *tag* if provided. If *lg* is not provided, the current logger (as defined by parameter object `current-logger`) is used.

(log-warn *message***)** `procedure`
(log-warn *message tag***)**
(log-warn *message lg***)**
(log-warn *message tag lg***)**

Logs message string *message* with severity `warn` into logger *lg* with *tag* if provided. If *lg* is not provided, the current logger (as defined by parameter object `current-logger`) is used.

(log-error *message***)** `procedure`
(log-error *message tag***)**
(log-error *message lg***)**
(log-error *message tag lg***)**

Logs message string *message* with severity `error` into logger *lg* with *tag* if provided. If *lg* is not provided, the current logger (as defined by parameter object `current-logger`) is used.

(log-fatal *message***)** `procedure`
(log-fatal *message tag***)**
(log-fatal *message lg***)**
(log-fatal *message tag lg***)**

Logs message string *message* with severity `fatal` into logger *lg* with *tag* if provided. If *lg* is not provided, the current logger (as defined by parameter object `current-logger`) is used.

25.5 Logging syntax

(log-time *expr***)** `syntax`
(log-time *expr descr***)**
(log-time *expr descr tag***)**
(log-time *expr descr tag lg***)**

Log the time for executing expression *expr* into logger *lg*. *descr* is a description string and *tag* is a logging tag. If *lg* is not provided, the current logger (as defined by parameter object `current-logger`) is used.

(log-using *lg body ...***)** `syntax`
Assigns *lg* as the current logger and executed expressions *body ...* in the context of this assignment.

(log-into-file *filepath body ...***)** `syntax`
Creates a new file logger at file path *filepath*, assigns the new file logger to parameter object `current-logger` and executes the statements *body ...* in the context of this assignment.

(log-with-tag *tag body ...***)** `syntax`
Creates a new logger which appends *tag* to the tags logged to `current-logger` and assigns the new logger to `current-logger`. *body ...* gets executed in the context of this assignment.

(log-from-severity *sev body ...***)** `syntax`
Modifies the current logger setting its lowest persisted severity to *sev* and executing *body ...* in the context of this change. Once *body ...* has been executed, the lowest persisted severity is set back to its original value.

(log-dropping-below-severity *sev body* **…)** `syntax`
Creates a new logger on top of `current-logger` which filters out all logging requests with a severity level below the severity level of *sev* and assigns the new logger to `current-logger` . *body* … gets executed in the context of this assignment.

26 LispKit Markdown

Library (`lispkit markdown`) provides an API for programmatically constructing Markdown documents, for parsing strings in Markdown format, as well as for mapping Markdown documents into corresponding HTML. The Markdown syntax supported by this library is based on the CommonMark Markdown specification.

26.1 Data Model

Markdown documents are represented using an abstract syntax that is implemented by three algebraic datatypes `block`, `list-item`, and `inline`, via `define-datatype` of library (`lispkit datatype`).

26.1.1 Blocks

At the top-level, a Markdown document consist of a list of *blocks*. The following recursively defined datatype shows all the supported block types as variants of type `block`.

```
(define-datatype block markdown-block?
  (document blocks)
      where (markdown-blocks? blocks)
  (blockquote blocks)
      where (markdown-blocks? blocks)
  (list-items start tight items)
      where (and (opt fixnum? start) (markdown-list? items))
  (paragraph text)
      where (markdown-text? text)
  (heading level text)
      where (and (fixnum? level) (markdown-text? text))
  (indented-code lines)
      where (every? string? lines)
  (fenced-code lang lines)
      where (and (opt string? lang) (every? string? lines))
  (html-block lines)
      where (every? string? lines)
  (reference-def label dest title)
      where (and (string? label) (string? dest) (every? string? title))
  (thematic-break))
```

(`document blocks`) represents a full Markdown document consisting of a list of blocks. (`blockquote blocks`) represents a blockquote block which itself has a list of sub-blocks. (`list-items start tight items`) defines either a bullet list or an ordered list. *start* is `#f` for bullet lists and defines the first item number for ordered lists. *tight* is a boolean which is `#f` if this is a loose list (with vertical spacing between the list items). *items* is a list of list items of type `list-item` as defined as follows:

```
(define-datatype list-item markdown-list-item?
  (bullet ch tight? blocks)
```

```
        where (and (char? ch) (markdown-blocks? blocks))
  (ordered num ch tight? blocks)
        where (and (fixnum? num) (char? ch) (markdown-blocks? blocks)))
```

The most frequent Markdown block type is a paragraph. `(paragraph text)` represents a single paragraph of text where *text* refers to a list of inline text fragments of type `inline` (see below). `(heading level text)` defines a heading block for a heading of a given level, where *level* is a number starting with 1 (up to 6). `(indented-code lines)` represents a code block consisting of a list of text lines each represented by a string. `(fenced-code lang lines)` is similar: it defines a code block with code expressed in the given language *lang*. `(html lines)` defines a HTML block consisting of the given lines of text. `(reference-def label dest title)` introduces a reference definition consisting of a given *label*, a destination URI *dest*, as well as a *title* string. Finally, `(thematic-break)` introduces a thematic break block separating the previous and following blocks visually, often via a line.

26.1.2 Inline Text

Text is represented as lists of inline text segments, each represented as an object of type `inline`. `inline` is defined as follows:

```
(define-datatype inline markdown-inline?
  (text str)
      where (string? str)
  (code str)
      where (string? str)
  (emph text)
      where (markdown-text? text)
  (strong text)
      where (markdown-text? text)
  (link text uri title)
      where (and (markdown-text? text) (string? uri) (string? title))
  (auto-link uri)
      where (string? uri)
  (email-auto-link email)
      where (string? uri)
  (image text uri title)
      where (and (markdown-text? text) (string? uri) (string? title))
  (html tag)
      where (string? tag)
  (line-break hard?))
```

`(text str)` refers to a text segment consisting of string *str*. `(code str)` refers to a code string *str* (often displayed as verbatim text). `(emph text)` represents emphasized *text* (often displayed as italics). `(strong text)` represents *text* in boldface. `(link text uri title)` represents a hyperlink with *text* linking to *uri* and *title* representing a title for the link. `(auto-link uri)` is a link where *uri* is both the text and the destination URI. `(email-auto-link email)` is a "mailto:" link to the given email address *email*. `(image text uri title)` inserts an image at *uri* with image description *text* and image link title *title*. `(html tag)` represents a single HTML tag of the form < *tag* > . Finally, `(line-break #f)` introduces a "soft line break", whereas `(line-break #t)` inserts a "hard line break".

26.2 Creating Markdown documents

Markdown documents can either be constructed programmatically via the datatypes introduced above, or a string representing a Markdown documents gets parsed into the internal abstract syntax representation via function `markdown`.

For instance, `(markdown "# My title\n\nThis is a paragraph.")` returns a markdown document consisting of two blocks: a *header block* for header "My title" and a *paragraph block* for the text "This is a paragraph":

```
(markdown "# My title\n\nThis is a paragraph.")
⇒ #block:(document (#block:(heading 1 (#inline:(text "My title"))) #block:(paragraph
↪  (#inline:(text "This is a paragraph."))))))
```

The same document can be created programmatically in the following way:

```
(document
  (list
    (heading 1 (list (text "My title")))
    (paragraph (list (text "This is a paragraph.")))))
⇒ #block:(document (#block:(heading 1 (#inline:(text "My title"))) #block:(paragraph
↪  (#inline:(text "This is a paragraph."))))))
```

26.3 Processing Markdown documents

Since the abstract syntax of Markdown documents is represented via algebraic datatypes, pattern matching can be used to deconstruct the data. For instance, the following function returns all the top-level headers of a given Markdown document:

```
(import (lispkit datatype))  ; this is needed to import `match`

(define (top-headings doc)
  (match doc
    ((document blocks)
      (filter-map (lambda (block)
                    (match block
                      ((heading 1 text) (text->raw-string text))
                      (else #f)))
                  blocks))))
```

An example for how `top-headings` can be applied to this Markdown document:

```
# *header* 1
Paragraph.
# __header__ 2
## header 3
The end.
```

is shown here:

```
(top-headings
  (markdown "# *header* 1\nParagraph.\n# __header__ 2\n## header 3\nThe end."))
⇒  ("header 1" "header 2")
```

26.4 API

(markdown-blocks? *obj*)   `procedure`
Returns `#t` if *obj* is a proper list of objects *o* for which `(markdown-block? o)` returns `#t`; otherwise the procedure returns `#f`.

(markdown-block? *obj***)** `procedure`
Returns `#t` if *obj* is a mMrkdown block object, i.e. a variant of algebraic datatype `block` .

(markdown-block=? *lhs rhs***)** `procedure`
Returns `#t` if Markdown blocks *lhs* and *rhs* are equals; otherwise it returns `#f` .

(markdown-list? *obj***)** `procedure`
Returns `#t` if *obj* is a proper list of list items *i* for which (`markdown-list-item?` *i*) returns `#t` ; otherwise the procedure returns `#f` .

(markdown-list-item? *obj***)** `procedure`
Returns `#t` if *obj* is a Markdown list item, i.e. a variant of algebraic datatype `list-item` .

(markdown-list-item=? *lhs rhs***)** `procedure`
Returns `#t` if Markdown list items *lhs* and *rhs* are equals; otherwise it returns `#f` .

(markdown-text? *obj***)** `procedure`
Returns `#t` if *obj* is a proper list of objects *o* for which (`markdown-inline?` o) returns `#t` ; otherwise the procedure returns `#f` .

(markdown-inline? *obj***)** `procedure`
Returns `#t` if *obj* is an inline text object, i.e. a variant of algebraic datatype `inline` .

(markdown-inline=? *lhs rhs***)** `procedure`
Returns `#t` if the two Markdown inline text objects *lhs* and *rhs* are equals; otherwise the procedure returns `#f` .

(markdown? *obj***)** `procedure`
Returns `#t` if *obj* is a valid Markdown document, i.e. an instance of the `document` variant of datatype `block` ; otherwise the procedure returns `#f` .

(markdown=? *lhs rhs***)** `procedure`
Returns `#t` if Markdown documents *lhs* and *rhs* are equals; otherwise it returns `#f` .

(markdown *str***)** `procedure`
Parses the text in Markdown format in *str* and returns a representation of the abstract syntax using the algebraic datatypes `block` , `list-item` , and `inline` .

(markdown->html *md***)** `procedure`
Converts a Markdown document *md* into HTML, represented in form of a string. *md* needs to satisfy the *markdown?* predicate.

(blocks->html *bs***)** `procedure`
(blocks->html *bs tight***)**

Converts a Markdown block or list of blocks *bs* into HTML, represented in form of a string. *tight?* is a boolean and should be set to true if the conversion should consider tight typesetting (see CommonMark specification for details).

(text->html *txt***)** `procedure`
Converts Markdown inline text or a list of inline text objects *txt* into HTML and returns the generated HTML in form of a string.

(markdown->html-doc *md***)** `procedure`
(markdown->html-doc *md style***)**
(markdown->html-doc *md style codestyle***)**
(markdown->html-doc *md style codestyle cblockstyle***)**
(markdown->html-doc *md style codestyle cblockstyle colors***)**

Converts a Markdown document *md* into a styled HTML document, represented in form of a string. *md* needs to satisfy the *markdown?* predicate. *style* is a list with up to three elements: *(size font color)*. It specifies the default text style of the document. *size* is the point size of the font, *font* is a font name, and *color* is a HTML color specification (e.g. `"#FF6789"`). *codestyle* specifies the style of inline code in the same format. *colors* is a list of HTML color specifications for the following document elements in this order: the border color of code blocks, the color of blockquote "bars", the color of H1, H2, H3 and H4 headers.

(text->string *text*)   procedure
Converts given inline text *text* into a string representation which encodes markup in *text* using Markdown syntax. *text* needs to satisfy the *markdown-text?* predicate.

(text->raw-string *text*)   procedure
Converts given inline text *text* into a string representation ignoring markup in *text*. *text* needs to satisfy the *markdown-text?* predicate.

27 LispKit Match

(lispkit match) ports Alex Shinn's portable hygienic pattern matcher library to LispKit and adapts it to match LispKit's features. For instance, (lispkit match) assumes all pairs are immutable. At this point, the library does not support matching against algebraic datatypes. Procedure `match` of library (lispkit datatype) needs to be used for this purpose.

27.1 Simple patterns

Patterns are written to look like the printed representation of the objects they match. The basic usage for matching an expression `expr` against a pattern `pat` via procedure `match` looks like this:

```
(match expr (pat body ...) ...)
```

Here, the result of `expr` is matched against each pattern in turn, and the corresponding body is evaluated for the first to succeed. Thus, a list of three elements matches a list of three elements.

```
(let ((ls (list 1 2 3)))
  (match ls ((1 2 3) #t)))  ⇒  #t
```

If no patterns match, an error is signaled. Identifiers will match anything, and make the corresponding binding available in the body.

```
(match (list 1 2 3) ((a b c) b))  ⇒  2
```

If the same identifier occurs multiple times, the first instance will match anything, but subsequent instances must match a value which is `equal?` to the first.

```
(match (list 1 2 1) ((a a b) 1) ((a b a) 2))  ⇒  2
```

The special identifier `_` matches anything, no matter how many times it is used, and does not bind the result in the body.

```
(match (list 1 2 1) ((_ _ b) 1) ((a b a) 2))  ⇒  1
```

To match a literal identifier (or list or any other literal), use `quote`.

```
(match 'a ('b 1) ('a 2))  ⇒  2
```

Analogous to its normal usage in scheme, `quasiquote` can be used to quote a mostly literally matching object with selected parts unquoted.

```
(match (list 1 2 3) (`(1 ,b ,c) (list b c)))  ⇒  (2 3)
```

Often you want to match any number of a repeated pattern. Inside a list pattern you can append `...` after an element to match zero or more of that pattern, similar to a regular expression *Kleene star*.

```
(match (list 1 2) ((1 2 3 ...) #t))         ⇒  #t
(match (list 1 2 3) ((1 2 3 ...) #t))       ⇒  #t
(match (list 1 2 3 3 3) ((1 2 3 ...) #t))   ⇒  #t
```

Pattern variables matched inside the repeated pattern are bound to a list of each matching instance in the body.

```
(match (list 1 2) ((a b c ...) c))          ⇒  ()
(match (list 1 2 3) ((a b c ...) c))        ⇒  (3)
(match (list 1 2 3 4 5) ((a b c ...) c))    ⇒  (3 4 5)
```

More than one `...` may not be used in the same list, since this would require exponential backtracking in the general case. However, `...` need not be the final element in the list, and may be succeeded by a fixed number of patterns.

```
(match (list 1 2 3 4) ((a b c ... d e) c))        ⇒  ()
(match (list 1 2 3 4 5) ((a b c ... d e) c))      ⇒  (3)
(match (list 1 2 3 4 5 6 7) ((a b c ... d e) c))  ⇒  (3 4 5)
```

`___` is provided as an alias for `...` when it is inconvenient to use the ellipsis (as in a syntax-rules template).

The `..1` syntax is exactly like the `...` except that it matches one or more repetitions like a `+` in regular expressions.

```
(match (list 1 2) ((a b c ..1) c))    ⇒  [error] no matching pattern
(match (list 1 2 3) ((a b c ..1) c))  ⇒  (3)
```

27.2 Composite patterns

The boolean operators `and`, `or` and `not` can be used to group and negate patterns analogously to their Scheme counterparts.

The `and` operator ensures that all subpatterns match. This operator is often used with the idiom `(and x pat)` to bind `x` to the entire value that matches `pat`, similar to "as-patterns" in ML and Haskell. Another common use is in conjunction with `not` patterns to match a general case with certain exceptions.

```
(match 1 ((and) #t))      ⇒  #t
(match 1 ((and x) x))     ⇒  1
(match 1 ((and x 1) x))   ⇒  1
```

The `or` operator ensures that at least one subpattern matches. If the same identifier occurs in different subpatterns, it is matched independently. All identifiers from all subpatterns are bound if the `or` operator matches, but the binding is only defined for identifiers from the subpattern which matched.

```
(match 1 ((or) #t) (else #f))   ⇒  #f
(match 1 ((or x) x))            ⇒  1
(match 1 ((or x 2) x))          ⇒  1
(match 1 ((or 1 x) x))          ⇒  [error] variable not yet initialized: x
```

The `not` operator succeeds if the given pattern does not match. None of the identifiers used are available in the body.

```
(match 1 ((not 2) #t))  ⇒  #t
```

The more general operator `?` can be used to provide a predicate. The usage is `(? predicate pat ...)` where `predicate` is a Scheme expression evaluating to a predicate called on the value to match, and any optional patterns after the predicate are then matched as in an `and` pattern.

```
(match 1 ((? odd? x) x))  ⇒  1
```

27.3 Advanced patterns

The field operator `=` is used to extract an arbitrary field and match against it. It is useful for more complex or conditional destructuring that can't be more directly expressed in the pattern syntax. The usage is `(= field pat)`, where `field` can be any expression, and should evaluate to a procedure of one argument which gets applied to the value to match to generate a new value to match against `pat`.

Thus the pattern `(and (= car x) (= cdr y))` is equivalent to `(x . y)`, except it will result in an immediate error if the value isn't a pair.

```
(match '(1 . 2) ((= car x) x))          ⇒  1
(match '(1 . 2)
  ((and (= car x) (= cdr y)) (+ x y)))  ⇒  3
(match 4 ((= square x) x))              ⇒  16
```

The record operator `$` is used as a concise way to match records. The usage is `($ rtd field ...)`, where `rtd` should be the *record type descriptor* specified as the first argument to `define-record-type`, and each `field` is a subpattern matched against the fields of the record in order. Not all fields must be present. For more information on *record type descriptors* see library `(lispkit record)`.

```
(define-record-type employee
  (make-employee name title)
  employee?
  (name get-name)
  (title get-title))

(match (make-employee "Bob" "Doctor")
  (($ employee n t) (list t n)))
⇒  ("Doctor" "Bob")
```

For records with more fields it can be helpful to match them by name rather than position. For this you can use the `@` operator, originally a Gauche extension:

```
(define-record-type employee
  (make-employee name title)
  employee?
```

```
  (name get-name)
  (title get-title))

(match (make-employee "Bob" "Doctor")
  ((@ employee (title t) (name n)) (list t n)))
⇒  ("Doctor" "Bob")
```

The `set!` and `get!` operators are used to bind an identifier to the setter and getter of a field, respectively. The setter is a procedure of one argument, which mutates the field to that argument. The getter is a procedure of no arguments which returns the current value of the field.

```
(let ((x (mcons 1 2)))
  (match x ((1 . (set! s)) (s 3) x)))  ⇒  #<pair 1 3>
(match '(1 . 2) ((1 . (get! g)) (g)))  ⇒  2
```

The new operator `***` can be used to search a tree for subpatterns. A pattern of the form `(x *** y)` represents the subpattern `y` located somewhere in a tree where the path from the current object to `y` can be seen as a list of the form `(x ...)`. `y` can immediately match the current object in which case the path is the empty list. In a sense, it is a two-dimensional version of the `...` pattern. As a common case the pattern `(_ *** y)` can be used to search for `y` anywhere in a tree, regardless of the path used.

```
(match '(a (a (a b))) ((x *** 'b) x))  ⇒  (a a a)
(match '(a (b) (c (d e) (f g)))
  ((x *** 'g) x))                      ⇒  (a c f)
```

27.4 Pattern grammar

```
pat = patvar                     ;; anything, and binds pattern var
    | _                          ;; anything
    | ()                         ;; the empty list
    | #t                         ;; #t
    | #f                         ;; #f
    | string                     ;; a string
    | number                     ;; a number
    | character                  ;; a character
    | 'sexp                      ;; an s-expression
    | 'symbol                    ;; a symbol (special case of s-expr)
    | (pat1 ... patN)            ;; list of n elements
    | (pat1 ... patN . patN+1)   ;; list of n or more
    | (pat1 ... patN patN+1 ooo) ;; list of n or more, each element
                                 ;;   of remainder must match patN+1
    | #(pat1 ... patN)           ;; vector of n elements
    | #(pat1 ... patN patN+1 ooo) ;; vector of n or more, each element
                                 ;;   of remainder must match patN+1
    | ($ record-type pat1 ... patN)  ;; a record (patK matches in slot order)
    | (struct struct-type pat1 ... patN)   ;; ditto
    | (@ record-type (slot1 pat1) ...)     ;; a record (using slot names)
    | (object struct-type (slot1 pat1) ...) ;; ditto
    | (= proc pat)               ;; apply proc, match the result to pat
    | (and pat ...)              ;; if all of pats match
    | (or pat ...)               ;; if any of pats match
    | (not pat ...)              ;; if no pats match
    | (? predicate pat ...)      ;; if predicate true and all pats match
    | (set! patvar)              ;; anything, and binds setter
    | (get! patvar)              ;; anything, and binds getter
    | (pat1 *** pat2)            ;; tree subpattern (*)
```

```
    | `qp                            ;; a quasi-pattern

patvar = a symbol except _, quote, $, struct, @, object, =, and, or,
         not, ?, set!, get!, quasiquote, ..., ___, ..1, ..=, ..*.

ooo = ...                           ;; zero or more
    | ___                           ;; zero or more
    | ..1                           ;; one or more
    | ..= k                         ;; exactly k where k is an integer. (*)
                                    ;;   Example: ..= 1, ..= 2 ...
    | ..* k j                       ;; between k and j, where k and j are (*)
                                    ;;   integers. Example: ..* 3 4, match 3
                                    ;;   or 4 of a pattern ..* 1 5 match from
                                             ;;   1 to 5 of a pattern

qp  = ()                            ;; the empty list
    | #t                            ;; #t
    | #f                            ;; #f
    | string                        ;; a string
    | number                        ;; a number
    | character                     ;; a character
    | identifier                    ;; a symbol
    | (qp_1 ... qp_n)               ;; list of n elements
    | (qp_1 ... qp_n . qp_{n+1})    ;; list of n or more
    | (qp_1 ... qp_n qp_n+1 ooo)    ;; list of n or more, each element
                                    ;;   of remainder must match qp_n+1
    | #(qp_1 ... qp_n)              ;; vector of n elements
    | #(qp_1 ... qp_n qp_n+1 ooo)   ;; vector of n or more, each element
                                    ;;   of remainder must match qp_n+1
    | ,pat                          ;; a pattern
    | ,@pat                         ;; a pattern
```

27.5 Matching API

(match *expr* (*pat* . *body*) ...)   `procedure`
(match *expr* (*pat* (=> *failure*) . *body*) ...)

The result of *expr* is matched against each pattern *pat* in turn until the first pattern matches. When a match is found, the corresponding *body* statements are evaluated in order, and the result of the last expression is returned as the result of the entire `match` evaluation. If a failure occurs, then it is bound to a procedure of no arguments which continues processing at the next pattern. If no pattern matches, an error is signaled.

(match-lambda (*pat body* ...) ...)   `procedure`
This is a shortcut for `lambda` in combination with `match`. `match-lambda` returns a procedure of one argument, and matches that argument against each clause.

```
(lambda (expr) (match expr (pat body ...) ...))
```

(match-lambda* (*pat body* ...) ...)   `procedure`
`match-lambda*` is similar to `match-lambda`. It returns a procedure of any number of arguments, and matches the argument list against each clause.

```
(lambda expr (match expr (pat body ...) ...))
```

(match-let ((*var value*) ...) *body* ...)   `procedure`
(match-let *loop* ((*var value*) ...) *body* ...)

`match-let` matches each variable *var* to the corresponding expression, and evaluates the body with all match variables in scope. It raises an error if any of the expressions fail to match. This syntax is analogous to named `let` and can also be used for recursive functions which match on their arguments as in `match-lambda*`.

(match-let* ((*var value*) …) *body* …) `procedure`

Similar to `match-let`, but analogously to `let*`, `match-let*` matches and binds the variables in sequence, with preceding match variables in scope.

(match-letrec ((*var value*) …) *body* …) `procedure`

Similar to `match-let`, but analogously to `letrec`, `match-letrec` matches and binds the variables with all match variables in scope.

This documentation was derived from code and documentation written by Andrew K. Wright, Robert Cartwright, Alex Shinn, Panicz Maciej Godek, Felix Thibault, Shiro Kawai and Ludovic Cortès.

28 LispKit Math

Library (`lispkit math`) defines functions on numbers. Numbers are arranged into a tower of subtypes in which each level is a subset of the level above it:

- number
- complex number
- real number
- rational number
- integer

For example, 3 is an integer. Therefore 3 is also a rational, a real, and a complex number. These types are defined by the predicates `number?`, `complex?`, `real?`, `rational?`, and `integer?`.

There is no simple relationship between a number's type and its representation inside a computer. Scheme's numerical operations treat numbers as abstract data, as independent of their representation as possible.

28.1 Numerical constants

pi   constant
The constant pi.

e   constant
Euler's number, i.e. the base of the natural logarithm.

28.2 Predicates

(number? *obj*)   procedure
(complex? *obj*)
(real? *obj*)
(rational? *obj*)
(integer? *obj*)

These numerical type predicates can be applied to any kind of argument, including non-numbers. They return `#t` if the object is of the named type, and otherwise they return `#f`. In general, if a type predicate is true of a number then all higher type predicates are also true of that number. Consequently, if a type predicate is false of a number, then all lower type predicates are also false of that number.

If z is a complex number, then (`real? z`) is true if and only if (`zero? (imag-part z)`) is true. If x is an inexact real number, then (`integer? x`) is true if and only if (`= x (round x)`).

The numbers `+inf.0`, `-inf.0`, and `+nan.0` are real but not rational.

```
(complex? 3+4i)    ⇒  #t
(complex? 3)       ⇒  #t
(real? 3)          ⇒  #t
(real? -2.5+0i)    ⇒  #t
(real? -2.5+0.0i)  ⇒  #f
(real? #e1e10)     ⇒  #t
(real? +inf.0)     ⇒  #t
(real? +nan.0)     ⇒  #t
(rational? -inf.0) ⇒  #f
(rational? 3.5)    ⇒  #t
(rational? 6/10)   ⇒  #t
(rational? 6/3)    ⇒  #t
(integer? 3+0i)    ⇒  #t
(integer? 3.0)     ⇒  #t
(integer? 8/4)     ⇒  #t
```

(fixnum? *obj***)** procedure

Returns `#t` if object *obj* is a fixnum; otherwise returns `#f` . A fixnum is an exact integer that is small enough to fit in a machine word. LispKit fixnums are 64-bit words. Fixnums are signed and encoded using 2's complement.

(ratnum? *obj***)** procedure

Returns `#t` if object `obj` is a fractional number, i.e. a rational number which isn't an integer.

(bignum? *obj***)** procedure

Returns `#t` if object *obj* is a large integer number, i.e. an integer which isn't a fixnum.

(flonum? *obj***)** procedure

Returns `#t` if object *obj* is a floating-point number.

(cflonum? *obj***)** procedure

Returns `#t` if object *obj* is a complex floating-point number.

(exact? *obj***)** procedure
(inexact? *obj***)**

These numerical predicates provide tests for the exactness of a quantity. For any Scheme number, precisely one of `exact?` and `inexact?` is true.

```
(exact? 3.0)    ⇒  #f
(exact? #e3.0)  ⇒  #t
(inexact? 3.)   ⇒  #t
```

(exact-integer? *obj***)** procedure

Returns `#t` if *obj* is both exact and an integer; otherwise returns `#f` .

```
(exact-integer? 32)    ⇒  #t
(exact-integer? 32.0)  ⇒  #f
(exact-integer? 32/5)  ⇒  #f
```

(finite? *obj***)** procedure

The `finite?` procedure returns `#t` on all real numbers except `+inf.0` , `-inf.0` , and `+nan.0` , and on complex numbers if their real and imaginary parts are both finite. Otherwise it returns `#f` .

```
(finite? 3)          ⇒  #t
(finite? +inf.0)     ⇒  #f
(finite? 3.0+inf.0i) ⇒  #f
```

(infinite? *obj*) procedure

The `infinite?` procedure returns #t on the real numbers `+inf.0` and `-inf.0`, and on complex numbers if their real or imaginary parts or both are infinite. Otherwise it returns `#f`.

```
(infinite? 3)         ⇒   #f
(infinite? +inf.0)    ⇒   #t
(infinite? +nan.0)    ⇒   #f
(infinite? 3.0+inf.0i) ⇒  #t
```

(nan? *obj*) procedure

The `nan?` procedure returns `#t` on `+nan.0`, and on complex numbers if their real or imaginary parts or both are `+nan.0`. Otherwise it returns `#f`.

```
(nan? +nan.0)        ⇒   #t
(nan? 32)            ⇒   #f
(nan? +nan.0+5.0i)   ⇒   #t
(nan? 1+2i)          ⇒   #f
```

(positive? *x*) procedure

Returns `#t` if number *x* is positive, i.e. `x > 0`.

(negative? *x*) procedure

Returns `#t` if number *x* is negative, i.e. `x < 0`.

(zero? *z*) procedure

Returns `#t` if number *z* is zero, i.e. `z = 0`.

(even? *n*) procedure

Returns `#t` if the integer number *n* is even.

(odd? *n*) procedure

Returns `#t` if the integer number *n* is odd.

28.3 Exactness and rounding

Scheme distinguishes between numbers that are represented exactly and those that might not be. This distinction is orthogonal to the dimension of type. A number is exact if it was written as an exact constant or was derived from exact numbers using only exact operations. A number is inexact if it was written as an inexact constant, if it was derived using inexact ingredients, or if it was derived using inexact operations.

Rational operations such as `+` should always produce exact results when given exact arguments. If the operation is unable to produce an exact result, then it either reports the violation of an implementation restriction or it silently coerces its result to an inexact value.

(exact *z*) procedure
(inexact *z*)

The procedure `inexact` returns an inexact representation of *z*. The value returned is the inexact number that is numerically closest to the argument. For inexact arguments, the result is the same as the argument. For exact complex numbers, the result is a complex number whose real and imaginary parts are the result of applying inexact to the real and imaginary parts of the argument, respectively. If an exact argument has no reasonably close inexact equiv- alent (in the sense of `=`), then a violation of an implementation restriction may be reported.

The procedure `exact` returns an exact representation of *z*. The value returned is the exact number that is numerically closest to the argument. For exact arguments, the result is the same as the argument.

For inexact non-integral real arguments, the function may return a rational approximation. For inexact complex arguments, the result is a complex number whose real and imaginary parts are the result of applying exact to the real and imaginary parts of the argument, respectively. If an inexact argument has no reasonably close exact equivalent, (in the sense of `=`), then a violation of an implementation restriction may be reported.

These procedures implement the natural one-to-one correspondence between `exact` and `inexact` integers throughout an implementation-dependent range.

(approximate *x delta*)   `procedure`
Procedure `approximate` approximates floating-point number *x* returning a rational number which differs at most *delta* from *x*.

(rationalize *x y*)   `procedure`
The `rationalize` procedure returns the simplest rational number differing from *x* by no more than *y*. A rational number *r1* is simpler than another rational number *r2* if *r1 = p1/q1* and *r2 = p2/q2* (in lowest terms) and |p1| ≤ |p2| and |q1| ≤ |q2|. Thus `3/5` is simpler than `4/7` . Although not all rationals are comparable in this ordering (consider `2/7` and `3/5`), any interval contains a rational number that is simpler than every other rational number in that interval (the simpler `2/5` lies between `2/7` and `3/5`). Note that `0 = 0/1` is the simplest rational of all.

```
(rationalize (exact .3) 1/10)  ⇒  1/3
```

(floor *x*)   `procedure`
(ceiling *x*)
(truncate *x*)
(round *x*)

These procedures return integers. `floor` returns the largest integer not larger than *x*. `ceiling` returns the smallest integer not smaller than *x*. `truncate` returns the integer closest to *x* whose absolute value is not larger than the absolute value of *x*. `round` returns the closest integer to *x*, rounding to even when *x* is halfway between two integers.

If the argument to one of these procedures is inexact, then the result will also be inexact. If an exact value is needed, the result can be passed to the `exact` procedure. If the argument is *infinite* or a *NaN*, then it is returned.

```
(floor -4.3)     ⇒ -5.0
(ceiling -4.3)   ⇒ -4.0
(truncate -4.3)  ⇒ -4.0
(round -4.3)     ⇒ -4.0
(floor 3.5)      ⇒ 3.0
(ceiling 3.5)    ⇒ 4.0
(truncate 3.5)   ⇒ 3.0
(round 3.5)      ⇒ 4.0 ; inexact
(round 7/2)      ⇒ 4   ; exact
(round 7)        ⇒ 7
```

28.4 Operations

(+ *z ...*)   `procedure`
(* *z ...*)

These procedures return the sum or product of their arguments.

```
(+ 34)    ⇒   7
(+ 3)     ⇒   3
(+)       ⇒   0
(* 4)     ⇒   4
(*)       ⇒   1
```

(- *z*) `procedure`
(- *z1* *z2* ...)
(/ _z)
(/ *z1* *z2* ...)

With two or more arguments, these procedures return the difference or quotient of their arguments, associating to the left. With one argument, however, they return the additive or multiplicative inverse of their argument.

It is an error if any argument of `/` other than the first is an exact zero. If the first argument is an exact zero, the implementation may return an exact zero unless one of the other arguments is a NaN.

```
(- 3 4)     ⇒   -1
(- 3 4 5)   ⇒   -6
(- 3)       ⇒   -3
(/ 3 4 5)   ⇒   3/20
(/ 3)       ⇒   1/3
```

(= *x* ...) `procedure`
(< *x* ...)
(> *x* ...)
(<= *x* ...)
(>= *x* ...)

These procedures return `#t` if their arguments are (respectively): equal, monotonically increasing, monotonically decreasing, monotonically non-decreasing, or monotonically non-increasing, and `#f` otherwise. If any of the arguments are `+nan.0`, all the predicates return `#f`. They do not distinguish between inexact zero and inexact negative zero.

(max *x1* *x2* ...) `procedure`
(min *x1* *x2* ...)

These procedures return the maximum or minimum of their arguments.

If any argument is inexact, then the result will also be inexact (unless the procedure can prove that the inaccuracy is not large enough to affect the result, which is possible only in unusual implementations). If `min` or `max` is used to compare numbers of mixed exactness, and the numerical value of the result cannot be represented as an inexact number without loss of accuracy, then the procedure reports an implementation restriction.

(abs *x*) `procedure`
The `abs` procedure returns the absolute value of its argument *x*.

(square *z*) `procedure`
Returns the square of *z*. This is equivalent to *(* z z)*.

```
(square 42)    ⇒  1764
(square 2.0)   ⇒  4.0
```

(sqrt *z*) `procedure`
Returns the principal square root of *z*. The result will have either a positive real part, or a zero real part and a non-negative imaginary part.

```
(sqrt 9)   ⇒ 3
(sqrt -1)  ⇒ +i
```

(exact-integer-sqrt *k*)   procedure

Returns two non-negative exact integers *s* and *r* where $k = s^2 + r$ and $k < (s+1)^2$.

(expt *z1 z2*)   procedure

Returns *z1* raised to the power *z2*. For non-zero *z1*, this is $z1 \char`^ z2 = e \char`^ (z2 \log z1)$. The value of $0 \char`^ z$ is `1` if `(zero? z)`, 0 if `(real-part z)` is positive, and an error otherwise. Similarly for 0.0z, with inexact results.

(exp *z*)   procedure
(log *z*)
(log *z1 z2*)
(sin *z*)
(cos *z*)
(tan *z*)
(asin *z*)
(acos *z*)
(atan *z*)
(atan *y x*)

These procedures compute the usual transcendental functions. The `log` procedure computes the natural logarithm of *z* (not the base-ten logarithm) if a single argument is given, or the base-*z2* logarithm of *z1* if two arguments are given. The `asin`, `acos`, and `atan` procedures compute `arc-sine`, `arc-cosine`, and `arc-tangent`, respectively. The two-argument variant of `atan` computes `(angle (make-rectangular x y))`.

28.5 Division and remainder

(gcd *n ...*)   procedure
(lcm *n ...*)

These procedures return the greatest common divisor (`gcd`) or least common multiple (`lcm`) of their arguments. The result is always non-negative.

```
(gcd 32 -36)    ⇒ 4
(gcd)           ⇒ 0
(lcm 32 -36)    ⇒ 288
(lcm 32.0 -36)  ⇒ 288.0  ; inexact
(lcm)           ⇒ 1
```

(truncate/ *n1 n2.*)   procedure
(truncate-quotient *n1 n2*)
(truncate-remainder *n1 n2*)

These procedures implement number-theoretic integer division. It is an error if `n2` is zero. `truncate/` returns two integers; the other two procedures return an integer. All the procedures compute a quotient `nq` and remainder `nr` such that `n1 = n2 * nq + nr`. The three procedures are defined as follows:

```
(truncate/ n1 n2)           ⇒ nq nr
(truncate-quotient n1 n2)   ⇒ nq
(truncate-remainder n1 n2)  ⇒ nr
```

The remainder `nr` is determined by the choice of integer `nq` : `nr = n1 - n2 * nq` where `nq = truncate(n1/n2)` .

For any of the operators, and for integers `n1` and `n2` with `n2` not equal to 0:

```
(= n1
   (+ (* n2 (truncate-quotient n1 n2))
         (truncate-remainder n1 n2)))
⇒  #t
```

provided all numbers involved in that computation are exact.

```
(truncate/ 5 2)     ⇒  2 1
(truncate/ -5 2)    ⇒  -2 -1
(truncate/ 5 -2)    ⇒  -2 1
(truncate/ -5 -2)   ⇒  2 -1
(truncate/ -5.0 -2) ⇒  2.0 -1.0
```

(floor/ *n1 n2*) procedure
(floor-quotient *n1 n2*)
(floor-remainder *n1 n2*)

These procedures implement number-theoretic integer division. It is an error if `n2` is zero. `floor/` returns two integers; the other two procedures return an integer. All the procedures compute a quotient `nq` and remainder `nr` such that `n1 = n2 * nq + nr` . The three procedures are defined as follows:

```
(floor/ n1 n2)         =⇒ nq nr
(floor-quotient n1 n2)  =⇒ nq
(floor-remainder n1 n2) =⇒ nr
```

The remainder `nr` is determined by the choice of integer `nq` : `nr = n1 - n2 * nq` where `nq = floor(n1/n2)` .

For any of the operators, and for integers `n1` and `n2` with `n2` not equal to 0:

```
(= n1
   (+ (* n2 (floor-quotient n1 n2))
         (floor-remainder n1 n2)))
⇒  #t
```

provided all numbers involved in that computation are exact.

```
(floor/ 5 2)    ⇒  2 1
(floor/ -5 2)   ⇒  -3 1
(floor/ 5 -2)   ⇒  -3 -1
(floor/ -5 -2)  ⇒  2 -1
```

(quotient *n1 n2*) procedure
(remainder *n1 n2*)
(modulo *n1 n2*)

The `quotient` and `remainder` procedures are equivalent to `truncate-quotient` and `truncate-remainder` , respectively, and `modulo` is equivalent to `floor-remainder` . These procedures are provided for backward compatibility with earlier versions of the Scheme language specification.

28.6 Fractional numbers

(numerator *q*) procedure
(denominator *q*)

These procedures return the numerator or denominator of their rational number `q`. The result is computed as if the argument was represented as a fraction in lowest terms. The denominator is always positive. The denominator of 0 is defined to be 1.

```
(numerator (/ 6 4))          ⇒  3
(denominator (/ 6 4))        ⇒  2
(denominator (inexact (/ 6 4))) ⇒  2.0
```

28.7 Complex numbers

(make-rectangular *x1 x2*) procedure
Returns the complex number $x1 + x2 * i$. Since in LispKit, all complex numbers are inexact, `make-rectangular` returns an inexact complex number for all *x1* and *x2*.

(make-polar *x1 x2*) procedure
Returns a complex number *z* such that $z = x1 * e \char`^ (x2 * i)$, i.e. *x1* is the magnitude of the complex number. The `make-polar` procedure may return an inexact complex number even if its arguments are exact.

(real-part *z*) procedure
Returns the real part of the given complex number *z*.

(imag-part *z*) procedure
Returns the imaginary part of the given complex number *z*.

(magnitude *z*) procedure
Returns the magnitude of the given complex number *z*. Assuming $z = x1 * e \char`^ (x2 * i)$, `magnitude` returns *x1*. The `magnitude` procedure is the same as `abs` for a real argument.

(angle *z*) procedure
Returns the `angle` of the given complex number *z*. The angle is a floating-point number between `-pi` and `pi`.

28.8 String representation

(number->string *z*) procedure
(number->string *z radix*)
(number->string *z radix len*)
(number->string *z radix len prec*)
(number->string *z radix len prec noexp*)

It is an error if *radix* is not one of 2, 8, 10, or 16. The procedure `number->string` takes a number *z* and a *radix* and returns as a string an external representation of the given number in the given radix such that

```
(let ((number number)
      (radix radix))
  (eqv? number (string->number (number->string number radix)
                               radix)))
```

is true. It is an error if no possible result makes this expression true. If omitted, radix defaults to 10.

If z is inexact, the radix is 10, and the above expression can be satisfied by a result that contains a decimal point, then the result contains a decimal point and is expressed using the minimum number of digits (exclusive of exponent and trailing zeroes) needed to make the above expression true. Otherwise, the format of the result is unspecified. The result returned by `number->string` never contains an explicit radix prefix.

The error case can occur only when z is not a complex number or is a complex number with a non-rational real or imaginary part. If z is an inexact number and the radix is 10, then the above expression is normally satisfied by a result containing a decimal point. The unspecified case allows for infinities, NaNs, and unusual representations.

(string->number *str*)   `procedure`
(string->number *str radix*)

Returns a number of the maximally precise representation expressed by the given string *str*. It is an error if *radix* is not 2, 8, 10, or 16. If supplied, *radix* is a default radix that will be overridden if an explicit radix prefix is present in string (e.g. `"#o177"`). If *radix* is not supplied, then the default radix is 10. If string *str* is not a syntactically valid notation for a number, or would result in a number that cannot be represented, then `string->number` returns `#f`. An error is never signaled due to the content of string.

```
(string->number "100")     ⇒  100
(string->number "100" 16)  ⇒  256
(string->number "1e2")     ⇒  100.0
```

28.9 Bitwise operations

The following bitwise functions operate on integers including fixnums and bignums.

(bitwise-not *n*)   `procedure`
Returns the bitwise complement of *n*; i.e. all 1 bits are changed to 0 bits and all 0 bits to 1 bits.

(bitwise-and *n* …)   `procedure`
Returns the *bitwise and* of the given integer arguments *n* ….

(bitwise-ior *n* …)   `procedure`
Returns the *bitwise inclusive or* of the given integer arguments *n* ….

(bitwise-xor *n* …)   `procedure`
Returns the *bitwise exclusive or (xor)* of the given integer arguments *n* ….

(bitwise-if *mask n m*)   `procedure`
Merge the integers *n* and *m*, via integer *mask* determining from which integer to take each bit. That is, if the k-th bit of *mask* is 0, then the k-th bit of the result is the k-th bit of *n*, otherwise the k-th bit of *m*. `bitwise-if` is defined in the following way:

```
(define (bitwise-if mask n m)
  (bitwise-ior (bitwise-and mask n) (bitwise-and (bitwise-not mask) m)))
```

(bit-count *n*)   `procedure`
Returns the population count of 1's if $n >= 0$, or 0's, if $n < 0$. The result is always non-negative. The R6RS analogue `bitwise-bit-count` procedure is incompatible as it applies `bitwise-not` to the population count before returning it if *n* is negative.

```
(bit-count 0)    ⇒  0
(bit-count -1)   ⇒  0
(bit-count 7)    ⇒  3
(bit-count  13)  ⇒  3
(bit-count -13)  ⇒  2
(bit-count  30)  ⇒  4
(bit-count -30)  ⇒  4
(bit-count (expt 2 100))        ⇒  1
(bit-count (- (expt 2 100)))      ⇒  100
(bit-count (- (+ 1 (expt 2 100)))) ⇒  1
```

(integer-length *n*) `procedure`

Returns the number of bits needed to represent *n*, i.e.

```
(ceiling (/ (log (if (negative? integer)
                     (- integer)
                     (+ 1 integer)))
            (log 2)))
```

The result is always non-negative. For non-negative *n*, this is the number of bits needed to represent *n* in an unsigned binary representation. For all *n*, `(+ 1 (integer-length i))` is the number of bits needed to represent *n* in a signed two's-complement representation.

(first-bit-set *n*) `procedure`

Returns the index of the least significant 1 bit in the two's complement representation of *n*. If *n* is 0, then −1 is returned.

```
(first-bit-set 0)   ⇒  -1
(first-bit-set 1)   ⇒  0
(first-bit-set -4)  ⇒  2
```

(bit-set? *n k*) `procedure`

k must be non-negative. The `bit-set?` procedure returns `#t` if the *k*-th bit is 1 in the two's complement representation of *n*, and `#f` otherwise. This is the result of the following computation:

```
(not (zero? (bitwise-and (bitwise-arithmetic-shift-left 1 k) n)))
```

(copy-bit *n k b*) `procedure`

k must be non-negative, and *b* must be either 0 or 1. The `copy-bit` procedure returns the result of replacing the *k*-th bit of *n* by the *k*-th bit of *b*, which is the result of the following computation:

```
(bitwise-if (bitwise-arithmetic-shift-left 1 k)
            (bitwise-arithmetic-shift-left b k)
            n)
```

(arithmetic-shift *n count*) `procedure`

If *count > 0*, shifts integer *n* left by *count* bits; otherwise, shifts fixnum *n* right by *count* bits. In general, this procedure returns the result of the following computation: `(floor (* n (expt 2 count)))`.

```
(arithmetic-shift -6 -1)  ⇒  -3
(arithmetic-shift -5 -1)  ⇒  -3
(arithmetic-shift -4 -1)  ⇒  -2
(arithmetic-shift -3 -1)  ⇒  -2
(arithmetic-shift -2 -1)  ⇒  -1
(arithmetic-shift -1 -1)  ⇒  -1
```

(arithmetic-shift-left *n count*) `procedure`
Returns the result of arithmetically shifting *n* to the left by *count* bits. *count* must be non-negative. The
`arithmetic-shift-left` procedure behaves the same as `arithmetic-shift`.

(arithmetic-shift-right *n count*) `procedure`
Returns the result of arithmetically shifting *n* to the right by *count* bits. *count* must be non-negative.
`(arithmetic-shift-right n m)` behaves the same as `(arithmetic-shift n (fx- m))`.

28.10 Fixnum operations

LispKit supports arbitrarily large exact integers. Internally, it has two different representations, one for
smaller integers and one for the rest. These are colloquially known as *fixnums* and *bignums* respectively.
In LispKit, a *fixnum* is represented as a 64 bit signed integer which is encoded using two-complement.

Fixnum operations perform integer arithmetic on their fixnum arguments. If any argument is not a fixnum,
or if the mathematical result is not representable as a fixnum, it is an error. In particular, this means that
fixnum operations may return a mathematically incorrect fixnum in these situations without raising an
error.

(integer->fixnum *n*) `procedure`
`integer->fixnum` coerces a given integer *n* into a fixnum. If *n* is a fixnum already, *n* is returned by
`integer->fixnum`. If *n* is a bignum, then the first word of the bignum is returned as the result of
`integer->fixnum`.

(fx+ *n m*) `procedure`
(fx- *n m*)
(fx* *n m*)
(fx/ *n m*)
These procedures return the sum, the difference, the product and the quotient of their two fixnum arguments *n* and *m*. These procedures may overflow without reporting an error.

(fx= *n m*) `procedure`
(fx< *n m*)
(fx> *n m*)
(fx<= *n m*)
(fx>= *n m*)
These procedures implement the comparison predicates. They return `#t` if $n = m$, $n < m$, $n > m$, $n <= m$, or $n >= m$ respectively

(fx1+ *n*) `procedure`
Increments the fixnum *n* by one and returns the value. This procedure may overflow without raising an
error.

(fx1- *n*) `procedure`
Decrements the fixnum *n* by one and returns the value. This procedure may overflow without raising an
error.

(fxzero? *n*) `procedure`
Returns `#t` if fixnum *n* equals to 0.

(fxpositive? *n*) `procedure`
Returns `#t` if fixnum *n* is positive, i.e. $n > 0$.

(fxnegative? *n*) `procedure`
Returns `#t` if fixnum *n* is negative, i.e. $n < 0$.

(fxabs *n***)** procedure

Returns the absolute value of its fixnum argument *n*.

(fxremainder *n m***)** procedure

This procedure returns a value *r* such that the following equation holds: $n = m * q + r$ where *q* is the largest number of multiples of *m* that will fit inside *n*. The sign of *m* gets ignored. This means that `(fxremainder n m)` and `(fxremainder n (- m))` always return the same answer.

```
(fxremainder 13 5)   ⇒   3
(fxremainder 13 -5)  ⇒   3
(fxremainder -13 5)  ⇒  -3
(fxremainder -13 -5) ⇒  -3
```

(fxmodulo *n m***)** procedure

This procedure computes a remainder similar to `(fxremainder n m)`, but when `(fxremainder n m)` has a different sign than *m*, `(fxmodulo n m)` returns `(+ (fxremainder n m) m)` instead.

```
(fxmodulo 13 5)   ⇒   3
(fxmodulo 13 -5)  ⇒  -2
(fxmodulo -13 5)  ⇒   2
(fxmodulo -13 -5) ⇒  -3
```

(fxsqrt *n***)** procedure

Approximates the square root *s* of fixnum *n* such that *s* is the biggest fixnum for which $s \times s \leq n$.

(fxnot *n***)** procedure

Returns the *bitwise-logical inverse* for fixnum *n*.

```
(fxnot 0)    ⇒  -1
(fxnot -1)   ⇒   0
(fxnot 1)    ⇒  -2
(fxnot -34)  ⇒  33
```

(fxand *n m***)** procedure

Returns the *bitwise-logical and* for *n* and *m*.

```
(fxand #x43 #x0f)  ⇒   3
(fxand #x43 #xf0)  ⇒  64
```

(fxior *n m***)** procedure

Returns the *bitwise-logical inclusive or* for *n* and *m*.

(fxxor *n m***)** procedure

Returns the *bitwise-logical exclusive or (xor)* for *n* and *m*.

(fxif *mask n m***)** procedure

Merges the bit sequences *n* and *m*, with bit sequence *mask* determining from which sequence to take each bit. That is, if the *k*-th bit of *mask* is 1, then the *k*-th bit of the result is the *k*-th bit of *n*, otherwise it's the *k*-th bit of *m*.

```
(fxif 3 1 8)  ⇒   9
(fxif 3 8 1)  ⇒   0
(fxif 1 1 2)  ⇒   3
(fxif #b00111100 #b11110000 #b00001111)  ⇒  #b00110011 = 51
```

`fxif` can be implemented via `(fxior (fxand mask n) (fxand (fxnot mask) m)))`.

(fxarithmetic-shift *n count*) `procedure`

If *count > 0*, shifts fixnum *n* left by *count* bits; otherwise, shifts fixnum *n* right by *count* bits. The absolute value of *count* must be less than `(fixnum-width)`.

```
(fxarithmetic-shift 8 2)    ⇒   32
(fxarithmetic-shift 4 0)    ⇒   4
(fxarithmetic-shift 8 -1)   ⇒   4
(fxarithmetic-shift -1 62)  ⇒   -4611686018427387904
```

`fxarithmetic-shift` can be implemented via `(floor (fx* n (expt 2 m)))` if this computes to a fixnum.

(fxarithmetic-shift-left *n count*) `procedure`
(fxlshift *n count*)

Returns the result of arithmetically shifting *n* to the left by *count* bits. *count* must be non-negative, and less than `(fixnum-width)`. The `fxarithmetic-shift-left` procedure behaves the same as `fxarithmetic-shift`.

(fxarithmetic-shift-right *n count*) `procedure`
(fxrshift *n count*)

Returns the result of arithmetically shifting *n* to the right by *count* bits. *count* must be non-negative, and less than `(fixnum-width)`. `(fxarithmetic-shift-right n m)` behaves the same as `(fxarithmetic-shift n (fx- m))`.

(fxlogical-shift-right *n count*) `procedure`
(fxlrshift *n count*)

Returns the result of logically shifting *n* to the right by *count* bits. *count* must be non-negative, and less than `(fixnum-width)`.

```
(fxlogical-shift 8 2)    ⇒   2
(fxlogical-shift 4 0)    ⇒   4
(fxlogical-shift -1 62)  ⇒   3
```

(fxbit-count *n*) `procedure`

If *n* is non-negative, this procedure returns the number of 1 bits in the two's complement representation of *n*. Otherwise, it returns the result of the following computation: `(fxnot (fxbit-count (fxnot n)))`.

(fxlength *n*) `procedure`

Returns the number of bits needed to represent *n* if it is positive, and the number of bits needed to represent `(fxnot n)` if it is negative, which is the fixnum result of the following computation:

```
(do ((res 0 (fx1+ res))
     (bits (if (fxnegative? n) (fxnot n) n)
           (fxarithmetic-shift-right bits 1)))
    ((fxzero? bits) res))
```

(fxfirst-bit-set *obj*) `procedure`

Returns the index of the least significant 1 bit in the two's complement representation of *n*. If *n* is 0, then −1 is returned.

```
(fxfirst-bit-set 0)   ⇒  -1
(fxfirst-bit-set 1)   ⇒  0
(fxfirst-bit-set -4)  ⇒  2
```

(fxbit-set? *n k***)** procedure

k must be non-negative and less than `(fixnum-width)`. The `fxbit-set?` procedure returns `#t` if the *k*-th bit is 1 in the two's complement representation of *n*, and `#f` otherwise. This is the fixnum result of the following computation:

```
(not (fxzero? (fxand n (fxarithmetic-shift-left 1 k))))
```

(fxcopy-bit *n k b***)** procedure

k must be non-negative and less than `(fixnum-width)`. *b* must be 0 or 1. The `fxcopy-bit` procedure returns the result of replacing the *k*-th bit of *n* by *b*, which is the result of the following computation:

```
(fxif (fxarithmetic-shift-left 1 k)
      (fxarithmetic-shift-left b k)
      n)
```

(fxmin *n m***)** procedure

Returns the minimum of fixnums *n* and *m*.

(fxmax *n m***)** procedure

Returns the maximum of fixnums *n* and *m*.

(fxrandom *max***)** procedure
(fxrandom *min max***)**

Returns a random number between *min* (inclusive) and *max* (exclusive). If *min* is not provided, then 0 is assumed to be the minimum bound. *min* is required to be non-negative, *max* is required to be bigger than *min*.

(fixnum-width) procedure

Returns the number of bits for representing fixnums. The current implementation of LispKit always returns 64.

(least-fixnum) procedure

Returns the smallest possible fixnum. The current implementation of LispKit always returns -9223372036854775808.

(greatest-fixnum) procedure

Returns the greatest possible fixnum. The current implementation of LispKit always returns 9223372036854775807.

28.11 Floating-point operations

(real->flonum *x***)** procedure

Returns the best floating-point (flonum) representation of *x*.

(fl+ *x y***)** procedure
(fl* *x y***)**

These procedures return the flonum sum or product of their flonum arguments *x* and *y*. In general, they return the flonum that best approximates the mathematical sum or product.

(fl- *x y*) `procedure`
(fl/ *x y*)

These procedures return the flonum difference or quotient of their flonum arguments *x* and *y*. In general, they return the flonum that best approximates the mathematical difference or quotient.

(flzero? *x*) `procedure`
Returns `#t` if *x = 0.0*, `#f` otherwise.

(flpositive? *x*) `procedure`
Returns `#t` if *x > 0.0*, `#f` otherwise.

(flnegative? *x*) `procedure`
Returns `#t` if *x < 0.0*, `#f` otherwise.

(fl= *x y*) `procedure`
(fl< *x y*)
(fl> *x y*)
(fl<= *x y*)
(fl>= *x y*)

These procedures return `#t` if their flonum arguments *x* and *y* are respectively: equal, monotonically increasing, monotonically decreasing, monotonically nondecreasing, or monotonically nonincreasing, `#f` otherwise.

```
(fl= +inf.0 +inf.0)  ⇒  #t
(fl= -inf.0 +inf.0)  ⇒  #f
(fl= -inf.0 -inf.0)  ⇒  #t
(fl= 0.0 -0.0)       ⇒  #t
(fl< 0.0 -0.0)       ⇒  #f
(fl= +nan.0 123.0)   ⇒  #f
(fl< +nan.0 123.0)   ⇒  #f
```

(flabs *x*) `procedure`
Returns the absolute value of *x* as a flonum.

(flmin *x y*) `procedure`
Returns the minimum value of *x* and *y*.

(flmax *x y*) `procedure`
Returns the maximum value of *x* and *y*.

29 LispKit Object

Library (`lispkit object`) implements a simple, delegation-based object system for LispKit. It provides procedural and declarative interfaces for objects and classes. The class system is optional. It mostly provides means to define and manage new object types and construct objects using object constructors.

29.1 Introduction

Similar to other Scheme and Lisp-based object systems, methods of objects are defined in terms of object/class-specific specializations of generic procedures. A generic procedure consists of methods for the various objects/classes it supports. A generic procedure performs a dynamic dispatch on the first parameter (the `self` parameter) to determine the applicable method.

29.1.1 Generic procedures

Generic procedures can be defined using the `define-generic` form. Here is an example which defines three generic methods, one with only a `self` parameter, and two with three parameters `self`, `x` and `y`. The last generic procedure definition includes a `default` method which is applicable to all objects for which there is no specific method. When a generic procedure without default is applied to an object that does not define its own method implementation, an error gets signaled.

```
(define-generic (point-coordinates self))
(define-generic (set-point-coordinates! self x y))
(define-generic (point-move! self x y)
  (let ((coord (point-coordinate self)))
    (set-point-coordinate! self (+ (car coord) x) (+ (cdr coord) y))))
```

29.1.2 Objects

An object encapsulates a list of methods each implementing a generic procedure. These methods are regular closures which can share mutable state. Objects do not have an explicit notion of a field or slot as in other Scheme or Lisp-based object systems. Fields/slots need to be implemented via generic procedures and method implementations sharing state. Here is an example explaining this approach:

```
(define (make-point x y)
  (object ()
    ((point-coordinates self) (cons x y))
    ((set-point-coordinates! self nx ny) (set! x nx) (set! y ny))
    ((object->string self) (string-append (object->string x) "/" (object->string y)))))
```

This is a function creating new point objects. The `x` and `y` parameters of the constructor function are used for representing the state of the point object. The created point objects implement three generic procedures: `point-coordinates`, `set-point-coordinates`, and `object->string`. The latter procedure is defined directly by the library and, in general, used for creating a string representation

of any object. By implementing the `object->string` method, the behavior gets customized for the object.

The following lines of code illustrate how point objects can be used:

```
(define pt (make-point 25 37))
pt                                          => #object:#<box (...)>
(object->string pt)                         => "25/37"
(point-coordinates pt)                      => (25 . 37)
(set-point-coordinates! pt 5 6)
(object->string pt)                         => "5/6"
(point-coordinates pt)                      => (5 . 6)
```

29.1.3 Inheritance

The LispKit object system supports inheritance via delegation. The following code shows how colored points can be implemented by delegating all point functionality to the previous implementation and by simply adding only color-related logic.

```
(define-generic (point-color self) #f)
(define (make-colored-point x y color)
  (object ((super (make-point x y)))
    ((point-color self) color)
    ((object->string self)
      (string-append (object->string color) ":" (invoke (super object->string) self)))))
```

The object created in function `make-colored-point` inherits all methods from object `super` which gets set to a new point object. It adds a new method to generic procedure `point-color` and redefines the `object->string` method. The redefinition is implemented in terms of the inherited `object->string` method for points. The form `invoke` can be used to refer to overridden methods in delegatee objects. Thus, `(invoke (super object->string) self)` calls the `object->string` method of the `super` object but with the identity (`self`) of the colored point.

The following interaction illustrates the behavior:

```
(define cpt (make-colored-point 100 50 'red))
(point-color cpt)                           => red
(point-coordinates cpt)                     => (100 . 50)
(set-point-coordinates! cpt 101 51)
(object->string cpt)                        => "red:101/51"
```

Objects can delegate functionality to multiple delegatees. The order in which they are listed determines the methods which are being inherited in case there are conflicts, i.e. multiple delegatees implement a method for the same generic procedure.

29.1.4 Classes

Classes add syntactic sugar, simplifying the creation and management of objects. They play the following role in the object-system of LispKit:

1. A class defines a constructor for objects represented by this class.
2. Each class defines an object type, which can be used to distinguish objects created by the same constructor and supporting the same methods.
3. A class can inherit functionality from several other classes, making it easy to reuse functionality.

4. Classes are first-class objects supporting a number of class-related procedures.

The following code defines a `point` class with similar functionality as above:

```
(define-class (point x y) ()
  (object ()
    ((point-coordinates self) (cons x y))
    ((set-point-coordinates! self nx ny) (set! x nx) (set! y ny))
    ((object->string self) (string-append (object->string x) "/" (object->string y)))))
```

Instances of this class are created by using the generic procedure `make-instance` which is implemented by all class objects:

```
(define pt2 (make-instance point 82 10))
pt2                                        => #point:#<box (...)>
(object->string pt2)                       => "82/10"
```

Each object created by a class implements a generic procedure `object-class` referring to the class of the object. Since classes are objects themselves we can obtain their name with generic procedure `class-name`:

```
(object-class pt2)                         => #class:#<box (...)>
(class-name (object-class pt2))            => point
(instance-of? point pt2)                   => #t
(instance-of? point pt)                    => #f
```

Generic procedure `instance-of?` can be used to determine whether an object is a direct or indirect instance of a given class. The last two lines above show that `pt2` is an instance of `point`, but `pt` is not, even though it is functionally equivalent.

The following definition re-implements the colored point example from above using a class:

```
(define-class (colored-point x y color) (point)
  (if (or (< x 0) (< y 0))
      (error "coordinates are negative: ($0; $1)" x y))
  (object ((super (make-instance point x y)))
    ((point-color self) color)
    ((object->string self)
       (string-append (object->string color) ":" (invoke (super object->string) self)))))
```

The following lines illustrate the behavior of `colored-point` objects vs `point` objects:

```
(point-color cpt2)                         => blue
(point-coordinates cpt2)                   => (128 . 256)
(set-point-coordinates! cpt2 64 32)
(object->string cpt2)                      => "blue:64/32"
(instance-of? point cpt2)                  => #t
(instance-of? colored-point cpt2)          => #t
(instance-of? colored-point cpt)           => #f
(class-name (object-class cpt2))           => colored-point
```

29.2 Procedural object interface

(object? *expr*)   `procedure`

(make-object)   procedure

(make-object *delegate* ...**)**
(method *obj generic***)**   procedure

(object-methods *obj***)**   procedure

(add-method! *obj generic method***)**   procedure

(delete-method! *obj generic***)**   procedure

(make-generic-procedure ...**)**   procedure

29.3 Declarative object interface

(object ...**)**   syntax

(define-generic ...**)**   syntax

(invoke ...**)**   syntax

29.4 Procedural class interface

(class? *expr***)**   procedure

root   object

(make-class *name superclasses constructor***)**   procedure

29.4.1 Instance methods

(object-class self)   generic procedure

(object-equal? self obj)   generic procedure

(object->string self)   generic procedure

29.4.2 Class methods

(class-name self) `generic procedure`

(class-direct-superclasses self) `generic procedure`

(subclass? self other) `generic procedure`

(make-instance self . args) `generic procedure`

(instance-of? self obj) `generic procedure`

29.5 Declarative class interface

(define-class …) `syntax`

30 LispKit Port

Ports represent abstractions for handling input and output. They are used to access files, devices, and similar things on the host system on which LispKit is running.

An *input port* is a LispKit object that can deliver data upon command, while an *output port* is an object that can accept data. In LispKit, input and output port types are disjoint, i.e. a port is either an input or an output port.

Different port types operate on different data. LispKit provides two differnt types of ports: *textual ports* and *binary ports*. Textual ports and binary ports are disjoint, i.e. a port is either textual or binary.

A *textual port* supports reading or writing of individual characters from or to a backing store containing characters using `read-char` and `write-char`, and it supports operations defined in terms of characters, such as `read` and `write`.

A *binary port* supports reading or writing of individual bytes from or to a backing store containing bytes using `read-u8` and `write-u8` below, as well as operations defined in terms of bytes.

30.1 Default ports

current-output-port `parameter object`
current-input-port
current-error-port

These parameter objects represent the current default input port, output port, or error port (an output port), respectively. These parameter objects can be overridden with `parameterize`.

default-output-port `constant`
default-input-port

These two ports are the initial values of `current-output-port` and `current-input-port` when LispKit gets initialized. They are typically referring to the default output and input device of the system on which LispKit is running.

30.2 Predicates

(port? *obj*) `procedure`
Returns `#t` if *obj* is a port object; otherwise `#f` is returned.

(input-port? *obj*) `procedure`
(output-port? *obj*)

These predicates return `#t` if *obj* is an input port or output port; otherwise they return `#f`.

(textual-port? *obj*) `procedure`
(binary-port? *obj*)

These predicates return `#t` if *obj* is a textual or a binary port; otherwise they return `#f`.

(input-port-open? *port*)   `procedure`
(output-port-open? *port*)

Returns `#t` if *port* is still open and capable of performing input or output, respectively, and `#f` otherwise.

(eof-object? *obj*)   `procedure`
Returns `#t` if *obj* is an end-of-file object, otherwise returns `#f` .

30.3 General ports

(close-port *port*)   `procedure`
(close-input-port *port*)
(close-output-port *port*)

Closes the resource associated with *port*, rendering the port incapable of delivering or accepting data. It is an error to apply `close-input-port` and `close-output-port` to a port which is not an input or output port, respectively. All procedures for closing ports have no effect if the provided *port* has already been closed.

(with-input-from-port *port thunk*)   `procedure`
(with-output-to-port *port thunk*)

The given port is made to be the value returned by `current-input-port` or `current-output-port` (as used by `(read)`, `(write obj)` , and so forth). The *thunk* is then called with no arguments. When the *thunk* returns, the port is closed and the previous default is restored. It is an error if *thunk* does not accept zero arguments. Both procedures return the values yielded by *thunk*. If an escape procedure is used to escape from the continuation of these procedures, they behave exactly as if the current input or output port had been bound dynamically with `parameterize` .

(call-with-port *port proc*)   `procedure`
The `call-with-port` procedure calls *proc* with *port* as an argument. It is an error if *proc* does not accept one argument.

If *proc* returns, then the port is closed automatically and the values yielded by *proc* are returned. If *proc* does not return, then the port will not be closed automatically unless it is possible to prove that the port will never again be used for a read or write operation.

This is necessary, because LispKit's escape procedures have unlimited extent and thus it is possible to escape from the current continuation but later to resume it. If LispKit would be permitted to close the port on any escape from the current continuation, then it would be impossible to write portable code using both `call-with-current-continuation` and `call-with-port` .

30.4 File ports

(open-input-file *filepath*)   `procedure`
(open-input-file *filepath fail*)

Takes a *filepath* referring to an existing file and returns a textual input port that is capable of delivering data from the file. If the file does not exist or cannot be opened, an error that satisfies `file-error?` is signaled if argument *fail* is not provided. If *fail* is provided, it is returned in case an error occured.

(open-binary-input-file *filepath*)   `procedure`
(open-binary-input-file *filepath fail*)

Takes a *filepath* referring to an existing file and returns a binary input port that is capable of delivering data from the file. If the file does not exist or cannot be opened, an error that satisfies `file-error?` is signaled if argument *fail* is not provided. If *fail* is provided, it is returned in case an error occured.

(open-output-file *filepath***)**   `procedure`
(open-output-file *filepath fail***)**

Takes a *filepath* referring to an output file to be created and returns a textual output port that is capable of writing data to the new file. If a file with the given name exists already, the effect is unspecified. If the file cannot be opened, an error that satisfies `file-error?` is signaled if argument *fail* is not provided. If *fail* is provided, it is returned in case an error occured.

(open-binary-output-file *filepath***)**   `procedure`
(open-binary-output-file *filepath fail***)**

Takes a *filepath* referring to an output file to be created and returns a binary output port that is capable of writing data to the new file. If a file with the given name exists already, the effect is unspecified. If the file cannot be opened, an error that satisfies `file-error?` is signaled if argument *fail* is not provided. If *fail* is provided, it is returned in case an error occured.

(with-input-from-file *filepath thunk***)**   `procedure`
(with-output-to-file *filepath thunk***)**

The file determined by *filepath* is opened for input or output as if by `open-input-file` or `open-output-file`, and the new port is made to be the value returned by `current-input-port` or `current-output-port` (as used by `(read)`, `(write obj)`, and so forth). The *thunk* is then called with no arguments. When the *thunk* returns, the port is closed and the previous default is restored. It is an error if *thunk* does not accept zero arguments. Both procedures return the values yielded by *thunk*. If an escape procedure is used to escape from the continuation of these procedures, they behave exactly as if the current input or output port had been bound dynamically with `parameterize`.

(call-with-input-file *filepath proc***)**   `procedure`
(call-with-output-file *filepath proc***)**

These procedures create a textual port obtained by opening the file referred to by *filepath* (a string) for input or output as if by `open-input-file` or `open-output-file`. This port and *proc* are then passed to a procedure equivalent to `call-with-port`. It is an error if *proc* does not accept one argument.

30.5 String ports

(open-input-string *str***)**   `procedure`
Takes a string and returns a textual input port that delivers characters from the string. If the string is modified, the effect is unspecified.

(open-output-string)   `procedure`
Returns a textual output port that will accumulate characters for retrieval by `get-output-string`.

```
(parameterize ((current-output-port (open-output-string)))
  (display "piece")
  (display " by piece ")
  (display "by piece.")
  (get-output-string (current-output-port)))
    ⇒ "piece by piece by piece."
```

(get-output-string *port***)**   `procedure`
It is an error if *port* was not created with `open-output-string`.

Returns a string consisting of the characters that have been output to *port* so far in the order they were output.

```
(parameterize ((current-output-port (open-output-string)))
  (display "piece")
  (display " by piece ")
  (display "by piece.")
  (newline)
  (get-output-string (current-output-port)))
    ⇒ "piece by piece by piece.\n"
```

(with-input-from-string *str thunk*) `procedure`

String *str* is opened for input as if by `open-input-string` , and the new textual string port is made to be the value returned by `current-input-port` . The *thunk* is then called with no arguments. When the *thunk* returns, the port is closed and the previous default is restored. It is an error if *thunk* does not accept zero arguments. `with-input-from-string` returns the values yielded by *thunk*. If an escape procedure is used to escape from the continuation of these procedures, they behave exactly as if the current input port had been bound dynamically with `parameterize` .

(with-output-to-string *thunk*) `procedure`

A new string output port is created as if by calling `open-output-string` , and the new port is made to be the value returned by `current-output-port` . The *thunk* is then called with no arguments. When the *thunk* returns, the port is closed and the previous default is restored. It is an error if *thunk* does not accept zero arguments. Both procedures return the values yielded by *thunk*. If an escape procedure is used to escape from the continuation of these procedures, they behave exactly as if the current input or output port had been bound dynamically with `parameterize` .

(call-with-output-string *proc*) `procedure`

The procedure *proc* is called with one argument, a textual output port. The values yielded by *proc* are ignored. When *proc* returns, `call-with-output-string` returns the port's accumulated output as a string.

This procedure is defined as follows:

```
(define (call-with-output-string procedure)
  (let ((port (open-output-string)))
    (procedure port)
    (get-output-string port)))
```

30.6 Bytevector ports

(open-input-bytevector *bvector*) `procedure`

Takes a bytevector *bvector* and returns a binary input port that delivers bytes from the bytevector *bvector*.

(open-output-bytevector) `procedure`

Returns a binary output port that will accumulate bytes for retrieval by `get-output-bytevector` .

(get-output-bytevector *port*) `procedure`

It is an error if *port* was not created with `open-output-bytevector` . `get-output-bytevector` returns a bytevector consisting of the bytes that have been output to the port so far in the order they were output.

(call-with-output-bytevector *proc*) `procedure`

The procedure *proc* gets called with one argument, a binary output port. The values yielded by procedure *proc* are ignored. When it returns, `call-with-output-bytevector` returns the port's accumulated output as a newly allocated bytevector.

This procedure is defined as follows:

```
(define (call-with-output-bytevector procedure)
  (let ((port (open-output-bytevector)))
    (procedure port)
    (get-output-bytevector port)))
```

30.7 URL ports

(open-input-url *url*)   procedure
(open-input-url *url timeout*)
(open-input-url *url timeout fail*)

Takes a *url* referring to an existing resource and returns a textual input port that is capable of reading data from the resource (e.g. via HTTP). *timeout* specifies a timeout in seconds as a flonum for the operation to wait. If no data is available, the procedure will fail either by throwing an exception or by returning value *fail* if provided.

(open-binary-input-url *url*)   procedure
(open-binary-input-url *url timeout*)
(open-binary-input-url *url timeout fail*)

Takes a *url* referring to an existing resource and returns a binary input port that is capable of reading data from the resource (e.g. via HTTP). *timeout* specifies a timeout in seconds as a flonum for the operation to wait. If no data is available, the procedure will fail either by throwing an exception or by returning value *fail* if provided.

(with-input-from-url *url thunk*)   procedure
The given *url* is opened for input as if by `open-input-url`, and the new input port is made to be the value returned by `current-input-port`. The *thunk* is then called with no arguments. When the *thunk* returns, the port is closed and the previous default is restored. It is an error if *thunk* does not accept zero arguments. The procedure returns the values yielded by *thunk*. If an escape procedure is used to escape from the continuation of this procedure, they behave exactly as if `current-input-port` had been bound dynamically with `parameterize`.

(call-with-input-url *url proc*)   procedure
`call-with-input-url` creates a textual input port by opening the resource at *url* for input as if by `open-input-url`. This port and *proc* are then passed to a procedure equivalent to `call-with-port`. It is an error if *proc* does not accept one argument. Here is an implementation of `call-with-input-url`:

```
(define (call-with-input-url url proc)
  (let* ((port (open-input-url url))
         (res (proc port)))
    (close-input-port port)
    res))
```

(try-call-with-input-url *url proc thunk*)   procedure
`try-call-with-input-url` creates a textual input port by opening the resource at *url* for input as if by `open-input-url`. This port and *proc* are then passed to a procedure equivalent to `call-with-port` in case it was possible to open the port. If the port couldn't be opened, *thunk* gets invoked. It is an error if *proc* does not accept one argument and if *thunk* requires at least one argument. Here is an implementation of `try-call-with-input-url`:

```
(define (try-call-with-input-url url proc thunk)
  (let ((port (open-input-url url 60.0 #f)))
    (if port
        (car (cons (proc port) (close-input-port port)))
        (thunk))))
```

30.8 Asset ports

(open-input-asset *name type*) `procedure`
(open-input-asset *name type dir*)

This function can be used to open a textual LispKit asset file located in one of LispKit's asset paths. An asset is identified via a file *name*, a file *type*, and an optional directory path *dir*. *name*, *type*, and *dir* are all strings. `open-input-asset` constructs a relative file path in the following way (assuming *name* does not have a suffix already):

dir/name.type

It then searches the asset paths in their given order for a file matching this relative file path. Once the first matching file is found, the file is opened as a text file and a corresponding textual input port that is capable of reading data from the file is returned. It is an error if no matching asset is found.

(open-binary-input-asset *name type*) `procedure`
(open-binary-input-asset *name type dir*)

This function can be used to open a binary LispKit asset file located in one of LispKit's asset paths. An asset is identified via a file *name*, a file *type*, and an optional directory path *dir*. *name*, *type*, and *dir* are all strings. `open-input-asset` constructs a relative file path in the following way (assuming *name* does not have a suffix already):

dir/name.type

It then searches the asset paths in their given order for a file matching this relative file path. Once the first matching file is found, the file is opened as a binary file and a corresponding binary input port that is capable of reading data from the file is returned. It is an error if no matching asset is found.

30.9 Reading from ports

If port is omitted from any input procedure, it defaults to the value returned by `(current-input-port)`. It is an error to attempt an input operation on a closed port.

(read) `procedure`
(read *port*)

The `read` procedure converts external representations of Scheme objects into the objects themselves by parsing the input. `read` returns the next object parsable from the given textual input *port*, updating *port* to point to the first character past the end of the external representation of the object.

If an end of file is encountered in the input before any characters are found that can begin an object, then an end-of-file object is returned. The port remains open, and further attempts to read will also return an end-of-file object. If an end of file is encountered after the beginning of an object's external representation, but the external representation is incomplete and therefore not parsable, an error that satisfies `read-error?` is signaled.

(read-char) `procedure`
(read-char *port***)**

Returns the next character available from the textual input *port*, updating *port* to point to the following character. If no more characters are available, an end-of-file object is returned.

(peek-char) `procedure`
(peek-char *port***)**

Returns the next character available from the textual input *port*, but without updating *port* to point to the following character. If no more characters are available, an end-of-file object is returned.

Note: The value returned by a call to `peek-char` is the same as the value that would have been returned by a call to `read-char` with the same port. The only difference is that the very next call to `read-char` or `peek-char` on that port will return the value returned by the preceding call to `peek-char`. In particular, a call to `peek-char` on an interactive port will hang waiting for input whenever a call to `read-char` would have hung.

(char-ready?) `procedure`
(char-ready? *port***)**

Returns `#t` if a character is ready on the textual input *port* and returns `#f` otherwise. If `char-ready?` returns `#t` then the next `read-char` operation on the given *port* is guaranteed not to hang. If the *port* is at end of file, then `char-ready?` returns #t.

Rationale: The `char-ready?` procedure exists to make it possible for a program to accept characters from interactive ports without getting stuck waiting for input. Any input editors associated with such ports must ensure that characters whose existence has been asserted by `char-ready?` cannot be removed from the input. If `char-ready?` were to return `#f` at end of file, a port at end of file would be indistinguishable from an interactive port that has no ready characters.

(read-token) `procedure`
(read-token *port***)**
(read-token *port charset***)**

Returns the next token of text available from the textual input *port*, updating *port* to point to the following character. A token is a non-empty sequence of characters delimited by characters from character set *charset*. Tokens never contain characters from *charset*. *charset* defaults to the set of all whitespace and newline characters.

(read-line *obj***)** `procedure`
(read-line *port***)**

Returns the next line of text available from the textual input *port*, updating *port* to point to the following character. If an end of line is read, a string containing all of the text up to (but not including) the end of line is returned, and *port* is updated to point just past the end of line. If an end of file is encountered before any end of line is read, but some characters have been read, a string containing those characters is returned. If an end of file is encountered before any characters are read, an end-of-file object is returned. For the purpose of this procedure, an end of line consists of either a linefeed character, a carriage return character, or a sequence of a carriage return character followed by a linefeed character.

(read-string *k***)** `procedure`
(read-string *k port***)**

Reads the next *k* characters, or as many as are available before the end of file, from the textual input *port* into a newly allocated string in left-to-right order and returns the string. If no characters are available before the end of file, an end-of-file object is returned.

(read-u8) `procedure`
(read-u8 *port***)**

Returns the next byte available from the binary input *port*, updating *port* to point to the following byte. If no more bytes are available, an end-of-file object is returned.

(peek-u8 *obj*) `procedure`

Returns the next byte available from the binary input *port*, but without updating *port* to point to the following byte. If no more bytes are available, an end-of-file object is returned.

(u8-ready?) `procedure`
(u8-ready? *port*)

Returns `#t` if a byte is ready on the binary input *port* and returns `#f` otherwise. If u8-ready? returns `#t` then the next `read-u8` operation on the given *port* is guaranteed not to hang. If the *port* is at end of file then u8-ready? returns `#t`.

(read-bytevector *k*) `procedure`
(read-bytevector *k port*)

Reads the next *k* bytes, or as many as are available before the end of file, from the binary input *port* into a newly allocated bytevector in left-to-right order and returns the bytevector. If no bytes are available before the end of file, an end-of-file object is returned.

(read-bytevector! *bvector*) `procedure`
(read-bytevector! *bvector port*)
(read-bytevector! *bvector port start*)
(read-bytevector! *bvector port start end*)

Reads the next *end* − *start* bytes, or as many as are available before the end of file, from the binary input *port* into bytevector *bvector* in left-to-right order beginning at the *start* position. If *end* is not supplied, reads until the end of bytevector *bvector* has been reached. If *start* is not supplied, reads beginning at position 0. Returns the number of bytes read. If no bytes are available, an end-of-file object is returned.

30.10 Writing to ports

If *port* is omitted from any output procedure, it defaults to the value returned by `(current-output-port)`. It is an error to attempt an output operation on a closed port.

(write *obj*) `procedure`
(write *obj port*)

Writes a representation of *obj* to the given textual output *port*. Strings that appear in the written representation are enclosed in quotation marks, and within those strings backslash and quotation mark characters are escaped by backslashes. Symbols that contain non-ASCII characters are escaped with vertical lines. Character objects are writ- ten using the `#\` notation.

If *obj* contains cycles which would cause an infinite loop using the normal written representation, then at least the objects that form part of the cycle will be represented using datum labels. Datum labels will not be used if there are no cycles.

(write-shared *obj*) `procedure`
(write-shared *obj port*)

The `write-shared` procedure is the same as `write`, except that shared structures will be represented using datum labels for all pairs and vectors that appear more than once in the output.

(write-simple *obj*) `procedure`
(write-simple *obj port*)

The `write-simple` procedure is the same as `write`, except that shared structures will never be represented using datum labels. This can cause `write-simple` not to terminate if *obj* contains circular structures.

(display *obj*)
(display *obj* *port*)

Writes a representation of *obj* to the given textual output *port*. Strings that appear in the written representation are output as if by `write-string` instead of by `write`. Symbols are not escaped. Character objects appear in the representation as if written by `write-char` instead of by `write`. `display` will not loop forever on self-referencing pairs, vectors, or records.

The `write` procedure is intended for producing machine-readable output and `display` for producing human-readable output.

(newline)
(newline *port*)

Writes an end of line to textual output *port*.

(write-char *char*)
(write-char *char* *port*)

Writes the character *char* (not an external representation of the character) to the given textual output *port*.

(write-string *str*)
(write-string *str* *port*)
(write-string *str* *port* *start*)
(write-string *str* *port* *start* *end*)

Writes the characters of string *str* from index *start* to *end* (exclusive) in left-to-right order to the textual output *port*. The default of *start* is 0, the default of *end* is the length of *str*.

(write-u8 *byte*)
(write-u8 *byte*)

Writes the *byte* to the given binary output *port*.

(write-bytevector *bvector*)
(write-bytevector *bvector* *port*)
(write-bytevector *bvector* *port* *start*)
(write-bytevector *bvector* *port* *start* *end*)

Writes the bytes of bytevector *bvector* from *start* to *end* (exclusive) in left-to-right order to the binary output *port*. The default of *start* is 0, the default of *end* is the length of *bvector*.

(flush-output-port)
(flush-output-port *port*)

Flushes any buffered output from the buffer of the given output *port* to the underlying file or device.

(eof-object)
Returns an end-of-file object.

31 LispKit Queue

Library (`lispkit queue`) provides an implementation for mutable queues, i.e. mutable FIFO buffers.

(make-queue) `procedure`
Returns a new empty queue.

(queue *x ...***)** `procedure`
Returns a new queue with *x* on its first position followed by the remaining parameters.

```
(dequeue! (queue 1 2 3))  ⇒  1
```

(queue? *obj***)** `procedure`
Returns `#t` if *obj* is a queue; otherwise `#f` is returned.

(queue-empty? *q***)** `procedure`
Returns `#t` if queue *q* is empty.

(queue-size *q***)** `procedure`
Returns the size of queue *q*, i.e. the number of elements buffered in *q*.

(queue=? *q1 q2***)** `procedure`
Returns `#t` if queue *q1* has the exact same elements in the same order like queue *q2*; otherwise, `#f` is returned.

(enqueue! *q x***)** `procedure`
Inserts element *x* at the end of queue *q*.

(queue-front *q***)** `procedure`
Returns the first element in queue *q*. If the queue is empty, an error is raised.

(dequeue! *q***)** `procedure`
Removes the first element from queue *q* and returns its value.

```
(define q (make-queue))
(enqueue! q 1)
(enqueue! q 2)
(dequeue! q)     ⇒  1
(queue-front q) ⇒  2
(queue-size q)  ⇒  1
```

(queue-clear! *q***)** `procedure`
Removes all elements from queue *q*.

(queue-copy *q***)** `procedure`
Returns a copy of queue *q*.

(queue->list *q***)** `procedure`
Returns a list consisting of all elements in queue *q* in the order they were inserted, i.e. starting with the first element.

```
(define q (make-queue))
(enqueue! q 1)
(enqueue! q 2)
(enqueue! q 3)
(queue->list q)  ⇒  (1 2 3)
```

(list->queue *l*) procedure

Returns a new queue consisting of the elements of list *l*. The first element in *l* will become the front element of the new queue that is returned.

```
(dequeue! (list->queue '(1 2 3)))  ⇒  1
```

(list->queue! *s l*) procedure

Inserts the elements of list *l* into queue *q* in the order they appear in the list.

```
(define q (list->queue '(1 2 3)))
(list->queue! q '(4 5 6))
(queue->list q)  ⇒  (1 2 3 4 5 6)
```

32 LispKit Record

Library (`lispkit record`) implements record types for LispKit. A record provides a simple and flexible mechanism for building structures with named components wrapped in distinct types.

32.1 Declarative API

`record-type` syntax is used to introduce new *record types* in a declarative fashion. Like other definitions, `record-type` can either appear at the outermost level or locally within a body. The values of a *record type* are called *records* and are aggregations of zero or more fields, each of which holds a single location. A predicate, a constructor, and field accessors and mutators are defined for each record type.

(define-record-type *<name>* *<constr>* *<pred>* *<field>* …)   syntax

<name> and *<pred>* are identifiers. The *<constructor>* is of the form:

   (*<constructor name>* *<field name>* …)

and each *<field>* is either of the form:

   (*<field name>* *<accessor name>*), or
   (*<field name>* *<accessor name>* *<modifier name>*).

It is an error for the same identifier to occur more than once as a field name. It is also an error for the same identifier to occur more than once as an accessor or mutator name.

The `define-record-type` construct is generative: each use creates a new record type that is distinct from all existing types, including the predefined types and other record types - even record types of the same name or structure.

An instance of `define-record-type` is equivalent to the following definitions:

- *<name>* is bound to a representation of the record type itself.

- *<constructor name>* is bound to a procedure that takes as many arguments as there are *<field name>* elements in the (*<constructor name>* …) subexpression and returns a new record of type *<name>*. Fields whose names are listed with *<constructor name>* have the corresponding argument as their initial value. The initial values of all other fields are unspecified. It is an error for a field name to appear in *<constructor>* but not as a *<field name>*.

- *<pred>* is bound to a predicate that returns `#t` when given a value returned by the procedure bound to *<constructor name>* and `#f` for everything else.

- Each *<accessor name>* is bound to a procedure that takes a record of type *<name>* and returns the current value of the corresponding field. It is an error to pass an accessor a value which is not a record of the appropriate type.

- Each *<modifier name>* is bound to a procedure that takes a record of type *<name>* and a value which becomes the new value of the corresponding field. It is an error to pass a modifier a first argument which is not a record of the appropriate type.

For instance, the following record-type definition:

```
(define-record-type <pare>
  (kons x y)
  pare?
  (x kar set-kar!)
  (y kdr))
```

defines `kons` to be a constructor, `kar` and `kdr` to be accessors, `set-kar!` to be a modifier, and `pare?` to be a type predicate for instances of `<pare>`.

```
(pare? (kons 1 2))       ⇒  #t
(pare? (cons 1 2))       ⇒  #f
(kar (kons 1 2))         ⇒  1
(kdr (kons 1 2))         ⇒  2
(let ((k (kons 1 2)))
  (set-kar! k 3) (kar k)) ⇒ 3
```

32.2 Procedural API

Besides the syntactical `define-record-type` abstraction for defining record types in a declarative fashion, LispKit provides a low-level, procedural API for creating and instantiating records and record types. Record types are represented in form of *record type descriptor* objects which itself are records.

(record? *obj***)**   `procedure`
Returns `#t` if *obj* is a record of any type; returns `#f` otherwise.

(record-type? *obj***)**   `procedure`
Returns `#t` if *obj* is a record type descriptor; returns `#f` otherwise.

(record-type *obj***)**   `procedure`
Returns the record type descriptor for objects *obj* which are records; returns `#f` for all non-record values.

(make-record-type *name fields***)**   `procedure`
Returns a record type descriptor which represents a new data type that is disjoint from all other types. *name* is a string which is only used for debugging purposes, such as the printed representation of a record of the new type. *fields* is a list of symbols naming the fields of a record of the new type. It is an error if the list contains duplicate symbols.

(record-type-name *rtd***)**   `procedure`
Returns the type name (a string) associated with the type represented by the record type descriptor *rtd*. The returned value is `eqv?` to the *name* argument given in the call to `make-record-type` that created the type represented by *rtd*.

(record-type-field-names *rtd***)**   `procedure`
Returns a list of the symbols naming the fields in members of the type represented by the record type descriptor *rtd*. The returned value is `equal?` to the *fields* argument given in the call to `make-record-type` that created the type represented by *rtd*.

(make-record *rtd***)**   `procedure`
Returns an uninitialized instance of the record type for which *rtd* is the record type descriptor.

(record-constructor *rtd fields***)**   `procedure`
Returns a procedure for constructing new members of the type represented by the record type descriptor *rtd*. The returned procedure accepts exactly as many arguments as there are symbols in the given *fields* list; these are used, in order, as the initial values of those fields in a new record, which is returned by the

constructor procedure. The values of any fields not named in *fields* are unspecified. It is an error if *fields* contain any duplicates or any symbols not in the *fields* list of the record type descriptor *rtd*.

(record-predicate *rtd*) `procedure`
Returns a procedure for testing membership in the type represented by the record type descriptor *rtd*. The returned procedure accepts exactly one argument and returns `#t` if the argument is a member of the indicated record type; it returns `#f` otherwise.

(record-field-accessor *rtd field*) `procedure`
Returns a procedure for reading the value of a particular field of a member of the type represented by the record type descriptor *rtd*. The returned procedure accepts exactly one argument which must be a record of the appropriate type; it returns the current value of the field named by the symbol *field* in that record. The symbol *field* must be a member of the list of field names in the call to `make-record-type` that created the type represented by *rtd*.

(record-field-mutator *rtd field*) `procedure`
Returns a procedure for writing the value of a particular field of a member of the type represented by the record type descriptor *rtd*. The returned procedure accepts exactly two arguments: first, a record of the appropriate type, and second, an arbitrary Scheme value; it modifies the field named by the symbol *field* in that record to contain the given value. The returned value of the modifier procedure is unspecified. The symbol *field* must be a member of the list of field names in the call to `make-record-type` that created the type represented by *rtd*.

33 LispKit Regexp

Library (`lispkit regexp`) provides an API for defining regular expressions and applying them to strings. Supported are both matching as well as search/replace.

33.1 Regular expressions

The regular expression syntax supported by this library corresponds to the one of `NSRegularExpression` of Apple's *Foundation* framework. This is also the origin of the documentation of this section.

33.1.1 Meta-characters

\a : Match a *bell* (\u0007)

\A : Match at the beginning of the input. Differs from `^` in that `\A` will not match after a new line within the input.

\b : Outside of a [Set], match if the current position is a word boundary. Boundaries occur at the transitions between word (\w) and non-word (\W) characters, with combining marks ignored. Inside of a [Set], match a *backspace* (\u0008).

\B : Match if the current position is not a word boundary.

\cX : Match a control-X character.

\d : Match any character with the unicode general category of `Nd` , i.e. numbers and decimal digits.

\D : Match any character that is not a decimal digit.

\e : Match an *escape* (\u001B).

\E : Terminates a `\Q ... \E` quoted sequence.

\f : Match a *form feed* (\u000C).

\G : Match if the current position is at the end of the previous match.

\n : Match a *line feed* (\u000A).

\N{unicode character} : Match the named character.

\p{unicode property} : Match any character with the specified unicode property.

\P{unicode property} : Match any character not having the specified unicode property.

\Q : Quotes all following characters until `\E` .

\r : Match a *carriage return* (\u000D).

\s : Match a whitespace character. Whitespace is defined as `[\t\n\f\r\p{Z}]` .

\S : Match a non-whitespace character.

\t : Match a horizontal tabulation (\u0009).

\uhhhh : Match the character with the hex value `hhhh` .

\Uhhhhhhhh : Match the character with the hex value `hhhhhhhh` . Exactly eight hex digits must be provided, even though the largest Unicode code point is `\U0010ffff` .

\w : Match a word character. Word characters are `[\p{Ll}\p{Lu}\p{Lt}\p{Lo}\p{Nd}]` .

\W : Match a non-word character.

\x{hhhh} : Match the character with hex value `hhhh` . From one to six hex digits may be supplied. **\xhh** : Match the character with two digit hex value `hh` .

\X : Match a grapheme cluster.

\Z : Match if the current position is at the end of input, but before the final line terminator, if one exists.
\z : Match if the current position is at the end of input. _**n**_ : Back Reference. Match whatever the *n*-th capturing group matched. *n* must be a number ≥ 1 and ≤ total number of capture groups in the pattern.
\0ooo : Match an octal character. *ooo* is from one to three octal digits. `0377` is the largest allowed octal character. The leading zero is required and distinguishes octal constants from back references.
[pattern] : Match any one character from the pattern.
. : Match any character.
^ : Match at the beginning of a line.
$: Match at the end of a line.
\ : Quotes the following character. Characters that must be quoted to be treated as literals are `* ? + [ ( ) { } ^ $ | \ . /`.

33.2 Regular expression operators

| : Alternation. `A|B` matches either `A` or `B`.
* : Match 0 or more times, as many times as possible.
+ : Match 1 or more times, as many times as possible.
? : Match zero or one times, preferring one time if possible.
{n} : Match exactly `n` times.
{n,} : Match at least `n` times, as many times as possible.
{n,m} : Match between `n` and `m` times, as many times as possible, but not more than `m` times.
*? : Match zero or more times, as few times as possible.
+? : Match one or more times, as few times as possible.
?? : Match zero or one times, preferring zero.
{n}? : Match exactly `n` times.
{n,}? : Match at least `n` times, but no more than required for an overall pattern match.
{n,m}? : Match between `n` and `m` times, as few times as possible, but not less than `n`.
*+ : Match zero or more times, as many times as possible when first encountered, do not retry with fewer even if overall match fails (possessive match). **++** : Match one or more times (possessive match).
?+ : Match zero or one times (possessive match).
{n}+ : Match exactly `n` times.
{n,}+ : Match at least `n` times (possessive match).
{n,m}+ : Match between `n` and `m` times (possessive match).
(...) : Capturing parentheses; the range of input that matched the parenthesized subexpression is available after the match.
(?:...) : Non-capturing parentheses; groups the included pattern, but does not provide capturing of matching text (more efficient than capturing parentheses).
(?>...) : Atomic-match parentheses; first match of the parenthesized subexpression is the only one tried. If it does not lead to an overall pattern match, back up the search for a match to a position before the `"(?>"`.
(?# ...) : Free-format comment (?# comment).
(?= ...) : Look-ahead assertion. True, if the parenthesized pattern matches at the current input position, but does not advance the input position.
(?! ...) : Negative look-ahead assertion. True, if the parenthesized pattern does not match at the current input position. Does not advance the input position.
(?<= ...) : Look-behind assertion. True, if the parenthesized pattern matches text preceding the current input position, with the last character of the match being the input character just before the current position. Does not alter the input position. The length of possible strings matched by the look-behind pattern must not be unbounded (no `*` or `+` operators). **(?<! ...)** : Negative *look-behind assertion*. True, if the parenthesized pattern does not match text preceding the current input position,

with the last character of the match being the input character just before the current position. Does not alter the input position. The length of possible strings matched by the look-behind pattern must not be unbounded (no `*` or `+` operators).

`(?ismwx-ismwx: ... )` : Flag settings. Evaluate the parenthesized expression with the specified flags enabled or disabled.

`(?ismwx-ismwx)` : Flag settings. Change the flag settings. Changes apply to the portion of the pattern following the setting. For example, `(?i)` changes to a case insensitive match.

33.2.1 Template Matching

`$n` : The text of capture group `n` will be substituted for `$n`. `n` must be ≥ 0 and not greater than the number of capture groups. A `$` not followed by a digit has no special meaning, and will appear in the substitution text as itself, i.e. `$`.

`\` : Treat the following character as a literal, suppressing any special meaning. Backslash escaping in substitution text is only required for `$` and `\`, but may be used on any other character.

33.2.2 Flag options

The following flags control various aspects of regular expression matching. These flags get specified within the pattern using the `(?ismx-ismx)` pattern options.

`i` : If set, matching will take place in a case-insensitive manner.

`x` : If set, allow use of white space and #comments within patterns.

`s` : If set, a "." in a pattern will match a line terminator in the input text. By default, it will not. Note that a carriage-return/line-feed pair in text behave as a single line terminator, and will match a single "." in a regular expression pattern.

`m` : Control the behavior of `^` and `$` in a pattern. By default these will only match at the start and end, respectively, of the input text. If this flag is set, `^` and `$` will also match at the start and end of each line within the input text.

`w` : Controls the behavior of `\b` in a pattern. If set, word boundaries are found according to the definitions of word found in *Unicode UAX 29, Text Boundaries*. By default, word boundaries are identified by means of a simple classification of characters as either *word* or *non-word*, which approximates traditional regular expression behavior.

33.3 API

(regexp? *obj*) procedure

Returns `#t` if *obj* is a regular expression object; otherwise `#f` is returned.

(regexp *str*) procedure
(regexp *str opt* …)

Returns a new regular expression object from the given regular expression pattern *str* and matching options *opt*, … . *str* is a string, matching options *opt* are symbols. The following matching options are supported:

- `case-insensitive` : Match letters in the regular expression independent of their case.
- `allow-comments` : Ignore whitespace and `#`-prefixed comments in the regular expression pattern.
- `ignore-meta` : Treat the entire regular expression pattern as a literal string.
- `dot-matches-line-separator` : Allow `.` to match any character, including line separators.
- `anchors-match-lines` : Allow `^` and `$` to match the start and end of lines.

- `unix-only-line-separators` : Treat only `\n` as a line separator; otherwise, all standard line separators are used.
- `unicode-words` : Use Unicode TR#29 to specify word boundaries; otherwise, all traditional regular expression word boundaries are used.

(regexp-pattern *regexp***)** `procedure`

Returns the regular expression pattern for the given regular expression object *regexp*. A regular expression pattern is a string matching the regular expression syntax supported by library `(lispkit regexp)`.

(regexp-capture-groups *regexp***)** `procedure`

Returns the number of capture groups of the given regular expression object *regexp*.

(escape-regexp-pattern *str***)** `procedure`

Returns a regular expression pattern string by adding backslash escapes to pattern *str* as necessary to protect any characters that would match as pattern meta-characters.

```
(escape-regexp-pattern "(home/objecthub)")
⇒ "\\(home\\/objecthub\\)"
```

(escape-regexp-template *str***)** `procedure`

Returns a regular expression pattern template string by adding backslash escapes to pattern template *str* as necessary to protect any characters that would match as pattern meta-characters.

(regexp-matches *regexp str***)** `procedure`
(regexp-matches *regexp str start***)**
(regexp-matches *regexp str start end***)**

Returns a *matching spec* if the regular expression object *regexp* successfully matches the entire string *str* from position *start* (inclusive) to *end* (exclusive); otherwise, `#f` is returned. The default for *start* is 0; the default for *end* is the length of the string.

A *matching spec* returned by `regexp-matches` consists of pairs of fixnum positions *(startpos . endpos)* in *str*. The first pair is always representing the full match (i.e. *startpos* is 0 and *endpos* is the length of *str*), all other pairs represent the positions of the matching capture groups of *regexp*.

```
(define email
  (regexp "[A-Z0-9a-z._%+-]+@[A-Za-z0-9.-]+\\.[A-Za-z]{2,4}"))
(regexp-matches email "matthias@objecthub.net")
⇒ ((0 . 22))
(define series
  (regexp "Season\\s+(\\d+)\\s+Episode\\s+(\\d+)"))
(regexp-matches series "Season 3  Episode 12")
⇒ ((0 . 20) (7 . 8) (18 . 20))
```

(regexp-matches? *regexp str***)** `procedure`
(regexp-matches? *regexp str start***)**
(regexp-matches? *regexp str start end***)**

Returns `#t` if the regular expression object *regexp* successfully matches the entire string *str* from position *start* (inclusive) to *end* (exclusive); otherwise, `#f` is returned. The default for *start* is 0; the default for *end* is the length of the string.

(regexp-search *regexp str***)** `procedure`
(regexp-search *regexp str start***)**
(regexp-search *regexp str start end***)**

Returns a *matching spec* for the first match of the regular expression *regexp* with a part of string *str* between position *start* (inclusive) and *end* (exclusive). If *regexp* does not match any part of *str* between *start* and *end*, `#f` is returned. The default for *start* is 0; the default for *end* is the length of the string.

A *matching spec* returned by `regexp-search` consists of pairs of fixnum positions *(startpos . endpos)* in *str*. The first pair is always representing the full match of the pattern, all other pairs represent the positions of the matching capture groups of *regexp*.

```
(define email
  (regexp "[A-Z0-9a-z._%+-]+@[A-Za-z0-9.-]+\\.[A-Za-z]{2,4}"))
(regexp-search email "Contact matthias@objecthub.net or foo@bar.org")
⇒ ((8 . 30))
(define series
  (regexp "Season\\s+(\\d+)\\s+Episode\\s+(\\d+)"))
(regexp-search series "New Season 3 Episode 12: Pilot")
⇒ ((4 . 23) (11 . 12) (21 . 23))
```

(regexp-search-all *regexp str*)   `procedure`
(regexp-search-all *regexp str start*)
(regexp-search-all *regexp str start end*)

Returns a list of all *matching specs* for matches of the regular expression *regexp* with parts of string *str* between position *start* (inclusive) and *end* (exclusive). If *regexp* does not match any part of *str* between *start* and *end*, the empty list is returned. The default for *start* is 0; the default for *end* is the length of the string.

A *matching spec* returned by `regexp-search` consists of pairs of fixnum positions *(startpos . endpos)* in *str*. The first pair is always representing the full match of the pattern, all other pairs represent the positions of the matching capture groups of *regexp*.

```
(define email
  (regexp "[A-Z0-9a-z._%+-]+@[A-Za-z0-9.-]+\\.[A-Za-z]{2,4}"))
(regexp-search-all email "Contact matthias@objecthub.net or foo@bar.org")
⇒ (((8 . 30)) ((34 . 45)))
(define series
  (regexp "Season\\s+(\\d+)\\s+Episode\\s+(\\d+)"))
(regexp-search-all series "New Season 3 Episode 12: Pilot")
⇒ (((4 . 23) (11 . 12) (21 . 23)))
```

(regexp-extract *regexp str*)   `procedure`
(regexp-extract *regexp str start*)
(regexp-extract *regexp str start end*)

Returns a list of substrings from *str* which all represent full matches of the regular expression *regexp* with parts of string *str* between position *start* (inclusive) and *end* (exclusive). If *regexp* does not match any part of *str* between *start* and *end*, the empty list is returned. The default for *start* is 0; the default for *end* is the length of the string.

```
(define email
  (regexp "[A-Z0-9a-z._%+-]+@[A-Za-z0-9.-]+\\.[A-Za-z]{2,4}"))
(regexp-extract email "Contact matthias@objecthub.net or foo@bar.org" 10)
⇒ ("tthias@objecthub.net" "foo@bar.org")
(define series
  (regexp "Season\\s+(\\d+)\\s+Episode\\s+(\\d+)"))
(regexp-extract series "New Season 3 Episode 12: Pilot")
⇒ ("Season 3 Episode 12")
```

(regexp-split *regexp str*)   `procedure`
(regexp-split *regexp str start*)
(regexp-split *regexp str start end*)

Splits string *str* into a list of possibly empty substrings separated by non-empty matches of regular expression *regexp* within position *start* (inclusive) and *end* (exclusive). If *regexp* does not match any part of *str* between *start* and *end*, a list with *str* as its only element is returned. The default for *start* is 0; the default for *end* is the length of the string.

```
(define email
  (regexp "[A-Z0-9a-z._%+-]+@[A-Za-z0-9.-]+\\.[A-Za-z]{2,4}"))
(regexp-split email "Contact matthias@objecthub.net or foo@bar.org" 10)
⇒ ("Contact ma" " or " "")
(define series
  (regexp "Season\\s+(\\d+)\\s+Episode\\s+(\\d+)"))
(regexp-split series "New Season 3 Episode 12: Pilot")
⇒ ("New " ": Pilot")
```

(regexp-partition *regexp str*) `procedure`
(regexp-partition *regexp str start*)
(regexp-partition *regexp str start end*)

Partitions string *str* into a list of non-empty strings matching regular expression *regexp* within position *start* (inclusive) and *end* (exclusive), interspersed with the unmatched portions of the whole string. The first and every odd element is an unmatched substring, which will be the empty string if *regexp* matches at the beginning of the string or end of the previous match. The second and every even element will be a substring fully matching *regexp*. If *str* is the empty string or if there is no match at all, the result is a list with *str* as its only element.

```
(define email
  (regexp "[A-Z0-9a-z._%+-]+@[A-Za-z0-9.-]+\\.[A-Za-z]{2,4}"))
(regexp-partition email "Contact matthias@objecthub.net or foo@bar.org" 10)
⇒ ("Contact ma" "tthias@objecthub.net" " or " "foo@bar.org" "")
(define series
  (regexp "Season\\s+(\\d+)\\s+Episode\\s+(\\d+)"))
(regexp-partition series "New Season 3 Episode 12: Pilot")
⇒ ("New " "Season 3 Episode 12" ": Pilot")
```

(regexp-replace *regexp str subst*) `procedure`
(regexp-replace *regexp str subst start*)
(regexp-replace *regexp str subst start end*)

Returns a new string replacing all matches of regular expression *regexp* in string *str* within position *start* (inclusive) and *end* (exclusive) with string *subst*. `regexp-replace` will always return a new string, even if there are no matches and replacements.

The optional parameters *start* and *end* restrict both the matching and the substitution, to the given positions, such that the result is equivalent to omitting these parameters and replacing on `(substring` *str start end* `)`.

```
(define email
  (regexp "[A-Z0-9a-z._%+-]+@[A-Za-z0-9.-]+\\.[A-Za-z]{2,4}"))
(regexp-replace email "Contact matthias@objecthub.net or foo@bar.org" "<omitted>" 10)
⇒ "Contact ma<omitted> or <omitted>"
(define series
  (regexp "Season\\s+(\\d+)\\s+Episode\\s+(\\d+)"))
(regexp-replace series "New Season 3 Episode 12: Pilot" "Series")
⇒ "New Series: Pilot"
```

(regexp-replace! *x*) `procedure`
Mutates string *str* by replacing all matches of regular expression *regexp* within position *start* (inclusive)

and *end* (exclusive) with string *subst*. The optional parameters *start* and *end* restrict both the matching and the substitution. `regexp-replace!` returns the number of replacements that were applied.

```
(define email
  (regexp "[A-Z0-9a-z._%+-]+@[A-Za-z0-9.-]+\\.[A-Za-z]{2,4}"))
(define str "Contact matthias@objecthub.net or foo@bar.org")
(regexp-replace! email str "<omitted>" 10) ⇒ 2
str ⇒ "Contact ma<omitted> or <omitted>"
```

(regexp-fold *regexp kons knil str*)   procedure
(regexp-fold *regexp kons knil str finish*)
(regexp-fold *regexp kons knil str finish start*)
(regexp-fold *regexp kons knil str finish start end*)

`regexp-fold` is the most fundamental and generic regular expression matching iterator. It repeatedly searches string *str* for the regular expression *regexp* so long as a match can be found. On each successful match, it applies (`kons` *i regexp-match str acc*) where *i* is the index since the last match (beginning with *start*), *regexp-match* is the resulting *matching spec*, and *acc* is the result of the previous *kons* application, beginning with *knil*. When no more matches can be found, `regexp-fold` calls *finish* with the same arguments, except that *regexp-match* is `#f`. By default, *finish* just returns *acc*.

```
(regexp-fold (regexp "(\\w+)")
             (lambda (i m str acc)
               (let ((s (substring str (caar m) (cdar m))))
                 (if (zero? i) s (string-append acc "-" s))))
             ""
             "to  be  or  not  to  be")
⇒ "to-be-or-not-to-be"
```

34 LispKit Set

Library (`lispkit set`) provides a generic implementation for sets of objects. Its API design is compatible to the R6RS-style API of library (`lispkit hashtable`) .

A set is a data structure for representing collections of objects. Any object can be used as element, provided a hash function and a suitable equivalence function is available. A hash function is a procedure that maps elements to exact integer objects. It is the programmer's responsibility to ensure that the hash function is compatible with the equivalence function, which is a procedure that accepts two objects and returns true if they are equivalent and `#f` otherwise. Standard sets for arbitrary objects based on the `eq?` , `eqv?` , and `equal?` predicates are provided.

34.1 Constructors

(make-eq-set) `procedure`
Create a new empty set using `eq?` as equivalence function.

(make-eqv-set) `procedure`
Create a new empty set using `eqv?` as equivalence function.

(make-equal-set) `procedure`
Create a new empty set using `equal?` as equivalence function.

(make-set *hash equiv*) `procedure`
(make-set *hash equiv k*)

Create a new empty set using the given hash function *hash* and equivalence function *equiv*. An initial capacity *k* can be provided optionally.

(eq-set *element …*) `procedure`
Create a new set using `eq?` as equivalence function. Initialize it with the values *element …* .

(eqv-set *element …*) `procedure`
Create a new set using `eqv?` as equivalence function. Initialize it with the values *element …* .

(equal-set *element …*) `procedure`
Create a new set using `equal?` as equivalence function. Initialize it with the values *element …* .

34.2 Inspection

(set-equivalence-function *s*) `procedure`
Returns the equivalence function used by set *s*.

(set-hash-function *s*) `procedure`
Returns the hash function used by set *s*.

(set-mutable? *s*) `procedure`
Returns `#t` if set *s* is mutable.

34.3 Predicates

(set? *obj***)** `procedure`
Returns `#t` if *obj* is a set.

(set-empty? *obj***)** `procedure`
Returns `#t` if *obj* is an empty set.

(set=? *s1 s2***)** `procedure`
Returns `#t` if set *s1* and set *s2* are using the same equivalence function and contain the same elements.

(disjoint? *s1 s2***)** `procedure`
Returns `#t` if set *s1* and set *s2* are disjoint sets.

(subset? *s1 s2***)** `procedure`
Returns `#t` if set *s1* is a subset of set *s2*.

(proper-subset? *s1 s2***)** `procedure`
Returns `#t` if set *s1* is a proper subset of set *s2*, i.e. *s1* is a subset of *s2* and *s1* is not equivalent to *s2*.

(set-contains? *s element***)** `procedure`
Returns `#` if set *s* contains *element*.

(set-any? *s proc***)** `procedure`
Returns true if there is at least one element in set *s* for which procedure *proc* returns true (i.e. not `#f`).

(set-every? *s proc***)** `procedure`
Returns true if procedure *proc* returns true (i.e. not `#f`) for all elements of set *s*.

34.4 Procedures

(set-size *s***)** `procedure`
Returns the number of elements in set *s*.

(set-elements *s***)** `procedure`
Returns the elements of set *s* as a vector.

(set-copy s) `procedure`
(set-copy s *mutable***)**

Copies set *s* creating an immutable copy if `mutable` is set to `#f` or if `mutable` is not provided.

(set-for-each *s proc***)** `procedure`
Applies procedure *proc* to all elements of set *s* in an undefined order.

(set-filter *s pred***)** `procedure`
Creates a new set containing the elements of set *s* for which the procedure *pred* returns true.

(set-union *s s1 ...***)** `procedure`
Creates a new set containing the union of *s* with *s1* ….

(set-intersection *s s1 ...***)** `procedure`
Creates a new set containing the intersection of *s* with *s1* ….

(set-difference *s s1 ...***)** `procedure`
Creates a new set containing the difference of `s` and the sets in *s1* … .

(set->list *s***)** `procedure`
Returns the elements of set *s* as a list.

(list->eq-set *elements***)** `procedure`

Creates a new set using the equivalence function `eq?` from the values in list *elements*.

(list->eqv-set *elements***)** `procedure`

Creates a new set using the equivalence function `eqv?` from the values in list *elements*.

(list->equal-set *elements***)** `procedure`

Creates a new set using the equivalence function `equal?` from the values in list *elements*.

34.5 Mutators

(set-adjoin! *s element* **…)** `procedure`

Adds *element* … to the set *s*.

(set-delete! *s element* **…)** `procedure`

Deletes *element* … from the set *s*.

(set-clear! *s***)** `procedure`
(set-clear! *s k***)**

Clears set *s* and reserves a capacity of *k* elements if *k* is provided.

(list->set! *s elements***)** `procedure`

Adds the values of list *elements* to set *s*.

(set-filter! *s pred***)** `procedure`

Removes all elements from set *s* for which procedure *pred* returns `#f`.

(set-union! *s s1* **…)** `procedure`

Stores the union of set *s* and sets *s1* … in *s*.

(set-intersection! *s s1* **…)** `procedure`

Stores the intersection of set *s* and the sets *s1* … in *s*.

(set-difference! *s s1* **…)** `procedure`

Stores the difference of set *s* and the sets *s1* … in *s*.

35 LispKit SQLite

SQLite is a lightweight, embedded, relational open-source database management system. It is simple to use, requires zero configuration, is not based on a server, and manages databases directly in files.

Library `(lispkit sqlite)` provides functionality for creating, managing, and querying SQLite databases in LispKit. `(lispkit sqlite)` is a low-level library that wraps the classial C API for SQLite3. Just like in the C API, the actual SQL statements are represented as strings and compiled into statement objects that are used for executing the statements.

35.1 Introduction

Library `(lispkit sqlite)` exports procedure `open-database` for creating new databases and connecting to existing ones. The following code will create a new database from scratch in file `~/Desktop/TestDatabase.sqlite` if that file does not exist. If the file exists, `open-database` will return a database object for accessing the database:

```
(import (lispkit sqlite))
(define db (open-database "~/Desktop/TestDatabase.sqlite"))
```

A new table can be created in database *db* with the help of an SQL `CREATE TABLE` statement. SQL statements are defined as strings and compiled into statement objects via procedure `prepare-statement`. Procedure `process-statement` is used to execute statement objects.

```
(define stmt0
  (prepare-statement db
    (string-append
      "CREATE TABLE Contacts (id INTEGER PRIMARY KEY,"
      "                       name TEXT NOT NULL,"
      "                       email TEXT NOT NULL UNIQUE,"
      "                       phone TEXT);")))
(process-statement stmt0)
```

Entries can be inserted into the new table `Contacts` with a corresponding SQL statement as shown in the following listing. First, a new SQL statement is being compiled. This SQL statement contains *parameters*. These are placeholders that are defined via `?`. They can be bound to concrete values before the statement is executed using procedures `bind-parameter` and `bind-parameters`.

The SQL statement below has 4 parameters, indexed starting 1. The code below binds these parameters one by one via `bind-parameter` to concrete values before the statement is executed via `process-statement`.

```
(define stmt1 (prepare-statement db "INSERT INTO Contacts VALUES (?, ?, ?, ?);"))
(bind-parameter stmt1 1 1000)
(bind-parameter stmt1 2 "Mickey Mouse")
(bind-parameter stmt1 3 "mickey@disney.net")
(bind-parameter stmt1 4 "+1 101-123-456")
(process-statement stmt1)
```

SQL statements can be reused many times. Typically, this is done by utilizing procedure `reset-statement`. If the previous execution was successful, though, this is not strictly necessary and a reset is done automatically. The code below re-applies the same statement a second time, this time using procedure `bind-parameters` to bind all parameters in one go.

```
(reset-statement stmt1) ; not strictly needed here
(bind-parameters stmt1 '(1001 "Donald Duck" "donald@disney.net" "+1 101-123-456"))
(process-statement stmt1)
```

The following code shows how to query for the total number of distinct phone numbers in table `Contacts`. The first invocation of procedure `process-statement` returns `#f`, indicating that there is a result. `column-count` returns 1, which is the column containing the distinct count. The count is extracted from the statement via `column-value`. The second invocation of `process-statement` now returns `#t` as there are no further query results.

```
; Count the number of distinct phone numbers.
(define stmt2 (prepare-statement db "SELECT COUNT(DISTINCT phone) FROM Contacts;"))
(process-statement stmt2) ; returns `#f`, i.e. there is a result
(display (column-count stmt2))
(newline)
(display (column-value stmt2 0))
(newline)
(process-statement stmt2) ; returns `#t`, i.e. there is no further result
```

The final example code below shows how to iterate effectively over a result table that has more than one result row.

```
; Show all names and email addresses from the `Contacts` table.
(define stmt3 (prepare-statement db "SELECT name, email FROM Contacts;"))
(do ((res '() (cons (row-values stmt3) res)))
    ((process-statement stmt3) res))
```

Executing this code returns the following list:

```
(("Donald Duck" "donald@disney.net") ("Mickey Mouse" "mickey@disney.net"))
```

35.2 API

35.2.1 SQLite version retrieval

(sqlite-version)   `procedure`

The `sqlite-version` procedure returns a string that specifies the version of the SQLite framework in use in the format "*X.Y.Z*", where *X* is the major version number (e.g. 3 for SQLite3), Y is the minor version number, and Z is a release number.

(sqlite-version-number)   `procedure`

The `sqlite-version-number` procedure returns a fixnum with the value $X1000000 + Y1000 + Z$ where *X* is the major version number (e.g. 3 for SQLite3), Y is the minor version number, and Z is a release number.

35.2.2 Database options

The following fixnum constants are used to specify how databases are opened or created via `make-database` and `open-database`. They can be combined by using an *inclusive or* function such as `fxior`. For instance, `(fxior sqlite-readwrite sqlite-create)` combines the two options `sqlite-create` and `sqlite-readwrite`.

sqlite-readonly `constant`

This is a fixnum value for specifying an option how databases are opened or created via `make-database` and `open-database`. With this option, the database is opened in read-only mode. If the database does not exist already, an exception is thrown.

sqlite-readwrite `constant`

This is a fixnum value for specifying an option how databases are opened or created via `make-database` and `open-database`. With this option, the database is opened for reading and writing if possible, or reading only if the file cannot be written at the operating system-level. If the database does not exist already, an exception is thrown.

sqlite-create `constant`

This is a fixnum value for specifying an option how databases are opened or created via `make-database` and `open-database`. This option needs to be combined with either `sqlite-readwrite` or `sqlite-readonly`. It will lead to the creation of a new database in case there is no database at the specified path.

sqlite-default `constant`

This is a fixnum value for specifying an option how databases are opened or created via `make-database` and `open-database`. With this option, the database is opened for reading and writing if possible, or reading only if the file cannot be written at the operating system-level. If the database does not exist already, a new database is being created.

sqlite-fullmutex `constant`

This is a fixnum value for specifying an option how databases are opened or created via `make-database` and `open-database`. With this option, the database will use the "serialized" threading mode. In this mode, multiple threads can safely attempt to use the same database connection at the same time without the need for synchronization.

sqlite-sharedcache `constant`

This is a fixnum value for specifying an option how databases are opened or created via `make-database` and `open-database`. With this option, the database is opened with shared cache enabled.

sqlite-privatecache `constant`

This is a fixnum value for specifying an option how databases are opened or created via `make-database` and `open-database`. With this option, the database is opened with shared cache disabled.

35.2.3 Database objects

SQLite database objects are either created in memory with procedure `make-database` or they are created on disk by calling procedure `open-database`. `open-database` can also be used for opening an existing database. SQLite stores databases in regular files on disk.

(make-database) `procedure`
(make-database *options***)**

Creates a new temporary in-memory database whose characteristics are described by *options*. *options* is a fixnum value. If no options are specified, `sqlite-default` (= create a new read/write database in memory) is used as the default. Options are represented as fixnum values. Combinations of options are

created by performing a *bitwise inclusive or* of several option values, e.g. via `(fxior opt1 opt2)`. The following option values are predefined and can be used with `make-database`:

- `sqlite-default`: A new in-memory database is created and opened for reading and writing.
- `sqlite-fullmutex`: The database will use the "serialized" threading mode. In this mode, multiple threads can safely attempt to use the same database connection at the same time without the need for synchronization.
- `sqlite-sharedcache`: The database is opened with shared cache enabled.
- `sqlite-privatecache`: The database is opened with shared cache disabled.

(open-database *path*)   procedure
(open-database *path options*)

Opens a database at file path *path* whose characteristics are described by *options*. *options* is a fixnum value. If no options are specified, `sqlite-default` (= create a new read/write database if there is not database at *path*) is used as the default. Options are represented as fixnum values. Combinations of options are created by performing a *bitwise inclusive or* of several option values, e.g. via `(fxior opt1 opt2)`. The following option values are predefined and can be used with `open-database`:

- `sqlite-readonly`: The database is opened in read-only mode. If the database does not exist already, an exception is thrown.
- `sqlite-readwrite`: The database is opened for reading and writing if possible, or reading only if the file cannot be written at the operating system-level. If the database does not exist already, an exception is thrown.
- `sqlite-create`: This option needs to be combined with either `sqlite-readwrite` or `sqlite-readonly`. It will lead to the creation of a new database in case there is no database at the specified path.
- `sqlite-default`: The database is opened for reading and writing if possible, or reading only if the file cannot be written at the operating system-level. If the database does not exist already, a new database is being created.
- `sqlite-fullmutex`: The database will use the "serialized" threading mode. In this mode, multiple threads can safely attempt to use the same database connection at the same time without the need for synchronization.
- `sqlite-sharedcache`: The database is opened with shared cache enabled.
- `sqlite-privatecache`: The database is opened with shared cache disabled.

(close-database *db*)   procedure

Closes database *db* and deallocates all memory related to the database. If a transaction is open at this point, the transaction is automatically rolled back.

(database-path *db*)   procedure

Returns the file path as a string at which the database *db* is being persisted. For in-memory databases, this procedure returns `#f`.

(database-last-row-id *db*)   procedure

Each entry in a database table (except for *WITHOUT ROWID* tables) has a unique fixnum key called the *row id*. Procedure `database-last-row-id` returns the row id of the most recent successful insert into a table of database *db*. Inserts into *WITHOUT ROWID* tables are not recorded. If no successful inserts into row id tables have ever occurred for an open database, then `database-last-row-id` returns zero.

(database-last-changes *db*)   procedure

`database-last-changes` returns the number of rows modified, inserted or deleted by the most recently completed `INSERT`, `UPDATE` or `DELETE` statement on the database *db*. Executing any other type of SQL statement does not modify the value returned by `database-last-changes`.

(database-total-changes *db*)   procedure

Procedure `database-total-changes` returns the total number of rows inserted, modified or deleted by

all `INSERT` , `UPDATE` , or `DELETE` statements completed since the database *db* was opened. Executing any other type of SQL statement does not affect the value returned by `database-total-changes` .

35.2.4 SQL statements

SQL statements are created with procedure `prepare-statement` . This procedure returns a statement object which encapsulates a compiled SQL query. The compiled SQL query can be executed by repeatedly calling procedure `process-statement` . As long as `process-statement` returns `#f` , a new result row can be extracted from the statement object with procedures such as `column-count` , `column-name` , `column-type` , `column-value` , `row-names` , `row-types` , `row-values` , and `row-alist` . As soon as `process-statement` returns `#t` , processing is complete. With procedure `reset-statement` , a statement object can be reset such that it can be executed again.

(prepare-statement *db str*) `procedure`
To execute an SQL statement, it must first be compiled into bytecode which then gets executed, potentially multiple times, in a second step. `prepare-statement` compiles an SQL statement contained in string *str* for execution in database *db*. It returns a *statement* object which encapsulates the compiled query. If compilation fails, an execption is thrown.

(parameter-count *stmt*) `procedure`
Returns the number of parameters contained in statement object *stmt*. If *stmt* contains *N* parameters, they can be referenced by the indices 1 to *N*.

(parameter-index *stmt name*) `procedure`
Returns the index of named parameter *name* in statement object *stmt*. *name* is a string. The result is a positive fixnum if the named parameter exists, or `#f` if there is no parameter with name *name*.

(parameter-name *stmt idx*) `procedure`
Returns the name of the named parameter at index *idx* in statement object *stmt* as a string. If such a parameter does not exist, `parameter-name` returns `#f` . *idx* is a positive fixnum.

(bind-parameter *stmt idx val*) `procedure`
Binds parameter at index *idx* to value *val* in statement object *stmt*.

(bind-parameters *stmt vals*) `procedure`
(bind-parameters *stmt vals idx*)

Binds the parameters starting at index *idx* to values in list *vals*. If *idx* is not given, 1 is used as a default. `bind-parameters` returns the tail of the list that could not be bound to parameters. *idx* is a positive fixnum.

(process-statement *stmt*) `procedure`
Procedure `process-statement` starts or proceeds executing statement *stmt*. The result of the execution step is accessible via the statement object *stmt* and can be inspected by procedures such as `column-count` , `column-name` , `column-type` , `column-value` , `row-names` , `row-types` , `row-values` , and `row-alist` . `process-statement` returns `#f` as long as the execution is ongoing and a new resulting table row is available for inspection. When `#t` is returned, execution is complete.

(reset-statement *stmt*) `procedure`
Resets the statement object *stmt* so that it can be processed another time.

(column-count *stmt*) `procedure`
`column-count` returns the number of columns of the result of processing statement *stmt*. If *stmt* does not yield data as a result, `column-count` returns 0.

(column-name *stmt idx*) `procedure`
`column-name` returns the name of column *idx* of the result of executing statement *stmt*. *idx* is a fixnum identifying the column by its 0-based index. `column-name` returns `#f` if column *idx* does not exist.

(column-type *stmt idx***)** procedure

`column-type` returns the type of the value at column *idx* of the result of executing statement *stmt*. *idx* is a fixnum identifying the column by its 0-based index. `column-type` returns `#f` if column *idx* does not exist. Types are represented by symbols. The following types are supported:

- `sqlite-integer` : Values are fixnums
- `sqlite-float` : Values are flonums
- `sqlite-text` : Values are strings
- `sqlite-blob` : Values are bytevectors
- `sqlite-null` : There is no value (void is the only supported value)

(column-value *stmt idx***)** procedure

`column-value` returns the value at column *idx* of the result of executing statement *stmt*. *idx* is a fixnum identifying the column by its 0-based index. `column-value` returns `#f` if column *idx* does not exist.

(row-names *stmt***)** procedure

Returns a list of all column names of the result of executing statement *stmt*.

(row-types *stmt***)** procedure

Returns a list of all column types of the result of executing statement *stmt*. Types are represented by symbols. The following types are supported:

- `sqlite-integer` : Values are fixnums
- `sqlite-float` : Values are flonums
- `sqlite-text` : Values are strings
- `sqlite-blob` : Values are bytevectors
- `sqlite-null` : There is no value (void is the only supported value)

(row-values *stmt***)** procedure

Returns a list of all column values of the result of executing statement *stmt*.

(row-alist *stmt***)** procedure

Returns an association list associating column names with column values of the result of executing statement *stmt*.

36 LispKit Stack

Library (`lispkit stack`) provides an implementation for mutable stacks, i.e. mutable LIFO buffers.

(make-stack) procedure

Returns a new empty stack.

(stack *x* ...) procedure

Returns a new stack with *x* on its top position followed by the remaining parameters.

```
(stack-top (stack 1 2 3))  ⇒  1
```

(stack? *obj*) procedure

Returns `#t` if *obj* is a stack; otherwise `#f` is returned.

(stack-empty? *s*) procedure

Returns `#t` if stack *s* is empty.

(stack-size *s*) procedure

Returns the size of stack *s*, i.e. the number of elements buffered in *s*.

(stack=? *s1* *s2*) procedure

Returns `#t` if stack *s1* has the exact same elements in the same order like stack *s2*; otherwise, `#f` is returned.

(stack-push! *s* *x*) procedure

Pushes element *x* onto stack *s*.

(stack-top *s*) procedure

Returns the top element of stack *s*. If the stack is empty, an error is raised.

(stack-pop! *s*) procedure

Removes the top element from stack *s* and returns its value.

```
(define s (make-stack))
(stack-push! s 1)
(stack-push! s 2)
(stack-pop! s)  ⇒  2
(stack-size s)  ⇒  1
```

(stack-clear! *s*) procedure

Removes all elements from stack *s*.

(stack-copy *s*) procedure

Returns a copy of stack *s*.

(stack->list *s*) procedure

Returns a list consisting of all elements on stack *s* in the order they appear, i.e. starting with the top element.

```
(stack->list (stack 1 2 3))
```

(list->stack *l*)   procedure

Returns a new stack consisting of the elements of list *l*. The first element in *l* will become the top element of the stack that is returned.

(list->stack! *s l*)   procedure

Pushes the elements of list *l* onto stack *s* in reverse order.

```
(define s (list->stack '(3 2 1)))
(list->stack! s '(6 5 4))
(stack->list s)  ⇒  (6 5 4 3 2 1)
```

37 LispKit Stream

Streams are a sequential data structure containing elements computed only on demand. They are sometimes also called *lazy lists*.

Streams get constructed with list-like constructors. A stream is either *null* or is a *pair* with a stream in its cdr. Since elements of a stream are computed only when accessed, streams can be infinite. Once computed, the value of a stream element is cached in case it is needed again.

37.1 Benefits of using streams

When used effectively, the primary benefit of streams is improved modularity. Consider a process that takes a sequence of items, operating on each in turn. If the operation is complex, it may be useful to split it into two or more procedures in which the partially-processed sequence is an intermediate result. If that sequence is stored as a list, the entire intermediate result must reside in memory all at once; however, if the intermediate result is stored as a stream, it can be generated piecemeal, using only as much memory as required by a single item. This leads to a programming style that uses many small operators, each operating on the sequence of items as a whole, similar to a pipeline of unix commands.

In addition to improved modularity, streams permit a clear exposition of backtracking algorithms using the "stream of successes" technique, and they can be used to model generators and co-routines. The implicit memoization of streams makes them useful for building persistent data structures, and the laziness of streams permits some multi-pass algorithms to be executed in a single pass. Savvy programmers use streams to enhance their programs in countless ways.

There is an obvious space/time trade-off between lists and streams; lists take more space, but streams take more time (to see why, look at all the type conversions in the implementation of the stream primitives). Streams are appropriate when the sequence is truly infinite, when the space savings are needed, or when they offer a clearer exposition of the algorithms that operate on the sequence.

37.2 Stream abstractions

The `(lispkit stream)` library provides two mutually-recursive abstract data types: An object of type `stream` is a promise that, when forced, is either `stream-null` or is an object of type `stream-pair`. An object of the `stream-pair` type contains a `stream-car` and a `stream-cdr`, which must be a stream. The essential feature of streams is the systematic suspensions of the recursive promises between the two data types.

The object stored in the `stream-car` of a `stream-pair` is a promise that is forced the first time the `stream-car` is accessed; its value is cached in case it is needed again. The object may have any type, and different stream elements may have different types. If the `stream-car` is never accessed, the object stored there is never evaluated. Likewise, the `stream-cdr` is a promise to return a stream, and is only forced on demand.

37.3 Stream API

The design of the API of library `(lispkit stream)` is based on Philip Bewig's SRFI 41. The implementation of the library is LispKit-specific.

stream-null   `object`
`stream-null` is a stream that, when forced, is a single object, distinguishable from all other objects, that represents the null stream. `stream-null` is immutable and unique.

(stream? *obj***)**   `procedure`
Returns `#t` if *obj* is a stream; otherwise `#f` is returned.

(stream-null? *obj***)**   `procedure`
`stream-null?` is a procedure that takes an object *obj* and returns `#t` if the object is the distinguished null stream and `#f` otherwise. If object *obj* is a stream, `stream-null?` must force its promise in order to distinguish `stream-null` from `stream-pair`.

(stream-pair? *obj***)**   `procedure`
`stream-pair?` is a procedure that takes an object and returns `#t` if the object is a `stream-pair` constructed by `stream-cons` and `#f` otherwise. If object is a stream, `stream-pair?` must force its promise in order to distinguish `stream-null` from `stream-pair`.

(stream-cons *obj strm***)**   `syntax`
`stream-cons` is a special form that accepts an object *obj* and a stream *strm* and creates a newly-allocated stream containing a stream that, when forced, is a `stream-pair` with the object in its `stream-car` and the stream in its `stream-cdr`. `stream-cons` must be syntactic, not procedural, because neither object *obj* nor stream is evaluated when `stream-cons` is called. Since `strm` is not evaluated, when the `stream-pair` is created, it is not an error to call `stream-cons` with a stream that is not of type stream; however, doing so will cause an error later when the `stream-cdr` of the `stream-pair` is accessed. Once created, a `stream-pair` is immutable.

```
(define s (stream-cons 1 (stream-cons 2 (stream-cons 3 stream-null))))
(stream-car s)              ⇒  1
(stream-car (stream-cdr s)) ⇒  2
```

(stream-car *strm***)**   `procedure`
`stream-car` is a procedure that takes a stream *strm* and returns the object stored in the `stream-car` of the stream. `stream-car` signals an error if the object passed to it is not a `stream-pair`. Calling `stream-car` causes the object stored there to be evaluated if it has not yet been; the object's value is cached in case it is needed again.

(stream-cdr *strm***)**   `procedure`
`stream-cdr` is a procedure that takes a stream *strm* and returns the stream stored in the `stream-cdr` of the stream. `stream-cdr` signals an error if the object passed to it is not a `stream-pair`. Calling `stream-cdr` does not force the promise containing the stream stored in the `stream-cdr` of the stream.

(stream *obj* ...**)**   `syntax`
`stream` is syntax that takes zero or more objects *obj* and creates a newly-allocated stream containing in its elements the objects, in order. Since `stream` is syntactic, the objects are evaluated when they are accessed, not when the stream is created. If no objects are given, as in `(stream)`, the null stream is returned.

(stream-lambda *formals expr0 expr1* ...**)**   `syntax`
`stream-lambda` creates a procedure that returns a stream to evaluate the body of the procedure. The last body expression to be evaluated must yield a stream. As with the regular `lambda`, *formals* may be a single variable name, in which case all the formal arguments are collected into a single list, or it is a list

of variable names, which may be `null` if there are no arguments, proper if there are an exact number of arguments, or dotted, if a fixed number of arguments is to be followed by zero or more arguments collected into a list. The body *expr0 expr1 ...* must contain at least one expression, and may contain internal definitions preceding any expressions to be evaluated.

```
(define iter (stream-lambda (f x) (stream-cons x (iter f (f x)))))
(define nats (iter (lambda (x) (+ x 1)) 0))
(stream-car (stream-cdr nats))            ⇒  1

(define stream-add
  (stream-lambda (s1 s2)
    (stream-cons (+ (stream-car s1) (stream-car s2))
                 (stream-add (stream-cdr s1) (stream-cdr s2)))))
(define evens (stream-add nats nats))

(stream-car evens)                         ⇒  0
(stream-car (stream-cdr evens))            ⇒  2
(stream-car (stream-cdr (stream-cdr evens))) ⇒  4
```

(define-stream *(name arg ...) expr0 expr1 ...***)**   `syntax`

`define-stream` creates a procedure *name* that returns a stream, and may appear anywhere a normal define may appear, including as an internal definition, and may have internal definitions of its own, including other `define-streams`. The defined procedure takes arguments *arg ...* in the same way as `stream-lambda`. `define-stream` is syntactic sugar on `stream-lambda`.

(stream-let *tag ((var val) ...) expr1 expr2 ...***)**   `syntax`

`stream-let` creates a local scope that binds each variable *var* to the value of its corresponding expression *val*. It additionally binds *tag* to a procedure which takes the bound variables as arguments and body as its defining expressions, binding the tag with `stream-lambda`. *tag* is in scope within body, and may be called recursively. When the expanded expression defined by the `stream-let` is evaluated, `stream-let` evaluates the expressions *expr1 expr2 ...* in its body in an environment containing the newly-bound variables, returning the value of the last expression evaluated, which must yield a stream.

`stream-let` provides syntactic sugar on `stream-lambda`, in the same manner as normal `let` provides syntactic sugar on normal `lambda`. However, unlike normal `let`, the `tag` is required, not optional, because unnamed `stream-let` is meaningless.

(display-stream *strm***)**   `procedure`
(display-stream *strm n***)**
(display-stream *strm n sep***)**
(display-stream *strm n sep port***)**

`display-stream` displays the first *n* elements of stream *strm* on port *port* using string *sep* as a separator string. If *n* is not provided, all elements are getting displayed. If *sep* is not provided, `", "` is used as a default. If *port* is not provided, the current output port is used.

(list->stream *lst***)**   `procedure`

`list->stream` takes a list of objects *lst* and returns a newly-allocated stream containing in its elements the objects in the list. Since the objects are given in a list, they are evaluated when `list->stream` is called, before the stream is created. If the list of objects is null, as in `(list->stream '())`, the null stream is returned.

(port->stream)   `procedure`
(port->stream *port***)**

`port->stream` takes a port *port* and returns a newly-allocated stream containing in its elements the characters on the port. If the port is not given, it defaults to the current input port. The returned stream has finite length and is terminated by `stream-null`.

(stream->list *strm*) `procedure`
(stream->list *strm n*)

`stream->list` takes a natural number *n* and a stream *strm* and returns a newly-allocated list containing in its elements the first *n* items in the stream. If the stream has less than *n* items, all the items in the stream will be included in the returned list. If *n* is not given, it defaults to infinity, which means that unless the stream is finite, `stream->list` will never return.

(stream-append *strm ...*) `procedure`

`stream-append` returns a newly-allocated stream containing in its elements those elements contained in its argument streams *strm ...*, in order of input. If any of the input streams is infinite, no elements of any of the succeeding input streams will appear in the output stream; thus, if x is infinite, `(stream-append x y)` ≡ x .

(stream-concat *strms*) `procedure`

`stream-concat` takes a stream *strms* consisting of one or more streams and returns a newly-allocated stream containing all the elements of the input streams. If any of the streams in the input stream is infinite, any remaining streams in the input stream will never appear in the output stream.

(stream-constant *obj ...*) `procedure`

`stream-constant` takes one or more objects *obj ...* and returns a newly-allocated stream containing in its elements the objects, repeating the objects in succession forever.

(stream-drop *strm n*) `procedure`

`stream-drop` returns the suffix of the input stream *strm* that starts at the next element after the first *n* elements. The output stream shares structure with the input stream; thus, promises forced in one instance of the stream are also forced in the other instance of the stream. If the input stream has less than *n* elements, `stream-drop` returns the null stream.

(stream-drop-while *pred? strm*) `procedure`

`stream-drop-while` returns the suffix of the input stream that starts at the first element *x* for which (pred? *x*) is #f . The output stream shares structure with the input stream.

(stream-filter *pred? strm*) `procedure`

`stream-filter` returns a newly-allocated stream that contains only those elements *x* of the input stream for which (pred? *x*) is non- #f .

(stream-fold *proc base strm*) `procedure`

`stream-fold` applies a binary procedure *proc* to *base* and the first element of stream *strm* to compute a new base, then applies the procedure *proc* to the new base (1st argument of *proc*) and the next element of stream (2nd argument of *proc*) to compute a succeeding base, and so on, accumulating a value that is finally returned as the value of `stream-fold` when the end of the stream is reached. *strm* must be finite, or `stream-fold` will enter an infinite loop.

See also `stream-scan` , which is similar to `stream-fold` , but useful for infinite streams. `stream-fold` is a left-fold; there is no corresponding `right-fold` , since `right-fold` relies on finite streams that are fully-evaluated, at which time they may as well be converted to a list.

(stream-for-each *proc strm ...*) `procedure`

`stream-for-each` applies a procedure *proc* elementwise to corresponding elements of the input streams *strm ...* for its side-effects. `stream-for-each` stops as soon as any of its input streams is exhausted.

(stream-from *first*) `procedure`
(stream-from *first delta*)

`stream-from` creates a newly-allocated stream that contains *first* as its first element and increments each succeeding element by *delta*. If *delta* is not given it defaults to 1. *first* and *delta* may be of any numeric type. `stream-from` is frequently useful as a generator in `stream-of` expressions. See also `stream-range` for a similar procedure that creates finite streams.

(stream-iterate *proc base***)**   `procedure`

`stream-iterate` creates a newly-allocated stream containing *base* in its first element and applies *proc* to each element in turn to determine the succeeding element.

(stream-length *strm***)**   `procedure`

`stream-length` takes an input stream *strm* and returns the number of elements in the stream. It does not evaluate its elements. `stream-length` may only be used on finite streams as it enters an infinite loop with infinite streams.

(stream-map *proc strm …***)**   `procedure`

`stream-map` applies a procedure *proc* elementwise to corresponding elements of the input streams *strm* …, returning a newly-allocated stream containing elements that are the results of those procedure applications. The output stream has as many elements as the minimum-length input stream, and may be infinite.

(stream-match *strm-expr (pattern [fender] expr) …***)**   `syntax`

`stream-match` provides the syntax of pattern-matching for streams. The input stream *strm-expr* is an expression that evaluates to a stream and is matched against a number of clauses. Each clause `(pattern [fender] expr)` consists of a pattern that matches a stream of a particular shape, an optional *fender* that must succeed if the pattern is to match, and an expression that is evaluated if the pattern matches.

There are four types of patterns:

- `()` : Matches the null stream
- `(pat0 pat1 ...)` : Matches a finite stream with length exactly equal to the number of pattern elements
- `(pat0 pat1 ... . patrest)` : Matches an infinite stream, or a finite stream with length at least as great as the number of pattern elements before the literal dot
- `pat` : Matches an entire stream. Should always appear last in the list of clauses; it's not an error to appear elsewhere, but subsequent clauses could never match

Each pattern element pati may be either:

- *An identifier*: Matches any stream element. Additionally, the value of the stream element is bound to the variable named by the identifier, which is in scope in the *fender* and expression of the corresponding clause. Each identifier in a single pattern must be unique.
- *A literal underscore*: Matches any stream element, but creates no bindings.

The patterns are tested in order, left-to-right, until a matching pattern is found. If *fender* is present, it must evaluate as non- `#f` for the match to be successful. Pattern variables are bound in the corresponding *fender* and expression. Once the matching pattern is found, the corresponding expression is evaluated and returned as the result of the match. An error is signaled if no pattern matches the input stream.

(stream-of *expr rest …***)**   `syntax`

`stream-of` provides the syntax of stream comprehensions, which generate streams by means of looping expressions. The result is a stream of objects of the type returned by *expr*. There are four types of clauses:

- `(var in stream-expr)` : Loop over the elements of `stream-expr`, in order from the start of the stream, binding each element of the stream in turn to `var`. `stream-from` and `stream-range` are frequently useful as generators.
- `(var is expr)` : Bind `var` to the value obtained by evaluating `expr`.
- `(pred? expr)` : Include in the output stream only those elements `x` for which `(pred? x)` is non-`#f`.

The scope of variables bound in the stream comprehension is the clauses to the right of the binding clause (but not the binding clause itself) plus the result expression. When two or more generators are present,

the loops are processed as if they are nested from left to right; i.e. the rightmost generator varies fastest. A consequence of this is that only the first generator may be infinite and all subsequent generators must be finite. If no generators are present, the result of a stream comprehension is a stream containing the result expression; thus, `(stream-of 1)` produces a finite stream containing only the element 1.

(stream-range *first past*) `procedure`
(stream-range *first past delta*)

`stream-range` creates a newly-allocated stream that contains *first* as its first element and increments each succeeding element by *step*. The stream is finite and ends before *past,* which is not an element of the stream. If *step* is not given it defaults to 1 if *first* is less than past and `-1` otherwise. First, *past* and *step* may be of any numeric type. `stream-range` is frequently useful as a generator in `stream-of` expressions.

(stream-ref *strm n*) `procedure`

`stream-ref` returns the *n*-th element of stream, counting from zero. An error is signaled if *n* is greater than or equal to the length of stream.

(stream-reverse *strm*) `procedure`

`stream-reverse` returns a newly-allocated stream containing the elements of the input stream *strm* but in reverse order. `stream-reverse` may only be used with finite streams; it enters an infinite loop with infinite streams. `stream-reverse` does not force evaluation of the elements of the stream.

(stream-scan *proc base strm*) `procedure`

`stream-scan` accumulates the partial folds of an input stream *strm* into a newly-allocated output stream. The output stream is the *base* followed by `(stream-fold proc base (stream-take i stream))` for each of the first `i` elements of stream.

(stream-take *strm n*) `procedure`

`stream-take` takes a non-negative integer *n* and a stream and returns a newly-allocated stream containing the first *n* elements of the input stream. If the input stream has less than *n* elements, so does the output stream.

(stream-take-while *pred? strm*) `procedure`

`stream-take-while` takes a predicate *pred?* and a stream *strm* and returns a newly-allocated stream containing those elements `x` that form the maximal prefix of the input stream for which `(pred? x)` is non-`#f`.

(stream-unfold *mapper pred? generator base*) `procedure`

`stream-unfold` is the fundamental recursive stream constructor. It constructs a stream by repeatedly applying *generator* to successive values of *base*, in the manner of `stream-iterate`, then applying *mapper* to each of the values so generated, appending each of the mapped values to the output stream as long as `(pred? base)` is non-`#f`.

(stream-unfolds *proc seed*) `procedure`

`stream-unfolds` returns *n* newly-allocated streams containing those elements produced by successive calls to the generator *proc,* which takes the current `seed` as its argument and returns *n+1* values:

   (*proc seed*)   ⇒   *seed result0 ... resultn-1*

where the returned seed is the input seed to the next call to the generator and *resulti* indicates how to produce the next element of the *i*-th result stream:

- `(value)` : value is the next car of the result stream
- `#f` : no value produced by this iteration of the generator `proc` for the result stream
- `()` : the end of the result stream

It may require multiple calls of `proc` to produce the next element of any particular result stream.

(stream-zip *strm* …) procedure

`stream-zip` takes one or more input streams *strm* … and returns a newly-allocated stream in which each element is a list (not a stream) of the corresponding elements of the input streams. The output stream is as long as the shortest input stream, if any of the input streams is finite, or is infinite if all the input streams are infinite.

38 LispKit String

Strings are sequences of characters. In LispKit, characters are UTF-16 code units. Strings are written as sequences of characters enclosed within quotation marks ("). Within a string literal, various escape sequences represent characters other than themselves. Escape sequences always start with a backslash \ :

- `\a` : alarm (U+0007)
- `\b` : backspace (U+0008)
- `\t` : character tabulation (U+0009)
- `\n` : linefeed (U+000A)
- `\r` : return (U+000D)
- `\"` : double quote (U+0022)
- `\\` : backslash (U+005C)
- `\|` : vertical line (U+007C)
- `\` *line-end*: used for encoding multi-line string literals
- `\x` *hex-scalar-value* `;` : specified character

The result is unspecified if any other character in a string occurs after a backslash.

Except for a line ending, any character outside of an escape sequence stands for itself in the string literal. A line ending which is preceded by a backslash expands to nothing and can be used to encode multi-line string literals.

```
(display "The word \"recursion\" has many meanings.")  ⇒
The word "recursion" has many meanings.
(display "Another example:\ntwo lines of text.")  ⇒
Another example:
two lines of text.
(display "\x03B1; is named GREEK SMALL LETTER ALPHA.")  ⇒
α is named GREEK SMALL LETTER ALPHA.
```

The length of a string is the number of characters, i.e. UTF-16 code units, that it contains. This number is an exact, non-negative integer that is fixed when the string is created. The valid indexes of a string are the exact non-negative integers less than the length of the string. The first character of a string has index 0, the second has index 1, and so on.

Some of the procedures that operate on strings ignore the difference between upper and lower case. The names of the versions that ignore case end with `-ci` (for "case insensitive").

LispKit only supports mutable strings.

38.1 Basic constructors and procedures

(make-string *k*) procedure
(make-string *k char*)

The `make-string` procedure returns a newly allocated string of length *k*. If *char* is given, then all the characters of the string are initialized to *char*, otherwise the contents of the string are unspecified.

(string *char* ...) `procedure`
Returns a newly allocated string composed of the arguments. It is analogous to procedure `list`.

(list->string *list*) `procedure`
Returns a newly allocated string composed of the characters contained in *list*.

(string-ref *str k*) `procedure`
The `string-ref` procedure returns character *k* of string *str* using zero-origin indexing. It is an error if *k* is not a valid index of string *str*.

(string-set! *str k char*) `procedure`
The `string-set!` procedure stores *char* in element *k* of string *str*. It is an error if *k* is not a valid index of string *str*.

(string-length *str*) `procedure`
Returns the number of characters in the given string *str*.

38.2 Predicates

(string? *obj*) `procedure`
Returns `#t` if *obj* is a string; otherwise returns `#f`.

(string-empty? *str*) `procedure`
Returns `#t` if *str* is an empty string, i.e. a string of length 0. Otherwise, `string-empty?` returns `#f`.

(string=? *str* ...) `procedure`
Returns `#t` if all the strings have the same length and contain exactly the same characters in the same positions; otherwise `string=?` returns `#f`.

(string<? *str* ...) `procedure`
(string>? *str* ...)
(string<=? *str* ...)
(string>=? *str* ...)

These procedures return `#t` if their arguments are (respectively): monotonically increasing, monotonically decreasing, monotonically non-decreasing, or monotonically non-increasing. These predicates are transitive.

These procedures compare strings in a lexicographic fashion; i.e. `string<?` implements a the lexicographic ordering on strings induced by the ordering `char<?` on characters. If two strings differ in length but are the same up to the length of the shorter string, the shorter string would be considered to be lexicographically less than the longer string.

A pair of strings satisfies exactly one of `string<?`, `string=?`, and `string>?`. A pair of strings satisfies `string<=?` if and only if they do not satisfy `string>?`. A pair of strings satisfies `string>=?` if and only if they do not satisfy `string<?`.

(string-ci=?) `procedure`
Returns `#t` if, after case-folding, all the strings have the same length and contain the same characters in the same positions; otherwise `string-ci=?` returns `#f`.

(string-ci<? *str* ...) `procedure`
(string-ci<=? *str* ...) (string-ci>? *str* ...) (string-ci>=? *str* ...)

These procedures compare strings in a case-insensitive fashion. The "-ci" procedures behave as if they applied `string-foldcase` to their arguments before invoking the corresponding procedures without "-ci".

(string-contains? *str sub***)** `procedure`
Returns `#t` if string *str* contains string *sub*; returns `#f` otherwise.

(string-prefix? *str sub***)** `procedure`
Returns `#t` if string *str* has string *sub* as a prefix; returns `#f` otherwise.

(string-suffix? *str sub***)** `procedure`
Returns `#t` if string *str* has string *sub* as a suffix; returns `#f` otherwise.

38.3 Composing and extracting strings

Many of the following procedures accept an optional *start* and *end* argument as their last two arguments. If both or one of these optional arguments are not provided, *start* defaults to `0` and *end* defaults to the length of the corresponding string.

(string-contains *str sub***)** `procedure`
(string-contains *str sub start***)**
(string-contains *str sub start end***)**

This procedure checks whether string *sub* is contained in string *str* within the index range *start* to *end*. It returns the first index into *str* at which *sub* is fully contained within *start* and *end*. If *sub* is not contained in the substring of *str*, then `#f` is returned.

(substring *str start end***)** `procedure`
The `substring` procedure returns a newly allocated string formed from the characters of string *str* beginning with index *start* and ending with index *end*. This is equivalent to calling `string-copy` with the same arguments, but is provided for backward compatibility and stylistic flexibility.

(string-append *str* …**)** `procedure`
Returns a newly allocated string whose characters are the concatenation of the characters in the given strings *str* ….

(string-concatenate *list***)** `procedure`
(string-concatenate *list sep***)**

Returns a newly allocated string whose characters are the concatenation of the characters in the strings contained in *list*. *sep* is either a character or string, which, if provided, is used as a separator between two strings that get concatenated. It is an error if *list* is not a proper list containing only strings as elements.

(string-upcase *str***)** `procedure`
(string-downcase *str***)**
(string-titlecase *str***)**
(string-foldcase *str***)**

These procedures apply the Unicode full string uppercasing, lowercasing, titlecasing, and case-folding algorithms to their argument string *str* and return the result as a newly allocated string. It is not guaranteed that the resulting string has the same lenght like *str*. Language-sensitive string mappings and foldings are not used.

(string-normalize-diacritics *str***)** `procedure`
Procedure `string-normalize-diacritics` transforms the given string *str* by normalizing diacritics and returning the result as a newly allocated string.

(string-normalize-separators *str***)** `procedure`
(string-normalize-separators *str sep***)**
(string-normalize-separators *str sep cset***)**

Procedure `string-normalize-separators` normalizes string *str* by replacing sequences of separation characters from character set *cset* with string or character *sep*. If *sep* is not provided, `" "` is used as a default. If *cset* is not provided, all unicode newline and whitespace characters are used as a default for *cset*. *cset* is either a string of separation characters or a character set as defined by library `(lispkit char-set)`.

(string-copy *str*) procedure
(string-copy *str start*)
(string-copy *str start end*)

Returns a newly allocated copy of the part of the given string *str* between *start* and *end*.

(string-split *str sep allow-empty?*) procedure
Procedure `string-split` splits string *str* using the separator *sep* and returns a list of the component strings, in order. *sep* is either a string or a character. Boolean argument *allow-empty?* determines whether empty component strings are dropped. *allow-empty?* is `#t` by default.

```
(string-split "name-|-street-|-zip-|-city-|-" "-|-")  ⇒  ("name" "street" "zip" "city" "")
(string-split "name-|-street-|-zip-|-city-|-" "-|-" #f)  ⇒  ("name" "street" "zip" "city")
```

(string-trim *str*) procedure
(string-trim *str chars*)

Returns a newly allocated string by removing all characters from the beginning and end of string *str* that are contained in *chars*. *chars* is either a string or it is a character set. If *chars* is not provided, whitespaces and newlines are being removed.

```
(string-trim "  lispkit is fun ")                    ⇒   "lispkit is fun"
(string-trim "_____" "_")                          ⇒   ""
(string-trim "712+72=784" (char-set->string char-set:digit))  ⇒  "+72="
(string-trim "712+72=784" char-set:digit)            ⇒   "+72="
```

(string-pad-right *str char k*) procedure
(string-pad-right *str char k force-length?*)

Procedure `string-pad-right` returns a newly allocated string created by padding string *str* at the beginning of the string with character *char* until it is of length *k*. If *k* is less than the length of string *str*, the resulting string gets truncated at length *k* if boolean argument *force-length?* is `#t`; otherwise, the string *str* gets returned as is.

```
(string-pad-right "scheme" #\space 8)   ⇒   "scheme  "
(string-pad-right "scheme" #\x 4)       ⇒   "scheme"
(string-pad-right "scheme" #\x 4 #t)    ⇒   "sche"
(string-pad-right "scheme" "_" 10)      ⇒   "scheme____"
```

(string-pad-left *str char k*) procedure
(string-pad-left *str char k force-length?*)

Procedure `string-pad-left` returns a newly allocated string created by padding string *str* at the beginning of the string with character *char* until it is of length *k*. If *k* is less than the length of string *str*, the resulting string gets truncated at length *k* if boolean argument *force-length?* is `#t`; otherwise, the string *str* gets returned as is.

```
(string-pad-left "scheme" #\space 8)    ⇒   "  scheme"
(string-pad-left "scheme" #\x 4)        ⇒   "scheme"
(string-pad-left "scheme" #\x 4 #t)     ⇒   "heme"
(string-pad-left "scheme" "_" 10)       ⇒   "____scheme"
```

(string-pad-center *str char k***)**   `procedure`
(string-pad-center *str char k force-length?***)**

Procedure `string-pad-center` returns a newly allocated string created by padding string *str* at the beginning and end with character *char* until it is of length *k*, such that *str* is centered in the middle. If *k* is less than the length of string *str,* the resulting string gets truncated at length *k* if boolean argument *force-length?* is `#t` ; otherwise, the string *str* gets returned as is.

```
(string-pad-center "scheme" #\space 8)  ⇒  " scheme "
(string-pad-center "scheme" #\x 4)      ⇒  "scheme"
(string-pad-center "scheme" #\x 4 #t)   ⇒  "heme"
(string-pad-center "scheme" "_" 10)     ⇒  "__scheme__"
```

38.4 Manipulating strings

(string-replace! *str sub repl***)**   `procedure`
(string-replace! *str sub repl start***)**
(string-replace! *str sub repl start end***)**

Replaces all occurences of string *sub* in string *str* between indices *start* and *end* with string *repl* and returns the number of occurences of *sub* that were replaced.

(string-replace-first! *str sub repl***)**   `procedure`
(string-replace-first! *str sub repl start***)**
(string-replace-first! *str sub repl start end***)**

Replaces the first occurence of string *sub* in string *str* between indices *start* and *end* with string *repl* and returns the index at which the first occurence of *sub* was replaced.

(string-insert! *str repl***)**   `procedure`
(string-insert! *str repl start***)**
(string-insert! *str repl start end***)**

Replaces the part of string *str* between index *start* and *end* with string *repl*. The default for *start* is 0, for *end* it is `(+ (string-length str) 1)` .

(string-append! *str other* …**)**   `procedure`
Appends the strings *other*, … to mutable string *str* in the given order.

(string-copy! *to at from***)**   `procedure`
(string-copy! *to at from start***)**
(string-copy! *to at from start end***)**

Copies the characters of string *from* between index *start* and *end* to string *to*, starting at index *at*. If the source and destination overlap, copying takes place as if the source is first copied into a temporary string and then into the destination. It is an error if *at* is less than zero or greater than the length of string *to*. It is also an error if `(- (string-length to) at)` is less than `(- end start)` .

(string-fill! *str fill***)**   `procedure`
(string-fill! *str fill start***)**
(string-fill! *str fill start end***)**

The `string-fill!` procedure stores *fill* in the elements of string *str* between index *start* and *end*. It is an error if *fill* is not a character.

38.5 Iterating over strings

(string-map *proc str …*) procedure

The `string-map` procedure applies procedure *proc* element-wise to the characters of the strings *str …* and returns a string of the results, in order. If more than one string *str* is given and not all strings have the same length, `string-map` terminates when the shortest string runs out. It is an error if *proc* does not accept as many arguments as there are strings and returns a single character.

```
(string-map char-foldcase "AbdEgH")  ⇒  "abdegh"
(string-map (lambda (c) (integer->char (+ 1 (char->integer c)))) "HAL")  ⇒  "IBM"
```

(string-for-each *proc str …*) procedure

The arguments to `string-for-each` are like the arguments to `string-map`, but `string-for-each` calls *proc* for its side effects rather than for its values. Unlike `string-map`, `string-for-each` is guaranteed to call *proc* on the characters of the strings in order from the first character to the last. If more than one string *str* is given and not all strings have the same length, `string-for-each` terminates when the shortest string runs out. It is an error for *proc* to mutate any of the strings. It is an error if *proc* does not accept as many arguments as there are strings.

38.6 Converting strings

(string->list *str*) procedure
(string->list *str start*)
(string->list *str start end*)

The `string->list` procedure returns a list of the characters of string *str* between *start* and *end* preserving the order of the characters.

38.7 Input/Output

(read-file *path*) procedure

Reads the text file at *path* and stores its content in a newly allocated string which gets returned by `read-file`.

(write-file *path str*) procedure

Writes the characters of string *str* into a new text file at *path*. `write-file` returns `#t` if the file could be written successfully; otherwise `#f` is returned.

39 LispKit System

39.1 Source files

(load *filename***)** procedure
(load *filename environment***)**

`load` reads a source file specified by *filename* and executes it in the given *environment*. If no environment is specified, the current *interaction environment* is used, which can be accessed via `(interaction-environment)`. Execution of the file consists of reading expressions and definitions from the file, compiling them, and evaluating them sequentially in the environment. `load` returns the result of evaluating the last expression or definition from the file. During compilation, the special form `source-directory` can be used to access the directory in which the executed file is located.

It is an error if *filename* is not a string. If *filename* is not an absolute file path, LispKit will try to find the file in a predefined set of directories, such as the default libraries search path. If no file name suffix, also called *path extension*, is provided, the system will try to determine the right suffix. For instance, `(load "Prelude")` will find the prelude file, determine its suffix and load and execute the file.

39.2 File paths

Files and directories are referenced by *paths*. Paths are strings consisting of directory names separated by character `'/'` optionally followed by a file name (if the path refers to a file) and a path extension (sometimes also called *file name suffix*, if the path refers to a file). Paths are either *absolute*, if they start with character `'/'`, or they are *relative* to some unspecified directory.

If a relative path is used to refer to a concrete directory or file, e.g. in the API provided by library `(lispkit port)`, typically the path is interpreted as relative to the path as defined by the parameter object `current-directory`, unless specified otherwise.

current-directory parameter object
Defines the path referring to the *current directory*. Each LispKit virtual machine has its own current directory.

source-directory syntax
Returns the directory in which the source file is located which is currently being compiled and executed. Typically, such source files are executed via procedure `load`.

(home-directory) procedure
(home-directory *username***)**

Returns the path of the home directory of the user identified via string *username*. If *username* is not given, the name of the current user is used as a default. The name of the current user can be retrieved via procedure `current-user-name`.

```
(home-directory "objecthub")  ⇒  "/Users/objecthub"
```

(system-directory *type*) `procedure`

Returns a list of paths to system directories specified via symbol *type* for the current user. In most cases, a single value is returned. The following `type` values are supported:

- `desktop` : The "Desktop" folder.
- `downloads` : The "Downloads" folder.
- `movies` : The "Movies" folder.
- `music` : Ths "Music folder.
- `pictures` : The "Pictures" folder.
- `documents` : The "Documents" folder.
- `shared-public` : The "Public" folder.
- `application-scripts` : The folder where AppleScript source code is stored.
- `temporary` : A shared temporary folder.

```
(system-directory 'documents)  ⇒  ("/Users/objecthub/Documents")
```

(path *path comp ...*) `procedure`

Constructs a new relative file or directory path consisting of a relative (or absolute) base path *base* and a number of path components *comp ...*. If it is not possible to coonstruct a valid path, this procedure returns `#f`.

```
(path "one" "two" "three.png")  ⇒  "one/two/three.png"
```

(parent-path *path*) `procedure`

Returns the parent path of *path*. The result is either a relative path if *path* is relative, or the result is an absolute path. `parent-path` returns `#f` if *path* is not a valid path.

```
(parent-path "one/two/three.png")  ⇒  "one/two"
(parent-path "three.png")          ⇒  "."
```

(path-components *path*) `procedure`

Returns the individual components of a (relative or absolute) *path* as a list of strings. Returns `#f` if *path* is not a valid path.

```
(path-components "one/two/three.png")  ⇒  ("one" "two" "three.png")
```

(file-path *path*) `procedure`
(file-path *path base*)

Constructs a new absolute file or directory path consisting of a base path *base* and a relative file path *path*.

```
(file-path "Photos/img01.jpg" "/Users/objecthub")  ⇒  "/Users/objecthub/Photos/img01.jpg"
```

(asset-file-path *name type*) `procedure`
(asset-file-path *name type dir*)

Returns a new absolute file or directory path to a LispKit *asset*. An asset is identified via a file *name*, a file *type*, and an optional directory path *dir*. *name*, *type*, and *dir* are all strings. An asset is a file which is located directly or indirectly in one of the asset directories part of the LispKit installation. An asset has a *type*, which is the default path extension of the file (e.g. `"png"` for PNG images). If *dir* is provided, it is a relative path to a sub-directory within a matching asset directory.

`asset-file-path` constructs a relative file path in the following way (assuming there is no existing file path extension already):

> *dir/name.type*

It then searches the asset paths in their given order for a file matching this relative file path. Once the first matching file is found, an absolute file path for this file is returned by `asset-file-path`. If no valid (and existing) file is found, `asset-file-path` returns `#f`.

(parent-file-path *path*) `procedure`

If *path* refers to a file, then `parent-file-path` returns the directory in which this file is contained. If *path* refers to a directory, then `parent-file-path` returns the directory in which this directory is contained. The result of *parent-file-path* is always an absolute path.

(path-extension *path*) `procedure`

Returns the path extension of *path* or `#f` if there is no path extension.

```
(path-extension "/foo/bar.txt")  ⇒  "txt"
(path-extension "/foo/bar")      ⇒  #f
```

(append-path-extension *path ext opt*) `procedure`

Appends path extension string *ext* to the file path *path*. The extension is added no matter whether *path* has an extension already or not, unless *opt* is set to `#t`, in which case extension *ext* is only added if there is no extension already.

```
(append-path-extension "/foo/bar" "txt")       ⇒  "/foo/bar.txt"
(append-path-extension "/foo/bar.txt" "mp3")    ⇒  "/foo/bar.txt.mp3"
(append-path-extension "/foo/bar.txt" "mp3" #t) ⇒  "/foo/bar.txt"
(append-path-extension "" "txt")               ⇒  #f
```

(remove-path-extension *path*) `procedure`

Removes the path extension of *path* if one exists and returns the resulting path. If no path extension exists, *path* is returned.

```
(remove-path-extension "/foo/bar")         ⇒  "/foo/bar"
(remove-path-extension "/foo/bar.txt")     ⇒  "/foo/bar"
(remove-path-extension "/foo/bar.txt.mp3") ⇒  "/foo/bar.txt"
(remove-path-extension "")                 ⇒  ""
```

(file-path-root? *path*) `procedure`

Returns `#t` if *path* exists and corresponds to the root of the directory hierarchy. The root is typically equivalent to "/". It is an error if *path* is not a string.

39.3 File operations

LispKit supports ways to explore the file system, test if files or directories exist, read and write files, list directory contents, get metadata about files (e.g. file sizes), etc. Most of this functionality is provided by the libraries `(lispkit system)` and `(lispkit port)`.

(file-exists? *filepath*) `procedure`

The `file-exists?` procedure returns `#t` if the named file exists at the time the procedure is called, and `#f` otherwise. It is an error if *filename* is not a string.

(directory-exists? *dirpath***)** `procedure`

The `directory-exists?` procedure returns `#t` if the named directory exists at the time the procedure is called, and `#f` otherwise. It is an error if *filename* is not a string.

(file-or-directory-exists? *path***)** `procedure`

The `file-or-directory-exists?` procedure returns `#t` if the named file or directory exists at the time the procedure is called, and `#f` otherwise. It is an error if *filename* is not a string.

(file-readable? *path***)** `procedure`

Returns `#t` if the file at *path* exists and is readable; returns `#f` otherwise.

(directory-readable? *path***)** `procedure`

Returns `#t` if the directory at *path* exists and is readable; returns `#f` otherwise.

(file-writable? *path***)** `procedure`

Returns `#t` if the file at *path* exists and is writable; returns `#f` otherwise.

(directory-writable? *path***)** `procedure`

Returns `#t` if the directory at *path* exists and is writable; returns `#f` otherwise.

(file-deletable? *path***)** `procedure`

Returns `#t` if the file at *path* exists and is deletable; returns `#f` otherwise.

(directory-deletable? *path***)** `procedure`

Returns `#t` if the file at *path* exists and is deletab; returns `#f` otherwise.

(delete-file *filepath***)** `procedure`

The `delete-file` procedure deletes the file specified by *filepath* if it exists and can be deleted. If the file does not exist or cannot be deleted, an error that satisfies `file-error?` is signaled. It is an error if *filepath* is not a string.

(delete-directory *dirpath***)** `procedure`

The `delete-directory` procedure deletes the directory specified by *dirpath* if it exists and can be deleted. If the directory does not exist or cannot be deleted, an error that satisfies `file-error?` is signaled. It is an error if *dirpath* is not a string.

(delete-file-or-directory *path***)** `procedure`

The `delete-file-or-directory` procedure deletes the directory or file specified by *path* if it exists and can be deleted. If *path* neither leads to a file nor a directory or the file or directory cannot be deleted, an error that satisfies `file-error?` is signaled. It is an error if *path* is not a string.

(copy-file *filepath targetpath***)** `procedure`

The `copy-file` procedure copies the file specified by *filepath* to the file specified by *targetpath*. An error satisfying `file-error?` is signaled if *filepath* does not lead to an existing file or if a file at *targetpath* cannot be written. It is an error if either *filepath* or *targetpath* are not strings.

(copy-directory *dirpath targetpath***)** `procedure`

The `copy-directory` procedure copies the directory specified by *dirpath* to the directory specified by *targetpath*. An error satisfying `file-error?` is signaled if *dirpath* does not lead to an existing directory or if a directory at *targetpath* cannot be written. It is an error if either *dirpath* or *targetpath* are not strings.

(copy-file-or-directory *sourcepath targetpath***)** `procedure`

The `copy-file-or-directory` procedure copies the file or directory specified by *sourcepath* to the file or directory specified by *targetpath*. An error satisfying `file-error?` is signaled if *sourcepath* does not lead to an existing file or directory, or if a file or directory at *targetpath* cannot be written. It is an error if either *sourcepath* or *targetpath* are not strings.

(move-file *filepath targetpath*) `procedure`

Moves the file at *filepath* to *targetpath*. This procedure fails if *filepath* does not reference an existing file, or if the file cannot be moved to *targetpath*. It is an error if either *filepath* or *targetpath* are not strings.

(move-directory *dirpath targetpath*) `procedure`

Moves the directory at *dirpath* to *targetpath*. This procedure fails if *dirpath* does not reference an existing directory, or if the directory cannot be moved to *targetpath*. It is an error if either *dirpath* or *targetpath* are not strings.

(move-file-or-directory *sourcepath targetpath*) `procedure`

Moves the file or directory at *sourcepath* to *targetpath*. This procedure fails if *sourcepath* does not reference an existing file or directory, or if the file or directory cannot be moved to *targetpath*. It is an error if either *sourcepath* or *targetpath* are not strings.

(file-size *filepath*) `procedure`

Returns the size of the file specified by *filepath* in bytes. It is an error if *filepath* is not a string or if *filepath* does not reference an existing file.

(directory-list *dirpath*) `procedure`

Returns a list of names of files and directories contained in the directory specified by *dirpath*. It is an error if *dirpath* is not a string or if *dirpath* does not reference an existing directory.

(make-directory *dirpath*) `procedure`

Creates a directory with path *dirpath*. If the directory exists already or if it is not possible to create a directory with path *dirpath*, `make-directory` fails with an error. It is an error if *dirpath* is not a string.

(open-file *filepath*) `procedure`
(open-file *filepath app*)
(open-file *filepath app activate*)

Opens the file specified by *filepath* with the application *app*. *activate* is a boolean argument. If it is `#t`, it will make *app* the frontmost application after invoking it. If *app* is not specified, the default application for the type of the file specified by *filepath* is used. If *activate* is not specified, it is assumed it is `#t`. `open-file` returns `#t` if it was possible to open the file, `#f` otherwise. Example: `(open-file "/Users/objecthub/main.swift" "TextEdit")`.

39.4 Network operations

(open-url *url*) `procedure`

Opens the given url in the default browser and makes the browser the frontmost application.

(http-get *url*) `procedure`
(http-get *url timeout*)

`http-get` performs an `http get` request for the given URL. `timeout` is a floating point number defining the time in seconds it should take at most for receiving a response. `http-get` returns two values: the HTTP header in form of an association list, and the content in form of a bytevector. It is an error if the `http get` request fails. Example:

```
(http-get "http://github.com/objecthub")
⇒
(("Date" . "Sat, 17 Nov 2018 22:47:19 GMT")
 ("Referrer-Policy" . "origin-when-cross-origin, strict-origin-when-cross-origin")
 ("X-XSS-Protection" . "1; mode=block")
 ("Status" . "200 OK")
 ("Transfer-Encoding" . "Identity")
 ...
```

```
 ("Content-Type" . "text/html; charset=utf-8")
 ("Server" . "GitHub.com"))
#u8(10 10 60 33 68 79 67 84 89 80 69 32 104 116 109 108 62 10 60 104 116 109 108 32 108 97 110
↪  103 61 34 101 110 34 62 10 32 32 60 104 101 97 100 62 10 32 32 32 32 60 109 101 116 97 32 99
↪  104 97 114 115 101 116 61 34 117 116 102 ...)
```

39.5 Time operations

(current-second) `procedure`

Returns a floating-point number representing the current time on the International Atomic Time (TAI) scale. The value `0.0` represents midnight on January 1, 1970 TAI (equivalent to ten seconds before midnight UTC) and the value `1.0` represents one TAI second later. **Note:** The current implementation returns the same number like `current-seconds`. This is not conforming to the R7RS spec requiring TAI scale.

(current-jiffy) `procedure`

Returns the number of jiffies as a fixnum that have elapsed since an arbitrary epoch. A jiffy is a fraction of a second which is defined by the return value of the `jiffies-per-second` procedure. The starting epoch is guaranteed to be constant during a run of the program, but may vary between runs.

(jiffies-per-second) `procedure`

Returns a fixnum representing the number of jiffies per SI second. Here is an example for how to use `jiffies-per-second`:

```
(define (time-length)
  (let ((list (make-list 100000))
        (start (current-jiffy)))
    (length list)
    (/ (- (current-jiffy) start) (jiffies-per-second))))
```

39.6 Locales

For handling locale-specific behavior, e.g. for formatting numbers and dates, library `(lispkit system)` defines a framework in which

- regions/countries are identified via ISO 3166-1 Alpha 2-code strings,
- languages are identified via ISO 639-1 2-letter strings, and
- locales (i.e. combinations of regions and languages) are identified as symbols.

Library `(lispkit system)` provides functions for returning all available regions, languages, and locales. It also defines functions to map identifiers to human-readable names and to construct identifiers out of other identifiers.

(available-regions) `procedure`

Returns a list of 2-letter region code identifiers (strings) for all available regions.

(region-name *ident*) `procedure`
(region-name *ident locale*)

Returns the name of the region identified by the 2-letter region code string *ident* for the given locale *locale*. If *locale* is not provided, the current (system-provided) locale is used.

(available-languages) `procedure`

Returns a list of 2-letter language code identifiers (strings) for all available languages.

(language-name *ident*)   `procedure`
(language-name *ident locale*)

Returns the name of the language identified by the 2-letter language code string *ident* for the given locale *locale*. If *locale* is not provided, the current (system-configured) locale is used.

(available-locales)   `procedure`
Returns a list of all available locale identifiers (symbols).

(available-locale? *locale*)   `procedure`
Returns `#t` if the symbol *locale* is identifying a locale supported by the operating system; returns `#f` otherwise.

(locale)   `procedure`
(locale *lang*)
(locale *lang country*)

If no argument is provided `locale` returns the current locale (symbol) which got configured by the user for the operation system. If the string argument *lang* is provided, a locale representing *lang* (and all countries for which *lang* is supported) is returned. If both *lang* and string *country* are provided, `locale` will return a symbol identifying the corresponding locale.

This function never fails if both *lang* and *country* are strings. It can be used for constructing locales that are not supported by the underlying operating system. This can be checked with function `available-locale?`.

```
(locale)            ⇒  en_US
(locale "de")       ⇒  de
(locale "en" "GB")  ⇒  en_GB
```

(locale-region *locale*)   `procedure`
Returns the 2-letter region code string for the region targeted by the locale identifier *locale*. If *locale* does not target a region, `locale-region` returns `#f`.

(locale-language *locale*)   `procedure`
Returns the 2-letter language code string for the language targeted by the locale identifier *locale*. If *locale* does not target a language, `locale-language` returns `#f`.

(locale-currency *locale*)   `procedure`
Returns the 3-letter currency code string for the currency associated with the country targeted by *locale*. If *locale* does not target a country, `locale-currency` returns `#f`.

39.7 Execution environment

(get-environment-variable *name*)   `procedure`
Many operating systems provide each running process with an environment consisting of *environment variables*. Both the name and value of an environment variable are represented as strings. The procedure `get-environment-variable` returns the value of the environment variable *name*, or `#f` if the named environment variable is not found.

```
(get-environment-variable "PATH") ⇒ "/usr/local/bin:/usr/bin:/bin"
```

(get-environment-variables)   `procedure`
Returns the names and values of all the environment variables as an association list, where the car of each

entry is the name of an environment variable and the cdr is its value, both as strings. Example: `(("USER" . "root") ("HOME" . "/"))`.

(command-line) procedure

Returns the command line passed to the process as a list of strings. The first string corresponds to the command name.

(features) procedure

Returns a list of the feature identifiers which `cond-expand` treats as true. Here is an example of what `features` might return: `(modules x86-64 lispkit macosx syntax-rules complex 64bit macos little-endian dynamic-loading ratios r7rs)`. LispKit supports at least the following feature identifiers:

- `lispkit`
- `r7rs`
- `ratios`
- `complex`
- `syntax-rules`
- `little-endian`
- `big-endian`
- `dynamic-loading`
- `modules`
- `32bit`
- `64bit`
- `macos`
- `macosx`
- `ios`
- `linux`
- `i386`
- `x86-64`
- `arm64`
- `arm`

(implementation-name) procedure

Returns the name of the Scheme implementation. For LispKit, this function returns the string "LispKit".

(implementation-version) procedure

Returns the version of the Scheme implementation as a string.

(cpu-architecture) procedure

Returns the CPU architecture on which this Scheme implementation is executing as a string.

(machine-name) procedure

Returns a name for the particular machine on which the Scheme implementation is currently running.

(machine-model) procedure

Returns an identifier for the machine on which the Scheme implementation is currently running.

(os-type) procedure

Returns the type of the operating system on which the Scheme implementation is running as a string. For macOS, this procedure returns "Darwin".

(os-name) procedure

Returns the name of the operating system on which the Scheme implementation is running as a string. For macOS, this procedure returns "macOS".

(os-version) procedure

Returns the build number of the operating system on which the Scheme implementation is running as a

string. For macOS 10.14.1, this procedure returns "18B75".

(os-release) `procedure`

Returns the (major) release version of the operating system on which the Scheme implementation is running as a string. For macOS 10.14.1, this procedure returns "10.14".

(current-user-name) `procedure`

Returns the username of the user running the Scheme implementation as a string.

(user-data *username***)** `procedure`

Returns information about the user specified via *username* in form of a list. The list provides the following information in the given order:

1. User id (fixnum)
2. Group id (fixnum)
3. Username (string)
4. Full name (string)
5. Home directory (string)
6. Default shell (string)

Here is an example showing the result for invocation `(user-data "objecthub")`: `(501 20 "objec-thub" "Max Mustermann" "/Users/objecthub/" "/bin/bash")`.

40 LispKit System OS

Library (`lispkit system os`) currently defines a single procedure `system-call` for invoking external binaries as a sub-process of the LispKit interpreter. This library is operating system specific and requires careful usage in portable code.

(system-call *path args*)   procedure
(system-call *path args env*)
(system-call *path args env port*)
(system-call *path args env port input*)

Executes the binary at *path* passing the string representation of the elements of list *args* as command-line arguments. *env* is an association list defining environment variables. Both keys and values are strings. The output generated by executing the binary is directed towards *port*, which is a textual output port. The default for *port* corresponds to `current-output-port`, a parameter object defined by library (`lispkit port`). Providing `#f` as *port* will send the output to `/dev/null`. *input* is an optional string which can be used to pipe data into the binary as input. The current implementation is not able to handle interactive binaries. `system-call` returns the result code for executing the binary (`0` refers to a regular exit).

```
> (system-call "/bin/ls" '(-a -l))
total 863816
drwx------@  47 objecthub    1504 Jun  8 10:56 Desktop
drwx------@  96 objecthub    3072 Jun  7 16:39 Documents
drwx------@ 589 objecthub   18848 May 31 16:59 Downloads
drwx------@  41 objecthub    1312 Dec 19 22:51 Google Drive
drwx------@  84 objecthub    2688 Feb 15 18:32 Library
drwx------+  16 objecthub     512 Oct 20  2019 Movies
drwx------+  10 objecthub     320 Oct 20  2019 Music
drwx------+  10 objecthub     320 May 17 18:37 Pictures
drwxr-xr-x+   5 objecthub     160 Nov 23  2016 Public
0
> (system-call "/usr/bin/bc" '(-q) '() (current-output-port) "10*(11+9)/2\n")
100
0
```

41 LispKit Test

Library `(lispkit test)` provides an API for writing unit tests. The API is largely compatible to similar APIs that are bundled with popular Scheme interpreters and compilers.

41.1 Test groups

Tests are bundled in *test groups*. A test group contains actual *tests* comparing acual with expected values and *nested test groups*. Test groups may be given a *name* which is used for reporting on the testing progress and displaying aggregate test results for each test group.

The following code snippet illustrates how test groups are typically structured:

```
(test-begin "Test group example")
(test "Sum of first 10 integers" 45 (apply + (iota 10)))
(test 64 (gcd 1024 192))
(test-approx 1.414 (sqrt 2.0))
(test-end)
```

This code creates a test group with name `Test group example`. The test group defines three tests, one verifying the result of `(apply + (iota 10))`, one testing `gcd` and one testing `sqrt`. When executed, the following output is shown:

```
┌─────────────────────────────────────────────────┐
│ Basic unit tests                                 │
└─────────────────────────────────────────────────┘
[PASS] Sum of first 10 integers
[PASS] (gcd 1024 192)
[FAIL] (sqrt 2.0): expected 1.414 but received 1.414213562373095
┌─────────────────────────────────────────────────┐
│ Basic unit tests                                 │
│ 3 tests completed in 0.001 seconds               │
│ 2 (66.66%) tests passed                          │
│ 1 (33.33%) tests failed                          │
└─────────────────────────────────────────────────┘
```

Procedure `test-begin` opens a new test group. It is optionally given a test group name. Anonymous test groups (without name) are supported, but not encouraged as they make it more difficult to understand the testing output.

Special forms such as `test` and `test-approx` are used to compare expected values with actual result values. Expected values always preceed the actual values. Tests might also be given a name, which is used instead of the expression to test in the test report. `test`, `test-approx`, etc. need to be called in the context of a test group, otherwise the syntactical forms will fail. This is different from other similar libraries which often have an anonymous top-level test group implicitly.

Here is the structure of a more complicated testing setup which has a top-level test group `Library tests` and two nested test groups `Functionality A` and `Functionality B`.

```
(test-begin "Library tests")
  (test-begin "Functionality A")
  (test ...)
  ...
  (test-end)
  (test-begin "Functionality B")
  ...
  (test-end)
(test-end)
```

The syntactic form `test-group` can be used to write small test groups more concisely. This code defines the same test group as above using `test-group`:

```
(test-group "Library tests"
  (test-group "Functionality A"
    (test ...)
    ...)
  (test-group "Functionality B"
    (test ...)
    ...))
```

41.2 Defining test groups

(test-begin)   procedure
(test-begin *name*)

A new test group is opened via procedure `test-begin`. *name* defines a name for the test group. The name is primarily used in the test report to refer to the test group.

(test-end)   procedure
(test-end *name*)

The currently open test group gets closed by calling procedure `test-end`. Optionally, for documentation and validation purposes, it is possible to provide *name*. If explicitly given, it has to match the name of the corresponding `test-begin` call in terms of `equal?`. When `test-end` is called, a summary gets printed listing stats such as passed/failed tests, the time it took to execute the tests in the group, etc.

(test-exit)   procedure
(text-exit *obj*)

This procedure should be placed at the top-level of a test script. It raises an error if it is placed in the context of an open test group. If *obj* is provided and failures were encountered in the previously closed top-level test group, `test-exit` will exit the evaluation of the code by invoking `(exit obj)`.

(test-group *name body ...*)   syntax
`test-group` is a syntactical shortcut for opening and closing a new named test group. It is equivalent to:

```
(begin
  (test-begin name)
  body ...
  (test-end))
```

(test-group-failed-tests)   procedure
Returns the number of failed tests in the innermost active test group.

(test-group-passed-tests) `procedure`

Returns the number of passed tests in the innermost active test group.

(failed-tests) `procedure`

Returns the number of failed tests in all currently active test group.

(passed-tests) `procedure`

Returns the number of passed tests in all currently active test group.

41.3 Comparing actual with expected values

(test *exp tst***)** `syntax`
(test *name exp tst***)**

Main syntax for comparing the result of evaluating expression *tst* with the expected value *exp*. The procedure stored in parameter object *current-test-comparator* is used to compare the actual value with the expected value. *name* is supposed to be a string and used to report success and failure of the test. If not provided, the output of (`display tst`) is used as a name instead. `test` catches errors and prints informative failure messages, including the name, what was expected and what was computed. `test` is a convenience wrapper around `test-equal` that catches common mistakes.

(test-equal *exp tst***)** `syntax`
(test-equal *name exp tst***)**
(test-equal *name exp tst eq***)**

Compares the result of evaluating expression *tst* with the expected value *exp*. The procedure *eq* is used to compare the actual value with the expected value *exp*. If *eq* is not provided, the procedure stored in parameter object *current-test-comparator* is used as a default. *name* is supposed to be a string and it is used to report success and failure of the test. If not provided, the output of (`display tst`) is used as a name instead. `test-equal` catches errors and prints informative failure messages, including the name, what was expected and what was computed.

(test-assert *tst***)** `syntax`
(test-assert *name tst***)**

`test-assert` asserts that the test expression *tst* is not false. It is a convenience wrapper around `test-equal`. *name* is supposed to be a string. It is used to report success and failure of the test. If not provided, the output of (`display tst`) is used as a name instead.

(test-error *tst***)** `syntax`
(test-error *name tst***)**

`test-error` asserts that the test expression *tst* fails by raising an error. *name* is supposed to be a string. It is used to report success and failure of the test. If not provided, the output of (`display tst`) is used as a name instead.

(test-approx *exp tst***)** `syntax`
(test-approx *name exp tst***)**

Compares the result of evaluating expression *tst* with the expected floating-point value *exp*. The procedure `approx-equal?` is used to compare the actual value with the expected flonum value *exp*. `approx-equal?` uses the parameter object `current-test-epsilon` to determine the precision of the comparison (the default is `0.0000001`). *name* is supposed to be a string. It is used to report success and failure of the test. If not provided, the output of (`display tst`) is used as a name instead. `test-approx` catches errors and prints informative failure messages, including the name, what was expected and what was computed.

(test-not *tst*) `syntax`
(test-not *name tst*)

`test-not` asserts that the test expression *tst* is false. It is a convenience wrapper around `test-equal`. *name* is supposed to be a string. It is used to report success and failure of the test. If not provided, the output of `(display tst)` is used as a name instead.

(test-values *exp tst*) `syntax`
(test-values *name exp tst*)

Compares the result of evaluating expression *tst* with the expected values *exp*. *exp* should be of the form `(values x ...)`. As opposed to `test` and `test-equal`, `test-values` works for multiple return values in a portable fashion. The procedure stored in parameter object *current-test-comparator* is used as a comparison procedure. *name* is expected to be a string.

41.4 Test utilities

current-test-comparator `parameter object`
Parameter object referring to the default comparison procedure for `test` and the `test-*` syntactical forms. By default, `current-test-comparator` refers to `equal?`.

current-test-epsilon `parameter object`
Maximum difference allowed for inexact comparisons via procedure `approx-equal?`. By default, this parameter object is set to `0.0000001`.

(approx-equal? *x y*) `procedure`
(approx-equal? *x y epsilon*)

Compares numerical value *x* with numerical value *y* and returns `#t` if *x* and *y* are approximately true. They are approximately true if *x* and *y* differ at most by *epsilon*. If *epsilon* is not provided, the value of parameter object `current-test-epsilon` is used as a default.

(write-to-string *obj*) `procedure`
Writes value `obj` into a new string using procedure `write`, unless *obj* is a pair, in which case `write-to-string` interprets it as a Scheme expression and uses shortcut syntax for special forms such as `quote`, `quasiquote`, etc. This procedure is used to convert expressions into names of tests.

42 LispKit Type

Library `(lispkit type)` provides a simple, lightweight type abstraction mechanism. It allows for creating new types at runtime that are disjoint from all existing types. The library provides two different types of APIs: a purely procedural API for type creation and management, as well as a declarative API. The procedural API does not have an explicit representation of types. The declarative API introduces extensible types which do have a runtime representation.

42.1 Usage of the procedural API

New types are created with function `make-type`. `make-type` accepts one argument, which is a type label. The type label is an arbitrary value that is only used for debugging purposes. Typically, symbols are used as type labels.

The following line introduces a new type for *intervals*:

```
(define-values (new-interval interval? interval-ref make-interval-subtype)
               (make-type 'interval))
```

`(make-type 'interval)` returns four functions:

- `new-interval` is a procedure which takes one argument, the internal representation of the interval, and returns a new object of the new interval type
- `interval?` is a type test predicate which accepts one argument and returns `#t` if the argument is of the new interval type, and `#f` otherwise.
- `interval-ref` takes one object of the new interval type and returns its internal representation. `interval-ref` is the inverse operation of `new-interval`.
- `make-interval-subtype` is a type generator (similar to `make-type`), a function that takes a type label and returns four functions representing a new subtype of the interval type.

Now it is possible to implement a constructor `make-interval` for intervals:

```
(define (make-interval lo hi)
  (if (and (real? lo) (real? hi) (<= lo hi))
      (new-interval (cons (inexact lo) (inexact hi)))
      (error "make-interval: illegal arguments" lo hi)))
```

`make-interval` first checks that the constructor arguments are valid and then calls `new-interval` to create a new interval object. Interval objects are represented via pairs whose *car* is the lower bound, and *cdr* is the upper bound. Nevertheless, pairs and interval objects are distinct values as the following code shows:

```
(define interval-obj (make-interval 1.0 9.5))
(define pair-obj (cons 1.0 9.5))

(interval? interval-obj)        ⇒ #t
(interval? pair-obj)            ⇒ #f
(equal? interval-obj pair-obj)  ⇒ #f
```

The type is displayed along with the representation in the textual representation of interval objects: `#in-terval:(1.0 . 9.5)`.

Below are a few functions for interval objects. They all use `interval-ref` to extract the internal representation from an interval object and then operate on the internal representation.

```
(define (interval-length interval)
  (let ((bounds (interval-ref interval)))
    (- (cdr bounds) (car bounds))))

(define (interval-empty? interval)
  (zero? (interval-length interval)))
```

The following function calls show that `interval-ref` fails with a type error if its argument is not an interval object.

```
(interval-length interval-obj)  ⇒ 8.5
(interval-empty? '(1.0 . 1.0))  ⇒
    [error] not an instance of type interval: (1.0 . 1.0)
```

42.2 Usage of the declarative API

The procedural API provides the most flexible way to define a new type in LispKit. On the other hand, this approach comes with two problems:

1. a lot of boilerplate needs to be written, and
2. programmers need to be experienced to correctly encapsulate new data types and to provide means to extend them.

These problems are addressed by the declarative API of `(lispkit type)`. At the core, this API defines a syntax `define-type` for declaring new types of data. `define-type` supports defining simple, encapsulated types as well as provides a means to make types extensible.

The syntax for defining a simple, non-extensible type has the following form:

```
(define-type name name?
   (( make-name x … )  expr … )
   name-ref
   functions )
```

name is a symbol and defines the name of the new type. *name?* is a predicate for testing whether a given object is of type *name*. *make-name* defines a constructor which returns a value representing the data of the new type. *name-ref* is a function to unwrap values of type *name*. It is optional and normally not needed since *functions* can be declared such that the unwrapping happens implicitly. All functions defined via `define-type` take an object (usually called `self`) of the defined type as their first argument.

There are two forms to declare a function as part of `define-type`: one providing access to `self` directly, and one only providing access to the unwrapped data value:

```
(( name-func self y … )  expr … )
```

provides access directly to *self* (which is a value of type *name*), and

```
(( name-func ( repr ) y … )  expr … )
```

which provides access only to the unwrapped data `repr`.

With this new syntax, type `interval` from the section describing the procedural API, can now be rewritten like this:

```
(define-type interval
  interval?
  ((make-interval lo hi)
    (if (and (real? lo) (real? hi) (<= lo hi))
        (cons (inexact lo) (inexact hi))
        (error "make-interval: illegal arguments" lo hi)))
  ((interval-length (bounds))
    (- (cdr bounds) (car bounds)))
  ((interval-empty? self)
    (zero? (interval-length self))))
```

`interval` is a standalone type which cannot be extended. `define-type` provides a simple means to make types extensible such that subtypes can be created reusing the base type definition. This is done with a small variation of the `define-type` syntax:

```
(define-type  (name super) name?
   (( make-name x … )  expr … )
   name-ref
   functions )
```

In this syntax, *super* refers to the type extended by *name*. All extensible types extend another extensible type and there is one supertype called `object` provided by library `(lispkit type)` as a primitive.

With this syntactic facility, `interval` can be easily re-defined to be extensible:

```
(define-type (interval object)
  interval?
  ((make-interval lo hi)
    (if (and (real? lo) (real? hi) (<= lo hi))
        (cons (inexact lo) (inexact hi))
        (error "make-interval: illegal arguments" lo hi)))
  ((interval-length (bounds))
    (- (cdr bounds) (car bounds)))
  ((interval-empty? self)
    (zero? (interval-length self))))
```

It is now possible to define a `tagged-interval` data structure which inherits all functions from `interval` and encapsulates a tag with the interval:

```
(define-type (tagged-interval interval)
  tagged-interval?
  ((make-tagged-interval lo hi tag)
    (values lo hi tag))
  ((interval-tag (bounds tag))
    tag))
```

`tagged-interval` is a subtype of `interval`; i.e. values of type `tagged-interval` are also considered to be of type `interval`. Thus, `tagged-interval` inherits all function definitions from `interval` and defines a new function `interval-tag` just for `tagged-interval` values. Here is some code explaining the usage of `tagged-interval`:

```
(define ti (make-tagged-interval 4.0 9.0 'inclusive))
(tagged-interval? ti)        ⇒ #t
(interval? ti)               ⇒ #t
(interval-length ti)         ⇒ 5.0
(interval-tag ti)            ⇒ inclusive
(interval-tag interval-obj)  ⇒ [error] not an instance of type tagged-interval: #interval:((1.0
↪  . 9.5))
```

Constructors of extended types, such as `make-tagged-interval` return multiple values: all the parameters for a super-constructor call and one additional value (the last value) representing the data provided by the extended type. In the example above, `make-tagged-interval` returns three values: `lo`, `hi`, and `tag`. After the constructor `make-tagged-interval` is called, the super-constructor is invoked with arguments `lo` and `hi`. The result of `make-tagged-interval` is a `tagged-interval` object consisting of two state values contained in a list: one for the supertype `interval` (consisting of the bounds `(lo . hi)`) and one for the subtype `tagged-interval` (consisting of the tag). This can also be seen when displaying a `tagged-interval` value:

```
ti  ⇒ #tagged-interval:((4.0 . 9.0) inclusive)
```

This is also the reason why function `interval-tag` gets access to two unwrapped values, `bounds` and `tag`: one (`bounds`) corresponds to the value associated with type `interval`, and the other one (`tag`) corresponds to the value associated with type `tagged-interval`.

42.3 API

(make-type *type-label*)   procedure
Creates a new, unique type, and returns four procedures dealing with this new type:

1. The first procedure takes one argument returning a new object of the new type wrapping the argument
2. The second procedure is a type test predicate which accepts one argument and returns `#t` if the argument is of the new type, and `#f` otherwise.
3. The third procedure takes one object of the new type and returns its internal representation (what was passed to the first procedure).
4. The fourth procedure is a type generator (similar to `make-type`), a function that takes a type label and returns four functions representing a new subtype of the new type.

type-label is only used for debugging purposes. It is shown when an object's textual representation is used. In particular, calling the third procedure (the type de-referencing function) will result in an error message exposing the type label if the argument is of a different type than expected.

(define-type *name name?* ((*make-name x ...*) *e ...*) *func ...*)   syntax
(define-type *name name?* ((*make-name x ...*) *e ...*) *ref func ...*)

Defines a new standalone type *name* consisting of a type test predicate *name?*, a constructor *make-name*, and an optional function *ref* used to unwrap values of type *name*. *ref* is optional and normally not needed since functions *func* can be declared such that the unwrapping happens implicitly. All functions *func* defined via `define-type` take an object (usually called `self`) of the defined type as their first argument.

There are two ways to declare a function as part of `define-type`: one providing access to `self` directly, and one only providing access to the unwrapped data value:

- ((*name-func self y ...*) *expr ...*) provides access directly to *self* (which is a value of type *name*), and
- ((*name-func* (*repr*) *y ...*) *expr ...*) provides access only to the unwrapped data `repr`.

(define-type (*name super*) *name?* ((*make-name x ...*) *e ...*) *func ...*)   syntax
(define-type (*name super*) *name?* ((*make-name x ...*) *e ...*) *ref func ...*)

This variant of `define-type` defines a new extensible type *name* extending supertype *super*, which also needs to be an extensible type. A new extensible type *name* comes with a type test predicate *name?*, a constructor *make-name*, and an optional function *ref* used to unwrap values of type *name*. *ref* is optional

and normally not needed since functions *func* can be declared such that the unwrapping happens implicitly. All functions *func* defined via `define-type` take an object (usually called `self`) of the defined type as their first argument.

There are two ways to declare a function as part of `define-type`: one providing access to `self` directly, and one providing access to the unwrapped data values (one for each type in the supertype chain):

- `((` *name-func self y …* `)` *expr …* `)` provides access directly to *self* (which is a value of type *name*), and
- `((` *name-func* `(` *repr …* `)` *y …* `)` *expr …* `)` provides access only to the unwrapped data values `repr`.

Constructors of extended types return multiple values: all the parameters for a super-constructor call and one additional value (the last value) representing the data provided by the extended type.

object value

The supertype of all extensible types defined via `define-type`.

(extensible-type? *obj*) procedure

Returns `#t` if *obj* is a value representing an extensible type. For instance, `(extensible-type? object)` returns `#t`.

43 LispKit Vector

Vectors are heterogeneous data structures whose elements are indexed by a range of integers. A vector typically occupies less space than a list of the same length, and a randomly chosen element can be accessed in constant time vs. linear time for lists.

The *length* of a vector is the number of elements that it contains. This number is a non-negative integer that is fixed when the vector is created. The valid indexes of a vector are the exact, non-negative integers less than the length of the vector. The first element in a vector is indexed by zero, and the last element is indexed by one less than the length of the vector.

Two vectors are `equal?` if they have the same length, and if the values in corresponding slots of the vectors are `equal?`.

A vector can be *mutable* or *immutable*. Trying to change the state of an *immutable vector*, e.g. via `vector-set!` will result in an error being raised.

Vectors are written using the notation `#(obj ...)`. For example, a vector of length 3 containing the number zero in element 0, the list (1 2 3 4) in element 1, and the string "Lisp" in element 2 can be written as follows: `#(0 (1 2 3 4) "Lisp")`.

Vector constants are self-evaluating, so they do not need to be quoted in programs. Vector constants, i.e. vectors created with a vector literal, are *immutable*.

LispKit also supports *growable vectors* via library `(lispkit gvector)`. As opposed to regular vectors, a growable vector does not have a fixed size and supports adding and removing elements. While a growable vector does not satisfay the `vector?` predicate, this library also accepts growable vectors as parameters whenever a vector is expected. Use predicate `mutable-vector?` for determining whether a vector is either a regular mutable vector or a growable vector.

43.1 Predicates

(vector? *obj***)** `procedure`
Returns `#t` if *obj* is a regular vector; otherwise returns `#f`. This function returns `#f` for growable vectors; see library `(lispkit gvector)`.

(mutable-vector? *obj***)** `procedure`
Returns `#t` if *obj* is either a mutable regular vector or a growable vector (see library `(lispkit gvector)`); otherwise returns `#f`.

(immutable-vector? *obj***)** `procedure`
Returns `#t` if *obj* is an immutable vector; otherwise returns `#f`.

(vector= *eql vector ...***)** `procedure`
Procedure `vector=` is a generic comparator for vectors. Vectors *a* and *b* are considered equal by `vector=` if their lengths are the same, and for each respective elements *ai* and *bi*, (eql ai bi) evaluates to true. *eql* is always applied to two arguments.

If there are only zero or one vector argument, `#t` is automatically returned. The dynamic order in which comparisons of elements and of vectors are performed is unspecified.

```
(vector= eq? #(a b c d) #(a b c d))  ⇒  #t
(vector= eq? #(a b c d) #(a b d c))  ⇒  #f
(vector= = #(1 2 3 4 5) #(1 2 3 4))  ⇒  #f
(vector= = #(1 2 3 4) #(1.0 2.0 3.0 4.0))  ⇒  #t
(vector= eq?)  ⇒  #t
(vector= eq? '#(a))  ⇒  #t
```

43.2 Constructors

(make-vector *k*)   procedure
(make-vector *k fill*)

Returns a newly allocated vector of *k* elements. If a second argument is given, then each element is initialized to *fill*. Otherwise the initial contents of each element is unspecified.

(vector *obj …*)   procedure
Returns a newly allocated mutable vector whose elements contain the given arguments. It is analogous to `list` .

```
(vector 'a 'b 'c)  ⇒  #(a b c)
```

(immutable-vector *obj …*)   procedure
Returns a newly allocated immutable vector whose elements contain the given arguments in the given order.

(list->vector *list*)   procedure
The `list->vector` procedure returns a newly created mutable vector initialized to the elements of the list *list* in the order of the list.

```
(list->vector '(a b c))  ⇒  #(a b c)
```

(list->immutable-vector *list*)   procedure
The `list->vector` procedure returns a newly created immutable vector initialized to the elements of the list *list* in the order of the list.

(string->vector *str*)   procedure
(string->vector *str start*)
(string->vector *str start end*)

The `string->vector` procedure returns a newly created mutable vector initialized to the elements of the string *str* between *start* and *end* (i.e. including all characters from index *start* to index *end*-1).

```
(string->vector "ABC")  ⇒  #(#\A #\B #\C)
```

(vector-copy *vector*)   procedure
(vector-copy *vector mutable*)
(vector-copy *vector start*)
(vector-copy *vector start end*)
(vector-copy *vector start end mutable*)

Returns a newly allocated copy of the elements of the given vector between *start* and *end*, but excluding the element at index *end*. The elements of the new vector are the same (in the sense of `eqv?`) as the elements of the old.

mutable is a boolean argument. If it is set to `#f`, an immutable copy of *vector* will be created. The type of the second argument of `vector-copy` is used to disambiguate between the second and third version of the function. An exact integer will always be interpreted as *start*, a boolean value will always be interpreted as *mutable*.

```
(define a #(1 8 2 8))        ; a may be immutable
(define b (vector-copy a))   ; creates a mutable copy of a
(vector-set! b 0 3)          ; b is mutable
b  ⇒  #(3 8 2 8)
(define c (vector-copy a #f)) ; creates an immutable copy of a
(vector-set! c 0 3)  ⇒  error  ; error, since c is immutable
(define d (vector-copy b 1 3))
d  ⇒  #(8 2)
```

(vector-append *vector* …) `procedure`
Returns a newly allocated mutable vector whose elements are the concatenation of the elements of the given vectors.

```
(vector-append #(a b c) #(d e f))  ⇒  #(a b c d e f)
```

(vector-concatenate *vector xs*) `procedure`
Returns a newly allocated mutable vector whose elements are the concatenation of the elements of the vectors in *xs*. *xs* is a proper list of vectors.

```
(vector-concatenate '(#(a b c) #(d) #(e f)))  ⇒  #(a b c d e f)
```

(vector-map *f vector1 vector2* …) `procedure`
Constructs a new mutable vector of the shortest size of the vector arguments *vector1*, *vector2*, etc. Each element at index *i* of the new vector is mapped from the old vectors by `(f (vector-ref vector1 i) (vector-ref vector2 i) ...)`. The dynamic order of the application of f is unspecified.

```
(vector-map + #(1 2 3 4 5) #(10 20 30 40))  ⇒  #(11 22 33 44)
```

(vector-map/index *f vector1 vector2* …) `procedure`
Constructs a new mutable vector of the shortest size of the vector arguments *vector1*, *vector2*, etc. Each element at index *i* of the new vector is mapped from the old vectors by `(f i (vector-ref vector1 i) (vector-ref vector2 i) ...)`. The dynamic order of the application of f is unspecified.

```
(vector-map/index (lambda (i x y) (cons i (+ x y))) #(1 2 3) #(10 20 30))
⇒  #((0 . 11) (1 . 22) (2 . 33))
```

(vector-sort *pred vector*) `procedure`
(vector-sort *pred vector start*)
(vector-sort *pred vector start end*)

Procedure `vector-sort` returns a new vector containing the elements of *vector* in sorted order using *pred* as the "less than" predicate. If *start* and *end* are given, they indicate the sub-vector that should be sorted.

```
(vector-sort < (vector 7 4 9 1 2 8 5))
⇒  #(1 2 4 5 7 8 9)
```

43.3 Iterating over vectors

(vector-for-each *f vector1 vector2 …*) `procedure`

`vector-for-each` implements a simple vector iterator: it applies *f* to the corresponding list of parallel elements from *vector1 vector2 …* in the range *[0, length)*, where *length* is the length of the smallest vector argument passed. In contrast with `vector-map`, *f* is reliably applied to each subsequent element, starting at index 0, in the vectors.

```
(vector-for-each (lambda (x) (display x) (newline))
                 #("foo" "bar" "baz" "quux" "zot"))
⇒
foo
bar
baz
quux
zot
```

(vector-for-each/index *f vector1 vector2 …*) `procedure`

`vector-for-each/index` implements a simple vector iterator: it applies *f* to the index *i* and the corresponding list of parallel elements from *vector1 vector2 …* in the range *[0, length)*, where *length* is the length of the smallest vector argument passed. The only difference to `vector-for-each` is that `vector-for-each/index` always passes the current index as the first argument of *f* in addition to the elements from the vectors *vector1 vector2 …*.

```
(vector-for-each/index
  (lambda (i x) (display i)(display ": ")(display x)(newline))
  #("foo" "bar" "baz" "quux" "zot"))
⇒
0: foo
1: bar
2: baz
3: quux
4: zot
```

43.4 Managing vector state

(vector-length *vector*) `procedure`

Returns the number of elements in *vector* as an exact integer.

(vector-ref *vector k*) `procedure`

The `vector-ref` procedure returns the contents of element *k* of *vector*. It is an error if *k* is not a valid index of *vector*.

```
(vector-ref '#(1 1 2 3 5 8 13 21) 5) ⇒  8
(vector-ref '#(1 1 2 3 5 8 13 21) (exact (round (* 2 (acos -1))))) ⇒  13
```

(vector-set! *vector k obj*) `procedure`

The `vector-set!` procedure stores *obj* in element *k* of *vector*. It is an error if *k* is not a valid index of *vector*.

```
(let ((vec (vector 0 '(2 2 2 2) "Anna")))
  (vector-set! vec 1 '("Sue" "Sue"))
  vec)
```

```
  ⇒  #(0 ("Sue" "Sue") "Anna")
(vector-set! '#(0 1 2) 1 "doe")
  ⇒  error    ;; constant/immutable vector
```

(vector-swap! *vector j k*)   `procedure`

The `vector-swap!` procedure swaps the element *j* of *vector* with the element *k* of *vector*.

43.5 Destructive vector operations

Procedures which operate only on a part of a vector specify the applicable range in terms of an index interval [*start*; *end*[; i.e. the *end* index is always exclusive.

(vector-copy! *to at from*)   `procedure`
(vector-copy! *to at from start*)
(vector-copy! *to at from start end*)

Copies the elements of vector *from* between *start* and *end* to vector *to*, starting at *at*. The order in which elements are copied is unspecified, except that if the source and destination overlap, copying takes place as if the source is first copied into a temporary vector and then into the destination. *start* defaults to 0 and *end* defaults to the length of *vector*.

It is an error if *at* is less than zero or greater than the length of *to*. It is also an error if `(- (vector-length to) at)` is less than `(- end start)`.

```
(define a (vector 1 2 3 4 5))
(define b (vector 10 20 30 40 50)) (vector-copy! b 1 a 0 2)
b =⇒ #(10 1 2 40 50)
```

(vector-fill! *vector fill*)   `procedure`
(vector-fill! *vector fill start*)
(vector-fill! *vector fill start end*)

The `vector-fill!` procedure stores *fill* in the elements of *vector* between *start* and *end*. *start* defaults to 0 and *end* defaults to the length of *vector*.

```
(define a (vector 1 2 3 4 5))
(vector-fill! a 'smash 2 4)
a  ⇒  #(1 2 smash smash 5)
```

(vector-reverse! *vector*)   `procedure`
(vector-reverse! *vector start*)
(vector-reverse! *vector start end*)

Procedure `vector-reverse!` destructively reverses the contents of *vector* between *start* and *end*. *start* defaults to 0 and *end* defaults to the length of *vector*.

```
(define a (vector 1 2 3 4 5))
(vector-reverse! a)
a  ⇒  #(5 4 3 2 1)
```

(vector-sort! *pred vector*)   `procedure`
(vector-sort! *pred vector start*)
(vector-sort! *pred vector start end*)

Procedure `vector-sort!` destructively sorts the elements of *vector* using the "less than" predicate *pred* between the indices *start* and *end*. Default for *start* is 0, for *end* it is the length of the vector.

```
(define a (vector 7 4 9 1 2 8 5))
(vector-sort! < a)
a  ⇒  #(1 2 4 5 7 8 9)
```

(vector-map! *f vector1 vector2 …***)** `procedure`

Similar to `vector-map` which maps the various elements into a new vector via function *f*, procedure `vector-map!` destructively inserts the mapped elements into *vector1*. The dynamic order in which *f* gets applied to the elements is unspecified.

```
(define a (vector 1 2 3 4))
(vector-map! + a #(10 20 30))
a  ⇒  #(11 22 33 4)
```

(vector-map/index! *f vector1 vector2 …***)** `procedure`

Similar to `vector-map/index` which maps the various elements together with their index into a new vector via function *f*, procedure `vector-map/index!` destructively inserts the mapped elements into *vector1*. The dynamic order in which *f* gets applied to the elements is unspecified.

```
(define a (vector 1 2 3 4))
(vector-map/index! (lambda (i x y) (cons i (+ x y))) a #(10 20 30))
a  ⇒  #((0 . 11) (1 . 22) (2 . 33) 4)
```

43.6 Converting vectors

(vector->list *vector***)** `procedure`
(vector->list *vector start***)**
(vector->list *vector start end***)**

The `vector->list` procedure returns a newly allocated list of the objects contained in the elements of *vector* between *start* and *end* in the same order line in *vector*.

```
(vector->list '#(dah dah didah))  ⇒  (dah dah didah)
(vector->list '#(dah dah didah) 1 2)  ⇒  (dah)
```

(vector->string *vector***)** `procedure`
(vector->string *vector start***)**
(vector->string *vector start end***)**

The `vector->string` procedure returns a newly allocated string of the objects contained in the elements of *vector* between *start* and *end*. This procedure preserves the order of the characters. It is an error if any element of vector between *start* and *end* is not a character.

```
(vector->string #(#\1 #\2 #\3)  ⇒  "123"
```

44 LispPad AppleScript

Library (`lisppad applescript`) exports procedures for invoking *Automator workflows* and *AppleScript* scripts and subroutines from Scheme code. Since LispPad runs in a sandbox and scripts and subroutines are executed outside of the sandbox, this will enable direct integrations with other macOS applications supporting AppleScript or Automator such as Mail, Safari, Music, etc.

44.1 Script authorization

The script authorization mechanism of macOS is unfortunately a bit cumbersome, requiring the installation of the *Automator* and *AppleScript* files in a particular directory specifically for LispPad. (`system-directory 'application-scripts`) returns a list of directories in which scripts are accessible by Lisp-Pad. This includes typically the directory:

```
/Users/username/Library/Application Scripts/net.objecthub.LispPad
```

This directory can be opened on macOS's Finder via:

```
(open-file (car (system-directory 'application-scripts)))
```

Scripts need to be copied to this directory.

44.2 Script integration

As an example, the following script defines two AppleScript subroutines `safariFrontURL` and `setSafariFrontURL`. The AppleScript code also displays an error if the script is run overall as its only role is to make subroutines accessible to LispPad. Such scripts are written using Apple's *Script Editor* application and need to be stored in a directory accesible by LispPad as explained above.

```
on safariFrontURL()
  tell application "Safari" to return URL of front document
end safariFrontURL

on setSafariFrontURL(newUrl)
  tell application "Safari" to set URL of front document to newUrl
end setSafariFrontURL

on run
  display alert "Do not run this script. It provides AppleScript sub-routines to LispPad."
end run
```

Assuming that the script was saved in a file at path:

```
/Users/username/Library/Application Scripts/net.objecthub.LispPad/AccessSafari.scpt
```

it is now possible to load the script via procedure `applescript` into an *AppleScript* object from which the various subroutines can be accessed:

```
(import (lisppad applescript))
(define script (applescript "AccessSafari.scpt"))
```

It is possible to run the whole script via procedure `execute-applescript`:

```
(execute-applescript script)
```

The execution of scripts is always synchronous, so the procedure call to `execute-applescript` terminates only when the execution of the script terminates. When executed, the script above will always display an alert since it was not made to be executed.

It is not possible to pass parameters via `execute-applescript` or receive results. This can be achieved by calling subroutines with procedure `apply-applescript-proc`. The following code will invoke subroutine `safariFrontURL` from the script above and return the URL of the current frontmost Safari window:

```
(apply-applescript-proc script "safariFrontURL" '())
```

The third argument of procedure `apply-applescript-proc` is a list of parameters for the subroutine. The following code will set the URL of the frontmost Safari window to "http://lisppad.objecthub.net".

```
(apply-applescript-proc script "setSafariFrontURL" '("http://lisppad.objecthub.net"))
```

Library `(lisppad applescript)` provides a means to quickly create Scheme functions matching Apple-Script subroutines. This is shown in the following code:

```
(define safari-front-url (applescript-proc script "safariFrontURL"))
(define set-safari-front-url! (applescript-proc script "setSafariFrontURL"))
(display (safari-front-url))
(newline)
(set-safari-front-url! "http://lisppad.objecthub.net")
```

44.3 Exchanging data

This is how library `(lisppad applescript)` is mapping data types when exchanging data between Scheme and AppleScript:

Scheme datatype	AppleScript datatype
void	null
boolean	boolean
fixnum	int32
flonum	double
proper list	list
string	unicode text
date-time	date

If data of other data types is attempted to be exchanged, it might lead to failures or the data might get dropped or omitted.

44.4 API

(applescript? *obj***)**   procedure
Returns `#t` if *obj* is an AppleScript object, `#f` otherwise.

(applescript *path***)**   procedure
Loads and compiles the AppleScript file at *path* returning an AppleScript object that can be used to execute the script or subroutines defined by the script.

(applescript-path *script***)**   procedure
Returns the file path from which the AppleScript object *script* was created.

(execute-applescript *script***)**   procedure
Executes the given AppleScript script. The execution is synchronous and `execute-applescript` will only return once *script* has been executed.

(apply-applescript-proc *script name args***)**   procedure
Invokes the subroutine *name* defined by AppleScript *script* with the arguments *args*. *name* is a string, *script* is an AppleScript object, and *args* is a list of arguments passed on to the subroutine. `apply-applescript-proc` returns the result returned by the subroutine, i.e. the execution of the subroutine is synchronous.

(applescript-proc *script name***)**   procedure
Returns a Scheme procedure for subroutine *name* defined in AppleScript *script*. *name* is a string and *script* is an AppleScript object. `applescript-proc` is defined in the following way:

```
(define (applescript-proc script name)
  (lambda args
    (apply apply-applescript-proc script name args)))
```

45 LispPad Speech

Library (`lisppad speech`) provides a speech synthesis API which parses text and converts it into audible speech. The conversion is based on factors like the language, the *voice*, and a range of parameters which are all aggregated by *speaker* objects.

45.1 Speech synthesis

(speak *text*) procedure
(speak *text speaker*)

Speaks the given string *text* using with the *speaker* object providing all speech synthesis parameters. If *speaker* is not provided, the value of parameter object `current-speaker` is used.

(phonemes *text*) procedure
(phonemes *text speaker*)

Converts the given natural language string *text* into a string of phonemes using the given *speaker*. If *speaker* is not provided, the value of parameter object `current-speaker` is used.

Speakers can be configured to speak phonemes instead of natural language via procedure `speaker-interpret-phonemes!`.

45.2 Speakers

A *speaker* is an object defining speech synthesis parameters. There is a *current speaker* which is used by default, unless a speaker is explicitly specified for the various procedures that require a speaker parameter.

A speaker object has the following components:

- an immutable voice,
- a mutable speaking rate,
- a mutable speaking volume,
- a flag determining whether the speaker interprets text or phonemes,
- a flag determining how numbers are interpreted, as well as
- a speaking pitch.

current-speaker parameter object
Defines the *current speaker*, which is used as a default by all functions for which the speaker argument is optional. If there is no current speaker, this parameter is set to `#f`.

(speaker? *obj*) procedure
Returns `#t` if *obj* is a speaker object; otherwise `#f` is returned.

(make-speaker) procedure
(make-speaker *voice*)

Returns a new speaker for the given *voice*. If *voice* is not provided, a default voice, specified at the operating system level, is being used. Speakers are stateful objects which can be configured with a number of procedures: `set-speaker-rate!` , `set-speaker-volume!` , `set-speaker-interpret-phonemes!` , `set-speaker-interpret-numbers!` , and `set-speaker-pitch!` .

(speaker-voice) `procedure`
(speaker-voice *speaker***)**

Returns the voice of *speaker*. If *speaker* is not provided, the parameter object `current-speaker` is used.

(speaker-rate) `procedure`
(speaker-rate *speaker***)**

Returns the speaking rate of *speaker*. If *speaker* is not provided, the parameter object `current-speaker` is used.

(set-speaker-rate! *rate***)** `procedure`
(set-speaker-rate! *rate speaker***)**

Sets the speaking rate of *speaker* to number *rate*. If *speaker* is not provided, the parameter object `current-speaker` is used.

(speaker-volume) `procedure`
(speaker-volume *speaker***)**

Returns the volume of *speaker* as a flonum ranging from 0.0 to 1.0. If *speaker* is not provided, the parameter object `current-speaker` is used.

(set-speaker-volume! *volume***)** `procedure`
(set-speaker-volume! *volume speaker***)**

Sets the volume of *speaker* to number *volume* which is a flonum between 0.0 and 1.0. If *speaker* is not provided, the parameter object `current-speaker` is used.

(speaker-interpret-phonemes) `procedure`
(speaker-interpret-phonemes *speaker***)**

Returns `#t` if *speaker* interprets phonemes instead of natural language text. If *speaker* is not provided, the parameter object `current-speaker` is used.

(set-speaker-interpret-phonemes! *phoneme?***)** `procedure`
(set-speaker-interpret-phonemes! *phoneme? speaker***)**

If boolean argument *phoneme?* is `#f` , *speaker* is configured to interpret natural language. If *phoneme?* is set to any other value, the *speaker* is interpreting phonemes instead. If *speaker* is not provided, the parameter object `current-speaker` is used.

(speaker-interpret-numbers) `procedure`
(speaker-interpret-numbers *speaker***)**

Returns `#t` if *speaker* interprets numbers as a natural language speaker would do ("100" is spoken as "hundred"). If it returns `#f` , *speaker* decomposes numbers into a sequence of digits and speaks them individually ("100" is spoken as "one zero zero"). If *speaker* is not provided, the parameter object `current-speaker` is used.

(set-speaker-interpret-numbers! *natural?***)** `procedure`
(set-speaker-interpret-numbers! *natural? speaker***)**

Sets the number interpretation of *speaker* to boolean *natural?*. If *natural?* is `#t` *speaker* will interpret numbers as a natural language speaker would do ("100" is spoken as "hundred"). If *natural?* is `#f` , *speaker* decomposes numbers into a sequence of digits and speaks them individually ("100" is spoken as "one zero zero"). If *speaker* is not provided, the parameter object `current-speaker` is used.

(speaker-pitch)   `procedure`
(speaker-pitch *speaker***)**

Returns the pitch of *speaker* as a pair of two flonums: the car is the base of the pitch, and the cdr is the modulation of the pitch. If *speaker* is not provided, the parameter object `current-speaker` is used.

(set-speaker-pitch! *pitch***)**   `procedure`
(set-speaker-pitch! *pitch speaker***)**

Sets the pitch of *speaker* to the pair of flonums *pitch* whose car is the base of the pitch, and the cdr is the modulation of the pitch. If *speaker* is not provided, the parameter object `current-speaker` is used.

45.3 Voices

Voices are provided by the operating system and library `(lispkit speech)` does not have an explicit representation as objects. Symbols are used as identifiers for voices. For example, `com.apple.speech.synthesis.voice.Alex` refers to the default US voice.

A voice has the following characteristics:

- Name (string)
- Age (fixnum)
- Gender (`male` or `female`)
- Locale (symbol, e.g. `en_US`)

Library `(lispkit system)` provides means to handle *locales*, including language and country codes.

(voice)   `procedure`
(voice *name***)**
(voice *id***)**

Returns a symbol identifying the voice specified by the arguments of `voice`. If no argument is provided, an indentifier for the default voice is returned. If a *name* string is provided, then an identifier for a voice whose name is *name* is returned, or `#f` if no such voice exists. If an *id* symbol is provided, then an identifier for a voice whose identifier matches *id* is returned, or `#f` if no such voice exists.

(available-voices)   `procedure`
(available-voices *lang***)**
(available-voices *lang gender***)**

Returns a list of symbols identifying voices matching the given language filter *lang* and gender filter *gender*. Both *lang* and *gender* are symbols. *lang* should either be a language or locale identifier. It can also be set to `#f` if only a gender filter is needed. *gender* should either be symbol `male` or `female` .

```
(available-voices 'en)
⇒ (com.apple.speech.synthesis.voice.Alex com.apple.speech.synthesis.voice.daniel
 ↪   com.apple.speech.synthesis.voice.fiona com.apple.speech.synthesis.voice.Fred
 ↪   com.apple.speech.synthesis.voice.karen com.apple.speech.synthesis.voice.moira
 ↪   com.apple.speech.synthesis.voice.rishi com.apple.speech.synthesis.voice.samantha
 ↪   com.apple.speech.synthesis.voice.tessa com.apple.speech.synthesis.voice.veena)
(available-voices (locale "en" "GB"))
⇒ (com.apple.speech.synthesis.voice.daniel)
```

(available-voice? *obj***)**   `procedure`
Returns `#t` if *obj* is a symbol identifying an available voice, otherwise `#f` is returned. This procedure fails if *obj* is neither a symbol nor the value `#f` .

(voice-name *voice*) `procedure`

Returns the name of the voice identified by symbol *voice*.

(voice-age *voice*) `procedure`

Returns the age of the voice identified by symbol *voice*.

(voice-gender *voice*) `procedure`

Returns the gender of the voice identified by symbol *voice*.

(voice-locale *voice*) `procedure`

Returns the locale of the voice identified by symbol *voice*.

46 LispPad System

Library (`lisppad system`) defines an API for scripting the LispPad user interface. This library is specific to LispPad and is not bundled with LispKit.

Library (`lisppad system`) provides functionality primarily for managing LispPad windows: new windows can be created, properties of existing windows can be changed, and the content of existing windows can be accessed and modified. There is also support for making use of simple dialogs, e.g. for displaying messages, asking the user to make a choice, or for letting the user choose a file or directory in a load or save panel.

46.1 Windows

(`lisppad system`) does not provide a data structure for modeling references to LispPad windows. Instead, it uses integer ids as references. Two different types of windows can be managed:

- *Edit windows* are used for editing text, and
- *Graphics windows* are used for displaying drawings created via library (`lispkit draw`).

Other types of windows are currently not accessible via library (`lisppad system`).

(open-document *path*) `procedure`
Opens a document stored in a file at path *path*. Only documents that LispPad is able to open are supported.

(edit-windows) `procedure`
Returns an association list containing all open edit windows. Each open window has an entry of the form (*window id . window title*). For example, the result of invoking (`edit-windows`) could look like this: ((106102873393392 . "LispKit Libraries.md") (106377751319520 . "Untitled")).

(graphics-windows) `procedure`
Returns an association list containing all open graphics windows. Each open window has an entry of the form (*window id . window title*). For example, the result of invoking (`graphics-windows`) could look like this: ((106102873393789 . "My Drawing") (106377751899571 . "Untitled Drawing")).

(window-name *win*) `procedure`
Returns the name of the window with window id *win*.

(window-position *win*) `procedure`
Returns the position of the window with window id *win*. The position of a window is the upper left corner of its title bar represented as a point.

(set-window-position! *win pos*) `procedure`
Sets the position of the window with window id *win* to point *pos*. The position of a window is the upper left corner of its title bar.

(window-size *win*) `procedure`
Returns the size of the window with window id *win*. The size of a window consists of its width and height represented as a size.

(set-window-size! *win size***)** `procedure`
Sets the size of the window with window id *win* to size *size*. The size of a window consists of its width and height.

(close-window *win***)** `procedure`
Closes the window with window id *win*.

46.2 Edit Windows

(make-edit-window *str pos size***)** `procedure`
Creates a new edit window containing *str* as its textual content. The window's initial position is *pos* and its size is *size*.

(edit-window-text *win***)** `procedure`
Returns the textual content of the edit window with the given window id *win*.

(insert-edit-window-text! *win str***)** `procedure`
(insert-edit-window-text! *win str start***)**
(insert-edit-window-text! *win str start end***)**

Inserts a string *str* replacing text between *start* and *end* for the edit window with window id *win*. It *start* is not provided, *start* is considered to be 0 (i.e. the text is inserted at the beginning). If *end* is not provided, it is considered to be the length of the text contained in the edit window *win*.

(edit-window-text-length *win***)** `procedure`
Returns the length of the text contained in the edit window with window id *win*.

46.3 Graphics Windows

(make-graphics-window *drawing dsize***)** `procedure`
(make-graphics-window *drawing dsize title***)**
(make-graphics-window *drawing dsize title pos***)**
(make-graphics-window *drawing dsize title pos size***)**

Creates a new graphics window for drawing *drawing*. *dsize* refers to the size of the drawing. *title* is the window title of the new window, *pos* is its initial position, and *size* corresponds to the initial size of the graphics window.

(use-graphics-window *drawing dsize title***)** `procedure`
(use-graphics-window *drawing dsize title pos***)**
(use-graphics-window *drawing dsize title pos size***)**
(use-graphics-window *drawing dsize title pos size ignore***)**

This is almost equivalent to function `make-graphics-window`. The main difference consists in `use-graphics-window` reusing an existing graphics window if there is one open with the given title. If there is no window whose title matches *title*, a new graphics window will be created. If a window exists already and boolean argument *ignore* is set to `#t`, the existing window's position and size will not be updated.

(update-graphics-window *win***)** `procedure`
This function forces the graphics window with window id *win* to redraw its content. Currently, graphics windows are only guaranteed to redraw automatically after executing a command in the session window which was used to create the drawing object.

(graphics-window-drawing *win***)** `procedure`
Returns the drawing associated with the graphics window with window id *win*.

(set-graphics-window-drawing! *win drawing***)** `procedure`
Sets the drawing associated with the graphics window with window id *win* to *drawing*.

(graphics-window-label *win***)** `procedure`
Each graphics window has a label at the bottom of the window. This label can be arbitrarily modified, and e.g. used as a caption. `graphics-window-label` returns the label of the graphics window with window id *win*.

(set-graphics-window-label! *win str***)** `procedure`
Each graphics window has a label at the bottom of the window. The label of graphics window *win* can be set via function `set-graphics-window-label!` to string *str*.

(drawing-size *win***)** `procedure`
Returns the size of the drawing associated with graphics window *win*. Please note that this is not the *window size* of *win*.

(set-drawing-size! *win size***)** `procedure`
Sets the size of the drawing associated with graphics window *win* to *size*. Please note that this is not setting the *window size* of *win*.

46.4 Utilities

(screen-size) `procedure`
(screen-size *win***)**

Returns the screen size of the screen on which window *win* is displayed. If argument *win* is omitted, function `screen-size` will return the size of the main screen.

(show-message-panel *title***)** `procedure`
(show-message-panel *title str***)**
(show-message-panel *title str button***)**

Shows a message panel within the current session window. *title* refers to the panel title, *str* is the message to be displayed_, and *button* is the label of the confirmation button.

(show-choice-panel *title str***)** `procedure`
(show-choice-panel *title str yes***)**
(show-choice-panel *title str yes no***)**

Shows a choice panel within the current session window. *title* refers to the panel title, *str* is the question to be asked, and *yes* and *no* refer to the two labels of the buttons for users to choose. The function returns `#t` if the user clicked on the "yes button".

(show-load-panel *prompt***)** `procedure`
(show-load-panel *prompt folders***)**
(show-load-panel *prompt folders filetypes***)**

Displays a load panel within the current session window together with the given *prompt* message. *folders* is a boolean argument; it should be set to `#t` if the user is required to select a folder. *filetypes* is a list of suffixes of selectable file types.

(show-save-panel *prompt***)** `procedure`
(show-save-panel *prompt filetypes***)**

Displays a save panel within the current session window together with the given *prompt* message. *filetypes* is a list of suffixes of selectable file types.

(session-id) `procedure`
Returns a unique fixnum (within LispPad) identifying the session.

(session-name) `procedure`
Returns the name of the LispPad session which executes this function.

(session-display *obj***)** `procedure`
(session-display *obj bold?***)**
(session-display *obj bold? col***)**

Displays value *obj* in the current session in color *col* and in bold if *bold?* is true.

(session-write *obj***)** `procedure`
(session-write *obj bold?***)**
(session-write *obj bold? col***)**

Writes the value *obj* into the current session in color *col* and in bold if *bold?* is true.

(session-log *time sev str***)** `procedure`
(session-log *time sev str tag***)**

Logs the message *str* with severity *sev* at the given timestamp *time* (a double value) in the session log. *sev* is one of the following symbols: `debug`, `info`, `warn`, `error`, or `fatal`.

(project-directory) `procedure`
Returns the path to the project directory as defined in the preferences of LispPad. `project-directory` returns `#f` if no project directory was explicitly set.

(dark-mode?) `procedure`
Return `#t` if the session window of the LispPad session which executes this function is rendered in *dark mode*; returns `#f` otherwise.

47 LispPad Turtle

This is a library implementing a simple graphics window for displaying turtle graphics. The library supports one graphics window per LispPad session which gets initialized by invoking `init-turtle`. `init-turtle` will create a new turtle and display its drawing on a graphics window. If there is already an existing graphics window with the given title, it will be reused.

Once `init-turtle` was called, the following functions can be used to move the turtle across the plane:

- `(pen-up)` : Lifts the turtle
- `(pen-down)` : Drops the turtle
- `(pen-color color)` : Sets the current color of the turtle
- `(pen-size size)` : Sets the size of the turtle pen
- `(home)` : Moves the turtle back to the origin
- `(move x y)` : Moves the turtle to position `(x, y)`
- `(heading angle)` : Sets the angle of the turtle (in radians)
- `(turn angle)` : Turns the turtle by the given angle (in radians)
- `(left angle)` : Turn left by the given angle (in radians)
- `(right angle)` : Turn right by the given angle (in radians)
- `(forward distance)` : Moves forward by `distance` units drawing a line if the pen is down
- `(backward distance)` : Moves backward by `distance` units drawing a line if the pen is down

This library defines a simplified, interactive version of the API provided by library `(lispkit draw turtle)`.

(init-turtle)   `procedure`
(init-turtle scale)
(init-turtle scale title)

Initializes a new turtle and displays its drawing in a graphics window. `init-turtle` gets two optional arguments: `scale` and `title`. `scale` is a scaling factor which determines the size of the turtle drawing. `title` is a string that defines the window name of the turtle graphics. It also acts as the identify of the turtle graphics window; i.e. it won't be possible to have two sessions with the same name but a different graphics window.

(close-turtle-window)   `procedure`
Closes the turtle window and resets the turtle library.

(turtle-drawing)   `procedure`
Returns the drawing associated with the current turtle.

(pen-up)   `procedure`
Lifts the turtle from the plane. Subsequent `forward` and `backward` operations don't lead to lines being drawn. Only the current coordinates are getting updated.

(pen-down)   `procedure`
Drops the turtle onto the plane. Subsequent `forward` and `backward` operations will lead to lines being drawn.

(pen-color *color*)   `procedure`
Sets the drawing color of the turtle to *color*. *color* is a color object as defined by library `(lispkit draw)`.

(pen-size *size*) procedure

Sets the pen size of the turtle to *size*. The pen size corresponds to the width of lines drawn by `forward` and `backward` .

(home) procedure

Moves the turtle to its home position.

(move *x y*) procedure

Moves the turtle to the position described by the coordinates *x* and *y*.

(heading *angle*) procedure

Sets the heading of the turtle to *angle*. *angle* is expressed in terms of degrees.

(turn *angle*) procedure

Adjusts the heading of the turtle by *angle* degrees.

(right *angle*) procedure

Adjusts the heading of the turtle by *angle* degrees.

(left *angle*) procedure

Adjusts the heading of the turtle by *-angle* degrees.

(forward *distance*) procedure

Moves the turtle forward by *distance* units drawing a line if the pen is down.

(backward *distance*) procedure

Moves the turtle backward by *distance* units drawing a line if the pen is down.

48 SRFI Libraries

LispPad supports a broad range of libraries standardized and published via the SRFI process. The following libraries come pre-packaged with LispPad:

- SRFI 1: List Library
- SRFI 2: AND-LET* - an AND with local bindings, a guarded LET* special form
- SRFI 6: Basic String Ports
- SRFI 8: receive - Binding to multiple values
- SRFI 9: Defining Record Types
- SRFI 11: Syntax for receiving multiple values
- SRFI 14: Character-set library
- SRFI 16: Syntax for procedures of variable arity
- SRFI 17: Generalized set!
- SRFI 19: Time Data Types and Procedures
- SRFI 23: Error reporting mechanism
- SRFI 26: Notation for Specializing Parameters without Currying
- SRFI 27: Sources of Random Bits
- SRFI 28: Basic Format Strings
- SRFI 31: A special form rec for recursive evaluation
- SRFI 33: Integer Bitwise-operation Library
- SRFI 34: Exception Handling for Programs
- SRFI 35: Conditions
- SRFI 39: Parameter objects
- SRFI 41: Streams
- SRFI 46: Basic Syntax-rules Extensions
- SRFI 48: Intermediate Format Strings
- SRFI 51: Handling rest list
- SRFI 54: Formatting
- SRFI 55: require-extension
- SRFI 63: Homogeneous and Heterogeneous Arrays
- SRFI 64: A Scheme API for test suites
- SRFI 69: Basic hash tables
- SRFI 87: => in case clauses
- SRFI 95: Sorting and Merging
- SRFI 98: An interface to access environment variables
- SRFI 101: Purely Functional Random-Access Pairs and Lists
- SRFI 111: Boxes
- SRFI 112: Environment inquiry
- SRFI 113: Sets and bags
- SRFI 121: Generators
- SRFI 125: Intermediate hash tables
- SRFI 128: Comparators
- SRFI 129: Titlecase procedures
- SRFI 132: Sort Libraries
- SRFI 133: Vector Library