

Revenue Cloud

Context service

Enablement Exercises

Version 1.0, Winter '26



TABLE OF CONTENTS

Release Overview..... 3

Extending a Context definition.....4

 Business Objective..... 4

 Use Cases..... 4

Sync extended definitions..... 13

 Business Objective..... 13

 Use Cases..... 13

Packaging and deployment of Context definitions..... 17

 Business Objective..... 17

 Use Cases..... 17

Seamless Context definition updates.....19

 Business Objective..... 19

 Use Case..... 19



Release Overview

Salesforce Revenue Cloud - Context service includes the following new features in the release:

1. **Extending a Context Definition** - Create extended definitions and customize them with additional nodes, attributes.
2. **Sync extended definitions** - Sync extended definitions with standard definitions to consume latest features of 258 release.
3. **Packaging and deployment of Context definitions** - Deploy context definitions.
4. **Seamless Context definition updates** - Update mappings in an activated context definition.



Extending a Context definition

Business Objective

Customers need the flexibility to adapt standard Salesforce context definitions to their unique business processes without starting from scratch. Extending a context definition enables customers to add extra data points (attributes and nodes) to an existing, pre-built context definition to support bespoke use cases, without the risk of overwriting or breaking the original standard definition.

Use Cases

A sales representative uses Revenue Cloud along with pricing procedures, context definitions to generate a quote. To accurately price quotes for specific customers, the Salesforce administrator needs to include additional data points like the customer's Geography and Market Segment, which are stored in custom fields. Instead of creating a new, complex context definition from scratch, the administrator creates an extended context definition from the standard SalesTransactionContext. They then add new attributes for Geography and Market Segment and map them to the relevant custom fields on the Account object. The pricing procedure is then updated to use this new extended definition, providing the sales rep with all the necessary information to generate an accurate, customized quote based on the specific customer's details.

Design Time Configuration

1. Open **Setup** -> **Context Definitions**.
2. Click on the **Extend** button in the menu of SalesTransactionContext.



The screenshot shows the Salesforce Setup interface. The left sidebar contains navigation links for Setup Home, Salesforce Foundations, Salesforce Go, Service Setup Assistant, Hyperforce Assistant, Release Updates, Salesforce Mobile App, Lightning Usage, Optimizer, Manage Subscription, Integration Definitions, Sales Cloud Everywhere, ADMINISTRATION (Users, Data, Email), and PLATFORM TOOLS. The main content area is titled 'Standard Definitions' and 'Custom Definitions'. Below this is a section for 'Context Definitions (15)' which contains a table with 15 rows. The table has columns: Name, Developer Name, Created By, Created On, Status, Effective From, and Effective To. The last row in the table is 'SalesTransactionContext'. A context menu is open over the last row, showing options: 'Extend', 'Clone', and 'Context Definition'.

	Name	Developer Name	Created By	Created On	Status	Effective From	Effective To
1	ProductDeepCloneContext	ProductDeepCloneC...	Automated Process	10/28/2024, 5:30 AM	Active	10/28/2024, 5:30 AM	
2	SmartProductSelectionC...	SmartProductSelecti...	Automated Process	09/16/2024, 5:30 AM	Active	09/16/2024, 5:30 AM	
3	AssetContext	AssetContext_stdctx	Automated Process	01/20/2025, 5:30 AM	Active	01/20/2025, 5:30 AM	
4	TestPolymorphicAttribute...	TestPolymorphicAttr...	Automated Process	10/01/2024, 5:30 AM	Active	10/01/2024, 5:30 AM	
5	RatingDiscoveryContext	RatingDiscoveryCon...	Automated Process	07/20/2024, 5:30 AM	Active	07/20/2024, 5:30 AM	
6	Bre1SalesTransactionCon...	Bre1SalesTransactio...	Automated Process	03/10/2024, 5:30 AM	Active	03/10/2024, 5:30 AM	
7	TestReferencePolymorphic	TestReferencePolym...	Automated Process	03/10/2024, 5:30 AM	Active	03/10/2024, 5:30 AM	
8	TestDynamicAttribute	TestDynamicAttribut...	Automated Process	03/10/2024, 5:30 AM	Active	03/10/2024, 5:30 AM	
9	FulfillmentAssetContext	FulfillmentAssetCon...	Automated Process	05/28/2024, 5:30 AM	Active	05/28/2024, 5:30 AM	
10	CollectionPlanSegmentC...	CollectionPlanSegm...	Automated Process	06/10/2024, 5:30 AM	Active	06/10/2024, 5:30 AM	
11	ProductDiscoveryContext	ProductDiscoveryCo...	Automated Process	12/11/2023, 5:30 AM	Active	12/11/2023, 5:30 AM	
12	TestContextFilterDefinition	TestContextFilterDef...	Automated Process	05/07/2025, 5:30 AM	Active	05/07/2025, 5:30 AM	
13	RateManagementContext	RateManagementCo...	Automated Process	05/12/2024, 1:35 PM	Active	05/12/2024, 1:35 PM	
14	TestContactDMO	TestContactDMO_s...	Automated Process	03/10/2024, 5:30 AM	Active	03/10/2024, 5:30 AM	
15	SalesTransactionContext	SalesTransactionCo...	Automated Process	05/10/2023, 5:30 AM	Active	05/10/2023, 5:30 AM	

3. Specify a **Name** for your Extended context definition and click on **Save**.

The screenshot shows the 'Extend Context Definition' dialog box. The dialog has a title bar 'Extend Context Definition' and a close button. Inside, it says 'Extend your existing context definition as:'. Below this is a text input field labeled '* Name' with the value 'MyExtendedSTC'. At the bottom right of the dialog are 'Cancel' and 'Save' buttons. The background shows the same Salesforce Setup interface as the previous screenshot, but the table is partially obscured by the dialog.

4. Wait for the Extended Context Definition to be created.
5. Navigate to the Custom definitions tab and click on MyExtendedSTC.



The screenshot shows the Salesforce Setup interface. The left sidebar contains navigation links for Setup Home, Salesforce Foundations, Salesforce Go, Service Setup Assistant, Hyperforce Assistant, Release Updates, Salesforce Mobile App, Lightning Usage, Optimizer, Manage Subscription, Integration Definitions, Sales Cloud Everywhere, ADMINISTRATION (Users, Data, Email), and PLATFORM TOOLS. The main content area is titled 'Context Definitions' and has tabs for 'Standard Definitions' and 'Custom Definitions'. The 'Custom Definitions' tab is active, showing a table of 5 context definitions. The table columns are: Name, Developer Name, Created By, Created On, Status, Effective From, Effective To, Sync Status, and a dropdown menu. The data rows are: MyExtendedSTC (Inactive, 09/05/2025, 1:07 AM), PricingTransact... (Active, 03/28/2025, 9:00 AM), RatingDiscover... (Active, 03/28/2025, 9:00 AM), AssetContextD... (Active, 03/21/2025, 4:00 AM), and BrowseProduct... (Active, 05/28/2024, 2:00 AM).

↑	Name	Developer Na...	Created By	Created On	Status	Effective From	Effective To	Sync Status	
	MyExtendedSTC	MyExtendedSTC	OrgFarm EPIC	09/05/2025, 1:07 AM	Inactive	09/05/2025, 1:07 AM		Synced	▼
	PricingTransact...	PricingTransact...	OrgFarm EPIC	08/29/2025, 1:07 AM	Active	03/28/2025, 9:00 AM		Synced	▼
	RatingDiscover...	RatingDiscover...	OrgFarm EPIC	08/29/2025, 1:07 AM	Active	03/28/2025, 9:00 AM		Synced	▼
	AssetContextD...	AssetContextD...	OrgFarm EPIC	08/29/2025, 1:07 AM	Active	03/21/2025, 4:00 AM		Synced	▼
	BrowseProduct...	BrowseProduct...	OrgFarm EPIC	08/29/2025, 1:07 AM	Active	05/28/2024, 2:00 AM		Synced	▼

6. Click on the **Edit** button to open the **Edit Context Definition** wizard.

The screenshot shows the 'Edit Context Definition' wizard. The left panel contains a description: 'Context Definition describes the relationship between the node structures. Give the Context Definition a name, description, and effective dates.' The right panel contains the following fields: 'Name' (MyExtendedSTC), 'Inherited From' (SalesTransactionContext), 'Description' (Add description...), 'Effective From' (Date: 9/5/2025, Time: 1:07 AM), and 'Effective To' (Date and Time fields). At the bottom right are 'Cancel' and 'Next' buttons.

7. Click on **Next** -> **Next** to view the Edit attributes screen.

8. Select **SalesTransaction** Node in the left-panel hierarchy.



Edit Attributes

SALESTRANSACTION Add Attributes

0 attributes selected Search the list...

☐	Name	Type	Data Type	Referred Object	Display Name	Description
☐	CreatedBy__std	INPUT	STRING	--	Enter name...	Enter nar
☐	LastModifiedBy__	INPUT	STRING	--	Enter name...	Enter nar
☐	LastModifiedDate_	INPUT	DATE TIME	--	Enter name...	Enter nar
☐	CreatedDate__std	INPUT	DATE TIME	--	Enter name...	Enter nar
☐	STContractEndDat	INPUT	DATE TIME	--	Enter name...	Enter nar
☐	STContractHasCot	INPUT	BOOLEAN	--	Enter name...	Enter nar
☐	ShouldEvaluatePro	INPUT OUTPUT	BOOLEAN	--	Enter name...	Enter nar
☐	PriceUsingCumula	INPUT OUTPUT	BOOLEAN	--	Enter name...	Enter nar

Previous Cancel Next

9. Click on the Add Attributes button twice and fill in the following details for the new attributes.
 - a. First attribute
 - i. Name: Geography
 - ii. Type: INPUT
 - iii. Data Type: STRING
 - b. Second attribute
 - i. Name: MarketSegment
 - ii. Type: INPUT
 - iii. Data Type: STRING



Edit Attributes

SALESTRANSACTION

0 attributes selected

Search the list...

Name	Type	Data Type	Referred Object	Display Name	Description
☐ MarketSegment__c	INPUT	STRING	--	Enter name...	Enter name...
☐ Geography__c	INPUT	STRING	--	Enter name...	Enter name...
☐ CreatedById__std	INPUT	STRING	--	Enter name...	Enter name...
☐ LastModifiedById__std	INPUT	STRING	--	Enter name...	Enter name...
☐ LastModifiedDate__std	INPUT	DATE TIME	--	Enter name...	Enter name...
☐ CreatedDate__std	INPUT	DATE TIME	--	Enter name...	Enter name...
☐ STContractEndDate__std	INPUT	DATE TIME	--	Enter name...	Enter name...
☐ STContractHasCot	INPUT	BOOLEAN	--	Enter name...	Enter name...

Previous Cancel Next

10. Observe that __c is automatically appended to the names of custom nodes, attributes.
11. Click on **Next** to proceed to the **Edit Attribute Tags** screen.
12. Select **SalesTransaction** node in the left panel.
13. Scroll down to the newly created attributes and click on **Add Tags**. Fill in the tag names.

Edit Attribute Tags

Your applications use the defined context structure with attribute tags to consume data.

Search the list...

Name	Type	Data Type	Referred Object	Display Name	Description
☐ CreatedDate__std	INPUT	STRING	--	Enter name...	Enter name...
☐ LastModifiedDate__std	INPUT	DATE TIME	--	Enter name...	Enter name...
☐ LastModifiedById__std	INPUT	STRING	--	Enter name...	Enter name...
☐ CreatedById__std	INPUT	STRING	--	Enter name...	Enter name...
☐ MarketSegment__c	INPUT	STRING	--	Enter name...	Enter name...
☐ Geography__c	INPUT	STRING	--	Enter name...	Enter name...

Previous Cancel Save

14. Click on **Save** to save your changes to the Extended Context Definition.



15. Navigate to the **Map Data** tab.


The screenshot shows the Salesforce Setup interface. The left sidebar contains a 'Quick Find' search bar and a list of setup categories: Setup Home, Salesforce Foundations, Salesforce Go, Service Setup Assistant, Hyperforce Assistant, Release Updates, Salesforce Mobile App, Lightning Usage, Optimizer, Manage Subscription, Integration Definitions, Sales Cloud Everywhere, ADMINISTRATION (with sub-items Users, Data, Email), and PLATFORM TOOLS. The main content area is titled 'Context Definitions > Context Definition Details MyExtendedSTC'. It has tabs for Details, Structure, Map Data (which is selected), Context Tags, and Filters. Below the tabs is a 'Mappings (14)' section with an 'Add Mapping' button. A table lists 14 mappings. The 'QuoteEntities...' row is highlighted. The table columns are: Name, Description, Mapped Attributes, Unmapped Attributes, Default, Edit Input Mapping, Mapping Source, and Mapping Intents.

Name	Description	Mapped Attributes	Unmapped Attributes	Default	Edit Input Mapping	Mapping Source	Mapping Intents
SalesTransact...	Mapping to m...	0	698		✓	None	Hydration & 3 others
QuoteEntities...	Mapping to m...	271	427		✓	Salesforce Ob...	Hydration & 3 others
SalesAgreem...	Mapping to m...	0	698		✓	None	Hydration & 3 others
OrderEntities...	Mapping to m...	288	410		✓	Salesforce Ob...	Hydration & 3 others
QuoteToContr...	Mapping to m...	17	681		✓	Salesforce Ob...	Hydration & 3 others
OrderToContr...	Mapping to m...	7	691		✓	Salesforce Ob...	Hydration & 3 others
ContractNode...	Mapping to m...	28	670		✓	Salesforce Ob...	Hydration & 3 others
AssetEntities...	Mapping to m...	183	515		✓	Salesforce Ob...	Hydration & 3 others
ProductDisco...	Mapping to m...	0	698			None	Association
SalesTransact...	Mapping to m...	0	698			None	Association
AssetToSales...	Mapping to m...	0	698			None	Association
ContractToSal...	Mapping to m...	0	698			None	Association
SalesTxnlmT...	Mapping to m...	0	698			None	Association


16. Click on the **Edit OBJECT Mapping** button next to the QuoteEntitiesMapping row.

This screenshot is similar to the previous one but shows the 'QuoteEntities...' row selected. A context menu is open over the 'Hydration & 3 others' intent, with the 'Edit OBJECT Mapping' option highlighted. Other options in the menu include 'Clone' and 'Edit Input Mapping'. The 'Map Data' tab remains selected in the top navigation.

17. Select the **Mark as Default** option and click on the **Map** button.



18. Use the Mapping UI to map the newly created attributes to the Account's BillingCountry and Industry fields.





The top screenshot shows the Salesforce Context Mapping interface. On the left, under 'Accounts', there are several fields: EmployeeCount, AccountBusinessType, AnnualRevenue, PrimaryIndustry, PricingDate, PriceUsingCumulativeQuantit..., ShouldEvaluatePromotions..., STContractHasCotermination..., MarketSegment__c, and Geography__c. Below these is the 'SalesTransactionAction' section, which is expanded to show 'Mapped (4)' fields: SalesTransactionActionP..., Type, Subtype__std, and SourceAsset. On the right, under 'QuoteLineItem', there are several fields: TotalAdjustment, TotalAdjustmentAmount, TotalCost, TotalMargin, TotalMarginAmount, Type, and Unmapped (7). Below these is the 'QuoteLineItem' section, which is expanded to show 'Mapped (97)' fields: AggregatedQuantity, BatchIdentifier, BillingFrequency, BillingReference, BindingInstanceTargetId, CreatedById, CreatedDate, and CustomProductName. The bottom screenshot shows the same interface but with a different mapping. On the left, under 'Asset', there are several fields: Asset, AssetStatePeriod, ASPAttribute (Transposable), AssetRelationship, AssetAction, and AssetActionSource. On the right, under 'AppUsageAssignment', there are several fields: AppUsageType, RecordId, Note, AccountId, AdjustmentDistributionLogic, AppliedDiscount, AppliedDiscountAmount, BillingCity, BillingCountry, BillingPostalCode, and BillingState. A search bar for fields is visible in the bottom right of the mapping area.

19. Navigate back to the Context definition and Click on the **Activate** button.



Setup

Home

Object Manager

Quick Find

Setup Home

Salesforce Foundations

Salesforce Go

Service Setup Assistant

Hyperforce Assistant

Release Updates

Salesforce Mobile App

Lightning Usage

Optimizer

Manage Subscription

Integration Definitions

Sales Cloud Everywhere

ADMINISTRATION

> Users

> Data

> Email

PLATFORM TOOLS

...

Search Setup

★

+

🔍

?

⚙️

🔔

👤

Context Definitions > Context Definition Details

MyExtendedSTC

Sync

Edit

Activate

Deactivate

Details

Structure

Map Data

Context Tags

Filters

Mappings (14)

Context Definitions

Add Mapping

	Name	Descripti...	Mapped Attr...	Unmapped A...	Default	Edit Input M...	Mapping So...	Mapping Intents	
⌵	SalesTransact...	Mapping to m...	0	698		✓	None	Hydration & 3 others ⓘ	⌵
⌵	QuoteEntities...	Mapping to m...	273	425	✓	✓	Salesforce Ob...	Hydration & 3 others ⓘ	⌵
⌵	SalesAgreem...	Mapping to m...	0	698		✓	None	Hydration & 3 others ⓘ	⌵
⌵	OrderEntities...	Mapping to m...	288	410		✓	Salesforce Ob...	Hydration & 3 others ⓘ	⌵
⌵	QuoteToContr...	Mapping to m...	17	681		✓	Salesforce Ob...	Hydration & 3 others ⓘ	⌵
⌵	OrderToContr...	Mapping to m...	7	691		✓	Salesforce Ob...	Hydration & 3 others ⓘ	⌵
⌵	ContractNode...	Mapping to m...	28	670		✓	Salesforce Ob...	Hydration & 3 others ⓘ	⌵
⌵	AssetEntities...	Mapping to m...	183	515		✓	Salesforce Ob...	Hydration & 3 others ⓘ	⌵
⌵	ProductDisco...	Mapping to m...	0	698			None	Association	⌵
⌵	SalesTransact...	Mapping to m...	0	698			None	Association	⌵
⌵	AssetToSales...	Mapping to m...	0	698			None	Association	⌵
⌵	ContractToSal...	Mapping to m...	0	698			None	Association	⌵
⌵	SalesTxnlmt...	Mapping to m...	0	698			None	Association	⌵



Sync extended definitions

Business Objective

Customers need their extended context definitions to stay up-to-date with the latest standard definitions provided by Salesforce Revenue Cloud. Without a reliable process for propagating these updates, applications using extended definitions may not function correctly after a new release.

Context Definition sync provides administrators with a straightforward way to manage these updates, resolve conflicts, and ensure data consistency of their Extended definitions.

Use Cases

After a Salesforce release upgrade, a sales administrator receives a notification that their custom "MyExtendedSTC" context definition is out of sync. This definition extends a standard definition that now includes a new "Geography" tag, which is crucial for updated pricing rules. When the administrator visits the custom definition's page, an auto-sync process attempts to copy the new attribute.

Scenario 1: Successful Sync - The sync completes successfully, and the "Product Family" attribute is added to the extended definition. The administrator can now update their pricing procedures to use the new attribute.

Scenario 2: Sync Failure - The auto-sync fails because the administrator had previously created a custom tag named "Geography" for another purpose. The system displays an "Upgrade failed" status. The administrator clicks the Sync Now button. A confirmation screen shows the conflict. The administrator then clicks Override, which removes their conflicting custom attribute and adds the new standard tag. The administrator can then manually add their custom tag back with a different name to resolve the conflict.

Auto-sync process

1. When is Auto-sync triggered?
When an administrator visits the Context definitions page in Setup and clicks on the specific Extended definition.
When an application (on behalf of a user) tries to use (i.e., hydrate) the extended definition. Exception being when the hydration is triggered by customer code (Apex or Flow).
2. What does auto-sync do?



Copies new artifacts (nodes, attributes, mapping, filters) from Standard definition to the Extended definition.

3. When can the auto-sync process fail?
 - a. New artifact has a conflict with another artifact record in the custom definition.
 - b. User does not have permissions to copy the records.
 - c. Context Definition guardrails are breached due to a very large number of attributes (1000) or nodes (75).
 - d. Corrupted context definition due to certain invalid mapping records.

Standard Definitions

Custom Definitions

Context Definitions (4)

↑	Name	Developer Name	Created By	Created On	Status	Effective From	Effective To	Sync Status	
error	RatingDiscoveryCo...	RatingDiscoveryCo...	OrgFarm EPIC	08/13/2025, 12:55 ...	Active	08/01/2024, 10:46 ...		Sync Now	
error	PricingTransaction...	PricingTransaction...	OrgFarm EPIC	08/13/2025, 12:55 ...	Active	08/01/2024, 10:36 ...		Sync Now	
error	Upgrade Failed The automatic upgrade couldn't be completed because the custom artifacts in the extended definition conflict with changes in the latest standard definition. Select Sync Now to proceed.		OrgFarm EPIC	08/13/2025, 12:55 ...	Active	01/02/2025, 8:47 PM		Synced	
			OrgFarm EPIC	08/13/2025, 12:55 ...	Active	05/28/2024, 2:26 AM		Synced	

Auto-sync failure Reasons and remediation

#	Failure reason	Remediation step
1	New artifact has a conflict with another artifact record in the Extended definition.	Run the Manual Sync process to resolve conflicts and override.
2	User does not have permissions to copy the records.	Run the auto-sync process as an administrator with Context Service Admin permissions. Visit the Context definitions page in Setup and click on the specific Extended definition.
3	Context Definition guardrails are breached due to a very large number of attributes (1000) or nodes (75).	Check if you can remove unused custom nodes or attributes from your extended definition. If not, reach out to Salesforce support for help.




4	Corrupted context definition due to certain invalid mapping records.	Reach out to Salesforce support for help.
5	Number of attributes exceeds the limit	Reach out to Salesforce support for help in increasing the guardrail limit for your org.

Manual Sync

For certain sync failures due to record conflicts, manual intervention is needed. Steps to follow:

1. Click on the **Sync Now** button.
2. Warning: Avoid Manual Sync in Production Org(s)
 - a. Customers should not perform a Sync directly in the production environment.
 - b. Instead, they should first perform the Sync in a sandbox or developer environment, then export the definition and import/deploy it into the production environment.
3. If sync couldn't complete without user input, a confirmation screen is shown.
4. Make a note of conflicting records from the confirmation screen.
5. Click on the **Override** button to:
 - a. Remove conflicting records in extended definition
 - b. Copy new records from standard definition
 - c. **Warning** - In case there is/are conflict(s) in the extended definition and you want to perform an **Override**, you should first **export** the definition as package. This way, you will always have the previous version of the data stored safely, and it can be restored at any point if required.
6. Manually add the removed records (nodes/attributes/tags/mappings) to the Extended definition while ensuring that they do not conflict with the new records.
7. Update existing pricing procedures/rules appropriately.





Packaging and deployment of Context definitions

Business Objective

Customers need a reliable way to migrate their Context Definitions, which contain crucial business logic, from a development or test environment to production.

Use Cases

A Salesforce administrator has created a new, complex Context Definition in their sandbox to support a quoting process. The definition extends the standard SalesTransactionContext with new custom attributes for pricing variables, such as Geography and Market Segment. After thoroughly testing the new definition, the administrator creates a package to deploy the changes to their production environment. The deployment successfully transfers the new definition, including the custom attributes and nodes, as well as the mappings, without any manual replication. If the administrator later needs to update a mapping (e.g., change the mapped field for Geography), they can do so in the sandbox and deploy the change to production without deactivating the context definition on production.

Design Time Configuration

Supported scenarios for deployment

- Between organizations of same release: You can seamlessly deploy Context Definitions from one organization to another, provided both organizations are on the same Salesforce release version.
- Last Release to Current Release: Deployments from an last (256) release to the current release (258).
- Adding New Custom Nodes, Attributes and Mappings: You can deploy updates that introduce new custom nodes, attributes and their corresponding mappings to existing Context Definitions.
- Updating and Deleting Custom mappings for Context Definitions: Deployments that modify (update or delete) existing custom mappings for Context definitions (in activated or deactivated state) is supported.

Unsupported scenarios for deployment



- Current Release to an Older Release: Deploying Context Definitions from the current release (258) to an older release (256) is not supported.
- Updating and Deleting Existing Custom Attributes, Nodes: Deployments that modify (update or delete) existing custom nodes, attributes for Context Definitions is not supported. To make changes, please replicate your desired modifications manually on the target context definition. You can also delete the context definition on the target org and deploy again.
- Activating or Deactivating a Context Definition as a Part of Deployment: You cannot activate or deactivate an Active Context Definition as an action within a deployment package. Activation or Deactivation must be performed as a separate, manual step outside of the deployment process.
- Changing default status of a Context mapping: You cannot make a Context mapping default or non-default as an action within a deployment. Changing the default status of Context mappings should be done as a separate, manual step.



Seamless Context definition updates

Business Objective

Customers need to make minor adjustments to their context mappings without disrupting their live applications. Currently, any change to an active context definition requires it to be deactivated first.

Use Case

A sales administrator has an active, extended context definition used for quote generation. In the previous setup, the administrator extended a standard context definition to include a Geography attribute. They then mistakenly mapped this attribute to the Billing Country field in the Salesforce database, but the pricing rules actually depend on the Billing City. Previously, the administrator would have to deactivate the entire extended context definition, fix the incorrect mapping, and then reactivate it, causing a disruption for sales reps trying to generate quotes. With this new feature, the administrator can simply go to the active extended context definition, open the mapping, delete the mapping for Billing Country, and then create a new mapping to the correct Billing City field. They click Save and Publish, and the change is applied instantly and without any disruption to the live quote application. This ensures sales reps can immediately generate accurate quotes based on the correct geographic data.

Design Time Configuration

1. Please make sure to complete the hands-on exercise for Extending a context definition before attempting this.
2. Navigate to the **MyExtendedSTC** context definition.



Search Setup

Setup Home Object Manager

context def

Feature Settings
Context Service
Context Definitions
Dynamic Revenue Orchestrator
Context Definition Settings

Didn't find what you're looking for? Try using Global Search.

SETUP Context Definitions

Standard Definitions Custom Definitions

Context Definitions (5)

Name	Developer Na...	Created By	Created On	Status	Effective From	Effective To	Sync Status
MyExtendedSTC	MyExtendedSTC	OrgFarm EPIC	09/05/2025, 2:...	Active	09/05/2025, 2:...		Synced
PricingTransact...	PricingTransact...	OrgFarm EPIC	08/29/2025, 1:...	Active	03/28/2025, 9:...		Synced
RatingDiscover...	RatingDiscover...	OrgFarm EPIC	08/29/2025, 1:...	Active	03/28/2025, 9:...		Synced
AssetContextD...	AssetContextD...	OrgFarm EPIC	08/29/2025, 1:...	Active	03/21/2025, 4:...		Synced
BrowseProduct...	BrowseProduct...	OrgFarm EPIC	08/29/2025, 1:...	Active	05/28/2024, 2:...		Synced

3. Click on the **Map Data** tab and select **Edit SOBJect Mapping** next to the **QuoteEntitiesMapping**.

Search Setup

Setup Home Object Manager

context def

Feature Settings
Context Service
Context Definitions
Dynamic Revenue Orchestrator
Context Definition Settings

Didn't find what you're looking for? Try using Global Search.

Context Definitions > Context Definition Details
MyExtendedSTC


Sync Edit Activate Deactivate

Details Structure Map Data Context Tags Filters


Mappings (14)

Name	Descripti...	Mapped Attr...	Unmapped A...	Default	Edit Input M...	Mapping S...	Mapping Inten...
SalesTransact...	Mapping to m...	0	698		✓	None	Persistence, Association, Translation
QuoteEntities...	Mapping to m...	273	425	✓	✓	Salesforce Ob...	Hydration & 3 others
SalesAgreem...	Mapping to m...	0	698		✓	None	Hydration
OrderEntities...	Mapping to m...	288	410		✓	Salesforce Ob...	Hydration
QuoteToContr...	Mapping to m...	17	681		✓	Salesforce Ob...	Hydration & 3 others
OrderToContr...	Mapping to m...	7	691		✓	Salesforce Ob...	Hydration & 3 others
ContractNode...	Mapping to m...	28	670		✓	Salesforce Ob...	Hydration & 3 others
AssetEntities...	Mapping to m...	183	515		✓	Salesforce Ob...	Hydration & 3 others
ProductDisco...	Mapping to m...	0	698			None	Association
SalesTransact...	Mapping to m...	0	698			None	Association
AssetToSales...	Mapping to m...	0	698			None	Association
ContractToSal...	Mapping to m...	0	698			None	Association
SalesTxnlmt...	Mapping to m...	0	698			None	Association

4. Remove the existing mapping to Geography__c attribute by clicking on the Trash icon.



5. Map the **Geography__c** attribute to the **BillingCity** field of Account.



6. Click on the **Save and Publish** button to review and confirm the mapping changes.

