

Revenue Cloud

Dynamic Revenue Orchestrator

Enablement Exercises

Version 1.0, Winter '26



TABLE OF CONTENTS

Release Overview.....	3
Schedule Fulfillment Steps Flexibly by Using Custom Dates.....	4
Business Objective.....	4
Use Cases.....	4
Optimize Complex Order Orchestration by Using Custom Scopes.....	13
Business Objective.....	13
Use Cases.....	13
Configure Technical Product Attribute Scopes for Enhanced Flexibility.....	19
Business Objective.....	20
Use Cases.....	20



Release Overview

Salesforce Revenue Cloud - Dynamic Revenue Orchestrator includes the following new features in the release:

1. **Schedule Fulfillment Steps Flexibly by Using Custom Dates-** Set the execution date in your fulfillment definition step based on a date field in the context definition. For example, map a custom context tag to a custom field to activate a service on the customer's requested date. Your users can now model real-world business processes accurately by scheduling fulfillment tasks based on key customer event dates.
2. **Optimize Complex Order Orchestration by Using Custom Scopes -** Define custom decomposition scopes for technical products and custom orchestration scopes for fulfillment step definitions. Fulfillment line items and fulfillment steps are created and grouped according to the custom scope, such as location, tenant, or ramp. Usage of custom scopes optimizes the orchestration of complex fulfillment scenarios, such as delivering products by location, provisioning services by tenant, and activating ramp deals.
3. **Configure Technical Product Attribute Scopes for Enhanced Flexibility -** Define product attribute scopes to optimize the use of technical attributes and their influence on fulfillment processes. The attribute scope determines the attributes needed to identify actions or supplemental actions on decomposed line items. Additionally, use attribute scope to determine attributes in a technical product that are required to be assetized. This design-time configuration of attributes optimizes the decomposition and orchestration processes, and helps maintain lean and relevant asset data.



Schedule Fulfillment Steps Flexibly by Using Custom Dates

Business Objective

Implement a solution that enables customers to schedule and delay tasks using a variety of custom date fields, rather than being limited to the "Order Line Start Date" or "Previous Step Execution Date." This will provide the flexibility required to accurately model diverse, real-world business processes and achieve specific operational milestones.

Use Cases

Example Use Cases

Use Case 1:

As an Orchestration Designer, I want to be able to configure an orchestration plan that uses a customer-provided "Preferred Delivery Date," so that the delivery processing workflow starts at the optimal time to ensure the delivery arrives on the date the customer requested.

Set of custom field in Context Definition

4. Open Setup -> Object Manager. Search for Order Product and create a custom date field Provisioning Date...



AW Computing

Setup

Object Manager

Order Product

Details

Fields & Relationships

Page Layouts

Lightning Record Pages

Buttons and Links

Compact Layouts

Field Sets

Object Limits

Triggers

Flow Triggers

Validation Rules

Conditional Field Formatting

Order Product Custom Field
Provisioning Date

Custom Field Definition Detail

Field Information

Field Label	Provisioning Date	Object Name	Order Product
Field Name	Provisioning_Date	Data Type	Date
API Name	Provisioning_Date__c		
Description			
Help Text			
Data Owner			
Field Usage			
Data Sensitivity Level			
Compliance Categorization			
Created By	Admin User, 4/25/2025, 9:17 AM	Modified By	Admin User, 4/25/2025, 9:17 AM

General Options

Required ☐

Default Value

Validation Rules

No validation rules defined.

Back To Top

Always show me more records per related list

5. In set up, search for Context Definitions in Quick Find. Create a custom Context Definition by extending OOB Sales transactions and name is "DROCD1234clone".

AW Computing

Setup

Object Manager

Context

Feature Settings

Context Service

Context Definitions

Context Service Settings

Context Simulator

Dynamic Revenue Orchestrator

Context Definition Settings

Context Definitions > Context Definition Details

DROCD1234Clone

Sync Edit Activate Deactivate

Details

Name	DROCD1234Clone	Status	Active
Effective From	8/26/2025, 03:12 PM	Effective To	
Time to Live	10 Minutes	Developer Name	DROCD1234Clone
Created By	Admin User, 8/26/2025, 03:12 PM	Last Modified By	Admin User, 8/26/2025, 03:15 PM
Description			
Reference Definition	false	Referenced Definitions	AssetContext_stdctx

6. Go to the Context Tags Tab. Link on SalesTransaction Item Nodes on the left. On the right top side click on the Edit button.



AW Computing

Setup Home Object Manager

Q Search Setup

EPT: 6.47 ART 0.9 2716.83 KB

Context Definitions > Context Definition Details

DROCD1234Clone

Sync Edit Activate Deactivate

Details Structure Map Data Context Tags Filters

Nodes

- SalesTransaction
 - SalesTransactionAction
 - SalesTransactionItem

SalesTransactionItem

Node Tag: SalesTransactionItem

Attribute Name Attribute Tags

LineItemDiscountType	LineItemDiscountType
BillingReference	ItemBillingReference
SalesTransactionItemGroup	SalesTransactionItemGroup
ItemGroupSummarySubtotal	ItemGroupSummarySubtotal
CustomProductName	CustomProductName
ItemRecordedPrice	ItemRecordedPrice
ItemMaxRecordedPrice__std	ItemMaxRecordedPrice__std
ItemEffectiveGrantDate	ItemEffectiveGrantDate
ItemSegmentIdentifier	ItemSegmentIdentifier
ItemSegmentName	ItemSegmentName
ItemSegmentType	ItemSegmentType
ItemRampldentifier	ItemRampldentifier
ItemsPrimarySegment	ItemsPrimarySegment

7. Click on Next two times to reach the Edit Attributes page. Click on SalesTransactionItem Node on the left hand side tree. Click on the Add Attributes button to add details of the custom field = "ProvisioningDate__c" created in Order Product as shown in screen shot.

Debug mode enabled for Lightning Web Components. Salesforce is slower in debug mode. Learn more

AW Computing

Setup Home Object Manager

Q Search Setup

EPT: 6.47 ART 0.9 2716.83 KB

Edit Attributes

Nodes

- SalesTransaction
 - SalesTransactionAction
 - SalesTransactionItem

SalesTransactionItem


☐	LineItemDiscountType	INPUT OUTPUT	NUMBER	--	Q	Enter name...	Enter name...	☒	
☐	SalesTransactionA	INPUT OUTPUT	STRING	--	Q	Enter name...	Enter name...	☐	
☐	SalesTransactionS	INPUT OUTPUT	STRING	--	Q	Enter name...	Enter name...	☐	
☐	ContractPrice	OUTPUT	CURRENCY	--	Q	Enter name...	This tag represents the	☒	
☐	ContractDiscount	OUTPUT	NUMBER	--	Q	Enter name...	This tag represents the	☒	
☐	SrcText1__c	INPUT OUTPUT	STRING	--	Q	Src Text	Source Test	☐	
☐	PropagationNetUn	INPUT OUTPUT	CURRENCY	--	Q	Enter name...	Enter name...	☒	
☐	OrderType__c	INPUT OUTPUT	STRING	--	Q	Order Type	Order Type	☐	
☐	ProvisionDate__c	INPUT OUTPUT	DATE TIME	--	Q	Provision Date	Provision Date	☐	
☐	ContractDiscount1	OUTPUT	STRING	--	Q	Enter name...	This tag represents the	☒	
☐	ContractAttributeF	INPUT OUTPUT	STRING	--	Q	Enter name...	This tag represents the	☒	
☐	ContractVolumePa	INPUT OUTPUT	STRING	--	Q	Enter name...	This tag represents the	☒	

Previous


Cancel Next



8. Click on Next and click on SalesTransactionItem on the left hand side. Search for ProvisionDate_c and add a Tag Name . In this case name is OLIDateTime_c and click on Done. Save your work




9. Now go to the Map Data tab and search for OrderEntitiesMapping. Click on Edit SOBJect Mapping in the right hand corner drop down






10. Click on Map



11. Map Provisioning_Date_c in OrderItem Object in right hand corner to Provision Date tag in SalestransactionItem Node in Left Hand side. Check the default box.



12. Save and Publish and activate the context Definition

Design Time Configuration



13. Search for Dynamic Revenue Orchestrator in App Launcher.
14. In the App Navigation items search for Fulfilment Workspaces
15. Create a new Fulfilment Workspace


The screenshot shows the 'New Fulfilment Workspace' form in the Salesforce interface. The form is titled 'New Fulfilment Workspace' and has a mode of 'Create, version=RRH, UAL=false'. It includes a search bar at the top and a list of tabs: 'Dynamic Revenue ...', 'Fulfilment Workspaces', 'QuoteA...', 'QuoteA...', 'Sample...', 'SalesCL...', 'SK1690...', 'SKTest...', '000016...', and 'New Fulfil...'. The 'Fulfilment Workspaces' tab is selected. The form has a section for 'Information' with a required field 'Name' containing 'SalesCloud Workspace', a 'Description' field, and a 'Workspace Number' field. At the bottom, there are 'Cancel', 'Save & New', and 'Save' buttons.

16. In the workspace, Click on “New Step Group” Button to create a New Fulfilment Step Definition Group “Provisioning & Billing”


The screenshot shows the 'New Fulfilment Step Definition Group' dialog in the Salesforce interface. The dialog is titled 'New Fulfilment Step Definition Group' and has a field for 'Fulfilment Step Definition Group Name' containing 'Provisioning & Billing'. It includes a search bar at the top and a list of tabs: 'Dynamic Revenue ...', 'Fulfilment Workspaces', 'QuoteA...', 'QuoteA...', 'Sample...', 'SalesCL...', 'SK1690...', 'SKTest...', '000016...', and 'New Fulfil...'. The 'Fulfilment Workspaces' tab is selected. The dialog has a section for 'Provisioning & Billing' with a field for 'Assetize' containing 'Staged Assetize'. At the bottom, there are 'Cancel' and 'Save' buttons.



17. In the step Group, add steps as show in the snapshot below



18. To create any step as Future date step with Custom dates. Click on the step to edit as shown below




19. In the Execution Schedule section, provide the below details
a. Execute Based on - Select Custom Date from drop down



- b. Custom Date pick list will appear. Select any date field mapped in the Context Definition. In our case select the “Provision Date” custom field we mapped earlier in the Context Definition
- c. Provide Delay Unit and Delay Value as required

- d. Save your work

20. Now you can see the Scheduled icon on the Fulfillment Workspace. Hover over the icon to see the details





Optimize Complex Order Orchestration by Using Custom Scopes

Business Objective

Implement the ability to define custom decomposition scopes for technical products and custom orchestration scopes for fulfillment step definitions. This will enable the system to automatically create and group fulfillment line items and steps based on specific criteria like location, tenant, or ramp. The goal is to optimize the orchestration of complex fulfillment scenarios, ensuring products are delivered by location, services are provisioned by tenant, and ramp deals are activated efficiently and accurately.

Use Cases

Example Use Cases

Use Case:

Context: A telecommunications company is onboarding a new enterprise client with a "ramp deal" for their internet service. The deal involves increasing the bandwidth provisioned to different office locations in phases over a year. Each group of locations has a different ramp schedule.

User Story: As an Orchestration Designer, I want the system to orchestrate the fulfillment of a ramp deal by grouping fulfillment orders and their associated steps according to the ramp schedule and location, so that each group of sites is activated at the correct time without manual intervention.

Design Time Configuration

1. Note : To create a custom scope, define a custom scope configuration with a context tag mapped to a scope identifier field in the order product or a sales transaction item. Configure the custom scope as the custom decomposition scope in the technical product and the custom fulfillment scope in the fulfillment step definition. Update the scope identifier field in the configured order line item and order product. During decomposition, fulfillment order line items are grouped per scope identifier and during orchestration, fulfillment steps are grouped per scope identifier. In this example we will



use Ramp(**ItemRampIdentifier**) & Group (**SalesTransactionItemGroup**) context tags that are already defined and mapped in SalesTransaction Context. Let us see the details

2. Go to set up, search for Dynamic Revenue Orchestrator in Quick Find. Click on Custom Fulfillment Scope Config.

The screenshot shows the Salesforce Setup interface. The left sidebar contains the navigation menu with 'Setup' selected. The main content area is titled 'Custom Fulfillment Scope Config'. Below the title, there is a 'View: All' dropdown and a 'Create New View' link. A table lists existing configurations with columns: Action, Name, Label, Item Context Tag, Fallback Scope, Participating Asset Impact, and Assetized. The table contains six rows of data. Below the table, there is a 'New Custom Fulfillment Scope Config' button.

Action	Name	Label	Item Context Tag	Fallback Scope	Participating Asset Impact	Assetized
Edit Del	CustScope2	CustScope2	ItemDescription	Line Item	✓	✓
Edit Del	DescScope21212	Desc Scope	ItemDescription	Line Item	✓	✓
Edit Del	Group_Identifier	Group Identifier	SalesTransactionItemGroup	Line Item	✓	✓
Edit Del	Item_Desc_Scope	Item Desc Scope	ItemDescription	Line Item	✓	✓
Edit Del	Ramp_Identifier	Ramp Identifier	ItemRampIdentifier	Line Item	✓	✓
Edit Del	Src_Text	Src Text	SrcText1__c	Line Item	✓	✓

3. Click on New Custom Fulfillment Scope Config and enter the below values to create a custom Group Scope
 - a. Label : Group Identifier
 - b. Item Context tag: SalesTransactionItemGroup
 - c. Fallback Scope: Line Item
 - d. Check Participating Asset Impact
 - e. Check Assetized
 - f. Save



AW Computing

Setup Home Object Manager

dynamic

Feature Settings

Dynamic Revenue

Orchestrator

Context Definition Settings

Custom Fulfillment Scope Config

Dynamic Revenue

Orchestrator Settings

Fallout and SLA Settings

Didn't find what you're looking for?
Try using Global Search.

Custom Fulfillment Scope Config

Custom Fulfillment Scope Config Edit

Save Save & New Cancel

Description Information

Label Group Identifier

Name Group Identifier

Item Context Tag SalesTransactionItemGr

Asset Context Tag

Fallback Scope Line Item

Participating Asset Impact ☒

Assetized ☒

Save Save & New Cancel

4. Similarly create Ramp Scope by filling in below details
 - a. Label : Ramp Identifier
 - b. Item Context tag: ItemRampIdentifier
 - c. Fallback Scope: Line Item
 - d. Check Participating Asset Impact
 - e. Check Assetized
 - f. Save
5. Once created Custom scopes will appear here



AW Computing Search Setup

Setup Home Object Manager

Quick Find

Setup Home

Salesforce Foundations

Salesforce Go

Service Setup Assistant

Commerce Setup Assistant

Hyperforce Assistant

Release Updates

Salesforce Mobile App

Lightning Usage

Optimizer

Manage Subscription

Integration Definitions

Sales Cloud Everywhere

ADMINISTRATION

Users

Data

Email

PLATFORM TOOLS

Apps

Feature Settings

Actionable Relationship Center

Analytics

Approval Settings

SETUP Custom Fulfillment Scope Config

All Card No

View: All Create New View

A B C D E F G H I J K L M N O P Q R S T U V W X Y Z Other All

Action	Name	Label	Item Context Tag	Fallback Scope	Participating Asset Impact	Assetized
Edt Del	CustScope2	CustScope2	ItemDescription	Line Item	✓	✓
Edt Del	DescScope21212	Desc Scope	ItemDescription	Line Item	✓	✓
Edt Del	Group_Identifier	Group Identifier	SalesTransactionItemGroup	Line Item	✓	✓
Edt Del	Item_Desc_Scope	Item_Desc_Scope	ItemDescription	Line Item	✓	✓
Edt Del	Item_Identifier	Item Identifier	ItemRampIdentifier	Line Item	✓	✓
Edt Del	Ramp_Identifier	Ramp Identifier	ItemRampIdentifier	Line Item	✓	✓
Edt Del	Src_Text	Src_Text	SrcText1_c	Line Item	✓	✓

A B C D E F G H I J K L M N O P Q R S T U V W X Y Z Other All

6. To assign Custom to Technical Products. Go to Products and search for a product. In my case I want to assign the Group_Identifier Custom scope that we created earlier to **HC - License Provisioning**.

AW Computing Search...

Dynamic Revenue ... Products

Products Recently Viewed

50+ items • Updated 4 hours ago

Search this list...

Product Name	Product	Product Description	Product
1 Generator Hybrid	GH001	Generator Hybrid	Hardware
2 Figma Subscription		Figma Subscription	
3 Slack			
4 sc prodAttScope dest 1	sc prodAttS...	sc prodAttScope dest 1	
5 sc prodAttScope src 1	sc prodAttS...	sc prodAttScope src 1	
6 HC - Provision (Service Cloud Platform)			
7 HC - License Provisioning			
8 HC - Billing			
9 Implementation Support	SEAI001	Complete Implementation Support	
10 Marketing Cloud	SCE003	Complete Mktg Cloud Product offering	
11 Service Cloud	SCE002	Complete Service Cloud Product offering	
12 Sales Cloud	SEC001	Complete Sales Cloud Product offering	
13 Laptop Care Package	LCP001	Laptop Care package with Warranty, Support and Basic Training	Service
14 HC - Provision (Sales Cloud Platform)			
15 HC - Provision (Slack Platform)			
16 HC - Provision (Marketing Cloud Platform)			
17 Printer	PRN001	Accepts text and graphic output from a computer and transfers the information to paper	Hardware
18 Printer Paper	PP001	High Quality Printer Papers of various sizes. Each pack of 500 papers.	Hardware
19 Printer Bundle	PB001	The printer bundle includes various printer options, printer paper with various connectivity options	Hardware
20 Laptop Bag	LBG001	Premium Laptop bag with separate compartments for laptop and accessories.	Miscellan...
21 Tech Printer			
22 Tech Printer Paper			
23 HC - Tech			
24 TB-1			



- Click on HC - License Provisioning. Click on Edit and go to the Decomposition Scope field. Select Custom from the drop down menu. Custom Decomposition Scope field will appear. Please select “ Group Identifier” and Save

The screenshot shows the Salesforce interface for the 'HC - License Provisioning' product. The 'Decomposition Scope' field is set to 'Custom', and the 'Custom Decomposition Scope' field is set to 'Group Identifier'. The 'System Information' section shows the record was created by 'Admin User' on 8/25/2025 at 10:27 PM and last modified by 'Admin User' on 8/25/2025 at 10:54 PM. The 'Product Currency' is set to 'USD - U.S. Dollar'.

- Similarly for other product “HC - Provision (Service Cloud Platform)” i will select Ramp Identifier as decomposition scope



AW Computing

Q Search...

Dynamic Revenue ... Products sc_21a... quote2 ... quote2 ... qP Internet... Assetiz... QSK10... HC - Pr... More

Related Details Structure Decomposition

Product Name
HC - Provision (Service Cloud Platform)

Product Description

Product Code

Based On

Product Type

Specification Type
Technical

Quantity Unit Of Measure

Sell only with other products

End Of Life Date

Discontinued Date

Availability Date

Product Currency
USD - U.S. Dollar

Product Record Type
Technical

Product SKU

Product Family

Configure During Sale
Allowed

Ramp
☐

Active
☒

Is Assetizable
☒

Display URL

Unit of Measure

Tax Policy

Usage Model Type

Decomposition Scope
Custom

Custom Decomposition Scope
Ramp_Identifier


Fulfillment Quantity Calculation Method
Always One

mode=View, version=RRH, UAL=false

9. For designing a fulfillment journey, go to the Fulfillment Workspace and create the required steps, groups, steps & dependencies. For adding the custom scopes on steps, click on edit steps
 - a. In the scope field select "Custom"
 - b. In the Custom Fulfillment Scope field select the custom scope created in the Custom Scope Config, in this case "Ramp Identifier" or "Group Identifier" as per your use case.
 - c. Save your work



Salesforce Feature Name
Winter '26



Configure Technical Product Attribute Scopes for Enhanced Flexibility



Business Objective

Implement a system to define and manage product attribute scopes, ensuring that technical attributes are used effectively to drive fulfillment processes. This will optimize the decomposition and orchestration workflows by using design-time configurations to:

- Determine which attributes are necessary to trigger specific fulfillment actions or supplemental actions.
- Identify which attributes should be assetized, keeping the final asset data lean and relevant.

This approach will streamline operations and improve system performance by preventing unnecessary data from being processed and stored.

Use Cases

Example Use Cases

Use Case 1 :

Context: A customer places an order for a highly customized industrial pump. The manufacturing process requires several temporary, internal steps that don't need to be part of the final asset record delivered to the customer.

As an Orchestration Designer,I want to be able to define and use attributes in the technical product for the custom industrial pump, such as WeldingRobotID or StressTestTemp, that are only relevant during the manufacturing orchestration process,So that the final fulfillment asset record, which the customer receives, remains clean and is not burdened with temporary, internal manufacturing data.

Use Case 2:

Context: A customer has ordered a large industrial generator. The payment for the generator and its installation is processed during the fulfillment stage. As per the company's privacy policy and the customer's request, the full credit card number, a form of Personally Identifiable Information (PII), should not be retained in the final asset record after the transaction is complete.

As a Customer,I want to ensure my credit card number is securely deleted from the fulfillment and asset records after my payment for the generator is successfully processed, So that my



sensitive personal information is not retained in the system, reducing security risks and protecting my privacy.

Design Time Configuration

1. In the App Launcher, search for Product Attribute Scopes, and click on it. Click the New button on the right side of top corner, to open the New Product Attribute Scope
 - a. Enter Name as “AssetizationOptOut”
 - b. Usage Type as “Dynamic Revenue Orchestration”
 - c. Scope as “Assetization opt-out”
 - d. Save

2. Search for “Product Attribute Mapped Scopes” in the App Launcher. Click on New on the right side of the top corner. In the “New Product Attribute Mapped Scope” record page, provide the details
 - a. Name as Card No AssetizationOptOut
 - b. Associated Product Attribute : Choose Product Attribute Definition or Product Classification Definition, then select the attribute. In this case i selected Product Classification Definition and Card No as that i want not to assetize.
 - c. Product Attribute Scope: AssetizationOptOut
 - d. Save



q3-258-sdb36-org1.per12z.lightning.pc-rnd.force.com/lightning/o/ProdAttrMappedScope/new?count=7&nooverride=1&useRecordTypeCheck=1&navigationLocation=LIST_VIEW&uid=175811221929217... Work

AW Computing

Dynamic Revenue ... Product Attribute Mappe... sc_21... quote... quote... quote... Intern... Associ... Q5K10... * New Pro... More

Search...

mod=create, version=RRH, UAL=false

New Product Attribute Mapped Scope

* = Required information

Information

* Name	* Associated Product Attribute
Card No AssetizationOptOut	Card No
* Product Attribute Scope	Parent Mapped Scope
AssetizationOptOut	Search Product Attribute Mapped Scopes...
Subcoverage	Subcoverage Name
☐	

Cancel Save & Now Save