

# MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 24010706/24010437  
Fax: 24023516  
Website: <http://mpcb.gov.in>  
Email: [ast@mpcb.gov.in](mailto:ast@mpcb.gov.in)



Kalpataru Point, 2nd, 3rd  
and 4th floor, Opp. Cine  
Planet Cinema, Near Sion  
Circle, Sion (E),  
Mumbai-400022

RED/M.S.I (R22)/ Rev. RED/I.S./ (111.1)  
No:- Format1.0/AS(T)/UAN No.MPCB-  
CONSENT-0000254069/CO/2510001670

Date: 17/10/2025

To,  
Indo Amines Ltd.  
(Formerly Known as LASA Supergenerics Limited)  
Plot no. C-105, MIDC Mahad,  
Tal Mahad, Dist Raigad.



**Sub: Grant of Consent to 1st Operate under RED/MSI**

**Ref:** Consent to Establish accorded vide No. Format1.0/AS(T)/UAN  
No.0000244924/CE/2506001767, dated 18/06/2025.

Your application No.MPCB-CONSENT-0000254069 Dated 15.07.2025

For: grant of Consent to Operate under Section 26 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization under Rule 6 and Rule 18(7) of the Hazardous & Other Wastes (Management & Transboundary Movement) Rules 2016 is considered and the consent is hereby granted subject to the following terms and conditions and as detailed in the schedule I, II, III & IV annexed to this order:

- The consent to operate is granted for a period up to 30/09/2028**
- The capital investment of the project is Rs.11.1665 Crs. (As per C.A Certificate submitted by industry )**
- Consent is valid for the manufacture of:**

| Sr No    | Product                                              | Maximum Quantity | UOM  |
|----------|------------------------------------------------------|------------------|------|
| Products |                                                      |                  |      |
| 1        | Purification of Benzoguanamine                       | 70               | MT/M |
| 2        | Purification of Di Phenoxy Ethane                    | 70               | MT/M |
| 3        | Purification of 2- Ethyl Hexyl Glycerine             | 35               | MT/M |
| 4        | Purification of Isopropyl Alcohol Hydrochloride      | 35               | MT/M |
| 5        | Purification of 2 Butyl 4 Chloro 5 formyl imidazole  | 35               | MT/M |
| 6        | Purification of N- butyl Chloride                    | 87.5             | MT/M |
| 7        | Purification of Pentanimidamido acetic acid (BCFI-I) | 18.9             | MT/M |

(Only by Purification process. Without any organic chemical synthesis process)

4. **Conditions under Water (P&CP), 1974 Act for discharge of effluent:**

| <i>Sr No</i> | <i>Description</i> | <i>Permitted (in CMD)</i> | <i>Standards to</i> | <i>Disposal Path</i> |
|--------------|--------------------|---------------------------|---------------------|----------------------|
| 1.           | Trade effluent     | 20                        | As per Schedule-I   | CETP                 |
| 2.           | Domestic effluent  | 2                         | As per Schedule-I   | Soaked in soak pit   |

5. **Conditions under Air (P& CP) Act, 1981 for air emissions:**

| <i>Sr No.</i> | <i>Stack No.</i> | <i>Description of stack / source</i> | <i>Number of Stack</i> | <i>Standards to be achieved</i> |
|---------------|------------------|--------------------------------------|------------------------|---------------------------------|
| 1             | S1               | Boiler (5 TPH)                       | 1                      | As per Schedule -II             |
| 2             | S2               | Thermic fluid heater (15 lac Kcal)   | 1                      | As per Schedule -II             |
| 3             | S3               | DG Set (750 KVA)                     | 1                      | As per Schedule -II             |
| 4             | S4               | Process Vent                         | 1                      | As per Schedule -II             |
| 5             | S5               | Process Vent                         | 1                      | As per Schedule -II             |

6. **Non-Hazardous Wastes:**

| <i>Sr No</i> | <i>Type of Waste</i>          | <i>Quantity</i> | <i>UoM</i> | <i>Treatment</i> | <i>Disposal</i>          |
|--------------|-------------------------------|-----------------|------------|------------------|--------------------------|
| 1            | Metal, Wood, Packing material | 20              | Kg/Day     | Sale             | Sale to authorized party |

7. **Conditions under Hazardous & Other Wastes (M & T M) Rules 2016 for Collection, Segregation, Storage, Transportation, Treatment and Disposal of hazardous waste:**

| <i>Sr No</i> | <i>Category No./ Type</i>                                                            | <i>Quantity</i> | <i>UoM</i> | <i>Treatment</i>                                            | <i>Disposal</i>                                        |
|--------------|--------------------------------------------------------------------------------------|-----------------|------------|-------------------------------------------------------------|--------------------------------------------------------|
| 1            | 37.3 Concentration or evaporation residues                                           | 1.4             | MT/M       | Co-Processing through authorized pre-processor/Incineration | Co-Processing through authorized pre-processor/CHWTSDF |
| 2            | 35.3 Chemical sludge from waste water treatment                                      | 1.4             | MT/M       | Co-Processing through authorized pre-processor/Landfill     | Co-Processing through authorized pre-processor/CHWTSDF |
| 3            | 33.1 Empty barrels /containers /liners contaminated with hazardous chemicals /wastes | 35              | No/M       | Recycle*                                                    | Sale to authorised party / CHWTSDF                     |
| 4            | 28.3 Spent carbon                                                                    | 1.4             | MT/M       | Co-Processing through authorized pre-processor/Incineration | Co-Processing through authorized pre-processor/CHWTSDF |

| <b>Sr No</b> | <b>Category No./ Type</b>                                                           | <b>Quantity</b> | <b>UoM</b> | <b>Treatment</b>                                            | <b>Disposal</b>                                        |
|--------------|-------------------------------------------------------------------------------------|-----------------|------------|-------------------------------------------------------------|--------------------------------------------------------|
| 5            | 26.1 Process waste sludge/residues containing acid, toxic metals, organic compounds | 1.4             | MT/M       | Co-Processing through authorized pre-processor/Incineration | Co-Processing through authorized pre-processor/CHWTSDF |

**\* Industry shall ensure disposal to the Actual user having permissions under Rule 9 of Hazardous and other Waste (M & TM) Rules, 2016**

**8. Conditions under Plastic Waste Management Rules, 2016 (Notification dtd. 18/03/2016):**

| <b>Sr No</b> | <b>Type of Waste</b>  | <b>Quantity</b> | <b>UoM</b> | <b>Disposal Path</b> |
|--------------|-----------------------|-----------------|------------|----------------------|
| 1            | Plastic bags, Bottles | 10.00           | Kg/M       | Authorized Recycler  |

9. The Board reserves the right to review, amend, suspend, revoke this consent and the same shall be binding on the industry.
10. This consent should not be construed as exemption from obtaining necessary NOC/ permission from any other Government authorities.
11. The industry shall obtain necessary permission from the Directorate of Industrial Safety and Health (DISH).
12. This consent is issued with overriding effect on earlier consent accorded to M/s. LASA Supergenetics Limited vide No. Format1.0/AS(T)/UAN No. 0000099259/CR-2103000173, dated 02/03/2021 which was valid upto 30/04/2025.
13. The applicant shall not carry out any excess production or produce new products without Consent of the Board and without Environmental Clearance wherever it applicable.
14. The applicant shall properly collect, transport & regularly dispose-off the Hazardous Waste to CHWTSDF, in compliance of the Hazardous and other Waste (M & TH) Rule-2016 and keep proper manifest thereof.
15. Industry shall comply with direction issued to CETP, regarding installation of two-way SCADA, Auto-sampler, Non-Return Valve (NRV) with positive discharge to CETP chamber.
16. Industry shall install online continuous monitoring system as per CPCB guidelines & data to be transmitted directly from Data Logger to Board server.
17. This consent is issued as per the Office Order for Consent Management of the Board No. 12/2020 dtd. 23/12/2020.
18. The industry shall comply the provisions of Hazardous & Other Wastes (M & TM) Rules 2016 & disposal path as per Rule 9 to authorized recycler.
19. Guidelines for Pre-processing & Co-Processing of Hazardous & Other Wastes in cement plant as per H & O (M & TM) Rules, 2016 prepared by Central Pollution Control Board shall be strictly followed.
20. The applicant shall make an application for renewal of consent 120 days prior to date of expiry of the consent.

21. The industry shall create an Environment Cell by appointing an Environmental Engineer OR Expert for looking after day-to-day activities related to Environment OR Pollution control.

This consent is issued on the basis of information/documents submitted by the Applicant/Project Proponent, if it has been observed that the information submitted by the Applicant/Project Proponent is false, misleading or fraudulent, the Board reserves its right to revoke the consent & further legal action will be initiated against the Applicant/Project Proponent.



f3174a4f  
dfe892be  
14e8fec0  
c6460333  
59193982  
234e22e9  
bd1b13cd  
1bee945e

Signed by: **Dr Rajendra A. Rajput**  
Assistant Secretary (Technical)  
For and on behalf of,  
**Maharashtra Pollution Control Board**  
ast@mpcb.gov.in  
2025-10-17 16:39:58 IST

**Received Consent fee of -**

| Sr.No | Amount(Rs.) | Transaction/DR.No. | Date       | Transaction Type |
|-------|-------------|--------------------|------------|------------------|
| 1     | 150000.00   | TXN2507005547      | 24/07/2025 | Online Payment   |

**Copy to:**

1. Regional Officer, MPCB, Raigad and Sub-Regional Officer, MPCB, Mahad  
- They are directed to ensure the compliance of the consent conditions.
2. Chief Accounts Officer, MPCB, Sion, Mumbai

### **SCHEDULE-I**

#### **Terms & conditions for compliance of Water Pollution Control:**

1. A] As per your application, you have provided Effluent Treatment Plant (ETP) of designed capacity of 25.00 CMD consisting of Primary (Collection tank, Neutralization tank, Equalization tank, Flash mixer, Primary Clarifier/Primary Settling Tank), Secondary (Activated sludge process), Tertiary (Pressure sand filter, Activated carbon filter), Sludge treatment (Sludge drying bed) for the treatment of 20 CMD of trade effluent.
- B] The Applicant shall operate the effluent treatment plant (ETP) to treat the trade effluent so as to achieve the following standards prescribed by the Board or under EP Act, 1986 and Rules made there under from time to time, whichever is stringent:

| <b>Sr.No</b> | <b>Parameters</b>  | <b>Limiting concentration not to exceed in mg/l, except for pH</b> |
|--------------|--------------------|--------------------------------------------------------------------|
| (1)          | pH                 | 6.0 -8.5                                                           |
| (2)          | BOD (3 days 27°C)  | 100                                                                |
| (3)          | COD                | 250                                                                |
| (4)          | TSS                | 100                                                                |
| (5)          | Oil & Grease       | 10                                                                 |
| (6)          | Chlorides          | 600                                                                |
| (7)          | Sulphates          | 1000                                                               |
| (8)          | Phenolic Compounds | 1                                                                  |

- C] The Industry shall ensure connectivity online monitoring system to the MPCB server including separate energy meter for pollution control system.
- D] The treated effluent shall be recycled for secondary purposes to the maximum extent and remaining shall be discharged to CETP after confirming above standards. In no case, effluent shall find its way outside factory premises.
2. A] As per your application, you have provided Septic Tank followed by Soak pit for the treatment of 2 CMD of sewage.
- B] The Applicant shall operate the sewage treatment system to treat the sewage so as to achieve the following standards.

| <b>Sr.No</b> | <b>Parameters</b> | <b>Standards (mg/l)</b> |     |
|--------------|-------------------|-------------------------|-----|
| 1            | Suspended Solids  | Not to exceed           | 50  |
| 2            | BOD 3 days 27°C   | Not to exceed           | 30  |
| 3            | COD               | Not to exceed           | 100 |

- C] The treated sewage shall be soaked in soak pit and overflow if any shall be discharged on land for gardening within premise after confirming above standards.

3. The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waterworks for the purification thereof & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions. The Applicant shall obtain prior consent of the Board to take steps to establish the unit or establish any treatment and disposal system or an extension or addition thereto.
4. The industry shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
5. The Applicant shall comply with the provisions of the Water (Prevention & Control of Pollution) Act, 1974 and as amended, by installing water meters and other provisions as contained in the said act:

| <b>Sr. No.</b> | <b>Purpose for water consumed</b>                                                              | <b>Water consumption quantity (CMD)</b> |
|----------------|------------------------------------------------------------------------------------------------|-----------------------------------------|
| 1.             | Industrial Cooling, spraying in mine pits or boiler feed                                       | 38.80                                   |
| 2.             | Domestic purpose                                                                               | 3.20                                    |
| 3.             | Processing whereby water gets polluted & pollutants are easily biodegradable                   | 23.00                                   |
| 4.             | Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic | 0.00                                    |
| 5.             | Gardening                                                                                      | 0                                       |

6. The Applicant shall provide Specific Water Pollution control system as per the conditions of EP Act, 1986 and rule made there under from time to time/ Environmental Clearance/ CREP guidelines.

## **SCHEDULE-II**

### **Terms & conditions for compliance of Air Pollution Control:**

1. As per your application, you have provided the Air pollution control (APC) system and erected following stack (s) to observe the following fuel pattern:

| Stack No. | Source                             | APC System provided/proposed | Stack Height(in mtr) | Type of Fuel              | Sulphur Content(in %) | Pollutant | Standard              |
|-----------|------------------------------------|------------------------------|----------------------|---------------------------|-----------------------|-----------|-----------------------|
| S1        | Boiler (5 TPH)                     | Cyclone Dust Collector       | 30.00                | Coal/Briquettes 800 Kg/Hr | 0.5                   | TPM       | 50 Mg/Nm <sup>3</sup> |
|           |                                    |                              |                      |                           |                       | SO2       | 192 Kg/Day            |
| S2        | Thermic fluid heater (15 lac Kcal) | Cyclone Dust Collector       | 30.00                | Coal/Briquettes 700 Kg/Hr | 0.5                   | TPM       | 50 Mg/Nm <sup>3</sup> |
|           |                                    |                              |                      |                           |                       | SO2       | 168 Kg/Day            |
| S3        | DG Set (750 KVA)                   | Acoustic Enclosure           | 4.50                 | HSD 153 Lit/Day           | 1                     | TPM       | 50 Mg/Nm <sup>3</sup> |
|           |                                    |                              |                      |                           |                       | SO2       | 3.06 Kg/Day           |
| S4        | Process Vent                       | Acid scrubber                | 3.00                 | -                         | -                     | HCL       | 30 Mg/Nm <sup>3</sup> |
| S5        | Process Vent                       | Acid scrubber                | 3.00                 | -                         | -                     | HCL       | 30 Mg/Nm <sup>3</sup> |

2. The Applicant shall provide Specific Air Pollution control equipments as per the conditions of EP Act, 1986 and rule made there under from time to time/ Environmental Clearance / CREP guidelines.
3. The Applicant shall obtain necessary prior permission for providing additional control equipment with necessary specifications and operation thereof or alteration or replacement/alteration well before its life come to an end or erection of new pollution control equipment.
4. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, other in whole or in part is necessary).
5. Solvent Management shall be carried out as follows:
- Reactors shall be connected to Water / Chilled Water /Brine Condenser system.
  - Reactors and solvent handling pumps shall have mechanical seals to prevent the leakages.
  - The condensers shall be provided with adequate Heat transfer area (HTA) and residence time so as to achieve more than 97% overall recovery
  - Solvents shall be stored in a separate space specified with all safety measures.
  - Proper earthing shall be provided in all the equipment's, wherever solvent handling is done.
  - Entire plant shall be flame proof. The solvent storage tanks shall be provided with breather valve to prevent losses.
  - All the solvent storage tanks shall be connected with vent condensers with Water / chilled water / Brine circulation.
  - Fugitive emissions shall be controlled at 99.95% with effective chillers.
  - Solvent transfer shall be through pump.
  - Metering and control of quantities of active ingredients to minimize wastes.
  - Use of automatic filling to minimize spillage.
  - Use of close feed system into batch reactors.
  - Venting equipment through vapour recovery system.

### **SCHEDULE-III**

#### **Details of Bank Guarantees:**

| <b>Sr. No</b> | <b>Consent (C2E/C2O/C2R)</b>     | <b>Amt of BG Imposed</b> | <b>Submission Period</b> | <b>Purpose of BG</b>                                                          | <b>Compliance Period</b> | <b>Validity Date</b> |
|---------------|----------------------------------|--------------------------|--------------------------|-------------------------------------------------------------------------------|--------------------------|----------------------|
| 1             | C to E (existing to be extended) | Rs 5 Lakh                | 15 days                  | Towards O & M of pollution control systems & Compliance of Consent conditions | 30/09/2028               | 30/09/2029           |

**\*\*Existing BG obtained for above purpose if any, may be extended for period of validity as above.**

**If the above Bank Guarantee is not submitted within stipulated period, then 12% interest will be levied as a penalty as per circular dtd 29/02/2024 No.**


**BO/MPCB/AS(T)/Circular/B-240229FTS0122**

#### **BG Forfeiture History**

| <b>Srno.</b> | <b>Consent (C2E/C2O/C2R)</b> | <b>Amount of BG imposed</b> | <b>Submission Period</b> | <b>Purpose of BG</b> | <b>Amount of BG Forfeiture</b> | <b>Reason of BG Forfeiture</b> |
|--------------|------------------------------|-----------------------------|--------------------------|----------------------|--------------------------------|--------------------------------|
| NA           |                              |                             |                          |                      |                                |                                |


#### **BG Return details**

| <b>Srno.</b> | <b>Consent (C2E/C2O/C2R)</b> | <b>BG imposed</b> | <b>Purpose of BG</b> | <b>Amount of BG Returned</b> |
|--------------|------------------------------|-------------------|----------------------|------------------------------|
| NA           |                              |                   |                      |                              |



**SCHEDULE-IV**  
**General Conditions:**

1. The waste generator shall.-
  - a) take steps to minimize generation of plastic waste and segregate plastic waste at source in accordance with the Plastic Waste Management Rules, 2016 or as amended from time to time.
  - b) not litter the plastic waste and ensure segregated storage of waste at source and handover segregated waste to urban local body or gram panchayat or agencies appointed by them or registered waste pickers', registered recyclers or waste collection agencies;
2. All institutional generators of plastic waste, shall segregate and store the waste generated by them in accordance with the Plastic Waste Management Rules, 2016 amendment from time to time and handover segregated wastes to authorized waste processing or disposal facilities or deposition centers either on its own or through the authorized waste collection agency.
3. All waste generators shall pay such user fee or charge as may be specified in the byelaws of the local bodies for plastic waste management such as waste collection or operation of the facility thereof, etc.;
4. Every person responsible for organizing an event in open space, which involves service of food stuff in plastic or multilayered packaging shall segregate and manage the waste generated during such events in accordance with the Plastic Waste Management Rules, 2016 amendment from time to time.
5. The Energy source for lighting purpose shall preferably be LED based
6. The PP shall harvest rainwater from roof tops of the buildings and storm water drains to recharge the ground water and utilize the same for different industrial applications within the plant
7. Conditions for D.G. Set
  - a) Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically.
  - b) Industry should provide acoustic enclosure for control of noise. The acoustic enclosure/ acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB (A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
  - c) Industry should make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
  - d) Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
  - e) A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
  - f) D.G. Set shall be operated only in case of power failure.
  - g) The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
  - h) The applicant shall comply with the notification of MoEFCC, India on Environment (Protection) second Amendment Rules vide GSR 371(E) dated 17.05.2002 and its amendments regarding noise limit for generator sets run with diesel.
8. The applicant shall maintain good housekeeping.



9. The non-hazardous solid waste arising in the factory premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
10. The applicant shall not change or alter the quantity, quality, the rate of discharge, temperature or the mode of the effluent/emissions or hazardous wastes or control equipments provided for without previous written permission of the Board. The industry will not carry out any activity, for which this consent has not been granted/without prior consent of the Board.
11. The Board reserves the right to review, amend, suspend, revoke this consent and the same shall be binding upon you.
12. The industry shall submit quarterly statement in respect of industries obligation towards consent and pollution control compliance's duly supported with documentary evidences (format can downloaded from MPCB official site).
13. The industry shall submit official e-mail address and any change will be duly informed to the MPCB.
14. The industry shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification No. B-29016/20/90/PCI-L dated. 18.11.2009 as amended.
15. This consent should not be construed as exemption from obtaining necessary NOC/ permission from any other Government authorities.
16. The industry shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
17. You shall ensure collection, and segregation of BMW regularly to treat and dispose Off within 48 hrs from generation.
18. Whenever due to any accident or other unforeseen act or even, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith Reported to Board, concerned Police Station, office of Directorate of Health Services, Department of Explosives, Inspectorate of Factories and Local Body. In case of failure of pollution control equipments, the production process connected to it shall be stopped.
19. The applicant shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control production to abide by terms and conditions of this consent.
20. The industry shall recycle/reprocess/reuse/recover Hazardous Waste as per the provision contain in the Hazardous and Other Wastes (M & TM) Rules 2016, which can be recycled /processed /reused /recovered and only waste which has to be incinerated shall go to incineration and waste which can be used for land filling and cannot be recycled/reprocessed etc. should go for that purpose, in order to reduce load on incineration and landfill site/environment.
21. An inspection book shall be opened and made available to the Board's officers during their visit to the applicant.
22. You shall not Rent, Lend, Sell, Transfer or Close Down the facility or otherwise transport the Bio Medical waste for any other purpose without obtaining prior written permission of the MPC Board.

23. Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the terminal manholes. No effluent shall find its way other than in designed and provided collection system.
24. Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the factory.
25. The industry should not cause any nuisance in surrounding area.
26. The industry shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.
27. You shall ensure that fugitive emissions from the activity are controlled so as to maintain clean and safe environment in and around the facility premises.
28. The applicant shall provide ports in the chimney/(s) and facilities such as ladder, platform etc. for monitoring the air emissions and the same shall be open for inspection to/and for use of the Board's Staff. The chimney(s) vents attached to various sources of emission shall be designated by numbers such as S-1, S-2, etc. and these shall be painted/ displayed to facilitate identification.
29. The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waterworks for the purification thereof & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions. The Applicant shall obtain prior consent of the Board to take steps to establish the unit or establish any treatment and disposal system or an extension or addition thereto
30. The applicant shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
31. The applicant shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a yearly statement by 30th September every year on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted by September end.
32. The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waterworks for the purification thereof & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions.
33. The firm shall submit to this office, the 30th day of September every year, the Environment Statement Report for the financial year ending 31st March in the prescribed FORM-V as per the provisions of Rule 14 of the Environment (Protection) (second Amendment) Rules, 1992.
34. You should monitor effluent quality, stack emissions and ambient air quality monthly/quarterly. Y
35. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, other in whole or in part is necessary).

36. The applicant shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
37. You shall obtain necessary prior permission for providing additional control equipment with necessary specifications and operation thereof or alteration or shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
38. You shall strictly comply with the Water (P&CP) Act, 1974, Air (P&CP) Act, 1981 and Environmental Protection Act, 1986 and industry specific standard under EP Rules 1986 which are available on MPCB website ([www.mpcb.gov.in](http://www.mpcb.gov.in)).
39. You shall create the Environmental Cell by appointing an Environmental Engineer and Chemist for looking after day-to-day activities related to compliance of CCA.
40. You should comply with the Hazardous and Other Wastes (M & TM) Rules, 2016 , Bio Medical Waste Management Rules,2016 and submit the Annual Returns as per Rule 6(5) & 20(2) of Hazardous and Other Wastes (M & TM) Rules, 2016 for the preceding year in Form-IV by 30th June of every year

---

This certificate is digitally & electronically signed.

---

