

MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 24010706/24010437
Fax: 24023516
Website: <http://mpcb.gov.in>
Email: cac-cell@mpcb.gov.in



Kalpataru Point, 2nd, 3rd
and 4th floor, Opp. Cine
Planet Cinema, Near Sion
Circle, Sion (E),
Mumbai-400022

ORANGE/L.S.I (O75)
No:- Format1.0/CAC/UAN No.MPCB-
CONSENT-0000237849/CO/2505000956

Date: 07/05/2025

To,
M/s. SUPREME PETROCHEM LTD.,
Village- Amdoshi/Wangani, Wakan- Roha Road,
Tal. Roha, Dist. Raigad, 402106



Sub: Grant of 1st Consent to Operate (Part) for expansion with amalgamation of existing consent under Orange/LSI category

- Ref:**
1. Consent to Establish granted vide No. Format 1.0/CAC/UAN No. 0000080991/CE-2005000234 dated 08/5/2020
 2. Amendment in Consent to Operate granted by Board vide dated 31.03.2023, valid up to 31.08.2027.
 3. Environmental Clearance granted vide No. SEIAA-EC-0000002087 dated 26/11/2019
 4. Minutes of Consent Appraisal Committee meeting held on 16.04.2025.

Your application No.MPCB-CONSENT-0000237849 Dated 23.02.2025

For: grant of 1st Consent to Operate (Part) for expansion with amalgamation of existing consent under Section 26 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization under Rule 6 and Rule 18(7) of the Hazardous & Other Wastes (Management & Transboundary Movement) Rules 2016 is considered and the consent is hereby granted subject to the following terms and conditions and as detailed in the schedule I, II, III & IV annexed to this order:

1. **The consent to operate is granted for a period up to 31/08/2029**
2. **The capital investment of the project is Rs.1360.117 Crs. (As per C.A Certificate submitted by industry Existing CI is of Rs. 798.605 Crs + increase in CI for Expansion C.I. of Rs. 561.508 Crs = 1360.117 Crs)**
3. **Consent is valid for the manufacture of:**

Sr No	Product	Maximum Quantity	UOM
Products			
1	Polystyrene [(GPPS, HIPS, Specialty Grades), Compounds, Masterbatches of Thermoplastics and Elastomers, Styrene Methyl Methacrylate (SMMA), Acrylonitrile Butadiene Styrene (ABS), Styrene Acrylonitrile (SAN), Polymethyl Methacrylate (PMMA), Extruded Polystyrene (XPS) Insulation boards, Expandable Polystyrene (EPS)]	600000	MT/A

4. **Conditions under Water (P&CP), 1974 Act for discharge of effluent:**

Sr No	Description	Permitted (in CMD)	Standards to	Disposal Path
1.	Trade effluent	1249	As per Schedule-I	Monsoon period = 780 CMD- recycled & remaining 469 CMD- discharged into Amba River Estuary and Non-monsoon = 686 CMD - recycled & remaining-563 CMD used on land for gardening
2.	Domestic effluent	30	As per Schedule-I	On land for gardening

5. **Conditions under Air (P& CP) Act, 1981 for air emissions:**

Sr No.	Stack No.	Description of stack / source	Number of Stack	Standards to be achieved
1	S-1	Boiler, Thermic Fluid Heaters (03 Nos + 2 Nos Standby) 1M Kcal/Hr	1	As per Schedule -II
2	S-2	Thermic Fluid Heater (1.3 MKcal/Hr)	1	As per Schedule -II
3	S-3	Boilers - 2 Nos (6.3 + 9.0 TPH operated at 6 TPH)	1	As per Schedule -II
4	S-4	DG Set 1 (2250 KVA)	1	As per Schedule -II
5	S-5	DG Set 2 (2250 KVA)	1	As per Schedule -II
6	S-6	New Thermic Fluid Heaters (1 W + 1 S) 1 MKCal/Hr	1	As per Schedule -II

6. **Non-Hazardous Wastes:**

Sr No	Type of Waste	Quantity	UoM	Treatment	Disposal
1	Wooden Scrap	575	MT/A	Sale	Sale to authorized party
2	Metallic Scrap	667	MT/A	Sale	Sale to authorized party
3	Non-metallic Scrap	210	MT/A	Sale	Sale to authorized party
4	Paper	150	MT/A	Sale	Sale to authorized party
5	Glassware	1.5	MT/A	Sale	Sale to authorized party
6	Ash from Chimney cleaning/fire pit	13.5	MT/A	Sale	Sale to Brick Manufacturer/cement industry/ Sent to CHWTSDF
7	STP Sludge	1.0	MT/A	Composting	Used as manure
8	Decontaminated containers/ Carboys	11500	Nos./Y	Sale	Used for collection of in process sample/ Plantation/sale/ Sent to CHWTSDF

7. **Conditions under Hazardous & Other Wastes (M & T M) Rules 2016 for Collection, Segregation, Storage, Transportation, Treatment and Disposal of hazardous waste:**

Sr No	Category No./ Type	Quantity	UoM	Treatment	Disposal
1	1.6 Spent catalyst and molecular sieves	230	MT/A	Landfill/ Recycle*	Sale to Authorized Party/CHWTSDf/Co-processing through authorized pre-processor
2	5.1 Used or spent oil	26.3	MT/A	Recycle	Sale to authorised party
3	20.2 Spent solvents	665	Ltr/A	Incineration/ Recycle*	CHWTSDf/Sale to authorized Party for recycle
4	33.1 (Empty bags of additives)	60	MT/A	Incineration/ Recycle*	CHWTSDf/Sale to authorized party for recycle/Co-processing through authorized pre-processor
5	35.2 Spent ion exchange resin containing toxic metals	0.7	MT/A	Incineration/ Recycle*	Sale to authorised party / CHWTSDf
6	35.3 Chemical sludge from waste water treatment	800	MT/A	Landfill/Recycle	CHWTSDf/Co-processing through authorized pre-processor
7	22.2 (Process residue with high CV)	1250	MT/A	Incineration/ Recycle	CHWTSDf/Co-processing through authorized pre-processor
8	Filter Bags	43	MT/A	Incineration/ Recycle	CHWTSDf/Co-processing through authorized pre-processor
9	37.3 Concentration or evaporation residues	500	MT/A	Landfill/ Recycle*	Sale to authorised party / CHWTSDf
10	36.2 Spent carbon or filter medium	40	MT/A	Incineration/ Recycle*	CHWTSDf/Sale to authorized party for recycle
11	9.3 Acid from used batteries	65	Ltr/A	Recycle*	Treated in ETP/Sale to Authorized Party/ CHWTSDf
12	Insulation Waste	33	MT/A	Landfill/ Recycle	Sale to Authorized Party/ CHWTSDf
13	33.2 Contaminated cotton rags or other cleaning materials	45	MT/A	Incineration/ Recycle*	CHWTSDf/Sale to authorized party for recycle/Co-processing through authorized pre-processor

Sr No	Category No./ Type	Quantity	UoM	Treatment	Disposal
14	5.1 (Used Spent Oil from replacement of theric fluid heater (once in a three year)	170	MT/A	Recycle	Sale to Registered Recycler / Re-processor
15	22.2 (Process residue with low CV)	1250	MT/A	Landfill	CHWTSDF
16	35.3 (Chemical sludge from wastewater treatment with low CV)	800	MT/A	Landfill/ Recycle*	CHWTSDF/Co-processing through authorized pre-processor

(The applicant shall ensure the disposal of all recycle-reprocessing hazardous waste to the actual user having permission under Rule 9 of Hazardous & Other Waste (M & T M) Rules, 2016)

8. Conditions under Batteries (Management & Handling) Rules, 2001:

Sr No	Type of Waste	Quantity	UoM	Disposal Path
1	Battery Waste	1.50	MT/A	Sale to Authorized Party

Specific Conditions for used Batteries:

- The applicant shall ensure that used batteries are not disposed of in any manner other than by depositing with the authorized dealer/ manufacturer/ registered recycler/ importer/ re-conditioner or at the designated collection center.
- The applicant shall file half-yearly return in Form VIII to the M.P.C. Board.
- Bulk consumers to their user units may auction used batteries to registered recyclers only.

9. Conditions under E-Waste Management:

Sr No	Type of Waste	Quantity	UoM	Disposal Path
1	E Waste	5.80	MT/A	Sale to Authorized Party

10. Treatment and Disposal of Biomedical Waste generated to CBMWTSDf:

Sr.No	Category	Type of Waste	Quantity not to exceed (Kg/M)	Segregation Color coding	Treatment & Disposal
1	Yellow	a) Soiled Waste	0.25	Yellow colored non- chlorinated plastic bags or containers	CBMWTSDf
		b) Expired or Discarded Medicines	0.25		
		c) Discarded linen, mattresses, beddings contaminated with blood or body fluid.	0.25		

Sr.No	Category	Type of Waste	Quantity not to exceed (Kg/M)	Segregation Color coding	Treatment & Disposal
2	White (Translucent)	Waste sharps including Metals	0.25	Puncture proof, Leak proof, tamper proof container	CBMWTSDf

11. The Board reserves the right to review, amend, suspend, revoke this consent and the same shall be binding on the industry.
12. This consent should not be construed as exemption from obtaining necessary NOC/ permission from any other Government authorities.
13. This consent is issued with overriding effect on earlier amendment in Consent to Operate granted vide no. Format 1.0/CAC-Cell/UAN No. MPCB-CONSENT_AMMENDMENT-0000010107/23030000062, dated 31.03.2023, valid up to 31.08.2027
14. The applicant shall comply with the conditions of the Environmental Clearance granted vide letter No. SEIAA-EC-0000002087 dated 26/11/2019.
15. Industry shall regularly carry out VOC monitoring from MoEF&CC Laboratory
16. This consent is issued as per the minutes of Consent Appraisal Committee meeting held on 16.04.2025.
17. The applicant shall make an application for renewal of consent 120 days prior to date of expiry of the consent.

This consent is issued on the basis of information/documents submitted by the Applicant/Project Proponent, if it has been observed that the information submitted by the Applicant/Project Proponent is false, misleading or fraudulent, the Board reserves its right to revoke the consent & further legal action will be initiated against the Applicant/Project Proponent.

Received Consent fee of -

Sr.No	Amount(Rs.)	Transaction/DR.No.	Date	Transaction Type
1	4492069.00	MPCB-DR-32369	27/02/2025	NEFT

Copy to:

1. Regional Officer, MPCB, Raigad and Sub-Regional Officer, MPCB, Raigad II
- They are directed to ensure the compliance of the consent conditions.
2. Chief Accounts Officer, MPCB, Sion, Mumbai

SCHEDULE-I

Terms & conditions for compliance of Water Pollution Control:

1. A] As per your application, you have provided Effluent Treatment Plant (ETP) for treatment of trade effluent generated in the complex. The organic effluent stream of up to 702 CMD is treated through Primary, Secondary and Tertiary Treatment System Comprising of Equalization, Dissolved Air Floatation, Activated Sludge Process and Filtration respectively. The inorganic effluent stream from cooling tower/ boiler blowdown of up to 547 CMD will be mixed with the organic effluent stream after secondary treatment and treated through Pressure Sand Filter and Activated Carbon Filter of 1300 CMD capacity. Effluent generated from the expansion of up to 686 CMD is recycled into cooling tower/ fire water make up/ process by treatment through Reverse Osmosis and Mechanical Vapor Recompressor.
- B] The Applicant shall operate the effluent treatment plant (ETP) to treat the trade effluent so as to achieve the following standards prescribed by the Board or under EP Act, 1986 and Rules made there under from time to time, whichever is stringent:

Sr.No	Parameters	Limiting concentration not to exceed in mg/l, except for pH
(1)	pH	6.0 -8.5
(2)	BOD (3 days 27°C)	30
(3)	COD	250
(4)	TSS	100
(5)	Oil & Grease	10
(6)	Total Dissolved Solids	2100
(7)	Chlorides	600
(8)	Sulphates	1000
(9)	Sulphide (as S)	2
(10)	Suspended Solids	100
(11)	Cr6+	0.1
(12)	Total Chromium	2
(13)	Fluoride	15
(14)	Cyanide	0.2
(15)	Phenol	5

- C] Non-Monsoon Period: The treated effluent of up to 563 CMD shall be used on land for gardening within premises and remaining 686 CMD shall be recycled in the cooling tower makeup/ fire water make up/ process. Monsoon period: The treated effluent of up to 469 CMD shall be discharged into Amba River Estuary and remaining shall be recycled in the cooling tower makeup/ fire water make up/ process.
2. A] As per your consent application 30 CMD sewage is mixed with trade effluent at the aeration tank for further treatment/ treated at existing STP.

B] Industry shall comply prescribed standards & disposal path as prescribed at Sr. No. 1 B & C of schedule I.

3. The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waterworks for the purification thereof & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions. The Applicant shall obtain prior consent of the Board to take steps to establish the unit or establish any treatment and disposal system or an extension or addition thereto.
4. The industry shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
5. The Applicant shall comply with the provisions of the Water (Prevention & Control of Pollution) Act, 1974 and as amended, by installing water meters and other provisions as contained in the said act:

Sr. No.	Purpose for water consumed	Water consumption quantity (CMD)
1.	Industrial Cooling, spraying in mine pits or boiler feed	2097.00
2.	Domestic purpose	39.00
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	872.00
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	0.00
5.	Gardening	450

6. The Applicant shall provide Specific Water Pollution control system as per the conditions of EP Act, 1986 and rule made there under from time to time/ Environmental Clearance/ CREP guidelines.

SCHEDULE-II

Terms & conditions for compliance of Air Pollution Control:

- As per your application, you have provided the Air pollution control (APC) system and erected following stack (s) to observe the following fuel pattern:

Stack No.	Source	APC System provided/proposed	Stack Height(in mtr)	Type of Fuel	Sulphur Content(in %)	Pollutant	Standard
S-1	Boiler, Thermic Fluid Heaters (03 Nos + 2 Nos Standby) 1M Kcal/Hr	Stack ID/FD Blowers / Fans, Air Preheaters	40.00	LSHS* 372 Kg/Hr	1	TPM	150 Mg/Nm ³
				LDO* 359 Kg/Hr	1.5		
				Natural Gas 12214177 KL/A	-	SO2	258.5 Kg/Day
				LPG 18 MT/A	-		
				Hydrocarbon Purge 734 MT/A	-		
S-2	Thermic Fluid Heater	Stack ID/FD Blowers / Fans, Air Preheaters	35.00	LSHS* 109 Kg/Hr	1	TPM	150 Mg/Nm ³
				Hydrocarbon Purge 400 MT/A	-		
				LPG 06 MT/A	-	SO2	74.30 Kg/Day
				Natural Gas 3824737 KL/A	-		
				LDO* 103 Kg/Hr	1.5		
S-3	Boilers - 2 Nos (6.3 + 9.0 TPH operated at 6 TPH)	Stack ID/FD Blowers / Fans	42.00	LSHS* 915 Kg/Hr	1	TPM	150 Mg/Nm ³
				LDO* 903 Kg/Hr	1.8		
				Natural Gas 28287148 KL/A	-	SO2	351.4 Kg/Day
S-4	DG Set-1 (2250 KVA)	Acoustic Enclosure	32.00	HSD 555 MT/A	1	TPM	150 Mg/Nm ³
						SO2	31 Kg/Day
S-5	DG Set-2 (2250 KVA)	Acoustic Enclosure	32.00	HSD 555 MT/A	1	TPM	150 Mg/Nm ³
						SO2	31 Kg/Day

Stack No.	Source	APC System provided/proposed	Stack Height(in mtr)	Type of Fuel	Sulphur Content(in %)	Pollutant	Standard
S-6	New Thermic Fluid Heaters (1 W + 1 S) 1 MKCal/Hr	Stack ID/FD Blowers / Fans, Air Preheaters	32.50	Natural Gas 3205421 KL/A	1	TPM	150 Mg/Nm ³
				Hydrocarbon purge 10 Kg/Hr	1		
				LPG 0.375 Kg/Hr	1		
				LSHS* 104 Kg/Hr	1	SO2	74.9 Kg/Day
				LDO* 104 Kg/Hr	1		

* As per your application, primary fuel for Thermic Fluid Heaters and Boilers is Natural Gas. Only 20% of LSHS/ LDO shall be used as back up fuel in case of emergency/ non-availability of natural gas.

- The Applicant shall provide Specific Air Pollution control equipments as per the conditions of EP Act, 1986 and rule made there under from time to time/ Environmental Clearance / CREP guidelines.
- The Applicant shall obtain necessary prior permission for providing additional control equipment with necessary specifications and operation thereof or alteration or replacement/alteration well before its life come to an end or erection of new pollution control equipment.
- The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, other in whole or in part is necessary).

SCHEDULE-III

Details of Bank Guarantees:

Sr. No	Consent (C2E/C2O/C2R)	Amt of BG Imposed	Submission Period	Purpose of BG	Compliance Period	Validity Date
1	C to O	Rs. 25 Lakh	15 Days	Towards O&M of Pollution Control System and compliance of Consent Conditions	31/8/2029	28/2/2030

If the above Bank Guarantee is not submitted within stipulated period, then 12% interest will be levied as a penalty as per circular dtd 29/02/2024 No. BO/MPCB/AS(T)/Circular/B-240229FTS0122

BG Forfeiture History

Srno.	Consent (C2E/C2O/C2R)	Amount of BG imposed	Submission Period	Purpose of BG	Amount of BG Forfeiture	Reason of BG Forfeiture
NA						

BG Return details

Srno.	Consent (C2E/C2O/C2R)	BG imposed	Purpose of BG	Amount of BG Returned
NA				

SCHEDULE-IV

General Conditions:

1. Consumers or bulk consumers of electrical and electronic equipment listed in Schedule I shall ensure that e-waste generated by them is channelised through collection centre or dealer of authorised producer or dismantler or recycler or through the designated take back service provider of the producer to authorised dismantler or recycler
2. Bulk consumers of electrical and electronic equipment listed in Schedule I shall maintain records of e-waste generated by them in Form-2 and make such records available for scrutiny by the concerned State Pollution Control Board
3. Consumers or bulk consumers of electrical and electronic equipment listed in Schedule I shall ensure that such end-of-life electrical and electronic equipment are not admixed with e-waste containing radioactive material as covered under the provisions of the Atomic Energy Act, 1962 (33 of 1962) and rules made there under;
4. Bulk consumers of electrical and electronic equipment listed in Schedule I shall file annual returns in Form-3, to the concerned State Pollution Control Board on or before the 30th day of June following the financial year to which that return relates. In case of the bulk consumer with multiple offices in a State, one annual return combining information from all the offices shall be filed to the concerned State Pollution Control Board on or before the 30th day of June following the financial year to which that return relates.
5. Specific Conditions for storage, Handling and Disposal of Waste from Electrical & Electronic equipment (WEEE):

1. **Collection of WEEE** - The applicant must provide appropriate and dedicated vehicles duly identified as per the norms for transportation of Hazardous Waste. The applicant shall obtain all the required permits for transportation of WEEE from competent authority. The applicant shall ensure the safe transport of the WEEE without any spillage during transportation.

Storage for disassembled parts: The applicant must provide appropriate storage for disassembled spare parts from WEEE. Some spare parts (e.g. motors and compressors) will contain oil and/or other fluids. Such part must be appropriately segregated and stored in containers that are secured such that oil and other fluids cannot escape from them. These containers must be stored on an area with an area with an impermeable surface and a sealed drainage system.

2. **Storage for other components and residues:** Other components and residues arising from the treatment of WEEE will need to be contained following their removal for disposal or recovery. Where they contain hazardous substances they should be stored on impermeable surface and in appropriate containers or bays with weatherproof covering. Containers should be clearly labelled to identify their contents and must be secured so that liquids, including rain water cannot enter them. Components should be segregated having regard to their eventual destinations and the compatibility of the component types. All batteries should be handled and stored having regard to the potential fire risk associated with them.
3. **Balances :** WEEE Guidelines also requires that sites for handling of WEEE have "balances to measure the weight of the segregated waste". The objective is to ensure that a record of weights can be maintained of WEEE entering a facility and components and materials leaving each site (together with their destinations). The nature of the weighing equipment should be appropriate for the type and quantity of WEEE being processed.

4. Plastic, which cannot be recycled and is hazardous in nature, is recommended to be land filled in nearby CHWTSDf.
 5. Ferrous and nonferrous metal recycling facilities fall under the purview of existing environmental regulations for air, water, noise, land and soil pollution and generation of hazardous waste and the same should be followed.
 6. CFCS should be either reused or incinerated in common hazardous waste Incineration facilities at CHWTSDf.
 7. Waste Oil should be either reused or incinerated in common hazardous waste incineration facilities.
 8. PCB's containing capacitors shall be incinerated in common hazardous waste incineration facilities at CHWTSDf.
 9. Mercury recovery and lead recycling facilities from batteries fall under the Hazardous & Other Wastes (M & TM) Rules, 2016.
 10. Existing environmental regulations for air; water; noise, land and soil pollution and generation of hazardous waste and the same should be followed. In case Mercury or lead recovery is very low, they can be temporarily stored at e-waste recycling facility and later disposed in TSDF.
 11. The industry shall maintain records of the e-waste purchased, processed in Form-2 and shall file annual returns of its activities of previous year in Form-3 as per Rules 11(9) & 13(3)(vii) of the E-Waste(M) Rules, 2016; on or before 30th day of June of every year.
6. The Energy source for lighting purpose shall preferably be LED based
 7. The PP shall harvest rainwater from roof tops of the buildings and storm water drains to recharge the ground water and utilize the same for different industrial applications within the plant
 8. Conditions for D.G. Set
 - a) Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically.
 - b) Industry should provide acoustic enclosure for control of noise. The acoustic enclosure/ acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB (A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
 - c) Industry should make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
 - d) Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
 - e) A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
 - f) D.G. Set shall be operated only in case of power failure.
 - g) The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
 - h) The applicant shall comply with the notification of MoEFCC, India on Environment (Protection) second Amendment Rules vide GSR 371(E) dated 17.05.2002 and its amendments regarding noise limit for generator sets run with diesel.
 9. The applicant shall maintain good housekeeping.
 10. The non-hazardous solid waste arising in the factory premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.

11. The applicant shall not change or alter the quantity, quality, the rate of discharge, temperature or the mode of the effluent/emissions or hazardous wastes or control equipments provided for without previous written permission of the Board. The industry will not carry out any activity, for which this consent has not been granted/without prior consent of the Board.
12. The industry shall ensure that fugitive emissions from the activity are controlled so as to maintain clean and safe environment in and around the factory premises.
13. The industry shall submit quarterly statement in respect of industries obligation towards consent and pollution control compliance's duly supported with documentary evidences (format can downloaded from MPCB official site).
14. The industry shall submit official e-mail address and any change will be duly informed to the MPCB.
15. The industry shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification No. B-29016/20/90/PCI-L dated. 18.11.2009 as amended.
16. The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waterworks for the purification thereof & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions. The Applicant shall obtain prior consent of the Board to take steps to establish the unit or establish any treatment and disposal system or an extension or addition thereto.
17. The industry shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
18. The PP shall provide personal protection equipment as per norms of Factory Act 1948
19. Industry should monitor effluent quality, stack emissions and ambient air quality monthly/quarterly.
20. Whenever due to any accident or other unforeseen act or even, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith Reported to Board, concerned Police Station, office of Directorate of Health Services, Department of Explosives, Inspectorate of Factories and Local Body. In case of failure of pollution control equipments, the production process connected to it shall be stopped.
21. The applicant shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control production to abide by terms and conditions of this consent.
22. The industry shall recycle/reprocess/reuse/recover Hazardous Waste as per the provision contain in the Hazardous and Other Wastes (M & TM) Rules 2016, which can be recycled /processed /reused /recovered and only waste which has to be incinerated shall go to incineration and waste which can be used for land filling and cannot be recycled/reprocessed etc. should go for that purpose, in order to reduce load on incineration and landfill site/environment.
23. An inspection book shall be opened and made available to the Board's officers during their visit to the applicant.
24. Industry shall strictly comply with the Water (P&CP) Act, 1974, Air (P&CP) Act, 1981 and Environmental Protection Act, 1986 and industry specific standard under EP Rules 1986 which are available on MPCB website (www.mpcb.gov.in).

25. Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the terminal manholes. No effluent shall find its way other than in designed and provided collection system.
26. Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the factory.
27. The industry should not cause any nuisance in surrounding area.
28. The industry shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.
29. The industry shall create the Environmental Cell by appointing an Environmental Engineer, Chemist and Agriculture expert for looking after day to day activities related to Environment and irrigation field where treated effluent is used for irrigation.
30. The applicant shall provide ports in the chimney/(s) and facilities such as ladder, platform etc. for monitoring the air emissions and the same shall be open for inspection to/and for use of the Board's Staff. The chimney(s) vents attached to various sources of emission shall be designated by numbers such as S-1, S-2, etc. and these shall be painted/ displayed to facilitate identification.
31. The industry should comply with the Hazardous and Other Wastes (M & TM) Rules, 2016 and submit the Annual Returns as per Rule 6(5) & 20(2) of Hazardous and Other Wastes (M & TM) Rules, 2016 for the preceding year April to March in Form-IV by 30th June of every year.
32. The applicant shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
33. The applicant shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a yearly statement by 30th September every year on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted by September end.
34. The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waterworks for the purification thereof & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions.
35. The firm shall submit to this office, the 30th day of September every year, the Environment Statement Report for the financial year ending 31st March in the prescribed FORM-V as per the provisions of Rule 14 of the Environment (Protection) (second Amendment) Rules, 1992.
36. You shall obtain necessary prior permission for providing additional control equipment with necessary specifications and operation thereof or alteration or shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
37. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, other in whole or in part is necessary).

38. The applicant shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.

This certificate is digitally & electronically signed.

