

MAHARASHTRA POLLUTION CONTROL BOARD

SUB REGIONAL OFFICE - PUNE - I

Phone - (020) 25816451
Fax - (020) 25811029
Email : sropune1@mpcb.gov.in
Visit At : <http://mpcb.gov.in>



2nd & 3rd Floor, "Jog Center"
Wakadewadi Mumbai-Pune Road,
Pune - 411003.

Green/S.S.I

Consent No: SRO-PUNE1/CONSENT/2101000907
UAN No. 101109

Date:-21/01/2021

Consent to operate under Section 26 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization on / Renewal of Authorization under Rule 6 of the Hazardous Wastes & Other Wastes (Management, Handling & Transboundary Movement) Rules 2016.

CONSENT is hereby granted to,

M/s. Shree Vinayak RMC
Sr. No.123,Khandve Nagar,
Lohagaon, Haveli, Pune.

Located in the area declared under the provisions of the Water Act, Air act and Authorization under the provisions of HW (M&H) Rules and amendments thereto subject to the provisions of the Act and the Rules and the Orders that may be made further and subject to the following terms and conditions:

1. The Consent to operate is granted for a period up to-30.11.2023.

2. The Consent is valid for the manufacture of:

Sr. No.	Product Name	Maximum Quantity	UOM
1	Ready Mix Concrete	300.0	Cubic Meter Month
(The Consent is Granted for Commercial Purpose Only)			

3. CONDITIONS UNDER WATER ACT:

(i) The daily quantity of trade effluent from the factory shall not exceed 0.5m³

(ii) The daily quantity of sewage effluent from the factory shall not exceed 0.35m³

(iii) Trade Effluent :

Treatment: The applicant shall provide comprehensive treatment system consisting of primary/ secondary and /or tertiary treatment as is warranted with reference to influent quality and operate and maintain the same continuously so as to achieve the quality of the treated effluent to the following standards:

1.	pH	Between	5.5 to 9.0
2.	Oil & Grease	Not to exceed	10 mg/l
3.	Suspended Solids	Not to exceed	100 mg/l
4.	BOD 3 days 27 Deg.C	Not to exceed	30 mg/l
5.	COD	Not to exceed	150 mg/l
6.	Total Dissolved Solids	Not to exceed	2100 mg/l
7.	Sulphates	Not to exceed	1000 mg/l
8.	Chlorides	Not to exceed	600 mg/l

- (iv) **Trade Effluent Disposal:** The treated trade effluent shall be recycled to maximum extent and remaining shall be used on land for gardening/plantation within own premises only. For this sufficient land shall be made available. In no case at any time effluent shall find its way to any water body directly or indirectly.
- (v) **Sewage Effluent Treatment:** The applicant shall provide comprehensive treatment system as is warranted with reference to influent quality and operate and maintain the same continuously so as to achieve the quality of treated effluent to the following standards.

(1) Suspended Solids	Not to exceed	100	mg/l
(2) BOD 3 days 27° C	Not to exceed	100	mg/l

- (vi) **Sewage Effluent Disposal:** The treated domestic effluent shall be soaked in a soak pit, which shall be got cleaned periodically. Overflow, if any, shall be used on land for gardening / plantation only.

(vii) **Non-Hazardous Solid Wastes: -**

Sr. No.	Type Of Waste	Quantity	UOM	Treatment	Disposal
--	---	---	---	---	---

(viii) **Other Conditions:** Industry should monitor effluent quality regularly.

4. The applicant shall comply with the provisions of the Water (Prevention & Control of Pollution) Cess Act, 1977 (to be referred as Cess Act) and amendment Rules, 2003 there under

The daily water consumption for the following categories is as under:

(i)	Domestic Purpose	...	0.4	CMD
(ii)	Water gets Polluted & Pollutants are Biodegradable (Mixing)	...	0.0	CMD
(iii)	Water gets Polluted, Pollutants are not Biodegradable & Toxic	...	2.0	CMD
(iv)	Industrial Cooling, Spraying in Mine Pits or Boiler Feed	...	0.0	CMD
(v)	Others	...	0.0	CMD

5. CONDITIONS UNDER AIR ACT:

- (i) The applicant shall install a comprehensive control system consisting of control equipments as is warranted with reference to generation of emission and operate and maintain the same continuously so as to achieve the level of pollutants to the following standards:

a. Control Equipment:

1. Industry shall provide dust collector of sufficient capacity to control the emissions at mixing section & material handling/loading section.
2. Adequate capacity Air pollution control devices, Compound wall of brick masonry & Water sprinkler arrangement shall be provided for dust suppression.
3. Metallic approach road shall be provided in the work environment
4. Tin covers/shed shall be provided at material handling/loading section.
5. Adequate number of trees shall be provided across boundary of the units.

6. Tyre washing system for vehicles at the exit points shall be provided and operated regularly.
7. The industry should not cause any nuisance in surrounding area.
8. The industry should monitor ambient air quality regularly.

b. Standards for Air Emission

Particulate Matter PM ₁₀	Not to Exceed	100	µg/m ³
Particulate Matter PM _{2.5}	Not to Exceed	60	µg/m ³
SO ₂	Not to Exceed	80	µg/m ³
NO _x	Not to Exceed	80	µg/m ³

(ii) Standards for Stack Emissions:

Sr.No.	DG set details	Quantity	Height
---	---	---	---

(i) The applicant shall observe the following fuel pattern:-

Sr. no.	Type Of Fuel	Quantity	UOM
---	---	---	---

(iii) The applicant shall provide ports in the chimney/(s) and facilities such as ladder, platform etc. for monitoring the air emissions and the same shall be open for inspection to/and for use of the Board's Staff. The chimney(s) vents attached to various sources of emission shall be designated by numbers such as S-1, S-2, etc. and these shall be painted/ displayed to facilitate identification.

(iv) The industry shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB(A) during day time and 70 dB(A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.

6. CONDITIONS UNDER HAZARDOUS WASTE (MANAGEMENT, HANDLING & TRANSBOUNDARY MOVEMENT) RULES, 2016:

(i) The Industry shall handle hazardous wastes as specified below.

Sr. No.	Type Of Waste	Quantity	UOM	Treatment	Disposal
Industry shall not generate any type of Hazardous Waste					

7. Industry shall comply with following additional conditions:

- i. The applicant shall maintain good housekeeping and take adequate measures for control of pollution from all sources so as not to cause nuisance to surrounding area / inhabitants.
- ii. The applicant shall bring minimum 33% of the available open land under green coverage/ tree plantation.
- iii. Solid waste – The non-hazardous solid waste arising in the factory premises, sweepings, etc., be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal to dumping ground.
- iv. The applicant shall provide for an alternate electric power source sufficient to operate all pollution control facilities installed by the applicant to maintain compliance with the

3

- terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control production to abide by terms & conditions of this consent regarding pollution levels.
- v. The applicant shall not change or alter quantity, quality, the rate of discharge, temperature or the mode of the effluent / emissions or hazardous wastes or control equipment provided for without previous written permission of the Board.
 - vi. The applicant shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous wastes to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
 - vii. The applicant shall make an application for renewal of the consent at least 60 days before the date of the expiry of the consent.
 - viii. The firm shall submit to this office, the 30th day of September every year, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 14 of the Environment (Protection) (Second Amendment) Rules, 1992.
 - ix. An inspection book shall be opened and made available to the Board's officers during their visit to the applicant.
 - x. The applicant shall install a separate electric meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
 - xi. Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes / sewers downstream of the terminal manholes. No effluent shall find its way other than in designed and provided collection system.
 - xii. Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the factory.
 - xiii. All material transfer points should be covered.
 - xiv. Industry shall provide barricading all around the periphery of the plot boundary of height minimum 20 feet or 5 feet above free fall air emission area, whichever is higher with tin sheets. Same may extend above with netlon clothing whenever required.
 - xv. Industry shall provide Water sprinkling/Chemical dust stabilizing agent spraying system along the periphery inside the premises of RMC.
 - xvi. Industry shall provide internal work area by cement concreted/Asphalted.
 - xvii. Industry shall provide Daily cleaning / Removal of dust accumulation inside the plant (dry/wet) & shall be carry out, with industrial vacuum cleaner.
 - xviii. The two level tyre washing facility shall be provided at entry and exit points, for transit mixture vehicle.
 - xix. Industry shall provide Storage silos of cement & fly-ash shall be equipped with adequate capacity of dust Collection system such as multi- cyclone followed by bag house assembly.
 - xx. Handling of the cement, sand, fly ash and aggregates shall be carried out with mechanical closed system only.
 - xxi. Manual operations shall be permitted only in a closed shed, equipped with dust control system at the loading point as well as roof top secondary dust control system
 - xxii. All Conveyor belts of Sand, aggregate shall be covered with tin sheets and at transfer points dust collection system to be installed to avoid secondary fugitive emissions.

- xxiii. Mixing section of cement, aggregate & sand shall be equipped with adequate capacity dust collection system, such as multi-cyclone followed by bag house, so as to limit dust emissions.
- xxiv. Storage area of sand & aggregate shall be equipped with roof top water sprinkler system.
- xxv. Industry shall provide treatment to effluent generated.
- xxvi. Industry shall recycle/ reuse of treated effluent.
- xxvii. Industry shall dispose solid waste by landfilling.
- xxviii. Alternative power supply system should cover both the production and Air pollution control system.
- xxix. Industry shall abide all conditions/directions issued time to time in respect of precaution measures for control of air pollution.
8. The RMC shall follow Notification/Guidelines published by Govt. Maharashtra dated 07.11.2016 for Ready mix concrete plant for sitting criteria of RMC plant in state.
9. The Capital investment of the industry is Rs. 1.2/- Cr.
10. The applicant shall obtain permission from Central Ground Water Authority in case of use ground water.
11. Board has reserved the right to review, amend, suspend, revoke etc. this consent and the same shall be binding on the industry.
12. Operation of RMC plant shall be in day time only. However, in notified MIDC area, notified industrial parks, outside corporation area timing are not applicable. The Day time shall mean from 6 a.m. to 10 p.m.
13. The Maharashtra Pollution Control Board may make the standards stringent for the RMC /batching plants.
14. The authority shall provide adequate water treatment and disposal facility for generated effluent from their activity. They shall comply with provisions under the Water (Prevention and Control of Pollution) Act, 1974.
15. The authority shall provide adequate Air pollution control arrangement at the Source. They shall comply with the provisions under the Air (Prevention and Control of Pollution) Act, 1981 and conditions prescribed.
16. The remediation and restoration measure shall be taken by the project proponent in case of any environmental pollution in the surrounding area due to emission/effluent in excess of the standards being discharged/emitted in to the environment and violation of consent conditions and thereby causing environmental pollution.



17. Industry shall Submit Bank Guarantee Rs.25,000/- (Twenty-Five Thousand Only) for period up to 31.12.2023 for the complying consent conditions. The Bank Guarantee Shall be submitted in favor of Regional Office MPC Board, Pune within one months.

18. This consent should not be construed as exemption from obtaining necessary NOC/permission from any other Statutory / Government authorities.

For AND ON BEHALF OF M.P.C. BOARD


(Pratap Jagtap)
Sub Regional Officer,
M.P.C. Board, Pune-I

To,
M/s. Shree Vinayak RMC
Sr. No.123,Khandve Nagar,
Lohagaon, Haveli, Pune.

Received Consent fee of -

Sr. No.	Amount (Rs.)	DR. No.	Date
1.	30000.00/-	MPCB-DR-3193	10/12/2020

Copy submitted for information to:
Regional Office, M.P.C. Board, Pune.