Schéma world

Schéma world

Créé par DbSchema

Vue d'ensemble




Fig. 1: img

Table world.city

*	id	integer
*	name	text
*	countrycode	char(3)
*	district	text
*	population	integer

Table world.country

*	countrycode	char(3)
*	name_country	text
*	continent	text
*	region	text
*	surfacearea	real
	indepyear	$\operatorname{smallint}$
*	population_country	integer
	lifeexpectancy	real
	gnp	numeric(10,2)
	gnpold	numeric(10,2)
*	localname	text
*	${\it government} {\it form}$	text
	headofstate	text
	capital	integer
*	code2	char(2)

Foreign Keys

 $country_capital_fkey \quad (\ capital\)\ ref\ world.city\ (id)$

Constraints

((continent = 'Asia' ::text) OR (continent =
'Europe' ::text) OR (continent = 'North
America' ::text) OR (continent = 'Africa' ::text)
OR (continent = 'Oceania' ::text) OR (continent
= 'Antarctica' ::text) OR (continent = 'South
America' ::text))

${\bf Table\ world. country language}$

*	countrycode	char(3)
*	language	text
*	isofficial	boolean
*	percentage	real

Foreign Keys

countrylanguage_countrycode_fkeycountrycode) ref world.country (countrycode)