


Performance

Metrics

First Contentful Paint	2.5 s	Time to Interactive	16.1 s
Speed Index	2.5 s	Total Blocking Time	920 ms
Largest Contentful Paint	10.0 s	Cumulative Layout Shift	0

Values are estimated and may vary. The [performance score is calculated](#) directly from these metrics. [See calculator.](#)



Opportunities — These suggestions can help your page load faster. They don't [directly affect](#) the Performance score.

Opportunity	Estimated Savings
▲ Properly size images	21 s ^

Serve images that are appropriately-sized to save cellular data and improve load time. [Learn more.](#)

Show 3rd-party resources (0)

URL	Resource Size	Potential Savings
 /images/successful-panda.gif (build-6875072a-9420-4e47-858e-dcbc80235d49.gtsb.io)	1,021.2 KiB	956.6 KiB
 /images/my-back.png (build-6875072a-9420-4e47-858e-dcbc80235d49.gtsb.io)	960.8 KiB	941.5 KiB
 /images/My%20Post.png (build-6875072a-9420-4e47-858e-dcbc80235d49.gtsb.io)	662.7 KiB	650.8 KiB
 /images/smiling-maple.png (build-6875072a-9420-4e47-858e-dcbc80235d49.gtsb.io)	352.1 KiB	326.8 KiB
 /images/pleasant-birch.png (build-6875072a-9420-4e47-858e-dcbc80235d49.gtsb.io)	244.2 KiB	241.7 KiB
 /images/goals.jpg (build-6875072a-9420-4e47-858e-dcbc80235d49.gtsb.io)	235.5 KiB	234.8 KiB
/images/neural.PNG (build-6875072a-9420-4e47-858e-dcbc80235d49.gtsb.io)	227.4 KiB	216.3 KiB



URL	Resource Size	Potential Savings
/images/panoramic-owl.png (build-6875072a-9420-4e47-858e-dcbc80235d49.gtsb.io)	97.6 KiB	96.3 KiB
/images/spectacular-turmeric.png (build-6875072a-9420-4e47-858e-dcbc80235d49.gtsb.io)	90.3 KiB	87.1 KiB
/images/jamstack.png (build-6875072a-9420-4e47-858e-dcbc80235d49.gtsb.io)	97.6 KiB	84.9 KiB
/images/curious-mustard.png (build-6875072a-9420-4e47-858e-dcbc80235d49.gtsb.io)	13.8 KiB	10.8 KiB
/images/logo-circle.png (build-6875072a-9420-4e47-858e-dcbc80235d49.gtsb.io)	15.3 KiB	9.0 KiB

▲ Serve images in next-gen formats 19.8 s ^

Warnings: Unable to locate resource /amazing-background.JPG

Image formats like JPEG 2000, JPEG XR, and WebP often provide better compression than PNG or JPEG, which means faster downloads and less data consumption. [Learn more.](#)

Show 3rd-party resources (1)

URL	Resource Size	Potential Savings
/CEYEZp8.jpeg (i.imgur.com)	2,369.9 KiB	1,367.6 KiB
/images/my-back.png (build-6875072a-9420-4e47-858e-dcbc80235d49.gtsb.io)	960.8 KiB	877.5 KiB
/images/My%20Post.png (build-6875072a-9420-4e47-858e-dcbc80235d49.gtsb.io)	662.7 KiB	592.0 KiB
/images/smiling-maple.png (build-6875072a-9420-4e47-858e-dcbc80235d49.gtsb.io)	352.1 KiB	339.1 KiB
/images/pleasant-birch.png (build-6875072a-9420-4e47-858e-dcbc80235d49.gtsb.io)	244.2 KiB	198.5 KiB
/images/neural.PNG (build-6875072a-9420-4e47-858e-dcbc80235d49.gtsb.io)	227.4 KiB	184.6 KiB
/images/jamstack.png (build-6875072a-9420-4e47-858e-dcbc80235d49.gtsb.io)	97.6 KiB	82.6 KiB
/images/spectacular-turmeric.png (build-6875072a-9420-4e47-858e-dcbc80235d49.gtsb.io)	90.3 KiB	82.2 KiB
/images/panoramic-owl.png (build-6875072a-9420-4e47-858e-dcbc80235d49.gtsb.io)	97.6 KiB	52.7 KiB
/images/resume.JPG (build-6875072a-9420-4e47-858e-dcbc80235d49.gtsb.io)	111.3 KiB	17.7 KiB
/images/logo-circle.png (build-6875072a-9420-4e47-858e-dcbc80235d49.gtsb.io)	15.3 KiB	12.1 KiB
/images/goals.jpg (build-6875072a-9420-4e47-858e-dcbc80235d49.gtsb.io)	235.5 KiB	8.6 KiB

▲ Use video formats for animated content 6.3 s ^

Large GIFs are inefficient for delivering animated content. Consider using MPEG4/WebM videos for animations and PNG/WebP for static images instead of GIF to save network bytes. [Learn more.](#)

Show 3rd-party resources (0)

URL	Resource Size	Potential Savings



/images/api-c99e353....gif (build-6875072a-9420-4e47-858e-dcbc80235d49.gtsb.io)

577.5 KiB 386.9 KiB

▲ Efficiently encode images

5.1 s ^

Warnings: Unable to locate resource /amazing-background.jpeg

Optimized images load faster and consume less cellular data. [Learn more](#).

Show 3rd-party resources (1)

URL	Resource Size	Potential Savings
 /CEYEZp8.jpeg (i.imgur.com)	2,369.9 KiB	1,117.0 KiB

■ Remove unused JavaScript

0.6 s ^

Remove unused JavaScript to reduce bytes consumed by network activity. [Learn more](#).

 If you are not server-side rendering, [split your JavaScript bundles](#) with `React.lazy()`. Otherwise, code-split using a third-party library such as [loadable-components](#).

Show 3rd-party resources (0)

URL	Transfer Size	Potential Savings
/commons-a49237f....js (build-6875072a-9420-4e47-858e-dcbc80235d49.gtsb.io)	96.8 KiB	42.0 KiB
(unmapped)	25.5 KiB	11.6 KiB
....node_modules/node-libs-browser/node_modules/buffer/index.js	6.6 KiB	6.6 KiB
....node_modules/events/events.js	2.0 KiB	1.7 KiB
....node_modules/string_decoder/lib/string_decoder.js	1.2 KiB	1.2 KiB
....node_modules/react-html-parser/node_modules/htmlparser2/lib/Tokenizer.js	4.7 KiB	1.1 KiB

■ Eliminate render-blocking resources

0.3 s ^

Resources are blocking the first paint of your page. Consider delivering critical JS/CSS inline and deferring all non-critical JS/styles. [Learn more](#).

Show 3rd-party resources (2)

URL	Transfer Size	Potential Savings
/css2?family=Lato:ital,wght@0,400;0,700;1,400;1,700&display=swap (fonts.googleapis.com)	0.6 KiB	750 ms
...dist/algoliasearchNetlify.css (cdn.jsdelivr.net)	8.7 KiB	920 ms

■ Minify JavaScript

0.15 s ^

Minifying JavaScript files can reduce payload sizes and script parse time. [Learn more](#).

 If your build system minifies JS files automatically, ensure that you are deploying the production build of your application. You can check this with the React Developer Tools extension. [Learn more](#).

Show 3rd-party resources (0)



Avoid serving legacy JavaScript to modern browsers

0.15 s ^

Polyfills and transforms enable legacy browsers to use new JavaScript features. However, many aren't necessary for modern browsers. For your bundled JavaScript, adopt a modern script deployment strategy using module/nomodule feature detection to reduce the amount of code shipped to modern browsers, while retaining support for legacy browsers. [Learn More](#)

Show 3rd-party resources (0)

URL	Potential Savings
/app-b66eb5d....js (build-6875072a-9420-4e47-858e-dcbc80235d49.gtsb.io)	7.0 KiB
webpack:///./node_modules/gatsby/node_modules/core-js/modules/es.array.reduce.js:15:2	Array.prototype.reduce
webpack:///./node_modules/@reach/router/es/index.js:5:112	@babel/plugin-transform classes
/commons-a49237f....js (build-6875072a-9420-4e47-858e-dcbc80235d49.gtsb.io)	6.9 KiB
webpack:///./node_modules/react-helmet/lib/Helmet.js:76:24	@babel/plugin-transform classes
webpack:///./node_modules/core-js/library/modules/es6.object.set-prototype-of.js:2:0	Object.setPrototypeOf
/js/plugins.js (build-6875072a-9420-4e47-858e-dcbc80235d49.gtsb.io)	0.0 KiB
/js/plugins.js:624:68 (build-6875072a-9420-4e47-858e-dcbc80235d49.gtsb.io)	@babel/plugin-transform classes

Diagnostics — More information about the performance of your application. These numbers don't [directly affect](#) the Performance score.

Avoid enormous network payloads — Total size was 15,430 KiB

^

Large network payloads cost users real money and are highly correlated with long load times. [Learn more](#).

Show 3rd-party resources (2)

URL	Transfer Size
/amazing-background.JPG (links4242.netlify.app)	7,472.9 KiB
/CEYEZp8.jpeg (i.imgur.com)	2,371.6 KiB
/images/successful-panda.gif (build-6875072a-9420-4e47-858e-dcbc80235d49.gtsb.io)	1,022.2 KiB
/images/my-back.png (build-6875072a-9420-4e47-858e-dcbc80235d49.gtsb.io)	962.4 KiB
/images/My%20Post.png (build-6875072a-9420-4e47-858e-dcbc80235d49.gtsb.io)	663.6 KiB
/images/api-c99e353....gif (build-6875072a-9420-4e47-858e-dcbc80235d49.gtsb.io)	567.6 KiB
...index/page-data.json (build-6875072a-9420-4e47-858e-dcbc80235d49.gtsb.io)	566.4 KiB
/images/smiling-maple.png (build-6875072a-9420-4e47-858e-dcbc80235d49.gtsb.io)	352.8 KiB
/images/pleasant-birch.png (build-6875072a-9420-4e47-858e-dcbc80235d49.gtsb.io)	244.2 KiB

URL

Transfer Size



▲ Serve static assets with an efficient cache policy — 33 resources found ^

A long cache lifetime can speed up repeat visits to your page. [Learn more](#).

Show 3rd-party resources (7)

URL	Cache TTL	Transfer Size
/images/successful-panda.gif (build-6875072a-9420-4e47-858e-dcbc80235d49.gtsb.io)	1 h	1,022 KiB
/images/my-back.png (build-6875072a-9420-4e47-858e-dcbc80235d49.gtsb.io)	1 h	962 KiB
/images/My%20Post.png (build-6875072a-9420-4e47-858e-dcbc80235d49.gtsb.io)	1 h	664 KiB
/images/api-c99e353....gif (build-6875072a-9420-4e47-858e-dcbc80235d49.gtsb.io)	1 h	568 KiB
/images/smiling-maple.png (build-6875072a-9420-4e47-858e-dcbc80235d49.gtsb.io)	1 h	353 KiB
/images/pleasant-birch.png (build-6875072a-9420-4e47-858e-dcbc80235d49.gtsb.io)	1 h	244 KiB
/images/goals.jpg (build-6875072a-9420-4e47-858e-dcbc80235d49.gtsb.io)	1 h	236 KiB
/images/neural.PNG (build-6875072a-9420-4e47-858e-dcbc80235d49.gtsb.io)	1 h	227 KiB
/images/resume.JPG (build-6875072a-9420-4e47-858e-dcbc80235d49.gtsb.io)	1 h	111 KiB
/images/jamstack.png (build-6875072a-9420-4e47-858e-dcbc80235d49.gtsb.io)	1 h	98 KiB
/images/panoramic-owl.png (build-6875072a-9420-4e47-858e-dcbc80235d49.gtsb.io)	1 h	98 KiB
/commons-a49237f....js (build-6875072a-9420-4e47-858e-dcbc80235d49.gtsb.io)	1 h	97 KiB
/images/spectacular-turmeric.png (build-6875072a-9420-4e47-858e-dcbc80235d49.gtsb.io)	1 h	90 KiB
/framework-3cab144....js (build-6875072a-9420-4e47-858e-dcbc80235d49.gtsb.io)	1 h	40 KiB
/29107295-519d329....js (build-6875072a-9420-4e47-858e-dcbc80235d49.gtsb.io)	1 h	25 KiB
/app-b66eb5d....js (build-6875072a-9420-4e47-858e-dcbc80235d49.gtsb.io)	1 h	16 KiB
/images/logo-circle.png (build-6875072a-9420-4e47-858e-dcbc80235d49.gtsb.io)	1 h	16 KiB
/images/curious-mustard.png (build-6875072a-9420-4e47-858e-dcbc80235d49.gtsb.io)	1 h	14 KiB
/js/plugins.js (build-6875072a-9420-4e47-858e-dcbc80235d49.gtsb.io)	1 h	10 KiB
/dc6a872...-8076a69....js (build-6875072a-9420-4e47-858e-dcbc80235d49.gtsb.io)	1 h	4 KiB
/js/main.js (build-6875072a-9420-4e47-858e-dcbc80235d49.gtsb.io)	1 h	3 KiB
/webpack-runtime-9bedc26....js (build-6875072a-9420-4e47-858e-dcbc80235d49.gtsb.io)	1 h	2 KiB
/component---src-templates-advanced-js-6f213d1....js (build-6875072a-9420-4e47-858e-dcbc80235d49.gtsb.io)	1 h	1 KiB
/js/page-unload.js (build-6875072a-9420-4e47-858e-dcbc80235d49.gtsb.io)	1 h	1 KiB
/styles-7d4153d....js (build-6875072a-9420-4e47-858e-dcbc80235d49.gtsb.io)	1 h	1 KiB
/js/page-load.js (build-6875072a-9420-4e47-858e-dcbc80235d49.gtsb.io)	1 h	1 KiB
...000000/instagram-new.png (img.icons8.com)	3 d 12 h	7 KiB
...000000/pinterest--v1.png (img.icons8.com)	3 d 12 h	4 KiB
...000000/youtube.png (img.icons8.com)	3 d 12 h	3 KiB

URL

Cache TTL Transfer Size



...000000/medium-logo.png (img.icons8.com)	5 d 12 h	2 KiB
...000000/linkedin.png (img.icons8.com)	3 d 12 h	2 KiB
...dist/algoliasearchNetlify.css (cdn.jsdelivr.net)	7 d	9 KiB

⚠ Ensure text remains visible during webfont load

Leverage the font-display CSS feature to ensure text is user-visible while webfonts are loading. [Learn more](#).



 Show 3rd-party resources (2)

URL	Potential Savings
...v20/S6uyw4BMU....woff2 (fonts.gstatic.com)	10 ms
...v20/S6u9w4BMU....woff2 (fonts.gstatic.com)	10 ms

⚠ Image elements do not have explicit width and height

Set an explicit width and height on image elements to reduce layout shifts and improve CLS. [Learn more](#)

 Show 3rd-party resources (7)

URL	Failing Elements
 /images/successful-panda.gif (build-6875072a-9420-4e47-858e-dcbc80235d49.gtsb.io)	 img of dtw <code></code>
 /images/my-back.png (build-6875072a-9420-4e47-858e-dcbc80235d49.gtsb.io)	 img <code></code>
 /images/My%20Post.png (build-6875072a-9420-4e47-858e-dcbc80235d49.gtsb.io)	 img <code></code>
 /images/smiling-maple.png (build-6875072a-9420-4e47-858e-dcbc80235d49.gtsb.io)	 python <code></code>
 /images/goals.jpg (build-6875072a-9420-4e47-858e-dcbc80235d49.gtsb.io)	 medium <code></code>
 /images/pleasant-birch.png (build-6875072a-9420-4e47-858e-dcbc80235d49.gtsb.io)	 img of react <code></code>
 /images/neural.PNG (build-6875072a-9420-4e47-858e-dcbc80235d49.gtsb.io)	 neural networks <code></code>
 /images/resume.JPG (build-6875072a-9420-4e47-858e-dcbc80235d49.gtsb.io)	 img <code></code>

URL

Failing Elements

40

75

87

73



9420-4e47-858e-dcbc80235d49.gtsb.io)



owl.png">



/images/jamstack.png (build-6875072a-9420-4e47-858e-dcbc80235d49.gtsb.io)



jamstack




algolia /images/spectacular-turmeric.png (build-6875072a-9420-4e47-858e-dcbc80235d49.gtsb.io)




angolia



/images/logo-circle.png (build-6875072a-9420-4e47-858e-dcbc80235d49.gtsb.io)




/images/curious-mustard.png (build-6875072a-9420-4e47-858e-dcbc80235d49.gtsb.io)



Every idea needs a medium




...000000/instagram-new.png (img.icons8.com)



img



...000000/pinterest--v1.png (img.icons8.com)



img




...a1b7ee1a-11a7-4bd2-a341-2260656e216f/deploy-status (api.netlify.com)



Netlify Status




...000000/youtube.png (img.icons8.com)



img




...000000/gmail.png (img.icons8.com)



img



...000000/medium-logo.png (img.icons8.com)



img



...000000/linkedin.png (img.icons8.com)



img

Consider reducing the time spent parsing, compiling and executing JS. You may find delivering smaller JS payloads



Category	Time Spent
Other	1,461 ms
Script Evaluation	1,244 ms
Rendering	796 ms
Style & Layout	505 ms
Script Parsing & Compilation	285 ms
Parse HTML & CSS	145 ms
Garbage Collection	9 ms

Reduce JavaScript execution time — 1.5 s

Consider reducing the time spent parsing, compiling, and executing JS. You may find delivering smaller JS payloads helps with this. [Learn more](#).

Show 3rd-party resources (2)

URL	Total CPU Time	Script Evaluation	Script Parse
https://build-6875072a-9420-4e47-858e-dcbc80235d49.gtsb.io	1,349 ms	12 ms	4 ms
/app-b66eb5d....js (build-6875072a-9420-4e47-858e-dcbc80235d49.gtsb.io)	870 ms	592 ms	4 ms
Unattributable	572 ms	5 ms	1 ms
/webpack-runtime-9bedc26....js (build-6875072a-9420-4e47-858e-dcbc80235d49.gtsb.io)	478 ms	467 ms	1 ms
/framework-3cab144....js (build-6875072a-9420-4e47-858e-dcbc80235d49.gtsb.io)	351 ms	114 ms	231 ms
/rotate.html (random-static-html-deploys.netlify.app)	305 ms	24 ms	10 ms
/js/page-unload.js (build-6875072a-9420-4e47-858e-dcbc80235d49.gtsb.io)	257 ms	0 ms	1 ms
https://links4242.netlify.app	156 ms	10 ms	4 ms

Avoid chaining critical requests — 8 chains found

The Critical Request Chains below show you what resources are loaded with a high priority. Consider reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load. [Learn more](#).

Maximum critical path latency: **470 ms**

Initial Navigation



40
75
87
73

To set budgets for the quantity and size of page resources, add a `budget.json` file. [Learn more](#).

Resource Type	Requests	Transfer Size
Total	51	15,430.4 KiB
Image	25	14,575.0 KiB
Other	2	567.0 KiB
Script	13	210.5 KiB
Font	3	42.3 KiB
Document	3	22.2 KiB
Stylesheet	5	13.4 KiB
Media	0	0.0 KiB
Third-party	20	9,942.4 KiB

● Largest Contentful Paint element — 1 element found ^

This is the largest contentful element painted within the viewport. [Learn More](#)

Element





```
div
<div class="bg-img" style="background-image:url('/images/api-c99e353f761d318322c853c03ebcf21b.gif')>
```

● Avoid large layout shifts — 4 elements found ^

These DOM elements contribute most to the CLS of the page.

Element CLS Contribution

	Close Menu <code><button id="menu-open" class="menu-toggle"></code>	0
	span <code></code>	0
	::before <code><:::before></code>	0
	::after <code><:::after></code>	0

● Avoid long main-thread tasks — 12 long tasks found ^

Lists the longest tasks on the main thread, useful for identifying worst contributors to input delay. [Learn more](#)



URL	Start Time	Duration
/app-b66eb5d....js (build-6875072a-9420-4e47-858e-dcbc80235d49.gtsb.io)	14,192 ms	655 ms
/app-b66eb5d....js (build-6875072a-9420-4e47-858e-dcbc80235d49.gtsb.io)	14,847 ms	587 ms
/js/page-unload.js (build-6875072a-9420-4e47-858e-dcbc80235d49.gtsb.io)	23,644 ms	264 ms
/framework-3cab144....js (build-6875072a-9420-4e47-858e-dcbc80235d49.gtsb.io)	2,640 ms	237 ms
https://build-6875072a-9420-4e47-858e-dcbc80235d49.gtsb.io	1,233 ms	204 ms
https://build-6875072a-9420-4e47-858e-dcbc80235d49.gtsb.io	1,042 ms	191 ms
/rotate.html (random-static-html-deploys.netlify.app)	1,794 ms	179 ms
https://build-6875072a-9420-4e47-858e-dcbc80235d49.gtsb.io	1,437 ms	125 ms
/framework-3cab144....js (build-6875072a-9420-4e47-858e-dcbc80235d49.gtsb.io)	2,877 ms	104 ms
/webpack-runtime-9bedc26....js (build-6875072a-9420-4e47-858e-dcbc80235d49.gtsb.io)	1,621 ms	90 ms
Unattributable	1,562 ms	59 ms
https://build-6875072a-9420-4e47-858e-dcbc80235d49.gtsb.io	990 ms	52 ms

Passed audits (18)

● Defer offscreen images

Consider lazy-loading offscreen and hidden images after all critical resources have finished loading to lower time to interactive. [Learn more](#).

● Minify CSS

Minifying CSS files can reduce network payload sizes. [Learn more](#).

 If your build system minifies CSS files automatically, ensure that you are deploying the production build of your application. You can check this with the React Developer Tools extension. [Learn more](#).

● Remove unused CSS

Remove dead rules from stylesheets and defer the loading of CSS not used for above-the-fold content to reduce unnecessary bytes consumed by network activity. [Learn more](#).

● Enable text compression

Text-based resources should be served with compression (gzip, deflate or brotli) to minimize total network bytes. [Learn more](#).

● Preconnect to required origins

Consider adding `preconnect` or `dns-prefetch` resource hints to establish early connections to important third-party origins. [Learn more](#).

- Initial server response time was short — Root document took 70 ms



Show 3rd party resources (0)

URL

Time Spent

<https://build-6875072a-9420-4e47-858e-dcbc80235d49.gtsb.io>

70 ms

- Avoid multiple page redirects

Redirects introduce additional delays before the page can be loaded. [Learn more](#).



If you are using React Router, minimize usage of the `<Redirect>` component for [route navigations](#).

- Preload key requests

Consider using `<link rel=preload>` to prioritize fetching resources that are currently requested later in page load.

[Learn more](#).

- Use HTTP/2

HTTP/2 offers many benefits over HTTP/1.1, including binary headers and multiplexing. [Learn more](#).

- Remove duplicate modules in JavaScript bundles

Remove large, duplicate JavaScript modules from bundles to reduce unnecessary bytes consumed by network activity.

- Preload Largest Contentful Paint image

Preload the image used by the LCP element in order to improve your LCP time. [Learn more](#).

Show 3rd party resources (0)

URL

Potential Savings



/images/api-c99e353....gif (build-6875072a-9420-4e47-858e-dcbc80235d49.gtsb.io)

0 ms

- Avoids an excessive DOM size — 539 elements

A large DOM will increase memory usage, cause longer [style calculations](#), and produce costly [layout reflows](#). [Learn more](#).



Consider using a "windowing" library like `react-window` to minimize the number of DOM nodes created if you are rendering many repeated elements on the page. [Learn more](#). Also, minimize unnecessary re-renders using [shouldComponentUpdate](#), [PureComponent](#), or [React.memo](#) and [skip effects](#) only until certain dependencies have changed if you are using the `Effect` hook to improve runtime performance.

Statistic	Element	Value
Total DOM Elements		539
Maximum DOM Depth	index a target=_blank href="https://search.freecodecamp.com/siteindex.html?si=14588965">	17
Maximum Child Elements	body <body class="palette-navy" data-react-helmet="class">	17

- User Timing marks and measures



Use the React DevTools Profiler, which makes use of the Profiler API, to measure the rendering performance of your components. [Learn more](#).

- Minimize third-party usage — [Third-party code blocked the main thread for 0 ms](#)

Third-party code can significantly impact load performance. Limit the number of redundant third-party providers and try to load third-party code after your page has primarily finished loading. [Learn more](#).

[Show 3rd-party resources \(0\)](#)

Third-Party	Transfer Size	Main-Thread Blocking Time
Imgur	2,372 KiB	0 ms
/CEYEZp8.jpeg (i.imgur.com)	2,372 KiB	0 ms
Google Fonts	43 KiB	0 ms
...v20/S6u8w4BMU....woff2 (fonts.gstatic.com)	15 KiB	0 ms
...v20/S6u9w4BMU....woff2 (fonts.gstatic.com)	14 KiB	0 ms
...v20/S6uyw4BMU....woff2 (fonts.gstatic.com)	14 KiB	0 ms
Bootstrap CDN	13 KiB	0 ms
...js/bootstrap.min.js (maxcdn.bootstrapcdn.com)	10 KiB	0 ms
JSDelivr CDN	9 KiB	0 ms
...dist/algoliasearchNetlify.css (cdn.jsdelivr.net)	9 KiB	0 ms
Netlify	3 KiB	0 ms

- Lazy load third-party resources with facades

Some third-party embeds can be lazy loaded. Consider replacing them with a facade until they are required. [Learn more](#).

- Uses passive listeners to improve scrolling performance

Consider marking your touch and wheel event listeners as `passive` to improve your page's scroll performance. [Learn more](#).

- Avoids `document.write()`

For users on slow connections, external scripts dynamically injected via `document.write()` can delay page load by tens of seconds. [Learn more](#).

- Avoid non-composited animations

Animations which are not composited can be janky and increase CLS. [Learn more](#)

40 75 87 73

These checks highlight opportunities to [improve the accessibility of your web app](#). Only a subset of accessibility issues can be automatically detected so manual testing is also encouraged.

Navigation — These are opportunities to improve keyboard navigation in your application.

▲ Heading elements are not in a sequentially-descending order ^

Properly ordered headings that do not skip levels convey the semantic structure of the page, making it easier to navigate and understand when using assistive technologies. [Learn more](#).

Failing Elements



A passionate student of web development from New Jersey U.S.A
`<h6 id="a-passionate-student-of-web-development-from-new-jersey-usa">`

Internationalization and localization — These are opportunities to improve the interpretation of your content by users in different locales.

▲ <html> element does not have a `[lang]` attribute ^

If a page doesn't specify a lang attribute, a screen reader assumes that the page is in the default language that the user chose when setting up the screen reader. If the page isn't actually in the default language, then the screen reader might not announce the page's text correctly. [Learn more](#).

Failing Elements

```
html
<html>
```

Names and labels — These are opportunities to improve the semantics of the controls in your application. This may enhance the experience for users of assistive technology, like a screen reader.

▲ Image elements do not have `[alt]` attributes ^

Informative elements should aim for short, descriptive alternate text. Decorative elements can be ignored with an empty alt attribute. [Learn more](#).

Failing Elements



img
``



img
``

Failing Elements

40 75 87 73

img

```

```

▲ Form elements do not have associated labels

Labels ensure that form controls are announced properly by assistive technologies, like screen readers. [Learn more.](#)

Failing Elements

input

```
<input type="text" name="query" size="15">
```


▲ Links do not have a discernible name

Link text (and alternate text for images, when used as links) that is discernible, unique, and focusable improves the navigation experience for screen reader users. [Learn more.](#)

Failing Elements


a

```
<a href="https://www.vagrantup.com/">
```




img

```
<a href="mailto:bryan.guner@gmail.com">
```




img

```
<a href="https://www.youtube.com/channel/UC9-rYyUMsnEBK8G8fCyrXXA/videos">
```




img

```
<a href="https://www.instagram.com/bgoonz/?hl=en">
```




img

```
<a href="https://www.pinterest.com/bryanguner/_saved/">
```



img

```
<a href="https://www.linkedin.com/in/bryan-guner-046199128/">
```



img

```
<a href="https://bryanguner.medium.com/">
```

a

```
<a href="https://webpack.js.org/">
```

a

```
<a href="https://www.adobe.com/products/xd.html">
```



● The page has a logical tab order

Tabbing through the page follows the visual layout. Users cannot focus elements that are offscreen. [Learn more.](#)

● Interactive controls are keyboard focusable

Custom interactive controls are keyboard focusable and display a focus indicator. [Learn more.](#)

● Interactive elements indicate their purpose and state

Interactive elements, such as links and buttons, should indicate their state and be distinguishable from non-interactive elements. [Learn more.](#)

● The user's focus is directed to new content added to the page

If new content, such as a dialog, is added to the page, the user's focus is directed to it. [Learn more.](#)

● User focus is not accidentally trapped in a region

A user can tab into and out of any control or region without accidentally trapping their focus. [Learn more.](#)

● Custom controls have associated labels

Custom interactive controls have associated labels, provided by aria-label or aria-labelledby. [Learn more.](#)

● Custom controls have ARIA roles

Custom interactive controls have appropriate ARIA roles. [Learn more.](#)

● Visual order on the page follows DOM order

DOM order matches the visual order, improving navigation for assistive technology. [Learn more.](#)

● Offscreen content is hidden from assistive technology

Offscreen content is hidden with display: none or aria-hidden=true. [Learn more.](#)

● HTML5 landmark elements are used to improve navigation

Landmark elements (<main>, <nav>, etc.) are used to improve the keyboard navigation of the page for assistive technology. [Learn more.](#)

Passed audits (14) ^

● [aria-*] attributes match their roles

Each ARIA 'role' supports a specific subset of 'aria-*' attributes. Mismatching these invalidates the 'aria-*' attributes. [Learn more.](#)

● [aria-hidden="true"] is not present on the document <body>

Assistive technologies, like screen readers, work inconsistently when 'aria-hidden="true"' is set on the document '<body>'. [Learn more.](#)

● [aria-hidden="true"] elements do not contain focusable descendants

Focusable descendants within an `'[aria-hidden="true"]` element prevent those interactive elements from being



- [\[aria-*\] attributes have valid values](#)

Assistive technologies, like screen readers, can't interpret ARIA attributes with invalid values. [Learn more](#).

- [\[aria-*\] attributes are valid and not misspelled](#)

Assistive technologies, like screen readers, can't interpret ARIA attributes with invalid names. [Learn more](#).

- [Buttons have an accessible name](#)

When a button doesn't have an accessible name, screen readers announce it as "button", making it unusable for users who rely on screen readers. [Learn more](#).

- [The page contains a heading, skip link, or landmark region](#)

Adding ways to bypass repetitive content lets keyboard users navigate the page more efficiently. [Learn more](#).

- [Background and foreground colors have a sufficient contrast ratio](#)

Low-contrast text is difficult or impossible for many users to read. [Learn more](#).

- [Document has a <title> element](#)

The title gives screen reader users an overview of the page, and search engine users rely on it heavily to determine if a page is relevant to their search. [Learn more](#).

- [\[id\] attributes on active, focusable elements are unique](#)

All focusable elements must have a unique 'id' to ensure that they're visible to assistive technologies. [Learn more](#).

- [<frame> or <iframe> elements have a title](#)

Screen reader users rely on frame titles to describe the contents of frames. [Learn more](#).

- [\[user-scalable="no"\] is not used in the <meta name="viewport"> element and the \[maximum-scale\] attribute is not less than 5.](#)

Disabling zooming is problematic for users with low vision who rely on screen magnification to properly see the contents of a web page. [Learn more](#).

- [No element has a \[tabindex\] value greater than 0](#)

A value greater than 0 implies an explicit navigation ordering. Although technically valid, this often creates frustrating experiences for users who rely on assistive technologies. [Learn more](#).

- [Cells in a <table> element that use the \[headers\] attribute refer to table cells within the same table.](#)

Screen readers have features to make navigating tables easier. Ensuring '<td>' cells using the '[headers]' attribute only refer to other cells in the same table may improve the experience for screen reader users. [Learn more](#).



Access keys let users quickly focus a part of the page. For proper navigation, each access key must be unique. [Learn more](#).

- **button, link, and menuitem elements have accessible names**

When an element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. [Learn more](#).

- **ARIA input fields have accessible names**

When an input field doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. [Learn more](#).

- **ARIA meter elements have accessible names**

When an element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. [Learn more](#).

- **ARIA progressbar elements have accessible names**

When an element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. [Learn more](#).

- **[role]s have all required [aria-*] attributes**

Some ARIA roles have required attributes that describe the state of the element to screen readers. [Learn more](#).

- **Elements with an ARIA [role] that require children to contain a specific [role] have all required children.**

Some ARIA parent roles must contain specific child roles to perform their intended accessibility functions. [Learn more](#).

- **[role]s are contained by their required parent element**

Some ARIA child roles must be contained by specific parent roles to properly perform their intended accessibility functions. [Learn more](#).

- **[role] values are valid**

ARIA roles must have valid values in order to perform their intended accessibility functions. [Learn more](#).

- **ARIA toggle fields have accessible names**

When a toggle field doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. [Learn more](#).

- **ARIA tooltip elements have accessible names**

When an element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. [Learn more](#).

- **ARIA treeitem elements have accessible names**

When an element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. [Learn more](#).

- **<dl>'s contain only properly-ordered <dt> and <dd> groups, <script>, <template> or <div> elements.**

When definition lists are not properly marked up, screen readers may produce confusing or inaccurate output. [Learn more](#).

- **Definition list items are wrapped in <dl> elements**



The value of an ARIA ID must be unique to prevent other instances from being overlooked by assistive technologies.

[Learn more.](#)

● No form fields have multiple labels ^

Form fields with multiple labels can be confusingly announced by assistive technologies like screen readers which use either the first, the last, or all of the labels. [Learn more.](#)

● <html> element has a valid value for its [lang] attribute ^

Specifying a valid [BCP 47 language](#) helps screen readers announce text properly. [Learn more.](#)

● <input type="image"> elements have [alt] text ^

When an image is being used as an '<input>' button, providing alternative text can help screen reader users understand the purpose of the button. [Learn more.](#)

● Lists contain only elements and script supporting elements (<script> and <template>). ^

Screen readers have a specific way of announcing lists. Ensuring proper list structure aids screen reader output. [Learn more.](#)

● List items () are contained within or parent elements ^

Screen readers require list items ('') to be contained within a parent '' or '' to be announced properly. [Learn more.](#)

● The document does not use <meta http-equiv="refresh"> ^

Users do not expect a page to refresh automatically, and doing so will move focus back to the top of the page. This may create a frustrating or confusing experience. [Learn more.](#)

● <object> elements have [alt] text ^

Screen readers cannot translate non-text content. Adding alt text to '<object>' elements helps screen readers convey meaning to users. [Learn more.](#)

● <th> elements and elements with [role="columnheader"/"rowheader"] have data cells they describe. ^

Screen readers have features to make navigating tables easier. Ensuring table headers always refer to some set of cells may improve the experience for screen reader users. [Learn more.](#)

● [lang] attributes have a valid value ^

Specifying a valid [BCP 47 language](#) on elements helps ensure that text is pronounced correctly by a screen reader. [Learn more.](#)

● <video> elements contain a <track> element with [kind="captions"] ^

When a video provides a caption it is easier for deaf and hearing impaired users to access its information. [Learn more.](#)





Add `rel="noopener"` or `rel="noreferrer"` to any external links to improve performance and prevent security vulnerabilities. [Learn more](#).

Failing Anchors

index

```
<a target="_blank" href="https://search.freefind.com/siteindex.html?si=14588965">
```

sitemap

```
<a target="_blank" href="https://search.freefind.com/find.html?si=14588965&m=0&p=0">
```

advanced

```
<a target="_blank" href="https://search.freefind.com/find.html?si=14588965&pid=a">
```

General

⚠ Browser errors were logged to the console

Errors logged to the console indicate unresolved problems. They can come from network request failures and other browser concerns. [Learn more](#)

Show 3rd-party resources (2)

Source	Description	
...		
js/bootstrap.min.js:6:36 (m axcdn.bootstrapcdn.com)	Error: Bootstrap's JavaScript requires jQuery at https://maxcdn.bootstrapcdn.com/bootstrap/3.3.7/js/bootstrap.min.js:6:37	
...app-		
assets/neural.PNG:1:0 (bu ild-6875072a-9420-4e47- 858e-dcbc80235d49.gtsb.io)	Failed to load resource: the server responded with a status of 404 ()	
...app-assets/lambda-		
demo1.gif:1:0 (build- 6875072a-9420-4e47-858e- dcbe80235d49.gtsb.io)	Failed to load resource: the server responded with a status of 404 ()	
/rotate.html:70:17 (random -static-html- deploys.netlify.app)	TypeError: Cannot set properties of null (setting 'src') at f (https://random-static-html-deploys.netlify.app/rotate.html:70:18) at rotation (https://random-static-html-deploys.netlify.app/rotate.html:84:9) at https://random-static-html-deploys.netlify.app/rotate.html:86:10 at https://random-static-html-deploys.netlify.app/rotate.html:87:8	
/js/main.js:269:18 (build- 6875072a-9420-4e47-858e- dcbe80235d49.gtsb.io)	TypeError: window.createElement is not a function at https://build-6875072a-9420-4e47-858e-dcbc80235d49.gtsb.io/js/main.js:269:19	

Passed audits (15)

● Uses HTTPS

All sites should be protected with HTTPS, even ones that don't handle sensitive data. This includes avoiding [mixed content](#), where some resources are loaded over HTTP despite the initial request being served over HTTPS. [HTTPS](#)

prevents intruders from tampering with or passively listening in on the communications between your app and your



- **Avoids requesting the geolocation permission on page load**

Users are mistrustful of or confused by sites that request their location without context. Consider tying the request to a user action instead. [Learn more](#).

- **Avoids requesting the notification permission on page load**

Users are mistrustful of or confused by sites that request to send notifications without context. Consider tying the request to user gestures instead. [Learn more](#).

- **Avoids front-end JavaScript libraries with known security vulnerabilities**

Some third-party scripts may contain known security vulnerabilities that are easily identified and exploited by attackers. [Learn more](#).

- **Allows users to paste into password fields**

Preventing password pasting undermines good security policy. [Learn more](#).

- **Displays images with correct aspect ratio**

Image display dimensions should match natural aspect ratio. [Learn more](#).

- **Serves images with appropriate resolution**

Image natural dimensions should be proportional to the display size and the pixel ratio to maximize image clarity. [Learn more](#).

- **Page has the HTML doctype**

Specifying a doctype prevents the browser from switching to quirks-mode. [Learn more](#).

- **Properly defines charset**

A character encoding declaration is required. It can be done with a `<meta>` tag in the first 1024 bytes of the HTML or in the Content-Type HTTP response header. [Learn more](#).

- **Avoids `unload` event listeners**

The `unload` event does not fire reliably and listening for it can prevent browser optimizations like the Back-Forward Cache. Consider using the `pagehide` or `visibilitychange` events instead. [Learn More](#)

- **Avoids Application Cache**

Application Cache is deprecated. [Learn more](#).

- **Detected JavaScript libraries**

All front-end JavaScript libraries detected on the page. [Learn more](#).

Name	Version
------	---------

React	
-------	--

Lo-Dash	4.17.21
---------	---------

Gatsby	
--------	--

Name

Version



● **Avoids deprecated APIs**

Deprecated APIs will eventually be removed from the browser. [Learn more.](#)

● **Page has valid source maps**

Source maps translate minified code to the original source code. This helps developers debug in production. In addition, Lighthouse is able to provide further insights. Consider deploying source maps to take advantage of these benefits. [Learn more.](#)

[Show 3rd-party resources \(0\)](#)

URL	Map URL
/webpack-runtime-9bedc26....js (build-6875072a-9420-4e47-858e-dcbc80235d49.gtsb.io)	/webpack-runtime-9bedc26....js.map (build-6875072a-9420-4e47-858e-dcbc80235d49.gtsb.io)
/styles-7d4153d....js (build-6875072a-9420-4e47-858e-dcbc80235d49.gtsb.io)	/styles-7d4153d....js.map (build-6875072a-9420-4e47-858e-dcbc80235d49.gtsb.io)
/framework-3cab144....js (build-6875072a-9420-4e47-858e-dcbc80235d49.gtsb.io)	/framework-3cab144....js.map (build-6875072a-9420-4e47-858e-dcbc80235d49.gtsb.io)
/dc6a872...-8076a69....js (build-6875072a-9420-4e47-858e-dcbc80235d49.gtsb.io)	/dc6a872...-8076a69....js.map (build-6875072a-9420-4e47-858e-dcbc80235d49.gtsb.io)
/component---src-templates-advanced-js-6f213d1....js (build-6875072a-9420-4e47-858e-dcbc80235d49.gtsb.io)	/component---src-templates-advanced-js-6f213d1....js.map (build-6875072a-9420-4e47-858e-dcbc80235d49.gtsb.io)
/commons-a49237f....js (build-6875072a-9420-4e47-858e-dcbc80235d49.gtsb.io)	/commons-a49237f....js.map (build-6875072a-9420-4e47-858e-dcbc80235d49.gtsb.io)
/app-b66eb5d....js (build-6875072a-9420-4e47-858e-dcbc80235d49.gtsb.io)	/app-b66eb5d....js.map (build-6875072a-9420-4e47-858e-dcbc80235d49.gtsb.io)
/29107295-519d329....js (build-6875072a-9420-4e47-858e-dcbc80235d49.gtsb.io)	/29107295-519d329....js.map (build-6875072a-9420-4e47-858e-dcbc80235d49.gtsb.io)

● **No issues in the [Issues](#) panel in Chrome Devtools**

Issues logged to the 'Issues' panel in Chrome Devtools indicate unresolved problems. They can come from network request failures, insufficient security controls, and other browser concerns. Open up the Issues panel in Chrome DevTools for more details on each issue.

Not applicable (1) ^

● **Fonts with `font-display: optional` are preloaded**

Preload 'optional' fonts so first-time visitors may use them. [Learn More](#)



SEO

These checks ensure that your page is optimized for search engine results ranking. There are additional factors Lighthouse does not check that may affect your search ranking. [Learn more.](#)

Content Best Practices — Format your HTML in a way that enables crawlers to better understand your app's content.

▲ Links do not have descriptive text — 17 links found ^

Descriptive link text helps search engines understand your content. [Learn more.](#)

Show 3rd-party resources (1)

Link destination	Link Text
/docs/tools (build-6875072a-9420-4e47-858e-dcbc80235d49.gtsb.io)	Learn More
/b/s!AkGiZ9n9C... (1drv.ms)	Learn More
/showcase (build-6875072a-9420-4e47-858e-dcbc80235d49.gtsb.io)	Learn More
/docs/about/ (build-6875072a-9420-4e47-858e-dcbc80235d49.gtsb.io)	Learn More
/docs/articles/ (build-6875072a-9420-4e47-858e-dcbc80235d49.gtsb.io)	Learn More
/docs/audio/ (build-6875072a-9420-4e47-858e-dcbc80235d49.gtsb.io)	Learn More
/docs/community/ (build-6875072a-9420-4e47-858e-dcbc80235d49.gtsb.io)	Learn More
/docs/content/ (build-6875072a-9420-4e47-858e-dcbc80235d49.gtsb.io)	Learn More
/docs/docs/ (build-6875072a-9420-4e47-858e-dcbc80235d49.gtsb.io)	Learn More
/docs/faq/ (build-6875072a-9420-4e47-858e-dcbc80235d49.gtsb.io)	Learn More
/docs/javascript/ (build-6875072a-9420-4e47-858e-dcbc80235d49.gtsb.io)	Learn More
/docs/interact/ (build-6875072a-9420-4e47-858e-dcbc80235d49.gtsb.io)	Learn More
/docs/medium/ (build-6875072a-9420-4e47-858e-dcbc80235d49.gtsb.io)	Learn More
/docs/quick-reference/ (build-6875072a-9420-4e47-858e-dcbc80235d49.gtsb.io)	Learn More
/docs/react/ (build-6875072a-9420-4e47-858e-dcbc80235d49.gtsb.io)	Learn More
/docs/tools/ (build-6875072a-9420-4e47-858e-dcbc80235d49.gtsb.io)	Learn More
/docs/python/ (build-6875072a-9420-4e47-858e-dcbc80235d49.gtsb.io)	Learn More

▲ Image elements do not have [alt] attributes ^

Informative elements should aim for short, descriptive alternate text. Decorative elements can be ignored with an empty alt attribute. [Learn more.](#)

Failing Elements

Failing Elements

40 75 87 73



img
``

img
``

img
``

Crawling and Indexing — To appear in search results, crawlers need access to your app.

▲ Page is blocked from indexing

Search engines are unable to include your pages in search results if they don't have permission to crawl them. [Learn more.](#)

Blocking Directive Source

x-robots-tag: none



Mobile Friendly — Make sure your pages are mobile friendly so users don't have to pinch or zoom in order to read the content pages. [Learn more.](#)

■ Tap targets are not sized appropriately — 88% appropriately sized tap targets

Interactive elements like buttons and links should be large enough (48x48px), and have enough space around them, to be easy enough to tap without overlapping onto other elements. [Learn more.](#)

Tap Target	Size	Overlapping Target
Medium <code></code>	70x21	BLM <code></code>
Twitter <code></code>	27x27	LinkedIn <code></code>
LinkedIn <code></code>	27x27	GitHub <code></code>
GitHub <code></code>	27x27	Youtube <code></code>
Youtube <code></code>	27x27	Instagram <code></code>

Tap Target



`target="_blank" rel="noopener" class="button button-icon">>`

Overlapping Target

`target="_blank" rel="noopener" class="button button-icon">>`

Passed audits but with warnings (1)

- Has a `<meta name="viewport">` tag with `width` or `initial-scale`

Warnings: Invalid properties found: {"initialScale": "1.0"}

Add a `<meta name="viewport">` tag to optimize your app for mobile screens. [Learn more](#).

Additional items to manually check (1) — Run these additional validators on your site to check additional SEO best practices.

- Structured data is valid

Run the [Structured Data Testing Tool](#) and the [Structured Data Linter](#) to validate structured data. [Learn more](#).

Passed audits (7)

- Document has a `<title>` element

The title gives screen reader users an overview of the page, and search engine users rely on it heavily to determine if a page is relevant to their search. [Learn more](#).

- Document has a meta description

Meta descriptions may be included in search results to concisely summarize page content. [Learn more](#).

- Page has successful HTTP status code

Pages with unsuccessful HTTP status codes may not be indexed properly. [Learn more](#).

- Links are crawlable

Search engines may use `'href'` attributes on links to crawl websites. Ensure that the `'href'` attribute of anchor elements links to an appropriate destination, so more pages of the site can be discovered. [Learn More](#)

- Document has a valid `hreflang`

`hreflang` links tell search engines what version of a page they should list in search results for a given language or region. [Learn more](#).

- Document uses legible font sizes — **99.68% legible text**

Font sizes less than 12px are too small to be legible and require mobile visitors to “pinch to zoom” in order to read. Strive to have >60% of page text $\geq 12\text{px}$. [Learn more](#).

Show 3rd party resources (0)



Text

https://build-6875072a-9420-4e47-858e-dcbc80235d49.gtsb.io:1:25105	.site-info, .social-links		0.23%	11.88px
https://build-6875072a-9420-4e47-858e-dcbc80235d49.gtsb.io	<code></code>		0.02%	10px
https://build-6875072a-9420-4e47-858e-dcbc80235d49.gtsb.io:1:25285	.site-info .button:not(.button-icon), .social-links .button:not(.button-icon)		0.02%	11.88px
https://build-6875072a-9420-4e47-858e-dcbc80235d49.gtsb.io	<code></code>		0.01%	10px
https://build-6875072a-9420-4e47-858e-dcbc80235d49.gtsb.io	<code></code>		0.01%	10px
https://build-6875072a-9420-4e47-858e-dcbc80235d49.gtsb.io	<code></code>		0.01%	10px
https://build-6875072a-9420-4e47-858e-dcbc80235d49.gtsb.io	<code></code>		0.01%	10px
https://build-6875072a-9420-4e47-858e-dcbc80235d49.gtsb.io	<code></code>		0.00%	10px
Legible text			99.68%	≥ 12px

● Document avoids plugins

Search engines can't index plugin content, and many devices restrict plugins or don't support them. [Learn more](#).

Not applicable (2)

● robots.txt is valid

If your robots.txt file is malformed, crawlers may not be able to understand how you want your website to be crawled or indexed. [Learn more](#).

● Document has a valid `rel=canonical`

Canonical links suggest which URL to show in search results. [Learn more](#).

Runtime Settings

URL	https://build-6875072a-9420-4e47-858e-dcbc80235d49.gtsb.io/
Fetch Time	Aug 30, 2021, 6:11 PM EDT
Device	Emulated Moto G4

Network throttling

150 ms TCP RTT, 1,638.4 Kbps throughput (Simulated)



Channel	node
User agent (host)	Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) HeadlessChrome/93.0.4577.8 Safari/537.36
User agent (network)	Mozilla/5.0 (Linux; Android 7.0; Moto G (4)) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/84.0.4143.7 Mobile Safari/537.36 Chrome-Lighthouse
CPU/Memory Power	1039
Axe version	4.1.2

Generated by **Lighthouse** 7.1.0 | [File an issue](#)