Report

	contigs_1	contigs_2
# contigs (>= 0 bp)	3	4
# contigs (>= 1000 bp)	3	2
# contigs (>= 5000 bp)	0	0
# contigs (>= 10000 bp)	0	0
# contigs (>= 25000 bp)	0	0
# contigs (>= 50000 bp)	0	0
Total length (>= 0 bp)	6710	5870
Total length (>= 1000 bp)	6710	5460
Total length (>= 5000 bp)	0	0
Total length (>= 10000 bp)	0	0
Total length (>= 25000 bp)	0	0
Total length (>= 50000 bp)	0	0
# contigs	3	2
Largest contig	3980	3360
Total length	6710	5460
Reference length	10000	10000
GC (%)	51.28	52.44
Reference GC (%)	52.07	52.07
N50	3980	3360
NG50	1610	2100
N90	1120	2100
NG90	-	-
auN	2934.0	2875.4
auNG	1968.7	1570.0
L50	1	1
LG50	2	2
L90	3	2
LG90	-	-
# misassemblies	1	2
# misassembled contigs	1	1
Misassembled contigs length	3980	3360
# local misassemblies	0	0
# scaffold gap ext. mis.	0	0
# scaffold gap loc. mis.	0	0
# unaligned mis. contigs	0	0
# unaligned contigs	0 + 0 part	0 + 0 part
Unaligned length	0	0
Genome fraction (%)	67.100	54.600
Duplication ratio	1.000	1.000
# N's per 100 kbp	0.00	0.00
# mismatches per 100 kbp	0.00	0.00
# indels per 100 kbp	0.00	0.00
Largest alignment	2030	2100
Total aligned length	6710	5459
NA50	1950	1471
NGA50	1610	700
NA90	1120	700
NGA90	-	-
auNA	1754.1	1552.2
auNGA	1177.0	847.5
LA50	2	2
LGA50	3	4
LA90	4	4
LGA90	-	-

All statistics are based on contigs of size >= 500 bp, unless otherwise noted (e.g., "# contigs (>= 0 bp)" and "Total length (>= 0 bp)" include all contigs).

Misassemblies report

	contigs_1	contigs_2
# misassemblies	1	2
# contig misassemblies	1	2
# c. relocations	1	2
# c. translocations	0	0
# c. inversions	0	0
# scaffold misassemblies	0	0
# s. relocations	0	0
# s. translocations	0	0
# s. inversions	0	0
# misassembled contigs	1	1
Misassembled contigs length	3980	3360
# local misassemblies	0	0
# scaffold gap ext. mis.	0	0
# scaffold gap loc. mis.	0	0
# unaligned mis. contigs	0	0
# mismatches	0	0
# indels	0	0
# indels (<= 5 bp)	0	0
# indels (> 5 bp)	0	0
Indels length	0	0

All statistics are based on contigs of size >= 500 bp, unless otherwise noted (e.g., "# contigs (>= 0 bp)" and "Total length (>= 0 bp)" include all contigs).

Unaligned report

	contigs_1	contigs_2
# fully unaligned contigs	0	0
Fully unaligned length	0	0
# partially unaligned contigs	0	0
Partially unaligned length	0	0
# N's	0	0

All statistics are based on contigs of size >= 500 bp, unless otherwise noted (e.g., "# contigs (>= 0 bp)" and "Total length (>= 0 bp)" include all contigs).


Nx
Contig length (bp)
4000
3200
2400
1600
800
0
0
20
40
60
80
100
x
contigs_1
contigs_2


NGx
Contig length (bp)
4000
3200
2400
1600
800
0
0
20
40
60
80
100
x
contigs_1
contigs_2


Cumulative length
Cumulative length (kbp)
10
8
6
4
2
0
0
1
2
3
Contig index
contigs_1
contigs_2
Reference


GC content
windows
GC (%)
0
3
6
9
12
0
20
40
60
80
100
contigs_1
contigs_2
Reference


contigs_1 GC content
contigs
GC (%)
0
1
2
3
4
5
0
20
40
60
80
100
contigs_1


contigs_2 GC content
contigs
GC (%)
0
1
2
3
4
5
0
20
40
60
80
100
contigs_2

Misassemblies
5
4
3
2
1
0
contigs_1
contigs_2
relocations


FRCurve (misassemblies)
Genome coverage (%)
100
80
60
40
20
0
0
1
2
3
Feature space
contigs_1
contigs_2


Cumulative length (aligned contigs)
Cumulative length (kbp)
10
8
6
4
2
0
0
1
2
3
4
Contig index
contigs_1
contigs_2
Reference


NAx
Contig length (bp)
2000
1600
1200
800
400
0
0
20
40
60
80
100
x
contigs_1
contigs_2


NGAx
Contig length (bp)
2000
1600
1200
800
400
0
0
20
40
60
80
100
x
contigs_1
contigs_2


Genome fraction, %
100
50
0
contigs_1
contigs_2