chapter 9

实验8

可以正常返回,因为 jmp short s1 翻译为机器码后只有偏移的距离

实验9

代码

```
1 assume cs:code, ds:data, ss:stack
 3 stack segment
 4
      db 128 dup(0)
   stack ends
 7
   data segment
 8
 9
      db 'welcome to masm!'
      db 00001010B
      db 00101100B
11
      db 01111001B
12
13
14
   data ends
   code segment
17
    start:
18
19
       mov ax,data
20
       mov ds,ax
21
      mov ax,0b800h
22
       mov es,ax
23
24
       mov si,0
       mov bx,16
25
26
        mov di,160*10+2*30
28
29
        mov cx,3
30
   showRow:
31
      push bx
      push cx
33
      push si
34
       push di
35
36
        mov cx,16
        mov ah, ds:[bx]
38
39
        mov al,ds:[si]
40
```

```
41
         mov es:[di],ax
42
43
         inc si
44
45
         add di,2
46
47
         loop show
48
49
50
         pop di
         pop si
51
52
         pop cx
53
         pop bx
54
         inc bx
55
         add di,160
56
57
         loop showRow
58
59
         mov ax,4c00h
         int 21h
61
    code ends
62
63
    end start
```

截屏

```
DOSBox 0.74-3, Cpu speed: 3000 cycles, Frameskip 0, Program: DOSBOX
                                                                                 DOS asm
Z:\>c:
C:\>MASM 1.asm;
Microsoft (R) Macro Assembler Version 5.00
Copyright (C) Microsoft Corp 1981-1985, 1987. All rights reserved.
 51622 + 464922 Bytes symbol space free
                               welcome to masm!
      0 Warning Errors
      O Severe Errors
                                        the ma
C:\>LINK 1.obj;
Microsoft (R) Overlay Linker Version 3.60
Copyright (C) Microsoft Corp 1983-1987. All rights reserved.
LINK : warning L4021: no stack segment
C:\>debug 1.exe
·P
C:\>1
0:\>
```