

Northeast Copan, Zone 2: Water level is 0.5 feet below normal. Habitat conditions are excellent. Native plants in excellent condition around the area, and wheat has been planted but not up yet. Duck numbers are fair. Goose numbers are fair. Hunter activity is extremely heavy and success is fair. Bird movement continues to increase with each cold front.

Eufaula, Zone 2: Water level is 1.27 feet below normal. Habitat conditions are good at current lake elevation, but a rise in water level is needed to improve conditions. Farming activity in the area is light. Duck numbers are fair, with a mix of species present. Goose numbers are low, with local resident birds present. Hunter activity is moderate and success is spotty. Bird movement in the area has picked up with current cold front.

Fort Gibson, Zone 2: Water level is 1.09 feet above normal. Habitat conditions are good, smartweed, barnyard grass and some agricultural crops in the area. Duck and goose numbers are moderate. Hunter activity is moderate and success is fair to good.

Hulah, Zone 2: Water level is 2 feet below normal. Habitat conditions are good, with harvested soybeans and wheat present. Duck numbers are low. Goose numbers are low. Hunter activity and success are low. A few ducks were observed moving into the area with the recent cold front.

Kaw, Zone 2: Water level is 0.30 feet above normal. Habitat conditions are good, with a variety of vegetation present. Duck numbers are good. Goose numbers are fair. Hunter activity is low and success is excellent. Good numbers of waterfowl present. More waterfowl should arrive with approaching cold front.

Keystone, Zone 2: Water level is 1.0 foot above normal. Habitat conditions are good. Abundant natural food resources are present, the most in over 12 years. Most sloughs, potholes and mudflats at normal lake level have a high amount of food. Duck numbers are fair. Goose numbers are low. Hunter activity is moderate and success is fair to good. Bird movement in the area has been moderate with each passing cold front. Most sloughs and potholes have water, and the lake level is just high enough to be flooding food plants on mudflats.

Southern three units of Cottonwood Creek WDU are also now flooded. Oologah, Zone 2:

Water level is 2.41 feet below normal. Habitat conditions are fair to good at current lake level. No flooded millet at current lake elevation. Duck numbers are fair to good, with mostly gadwall, American widgeon and mallards. Goose numbers are fair, with migrant birds moving into the area. Hunter activity and success is poor to fair. Good waterfowl migration expected over the next couple weeks with each frontal passage. Sooner,

Zone 2: Water level is 1.5 feet below normal. Lake habitat area poor, winter wheat around lake vicinity is in fair to good condition. Duck numbers are fair.

Goose numbers are low, with resident birds present. Hunter activity is high on weekends and moderate on Tuesday and Wednesday. Hunter success is fair. No major bird movement.

Webbers Falls, Zone 2: Water level is 3.03 feet above normal. Habitat conditions are good, with a variety of vegetation present. Cut soybeans, corn, milo and wheat in the area. Duck numbers are moderate. Goose numbers are low to moderate. Hunter activity is moderate and hunter success is fair to moderate. Southeast Wister, Zone 2: Water level 7.5 feet above normal and falling. Habitat conditions are good, with various food sources available. Duck and goose numbers are low. Hunter activity is high and success is low. A lot of birds have recently moved out of the area.