

Certified Penetration Testing Professional

Methodology: Network Penetration Testing - Internal

Penetration Tester:			
Organization:			
Date:		**Location:**	

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Test 1: Footprinting

Test 1.1: Identify the Internal Domains

Target Organization			
URL			
Identified Internal Domains?		☐ Yes	☐ No
Commands Used	1.		
	2.		
	3.		
	4.		
	5.		
Response Received			
Tools/Services used	1.		
	2.		
	3.		
	4.		
	5.		

Results Analysis:

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Test 1.2: Identify Hosts

Target Organization			
URL			
Successfully Identified Servers on Specific Domain?		☐ Yes	☐ No
Domain Name			
Commands Used	1.		
	2.		
	3.		
	4.		
	5.		
Response Received			
Tools/Services used	1.		
	2.		
	3.		
	4.		
	5.		

Results Analysis:

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Test 1.3: Identify the Internal IP Range of the Subnet

Target Organization			
URL			
Successfully Identified Internal IP Range of a Subnet?		☐ Yes	☐ No
Subnets Scanned	1.		
	2.		
	3.		
	4.		
	5.		
Commands Used	1.		
	2.		
	3.		
	4.		
	5.		
Methods to identify Internal IP Range	1.		
	2.		
	3.		
	4.		
	5.		
List of IP Addresses	1.		
	2.		
	3.		
	4.		
	5.		
Tools/Services Used	1.		
	2.		
	3.		
	4.		
	5.		

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Results Analysis:

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Test 2: Network Scanning

Test 2.1: Scan a Network: IP Addresses Scan, Multiple IP Addresses Scan, Subnet Scan

Target Organization	
URL	
Commands Used	1.
	2.
	3.
	4.
	5.
Scanned Network Successfully?	☐ Yes ☐ No

	IP Address/Host	Subnet Scanned	Ports Open
1.			
2.			
3.			
4.			
5.			
6.			
7.			
8.			
9.			
10.			
11.			
12.			
13.			
14.			
15.			
16.			
17.			

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

18.			
19.			
20.			
21.			
22.			
23.			
24.			
25.			
26.			
27.			
28.			
29.			
30.			

Tools/Services Used	1.
	2.
	3.
	4.
	5.

Results Analysis:

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Test 2.2: Scan for Live Systems

Target Organization	
URL	
Commands Used	1.
	2.
	3.
	4.
	5.
Scanned Network Successfully?	☐ Yes ☐ No

	IP Address/Host	Subnet Scanned	Live Systems
1.			
2.			
3.			
4.			
5.			
6.			
7.			
8.			
9.			
10.			
11.			
12.			
13.			
14.			
15.			
16.			
17.			
18.			
19.			

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Tools/Services Used	1.
	2.
	3.
	4.
	5.

Results Analysis:

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Test 2.3: Connect Scan and Sockets

Target Organization			
URL			
Commands Used	1.		
	2.		
	3.		
	4.		
	5.		
Scanned Network Successfully?		☐ Yes	☐ No
List the Open Socket Connections			
Tools/Services Used	1.		
	2.		
	3.		
	4.		
	5.		

Results Analysis:

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Test 2.4: Half Open Scan

Target Organization			
URL			
Commands Used	1.		
	2.		
	3.		
	4.		
	5.		
IP Addresses Scanned	1.		
	2.		
	3.		
	4.		
	5.		
Performed SYN Scan on the Target Successfully?		☐ Yes	☐ No
Response Received			
List of Open Ports	1.		
	2.		
	3.		
	4.		
	5.		
List of Closed Ports	1.		
	2.		
	3.		
	4.		
	5.		

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

List of Filtered Ports	1.
	2.
	3.
	4.
	5.
Tools/Services Used	1.
	2.
	3.
	4.
	5.

Results Analysis:

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Test 2.5: Scanning using Scripts

Target Organization			
URL			
Script Used for Scanning			
IP Addresses Scanned	1.		
	2.		
	3.		
	4.		
	5.		
Performed NULL Scan on the Target Successfully?		☐ Yes	☐ No
Response Received			
Tools/Services Used	1.		
	2.		
	3.		
	4.		
	5.		

Results Analysis:

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Test 2.6: Port Scanning

Target Organization	
URL	
Commands Used	1.
	2.
	3.
	4.
	5.
Scanned Network Successfully?	☐ Yes ☐ No

	IP Address/Host	Subnet Scanned	Ports Open
1.			
2.			
3.			
4.			
5.			
6.			
7.			
8.			
9.			
10.			
11.			
12.			
13.			
14.			
15.			
16.			
17.			
18.			
19.			

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

20.			
21.			
22.			
23.			
24.			
25.			

Tools/Services Used	1.
	2.
	3.
	4.
	5.

Results Analysis:

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Test 2.7: Scan a Network: Live Host Scan

Target Organization			
URL			
Commands Used	1.		
	2.		
	3.		
	4.		
	5.		
Scanned Network Successfully?		☐ Yes	☐ No
Subnets scanned	1.		
	2.		
	3.		
	4.		
	5.		
List the IP Address of live hosts	1.		
	2.		
	3.		
	4.		
	5.		
	6.		
	7.		
	8.		
	9.		
Tools/Services Used	1.		
	2.		
	3.		
	4.		
	5.		

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Results Analysis:

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Test 2.8: Scan a Network: Port Scan

Target Organization	
URL	
Commands Used	1.
	2.
	3.
	4.
	5.
Performed Port Scanning Successfully?	☐ Yes ☐ No

	IP Address	Ports Open	Ports Closed	Ports Blocked
1.				
2.				
3.				
4.				
5.				
6.				
7.				
8.				
9.				
10.				
11.				
12.				
13.				
14.				
15.				
16.				
17.				
18.				
19.				

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

20.				
21.				
22.				
23.				
24.				
25.				
26.				
27.				
28.				
29.				
30.				

Tools/Services Used	1.
	2.
	3.
	4.
	5.

Results Analysis:

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Test 2.9: Scan a Network using Other Network Scanning Tools

Target Organization	
URL	
Commands Used	1.
	2.
	3.
	4.
	5.

Performed Network Scanning Successfully?	☐ Yes	☐ No

	IP Address	Hostname	Open Ports
1.			
2.			
3.			
4.			
5.			
6.			
7.			
8.			
9.			
10.			
11.			
12.			
13.			
14.			
15.			
16.			
17.			
18.			
19.			

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

20.			
21.			
22.			
23.			
24.			
25.			
26.			
27.			
28.			
29.			
30.			

Tools/Services Used	1.
	2.
	3.
	4.
	5.

Results Analysis:

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Test 2.10: Scan from within Metasploit

Target Organization			
URL			
Commands Used	1.		
	2.		
	3.		
	4.		
	5.		
Preparing Database Successful?		☐ Yes	☐ No
Database Used			
Adding Workspaces Successful?		☐ Yes	☐ No

Gathered Data

	IP Address	Hostname	Open Ports	OS Name
1.				
2.				
3.				
4.				
5.				
6.				
7.				
8.				
9.				
10.				
11.				
12.				
13.				
14.				
15.				
16.				

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

17.				
18.				
19.				
20.				
21.				
22.				
23.				
24.				
25.				
26.				
27.				
28.				
29.				
30.				

Tools/Services Used	1.
	2.
	3.
	4.
	5.

Results Analysis:

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Test 3: OS and Service Fingerprinting

Test 3.1: Identify the OS

Target Organization	
URL	
Commands Used	1.
	2.
	3.
	4.
	5.
Response Received	
Identified OS Version?	☐ Yes ☐ No

	IP Address	Target Machine Name	OS Version
1.			
2.			
3.			
4.			
5.			
6.			
7.			
8.			
9.			
10.			
11.			
12.			
13.			
14.			
15.			

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

16.			
17.			
18.			
19.			
20.			
21.			
22.			
23.			
24.			
25.			
26.			
27.			
28.			
29.			
30.			

Tools/Services Used	1.
	2.
	3.
	4.
	5.

Results Analysis:

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Test 3.2: SMB OS Discovery

Target Organization	
URL	
Commands Used	1.
	2.
	3.
	4.
	5.

Scan Successful?	☐ Yes	☐ No

	Target IP Address	Port Status	OS and Services Discovered
1.			
2.			
3.			
4.			
5.			
6.			
7.			
8.			
9.			
10.			
11.			
12.			
13.			
14.			
15.			
16.			
17.			
18.			
19.			

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

20.			
21.			
22.			
23.			
24.			
25.			
26.			
27.			
28.			
29.			
30.			

Tools/Services Used	1.
	2.
	3.
	4.
	5.

Results Analysis:

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Test 3.3: Manual Banner Grabbing

Target Organization	
URL	
Commands Used	1.
	2.
	3.
	4.
	5.
Identified Services Successfully?	☐ Yes ☐ No

	Target IP Address	Ports State	Services	OS Name
1.				
2.				
3.				
4.				
5.				
6.				
7.				
8.				
9.				
10.				
11.				
12.				
13.				
14.				
15.				
16.				
17.				
18.				
19.				

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

20.				
21.				
22.				
23.				
24.				
25.				
26.				
27.				
28.				
29.				
30.				

Tools/Services Used	1.
	2.
	3.
	4.
	5.

Results Analysis:

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Test 3.4: Banner Grabbing with dmitry

Target Organization	
URL	
Commands Used	1.
	2.
	3.
	4.
	5.

Identified Services Successfully?	☐ Yes	☐ No

	Target IP Address	Ports State	OS/Services	Hostname
1.				
2.				
3.				
4.				
5.				
6.				
7.				
8.				
9.				
10.				
11.				
12.				
13.				
14.				
15.				
16.				
17.				
18.				
19.				

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

20.				
21.				
22.				
23.				
24.				
25.				
26.				
27.				
28.				
29.				
30.				

Tools/Services Used	1.
	2.
	3.
	4.
	5.

Results Analysis:

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Test 3.5: Banner Grabbing with Python

Target Organization	
URL	
Script Used	
Identified Services Successfully?	☐ Yes ☐ No

	Target IP Address	Ports State	OS/Services	Hostname
1.				
2.				
3.				
4.				
5.				
6.				
7.				
8.				
9.				
10.				
11.				
12.				
13.				
14.				
15.				
16.				
17.				
18.				
19.				
20.				

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

21.				
22.				
23.				
24.				
25.				
26.				
27.				
28.				
29.				
30.				

Tools/Services Used	1.
	2.
	3.
	4.
	5.

Results Analysis:

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Test 3.6: Banner Grabbing with Ruby

Target Organization	
URL	
Script Used	
Identified Services Successfully?	☐ Yes ☐ No

	Target IP Address	Ports State	OS/Services	Hostname
1.				
2.				
3.				
4.				
5.				
6.				
7.				
8.				
9.				
10.				
11.				
12.				
13.				
14.				
15.				
16.				
17.				
18.				
19.				
20.				

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

21.				
22.				
23.				
24.				
25.				
26.				
27.				
28.				
29.				
30.				

Tools/Services Used	1.
	2.
	3.
	4.
	5.

Results Analysis:

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Test 3.7: Banner Grab with Metasploit Module

Target Organization	
URL	
Script/Commands Used	
Identified Services Successfully?	☐ Yes ☐ No

	Target IP Address	Ports State	OS/Services	Hostname
1.				
2.				
3.				
4.				
5.				
6.				
7.				
8.				
9.				
10.				
11.				
12.				
13.				
14.				
15.				
16.				
17.				
18.				
19.				
20.				

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

21.				
22.				
23.				
24.				
25.				
26.				
27.				
28.				
29.				
30.				

Tools/Services Used	1.
	2.
	3.
	4.
	5.

Results Analysis:

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Test 3.8: Identify the Services

Target Organization	
URL	
Commands Used	1.
	2.
	3.
	4.
	5.
Response Received	

Identified Services Successfully?	☐ Yes	☐ No

	Target IP Address	Ports Open	Services
1.			
2.			
3.			
4.			
5.			
6.			
7.			
8.			
9.			
10.			
11.			
12.			
13.			
14.			
15.			
16.			

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

17.			
18.			
19.			
20.			
21.			
22.			
23.			
24.			
25.			
26.			
27.			
28.			
29.			
30.			

Tools/Services Used	1.
	2.
	3.
	4.
	5.

Results Analysis:

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Test 3.9: Map the Internal Network

Target Organization		
URL		
List the Network Devices	**Discovered**	**Make and Model**
Hubs	☐	
Switches	☐	
Servers	☐	
Printers	☐	
Workstations	☐	
Wireless Access Points	☐	
Firewalls	☐	
Proxy Servers	☐	
No. of Client Computers	☐	
Others	☐	
Tools/Services Used	1.	
	2.	
	3.	
	4.	
	5.	

Results Analysis:

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Test 4: Enumeration

Test 4.1: Perform Service Enumeration

Target Organization			
URL			
Commands Used	1.		
	2.		
	3.		
	4.		
	5.		
Service Enumeration Successful?		☐ Yes	☐ No
Information obtained through Service Enumeration			
Tools/Services Used	1.		
	2.		
	3.		
	4.		
	5.		

Results Analysis:

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Test 4.2: Perform NetBIOS Enumeration

Target Organization			
URL			
Commands Used	1.		
	2.		
	3.		
	4.		
	5.		
NetBIOS Enumeration is Successful?		☐ Yes	☐ No
Information obtained through NetBIOS Enumeration			
Tools/Services Used	1.		
	2.		
	3.		
	4.		
	5.		

Results Analysis:

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Test 4.3: Perform SNMP Enumeration

Target Organization			
URL			
Commands Used	1.		
	2.		
	3.		
	4.		
	5.		
SNMP Enumeration is Successful?		☐ Yes	☐ No
Information obtained through SNMP Enumeration			
Tools/Services Used	1.		
	2.		
	3.		
	4.		
	5.		

Results Analysis:

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Test 4.4: Perform LDAP Enumeration

Target Organization		
URL		
Commands/Script Used		
LDAP Enumeration is Successful?	☐ Yes	☐ No
Information obtained through LDAP Enumeration		
Tools/Services Used	1.	
	2.	
	3.	
	4.	
	5.	

Results Analysis:

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Test 4.5: Perform NTP Enumeration

Target Organization			
URL			
Commands Used	1.		
	2.		
	3.		
	4.		
	5.		
NTP Enumeration is Successful?		☐ Yes	☐ No
List of Hosts Connected to NTP Server	1.		
	2.		
	3.		
	4.		
	5.		
Client's IP Address	**System Name**	**OS Running**	
Other Information obtained through NTP Enumeration			
Tools/Services Used	1.		
	2.		
	3.		
	4.		
	5.		

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Results Analysis:

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Test 4.6: Perform SMTP Enumeration

Target Organization			
URL			
Commands Used	1.		
	2.		
	3.		
	4.		
	5.		
SMTP Enumeration is Successful?		☐ Yes	☐ No
Information obtained through SMTP Enumeration			
Tools/Services Used	1.		
	2.		
	3.		
	4.		
	5.		

Results Analysis:

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Test 4.7: Perform IPSec Enumeration

Target Organization			
URL			
Commands Used	1.		
	2.		
	3.		
	4.		
	5.		
IPSec Enumeration is Successful?		☐ Yes	☐ No
Information obtained through IPSec Enumeration			
Tools/Services Used	1.		
	2.		
	3.		
	4.		
	5.		

Results Analysis:

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Test 4.8: Perform VoIP Enumeration

Target Organization			
URL			
Commands Used	1.		
	2.		
	3.		
	4.		
	5.		
VoIP Enumeration is Successful?		☐ Yes	☐ No
VoIP Gateways and Servers	1.		
	2.		
	3.		
	4.		
	5.		
IP-PBX Systems	1.		
	2.		
	3.		
	4.		
	5.		
Client Software (softphones)/VoIP Phones	1.		
	2.		
	3.		
	4.		
	5.		
User Agent	1.		
	2.		
	3.		
	4.		
	5.		

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

IP Addresses	1.
	2.
	3.
	4.
	5.
User Extensions	1.
	2.
	3.
	4.
	5.
Other Information obtained through VoIP Enumeration	1.
	2.
	3.
	4.
	5.
Tools/Services Used	1.
	2.
	3.
	4.
	5.

Results Analysis:

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Test 4.9: Perform SMB Enumeration

Target Organization			
URL			
Commands Used	1.		
	2.		
	3.		
	4.		
	5.		
SMB Enumeration is Successful?		☐ Yes	☐ No
Ports Open	1.		
	2.		
	3.		
	4.		
	5.		
Open SMB Shares	1.		
	2.		
	3.		
	4.		
	5.		
Other Information obtained through SMB Enumeration			
Tools/Services Used	1.		
	2.		
	3.		
	4.		
	5.		

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Results Analysis:

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Test 4.10: Perform RPC Enumeration

Target Organization			
URL			
Commands Used	1.		
	2.		
	3.		
	4.		
	5.		
RPC Enumeration is Successful?		☐ Yes	☐ No
Information obtained through RPC Enumeration			
Tools/Services Used	1.		
	2.		
	3.		
	4.		
	5.		

Results Analysis:

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Test 4.11: Perform Null Session Enumeration

Target Organization			
URL			
Commands Used	1.		
	2.		
	3.		
	4.		
	5.		
Null Session Enumeration is Successful?		☐ Yes	☐ No
Information obtained through Null Session Enumeration			
Tools/Services Used	1.		
	2.		
	3.		
	4.		
	5.		

Results Analysis:

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Test 4.12: Perform Unix/Linux User Enumeration

Target Organization			
URL			
Commands Used	1.		
	2.		
	3.		
	4.		
	5.		
Unix/Linux User Enumeration is Successful?		☐ Yes	☐ No
Information obtained through Unix/Linux User Enumeration			
Tools/Services Used	1.		
	2.		
	3.		
	4.		
	5.		

Results Analysis:

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Test 4.13: Perform IPv6 Enumeration

Target Organization			
URL			
Commands Used	1.		
	2.		
	3.		
	4.		
	5.		
IPv6 Enumeration is Successful?		☐ Yes	☐ No
Information obtained through IPv6 Enumeration			
Tools/Services Used	1.		
	2.		
	3.		
	4.		
	5.		

Results Analysis:

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Test 4.14: Perform Discovery

Target Organization			
URL			
Commands Used	1.		
	2.		
	3.		
	4.		
	5.		
Is Discovery Successful?		☐ Yes	☐ No
Identified Public Registries	1.		
	2.		
	3.		
	4.		
	5.		
Identified SNMP-Enabled Devices	1.		
	2.		
	3.		
	4.		
	5.		
Identified Directory Services	1.		
	2.		
	3.		
	4.		
	5.		
Other Information obtained through Discovery			

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Tools/Services Used	1.
	2.
	3.
	4.
	5.

Results Analysis:

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Test 4.15: Enumerate Shares

Target Organization	
URL	
Commands/Script Used	1.
	2.
	3.
	4.
	5.
Shares Enumeration is Successful?	☐ Yes ☐ No

	Target IP Address	Port Status	Services	Shares Enumerated
1.				
2.				
3.				
4.				
5.				
6.				
7.				
8.				
9.				
10.				
11.				
12.				
13.				
14.				
15.				
16.				
17.				
18.				

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

19.				
20.				
Other Information obtained through Enumerating Shares				
Tools/Services Used	1.			
	2.			
	3.			
	4.			
	5.			

Results Analysis:

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Test 4.16: Enumerate Users

Target Organization				
URL				
Commands/Script Used	1.			
	2.			
	3.			
	4.			
	5.			
Users Enumeration is Successful?			☐ Yes	☐ No
	Target IP Address	**Port Status**	**Services**	**Users Enumerated**
1.				
2.				
3.				
4.				
5.				
6.				
7.				
8.				
9.				
10.				
11.				
12.				
13.				
14.				
15.				
16.				
17.				
18.				

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

19.				
20.				
Other Information obtained through Enumerating Users				
Tools/Services Used	1.			
	2.			
	3.			
	4.			
	5.			

Results Analysis:

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Test 4.17: Sniff the network

Target Organization			
URL			
Is Network Sniffing Successful?		☐ Yes	☐ No
Interesting Traffic Traversing on the Network	1.		
	2.		
	3.		
	4.		
	5.		
	6.		
	7.		
	8.		
	9.		
	10.		
	11.		
	12.		
	13.		
	14.		
	15.		
List the passwords sniffed	**Protocol**	**Username**	**Password**

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

List the Email Messages Sniffed	1.
	2.
	3.
	4.
	5.
	6.
	7.
	8.
	9.
	10.
	11.
	12.
Other Information obtained through Sniffing	
Tools/Services Used	1.
	2.
	3.
	4.
	5.

Results Analysis:

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Test 4.18: Capture Traffic using Tcpdump

Target Organization			
URL			
Commands Used	1.		
	2.		
	3.		
	4.		
	5.		
Is Capturing Traffic using Tcpdump Successful?		☐ Yes	☐ No
Information obtained through Captured Traffic			
Tools/Services Used	1.		
	2.		
	3.		
	4.		
	5.		

Results Analysis:

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Test 5: Vulnerability Assessment

Test 5.1: Perform Internal Vulnerability Assessment

Target Organization		
URL		
Commands Used	1.	
	2.	
	3.	
	4.	
	5.	
Performed Internal Vulnerability Assessment Successfully?	☐ Yes	☐ No
List of vulnerabilities found	1.	
	2.	
	3.	
	4.	
	5.	
	6.	
	7.	
	8.	
	9.	
Other Information obtained through Vulnerability Assessment		
Tools/Services Used	1.	
	2.	
	3.	
	4.	
	5.	

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Results Analysis:

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Test 5.2: Perform Network Vulnerability Scanning using Network Vulnerability Scanners

Target Organization				
URL				
Security Vulnerability Report	**QualysGuard**	**Nessus**	**GFI LanGuard**	**OpenVAS**
Any other Vulnerability Report, Specify				
Critical Information obtained through Network Vulnerability Scanning				
Tools/Services Used	1.			
	2.			
	3.			
	4.			
	5.			

Results Analysis:

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Test 5.3: Perform Vulnerability Scanning using Nmap

Target Organization			
Commands Used	1.		
	2.		
	3.		
	4.		
	5.		
IP Addresses Used	1.		
	2.		
	3.		
	4.		
	5.		
Vulnerability Scanning using Nmap done successfully?		☐ Yes	☐ No
List of vulnerabilities found	1.		
	2.		
	3.		
	4.		
	5.		
	6.		
	7.		
	8.		
	9.		
	10.		
	11.		
	12.		
	13.		

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Any other Information Obtained through Vulnerability Scanning	
Tools/Services Used	1.
	2.
	3.
	4.
	5.

Results Analysis:

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Test 5.4: Map the Service Version with the Associated Security Vulnerabilities

Target Organization		
URL		
S. No.	List of Service Versions	List of Vulnerabilities along with their Severity
1.		
2.		
3.		
4.		
5.		
Tools/Services Used	1.	
	2.	
	3.	
	4.	
	5.	

Results Analysis:

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Test 5.5: Map the Windows Applications with the Associated Security Vulnerabilities

Target Organization		
URL		
S. No.	Windows Applications	List of Vulnerabilities along with their Services
1.		
2.		
3.		
4.		
5.		
Tools/Services Used	1.	
	2.	
	3.	
	4.	
	5.	

Results Analysis:

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Test 5.6: Map the Windows OS with the Associated Security Vulnerabilities

Target Organization		
URL		
S. No.	Windows Components/Services	List of Vulnerabilities along with their Severity
1.		
2.		
3.		
4.		
5.		
Tools/Services Used	1.	
	2.	
	3.	
	4.	
	5.	

Results Analysis:

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Test 5.7: Map the Solaris with the Associated Security Vulnerabilities

Target Organization		
URL		
S. No.	Solaris Components/Services	List of Vulnerabilities along with their Severity
1.		
2.		
3.		
4.		
5.		
Tools/Services Used	1.	
	2.	
	3.	
	4.	
	5.	

Results Analysis:

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Test 5.8: Map the Unix/Linux with the Associated Security Vulnerabilities

Target Organization		
URL		
S. No.	**Unix/Linux Components/Services**	**List of Vulnerabilities with their Severity**
1.		
2.		
3.		
4.		
5.		
Tools/Services Used	1.	
	2.	
	3.	
	4.	
	5.	

Results Analysis:

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Test 5.9: Scan Analysis Process

Target Organization				
URL				
S. No.	Identified Points of Weaknesses		Description	
1.				
2.				
3.				
4.				
5.				
S. No.	Identified Vulnerabilities		Vulnerability Description	
1.				
2.				
3.				
4.				
5.				
Recommended Solutions	1.			
	2.			
	3.			
	4.			
	5.			
Risk Information	CVSS Rating	Vulnerability Information	Exploitable with	References
1.				
2.				
3.				
4.				
5.				

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Tools/Services Used	1.
	2.
	3.
	4.
	5.

Results Analysis:

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Test 5.10: Nmap Vulnerability Scanning

Target Organization	
URL	
Commands/Script used	
List of Vulnerabilities	
1.	
2.	
3.	
4.	
5.	
Tools/Services Used	1.
	2.
	3.
	4.
	5.

Results Analysis:

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Test 5.11: SMB Vulnerability Scanning

Target Organization	
URL	
Commands/Script used	

Target IP Address		**Port Status**	**Service Status**	**List of Vulnerabilities**
1.				
2.				
3.				
4.				
5.				

Tools/Services Used	1.
	2.
	3.
	4.
	5.

Results Analysis:

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Test 6: Windows Exploitation

Test 6.1: Perform Remote Password Attack

Target Organization			
URL			
Commands Used	1.		
	2.		
	3.		
	4.		
	5.		
Performed Remote Password Attack Successfully?		☐ Yes	☐ No
Username and Passwords obtained	1.		
	2.		
	3.		
	4.		
	5.		
Tools/Services Used	1.		
	2.		
	3.		
	4.		
	5.		

Results Analysis:

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Test 6.2: Identify Local/Remote Exploit to Gain Access to Windows System

Target Organization		
URL		
Identified Local/Remote Exploit Successfully?	☐ Yes	☐ No
Test results		
Tools/Services Used	1.	
	2.	
	3.	
	4.	
	5.	

Results Analysis:

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Test 6.3: Try to Gain Access to Windows using Remote Shell

Target Organization			
URL			
Identified Exploits			
Commands Used	1.		
	2.		
	3.		
	4.		
	5.		
Gained Access to Windows?		☐ Yes	☐ No
Information obtained After Gaining Access			
Tools/Services Used	1.		
	2.		
	3.		
	4.		
	5.		

Results Analysis:

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Test 6.4: Try to Exploit Buffer Overflow Vulnerability on Windows

Target Organization			
URL			
Identified the existence of local buffer overflow vulnerability			
Commands Used for Exploitation	1.		
	2.		
	3.		
	4.		
	5.		
Gained Access to Windows using Remote Shell?		☐ Yes	☐ No
Information obtained After Gaining Access			
Tools/Services Used	1.		
	2.		
	3.		
	4.		
	5.		

Results Analysis:

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Test 6.5: Find Exploits in Metasploit

Target Organization			
URL			
Commands Used	1.		
	2.		
	3.		
	4.		
	5.		
Identified Exploits Successfully?		☐ Yes	☐ No
Identified Exploits	1.		
	2.		
	3.		
	4.		
	5.		
Tools/Services Used	1.		
	2.		
	3.		
	4.		
	5.		

Results Analysis:

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Test 6.6: Exploit WordPress with Metasploit

Target Organization			
URL			
Commands Used	1.		
	2.		
	3.		
	4.		
	5.		
Identified Vulnerable Plugins Successfully?		☐ Yes	☐ No
Identified Vulnerable Plugins	1.		
	2.		
	3.		
	4.		
	5.		
	6.		
	7.		
	8.		
	9.		
	10.		
	11.		
	12.		
	13.		
	14.		
	15.		
Tools/Services Used	1.		
	2.		
	3.		
	4.		
	5.		

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Results Analysis:

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Test 6.7: Exploit InBoundio

Target Organization			
URL			
Commands Used	1.		
	2.		
	3.		
	4.		
	5.		
Exploiting InBoundio Successful?		☐ Yes	☐ No
Information Gathered			
Tools/Services Used	1.		
	2.		
	3.		
	4.		
	5.		

Results Analysis:

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Test 7: Unix/Linux Exploitation

Test 7.1: Identify Local/Remote Exploit to Gain Root Access

Target Organization			
URL			
Identified Local/Remote Exploits Successfully?		☐ Yes	☐ No
Test results			
Tools/Services Used	1.		
	2.		
	3.		
	4.		
	5.		

Results Analysis:

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Test 7.2: Try to Gain Access to Linux using Remote Shell

Target Organization			
URL			
Unix/Linux Version			
Identified vulnerabilities	1.		
	2.		
	3.		
	4.		
	5.		
	6.		
	7.		
	8.		
	9.		
Commands Used	1.		
	2.		
	3.		
	4.		
	5.		
Gained Access to Linux?		☐ Yes	☐ No
Information obtained After Gaining Access			
Tools/Services Used	1.		
	2.		
	3.		
	4.		
	5.		

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Results Analysis:

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Test 7.3: Extract User Accounts

Target Organization			
URL			
Commands Used	1.		
	2.		
	3.		
	4.		
	5.		
Are User Accounts Extracted Successfully?		☐ Yes	☐ No
Information Extracted from User Accounts			
Tools/Services Used	1.		
	2.		
	3.		
	4.		
	5.		

Results Analysis:

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Test 8: Other Internal Network Exploitation Techniques

Test 8.1: Attempt Replay Attacks

Target Organization			
URL			
Victim IP Address Targeted	1.		
	2.		
	3.		
	4.		
	5.		
Original Message Captured	1.		
	2.		
	3.		
	4.		
	5.		
Replayed Messages			
Is replay attack attempted successfully?		☐ Yes	☐ No
Captured Passwords	1.		
	2.		
	3.		
	4.		
	5.		
Tools/Services Used	1.		
	2.		
	3.		
	4.		
	5.		

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Results Analysis:

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Test 8.2: Attempt ARP Poisoning

Target Organization			
URL			
Victim IP Address			
Poisoned IP Address			
Victim MAC Address			
Poisoned MAC Address			
Commands Used	1.		
	2.		
	3.		
	4.		
	5.		
Is ARP poisoning attempted successfully?		☐ Yes	☐ No
Information obtained through ARP Poisoning			
Tools/Services Used	1.		
	2.		
	3.		
	4.		
	5.		

Results Analysis:

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Test 8.3: Attempt Mac Flooding

Target Organization			
URL			
Commands Used	1.		
	2.		
	3.		
	4.		
	5.		
Is Flooding the Network with Bogus MAC Addresses Successful?		☐ Yes	☐ No
Information Obtained through Mac Flooding			
Tools/Services Used	1.		
	2.		
	3.		
	4.		
	5.		

Results Analysis:

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Test 8.4: Conduct a Man-in-the-Middle Attack

Target Organization			
URL			
Victim IP Address			
Target Server IP Address			
MITM Machine IP Address			
Commands Used	1.		
	2.		
	3.		
	4.		
	5.		
Intercepted the Communication Channel between the Victim and the Target Successfully?		☐ Yes	☐ No
Information Captured through MITM Attack			
Tools/Services Used	1.		
	2.		
	3.		
	4.		
	5.		

Results Analysis:

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Test 8.5: Attempt DNS Poisoning

Target Organization			
URL			
Victim Machine IP Address			
Attacking Machine IP Address			
List the Hosts added into the Cache of a DNS Server to Corrupt the DNS Tables	1.		
	2.		
	3.		
	4.		
	5.		
Is DNS Poisoning Attempt Successful?		☐ Yes	☐ No
Tools/Services Used	1.		
	2.		
	3.		
	4.		
	5.		

Results Analysis:

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Test 8.6: Try to Log into a Console Machine

Target Organization			
URL			
Victim Machine IP Address			
Username			
Default Password			
Is Logging into a Console Machine Successful?		☐ Yes	☐ No
Information Obtained After Logging into a Console Machine			
Tools/Services Used	1.		
	2.		
	3.		
	4.		
	5.		

Results Analysis:

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Test 8.7: Boot the PC using Alternate OS and Steal the SAM File

Target Organization	
URL	
Victim Machine	
Username Reset	
Password Reset	
Commands Used	1.
	2.
	3.
	4.
	5.
Tools/Services Used	1.
	2.
	3.
	4.
	5.

Results Analysis:

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Test 8.8: Try to Break Down the Desktop Lockdown

Target Organization			
URL			
Victim Machine			
Techniques Used	1.		
	2.		
	3.		
	4.		
	5.		
Tools/Services Used	1.		
	2.		
	3.		
	4.		
	5.		
Is Desktop Lockdown Security Broken?		☐ Yes	☐ No

Results Analysis:

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Test 8.9: Escalate User Privileges

Target Organization			
URL			
Victim machine			
Commands Used	1.		
	2.		
	3.		
	4.		
	5.		
User privileges escalated to the level of administrator?		☐ Yes	☐ No
Information obtained after privilege escalation			
Tools/Services Used	1.		
	2.		
	3.		
	4.		
	5.		

Results Analysis:

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Test 8.10: Hide Sensitive Data on Target Machines

Target Organization			
URL			
Victim machine			
Data Items Hidden on Victim's Machine	1.		
	2.		
	3.		
	4.		
	5.		
Is Hiding Sensitive Data Successful?		☐ Yes	☐ No
Techniques Used to Hide Data	1.		
	2.		
	3.		
	4.		
	5.		
Tools/Services Used	1.		
	2.		
	3.		
	4.		
	5.		

Results Analysis:

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Test 8.11: Use Various Steganography Techniques to Hide Files on Target Machines

Target Organization	
URL	
Victim Machine	
Steganography Techniques used	1.
	2.
	3.
	4.
	5.
Hidden Data	1.
	2.
	3.
	4.
	5.
Tools/Services Used	1.
	2.
	3.
	4.
	5.

Results Analysis:

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Test 8.12: Capture the Communications between FTP Client and FTP Server

Target Organization		
URL		
FTP Client IP Address		
FTP Server IP Address		
Captured the communications between the FTP client and FTP server Successfully?	☐ Yes	☐ No
Sensitive Information obtained from Captured Traffic		
Tools/Services Used	1.	
	2.	
	3.	
	4.	
	5.	

Results Analysis:

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Test 8.13: Capture HTTPS Traffic (Even though It Cannot Be Decoded)

Target Organization			
URL			
Filter Used	1.		
	2.		
	3.		
	4.		
	5.		
Captured HTTPS Traffic Successfully?		☐ Yes	☐ No
Description of the Packets Captured	Offset:		
	Timeline:		
	Duration:		
	Method:		
	Result:		
	Received:		
	Type URL:		
	Redirect URL:		
	Request Headers Info:		
	Response Headers Info:		
	Others:		
Tools/Services Used	1.		
	2.		
	3.		
	4.		
	5.		

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Results Analysis:

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Test 8.14: Spoof the MAC Address

Target Organization			
URL			
Victim Machine			
Spoofed the MAC Address Successfully?		☐ Yes	☐ No
Spoofed MAC Address			
Information obtained through MAC Spoofing			
Tools/Services Used	1.		
	2.		
	3.		
	4.		
	5.		

Results Analysis:

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Test 8.15: Poison the Victim's IE Proxy Server

Target Organization			
URL			
Victim Machine IP Address			
Rogue Server IP Address			
Poisoned the Victim's IE Proxy Server Successfully?		☐ Yes	☐ No
Tools/Services Used	1.		
	2.		
	3.		
	4.		
	5.		

Results Analysis:

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Test 8.16: Test for Stack Overflow Vulnerability using OllyDbg Debugger

Target Organization			
URL			
Commands Used	1.		
	2.		
	3.		
	4.		
	5.		
Successfully attached a debugger to the target application or process?		☐ Yes	☐ No
Successfully generated malformed input for the application?		☐ Yes	☐ No
Test for Stack Overflow Vulnerability using OllyDbg Debugger done successfully?		☐ Yes	☐ No
Tools/Services Used	1.		
	2.		
	3.		
	4.		
	5.		

Results Analysis:

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Test 8.17: Test for Format String Vulnerability using IDA Pro

Target Organization			
URL			
Commands Used	1.		
	2.		
	3.		
	4.		
	5.		
Test for Format String Vulnerability using IDA Pro done successfully?		☐ Yes	☐ No
Input Parameters Manipulated			
Tools/Services Used	1.		
	2.		
	3.		
	4.		
	5.		

Results Analysis:

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Test 9: Automating Internal Network Penetration Test Effort

Test 9.1: Automating Internal Network Penetration Testing

Target Organization			
URL			
Is Automated Internal Network Penetration Testing performed Successfully using Metasploit?		☐ Yes	☐ No
Metasploit Exploit Modules Used	1.		
	2.		
	3.		
	4.		
	5.		
Information obtained through Exploitation			
Is Automated Internal Network Penetration Testing performed Successfully using Immunity CANVAS?		☐ Yes	☐ No
Immunity CANVAS Exploits Used			
Information obtained through Exploitation			
Any Other Exploitation Tool Used, Specify	1.		
	2.		
	3.		
	4.		
	5.		

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Tools/Services Used	1.
	2.
	3.
	4.
	5.

Results Analysis:

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Test 10: Post Exploitation

Test 10.1: Disable the Firewall

Target Organization			
URL			
Commands used	1.		
	2.		
	3.		
	4.		
	5.		
Firewall Disabling is Successful?		☐ Yes	☐ No
Tools/Services Used	1.		
	2.		
	3.		
	4.		
	5.		

Results Analysis:

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Test 10.2: Disable Windows Defender

Target Organization			
URL			
Commands used	1.		
	2.		
	3.		
	4.		
	5.		
Windows Defender Disabling is Successful?		☐ Yes	☐ No
Tools/Services Used	1.		
	2.		
	3.		
	4.		
	5.		

Results Analysis:

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Test 10.3: Kill Anti-virus

Target Organization			
URL			
Commands used	1.		
	2.		
	3.		
	4.		
	5.		
Killing Anti-virus is Successful?		☐ Yes	☐ No
Tools/Services Used	1.		
	2.		
	3.		
	4.		
	5.		

Results Analysis:

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Test 10.4: Install and Setup a Backdoor

Target Organization			
URL			
Commands used	1.		
	2.		
	3.		
	4.		
	5.		
Is Installing and Setting Up a Backdoor Successful?		☐ Yes	☐ No
Data Grabbed through Backdoor			
Tools/Services Used	1.		
	2.		
	3.		
	4.		
	5.		

Results Analysis:

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Test 10.5: Escalating Privileges

Target Organization			
URL			
Technique Used	1.		
	2.		
	3.		
	4.		
	5.		
Commands used	1.		
	2.		
	3.		
	4.		
	5.		
Is Privilege Escalation Successful?		☐ Yes	☐ No
Identified Privilege Escalation Exploits	1.		
	2.		
	3.		
	4.		
	5.		
Data Obtained through Privilege Escalation	1.		
	2.		
	3.		
	4.		
	5.		
Tools/Services Used	1.		
	2.		
	3.		
	4.		
	5.		

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Results Analysis:

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Test 10.6: Checking Missing Security Patches and Patch levels: Linux

Target Organization		
URL		
Missed Security Patches and Patch Levels are detected Successfully?	☐ Yes	☐ No
Tools/Services Used	1.	
	2.	
	3.	
	4.	
	5.	
List of Patches/Vulnerabilities Detected	1.	
	2.	
	3.	
	4.	
	5.	
	6.	
	7.	
	8.	
	9.	

Results Analysis:

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Test 10.7: Cleanup: Resetting into Prevision State

Target Organization		
Target System		
Is Target System reset to Previous State Successfully?	☐ Yes	☐ No
List of Items removed that were installed and used during exploitation.	☐ Executable Files ☐ Scripts ☐ Temporary Files ☐ System Settings ☐ Configurations ☐ User Accounts ☐ Others Specify _____ _____	

Results Analysis:

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Test 11: Advanced Tips and Techniques

Test 11.1: Search the Discovered Network

Target Organization			
URL			
Commands used	1.		
	2.		
	3.		
	4.		
	5.		
Searching Discovered Network is Successful?		☐ Yes	☐ No
Target IP Address		**Port Number**	**Port Status**
1.			
2.			
3.			
4.			
5.			
6.			
7.			
8.			
9.			
10.			
Tools/Services Used	1.		
	2.		
	3.		
	4.		
	5.		

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Results Analysis:

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Test 11.2: OS Discovery

Target Organization			
URL			
Commands used	1.		
	2.		
	3.		
	4.		
	5.		
OS Discovery is Successful?		☐ Yes	☐ No
Discovered Operating Systems along with their Versions	1.		
	2.		
	3.		
	4.		
	5.		
Tools/Services Used	1.		
	2.		
	3.		
	4.		
	5.		

Results Analysis:

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Test 11.3: Exploit through the Session

Target Organization			
URL			
Commands used	1.		
	2.		
	3.		
	4.		
	5.		
Exploits used	1.		
	2.		
	3.		
	4.		
	5.		
Session Established Successfully?		☐ Yes	☐ No
Information Obtained through Exploitation			
Tools/Services Used	1.		
	2.		
	3.		
	4.		
	5.		

Results Analysis:

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Test 11.4: Connect to the Shell

Target Organization			
URL			
Commands/Script Used			
Connection Established Successfully?		☐ Yes	☐ No
Target IP Address		**Port Used**	**OS Detail**
1.			
2.			
3.			
4.			
5.			
6.			
7.			
8.			
9.			
10.			
Information Gathered through Shell Access			
Tools/Services Used	1.		
	2.		
	3.		
	4.		
	5.		

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Results Analysis:

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.