

Certified Penetration Testing Professional

Methodology: Web Application Penetration Testing

Penetration Tester:			
Organization:			
Date:		**Location:**	

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Test 1: Discover Web Application Default Content

Test 1.1: Identify Functionality

Target Organization		
URL		
Target Web Application		
Examined the Core Functionality?	☐ Yes	☐ No
List of Functions it is Designed to Perform	1. _____ 2. _____ 3. _____ 4. _____ 5. _____	
Key Security Mechanisms in an Application	1. _____ 2. _____ 3. _____ 4. _____ 5. _____	
Tools/Services Used	1. _____ 2. _____ 3. _____ 4. _____ 5. _____	

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Results Analysis:

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Test 1.2: Perform Basic Website Footprinting using Netcraft

Target Organization	
URL	
Target Web Application	
IP addresses	1. 2. 3. 4. 5.
DNS Information	1. 2. 3. 4. 5.
Server-side Technology	1. 2. 3. 4. 5.
Client-side Technology	1. 2. 3. 4. 5.

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Background Information	Site Title: _____ Site Rank: _____ Primary Language: _____ Date first seen: _____
Hosting History	1. _____ 2. _____ 3. _____ 4. _____ 5. _____
Site Technology	1. _____ 2. _____ 3. _____ 4. _____ 5. _____
Tools/Services Used	1. _____ 2. _____ 3. _____ 4. _____ 5. _____

Results Analysis:

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Test 1.3: Perform Web Enumeration using Whatweb

Target Organization	
URL	
Target Web Application	
Targeted Server	1. _____ 2. _____ 3. _____
Commands Used	
Identified Information using Whatweb	▪ Platform _____ ▪ CMS Platform _____ ▪ Types of Script _____ ▪ Google Analytics _____ ▪ Webserver Platform _____ ▪ IP address, Country _____ ▪ Plugins & their Libraries Used _____ ▪ Server Headers _____ ▪ Cookies _____ ▪ Others _____
Tools/Services used	1. _____ 2. _____ 3. _____ 4. _____ 5. _____

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Results Analysis:

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Test 1.4: Manually Browse the Target Website URL and Internal URLs

Target Organization	
URL	
Target Web Application	
Fingerprinting the Web Application Environment	1. 2. 3. 4. 5.
Targeted Website URL and Internal URLs	1. 2. 3. 4. 5.
Information obtained by Browsing URLs	1. 2. 3. 4. 5.
Tools/Services Used	1. 2. 3. 4. 5.

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Results Analysis:

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Test 1.5: Analyze the HTML Source Code

Target Organization	
URL	
Target Web Application	
Important Links and Image Tags in HTML Source Code	1. 2. 3. 4. 5.
Contact Details of Admin/Developer	
Scripting Language Used for Developing the Application	
Functionality of the Application	1. 2. 3. 4. 5.
Websites or Web Servers it Establishes Connection with	1. 2. 3. 4. 5.

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Server-Side Scripts Used	
Other Information obtained through HTML Source Code Analysis	
Tools/Services Used	1. 2. 3. 4. 5.

Results Analysis:

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Test 1.6: Check the HTTP and HTML Processing by the Browser

Target Organization	
URL	
Target Web Application	
Analyzed HTTP and HTTPS Request Headers	1. 2. 3. 4. 5.
Web Servers and their Version	1. 2. 3. 4. 5.
Scripting Environment Used	
Operating System Used for Developing and Maintaining the Application	
Other Information Obtained from HTTP and HTTPS Headers	

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Tools/Services Used	1. 2. 3. 4. 5.

Results Analysis:

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Test 1.7: Identify Server-Side Technologies

Target Organization	
URL	
Target Web Application	
Information Extracted from HTTP Response Headers	1. 2. 3. 4. 5.
Information Extracted from HTTP Request Headers	1. 2. 3. 4. 5.
Identified Server-Side Technologies	1. 2. 3. 4. 5.
Information Extracted from Cookies	1. 2. 3. 4. 5.

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Information Gathered by Examining URLs and Error Page Messages	1. 2. 3. 4. 5.
Tools/Services Used	1. 2. 3. 4. 5.

Results Analysis:

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Test 1.8: Identify the Technology used to Build Target Website

Target Organization	
URL	
Target Web Application	
Technology used to Build Target Website	1. 2. 3. 4. 5.
Tools/Services Used	1. 2. 3. 4. 5.

Results Analysis:

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Test 2: Discover Web Application Hidden Content

Test 2.1: Identify the Sitemap of Target Website

Target Organization	
URL	
Target Web Application	
Sitemap File of the Target Website	
Information collected	1. _____ 2. _____ 3. _____ 4. _____ 5. _____
Tools/Services Used	1. _____ 2. _____ 3. _____ 4. _____ 5. _____

Results Analysis:

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Test 2.2: Perform Web Spidering

Target Organization	
URL	
Target Web Application	
Hidden Content/Web Pages Discovered	1. 2. 3. 4. 5.
Identified Functionality	1. 2. 3. 4. 5.
Input Sections	1. 2. 3. 4. 5.
Authentication Mechanisms Used	
Session Handling Mechanisms Used	

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Generated Site map by Using Spidering Tools	1. 2. 3. 4. 5.
Tools/Services Used	1. 2. 3. 4. 5.

Results Analysis:

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Test 2.3: Mirror and Crawl a Website to Identify its Files, Directories, Folders

Target Organization	
URL	
Target Web Application	
Identified Files, Directories, and Folders	1. 2. 3. 4. 5. 6. 7. 8. 9. 10.
Information collected through Crawling	1. 2. 3. 4. 5.
Tools/Services Used	1. 2. 3. 4. 5.

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Results Analysis:

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Test 2.4: Perform Directory Brute Forcing using Dirbuster

Target Organization	
URL	
Target Web Application	
Identified Directories	1. 2. 3. 4. 5. 6. 7. 8. 9. 10.
Identified Hidden Files	1. 2. 3. 4. 5.
Tools/Services Used	1. 2. 3. 4. 5.

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Results Analysis:

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Test 2.5: Identify the Restricted Directories that Web Crawlers cannot Find

Target Organization			
URL			
Target Web Application			
Identified Restricted Directories (robots.txt file) Successfully?		☐ Yes	☐ No
Identified Restricted Directories	1. 2. 3. 4. 5.		
Tools/Services Used	1. 2. 3. 4. 5.		

Results Analysis:

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Test 2.6: Discover Hidden Content of the Target Website

Target Organization	
URL	
Target Web Application	
Commands Used	
Identified Hidden Files	1. 2. 3. 4. 5.
Identified Hidden Folders/Directories	1. 2. 3. 4. 5.
Identified Hidden Links	1. 2. 3. 4. 5.
Sensitive Data Collected from Hidden Fields	

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Tools/Services Used	1. 2. 3. 4. 5.

Results Analysis:

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Test 2.7: Extract Common Word List from the Target

Target Organization		
URL		
Target Web Application		
Commands used		
Is Common Word List from the Target Generated?	☐ Yes	☐ No
List of words from target website	1. 2. 3. 4. 5.	
Tools/Services Used	1. 2. 3. 4. 5.	

Results Analysis:

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Test 3: Conduct Web Vulnerability Scanning

Test 3.1: Conduct Web Vulnerability Assessment

Target Organization			
URL			
Target Web Application			
Successfully performed vulnerability scanning?		☐ Yes	☐ No
Vulnerability Identified	**Security Risk**	**Severity Level**	**Description**
1.			
2.			
3.			
4.			
5.			
6.			
7.			
8.			
9.			
10.			
11.			
12.			
13.			
14.			
Web Application Vulnerability Scanners Used	1. 2. 3. 4. 5.		

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Results Analysis:

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Test 3.2: Web Vulnerability Scanning with Metasploit

Target Organization		
URL		
Target Web Application		
Commands Used		
Successfully Performed Vulnerability Scanning?	☐ Yes	☐ No
Vulnerabilities Identified	1. 2. 3. 4. 5.	
Information Gathered	1. 2. 3. 4. 5.	
Tools/Services Used	1. 2. 3. 4. 5.	

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Results Analysis:

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Test 3.3: Perform Web Application Fuzz Testing

Target Organization			
URL			
Target Web Application			
Is Web Application Fuzz Testing Performed Successfully?		☐ Yes	☐ No
Web Application Vulnerabilities Identified	1. 2. 3. 4. 5.		
Tools/Services Used	1. 2. 3. 4. 5.		

Results Analysis:

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Test 3.4: Identify Entry Points for User Input

Target Organization	
URL	
Target Web Application	
Determined User Input fields	1. 2. 3. 4. 5.
URL Queries Used	
Identified HTTP Header Parameters that can be Processed as User Inputs	1. 2. 3. 4. 5.
URL Encoding and Encryption Mechanism Used	
Tools/Services Used	1. 2. 3. 4. 5.

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Results Analysis:

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Test 4: Test for SQL Injection Vulnerabilities

Test 4.1: Identify the Injection Points

Target Organization	
URL	
Target Web Application	
Identified List of Entry Points	1. 2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15.
Tools/Services Used	1. 2. 3. 4. 5.

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Results Analysis:

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Test 4.2: Identify the SQL Injectable Entry Points in The HTTP Request

Target Organization	
URL	
Target Web Application	
Identified List of SQL Injection Points in the HTTP Request	1. 2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15.
Tools/Services Used	1. 2. 3. 4. 5.

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Results Analysis:

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Test 4.3: Entry Points in HTTP Requests

Target Organization	
URL	
Target Web Application	
GET Request Code	
POST Request Code	
List of identified entry points in the HTTP request	1. 2. 3. 4. 5.

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Tools/Services Used	1. 2. 3. 4. 5.

Results Analysis:

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Test 4.4: Identify Injection Points using SQLMAP

Target Organization	
URL	
Target Web Application	
Commands used	

List of identified Injection Points			
Parameter	**ID**	**Title**	**Payload**
1.			
2.			
3.			
4.			
5.			
6.			
7.			
8.			
9.			
10.			
11.			
12.			

Other Information Gathered	1. 2. 3. 4. 5.

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Tools/Services Used	1. 2. 3. 4. 5.

Results Analysis:

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Test 4.5: Perform Database Fingerprinting

Target Organization	
URL	
Target Web Application	
List of Inject Codes	1. 2. 3. 4. 5. 6. 7. 8. 9. 10.
Error Generation by Injecting Codes into the Input Fields is Successful?	☐ Yes ☐ No
Information Collected	Database Name: Version: Users: Output Mechanism: Database Type: User Privilege Level: OS Interaction Level: Error Messages Info: Others: 1. 2. 3.

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Tools/Services Used	1. 2. 3. 4. 5.

Results Analysis:

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Test 4.6: Identify Databases using SQLMAP

Target Organization	
URL	
Target Web Application	
Commands Used	
List of Available Databases	1. 2. 3. 4. 5.
Type of Database Servers	1. 2. 3. 4. 5.
Security Solutions Deployed on the Server	1. 2. 3. 4. 5.

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Tools/Services Used	1. 2. 3. 4. 5.

Results Analysis:

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Test 4.7: Detect SQL Injection Vulnerabilities by Manipulating a Parameter

Target Organization			
URL			
Target Web Application			
Values of the Parameter in the URL Field	**Original Value**	**Modified Value**	**Response Received**
List SQL Injection Vulnerabilities	1.		
	2.		
	3.		
	4.		
	5.		
Tools/Services Used	1.		
	2.		
	3.		
	4.		
	5.		

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Results Analysis:

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Test 4.8: Determine the Database Schema using Error-Based SQL Injection

Target Organization		
URL		
Target Web Application		
Inputs supplied to the application for testing	1. 2. 3. 4. 5.	
Application's Database Error Messages are Disclosed to Users?	☐ Yes	☐ No
Error Messages	1. 2. 3. 4. 5.	
SQL Injection Queries/URLs Used	1. 2. 3. 4. 5.	
Information Collected	Table Name: Column Name: Data Type: Others: 1. 2.	

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

	3. _____ 4. _____ 5. _____
Tools/Services Used	1. _____ 2. _____ 3. _____ 4. _____ 5. _____

Results Analysis:

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Test 4.9: Determine Privileges, DB Structure and Column Names

<table>
<tr><td>Target Organization</td><td colspan="3"></td></tr>
<tr><td>URL</td><td colspan="3"></td></tr>
<tr><td>Target Web Application</td><td colspan="3"></td></tr>
<tr><td>Commands Used</td><td colspan="3"></td></tr>
<tr><td>Identified User Level Privileges</td><td colspan="3"></td></tr>
<tr><td>Identified Admin Level Privileges</td><td colspan="3"></td></tr>
<tr><td rowspan="6">Database Structure</td><td>Table Name</td><td>Column Name</td><td>Column Name Type</td></tr>
<tr><td></td><td></td><td></td></tr>
<tr><td></td><td></td><td></td></tr>
<tr><td></td><td></td><td></td></tr>
<tr><td></td><td></td><td></td></tr>
<tr><td colspan="3">Others:</td></tr>
<tr><td>Enumerated User Defined Tables</td><td colspan="3">1.
2.
3.
4.
5.</td></tr>
</table>

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

SQL Queries/Commands Used to Enumerate Columns	
Enumerated Columns in the Database	1. 2. 3. 4. 5.
Tools/Services Used	1. 2. 3. 4. 5.

Results Analysis:

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Test 4.10: Identify Tables using SQLMAP

Target Organization	
URL	
Target Web Application	
Commands Used	
Identified Database Names	1. 2. 3. 4. 5.
Identified Database Tables	1. 2. 3. 4. 5.
Tools/Services Used	1. 2. 3. 4. 5.

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Results Analysis:

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Test 4.11: Identify Columns using SQLMAP

Target Organization		
URL		
Target Web Application		
Commands Used		
Identified Database Names		
Database Table Name	**Column Name**	**Column Type**
1.		
2.		
3.		
4.		
5.		
6.		
7.		
8.		
9.		
10.		
Tools/Services Used	1. 2. 3. 4. 5.	

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Results Analysis:

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Test 4.12: Extract Data from Database Tables using SQLMAP

Target Organization		
URL		
Target Web Application		
Commands Used		
Table name	**Column name**	**Content**
1.		
2.		
3.		
4.		
5.		
6.		
7.		
8.		
9.		
10.		
Tools/Services Used	1.	
	2.	
	3.	
	4.	
	5.	

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Results Analysis:

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Test 4.13: Extract Authentication Credentials using SQLMAP

Target Organization	
URL	
Target Web Application	
Commands Used	
Database Name	
Database Table Name	
Column Names	
Usernames	**Passwords**
1.	
2.	
3.	
4.	
5.	
6.	
7.	
8.	
9.	
10.	
Tools/Services Used	1. 2. 3. 4. 5.

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Results Analysis:

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Test 4.14: Insert, Update and Delete Data from Database

Target Organization		
URL		
Target Web Application		
Commands/Queries Used	1. 2. 3. 4. 5.	
Is the data manipulated?	☐ Yes	☐ No
Manipulated Data	1. 2. 3. 4. 5. 6. 7. 8. 9.	
Tools/Services Used	1. 2. 3. 4. 5.	

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Results Analysis:

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Test 4.15: Attempt a DoS Attack Using SQL Injection

Target Organization		
URL		
Target Web Application		
Commands/Queries Used	1. 2. 3. 4. 5.	
Performed Denial-of-Service Attack Successfully?	☐ Yes	☐ No
Techniques Used for Performing DoS Attack	1. 2. 3. 4. 5. 6. 7. 8. 9. 10.	
Tools/Services Used	1. 2. 3. 4. 5.	

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Results Analysis:

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Test 4.16: Evade IDS Detection using 'OR 1=1 Equivalents

Target Organization		
URL		
Target Web Application		
Commands/Queries Used	1. 2. 3. 4. 5.	
Hex Equivalent of SQL injection Statements Used	1. 2. 3. 4. 5.	
Evaded IDS Successfully?	☐ Yes	☐ No
Is IDS Able to Detect the SQL Injection Signatures?	☐ Yes	☐ No
Response Received		
Tools/Services Used	1. 2. 3. 4. 5.	

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Results Analysis:

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Test 4.17: Evade IDS Detection using Char Encoding

Target Organization		
URL		
Target Web Application		
Queries Used with Char() function to inject SQL Injection Statements	1. 2. 3. 4. 5. 6. 7. 8. 9. 10.	
Evaded IDS Successfully?	☐ Yes	☐ No
Response Received		
Tools/Services Used	1. 2. 3. 4. 5.	

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Results Analysis:

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Test 4.18: Evade IDS Detection by Manipulating White Spaces

Target Organization			
URL			
Target Web Application			
Queries used with Manipulated White Spaces	1. 2. 3. 4. 5. 6. 7. 8. 9. 10.		
Evaded IDS Successfully?		☐ Yes	☐ No
Response Received			
Tools/Services Used	1. 2. 3. 4. 5.		

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Results Analysis:

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Test 4.19: Evade IDS Detection using Inline Comments

Target Organization		
URL		
Target Web Application		
Queries Used with In-line Comments	1. 2. 3. 4. 5. 6. 7. 8. 9. 10.	
Evaded IDS Successfully?	☐ Yes	☐ No
Response Received		
Tools/Services Used	1. 2. 3. 4. 5.	

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Results Analysis:

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Test 4.20: Evade IDS Detection using Obfuscated Code

Target Organization		
URL		
Target Web Application		
Queries used with Obfuscated Code	1. 2. 3. 4. 5. 6. 7. 8. 9. 10.	
Bypassed Signature Detection of the IDS System Successfully?	☐ Yes	☐ No
Response Received		
Tools/Services Used	1. 2. 3. 4. 5.	

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Results Analysis:

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Test 4.21: Bypass Website Authentication using SQL Injection

Target Organization		
URL		
Target Web Application		
Queries Used to Bypass Website Authentication	1. 2. 3. 4. 5. 6. 7. 8. 9. 10.	
Bypassed Website Authentication using SQL Injection Successfully?	☐ Yes	☐ No
Response Received		
Tools/Services Used	1. 2. 3. 4. 5.	

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Results Analysis:

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Test 4.22: Perform a Function-Call Injection Attack

Target Organization			
URL			
Target Web Application			
Custom or Database Functions Used to Perform SQL Injection	1. 2. 3. 4. 5.		
Queries Used to Perform SQL Injection	1. 2. 3. 4. 5.		
Performed Function Call Injection Attack Successfully?		☐ Yes	☐ No
Database Information Extracted			
Tools/Services Used	1. 2. 3. 4. 5.		

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Results Analysis:

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Test 4.23: Perform a Buffer Overflow Attack

Target Organization		
URL		
Target Web Application		
Standard Database Functions that are Liable to Buffer Overflow Attack	1. 2. 3. 4. 5.	
Performed Buffer Overflow Attack Successfully?	☐ Yes	☐ No
Gained Remote Access to the Operating System using Buffer Overflow?	☐ Yes	☐ No
Tools/Services Used	1. 2. 3. 4. 5.	

Results Analysis:

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Test 4.24: Access System Files and Execute Remote Commands

Target Organization	
URL	
Target Web Application	
Database Server Tested	
Functions used to Access System Files	1. 2. 3. 4. 5.
System Commands Executed	1. 2. 3. 4. 5.
Information Retrieved from System Files	
Tools/Services Used	1. 2. 3. 4. 5.

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Results Analysis:

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Test 4.25: Use OPENROWSET to Escalate Privileges on the Microsoft SQL Server

Target Organization		
URL		
Target Web Application		
Queries Used	1. 2. 3. 4. 5.	
Is Privilege Escalation Successfully done on the Microsoft SQL Server?	☐ Yes	☐ No
Admin Account Credentials		
Tools/Services Used	1. 2. 3. 4. 5.	

Results Analysis:

All Rights Reserved. Reproduction is Strictly Prohibited.

Test 5: Test for XSS Vulnerabilities

Test 5.1: Manual Test for XSS Vulnerabilities

Target Organization			
URL			
Target Web Application			
URLs/Queries Used	1. _____ 2. _____ 3. _____ 4. _____ 5. _____		
Successfully Tested URLs for XSS?		☐ Yes	☐ No
Successfully Tested Search Field for XSS?		☐ Yes	☐ No
Successfully Tested user-agent Header for XSS?		☐ Yes	☐ No
Successfully Application for XSS by Evading Filters?		☐ Yes	☐ No
List of XSS Vulnerabilities detected	1. _____ 2. _____ 3. _____ 4. _____ 5. _____		
Tools/Services Used	1. _____ 2. _____ 3. _____ 4. _____ 5. _____		

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Results Analysis:

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Test 5.2: Automated Test for XSS Vulnerabilities

Target Organization		
URL		
Target Web Application		
Commands Used		
Is Automated Test for XSS Vulnerabilities Successful?	☐ Yes	☐ No
List of XSS Vulnerabilities Detected	1. 2. 3. 4. 5.	
Tools/Services Used	1. 2. 3. 4. 5.	

Results Analysis:

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Test 6: Test for Parameter Tampering

Test 6.1: Test for URL Parameter Tampering

Target Organization			
URL			
Target Web Application			
Host Web Server			
Modified a URL: Access to a Host Web Server Successful?		☐ Yes	☐ No
Added Different Values and Manipulated Different Parts of the Website?		☐ Yes	☐ No
Test Results for modified URL Parameters of the Website	1. 2. 3. 4. 5.		
Tested Directories and File Extensions?		☐ Yes	☐ No
Identified Information from the above Test	1. 2. 3. 4. 5.		
Tested Using Different Strings or Characters?		☐ Yes	☐ No
Access to Unauthorized Parts of a Site Successful?		☐ Yes	☐ No
Scripts Sent to the URL	1. 2. 3. 4.		

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

	5.
Hidden Files and Other Information Revealed on the Host Server	1. 2. 3. 4. 5.
Manipulated URL of the Host Website	1. 2. 3. 4. 5.
Tools/Services Used	1. 2. 3. 4. 5.

Results Analysis:

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Test 6.2: Test for Hidden Field Parameter Tampering

Target Organization		
URL		
Target Web Application		
Queries Used	1. 2. 3. 4. 5.	
Successfully tested for Hidden Field Parameter Tampering?	☐ Yes	☐ No
Field Values Stored as Hidden Fields in HTML	1. 2. 3. 4. 5.	
Manipulated Hidden Fields	1. 2. 3. 4. 5.	
Tools/Services Used	1. 2. 3. 4. 5.	

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Results Analysis:

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Test 6.3: Test for Unrestricted File Upload Vulnerability

Target Organization			
URL			
Target Web Application			
Target Web Server			
Whether the Target Server Allows Unrestricted File Upload?		☐ Yes	☐ No
Validation on Approved File Types or Size is Done at?		☐ Yes	☐ No
Does the Target Application allow Upload of Oversize Files, Files Embedded with Virus?		☐ Yes	☐ No
Does the Application Validates the Uploaded File through Content-Type in HTTP Request?		☐ Yes	☐ No
Is Authorization Required for File Upload?		☐ Yes	☐ No
Identified Vulnerabilities	1. 2. 3. 4. 5. 6. 7. 8. 9. 10.		
Tools/Services Used	1. 2. 3. 4. 5.		

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Results Analysis:

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Test 6.4: Perform HTTP Response Splitting/CRLF Injection Attack

Target Organization			
URL			
Target Web Application			
CRLF Characters inserted in HTTP Headers			
HTTP Response Splitting/CRLF Injection Attack successful?		☐ Yes	☐ No
List of Vulnerabilities found while performing HTTP Response Splitting	1. 2. 3. 4. 5. 6. 7. 8. 9. 10.		
Tools/Services Used	1. 2. 3. 4. 5.		

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Results Analysis:

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Test 7: Test for Weak Cryptography Vulnerabilities

Test 7.1: Check for Insufficient Transport Layer Protection

Target Organization		
URL		
Target Web Application		
Checked for Insufficient Transport Layer Protection?	☐ Yes	☐ No
Checked for Underprivileged SSL setup?	☐ Yes	☐ No
Are Phishing and MITM Attacks Successful?	☐ Yes	☐ No
Identified Vulnerabilities	1. 2. 3. 4. 5. 6. 7. 8. 9. 10.	
Tools/Services Used	1. 2. 3. 4. 5.	

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Results Analysis:

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Test 7.2: Check for Weak SSL Ciphers

Target Organization		
URL		
Target Web Application		
Commands Used		
Performed SSL Scans and SSL Tests Successfully?	☐ Yes	☐ No
Identified SSL Services related to Web Application	1. 2. 3. 4. 5. 6. 7. 8. 9. 10.	
List of Ciphers related to Target Web Server	1. 2. 3. 4. 5. 6. 7. 8. 9. 10.	

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Identified Vulnerabilities in SSL Service	1. 2. 3. 4. 5.
Tools/Services Used	1. 2. 3. 4. 5.

Results Analysis:

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Test 7.3: Detect Use of Weak Encoding Techniques

Target Organization	
URL	
Target Web Application	
URLs/Queries Used	1. 2. 3. 4. 5. 6. 7. 8. 9. 10.
Identified Weak Encoding Techniques	1. 2. 3. 4. 5.
Tools/Services Used	1. 2. 3. 4. 5.

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Results Analysis:

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Test 8: Tests for Security Misconfiguration Vulnerabilities

Test 8.1: Test the Inner Workings of a Web Application

Target Organization		
URL		
Target Web Application		
Testing the Inner Workings of a Web Application Successful?	☐ Yes	☐ No
Identified Vulnerabilities	1. 2. 3. 4. 5.	
Tools/Services Used	1. 2. 3. 4. 5.	

Results Analysis:

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Test 8.2: Test the Database Connectivity

Target Organization			
URL			
Target Web Application			
Database Tested			
Commands/Queries Used			
Does the Web Application Provides Access Right Permissions for Limited Time?		☐ Yes	☐ No
Unrestricted Admin Access Rights Identified	1. 2. 3. 4. 5.		
Identified Insecure Communication Vulnerabilities	1. 2. 3. 4. 5.		
Tested the Input Validation Mechanism of the Web Application?		☐ Yes	☐ No
Input Validation Mechanism of the Web Application			
Successfully Established Connection with the Database by Manipulating Connection Strings?		☐ Yes	☐ No
Is the database filtering the Unauthorized Attempts to Access and Restricting the Vulnerable Connection Strings?		☐ Yes	☐ No

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Identified Vulnerabilities	1. _____ 2. _____ 3. _____ 4. _____ 5. _____
Tools/Services Used	1. _____ 2. _____ 3. _____ 4. _____ 5. _____

Results Analysis:

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Test 8.3: Test the Application Code

Target Organization	
URL	
Target Web Application	
Identified Backdoors in the Web Application	1. 2. 3. 4. 5.
Sensitive Information Extracted from Error Messages	1. 2. 3. 4. 5.
Sensitive Information Extracted from Comments in HTML Code	1. 2. 3. 4. 5.
Cleartext Credentials or Sensitive Details Stored in HTML Code	1. 2. 3. 4. 5.

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Identified Vulnerabilities	1. _____ 2. _____ 3. _____ 4. _____ 5. _____
Tools/Services Used	1. _____ 2. _____ 3. _____ 4. _____ 5. _____

Results Analysis:

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Test 8.4: Test Whether the Target Website is Protected Using Web Application Firewall (WAF)

Target Organization		
URL		
Target Web Application		
Commands Used		
Is Target Website Protected using Web Application Firewall (WAF)?	☐ Yes	☐ No
Response received		
Tools/Services Used	1. 2. 3. 4. 5.	

Results Analysis:

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Test 8.5: Test for Debug Parameters

Target Organization		
URL		
Checked for Hidden Debug Parameters in Application Pages?	☐ Yes	☐ No
Identified Hidden Debug Parameters	1. 2. 3. 4. 5.	
Identified Web Pages Containing Debug Parameters	1. 2. 3. 4. 5.	
Found any Anomalies in the Application's Responses with Parameters?	☐ Yes	☐ No
Anomalies Identified	1. 2. 3. 4. 5.	
Sent Non-Malicious Scripts to Overwrite or Manipulate Code and Debug Parameters?	☐ Yes	☐ No
Non-Malicious Script Used		

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Tools/Services Used	1. 2. 3. 4. 5.

Results Analysis:

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Test 8.6: Test for Improper Error Handling

Target Organization	
URL	
Target Web Application	
Test Results for Improper Error Handling	1. 2. 3. 4. 5.
Vulnerabilities Identified from Error Messages	1. 2. 3. 4. 5.
Information Gathered about Application Condition	1. 2. 3. 4. 5.
Tools/Services Used	1. 2. 3. 4. 5.

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Results Analysis:

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Test 9: Test for Client-Side Attack

Test 9.1: Identify the Technology used at Client-side

Target Organization	
URL	
Target Web Application	
Identified Technologies Used on the Client-Side	1. 2. 3. 4. 5.
Tools/Services Used	1. 2. 3. 4. 5.

Results Analysis:

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Test 9.2: Test the Application's Reliance on Client-Side Validation

Target Organization			
URL			
Target Web Application			
Does the Application Relies Solely on Client-Side Validation for Securing the web Application?		☐ Yes	☐ No
Tools/Services Used	1. 2. 3. 4. 5.		

Results Analysis:

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Test 9.3: Test Client-side Controls over User Input

Target Organization		
URL		
Target Web Application		
Type of Client-Side Controls Used by Applications		
Arbitrary Requests Sent to the Server Successful?	☐ Yes	☐ No
Target Server Response		
Exploitable Inputs in the Validation of Client-Side Controls	1. 2. 3. 4. 5.	
Type of validation the Client-Side Technologies Perform	1. 2. 3. 4. 5.	
Identified Vulnerabilities	1. 2. 3. 4. 5.	

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Tools/Services Used	1. 2. 3. 4. 5.

Results Analysis:

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Test 9.4: Test Transmission of Data via Client

Target Organization		
URL		
Target Web Application		
Hidden Form Fields Used by Web Application to Transmit Data	1. 2. 3. 4. 5.	
Does the Application Processes the Arbitrary Scripts Sent in the Fields?	☐ Yes	☐ No
Does the Application Transmits Opaque Data via the Client?	☐ Yes	☐ No
Obfuscation Algorithm Used by Web Application		
Identified Vulnerabilities	1. 2. 3. 4. 5.	
Tools/Services Used	1. 2. 3. 4. 5.	

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Results Analysis:

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Test 9.5: Test ActiveX controls

Target Organization	
URL	
Target Web Application	
Identified HTML Parameters for the ActiveX Controls	1. 2. 3. 4. 5.
Vulnerable ActiveX Controls	1. 2. 3. 4. 5.
Methods Executed by the Control and Test Validation Process with the Server	
Information Gathered about the Client Controls	
Tools/Services Used	1. 2. 3. 4. 5.

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Results Analysis:

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Test 9.6: Test Shockwave Flash Objects

Target Organization		
URL		
Target Web Application		
Proxy Used		
Flash Object Functions Employed by the Browser	1. 2. 3. 4. 5. 6. 7. 8.	
Data Transmitted to the Server can be Exploited and Modified?	☐ Yes	☐ No
Test Results for Shockwave Flash Objects	1. 2. 3. 4. 5.	
Tools/Services Used	1. 2. 3. 4. 5.	

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Results Analysis:

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Test 9.7: Check for Frame Injection

Target Organization		
URL		
Target Web Application		
Support Editing of Frames and Frameset Tags by Host Applications?	☐ Yes	☐ No
Vulnerable Host Site Tampered with URL Parameters		
Frameset Code on the HTML Page		
Forged Site that Controls Contents of the Host Site		
Tools/Services Used	1. 2. 3. 4. 5.	

Results Analysis:

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Test 9.8: Test with User Protection via Browser Settings

Target Organization	
URL	
Target Web Application	
Browser Settings	
Test Results for User Protection via Browser Settings	1. 2. 3. 4. 5.
Identified Vulnerabilities	1. 2. 3. 4. 5. 6. 7. 8. 9. 10.
Tools/Services Used	1. 2. 3. 4. 5.

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Results Analysis:

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Test 10: Tests for Broken Authentication and Authorization Vulnerabilities

Test 10.1: Understand the Authentication and Authorization Mechanism

Target Organization		
URL		
Target Web Application		
Authentication Mechanism Deployed in the Web Application		
Key Areas where Web Application Executes Authentication Process	1. _____ 2. _____ 3. _____ 4. _____ 5. _____	
Does the Web Application Implements an Automated Self-Registration Mechanism?	☐ Yes	☐ No
Other Authentication Technologies Deployed by Web Application	1. _____ 2. _____ 3. _____ 4. _____ 5. _____	
Tools/Services Used	1. _____ 2. _____ 3. _____ 4. _____ 5. _____	

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Results Analysis:

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Test 10.2: Test Password Quality

Target Organization			
URL			
Target Web Application			
Password Quality Rules implemented and executed on the Host Environment?		☐ Yes	☐ No
Password Validation Techniques	1. 2. 3. 4. 5.		
Tools/Services Used	1. 2. 3. 4. 5.		

Results Analysis:

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Test 10.3: Test for Username Enumeration

Target Organization	
URL	
Target Web Application	

Username Enumeration	
Valid Username	Corresponding Password
1.	1.
2.	2.
3.	3.
4.	4.

Test Results for Username Enumeration	1. 2. 3. 4. 5.
Tools/Services Used	1. 2. 3. 4. 5.

Results Analysis:

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Test 10.4: Test Resilience to Password guessing

Target Organization	
URL	
Target Web Application	
Techniques used to Gather Password List	1. 2. 3. 4. 5.
Dictionary of all possible passwords	1. 2. 3. 4. 5.
Password Attacks Performed	1. 2. 3. 4. 5.
Guessed Passwords	1. 2. 3. 4. 5.

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Tools/Services Used	1. 2. 3. 4. 5.

Results Analysis:

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Test 10.5: Perform Password Brute-forcing

Target Organization		
URL		
Target Web Application		
Cracking the log-in Passwords Successful?	☐ Yes	☐ No

Password Brute-forcing	
Valid Username	Corresponding Password
1.	1.
2.	2.
3.	3.
4.	4.

Tools/Services Used	1. 2. 3. 4. 5.

Results Analysis:

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Test 10.6: Perform Authorization Attack

Target Organization		
URL		
Target Web Application		
Identified Input Fields in Web Application		
☐ Cookies	☐ Query String	
☐ URL	☐ POST Data	
☐ Hidden Tags	☐ HTTP Headers	
Modified Valued of Input Fields in HTTP Requests		
Is the Web Application Vulnerable to Authorization Attack?	☐ Yes	☐ No
Response Received		
Tools/Services Used	1.	
	2.	
	3.	
	4.	
	5.	

Results Analysis:

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Test 10.7: Test with Multiple Accounts

Target Organization		
URL		
Target Web Application		
Whether the Accounts in Target Web Application Allow Users to Escalate Privileges?	☐ Yes	☐ No
Does the Application Allow an Account with Least Privileges to Access Functions with Higher Privileges?	☐ Yes	☐ No
Is the Attempt to Use One Account to Access Data Belonging to the Other Account Successful?	☐ Yes	☐ No
Identified Vulnerabilities	1. 2. 3. 4. 5.	
Tools/Services Used	1. 2. 3. 4. 5.	

Results Analysis:

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Test 10.8: Test with Limited Access

Target Organization	
URL	
Identifiers Associated with Other Users' Data	
Broken Access Controls Test	
Application Mapping that Uses a Low-Privileged Account	
URLs for Privileged Functions	
Results for Test with Limited Access	
Tools/Services Used	1. 2. 3. 4. 5.

Results Analysis:

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Test 10.9: Test for Insecure Access Control Methods

Target Organization	
URL	
Target Web Application	
Modified Parameters in Key Requests	1. 2. 3. 4. 5.
Application's Base Access Control Decisions	
Tools/Services Used	1. 2. 3. 4. 5.

Results Analysis:

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Test 10.10: Test Segregation in Shared Infrastructures

Target Organization		
URL		
Target Web Application		
Remote Access Facility Uses a Secure Protocol?	☐ Yes	☐ No
Customers able to Access Files, Data, and Other Resources?	☐ Yes	☐ No
Customers able to gain Information within the Hosting Environment?	☐ Yes	☐ No
Test Results for Segregation in Shared Infrastructures	1. 2. 3. 4. 5.	
Identified Vulnerabilities	1. 2. 3. 4. 5.	
Tools/Services Used	1. 2. 3. 4. 5.	

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Results Analysis:

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Test 10.11: Test Segregation between ASP-hosted Applications

Target Organization			
URL			
Target Web Application			
Application Belongs to an ASP-host Service?		☐ Yes	☐ No
Identified Shared Components	1. 2. 3. 4. 5.		
Common Database Uses a Shared Environment?		☐ Yes	☐ No
Configuration Settings of the Shared Database	1. 2. 3. 4. 5.		
Tools/Services Used	1. 2. 3. 4. 5.		

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Results Analysis:

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Test 11: Tests for Broken Session Management Vulnerabilities

Test 11.1: Understand the Session Management Mechanism

Target Organization			
URL			
Target Web Application			
Session Management Mechanism Used			
Authentication Process Used to Identify Users			
Items Used to Transmit Session Tokens	1. 2. 3. 4. 5.		
Does the Web Application Validates Each Token Completely?		☐ Yes	☐ No
Identified Vulnerabilities	1. 2. 3. 4. 5.		
Tools/Services Used	1. 2. 3. 4. 5.		

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Results Analysis:

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Test 11.2: Test Tokens for Meaning

Target Organization			
URL			
Target Web Application			
Guessed Tokens Issued to the Application			
Does any Correlations Exists Between Length of Username and Token?		☐ Yes	☐ No
Recorded Tokens Received from the Server			
Tokens Related to the Username			
Identified Vulnerabilities	1. 2. 3. 4. 5.		
Tools/Services Used	1. 2. 3. 4. 5.		

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Results Analysis:

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Test 11.3: Session Token Prediction (Test Tokens for Predictability)

Target Organization	
URL	
Target Web Application	
Guessed Tokens that are Recently Used	
Determined Valid Session Tokens from Requests Sent to Session-Dependent Page	1. 2. 3. 4. 5.
Identified Vulnerabilities	1. 2. 3. 4. 5. 6. 7. 8. 9. 10.
Tools/Services Used	1. 2. 3. 4. 5.

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Results Analysis:

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Test 11.4: Perform Session Token Sniffing

Target Organization		
URL		
Target Web Application		
List of Session Cookies Collected		
Secure Flag Set or Not?	☐ Yes	☐ No
Session Hijacking Performed?	☐ Yes	☐ No
Session Replay Performed?	☐ Yes	☐ No
MITM Attack Performed?	☐ Yes	☐ No
Test results for Session Token Sniffing	1. 2. 3. 4. 5. 6. 7. 8. 9. 10.	
Tools/Services Used	1. 2. 3. 4. 5.	

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Results Analysis:

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Test 11.5: Check for Insecure Transmission of Tokens

Target Organization		
URL		
Target Web Application		
Session Tokens Issued by the Application	1. 2. 3. 4. 5.	
Session Tokens are Transmitted Over an HTTP or HTTPS Connection?	☐ HTTP	☐ HTTPS
If Session Tokens are Transmitted Over an HTTP Connection, Is the Secure Flag Set?	☐ Yes	☐ No
Does the Application Issues a New Token whenever it Switches from HTTP to HTTPS?	☐ Yes	☐ No
Does the HTTP Stage Token Remains Active even after the Application has Switched the Protocol?	☐ Yes	☐ No
Does the HTTPS Area Web Application Contains Links to HTTP URLs?	☐ Yes	☐ No
Identified Vulnerabilities	1. 2. 3. 4. 5.	
Tools/Services Used	1. 2. 3. 4. 5.	

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Results Analysis:

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Test 11.6: Check for Disclosure of Tokens in Logs

Target Organization	
URL	
Target Web Application	
Users Authorized to Access Log Function	1. 2. 3. 4. 5.
Cases where the Web Application Transmits Session Tokens in the URL	1. 2. 3. 4. 5.
Did you Bypass the Employed Security Mechanism?	☐ Yes ☐ No
Instances where Session Tokens are transmitted within the URL	
Valid Session Tokens Issued to Users	
Sensitive Information Extracted from Session Tokens	
Tools/Services Used	1. 2. 3. 4. 5.

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Results Analysis:

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Test 11.7: Check Mapping of Tokens to Sessions

Target Organization			
URL			
Target Web Application			
Does Application Issues New Session Tokens Each Time by Logging in and Out of the Browsers?		☐ Yes	☐ No
Does the tokens Contain components that Include Information Related to the Users?		☐ Yes	☐ No
Modified User-related Components of the Token			
Resulting Token Accepted by the Application Successfully?		☐ Yes	☐ No
Identified Vulnerabilities	1. 2. 3. 4. 5. 6. 7. 8. 9. 10.		
Tools/Services Used	1. 2. 3. 4. 5.		

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Results Analysis:

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Test 11.8: Test Session Termination

Target Organization		
URL		
Target Web Application		
Session Expiration Implemented on the Server?	☐ Yes	☐ No
Logout Function Exists?	☐ Yes	☐ No
Logout Function Invalidates the User's Session on the Server?	☐ Yes	☐ No
Session Expiration Time		
Tools/Services Used	1. 2. 3. 4. 5.	

Results Analysis:

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Test 11.9: Test for Session Fixation Attack

Target Organization	
URL	
Target Web Application	
Techniques Used to "Fix" the Session ID Value	1. 2. 3. 4. 5.
Test Results for Session Fixation Attack	1. 2. 3. 4. 5.
Tools/Services Used	1. 2. 3. 4. 5.

Results Analysis:

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Test 11.10: Test for Session Hijacking

Target Organization	
URL	
Target Web Application	
Target User	
Hijacked Session	
Test Results of Session Hijacking	1. 2. 3. 4. 5.
Tools/Services Used	1. 2. 3. 4. 5.

Results Analysis:

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Test 11.11: Check for XSRF

Target Organization		
URL		
Target Web Application		
Methods Used for Transmitting Session Tokens		
Key Functionality of the Application	1. 2. 3. 4. 5.	
Techniques Used to Check XSRF Vulnerabilities		
Application Uses AJAX?	☐ Yes	☐ No
Instances for JSON Hijacking Vulnerabilities	1. 2. 3. 4. 5.	
Identified XSRF Vulnerabilities	1. 2. 3. 4. 5.	

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Tools/Services Used	1. 2. 3. 4. 5.

Results Analysis:

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Test 11.12: Check Cookie Scope

Target Organization		
URL		
Target Web Application		
Path and Domain Attributes of Set-Cookie Header		
Does the App Explicitly Uses Cookie Scope to a Parent Domain or Parent Directory	☐ Parent Domain	☐ Parent Directory
Domain Names and Paths that Receive the Cookies Issued by the App	1. 2. 3. 4. 5.	
Identified Vulnerabilities	1. 2. 3. 4. 5.	
Tools/Services Used	1. 2. 3. 4. 5.	

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Results Analysis:

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Test 11.13: Test Cookie attacks

Target Organization			
URL			
Target Web Application			
Code Used to Set the Cookies			
Unauthorized Access to Accounts Successful?		☐ Yes	☐ No
Identified Vulnerabilities	1. 2. 3. 4. 5.		
Tools/Services Used	1. 2. 3. 4. 5.		

Results Analysis:

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Test 12: Test for Web Services Security

Test 12.1: Perform Web Services Probing Attack

Target Organization			
URL			
Target Web Application			
Information Gathered			
Purpose of Application	**Functional Breakdown**	**Entry Points**	**Messages Types**
1.			
2.			
3.			
4.			
5.			
6.			
7.			
8.			
9.			
10.			
11.			
12.			
13.			
14.			
15.			
Set of Valid Requests sent to the Web Service	1. 2. 3. 4. 5.		

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Set of Malicious Requests sent to the Web Service	1. 2. 3. 4. 5.
Identified Vulnerabilities	1. 2. 3. 4. 5.
Tools/Services Used	1. 2. 3. 4. 5.

Results Analysis:

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Test 12.2: Test for XML Structure

Target Organization	
URL	
Target Web Application	
Malformed XML messages sent to the Server	

List of Parameters Validated	
1.	7.
2.	8.
3.	9.
4.	10.
5.	11.
6.	12.

Identified Vulnerabilities	1. _____ 2. _____ 3. _____ 4. _____ 5. _____
Tools/Services Used	1. _____ 2. _____ 3. _____ 4. _____ 5. _____

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Results Analysis:

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Test 12.3: Test for XML Content-level

Target Organization			
URL			
Target Web Application			
Web Service			
Can you use the Web Service by Escalated Privileges?		☐ Yes	☐ No
Code/Values Used for the Operation			
Identified Vulnerabilities	1. 2. 3. 4. 5.		
Tools/Services Used	1. 2. 3. 4. 5.		

Results Analysis:

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Test 12.4: Test for WS HTTP GET Parameters/REST attacks

Target Organization	
URL	
Target Web Application	
Query String Test for HTTP GET	1. 2. 3. 4. 5.
Result of HTTP GET Query String	1. 2. 3. 4. 5.
Identified Vulnerabilities	1. 2. 3. 4. 5.
Tools/Services Used	1. 2. 3. 4. 5.

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Results Analysis:

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Test 12.5: Test for Suspicious SOAP Attachments

Target Organization			
URL			
Target Web Application			
Commands Used			
WSDL which Accepts Attachment			
Modified Parameters or SOAP Attachments			
Does the Suspicious SOAP Attachments Compromise the target Application?		☐ Yes	☐ No
Identified Vulnerabilities	1. 2. 3. 4. 5.		
Tools/Services Used	1. 2. 3. 4. 5.		

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Results Analysis:

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Test 12.6: Test for XPath Injection Attack

Target Organization	
URL	
Target Web Application	
Values used for XPath Injection	
Code Used for XPath	
Test Results for XPath Injection Attack	1. 2. 3. 4. 5.
Tools/Services Used	1. 2. 3. 4. 5.

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Results Analysis:

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Test 12.7: Test for WS Replay

Target Organization	
URL	
Target Web Application	
Captured HTTP Traffic	
Determined Session ID Patterns	
Valid Session ID Used for the Replay Attack	
Identified Vulnerabilities	1. 2. 3. 4. 5.
Tools/Services Used	1. 2. 3. 4. 5.

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Results Analysis:

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Test 13: Test for Business Logic Flaws

Test 13.1: Test for Logic Flaws

Target Organization	
URL	
Target Web Application	
Vulnerable Code	
Identified Logic Flaws	1. 2. 3. 4. 5.
Tools/Services Used	1. 2. 3. 4. 5.

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Results Analysis:

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Test 13.2: Identify the Key Attack Surface

Target Organization	
URL	
Target Web Application	
Application Functionalities Tested	1. 2. 3. 4. 5. 6. 7. 8. 9. 10.
Identified Key Attack Surfaces	1. 2. 3. 4. 5.
Tools/Services Used	1. 2. 3. 4. 5.

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Results Analysis:

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Test 13.3: Test Multistage Processes

Target Organization	
URL	
Target Web Application	
Multistage Processes Tested	1. 2. 3. 4. 5.
Sequence of Stages that can be accessed via a series of GET or POST Requests for distinct URLs	1. 2. 3. 4. 5.
Multistage Process that Involves different users Performing Operations on the Same Set of Data	1. 2. 3. 4. 5.
Are Multistage Functions Accessed Out of Sequence?	☐ Yes ☐ No
Test Results for Multistage Processes	1. 2. 3. 4. 5.

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Tools/Services Used	1. 2. 3. 4. 5.

Results Analysis:

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Test 13.4: Test Handling of Incomplete Input

Target Organization	
URL	
Target Web Application	
Security Functions Tested	1. 2. 3. 4. 5.
Application Response Behavior	
Test Results for Handling of Incomplete Input	1. 2. 3. 4. 5.
Tools/Services Used	1. 2. 3. 4. 5.

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Results Analysis:

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Test 13.5: Test Trust Boundaries

Target Organization			
URL			
Target Web Application			
Functions Tested	1. 2. 3. 4. 5.		
Does the Application Allows Users to Access Certain Resources Based on their Identity?		☐ Yes	☐ No
Does the Application Allows Users to Access Higher Privileged Functions?		☐ Yes	☐ No
Identified Vulnerabilities	1. 2. 3. 4. 5.		
Tools/Services Used	1. 2. 3. 4. 5.		

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Results Analysis:

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Test 13.6: Test Transaction Logic

Target Organization		
URL		
Target Web Application		
Checked Application Algorithms for Adjustments Made?	☐ Yes	☐ No
Methods of Manipulating the Application's Behavior	1. 2. 3. 4. 5. 6. 7. 8. 9. 10.	
Test Results for Transaction Logic	1. 2. 3. 4. 5.	
Tools/Services Used	1. 2. 3. 4. 5.	

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Results Analysis:

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Test 14: Test for Web Server Vulnerabilities

Test 14.1: Perform HTTP Service Discovery

Target Organization	
URL	
Target Web Application	
Target Web Server	
Commands Used	
Common Ports Used by Web Servers for Different Services	1. 2. 3. 4. 5.
Identified Services that Act as Exploit Paths for Web Application Testing	1. 2. 3. 4. 5.
Tools/Services Used	1. 2. 3. 4. 5.

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Results Analysis:

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Test 14.2: Perform Banner Grabbing to Identify the Target Web Server

Target Organization	
URL	
Target Web Application	
Target Web Server	
Commands Used	
Identified Make, Model and Version of the Web Server Software	
Identified Vulnerabilities and Exploits	1. 2. 3. 4. 5. 6. 7. 8. 9.
Tools/Services Used	1. 2. 3. 4. 5.

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Results Analysis:

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Test 14.3: Perform Advanced Web Server Fingerprinting using HTTPRecon

Target Organization		
URL		
Target Web Application		
Is Web Server Fingerprinting Performed Successfully?	☐ Yes	☐ No
Information Collected	1. 2. 3. 4. 5.	
Tools/Services Used	1. 2. 3. 4. 5.	

Results Analysis:

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Test 14.4: Test for Default Credentials

Target Organization	
URL	
Target Web Application	
Target Web Server	
Located Overtly Accessible Web Servers with Administrative Interfaces that Run on Different Ports	1. 2. 3. 4. 5.

Default Credentials of Web Servers and Network Devices		
Device Type	Usernames	Passwords
1.		
2.		
3.		
4.		
5.		
6.		
7.		

Password Cracking Techniques	1. 2. 3. 4. 5.
Application Mapping Techniques	

Checked and Exploited Administrative Interfaces that are Vulnerable?	☐ Yes	☐ No

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Performed Port Scanning of the Web Server?	☐ Yes	☐ No
Administrative Interfaces of Running Applications Found on Different Ports and Targets	1. 2. 3. 4. 5.	
Tools/Services Used	1. 2. 3. 4. 5.	

Results Analysis:

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Test 14.5: Test for Dangerous HTTP Methods

Target Organization			
URL			
Target Web Application			
List of HTTP Request or Dangerous Http Methods that Can Be Exploited	1. 2. 3. 4. 5. 6. 7. 8. 9. 10.		
Enabled Web-based Distributed Authoring and Versioning (WebDAV) Methods?		☐ Yes	☐ No
Enabled Web-based Distributed Authoring and Versioning (WebDAV) Methods	1. 2. 3. 4. 5.		
Tools/Services Used	1. 2. 3. 4. 5.		

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Results Analysis:

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Test 14.6: Enumerate Webserver Directories

Target Organization	
URL	
Target Web Application	
Target web server	
Commands Used	
List of Interesting Files and Folders	1. 2. 3. 4. 5. 6. 7. 8. 9. 10.
Tools/Services Used	1. 2. 3. 4. 5.

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Results Analysis:

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Test 14.7: Test for Proxy Functionality

Target Organization			
URL			
Target Web Application			
Target Web Server			
Commands Used			
Does the Target Web Server can Act as a Proxy?		☐ Yes	☐ No
Checked HTTP Requests that Maneuver Web Servers?		☐ Yes	☐ No
Information Retrieved from the Server	1. _____ 2. _____ 3. _____ 4. _____ 5. _____		
Common Port Numbers to which HTTP Requests Connect	1. _____ 2. _____ 3. _____ 4. _____ 5. _____		
Tools/Services Used	1. _____ 2. _____ 3. _____ 4. _____ 5. _____		

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Results Analysis:

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Test 14.8: Test for Virtual Hosting Misconfiguration

Target Organization			
URL			
Target Web application			
Target Web Server			
Commands Used			
Any Misconfigurations Found in the Web Application?		☐ Yes	☐ No
HTTP Requests that Connect to the Root Directory	1. 2. 3. 4. 5.		
Identified Default Content	1. 2. 3. 4. 5.		
Identified Directory Listings	1. 2. 3. 4. 5.		

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Identified Configuration Errors	1. _____ 2. _____ 3. _____ 4. _____ 5. _____
Tools/Services Used	1. _____ 2. _____ 3. _____ 4. _____ 5. _____

Results Analysis:

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Test 14.9: Test for Web Server Software bugs

Target Organization	
URL	
Target Web Application	
Target Web Server	
Vulnerabilities Found in the Host Web Server	1. 2. 3. 4. 5.
Tools/Services Used	1. 2. 3. 4. 5.

Results Analysis:

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Test 14.10: Web Server Vulnerability Scanning using NIKTO

Target Organization		
URL		
Target Web Application		
Target Web Server		
Commands Used		
Is Vulnerability Scanning Successful?	☐ Yes	☐ No
Target IP		
Target Hostname		
Target Port		
Start Time		
Web Server OS and its Version		
Web Server Software and its Version		
Vulnerabilities Found in the Target Web Server	1. 2. 3. 4. 5.	
Tools/Services Used	1. 2. 3. 4. 5.	

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Results Analysis:

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Test 15: Test for Thick Clients Vulnerabilities

Test 15.1: Pen Testing Thick Clients

Target Organization	
URL	
Target Web Application	
Type of Testing Used	
Validation Process of Thick-client Components	
Thick Client Technologies	1. 2. 3. 4. 5.
Identified Vulnerabilities	1. 2. 3. 4. 5.
Tools/Services Used	1. 2. 3. 4. 5.

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Results Analysis:

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Test 15.2: Dynamic Testing

Target Organization	
URL	
Target Web Application	
Activities performed during Dynamic Testing	1. 2. 3. 4. 5.
Identified Vulnerabilities	1. 2. 3. 4. 5. 6. 7. 8. 9. 10.
Tools/Services Used	1. 2. 3. 4. 5.

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Results Analysis:

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Test 15.3: System Testing

Target Organization			
URL			
Target Web Application			
Activities performed during System Testing	1. 2. 3. 4. 5.		
Is the Application Storing any Sensitive Information in the Computer without the User's Knowledge?		☐ Yes	☐ No
Sensitive Information Stored on User's Computer	1. 2. 3. 4. 5.		
Files, Folders, Registries, and Processes in the Local Storage Used by Thick Clients	1. 2. 3. 4. 5.		
Identified Vulnerabilities	1. 2. 3. 4. 5.		

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Tools/Services Used	1. 2. 3. 4. 5.

Results Analysis:

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Test 15.4: Static Testing

Target Organization	
URL	
Target Web Application	
Activities performed during Static Testing	1. 2. 3. 4. 5.
Identified Vulnerabilities	1. 2. 3. 4. 5. 6. 7. 8. 9. 10.
Tools/Services Used	1. 2. 3. 4. 5.

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Results Analysis:

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Test 16: WordPress Testing

Test 16.1: Enumerate wpscan Data

Target Organization		
URL		
Target Web Application		
Commands used	**Users** _____ **Themes** _____ **Plugins** _____	
Successfully Enumerated wpscan Data?	☐ Yes	☐ No
Enumerated Users	1. _____ 2. _____ 3. _____ 4. _____	
Enumerated Themes	1. _____ 2. _____ 3. _____	
Enumerated Plugins	1. _____ 2. _____ 3. _____ 4. _____	
Tools/Services Used	1. _____ 2. _____ 3. _____ 4. _____ 5. _____	

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Results Analysis:

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.

Test 16.2: WordPress Enumeration in Metasploit

Target Organization		
URL		
Target Web Application		
Scanner Module		
Command used		
Successfully Enumerated WordPress?	☐ Yes	☐ No
Identified Usernames		
Identified Passwords		
Tools/Services Used	1. 2. 3. 4. 5.	

Results Analysis:

CPENT Template Copyright © by EC-Council
All Rights Reserved. Reproduction is Strictly Prohibited.