Internal Testing Authorization (IAUTH)

For EGS Security Solutions

Authorization to Perform Internal Information Security Assurance Procedures	INSTRUCTIONS

SECTION I – TEST ORIGIN INFORMATION

This section and Section V below are completed by the EGS Security Solutions Team and when used in conjunction with Rules of Engagement, satisfy the recommendations of NIST 800-42 for network security testing.

A. GEOGRAPHICAL DATA

1. Enter the location (street address) from which testing will occur.
2. Enter the building number in which testing equipment is located (if applicable).
3. Enter the floor on which the testing equipment is located (if applicable).
4. Enter the room in which the testing equipment is located (if applicable).

B. INTERNET PROTOCOL DATA

5. Enter the total number of IP addresses to be used for testing.
6. Enter the IP address range to be used for testing.

C. TEST DEVICE DATA

Items 7-14 apply to device “A”, the first device used for testing. Items 15-22 apply to device “B”, the second device used for testing, etc. These eight items are completed in the same manner for each device.

7, 15, 23, 31: Enter the device manufacturer name.

8, 16, 24, 32: Enter the device model number.

9, 17, 25, 33: Enter the device serial number.

10, 18, 26, 34: Enter the host name assigned to the device.

11a, 19a, 27a, 35a: Enter the Media Access Control (MAC) address assigned to the Ethernet network adapter card.

11b, 19b, 27b, 35b: Enter the Media Access Control (MAC) address assigned to the Wireless network adapter card.

12a, 20a, 28a, 36a: Enter the Internet Protocol (IP) address assigned to the Ethernet network adapter card.

12b, 20b, 28b, 36b: Enter the Internet Protocol (IP) address assigned to the wireless network adapter card.

13, 21, 29, 37: Enter the operating system and version installed on the testing device.

14, 22, 30, 38: Enter the Row-Rack-Elevation location of the test device (if applicable).

If more than four test devices will be used, enter an “X” in the “See Continuation Sheet” box and continue listing the test device information required on the continuation sheet supplied with this form.

SECTION II –TEST TARGETS

A. NETWORK SERVERS

Items 39-42 apply to range "A", the first range of IP addresses to be tested. Items 43-46 apply to range "B", the second range of IP addresses to be tested, etc. These four items are completed in the same manner for each IP address range to be tested.

39, 43, 47, 51: Enter the beginning and ending IP addresses (inclusive) for the range of network servers to be tested.

40, 44, 48, 52: Enter the IP addresses of any hosts within the range that are excluded from testing.

41, 45, 49, 53: Enter the reason that each host was excluded.

42, 46, 50, 54: Enter the number of testable IP addresses in the range (Subtract excluded hosts from number of hosts in the range).

55: Enter the number of IP addresses to be scanned in ranges A-D (Add Items 42, 46, 50 & 54).

If more than four IP address ranges are to be tested, enter an "X" in the "See Continuation Sheet" box and continue listing server IP address ranges and other information required on the continuation sheet supplied with this form.

56: Enter the number of IP addresses to be scanned in ranges E-Z from Section II A of the continuation sheet. If none, enter "0."

57: Enter the total number of Internet accessible server IP addresses to be scanned (Item 55 + Item 56).

B. NETWORK DEVICES

Network devices include all devices that are not servers or workstations.

Items 58-61 apply to range "A", the first range of IP addresses to be tested. Items 62-65 apply to range "B", the second range of IP addresses to be tested, etc. These four items are completed in the same manner for each IP address range to be tested.

58, 62, 66, 70: Enter the beginning and ending IP addresses (inclusive) for the range of network devices to be tested.

59, 63, 67, 71: Enter the IP addresses of any hosts within the range that are excluded from testing.

60, 64, 68, 72: Enter the reason that each host was excluded.

61, 65, 69, 73: Enter the number of testable IP addresses in the range (Subtract excluded hosts from number of hosts in the range).

74: Enter the number of IP addresses to be scanned in ranges A-D (Add Items 61, 65, 69 & 73).

If more than four IP address ranges are to be tested, enter an "X" in the "See Continuation Sheet" box and continue listing network device IP address ranges and other information required on the continuation sheet supplied with this form.

75: Enter the number of IP addresses to be scanned in ranges E-Z from Section II B of the continuation sheet. If none, enter "0."

76: Enter the total number of network device IP addresses to be scanned (Item 74 + Item 75).

C. WORKSTATIONS

Items 77-80 apply to range "A", the first range of IP addresses to be tested. Items 81-84 apply to range "B", the second range of IP addresses to be tested, etc. These four items are completed in the same manner for each IP address range to be tested.

77, 81, 85, 89: Enter the beginning and ending IP addresses (inclusive) for the range of network devices to be tested.

78, 82, 86, 90: Enter the IP addresses of any hosts within the range that are excluded from testing.

79, 83, 87, 91: Enter the reason that each host was excluded.

80, 84, 88, 92: Enter the number of testable IP addresses in the range (Subtract excluded hosts from number of hosts in the range).

93: Enter the number of IP addresses to be scanned in ranges A-D (Add Items 80, 84, 88 & 92).

If more than four IP address ranges are to be tested, enter an "X" in the "See Continuation Sheet" box and continue listing workstation IP address ranges and other information required on the continuation sheet supplied with this form.

94: Enter the number of IP addresses to be scanned in ranges E-Z from Section II C of the continuation sheet. If none, enter "0."

95: Enter the total number of workstation IP addresses to be scanned (Item 93 + Item 94).

SECTION III – TARGET SUMMARY

96: Enter the number of network servers from Item 57.

97: Enter the number of network devices from Item 76.

98: Enter the number of workstations from Item 95.

99: Enter the total number of network targets to be tested (Item 57 + Item 76 + Item 95).

SECTION IV –VULNERABILITY SCAN WINDOW INFORMATION

A. BLACKOUT PERIODS

100: Enter any dates on which testing is prohibited. If none, enter "NONE."

101: Enter the beginning and ending hours for any times in which testing is prohibited.

102: Enter any additional information required to clarify blackout dates or times.

B. PERMITTED TEST WINDOW

103: Enter dates on which testing is permitted.

104: Enter the beginning and ending hours in which testing is permitted.

105: Enter any additional information required to clarify testing permitted dates and times

106: Enter any additional information required to clarify entries in Section IV – Vulnerability Scan Window Information.

SECTION V –TEST ORIGIN POC INFORMATION
Items 107-111 apply to the first Point of Contact (POC) at the test origin. Items 112-116 apply to the second POC, etc. These five items are completed in the same manner for each POC. You MUST designate at least two Points of Contact. You may designate up to four POCs. These persons will be notified immediately if improperly maintained machines cease operation during network scanning or penetration testing operations. 107, 112, 117, 122: Enter the POC's full name. 108, 113, 118, 123: Enter the POC's daytime telephone number. 109, 114, 119, 124: Enter the POC's cellular or pager number for use after business hours. 110, 115, 120, 125: Enter the POC's primary email address. 111, 116, 121, 126: Enter the POC's secondary email address (if applicable). 127: Enter any additional information required to clarify test origin POC information.
SECTION VI –TARGET NETWORK POC INFORMATION
Items 128-132 apply to the first Point of Contact (POC) at the target network. Items 133-137 apply to the second POC, etc. These five items are completed in the same manner for each POC. You MUST designate at least two Points of Contact. You may designate up to four POCs. These persons will be notified in the order listed if a critical vulnerability is discovered, if improperly maintained machines cease operation during network scanning or penetration testing operations, and when testing has been completed.
128, 133, 138, 143: Enter the POC's full name. 129, 134, 139, 144: Enter the POC's daytime telephone number. 130, 135, 140, 145: Enter the POC's cellular or pager number for use after business hours. 131, 136, 141, 146: Enter the POC's primary email address. 132, 137, 142, 147: Enter the POC's secondary email address (if applicable). 148: Enter any additional information required to clarify target network POC information.
SECTION VII –ADDITIONAL INFORMATION
Use this space to record any additional information not addressed elsewhere on this form.

Once all information has been entered and verified by the tested organization, complete page 5 of 16 by entering the requested information. The person designated as the signatory MUST have the authority to authorize performance of Network (Internal) Information Security Assurance Procedures within the organization.

PRINT COMPLETED FORM, HAVE IT SIGNED BY THE RESPONSIBLE PARTY AND FAX PAGES 5-16 AND ANY CONTINUATION SHEETS TO (520) XXX-XXXX.

EGS Security Solutions	Authorization to Perform Internal Information Security Assurance Procedures

Section I - Test Origin Information

A. Geographical Data

1. Street Address	2. Building	3. Floor	4. Room

B. Internet Protocol Data

5. Number of origin IP addresses to be used	6. IP address range

C. Test Device Data

See Continuation Sheet ☐

	7. Mfgr	8. Model	9. Serial No.	10. Host Name	11a.Ethernet MAC 11b.Wireless MAC	12a. Ethernet IP 12b. Wireless IP	13. Installed OS	14. R-R-E
A								
	15. Mfgr	16. Model	17. Serial No.	18. Host Name	19a. Ethernet MAC 19b.Wireless MAC	20a.Ethernet IP 20b. Wireless IP	21. Installed OS	22. R-R-E
B								
	23. Mfgr	24. Model	25. Serial No.	26. Host Name	27a. Ethernet MAC 27b.Wireless MAC	28a. Ethernet IP 28b. Wireless IP	29. Installed OS	30. R-R-E
C								
	31. Mfgr	32. Model	33. Serial No.	34. Host Name	35a. Ethernet MAC 35b.Wireless MAC	36a. Ethernet IP 36b. Wireless IP	37. Installed OS	38. R-R-E
D								

Section II – Test Targets

A. Network Servers

See Continuation Sheet ☐

	39. IP testing range (Inclusive) _____TO _____	40. Excluded IP addresses	41. Reason for Exclusion	42. # Testable
A				
B	43. IP testing range (Inclusive) _____TO _____	44. Excluded IP addresses	45. Reason for Exclusion	46. # Testable
C	47. IP testing range (Inclusive) _____TO _____	48. Excluded IP addresses	49. Reason for Exclusion	50. # Testable
D	51. IP testing range (Inclusive) _____TO _____	52. Excluded IP addresses	53. Reason for Exclusion	54. # Testable
55. Range A-D Subtotals				

56. RANGE E-Z SUBTOTAL FROM CONTINUATION SHEET, SECTION II A				
57. TOTAL NUMBER OF NETWORK SERVERS TO BE TESTED				
B. NETWORK DEVICES				SEE CONTINUATION SHEET ☐
A	58. IP TESTING RANGE (INCLUSIVE) _____TO _____	59. EXCLUDED IP ADDRESSES	60. REASON FOR EXCLUSION	61. # TESTABLE
B	62. IP TESTING RANGE (INCLUSIVE) _____TO _____	63. EXCLUDED IP ADDRESSES	64. REASON FOR EXCLUSION	65. # TESTABLE
C	66. IP TESTING RANGE (INCLUSIVE) _____TO _____	67. EXCLUDED IP ADDRESSES	68. REASON FOR EXCLUSION	69. # TESTABLE
D	70. IP TESTING RANGE (INCLUSIVE) _____TO _____	71. EXCLUDED IP ADDRESSES	72. REASON FOR EXCLUSION	73. # TESTABLE
74. RANGE A-D SUBTOTALS				
75. RANGE E-Z SUBTOTAL FROM CONTINUATION SHEET, SECTION II B				
76. TOTAL NUMBER OF NETWORK DEVICES TO BE TESTED				

C. WORKSTATIONS				SEE CONTINUATION SHEET ☐
A	77. IP TESTING RANGE (INCLUSIVE) _____TO _____	78. EXCLUDED IP ADDRESSES	79. REASON FOR EXCLUSION	80. # TESTABLE
B	81. IP TESTING RANGE (INCLUSIVE) _____TO _____	82. EXCLUDED IP ADDRESSES	83. REASON FOR EXCLUSION	84. # TESTABLE
C	85. IP TESTING RANGE (INCLUSIVE) _____TO _____	86. EXCLUDED IP ADDRESSES	87. REASON FOR EXCLUSION	88. # TESTABLE
D	89. IP TESTING RANGE (INCLUSIVE) _____TO _____	90. EXCLUDED IP ADDRESSES	91. REASON FOR EXCLUSION	92. # TESTABLE
93. RANGE A-D SUBTOTALS				
94. RANGE E-Z SUBTOTAL FROM CONTINUATION SHEET, SECTION II C				
95. TOTAL NUMBER OF WORKSTATIONS TO BE TESTED				

SECTION III – TARGET SUMMARY	
96. TOTAL NUMBER OF NETWORK SERVERS TO BE TESTED (FROM ITEM 57 ABOVE)	
97. TOTAL NUMBER OF NETWORK DEVICES TO BE TESTED (FROM ITEM 76 ABOVE)	
98. TOTAL NUMBER OF WORKSTATIONS TO BE TESTED (FROM ITEM 95 ABOVE)	
99. TOTAL NUMBER OF NETWORK TARGETS TO BE TESTED (ITEM 96 + ITEM 97 + ITEM 98)	

SECTION IV – VULNERABILITY SCAN WINDOW INFORMATION	
A. BLACKOUT PERIODS	
100. DATES ON WHICH TESTING IS PROHIBITED: _____TO _____	101.TIMES BETWEEN WHICH TESTING IS PROHIBITED: _____TO _____
102. ADDITIONAL INFORMATION:	
B. PERMITTED TEST WINDOW	
103. DATES ON WHICH TESTING IS PERMITTED: _____TO _____	104.TIMES BETWEEN WHICH TESTING IS PERMITTED: _____TO _____
105. ADDITIONAL INFORMATION:	
106. ADDITIONAL INFORMATION PERTAINING TO VULNERABILITY SCAN WINDOW:	

SECTION V – TEST ORIGIN POC INFORMATION					
A	107. NAME	108. DAYTIME PHONE:	109. CELL PHONE:	110. EMAIL 1:	111. EMAIL 2:
B	112. NAME	113. DAYTIME PHONE:	114. CELL PHONE:	115. EMAIL 1:	116. EMAIL 2:
C	117. NAME	118. DAYTIME PHONE:	119. CELL PHONE:	120. EMAIL 1:	121. EMAIL 2:

D	122. Name	123. Daytime Phone :	124. Cell Phone :	125. Email 1 :	126. Email 2 :
127. Test Origin POC Notes:					
Section VI – Target Network POC Information					
A	128. Name	129. Daytime Phone:	130. Cell Phone:	131. Email 1:	132. Email 2:
B	133. Name	134. Daytime Phone:	135. Cell Phone:	136. Email 1:	137. Email 2:
C	138. Name	139. Daytime Phone:	140. Cell Phone:	141. Email 1:	142. Email 2:
D	143. Name	144. Daytime Phone:	145. Cell Phone:	146. Email 1:	147. Email 2:
148. Target Network POC Notes:					
Section VII – Additional Information					

1. This agreement is between _____ (Client) and EGS SECURITY SOLUTIONS.
2. Client authorizes EGS SECURITY SOLUTIONS to conduct vulnerability scanning on the IP addresses listed above. CLIENT also authorizes EGS SECURITY SOLUTIONS to attempt to penetrate the security of these systems to perform a security audit.
3. CLIENT also authorizes EGS SECURITY SOLUTIONS to access the client's DNS server(s) and any other client machines needed to perform the security audit. Detailed penetration attempts will only be made on the machines listed above.
4. CLIENT acknowledges that EGS SECURITY SOLUTIONS will use both manual and automated tools to attempt to penetrate the security of the system. CLIENT agrees to hold EGS SECURITY SOLUTIONS and any of its suppliers harmless for any problems that may occur as a direct or indirect result of the security audit. This hold-harmless clause also includes, but is not limited to, any lost time or down time to Client's business.
5. EGS SECURITY SOLUTIONS warrants that the security audit will be conducted in a professional manner and that all information will be kept confidential.
6. The results of tests performed, and any projections into the future, are subject to the risk that vulnerabilities may not be discovered due to changes in operating environments or the discovery and creation of new vulnerabilities. The potential effectiveness of the tests performed is subject to inherent limitations. Accordingly, some vulnerabilities may not be detected. Furthermore, the projections of any conclusions based on our findings to future periods are subject to the risk that changes may alter the validity of such conclusions.
7. Duration: This agreement applies for ninety (90) days from the date listed below.

Signature	
Typed or Printed Name	
Address	
City / State / Zip	
Title	
Date	
Signatory Telephone Number	
Signatory Email Address	

Authorization to Perform Internal Information Security Assurance Procedures (Con't)

SECTION I - TEST ORIGIN INFORMATION

C. TEST DEVICE DATA

	MFGR	MODEL	SERIAL NO.	HOST NAME	ETHERNET MAC	ETHERNET IP	INSTALLED OS	R-R-E
E								
					WIRELESS MAC	WIRELESS IP		
	MFGR	MODEL	SERIAL NO.	HOST NAME	ETHERNET MAC	ETHERNET IP	INSTALLED OS	R-R-E
F								
					WIRELESS MAC	WIRELESS IP		
	MFGR	MODEL	SERIAL NO.	HOST NAME	ETHERNET MAC	ETHERNET IP	INSTALLED OS	R-R-E
G								
					WIRELESS MAC	WIRELESS IP		
	MFGR	MODEL	SERIAL NO.	HOST NAME	ETHERNET MAC	ETHERNET IP	INSTALLED OS	R-R-E
H								
					WIRELESS MAC	WIRELESS IP		

SECTION II – TEST TARGETS (CONTINUATION)

A. NETWORK SERVERS

	IP TESTING RANGE (INCLUSIVE)	EXCLUDED IP ADDRESSES	REASON FOR EXCLUSION	# TESTABLE
E	_____TO _____			
F	_____TO _____			
G	_____TO _____			
H	_____TO _____			
I	_____TO _____			
J	_____TO _____			
K	_____TO _____			
L	_____TO _____			
M	_____TO _____			
N	_____TO _____			
O	_____TO _____			
P	_____TO _____			
Q	_____TO _____			
R	_____TO _____			
S	_____TO _____			
T	_____TO _____			
U	_____TO _____			
V	_____TO _____			

W	IP TESTING RANGE (INCLUSIVE) _____TO _____	EXCLUDED IP ADDRESSES	REASON FOR EXCLUSION	# TESTABLE
X	IP TESTING RANGE (INCLUSIVE) _____TO _____	EXCLUDED IP ADDRESSES	REASON FOR EXCLUSION	# TESTABLE
Y	IP TESTING RANGE (INCLUSIVE) _____TO _____	EXCLUDED IP ADDRESSES	REASON FOR EXCLUSION	# TESTABLE
Z	IP TESTING RANGE (INCLUSIVE) _____TO _____	EXCLUDED IP ADDRESSES	REASON FOR EXCLUSION	# TESTABLE
RANGE E-Z SUBTOTAL				

SECTION II – TEST TARGETS (CONTINUATION)

B. NETWORK DEVICES

	IP TESTING RANGE (INCLUSIVE)	EXCLUDED IP ADDRESSES	REASON FOR EXCLUSION	# TESTABLE
E	_____TO _____			
F	_____TO _____			
G	_____TO _____			
H	_____TO _____			
I	_____TO _____			
J	_____TO _____			
K	_____TO _____			
L	_____TO _____			
M	_____TO _____			
N	_____TO _____			
O	_____TO _____			
P	_____TO _____			
Q	_____TO _____			
R	_____TO _____			
S	_____TO _____			
T	_____TO _____			
U	_____TO _____			
V	_____TO _____			

W	IP TESTING RANGE (INCLUSIVE) _____TO _____	EXCLUDED IP ADDRESSES	REASON FOR EXCLUSION	# TESTABLE
X	IP TESTING RANGE (INCLUSIVE) _____TO _____	EXCLUDED IP ADDRESSES	REASON FOR EXCLUSION	# TESTABLE
Y	IP TESTING RANGE (INCLUSIVE) _____TO _____	EXCLUDED IP ADDRESSES	REASON FOR EXCLUSION	# TESTABLE
Z	IP TESTING RANGE (INCLUSIVE) _____TO _____	EXCLUDED IP ADDRESSES	REASON FOR EXCLUSION	# TESTABLE
RANGE E-Z SUBTOTAL				

SECTION II – TEST TARGETS (CONTINUATION)

C. WORKSTATIONS

	IP TESTING RANGE (INCLUSIVE)	EXCLUDED IP ADDRESSES	REASON FOR EXCLUSION	# TESTABLE
E	_____TO _____			
F	_____TO _____			
G	_____TO _____			
H	_____TO _____			
I	_____TO _____			
J	_____TO _____			
K	_____TO _____			
L	_____TO _____			
M	_____TO _____			
N	_____TO _____			
O	_____TO _____			
P	_____TO _____			
Q	_____TO _____			
R	_____TO _____			
S	_____TO _____			
T	_____TO _____			
U	_____TO _____			
V	_____TO _____			

W	IP TESTING RANGE (INCLUSIVE) _____TO _____	EXCLUDED IP ADDRESSES	REASON FOR EXCLUSION	# TESTABLE
X	IP TESTING RANGE (INCLUSIVE) _____TO _____	EXCLUDED IP ADDRESSES	REASON FOR EXCLUSION	# TESTABLE
Y	IP TESTING RANGE (INCLUSIVE) _____TO _____	EXCLUDED IP ADDRESSES	REASON FOR EXCLUSION	# TESTABLE
Z	IP TESTING RANGE (INCLUSIVE) _____TO _____	EXCLUDED IP ADDRESSES	REASON FOR EXCLUSION	# TESTABLE
RANGE E-Z SUBTOTAL				