External Testing Authorization (XAUTH)

For

EGS Security Solutions

Authorization to Perform External Information Security Assurance Procedures	Instructions

Section I – Test Origin Information

This section and **Section V** below are completed by the EGS Security Solutions Test Team and when used in conjunction with **Rules of Engagement**, satisfy the recommendations of NIST 800-42 for network security testing.

A. Geographical Data

1. Enter the location (street address) from which testing will occur. The default location has already been entered.
2. Enter the building number in which testing equipment is located (if applicable).
3. Enter the floor on which the testing equipment is located (if applicable).
4. Enter the room in which the testing equipment is located (if applicable).

B. Internet Protocol Data

5. Enter the total number of IP addresses to be used for testing.
6. Enter the IP address range to be used for testing. The default range has already been entered. If no additional IP addresses will be used, enter "AND NO OTHER."

C. Test Device Data

Items 7-14 apply to device "A", the first device used for testing. Items 15-22 apply to device "B", the second device used for testing, etc. These eight items are completed in the same manner for each device.

7, 15, 23, 31: Enter the device manufacturer name.

8, 16, 24, 32: Enter the device model number.

9, 17, 25, 33: Enter the device serial number.

10, 18, 26, 34: Enter the host name assigned to the device.

11, 19, 27, 35: Enter the Media Access Control (MAC) address assigned to the network adapter card used for testing.

12, 20, 28, 36: Enter the Internet Protocol (IP) address assigned to the network adapter card used for testing.

13, 21, 29, 37: Enter the operating system and version installed on the testing device.

14, 22, 30, 38: Enter the Row-Rack-Elevation location of the test device (if applicable).

SECTION II –TEST TARGETS

A. INTERNET ACCESSIBLE SERVERS

Items 39-42 apply to range "A", the first range of IP addresses to be tested. Items 43-46 apply to range "B", the second range of IP addresses to be tested, etc. These four items are completed in the same manner for each IP address range to be tested.

39, 43, 47, 51: Enter the beginning and ending IP addresses (inclusive) for the range of Internet accessible servers to be tested.

40, 44, 48, 52: Enter the IP addresses of any hosts within the range that are excluded from testing.

41, 45, 49, 53: Enter the reason that each host was excluded.

42, 46, 50, 54: Enter the number of testable IP addresses in the range (Subtract excluded hosts from number of hosts in the range).

55: Enter the number of IP addresses to be scanned in ranges A-D (Item 42 + Item 46 + Item 50 + Item 54).

56: Enter the number of IP addresses to be scanned in ranges E-P from Section II A of the continuation sheet. If none, enter "0".

57: Enter the total number of Internet accessible server IP addresses to be scanned (Item 55 + Item 56).

If more than four IP address ranges are to be tested, enter an "X" in the "See Continuation Sheet" box and continue listing server IP address ranges and other information required on the continuation sheet supplied with this form.

B. INTERNET ACCESSIBLE NETWORK DEVICES

Network devices include all devices that are not servers.

Items 58-61 apply to range "A", the first range of IP addresses to be tested. Items 62-65 apply to range "B", the second range of IP addresses to be tested, etc. These four items are completed in the same manner for each IP address range to be tested.

58, 62, 66, 70. Enter the beginning and ending IP addresses (inclusive) for the range of Internet accessible network devices to be tested.

59, 63, 67, 71. Enter the IP addresses of any hosts within the range that are excluded from testing.

60, 64, 68, 72. Enter the reason that each host was excluded.

61, 65, 69, 73. Enter the number of testable IP addresses in the range (Subtract excluded hosts from number of hosts in the range).

74. Enter the number of IP addresses to be scanned in ranges A-D (Item 61 + Item 65 + Item 69 + Item 73).

75. Enter the number of IP addresses to be scanned in ranges E-P from Section II B of the continuation sheet. If none, enter "0."

76. Enter the total number of Internet accessible network device IP addresses to be scanned (Item 74 + Item 75).

If more than four IP address ranges are to be tested, enter an "X" in the "See Continuation Sheet" box and continue listing Network Device IP address ranges and other information required on the continuation sheet supplied with this form.

SECTION III – TARGET SUMMARY

77. Enter the number of Internet accessible servers from Item 57.
78. Enter the number of Internet accessible network devices from Item 76.
79. Add Item 77 and Item 78 and enter the result.

SECTION IV –VULNERABILITY SCAN WINDOW INFORMATION

A. BLACKOUT PERIODS

80. Enter any dates on which testing is prohibited. If none, enter "NONE."
81. Enter the beginning and ending hours for any times in which testing is prohibited.
82. Enter any additional information required to clarify blackout dates or times.

B. PERMITTED TEST WINDOW

83. Enter dates on which testing is permitted.
84. Enter the beginning and ending hours in which testing is permitted.
85. Enter any additional information required to clarify testing permitted dates and times
86. Enter any additional information required to clarify entries in Section IV – Vulnerability Scan Window Information.

SECTION V –TEST ORIGIN POC INFORMATION

Items 87-91 apply to the first Point of Contact (POC) at the test origin. Items 92-96 apply to the second POC, etc. These five items are completed in the same manner for each POC. You **MUST** designate at least **two** Points of Contact. You may designate up to four POCs. These persons will be notified immediately if improperly maintained machines cease operation during network scanning or penetration testing operations.

87, 92, 97, 102: Enter the POC's full name.

88, 93, 98, 103: Enter the POC's daytime telephone number.

89, 94, 99, 104: Enter the POC's cellular or pager number for use after business hours.

90, 95, 100, 105: Enter the POC's primary email address.

91, 96, 101, 106: Enter the POC's secondary email address (if applicable).

107: Enter any additional information required to clarify test origin POC information.

SECTION VI –TARGET NETWORK POC INFORMATION

Items 108-112 apply to the first Point of Contact (POC) at the target network. Items 113-117 apply to the second POC, etc. These five items are completed in the same manner for each POC. You **MUST** designate at least **two** Points of Contact. You may designate up to four POCs. These persons will be notified in the order listed if a critical vulnerability is discovered, if improperly maintained machines cease operation during network scanning or penetration testing operations, and when testing has been completed.

108, 113, 118, 123: Enter the POC's full name.

109, 114, 119, 124: Enter the POC's daytime telephone number.

110, 115, 120, 125: Enter the POC's cellular or pager number for use after business hours.

111, 116, 121, 126: Enter the POC's primary email address.

112, 117, 122, 127: Enter the POC's secondary email address (if applicable).

128: Enter any additional information required to clarify target network POC information.

SECTION VII –ADDITIONAL INFORMATION

Use this space to record any additional information not addressed elsewhere on this form.

Once all information has been entered and verified by the tested organization, complete page 5 of 10 by entering the requested information. The person designated as the signatory MUST have the authority to authorize performance of Internet (External) Information Security Assurance Procedures within the organization.

PRINT COMPLETED FORM, HAVE IT SIGNED BY THE RESPONSIBLE PARTY AND FAX PAGES 5-10 AND ANY CONTINUATION SHEETS TO (520) XXX-XXXX.

SECTION I - TEST ORIGIN INFORMATION

A. GEOGRAPHICAL DATA

1. STREET ADDRESS	2. BUILDING	3. FLOOR	4. ROOM

B. INTERNET PROTOCOL DATA

5. NUMBER OF ORIGIN IP ADDRESSES TO BE USED	6. IP ADDRESS RANGE
_____	_____ & _____

C. TEST DEVICE DATA

A	7. MFGR	8. MODEL	9. SERIAL NO.	10. HOST NAME	11. MAC	12. IP	13. INSTALLED OS	14. R-R-E
B	15. MFGR	16. MODEL	17. SERIAL NO.	18. HOST NAME	19. MAC	20. IP	21. INSTALLED OS	22. R-R-E
C	23. MFGR	24. MODEL	25. SERIAL NO.	26. HOST NAME	27. MAC	28. IP	29. INSTALLED OS	30. R-R-E
D	31. MFGR	32. MODEL	33. SERIAL NO.	34. HOST NAME	35. MAC	36. IP	37. INSTALLED OS	38. R-R-E

SECTION II – TEST TARGETS

A. INTERNET ACCESSIBLE SERVERS

SEE CONTINUATION SHEET ☐

A	39. IP TESTING RANGE (INCLUSIVE) _____ TO _____	40. EXCLUDED IP ADDRESSES	41. REASON FOR EXCLUSION	42. # TESTABLE
B	43. IP TESTING RANGE (INCLUSIVE) _____ TO _____	44. EXCLUDED IP ADDRESSES	45. REASON FOR EXCLUSION	46. # TESTABLE
C	47. IP TESTING RANGE (INCLUSIVE) _____ TO _____	48. EXCLUDED IP ADDRESSES	49. REASON FOR EXCLUSION	50. # TESTABLE
D	51. IP TESTING RANGE (INCLUSIVE) _____ TO _____	52. EXCLUDED IP ADDRESSES	53. REASON FOR EXCLUSION	54. # TESTABLE

55. RANGE A-D SUBTOTALS	
56. RANGE E-P SUBTOTAL FROM CONTINUATION SHEET, SECTION II A	
57. TOTAL NUMBER OF INTERNET ACCESSIBLE SERVERS TO BE TESTED	

B. INTERNET ACCESSIBLE NETWORK DEVICES

SEE CONTINUATION SHEET ☐

A	58. IP TESTING RANGE (INCLUSIVE) _____ TO _____	59. EXCLUDED IP ADDRESSES	60. REASON FOR EXCLUSION	61. # TESTABLE

B	**62. IP TESTING RANGE (INCLUSIVE)** _____TO _____	**63. EXCLUDED IP ADDRESSES**	**64. REASON FOR EXCLUSION**	**65. # TESTABLE**
C	**66. IP TESTING RANGE (INCLUSIVE)** _____TO _____	**67. EXCLUDED IP ADDRESSES**	**68. REASON FOR EXCLUSION**	**69. # TESTABLE**
D	**70. IP TESTING RANGE (INCLUSIVE)** _____TO _____	**71. EXCLUDED IP ADDRESSES**	**72. REASON FOR EXCLUSION**	**73. # TESTABLE**
74. RANGE A-D SUBTOTALS				
75. RANGE E-P SUBTOTAL FROM CONTINUATION SHEET, SECTION II B				
76. TOTAL NUMBER OF INTERNET ACCESSIBLE NETWORK DEVICES TO BE TESTED				
SECTION III – TARGET SUMMARY				
77. TOTAL NUMBER OF INTERNET ACCESSIBLE SERVERS TO BE TESTED (FROM ITEM 57 ABOVE)				
78. TOTAL NUMBER OF INTERNET ACCESSIBLE NETWORK DEVICES TO BE TESTED (FROM ITEM 76 ABOVE)				
79. TOTAL NUMBER OF INTERNET ACCESSIBLE TARGETS TO BE TESTED (ITEM 77 + ITEM 78)				

SECTION IV – VULNERABILITY SCAN WINDOW INFORMATION	
A. BLACKOUT PERIODS	
80. DATES ON WHICH TESTING IS PROHIBITED: _____TO _____	**81.TIMES BETWEEN WHICH TESTING IS PROHIBITED:** _____TO _____
82. ADDITIONAL INFORMATION:	
B. PERMITTED TEST WINDOW	
83. DATES ON WHICH TESTING IS PERMITTED: _____TO _____	**84.TIMES BETWEEN WHICH TESTING IS PERMITTED:** _____TO _____
85. ADDITIONAL INFORMATION:	
86. ADDITIONAL INFORMATION PERTAINING TO VULNERABILITY SCAN WINDOW:	

SECTION V – TEST ORIGIN POC INFORMATION					
A	**87. NAME**	**88. DAYTIME PHONE :**	**89. CELL PHONE :**	**90. EMAIL 1 :**	**91. EMAIL 2 :**
B	**92. NAME**	**93. DAYTIME PHONE :**	**94. CELL PHONE :**	**95. EMAIL 1 :**	**96. EMAIL 2 :**
C	**97. NAME**	**98. DAYTIME PHONE :**	**99. CELL PHONE :**	**100. EMAIL 1 :**	**101. EMAIL 2 :**
D	**102. NAME**	**103. DAYTIME PHONE :**	**104. CELL PHONE :**	**105. EMAIL 1 :**	**106. EMAIL 2 :**
107. TEST ORIGIN POC NOTES:					

SECTION VI – TARGET NETWORK POC INFORMATION					
A	**108. NAME**	**109. DAYTIME PHONE :**	**110. CELL PHONE :**	**111. EMAIL 1 :**	**112. EMAIL 2 :**
B	**113. NAME**	**114. DAYTIME PHONE :**	**115. CELL PHONE :**	**116. EMAIL 1 :**	**117. EMAIL 2 :**
C	**118. NAME**	**119. DAYTIME PHONE :**	**120. CELL PHONE :**	**121. EMAIL 1 :**	**122. EMAIL 2 :**
D	**123. NAME**	**124. DAYTIME PHONE :**	**125. CELL PHONE :**	**126. EMAIL 1 :**	**127. EMAIL 2 :**
128. TARGET NETWORK POC NOTES:					

SECTION VII – ADDITIONAL INFORMATION

1. This agreement is between _____ (Client) and EGS Security Solutions.
2. Client authorizes EGS Security Solutions to conduct vulnerability scanning on the IP addresses listed above. CLIENT also authorizes EGS Security Solutions to attempt to penetrate the security of these systems to perform a security audit.
3. CLIENT also authorizes EGS Security Solutions to access the client's DNS server(s) and any other client machines needed to perform the security audit. Detailed penetration attempts will only be made on the machines listed above.
4. CLIENT acknowledges that EGS Security Solutions will use both manual and automated tools to attempt to penetrate the security of the system. CLIENT agrees to hold EGS Security Solutions and any of its suppliers harmless for any problems that may occur as a direct or indirect result of the security audit. This hold-harmless clause also includes, but is not limited to, any lost time or down time to Client's business.
5. EGS Security Solutions warrants that the security audit will be conducted in a professional manner and that all information will be kept confidential.
6. The results of tests performed, and any projections into the future, are subject to the risk that vulnerabilities may not be discovered due to changes in operating environments or the discovery and creation of new vulnerabilities. The potential effectiveness of the tests performed is subject to inherent limitations. Accordingly, some vulnerabilities may not be detected. Furthermore, the projections of any conclusions based on our findings to future periods are subject to the risk that changes may alter the validity of such conclusions.
7. **Duration:** This agreement applies for ninety (90) days from the date listed below.

Signature	
Typed or Printed Name	
Address	
City / State / Zip	
Title	
Date	
Signatory Telephone Number	
Signatory Email Address	

SECTION II – TEST TARGETS (CONTINUATION)

A. INTERNET ACCESSIBLE SERVERS

SEE CONTINUATION SHEET ☐

	IP TESTING RANGE (INCLUSIVE)	EXCLUDED IP ADDRESSES	REASON FOR EXCLUSION	# TESTABLE
E	_____TO _____			
F	_____TO _____			
G	_____TO _____			
H	_____TO _____			
I	_____TO _____			
J	_____TO _____			
K	_____TO _____			
L	_____TO _____			
M	_____TO _____			
N	_____TO _____			
O	_____TO _____			
P	_____TO _____			
RANGE E-P SUBTOTAL				

B. INTERNET ACCESSIBLE NETWORK DEVICES

SEE CONTINUATION SHEET ☐

	IP TESTING RANGE (INCLUSIVE)	EXCLUDED IP ADDRESSES	REASON FOR EXCLUSION	# TESTABLE
E	_____TO _____			
F	_____TO _____			
G	IP TESTING RANGE (INCLUSIVE)	EXCLUDED IP ADDRESSES	REASON FOR EXCLUSION	# TESTABLE

	_____TO _____			
H	IP TESTING RANGE (INCLUSIVE) _____TO _____	EXCLUDED IP ADDRESSES	REASON FOR EXCLUSION	# TESTABLE
I	IP TESTING RANGE (INCLUSIVE) _____TO _____	EXCLUDED IP ADDRESSES	REASON FOR EXCLUSION	# TESTABLE
J	IP TESTING RANGE (INCLUSIVE) _____TO _____	EXCLUDED IP ADDRESSES	REASON FOR EXCLUSION	# TESTABLE
K	IP TESTING RANGE (INCLUSIVE) _____TO _____	EXCLUDED IP ADDRESSES	REASON FOR EXCLUSION	# TESTABLE
L	IP TESTING RANGE (INCLUSIVE) _____TO _____	EXCLUDED IP ADDRESSES	REASON FOR EXCLUSION	# TESTABLE
M	IP TESTING RANGE (INCLUSIVE) _____TO _____	EXCLUDED IP ADDRESSES	REASON FOR EXCLUSION	# TESTABLE
N	IP TESTING RANGE (INCLUSIVE) _____TO _____	EXCLUDED IP ADDRESSES	REASON FOR EXCLUSION	# TESTABLE
O	IP TESTING RANGE (INCLUSIVE) _____TO _____	EXCLUDED IP ADDRESSES	REASON FOR EXCLUSION	# TESTABLE
P	IP TESTING RANGE (INCLUSIVE) _____TO _____	EXCLUDED IP ADDRESSES	REASON FOR EXCLUSION	# TESTABLE
74. RANGE E-P SUBTOTAL				