<u>Dashboard</u> / <u>My courses</u> / <u>PSPP/PUP</u> / <u>Experiments based on Variables, Datatypes in Python.</u> / <u>Week1 Coding</u>

Started on	Wednesday, 13 March 2024, 2:36 PM
State	Finished
Completed on	Wednesday, 20 March 2024, 2:59 PM
Time taken	7 days
Marks	4.00/6.00
Grade	66.67 out of 100.00

```
Question 1
Correct
Mark 1.00 out of 1.00
```

Write a program to convert strings to an integer and float and display its type.

Sample Input:

10

10.9

Sample Output:

10,<class 'int'>

10.9, < class 'float' >

For example:

Input	Result
10	10, <class 'int'=""></class>
10.9	10.9, <class 'float'=""></class>

Answer: (penalty regime: 0 %)

Ace editor not ready. Perhaps reload page?

Falling back to raw text area.

```
s=input()
s1=input()
a=int(s)
b=float(s1)
b=round(b,1)
print(a,end="")
print(",",end="")
print(type(a))
print(b,end="")
print(",",end="")
print(type(b))
```

	Input	Expected	Got	
~	10 10.9	10, <class 'int'=""> 10.9,<class 'float'=""></class></class>	10, <class 'int'=""> 10.9,<class 'float'=""></class></class>	~
~	12 12.5	12, <class 'int'=""> 12.5,<class 'float'=""></class></class>	12, <class 'int'=""> 12.5,<class 'float'=""></class></class>	~
~	89 7.56	89, <class 'int'=""> 7.6,<class 'float'=""></class></class>	89, <class 'int'=""> 7.6,<class 'float'=""></class></class>	~
~	55000 56.2	55000, <class 'int'=""> 56.2,<class 'float'=""></class></class>	55000, <class 'int'=""> 56.2,<class 'float'=""></class></class>	~
~	2541 2541.679	2541, <class 'int'=""> 2541.7,<class 'float'=""></class></class>	2541, <class 'int'=""> 2541.7,<class 'float'=""></class></class>	~

Passed all tests! <



Marks for this submission: 1.00/1.00.

Question **2**Correct

Mark 1.00 out of 1.00

Ramesh's basic salary is input through the keyboard. His dearness allowance is 40% of his basic salary, and his house rent allowance is 20% of his basic salary. Write a program to calculate his gross salary.

Sample Input:

10000

Sample Output:

16000

For example:

Input	Result
10000	16000

Answer: (penalty regime: 0 %)

Ace editor not ready. Perhaps reload page?

Falling back to raw text area.

a=int(input())
b=a*0.40
c=a*0.20
d=a+b+c
print(d)

	Input	Expected	Got	
~	10000	16000	16000.0	~
~	20000	32000	32000.0	~
~	28000	44800	44800.0	~
~	5000	8000	8000.0	~

Passed all tests! ✓

Correct

Marks for this submission: 1.00/1.00.

Question **3**Correct

Mark 1.00 out of 1.00

Write a simple python program to find the square root of a given floating point number. The output should be displayed with 3 decimal places.

Sample Input:

8.00

Sample Output:

2.828

For example:

Input	Result	
14.00	3.742	

Answer: (penalty regime: 0 %)

Ace editor not ready. Perhaps reload page?

Falling back to raw text area.

```
a=float(input())
b=a**0.5
print("%0.3f"%b)
```

	Input	Expected	Got	
~	8.00	2.828	2.828	~
~	14.00	3.742	3.742	~
~	4.00	2.000	2.000	~
~	487	22.068	22.068	~

Passed all tests! ✓

Correct

Marks for this submission: 1.00/1.00.

Question **4**Correct
Mark 1.00 out of 1.00

Alfred buys an old scooter for Rs. X and spends Rs. Y on its repairs. If he sells the scooter for Rs. Z (Z>X+Y). Write a program to help Alfred to find his gain percent. Get all the above-mentioned values through the keyboard and find the gain percent.

Input Format:

The first line contains the Rs X

The second line contains Rs Y

The third line contains Rs Z

Sample Input:

10000

250

15000

Sample Output:

46.34 is the gain percent.

For example:

Input	Result				
45500	30.43 is the gain percent.				
500					
60000					

Answer: (penalty regime: 0 %)

Ace editor not ready. Perhaps reload page?

Falling back to raw text area.

```
x=int(input())
y=int(input())
z=int(input())
a=z-(x+y)
b=a/(x+y)*100
c="%0.2f"%b
print(c,"is the gain percent.")
```

	Input	Expected	Got	
~	10000 250 15000	46.34 is the gain percent.	46.34 is the gain percent.	~
~	45500 500 60000	30.43 is the gain percent.	30.43 is the gain percent.	~

	Input	Expected	Got	
~	5000 0 7000	40.00 is the gain percent.	40.00 is the gain percent.	~
~	12500 5000 18000	2.86 is the gain percent.	2.86 is the gain percent.	~

Passed all tests! ✓

Marks for this submission: 1.00/1.00.

Question 5	
Not answered	
Mark 0.00 out of 1.00	

In many jurisdictions, a small deposit is added to drink containers to encourage people to recycle them. In one particular jurisdiction, drink containers holding one liter or less have a \$0.10 deposit and drink containers holding more than one liter have a \$0.25 deposit. Write a program that reads the number of containers of each size(less and more) from the user. Your program should continue by computing and displaying the refund that will be received for returning those containers. Format the output so that it includes a dollar sign and always displays exactly two decimal places.

Sample Input

10

20

Sample Output

Your total refund will be \$6.00.

For example:

Input	Result
20	Your total refund will be \$7.00.
20	

Answer: (penalty regime: 0 %)

Ace editor not ready. Perhaps reload page?

Falling back to raw text area.

```
Question 6
Incorrect
Mark 0.00 out of 1.00
```

Justin is a carpenter who works on an hourly basis. He works in a company where he is paid Rs 50 for an hour on weekdays and Rs 80 for an hour on weekends. He works 10 hrs more on weekdays than weekends. If the salary paid for him is given, write a program to find the number of hours he has worked on weekdays and weekends.

Hint:

If the final result(hrs) are in -ve convert that to +ve using abs() function

The abs() function returns the absolute value of the given number.

```
number = -20
absolute_number = abs(number)
print(absolute_number)
# Output: 20
```

Sample Input:

450

Sample Output:

weekdays 10.38

weekend 0.38

For example:

Input	Result
450	weekdays 10.38 weekend 0.38

Answer: (penalty regime: 0 %)

Ace editor not ready. Perhaps reload page?

Falling back to raw text area.

```
a=int(input())
b=(a-500)/130
c=abs(b)
d=c+10
print("weekdays",%0.2%f"%d)
print("weekend","0.2%f"%c)
```

Incorrect

Marks for this submission: 0.00/1.00.

■ Week1_Quiz

Jump to...

Operators -