BaseCode:before

```
(base) PS C:\Users\Bhaga\Desktop\sem5\SE\L6_L7_50_recycling_rewards\lab7> python recycling_rewards_old.py
==== Running parse_collection ====
Enter material:weight in kg (e.g. paper:12): paper:12
Material and Weight: ('Paper', 12.0)

==== Running weight_average ====
Enter weights in kg as CSV (e.g. 5,12,20): 5,12,20
Average Weight: 12

==== Running net_points ====
Enter points|penalty (e.g. 80|10): 80|10
Net Points: 150.0
```

Test:before

```
recycling_rewards_old.py:10: AttributeError
=========================================================== short test summary info ============================================================
FAILED test_recycling_rewards.py::test_parse_collection_rejects_invalid_values - Failed: DID NOT RAISE ValueError
FAILED test_recycling_rewards.py::test_parse_collection_rejects_non_string_values - AttributeError: 'NoneType' object has no attribute 'split'
FAILED test_recycling_rewards.py::test_weight_average_rejects_invalid_values - Failed: DID NOT RAISE ValueError
FAILED test_recycling_rewards.py::test_weight_average_rejects_non_string_values - AttributeError: 'NoneType' object has no attribute 'split'
FAILED test_recycling_rewards.py::test_net_points_rejects_invalid_values - Failed: DID NOT RAISE ValueError
FAILED test_recycling_rewards.py::test_net_points_rejects_non_string_values - AttributeError: 'NoneType' object has no attribute 'split'
6 failed, 6 passed in 2.64s
(base) PS C:\Users\Bhaga\Desktop\sem5\SE\L6_L7_50_recycling_rewards\lab7>
```

```
(base) PS C:\Users\Bhaga\Desktop\sem5\SE\L6_L7_50_recycling_rewards\lab7> python -m pytest -q test_recycling_rewards.py
.F.F.F.F.F                                                                                                                          [100%]
================================================================ FAILURES =================================================================
_____________________________________________ test_parse_collection_rejects_invalid_values _____________________________________________

    @given(
>       st.sampled_from(
                ^^^
            [
                "",
                "paper",
                "paper:1:2",
                ":1",
                "paper:",
                "paper:-1",
                "paper:nan",
                "paper:inf",
                "paper:1e309",
            ]
        )
    )

test_recycling_rewards.py:33:
- - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -

text = ':1'

    @given(
        st.sampled_from(
            [
                "",
                "paper",
                "paper:1:2",
                ":1",
                "paper:",
                "paper:-1",
                "paper:nan",
                "paper:inf",
                "paper:1e309",
            ]
```

Test:after

```
(base) PS C:\Users\Bhaga\Desktop\sem5\SE\L6_L7_50_recycling_rewards\lab7> python -m pytest -q test_recycling_rewards.py
............
12 passed in 1.57s
(base) PS C:\Users\Bhaga\Desktop\sem5\SE\L6_L7_50_recycling_rewards\lab7>
```