

Schema SQL ●

```
1 CREATE TABLE orders (  
2   order_id INT,  
3   customer_id INT,  
4   product VARCHAR(100),  
5   category VARCHAR(50),  
6   sales INT,  
7   profit INT,  
8   order_date DATE,  
9   region VARCHAR(50)  
10 );  
11  
12 INSERT INTO orders VALUES  
13 (1, 101, 'Facewash', 'Skincare', 200, 50, '2024-03-01', 'South'),  
14 (2, 102, 'Serum', 'Skincare', 500, 150, '2024-03-02', 'North');
```

Text to DDL



Query SQL ●

```
1 SELECT SUM(sales) AS total_sales  
2 FROM orders;
```

Results

Query #1

Execution time: 0.19ms

total_sales

2100

SCHEMAS

Filter objects

amazon_sales

Tables

e-commerce datasheet -

Views

Stored Procedures

Functions

sakila

studentsdb

sys

world

Limit to 1000 rows

```
17      category,  
18      SUM(quantity ) AS total_units_sold,  
19      SUM(amount) AS total_revenue  
20  FROM `e-commerce datasheet - amazon sale report`  
21  GROUP BY category  
22  ORDER BY total_revenue DESC;  
23  • USE amazon_sales;  
24  • SELECT  
25      category,  
26      SUM(quantity) AS total_units_sold,  
27      SUM(amount) AS total_revenue  
28  FROM `e-commerce datasheet - amazon sale report`  
29  GROUP BY category
```

Result Grid



Filter Rows:

Export:



Wrap Cell Content:

	category	total_units_sold	total_revenue
▶	Set	26323	22781462.089999914
	kurta	25140	11859489.889999995
	Western Dress	7638	6098757.370000019
	Top	6147	3157162.459999999
	Ethnic Dress	588	446312.41000000003
	Blouse	567	298300.22
	Bottom	257	102081.06
	Saree	94	76068.23999999999

Administration Schemas

Information

Table: e-commerce
datasheet - amazon

Filter objects

amazon_sales

Tables

e-commerce datasheet -

Views

Stored Procedures

Functions

sakila

studentsdb

sys

world

```
49 GROUP BY `ship-state`
50 ORDER BY total_cancelled_orders DESC;
51 • SELECT * FROM `e-commerce datasheet - amazon sale
52 • USE amazon_sales;
53 • SELECT
54     `ship_state` AS indian_state,
55     COUNT(*) AS total_cancelled_orders
56 FROM `e-commerce datasheet - amazon sale report`
57 WHERE status = 'Cancelled'
58 GROUP BY `ship_state`
59 ORDER BY total_cancelled_orders DESC;
60 • USE amazon_sales;
61 • SELECT
62     `ship_state` AS indian_state,
```

Result Grid



Filter Rows:

Export:



Wrap Cell C

	indian_state	total_cancelled_orders
▶	MAHARASHTRA	1038
	KARNATAKA	798
	UTTAR PRADESH	554
	TELANGANA	545
	TAMIL NADU	485
	KERALA	423
	DELHI	316
	ANDHRA PRADESH	293

Result 11 ×

Administration Schemas

Information

Table: e-commerce
datasheet - amazon



```

60 • USE amazon_sales;
61 • SELECT
62     `ship_state` AS indian_state,
63     COUNT(*) AS total_total_orders,
64     SUM(CASE WHEN status = 'Cancelled' THEN 1 ELSE 0 END) AS total_cancelled_ord
65     ROUND(

```

Result Grid | Filter Rows: | Export: | Wrap Cell Content: ☐

	indian_state	total_total_orders	total_cancelled_orders	cancellation_rate_percentage
▶	ANDAMAN & NICOBAR	135	24	17.78
	JAMMU & KASHMIR	356	45	12.64
	KERALA	3513	423	12.04
	BIHAR	1160	126	10.86
	ANDHRA PRADESH	2742	293	10.69
	HIMACHAL PRADESH	423	44	10.40
	ODISHA	1130	116	10.27
	JHARKHAND	843	85	10.08
	MANIPUR	206	20	9.71
	MADHYA PRADESH	1350	129	9.56
	UTTAR PRADESH	5898	554	9.39
	TELANGANA	5912	545	9.22
	CHHATTISGARH	529	48	9.07
	UTTARAKHAND	882	80	9.07
	PUDUCHERRY	167	15	8.98
	MAHARASHTRA	12114	1038	8.57
	KARNATAKA	9315	798	8.57
	Gujarat	7300	700	9.59

- `USE amazon_sales;`
- `SELECT`
`DATE_FORMAT(STR_TO_DATE(order_date, '%m-%d-%y'), '%Y-%m') AS sales_month,`
`COUNT(*) AS total_orders_received,`
`SUM(quantity) AS total_units_sold, -- Switched to lower-case qty to match your table blueprint`
`SUM(amount) AS total_monthly_revenue`
`FROM `e-commerce datasheet - amazon sale report``
`WHERE order_date IS NOT NULL AND order_date != ''`
`GROUP BY sales_month`
`ORDER BY sales_month ASC;`

Full Grid | 
 Filter Rows:
 | Export: 
 | Wrap Cell Content: 

sales_month	total_orders_received	total_units_sold	total_monthly_revenue
2022-03	162	156	101683.84999999998
2022-04	45885	43936	28724028.959999867
2022-05	23676	22662	15993920.929999867