```
<%@page import="java.sql.*"%>
<%@page import="servlets.Login"%>
<%
    String driverName = "com.mysql.jdbc.Driver";
    String connectionUrl = "jdbc:mysql://flyawaydb.cyp0rsmjgi5q.ap-south-
1.rds.amazonaws.com:3306/";
    String dbName = "flyaway";
    String userId = "root";
    String password = "admin";
    try {
        Class.forName(driverName);
    } catch (ClassNotFoundException e) {
        e.printStackTrace();
    }
    Connection connection = null;
    Statement statement = null;
    ResultSet resultSet = null;
%>
<!DOCTYPE html>
<html>
<head>
    <meta name="viewport" content="width=device-width, initial-scale=1">
    <title>FlyAway Airlines</title>
    k rel = "shortcut icon" type = "image/png" href = "img/favicon.png" >
    <link rel="stylesheet" href="https://www.w3schools.com/w3css/4/w3.css">
    <link rel="stylesheet" href="https://fonts.googleapis.com/css?family=Raleway">
    <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-</pre>
awesome/4.7.0/css/font-awesome.min.css">
    k rel="stylesheet"
href="https://maxcdn.bootstrapcdn.com/bootstrap/3.4.1/css/bootstrap.min.css">
src="https://ajax.googleapis.com/ajax/libs/jquery/3.5.1/jquery.min.js"></script>
    <script
src="https://maxcdn.bootstrapcdn.com/bootstrap/3.4.1/js/bootstrap.min.js"></script</pre>
    <style>
        body, h1, h2, h3, h4, h5, h6 {font-family: "Raleway", sans-serif}
        body, html {
            height: 100%;
            line-height: 1.8;
        .bgimg-1 {
```

```
background-position: center;
            background-size: cover;
            background-image: url("img/plane.png");
            min-height: 100%;
        }
        .w3-bar .w3-button {
            padding: 16px;
        }
    </style>
</head>
<body>
<div class="w3-bar w3-white w3-card" id="myNavbar">
    <a href="/fly/index.jsp" class="w3-bar-item w3-button w3-wide"><img</pre>
src="img/favicon.png" class="img-fluid" alt="image" width="18%"> FlyAway</a>
    <div class="w3-right w3-hide-small">
        <a href="/fly/login.jsp" class="w3-bar-item w3-button"><i class="fa fa-</pre>
qear"></i> Login</a>
    </div>
</div>
<%
    if (Login.isLoggedIn) {
%>
<div class="container">
    <h2 align="center"><b>Admin Dashboard</b></h2>
    <span><strong>You are LoggedIn as : <%=Login.email%>. Your
Password is : <%=Login.password%></strong></span><br>
    <hr>>
    <div class="row">
        <div class="col-lq-3 col-md-4 col-sm-6 mb-4">
            <form method="post" action="${pageContext.request.contextPath}/change-</pre>
password.jsp">
                <button type="submit" class="btn btn-success mb-2 btn-</pre>
block">Change Password</button>
            </form>&ensp;
        </div>
        <div class="col-lq-3 col-md-4 col-sm-6 mb-4">
            <form method="post" action="${pageContext.request.contextPath}/add-</pre>
flight.jsp">
                <button type="submit" class="btn btn-success mb-2 btn-block">Add
new Flight</button>
            </form>&ensp;
        </div>
```

```
<form method="post"</pre>
action="${pageContext.request.contextPath}/login.jsp">
          <button type="submit" class="btn btn-success mb-2 btn-</pre>
block">Logout</button>
         </form>
      </div>
      <br>
   </div>
</div>
<section class="container-fluid">
   <section class="row justify-content-center">
      <section>
         <thead>
            Flight ID
               Name
               Source
               Destination
               Day
               Ticket Price
            </thead>
            <img src="${pageContext.request.contextPath}/img/route.png"</pre>
alt="route">
            <%
               try{
                   connection =
DriverManager.getConnection(connectionUrl+dbName, userId, password);
                  statement=connection.createStatement();
                  String sql ="SELECT * FROM flight";
                   resultSet = statement.executeQuery(sql);
                  while(resultSet.next()){
            %>
            <%=resultSet.getString("flight_id") %>
               <%=resultSet.getString("name") %>
               <%=resultSet.getString("source") %>
               <%=resultSet.getString("destination") %>
```

```
<%=resultSet.getString("days") %>
                 <%=resultSet.getString("ticket_price") %>
              <%
                        }
                     } catch (Exception e) {
                        e.printStackTrace();
                    }
                 }
                 else {
                     out.print("You must Login first");
                 }
              %>
              </section>
   </section>
</section>
<div class="footer" align="center">
</div>
</body>
</html>
```