AI with Durga Sir
Mastering OpenAI Codex, Work & CustomGPTs

DURGA Software Solutions®

Contents

Custom GPTs 10
Use existing GPTs 10
Creating our Custom GPTs(Create) 13
Create Custom GPT with prompt 14
Publish the Custom GPT 19
Configure 21
Creating a new Custom GPT(create) 25
Note 27
RAG based Custom GPT(Configure) 28
Company related information(RAG) 33
Configure the custom GPT 33
Action concept in custom GPT 33
Configure the custom GPT 34
Note 36
Accessing Custom application using ChatGPT(API) 37
Database creation 37
Create Project 37
Add App 37
Register App 39
Add Firebase SDK 39
Databases & Storage 41
Cloud Firestore 41
to be done 42
Codex and Work 42
Work 43
Create a new project 43
Create A document 45
Create An image 48
Provide access to system apps : paint 50
Provide access to system apps 54
Provide access to chrome browser 57

Provide access to Widows apps 60
Provide access to Computer Management 64
Create app in local folder using Codex 66
Create new project 67
Publish the app in sites 76
Lucky app 84
Create a new project 84
OpenSpec(Optional:Student) 91
AGENTS.md 92
About AGENTS.md file 92
Create a new project 93
Create AGENTS.md file 94
Generate new document with prompt 94
Generated document 96
SKILL.md 97
About SKILLS.md file 97
Plugins 97
Create an image 99
Home directory of Codex skills 101
How codex identifies the skill(using description) 102
Skills in Codex 103
Skills increase the power of Codex 103
Create once and use many times. 103
Codex loads Skills only when required 103
Every Skill must contain a “SKILL.md” file 104
The top of the “Skill.md” file contains metadata 104
Simple Example 104
Custom Skill : Creating Word Document 104
Create a directory and place the images 104
Creation of the Skill 104
To get the location of the skill installed 108
Directory structure of the custom skill 108
SKILL.md — The brain / instructions of the Skill 109

scripts/ — The actual implementation 110
assets/ — Resources used by the Skill 110
agents/openai.yaml — Agent/UI metadata 111
Installation of custom skill 111
Create a document using new custom skill 112
Disable the skill 114
Modify the skill 115
Download the skill 117
How to install the skill zip file 119
How to uninstall the skill 119
Text to Speech capability in Codex 119
Custom Skill : TTS (Text To Speech) 120
Use existing project 120
Creation of the skill 120
Skill is installed 122
Generate Text to Speech 123
Custom Skill : Songs (Gemini Lyria) 125
Use existing project 125
Creation of the skill 125
Skill is installed 126
Generate song 127
Note 129
Time Travel Vlog(Manual Process) 129
TEXT-TO-IMAGE PROMPTS(ChatGPT) 131
1. 🏺 Arriving in the Streets of Old Babylon 131
2. 🧺 Exploring Babylon's Busy Marketplace 132
3. ✍️ Watching a Scribe Make a Clay Tablet 132
4. 👑 Witnessing Hammurabi's Babylon 132
5. 🌅 Sunset Beside the Euphrates 133
Generate all 5 images at once(ChatGPT) 133
TEXT-TO-VIDEO PROMPTS(Google Flow) 134
1. 🏺 "I Think I'm Actually in Babylon" 134

2. 🧺 “This Market Is Incredible” 135
3. ✍️ “He’s Writing on Wet Clay” 136
4. 👑 “A Royal Procession Is Coming” 136
5. 🌅 “This Is Babylon at Sunset” 137

Combine all the Videos using Filmora 137

Creating Custom Skill : Flow Documentary Creator 137

Use existing project 138

Creation of the skill 138

Final Prompt 139

WhisprFlow 141

Purpose 141

Working with Wisprflow 142

Creating skill 142

Use existing project 142

Skill Vs Plugin in Codex 143

Skill 143

Plugin 143

Simple Example 144

Skill 144

Plugin (GitHub) 144

Easy Analogy 144

Quote 144

Skills websites 144

skills.sh 144

Select one skill ==> frontend-design 144

skillhub.club 146

select the skill ==> linkedin-post 147

GitHub Anthropic skills 147

MCP 147

Who introduced MCP? 147

Why was the MCP introduced? 147

Problem without MCP 148

Simple real-life example 149
Plugin 150
Pre-defined Plugin : Webapp plugin 150
Gemini Notebook(Previously NotebookLM) 155
Create a Notebook 155
Customized Plugin : Gemini Notebook Replica 158
Version-1: 158
Suggested Modifications: 158
Version-2 158
Suggested Modifications: 158
Version-3 159
Test the plugin 164
MCP Architecture 165
MCP Project : Web App(Temperature) 166
Create Application- (API End Point) 166
Create MCP server and get the MCP server url 169
Configuration of MCP server in Codex 170
Test application 173
MCP project-2 : Moive Ticket Booking App 175
Create Application- (API End Point) 175
Create MCP server and get the MCP server url 175
Configuration of MCP server in Codex 175
Test application 177
Deploy the application in netlify for the above project 178
netlify compatible project folder 178
Login in the netlify 178
Configuration of MCP server in Codex 179
Test application 179
MCP Apps : Spotify : Optional 180
MCP Apps 180
New update 25Sep2026 184
UI change 184
Work Vs Codex 185

MCP Apps2 185
Create Application and MCP Server URL 185
Configuration of MCP server in Codex 190
Test application 191
Note 196
MCP Apps3 : Remote Control 196
Configuration of remote connection 196
Connect Codex Desktop With Mobile 199
Constraints 199
Test the application using Mobile 202
Revoke access 203
Creating AI Applications 205
AI Application :ChatBot 205
Install Plugin 205
Create OpenAI API key in Codex 208
Create Chatbot App 211
Test the app 212
Publish the app in Sites 214
Check the app in sites 215
AI Application : Palm Astrology 215
Install Plugin 215
Create Palm Astrology App 219
Test the app 222
Publish the app in Sites 222
Check the app in sites 222
Gaming Applications 223
Block Blast Game 223
Bubble Game 224
Forest Paddle 225
Scheduling Tasks(Latest Update on Work September2026) 226
Work on Web vs Desktop 226
Application 226
Install Skills in web version 227

Collect news and create voice message 229
Send the file to Whatsapp channel 230
Scheduling the task 230
Ollama 231
Advantages of Ollama 231
Download Ollama and install the software : Local Machine 231
Download the model 232
Run the AI model :CLI 234
Ollama UI 235
Ollama in cloud platform 238
Massed Compute 238
Create account and login 238
Create Instance 239
Create SSH Key pair using ChatGPT 240
Connect VM through local system : CLI 244
Stop the Server Instance 245
Delete the Server Instance 246
Steps to create VM and working with ollama 247
Download and Install Ollama 247
Start Ollama 248
Allow Docker to reach Ollama 248
Verify Ollama 249
Start Open WebUI 249
Find the Docker Network 250
Configure Firewall 250
Test Open WebUI → Ollama Connection 251
Download Qwen Model 251
Run Qwen 251
To access from webui(Through browser in client machine) 252
Hermes-Agent Installation 255
Settings 258
Providers 258
Application 264

Orcarouter 266
Adding Orcarouter in Hermes Agent 268
Hermesagent Application 269
Skills in Harmes Agent 270
Install Custom Skill in Hermes Agent 271
Gemini-tts application 271
Different levels of working with AI. 273
Prompt Engineering 273
Context Engineering 273
Harness Engineering 273
Loop Engineering 273
Hermes Agents ==>Ollama models 274
Create Instance(VM) in MassedCompute 274
Create SSH Key pair using ChatGPT 275
Connect VM through local system : CLI 279
Download and Install Ollama 280
Start Ollama 280
Allow External Traffic to reach Ollama 281
Verify Ollama 281
Download Qwen Model 281
Run Qwen 282
Adding Ollama models to Hermes Agent 282
Integrating Telegram from Hermes Agent 284
Using BotFather create Bot(Telegram) 284
Copy the Bot Token to Hermes Agent Telegram Configuration 288
Restart the gateway 290
Pairing Telegram bot with Hermes Agent 290
Chat in Telegram(Desktop) 292
Hermes Agent 294
Access the Telegram through Mobile 297
Using Hermes Skills in Telegram 300
Cron Jobs in Hermes Agent 301
Cron job schedule format in Hermes 301

Scheduling jobs in Hermes Agent 301
We can schedule our own job 301
We can select Predefined Blueprints 302
Deepseek Harness 304
Installation 304
Accessing through browser 305
Openrouter API key Configuration 306
Select Workspace 309
Select Openrouter model and chat 309
Visual History 310
Create Application 315
Plugin Management 316
UI Appearance & Color Customization 317
Stop the Deepseek harness service 319
Start the Deepseek harness service 319
LangFuse 320
Openclaw 320
Installation 320
Chat 328
Creating an App 329
Install a Skill in OpenClaw(Gemini-tts) 330
Use the Skill 331

Custom GPTs

Discover **and** create custom versions of ChatGPT that combine instructions, extra knowledge, **and** any combination of skills.

Use existing GPTs

Search for "Object talks"



object_talks



object_talks



object_talks



object_talks



object_talks

Creating our Custom GPTs(Create)

We can create our own GPTs

more ==> GPTs



custom_gpts_create



custom_gpts_create

Two ways to create custom GPTs

1. Create
   Create with prompt
2. Configure
   If we have already required information



custom_gpts_create

Create Custom GPT with prompt

I want to generate a gpt to generate quote from atomic habits book by James clear. Whenever user ask **for** a quote, this GPT has to generate quote which should refers wonderful learning point **and with** some action item



custom_gpts_create

Suggest the name of the Custom GPT

It will suggest name of the GPT.

We can select the name **or** we can provide our own name also

Here it **is** suggesting "Atomic Habit Spark" **for** name of the GPT



custom_gpts_create

Suggest the Profile picture

It will suggest the profile picture.

We can select that **or** we can provide our own also



custom_gpts_create



custom_gpts_create



custom_gpts_create

Configures the settings

With our prompt ChatGPT **is** configure the settings

- Name
- Description
- Instructions
- Conversation Starters
- Knowledge
- Recommended Model

Capabilities
Actions



custom_gpts_create



custom_gpts_create



custom_gpts_create

Test the custom GPT

ChatGPT provides the Conversation Starters.
We can test by click on one of the starters



custom_gpts_create



custom_gpts_create

Publish the Custom GPT

By publish this Custom GPT it will be available to public
Three options are there

- Only me
  - Only **for** personal use
- Anyone **with** the link
  - If we share the link anyone can access our custom GPT
  - But it **is not** searchable
- GPT Store
  - By this **with** the link **and with** Search any one can access our Custom GPT



custom_gpts_create

Latest Update : https://help.openai.com/en/articles/8554397-creating-**and**-editing-gpts

New GPT Creation **and** Publishing are **not** available on personal ChatGPT accounts including F ree, Go, Plus **and** Pro

In Business Enterprise **and** Edu workspaces, GPT creation **and** editing remain available accord ing to workspace settings **and** permissions

https://help.openai.com/en/articles/8554397-creating-and-editing-gpts

Creating and editing GPTs

Learn who can create GPTs and how to configure, test, update, and manage GPTs in ChatGPT.

Updated: yesterday

We're planning to retire custom GPTs and help you build on the workflows you've already created. Instead of custom GPTs, we recommend moving your workflows to Plugins. Plugins offer a way to bring reusable instructions and connected apps together, so your guidance can work alongside the tools and information a task needs. A migration flow is planned to help you make that move.

For affected Enterprise workspaces, retirement is planned for Dec 11, 2026. Existing GPTs remain usable until retirement. Start preparing the workflows you want to keep for migration to plugins. The migration experience is targeted for Sep 17, 2026 and may not be available to every account or workspace at the same time. Migrate, test, and review access to the replacement before switching.
Other plans are expected to follow the same timeline - review notices, when available, for your account or workspace. Public GPTs created in affected Enterprise workspaces are included even when used from another plan. Read more.

Overview
Availability
Create a GPT
GPT configuration options
Name, description, and conversation starters
Name
Description
Conversation starters
Instructions
Writing effective instructions
Knowledge
File limits

custom_gpts_update_create

Overview

New GPT creation and publishing are not available on personal ChatGPT accounts, including Free, Go, Plus, and Pro.

Existing GPTs remain available to use and can still be edited if existing plan and permission requirements are met.

Users in Business, Enterprise, and Edu workspaces can create, edit, and publish GPTs when their workspace settings and permissions allow it.

Availability

GPT creation and editing are available on the web. Mobile apps support using GPTs but do not support creating them.

Personal ChatGPT accounts, including Free, Go, Plus, and Pro, cannot create or publish new GPTs. Existing GPTs remain available to use, and users can continue editing GPTs they previously created if their plan and permissions allow it.

In Business, Enterprise, and Edu workspaces, GPT creation and editing remain available according to workspace settings and permissions.

Overview
Availability
Create a GPT
GPT configuration options
Name, description, and conversation starters
Name
Description
Conversation starters
Instructions
Writing effective instructions
Knowledge
File limits

custom_gpts_update_create

Save the Custom GPT



custom_gpts_publish

https://chatgpt.com/g/g-6aa644ea10e4819194ba2ba6706fdf88-atomic-habit-spark

Configure

If we have all the required information the we can create the custom gpts using "configure"



custom_gpts_configure



custom_gpts_configure

Image : We can upload our image
Name : Life skills **with** Durga Sir - Problem Solver GPT
Description : This GPT provides step by step easy to follow solution **for** any problem
Instructions :
It **is** a Prompt.
Max 8000 Characters.
If you need to provide more context, you may want to attatch a file of Knowledge document

Just provide 4 lines of your prompt **and** at the end provide "For remaining instructions refer knowledge base"

Conversation Starters: Optional

Knowledge : upload your document here
Recommended Model : leave **for** the default value
Capabilities : leave **for** default value
Actions:



custom_gpts_configure



custom_gpts_configure



custom_gpts_configure



custom_gpts_configure



custom_gpts_configure



custom_gpts_configure

Creating a new Custom GPT(create)

DurgaSoft New batch information
https://www.durgasoftonline.com/s/pages/new-batches

Prompt:

Whenever a student **is** asking about batches information of DURGASOFT, refer the url:

https://www.durgasoftonline.com/s/pages/new-batches

Provide matched batch information **in** the following format **in** simple way.

Course Name : XXX
Faculty Name : XXX
Date **and** Time : XXX
Zoom Link/Registration Link :
Duration :

Add DURGASOFT contact information also.
If the matched batches are **not** available, then provide no matched batches. Contact DURGASOFT **for** more information



custom_gpts_create



custom_gpts_create

ChatGPT will generate **and** suggests the following

- Image
- Name
- Description
- Conversation Starters
- Recommended Model
- Capabilities

After that Create the new custom GPT

Note

The important change **is** that, as of now, personal ChatGPT accounts—including Plus—can no longer create **or** publish new custom GPTs.

Existing GPTs remain usable/editable. OpenAI **is** transitioning away from custom GPTs toward Plugins

One other important point: OpenAIs help page was updated very recently **and** says a migration flow from custom GPTs to Plugins **is** targeted **for** September 17, 2026, though availability may roll out gradually.

https://help.openai.com/en/articles/8554397-creating-**and**-editing-gpts

We're planning to retire custom GPTs **and** help you build on the workflows you've already created.

Instead of custom GPTs, we recommend moving your workflows to Plugins.

Plugins offer a way to bring reusable instructions **and** connected apps together, so your

guidance can work alongside the tools **and** information a task needs.

A migration flow **is** planned to help you make that move.

For affected Enterprise workspaces, retirement **is** planned **for** Dec 11, 2026.

Existing GPTs remain usable until retirement.

Start preparing the workflows you want to keep **for** migration to plugins.

The migration experience **is** targeted **for** Sep 17, 2026 **and** may **not** be available to every account **or** workspace at the same time.

Migrate, test, **and** review access to the replacement before switching.

Custom GPT → Plugin **is** the main migration direction.

Earlier:

ChatGPT → Custom GPT → Instructions + Knowledge + Actions

Then ChatGPT introduced stronger external integrations:

ChatGPT → Apps → Google Drive / Gmail / Slack / etc.

Now the architecture **is** becoming:

ChatGPT → Plugin → Skills + Apps + workflows

A Plugin **is** the package, **while** an App **is** typically a connection to an external service. OpenAI describes a plugin as something that can contain skills, connected apps, app templates, **or** co mbinations of these.

Plugin = Instructions/Skills + Tools/Apps + Workflow

That **is** conceptually broader than the old Custom GPT.

RAG based Custom GPT(Configure)
More GPTs ==> Create ==> Configure

Name : DURGASOFT Cricket Rules
Description : Ask any question from cricket, we can answer

Instructions:
Your are AI Assistant to answer user queries. Use knowledge base to answer all queries.

Knowledge : upload "50Rules_of_cricket.docx". Doc files are highly recommended

Create : It will give only one option ==> Only me

rag



rag



rag



rag

Use the GPT
Ask the questions related to the information provided **in** the document.
This GPT will proivde the response based on the document.
If we click on "View Source" then we can see the source **while** providing the response.

If we ask "what is wide ball", the custom GPT will repond based on the information provided **in** the document. We can see the "docx" file **in** the "View sources"



rag

If we ask "how many players in football match", Now there **is** no information related to football **in** the document.

So this custom GPT will uses its internal knowledge base **and** provide the response.

We can check this by "View sources" **is not** having any sources



rag

Update the instructions of the Custom GPT

More ==> GPTs ==> MyGPTs



rag

updata the instructions

Instructions:

Your are AI Assistant to answer user queries. Use knowledge base to answer all queries. It th e question **is** out of knowledge base just simple answer "I cannot answer as of now"



rag



rag

Company related information(RAG)

Prompt to ChatGPT to generate sample document

Create a document that has holidays info **for** Bangalore, HYD **and** Noide, Pune Employees have some different days like.. Also have some different points of contact **for** IT help.. a 2-3 page doc ument **for** company called DurgaSoft

Configure the custom GPT

More GPTs ==> Create ==> Configure

Name : DURGASOFT HOLIDAYS AND IT GUIDE
Description :

Instructions:
You are AI Assistant to answer the user questions form the knowledge base **and if** the answe r **not** available then just answer "I cannot answer as of now"

Knowledge : upload "DurgaSoft_India_Holiday_and_IT_Support_Guide.docx". Doc files are highl y recommended

Create : It will give only one option ==> Only me

Action concept in custom GPT

If we want to communicate from ChatGPt to outside applications then we will go **for** the Action

https://dummyjson.com/docs/products

https://dummyjson.com/products

ChatGPT Prompt:
https://dummyjson.com/docs/products
Give me openapi spec **for** this

It will generate an YAML file

Configure the custom GPT

More GPTs ==> Create ==> Configure

Name : DURGASOFT API DEMO GPT
Description :

Instructions:
You are AI Assistant to answer the user queries by using API defined **in** Action.

Action :
Authentication : None
Schema : Paste the schema generated by ChatGPT(YAML file)
Privacy policy : https://dummyjson.com/

Create : It will give only one option ==> Only me



custom_gpt_api



custom_gpt_api

How many products are there related to mobile phone



custom_gpt_api

DURGA
Software Solutions®



custom_gpt_api

list out **in** tabular form



custom_gpt_api

Note

OpenAI says Custom GPTs are planned **for** retirement, **with** the Enterprise migration experienc e targeted **for** September 17, 2026 **and** retirement planned **for** December 11, 2026.

Importantly, custom Actions do **not** migrate automatically; API integrations need to be rebuilt using a supported connector **or** custom MCP server

https://help.openai.com/am-et/articles/20001519-custom-gpt-retirement-**and**-migration-faq

Accessing Custom application using ChatGPT(API)

1. Firebase database create **in** test mode
2. Claude prompt **with** database configurations
3. Upload folder **in** netlify ===> Production url(Access link)
4. Provide application url **and** get openapi spec **in** yaml version 3.1.0
5. Copy this into gpt

Database creation

Create Project

http://firebase.google.com/

Create a Project
Name of the Project : gptproject2 Continue
AI assistance **for** your Firebase project
  Enable Gemini **in** Firebase : enable Continue
Google Analytics **for** your Firebase project
  Enable Google Analytics fot this project: disable Create Project Continue

Add App

Add app(web) to the project

Add App ==> Select Web App



custom_application



custom_application

Register App

Register app

App nickname : gptproject2 "Register app" Button



custom_application

Add Firebase SDK

Use <script> tag : copy the content Continue to console



custom_application



custom_application

Databases & Storage

Databases & Storage ==> Fire Store



custom_application

Cloud Firestore

Create Database

1. Select edition : Standard Edition Next

2. Database ID & location : ais-south1(Mumbai)
3. Configure : Enable start in test mode "Create" button

to be done

Prompt :

Build a task tracker app using only client-side HTML, CSS, and JavaScript.
The app must be frontend and backend both that can be deployed to Netlify as a package that can be uploaded as a folder.
Use Firebase Firestore as the database for both UI and REST Endpoints.
I need serverless functions for netlify to deploy both UI and rest endpoints
Use the following Firebase configuration:

```
<script type="module">
  // Import the functions you need from the SDKs you need
  import { initializeApp } from "https://www.gstatic.com/firebasejs/12.19.0/firebase-app.js";
  // TODO: Add SDKs for Firebase products that you want to use
  // https://firebase.google.com/docs/web/setup#available-libraries

  // Your web app's Firebase configuration
  const firebaseConfig = {
    apiKey: "XXXXXXXXXXXXXXXXXXXX",
    authDomain: "gptproject2-xxxxxxxxxxx",
    projectId: "gptproject2-8ff67",
    storageBucket: "gptproject2-xxxxxxxxxxxxxxxx",
    messagingSenderId: "640589147102",
    appId: "1:640589147102:web:c7eb02d7fd49d27fed4b4f"
  };

  // Initialize Firebase
  const app = initializeApp(firebaseConfig);
</script>
```

Codex and Work

Codex ==> Mainly for software coding and development
Work ==> For research, documents, spreadsheets, presentations and completing general business tasks

Download Codex from : https://chatgpt.com/download/

Codex is available in Go and Plus Desktop versions
Work is available in Plus Desktop version

Work

Select the Model
- GPT-6 Astra
- GPT-5.6 Sol
- GPT-5.6 Terra
- GPT-5.6 Luna
- GPT-5.5

Effort :
- Light
- Medium
- High
- Extra High

Based on the Model **and** effort the token consumption **and** generation of the documents will de pends



work

Create a new project

Create a new project **for** the work
Project Name : Richest Man **in** Babylon
Select An Empty Folder : project_work



work_new_project



work_new_project

Create A document

Prompt:

Create a document about Richest Man **in** Babylon important lessons **in** word file



work_new_project

ChatGPT creates a Python file to generate the Doc file



Name	Date modified	Type	Size
babylon_render	17-09-2026 11:56	File folder	
build_babylon_lessons.py	17-09-2026 11:55	Python Source File	
Richest_Man_in_Babylon_Important_Lessons.docx	17-09-2026 11:56	Microsoft Word Docum...	

work_new_project

Ask Permission before running the command



work_new_project



work_new_project

Create An image

Create New Chat(Work) **and** Select the Same Project
Create Good morning message image to my students **with** Richest Man **in** Babylon info



work_new_project



work_new_project

ChatGPT will generate the image **in** the Work itself
If we want to save theat image **in** the disk we can give instruction to ChatGPT
"Save the image to the folder"



work_new_project



work_new_project

Provide access to system apps : paint
Create New Chat(Work) **and** Select the Same Project
@computeruse ==> Control Windows apps
Then ChapGPT can access our system apps



work_new_project

@computer open paint app. create **or** paint an house **with** meaningfull colors



work_paint

When we give the prompt ChatGPT will open the Paint app **and** draw the house image



work_paint


Create meaningful house painting
Share
Computer create or paint an house with meaningfull colors
Working for 2m 37s
I'm using the Computer Use skill to open a drawing app and paint a colorful house, choosing warm, meaningful colors for welcome, calm, growth, and hope.
Used the browser, loaded a tool, read files, ran a co...
Paint isn't exposed through the first app-control route, so I'm switching to the bundled Windows drawing control provided by the same Computer Use plugin.
Used the browser, ran commands
Requested permission
Work with ChatGPT
GPT-5.6 Sol High
untitled - Paint
jspaint.app
Import data from Chrome
Bring over your passwords and cookies to the built-in browser
Import
File Edit View Image Colors Help Extras

work_paint



work_paint

Provide access to system apps

Create New Chat(Work) **and** Select the Same Project
@computer open notepad app **and** write 5 important financial related quotes
Then ChatGPT opens the notepad app **and** write the quotes



work_notepad



work_notepad

ChatGPT will ask the permission to open the Notepad
After that ChatGPT will write the quotes **in** the notepad

File Edit View H1

5 Important Financial Quotes

1. “An investment in knowledge pays the best interest.” — Benjamin Franklin

2. “Price is what you pay. Value is what you get.” — Warren Buffett

3. “Beware of little expenses. A small leak will sink a great ship.” — Benjamin Franklin

4. “The four most dangerous words in investing are: ‘This time it’s different.’” — Sir John Templeton

5. “Do not save what is left after spending; instead spend what is left after saving.” — Warren Buffett

Ln 11, Col 104 | 472 characters | Plain text | 100% | Windows (CRLF) | UTF-8

work_notepad



work_notepad

Provide access to chrome browser

prompt:

@Chrome open bookmyshow Tirupati check shows availability tomorrow **for** the movie Irumudi



work_chrome



work_chrome



work_chrome


Check Irumudi show ava
Share
New tab
Search or enter a URL
Import data from Chrome
Bring over your passwords and cookies to the built-in browser
Import
Working for 1m 29s
I'm using the computer-control skill to check tomorrow's Tirupati show availability on BookMyShow. I'll only inspect listings—no booking or purchase.
Used the browser, loaded a tool, ran co...
Chrome isn't currently connected to Codex, so I can't control that brov ••• I'll still check the live BookMyShow listing in the in-app browser and
Start browsing
Enter a URL to open a page
Browser
Allow ChatGPT to access
https://in.bookmyshow.com?
Allow for all sites
Deny
Allow once

work_chrome



work_chrome

Provide access to Widows apps

To enable Computer Use **for** Windows apps:

1. Open the ChatGPT/Codex desktop app.
2. Select Codex, **or** switch ChatGPT to Work.
3. Open Plugins → Computer Use.
4. Select Install plugin **or** Enable **if** shown.
5. Turn on both:
   - Computer Use server
   - Computer Use skill
6. Select Try now.
7. Open Settings → Computer Use **and** ensure Any App control **is** enabled.
8. Start a new task using @Computer. When Paint requests access, choose Allow **or** Always allo w.

Keep Paint visible **and** Windows unlocked because Computer Use controls the active desktop **a nd** takes over the mouse **and** keyboard **while** running.

Prompt:

@Computer Open mspaint app, create a cute baby girl image **and** fill **with** colors

DURGA
Software Solutions®



work_windows_app



work_windows_app



work_windows_app

Prompt:
@Computer Open paint app, create a cute baby girl image **and** fill **with** colors



work_windows_app



work_windows_app



work_windows_app

Provide access to Computer Management

@Computer Use ==> for the Windows apps access
@Computer Management ==> For Compute use

@Computer Management On the desktop there are multiple pdf files and txt files are there. cre ate a separate folder named with my_pdf_txt on the desktop and move all pdf, txt files to this fo lder

By this prompt ChatGPT will creates "my_pdf_txt" folder on windows desktop and move all pdf and txt files present on desktop to that folder

During ChatGPT access if we want to interrupt we have to use "Esc" button

DURGA
Software Solutions®



work_folder_create_move_files



work_folder_create_move_files



work_folder_create_move_files



work_folder_create_move_files

Create app in local folder using Codex

Select Codex
Start New Chat



codex_app



codex_app

Create new project
Create a new Project

Project Name : CompoundingCalc
Select An Empty Folder : componding


What should we work on in Richest Man in Babylon?
Search projects
Richest Man in Babylon
New project
Don't work in a project
Richest Man in Babylon
Do anything
Ask for approval
GPT-5.6 Sol Medium

codex_app


Create project
CompoundingCalc
Source folders
This computer
componding
Add folder
Cancel
Create project
Man in Babylon?
Richest Man in Babylon
Do anything
Ask for approval
GPT-5.6 Sol Medium

codex_app



codex_app

By default any app created by Codex **is** published **in** sites **and** provide the url
If we want to create the app **in** the local folder only without publishing we can do that as follow s

Prompt:

Creates simple compounding calculator app where currency **is** INR by using html.css **and** js. A ll files should be created **in** the local folder only **and** dont publish to sites.



codex_app



codex_app


Create INR compounding calculator
Share
Working for 3m 33s
I'm using the Sites building skill because this is a complete interactive calculator UI. I'll keep it entirely local, create the HTML/CSS/JS files in this folder, and verify the calculator behavior without publishing.
Loaded a tool, ran commands
I've confirmed the folder is empty, so I'm building a focused single-screen calculator: principal, annual rate, duration, and compounding frequency, with live INR totals and a clear principal-versus-interest breakdown. The visual direction is a clean financial ledger—deep navy, saffron accents, and restrained card styling.
Edited files, ran a command
The calculator is now implemented and passes the local file and JavaScript checks. I'm doing the final visual pass in a local preview now—still entirely on your computer, with no publishing or external hosting.
6:53 PM
Running py -m http.server 4173 --bind 127.0.0.1 --directory dist
Terminal
May I start a temporary local-only web server to visually verify the calculator in the Codex preview?
py -m http.server 4173 --bind 127.0.0.1 --directory dist
Deny Esc
Allow once

codex_app


Create INR compoundin
Share
The visual direction is a clean financial ledger—deep navy, saffron accents, and restrained card styling.
Edited files, ran a command
The calculator is now implemented and passes the local file and JavaScript checks. I'm doing the final visual pass in a local preview now—still entirely on your computer, with no publishing or external hosting.
Waiting for your answer
Awaiting approval
Browser
Allow ChatGPT to access
http://127.0.0.1:4173?
Allow for all sites
Deny
Allow once
INR Compound
New tab
127.0.0.1:4173
Import data from Chrome
Bring over your passwords and cookies to the built-in browser
Import
INVESTMENT GROWTH
Compound Calculator
YOUR INPUTS
Plan your investment
Reset
Initial investment
₹ 100000
Annual interest rate
8
%
Investment period
10
years
Compounding frequency
Monthly

codex_app


Create INR compoundin
Share
Tested successfully with no JavaScript errors. It remains local and was not published.
INR Compound Cal...
Website
Open in
Edited 3 files
+645 -0
Undo
Review
dist/index.html +146 -0
dist/script.js +61 -0
dist/styles.css +438 -0
Want fewer approval prompts?
ChatGPT can automatically approve eligible actions while it works. This may use more credits. Learn more.
Keep manual approvals
Approve for me
INR Compound
INR Compound Cal
127.0.0.1:4173
Import data from Chrome
Bring over your passwords and cookies to the built-in browser
Import
INVESTMENT GROWTH
Compound Calculator
YOUR INPUTS
Plan your investment
Reset
Initial investment
₹ 100000
Annual interest rate
8
%
Investment period
10
years
Compounding frequency
Monthly
Interest is reinvested at each interval, helping your balance grow over time.

codex_app



codex_app



codex_app



codex_app

Publish the app in sites
Prompt:

publish this to sites **and** provide public url

DURGA
Software Solutions®



codex_app

DURGA
Software Solutions®



codex_app


Create INR compounding calculator
Share
Working for 6m 6s
I'll publish the existing calculator without changing its design, then verify the deployment and return the public URL. I'm checking the available Sites publishing capability for this workspace first.
Used Sites integration, loaded a tool, edited files, ran commands
The Sites project has been created and linked to the local folder. I'm now packaging the exact calculator files into a version, then I'll switch access to public and verify the production deployment.
Waiting for your answer
Awaiting approval
Sites
Allow Sites to run sites.update_site_access tool?
access_mode
public
project_id
appgprj_6aabecc9bfb08191b93eba34ff178ed0
Always allow
Deny Esc
Allow once

codex_app

DURGA
Software Solutions®



codex_app


Create INR compoundin
Share
Requested permission
Used Sites integration
Requested permission
The site is public and the production build has started. I'm waiting for Sites to finish publishing, then I'll open the resulting URL once to confirm it loads correctly.
Waiting for your answer
Awaiting approval
Browser
Allow ChatGPT to access https://inr-compound-calculator-gopi.gopi4bigdata.chatgpt.site?
Allow for all sites
Deny
Allow once
New tab
Search or enter a URL
Import data from Chrome
Bring over your passwords and cookies to the built-in browser
Import
Start browsing
Enter a URL to open a page

codex_app



codex_app



codex_app

If the published app **is** "Just Me" then we have to make it public

Sites ==> "..." ==> Settings ==> Sharing ==> Manage ==> Select Anyone on the Internet ==> Save



codex_app



codex_app

Lucky app

Create a new project

Select Codex
Start New Chat

Create a new Project

Project Name : Lucky App
Select An Empty Folder : luckyapp

Prompt:

Create a colorful application by using html,js **and** css. use has to provide his name **and** dob. O ut application has to provide the following information

Show:
Lucky number
Lucky color
Lucky day

Lucky food
Lucky person
Lucky direction
Lucky mobile battery percentage

Examples:
Lucky number : 8
Lucky color : Blue
Lucky day : Friday
Lucky food : Biriyani
Lucky direction : Towards the kitchen
Lucky mobile battery percentage : Above 20%



codex_app



codex_app

Check sites **for** the app
It **is not** published **and** Shared **with** "Only you"

Sites ==> "..." ==> Settings ==> Sharing ==> Manage ==> Select Anyone on the Internet ==> Pub lish

DURGA
Software Solutions®



codex_app



codex_app


Sites Lucky Spark publish this site
Working for 11s
I'm using the Sites hosting workflow to publish the existing "Lucky Spark" project and verify the live deployment.
Reading Sites Hosting skill

codex_app


Publish Lucky Spark site
Share
I'm using the Sites hosting workflow to publish the existing "Lucky Spark" project and verify the live deployment.
Used Sites integration, loaded a tool, ran commands, listed chats
The site source belongs to the original "Create colorful lucky app" task, so the Sites hosting workflow requires publication to continue there. I'm handing the publish request back to that task and will wait for the verified live URL.
Waiting for your answer
Awaiting approval
Codex App
Allow the codex_app MCP server to run tool "send_message_to_thread"?
hostId
local
prompt
Publish the existing Lucky Spark Site now. Use the Sites hosting workflow, preserve its current public audience, deploy the exact current source to project appgprj_6aabf331ddb08191a0a7d4063652bb78, wait for a terminal deployment result, and return the verified production URL.
Expand
threadId
01a0afac-0344-7313-80af-78c27769617b
Deny Esc
Allow once

codex_app



codex_app

Now we can see the app under Sites



codex_app

DURGA Software Solutions®

OpenSpec(Optional:Student)

Project Specific instructions are written **in** "AGENTS.md" file
For every prompt these instructions are going to be considered

Openspec ==> install
Create a folder
open cmd **in** that folder
> openspec init
select codex **and** click on enter
it will creates folder structure ".codex" **and** "openspec"
Inside codex there are some folders are created



openspec

```
C:\WINDOWS\system32\cmd.
Microsoft Windows [Version 10.0.26200.8737]
(c) Microsoft Corporation. All rights reserved.

C:\Users\91767\OneDrive\Desktop\New folder>openspec init
√ Select tools to set up (31 available) Codex
▌ OpenSpec structure created
√ Setup complete for Codex

OpenSpec Setup Complete

Created: Codex
6 skills and 6 commands in .codex/
Config: openspec/config.yaml (schema: spec-driven)

Getting started:
  Start your first change: /opsx:propose "your idea"

Learn more: https://github.com/Fission-AI/OpenSpec
Feedback:   https://github.com/Fission-AI/OpenSpec/issues

Restart your IDE for slash commands to take effect.


C:\Users\91767\OneDrive\Desktop\New folder>
```

openspec



openspec



openspec

AGENTS.md

About AGENTS.md file

AGENTS.md file gives permanent project instructions **in** the codex
Codex reads this file before starting the work

It avoids repeating the same instructions **in** every prompts
Keep this file **in** the project root folder **for** project-wide instructions
You can add another "AGENTS.md" file inside subfolder **for** folder specific rules
Instructions **in** the nearest subfolder can override general root instructions

Create a new project
Select Codex
Start New Chat

Create a new Project

Project Name : Agents Md Project
Select An Empty Folder : agents_md_project

Prompt:

Generate a doc file **with** 5 bullet poits about AGENTS.md file



agents_md

DURGA
Software Solutions®



agents_md

Create AGENTS.md file

Create AGENTS.md file **in** the project folder
Save the below content **in** that file

Use Red color **for** headings
Use green color **for** normal text data/paragraph data
use font size as 18



agents_md

Generate new document with prompt

Codex ==> New Chat

prompt:
Provide a doc file about Richestman **in** babylon 7 important conclusions



agents_md



agents_md



agents_md

Generated document

The doc file will be generated **with** Red color **for** headings **and** Green color **for** normal text **with** font size 18 as we have mentioned **in** the "AGENTS.md" file



agents_md

SKILL.md

About SKILLS.md file

A skill gives codex a special capability **for** a particular type of work
It contains instructions, reference files, examples **and** optional scripts
Skills are useful **for** repeated workflows such as creation of reports, generating images, videos, tts etc
Every skill has a "SKILL.md" file

"SKILL.md" file explains:
- What the skill does
- When codex should use it
- Steps codex must follow
- Tools, Scripts **or** resources available
- Expected output format etc

"AGENTS.md" content will be loaded **for** every prompt
"SKILL.md" only particular skill content will be loaded based on the prompt

We can specify the skill
- explicitly
- **if** we are **not** specify the skill explicitly based on the prompt automatically the skill **is** consid ered

Plugins

When we select "Plugins" then we can see both "Plugins" **and** "Skills"

DURGA
Software Solutions®



skills



installed_skills

Whenever we are creating an image ==>Image Gen skill will be considered



Image_Gen_skill

Create an image
Codex ==> New Task

prompt:
Create an image about Procrastination



iamge_generation_prompt



iamge_generation_prompt

While generating the image it follows the "AGENTS.md" instructions
Heading **in** "Red color" **and** text **in** "Green color" **and** fonts are "18"



generated_image

Home directory of Codex skills

Codex ==> New Task

prompt:
what **is** the home directory of codex skills



skills_directory



skills_directory



skills_directory

Skills directory

"C:\Users\<user_name>\.codex\skills\.system"

How codex identifies the skill(using description)

Whenever you are sending a prompt, all installed skills are loaded
The descriptions of all loaded skills send to codex

Now codex **is** analyze the requirement based on the description which skill **is** to be considered
Specify the skill ==> Good programming practice

SKILL.md

C: > Users > Gopi > .codex > skills > .system > imagegen > SKILL.md > ...

```
1   ---
2   name: "imagegen"
3   description: "Generate or edit raster images when the task benefits from AI-created bitmap
    visuals such as photos, illustrations, textures, sprites, mockups, or transparent-background
    cutouts. Use when Codex should create a brand-new image, transform an existing image, or derive
    visual variants from references, and the output should be a bitmap asset rather than repo-native
    code or vector. Do not use when the task is better handled by editing existing SVG/vector/
    code-native assets, extending an established icon or logo system, or building the visual
    directly in HTML/CSS/canvas."
4   ---
5
6   # Image Generation Skill
7
8   Generates or edits images for the current project (for example website assets, game assets, UI
    mockups, product mockups, wireframes, logo design, photorealistic images, or infographics).
9
10  ## Top-level modes and rules
11
12  This skill has exactly two top-level modes:
13
14  - **Default built-in tool mode (preferred):** built-in `image_gen` tool for image generation,
    editing, and transparent-image requests. Does not require `OPENAI_API_KEY`.
15  - **Fallback CLI mode:** `scripts/image_gen.py` CLI. Use when the user explicitly asks for or
    confirms the CLI/API/model path. Requires `OPENAI_API_KEY`.
16
17  Within CLI fallback, the CLI exposes three subcommands:
18
```

*skill_md_*

Skills in Codex

Skills increase the power of Codex
They provide Codex **with** special knowledge, instructions **and** ready-made workflows **for** partic ular tasks.

Create once and use many times.
Once you create a Skill, you can reuse it **in** different projects.
You do **not** need to give the same instructions again **and** again.

Codex loads Skills only when required
It checks the task **and** automatically loads the suitable Skill.
This improves performance **and** avoids unnecessary information.

Every Skill must contain a "SKILL.md" file
This **is** the main instruction file of the Skill.
It explains how Codex should perform that specialized task

The top of the "Skill.md" file contains metadata
Metadata gives basic information about the Skill, mainly:
Name : The name of the Skill
Description : What the Skill does **and** when Codex should use it.

Simple Example
Suppose you create a "PDF Creation Skill"
The "SKILL.md" file may contain instructions about:
How to create professional PDFs
Which tools to use
How to format headings **and** tables
How to check the final PDF

Later, whenever you ask Codex to create a PDF, it can automatically use this Skill **and** follow t he correct process.

Simple Conclusion : A Skill **is** a reusable instruction package that helps Codex perform a speci alized task correctly **and** consistently.

Custom Skill : Creating Word Document

Create a directory and place the images
Create a separat folder ==> "skill_demo_project"
Place "logo.png" **and** "image.png" files **in** that folder

Creation of the Skill
Plugins ==> Skills ==> Skill Creator(Create or update a skill)



custom_skill

Codex ==> New Chat

Create a new Project

Project Name : Skill Demo Project
Select An Empty Folder : skill_demo_project

Prompt:
We have two images : durgasoft director **and** its logo , ph: 8096969696, durgasoftonline@gmail.com, website: durgasoftonline.com

Now create a skill using @ Skill Creator, such a way that it should always create a word document when this skill get invoked name this as Durgasoft_doc. The header should contain both images **and** footer should contain phone number,email **and** website info



custom_skill



custom_skill



custom_skill



custom_skill

To get the location of the skill installed

Prompt:

What **is** the location of this skill

custom_skill_location

Directory structure of the custom skill

"C:\Users\<user_name>\.codex\skills\.system" ==> Default Skills are present
"C:\Users\<user_name>\.codex\skills" ==> Custom skills location



custom_skill_location

In the durgasoft-doc
agents (folder) ==> contains "openai.yaml" file
assets (folder) ==> contains the images
scripts (folder) ==> contains "create_durgasoft_doc.py"
SKILL.md (file)

```
durgasoft-doc/
├── SKILL.md
├── scripts/
│   └── create_durgasoft_doc.py
├── agents/
│   └── openai.yaml
└── assets/
    ├── director.png
    └── logo.png
```



custom_skill_location

SKILL.md — The brain / instructions of the Skill
This **is** the most important file.

It tells Codex
- What the Skill **is for**
- When it should be used
- What steps it should follow
- Which script to execute
- Which assets to use
- What output to generate
- Any rules **or** constraints

Instructions given to Codex

It does **not** necessarily perform the actual document creation itself.

scripts/ — The actual implementation

```
scripts/
└── create_durgasoft_doc.py
```

This contains executable code that performs the actual task.

The Python script could use python-docx to:
- Create a .docx
- Add the header
- Insert the logo
- Insert the owner image
- Create the footer
- Add phone number
- Add email
- Apply formatting
- Save the resulting Word document

assets/ — Resources used by the Skill

```
assets/
├── owner_image.png
└── logo.png
```

These are supporting resources required by the Skill.
They are the Durgasoft branding images.
The Python script can access these files **and** insert them into the Word document.

Assets dont have to be images. They could also be:

```
assets/
├── logo.png
├── owner.jpg
├── template.docx
├── company_font.ttf
└── configuration.json
```

depending on the skill

agents/openai.yaml — Agent/UI metadata

agents/
└── openai.yaml

This file contains metadata/configuration **for** how the Skill **is** presented **or** integrated **with** the agent experience.

It **is not** normally where you put the detailed operational instructions **for** creating the docume nt.

Those belong **in**: SKILL.md
Think of openai.yaml as describing the Skill to the agent/interface.

Skill component	Restaurant analogy	Purpose
SKILL.md	Recipe/instructions	Tells what needs to be done
scripts/	Kitchen equipment/chef procedures	Actually performs the work
assets/	Ingredients	Resources needed for the work
agents/openai.yaml	Menu/restaurant metadata	Describes how the capability is presented
Output .docx	Finished dish	Final result

Installation of custom skill

When we create a new custom skill Codex creates the skill **and** install that skill also
To check whether the skill **is** installed **or not**

Plugins ==> Skills ==> check



custom_skill_added

Create a document using new custom skill

Propmt:
Create Agentic AI syllabus **for** durga software solutions

Here we are **not** mentioned the skill
But Codex identifies the skill



custom_skill_create_document



custom_skill_create_document



Agentic AI Engineering Syllabus

Durga Software Solutions

This instructor-led program prepares Python developers to design, build, evaluate, secure, and deploy reliable agentic AI applications. Learners progress from large language model fundamentals to tool-using agents, retrieval, memory, orchestration, Model Context Protocol integration, observability, and production deployment. The course emphasizes implementation, measurable quality, responsible autonomy, and a portfolio-ready capstone.

Course at a Glance

- Duration: 12 weeks
- Total learning time: 72 instructor-led hours plus guided practice

custom_skill_create_document

- Graduates with Python fundamentals who want a structured project pathway

Prerequisites

- Working knowledge of Python functions, classes, packages, and virtual environments
- Familiarity with REST APIs, JSON, environment variables, and Git
- Basic understanding of machine learning and generative AI concepts
- Ability to use a command line and an IDE such as Visual Studio Code
- A development computer with internet access and credentials for an approved model provider

Prior experience with vector databases, LangChain, LangGraph, or cloud deployment is helpful but not required.

Phone: 8096969696 | Email: durgasoftonline@gmail.com | Website: durgasoftonline.com

custom_skill_create_document

Disable the skill

If you dont want a particular skill

We can disable the skill by "Disable the Toggle button"

We can uninstall the skill by "Uninstall" button



custom_skill_disable

Modify the skill

If any modifications are required, then we can give prompt like

Prompt:
modify this skill **in** such way that **in** the footer add another mobile number:9246212143



custom_skill_modify



custom_skill_modify

Prompt:
Create one page richest man **in** babylon conclusions document by using @ Durgasoft_doc



custom_skill_new_document



custom_skill_new_document

DURGA Software Solutions®

The Richest Man in Babylon Conclusions

George S Clason's collection of financial parables reaches a simple conclusion: lasting prosperity comes less from sudden income and more from disciplined habits practiced consistently. Wealth grows when a person controls spending, saves deliberately, invests cautiously, and keeps improving the ability to earn.

Central Conclusions

- Pay yourself first. Reserve a fixed share of every amount earned before paying routine expenses. The book's practical benchmark is at least one tenth of income.
- Live below your means. Separate genuine needs from unlimited wants, create a spending plan, and protect savings from avoidable lifestyle expansion.

custom_skill_new_document

The book's enduring message is that wealth is a process rather than an event. Begin with the income available today: save first, budget the remainder, eliminate expensive debt, invest only after understanding the risk, and repeat the cycle patiently. Small actions become powerful when they are automatic, protected from impulse, and sustained for years.

Phones: 8096969696, 9246212143 | Email: durgasoftonline@gmail.com | Website: durgasoftonline.com

custom_skill_new_document

Download the skill

There are two ways are there to download the skill **in** zip format

1. Through prompt
2. "skill_demo_project" folder contains all the files : Zip this folder **and** share

prompt:
Download this skill as as zip file



custom_skill_download



custom_skill_download

In the current working directory "skill_demo_project" the zip file will be created



custom_skill_zipfile

How to install the skill zip file

Codex ==> New chat

Upload the zipfile **and** use the following prompt

prompt:
install this skill using @ Skill Installer



custom_skill_install

How to uninstall the skill

Codex ==> New Chat

prompt:
Uninstall the skill @ Durgasoft_doc

Text to Speech capability in Codex

prompt:

Can you translate the following text to speech :
" Hello Friends, Good Evening, Welcome to AI with Durga Sir in 5 min"



text_to_speech

Prompt:
By using which skill you generated this voice?



text_to_speech

Custom Skill : TTS (Text To Speech)

Use existing project

Codex ==> New Chat

Use Existing Project : skill_demo_project

Creation of the skill

prompt:
Go to the internet, search **for** all the Gemini 3.1 flash TTS docs **and** create it as a skill using it.
Gemini TTS will support expressions **and** emotions use that **in** the skill.
It should take the text from user **in** any language **and** it can take take the required

emotion. Default **is** Happy!!
User will **pass** GEMINI API KEY **and** you should generate the required Text to Speech



gemini_tts



gemini_tts

Skill is installed

The skill **is** created **and** installed **in** the system.
We can check that under "Plugins ==> Skills ==> Gemini 3.1 Flash TTS"
If it **is not** appear there then run the below

prompt:
Install the skill



gemini_tts

Generate Text to Speech
TTS Prompt:

A kid **is** crying ans scolding his father about attending durga sir mid night AI classes :
Always DURGA sir classes only,
My sleep getting disturbing,
I have school tomorrow
what timings midnight 12'0 clock
is durga sir having sense.
Generate voice in telugu with full of harsh tone and angry by using @ gemini-3-1-flash-tts and API Key is: XXX



gemini_tts_generation



gemini_tts_generation

Custom Skill : Songs (Gemini Lyria)

Gemini Lyria

Google's AI music-generation technology

It is designed to create music and songs from natural-language prompts, rather than primarily generating spoken voice.

Use existing project

Codex ==> New Chat

Use Existing Project : skill_demo_project

Creation of the skill

prompt:

Go to the internet, search **for** all the Gemini Lyria docs **and** create it as a skill using @skill creator so, when user passes the song requirement, you will need to generate around 2 min song! user can also specify language of song. User will **pass** gemini API key.



google_lyria



google_lyria

Skill is installed
The skill **is** created **and** installed **in** the system.
We can check that under "Plugins ==> Skills ==> Gemini 3.1 Flash TTS"
If it **is not** appear there then run the below

prompt:
Install the skill



google_lyria

Generate song
Song Prompt:

A kid **is** crying ans scolding his father about attending durga sir mid night AI classes :
Always DURGA sir classes only,
My sleep getting disturbing,
I have school tomorrow
what timings midnight 12'0 clock
is durga sir having sense.
Generate audio song in hindi with full of harsh tone and angry by using @ gemini-lyria-song



google_lyria_song_prompt



google_lyria_song_generated

Note

Lyria 3.5 does **not** currently have a free-tier allowance.
Googles current pricing page lists lyria-3.5 as Paid Tier only, at $0.08 per full song

Time Travel Vlog(Manual Process)

GPTs **in** ChatGPT browser : Time Travel Vlog

Open ChatGPT **in** broswer **and** search **for** the "Time Travel Vlog(By aicenturies.com)" **and** "Start Chat"



timetravel



timetravel

prompt:
Old Babylon city



timetravel

ChatGPT will generate the "Text to image" **and** "Text to Video" Prompts

TEXT-TO-IMAGE PROMPTS(ChatGPT)

1. 🚶 Arriving in the Streets of Old Babylon

A realistic cinematic vlog-style front-facing phone shot of the character from the reference imag e **in** Old Babylon during the Old Babylonian period, around the 18th century BCE, at a crowde d mud-brick street near the central temple district. Here **is** the reference image of the character . The character **is** wearing the same modern outfit, clothing style, **and** overall appearance as **in** the reference image, as a believable time traveler inside the scene. The shot **is** captured from th e character's front-facing phone camera at arm's length, **with** the recording device **not** visible **i n** frame **and** no separate camera shown **in** the hand. The character **is** facing the lens **with** a st unned **and** fascinated expression, reacting to suddenly finding himself surrounded by the bustl ing ancient city. The surrounding world must be accurate to the chosen setting, **with** appropria te architecture, people, objects, environment, **and** actions. In the background, show Babylonia n citizens **in** period-appropriate woven garments walking through narrow sun-baked mud-bric k streets, merchants carrying baskets, donkeys transporting goods, craftsmen working beside o pen-front workshops, **and** distant temple structures naturally happening. The character must f eel naturally integrated into the environment **with** matching ambient light, matching color tem perature, consistent shadows, realistic contact shadows, realistic skin tones, atmospheric dept h, **and** scene-consistent cinematic color grading. Full color, rich natural colors, vivid but realist ic color grading, **not** black **and** white, **not** monochrome, **not** sepia. Cinematic realism, immersi ve atmosphere, detailed surroundings, natural lighting, believable arm perspective, no mirror s elfie, no tripod, high detail. Aspect ratio: 16:9

2. 🧺 Exploring Babylon's Busy Marketplace

A realistic cinematic vlog-style front-facing phone shot of the character from the reference image **in** Old Babylon during the Old Babylonian period, around the 18th century BCE, at a bustling marketplace **in** Babylon. Here **is** the reference image of the character. The character **is** wearing the same modern outfit, clothing style, **and** overall appearance as **in** the reference image, as a believable time traveler inside the scene. The shot **is** captured from the character's front-facing phone camera at arm's length, **with** the recording device **not** visible **in** frame **and** no separate camera shown **in** the hand. The character **is** facing the lens **with** an excited **and** curious expression, reacting to the crowded market **and** unfamiliar ancient goods surrounding him. The surrounding world must be accurate to the chosen setting, **with** appropriate architecture, people, objects, environment, **and** actions. In the background, show merchants trading grain, dates, textiles, pottery, baskets **and** livestock, customers negotiating, workers carrying sacks, scribes handling clay tablets, donkeys moving between stalls, **and** mud-brick buildings naturally happening. The character must feel naturally integrated into the environment **with** matching ambient light, matching color temperature, consistent shadows, realistic contact shadows, realistic skin tones, atmospheric depth, **and** scene-consistent cinematic color grading. Full color, rich natural colors, vivid but realistic color grading, **not** black **and** white, **not** monochrome, **not** sepia. Cinematic realism, immersive atmosphere, detailed surroundings, natural lighting, believable arm perspective, no mirror selfie, no tripod, high detail. Aspect ratio: 16:9

3. ✍️ Watching a Scribe Make a Clay Tablet

A realistic cinematic vlog-style front-facing phone shot of the character from the reference image **in** Old Babylon during the Old Babylonian period, around the 18th century BCE, at a Babylonian scribal workshop. Here **is** the reference image of the character. The character **is** wearing the same modern outfit, clothing style, **and** overall appearance as **in** the reference image, as a believable time traveler inside the scene. The shot **is** captured from the character's front-facing phone camera at arm's length, **with** the recording device **not** visible **in** frame **and** no separate camera shown **in** the hand. The character **is** facing the lens **with** an amazed **and** intensely curious expression, reacting to a scribe pressing cuneiform signs into wet clay. The surrounding world must be accurate to the chosen setting, **with** appropriate architecture, people, objects, environment, **and** actions. In the background, show scribes seated **with** wet clay tablets **and** reed styluses, apprentices practicing cuneiform, shelves holding tablets, workers delivering records, **and** sunlight entering the mud-brick workspace naturally happening. The character must feel naturally integrated into the environment **with** matching ambient light, matching color temperature, consistent shadows, realistic contact shadows, realistic skin tones, atmospheric depth, **and** scene-consistent cinematic color grading. Full color, rich natural colors, vivid but realistic color grading, **not** black **and** white, **not** monochrome, **not** sepia. Cinematic realism, immersive atmosphere, detailed surroundings, natural lighting, believable arm perspective, no mirror selfie, no tripod, high detail. Aspect ratio: 16:9

4. 👑 Witnessing Hammurabi's Babylon

A realistic cinematic vlog-style front-facing phone shot of the character from the reference image **in** Old Babylon during the reign of Hammurabi, around the 18th century BCE, at a monumental ceremonial area within Babylon. Here **is** the reference image of the character. The character **is** wearing the same modern outfit, clothing style, **and** overall appearance as **in** the reference image, as a believable time traveler inside the scene. The shot **is** captured from the character's f

ront-facing phone camera at arm's length, **with** the recording device **not** visible **in** frame **and** n o separate camera shown **in** the hand. The character **is** facing the lens **with** an awestruck **and** cautious expression, reacting to a royal procession moving through the ancient city. The surro unding world must be accurate to the chosen setting, **with** appropriate architecture, people, ob jects, environment, **and** actions. In the background, show Babylonian officials, attendants, gua rds **and** citizens gathering around a formal royal procession associated **with** King Hammurabi, surrounded by monumental mud-brick architecture, standards, temple buildings **and** crowded streets naturally happening. The character must feel naturally integrated into the environment **with** matching ambient light, matching color temperature, consistent shadows, realistic contac t shadows, realistic skin tones, atmospheric depth, **and** scene-consistent cinematic color gradi ng. Full color, rich natural colors, vivid but realistic color grading, **not** black **and** white, **not** mo nochrome, **not** sepia. Cinematic realism, immersive atmosphere, detailed surroundings, natura l lighting, believable arm perspective, no mirror selfie, no tripod, high detail. Aspect ratio: 16:9

5. 🕌 Sunset Beside the Euphrates

A realistic cinematic vlog-style front-facing phone shot of the character from the reference imag e **in** Old Babylon during the Old Babylonian period, around the 18th century BCE, at the Euph rates riverfront beside Babylon. Here **is** the reference image of the character. The character **is** w earing the same modern outfit, clothing style, **and** overall appearance as **in** the reference image , as a believable time traveler inside the scene. The shot **is** captured from the character's front-f acing phone camera at arm's length, **with** the recording device **not** visible **in** frame **and** no sep arate camera shown **in** the hand. The character **is** facing the lens **with** a reflective, overwhelme d **and** peaceful expression, reacting to the ancient city glowing **in** the final sunlight. The surrou nding world must be accurate to the chosen setting, **with** appropriate architecture, people, obje cts, environment, **and** actions. In the background, show reed **and** wooden boats moving along t he Euphrates, laborers unloading baskets **and** jars, fishermen working near the riverbank, ani mals drinking near the water, mud-brick buildings catching golden sunlight, **and** citizens retur ning home naturally happening. The character must feel naturally integrated into the environm ent **with** matching ambient light, matching color temperature, consistent shadows, realistic co ntact shadows, realistic skin tones, atmospheric depth, **and** scene-consistent cinematic color g rading. Full color, rich natural colors, vivid but realistic color grading, **not** black **and** white, **no t** monochrome, **not** sepia. Cinematic realism, immersive atmosphere, detailed surroundings, n atural lighting, believable arm perspective, no mirror selfie, no tripod, high detail. Aspect ratio: 16:9

Generate all 5 images at once(ChatGPT)

Creation of images is for character consistency

New chat

Prompt:
@ Create image provide all image prompts at once



timetravel_image_generation

Save the images as
time_travel_image_01.png
time_travel_image_02.png
time_travel_image_03.png
time_travel_image_04.png
time_travel_image_05.png

TEXT-TO-VIDEO PROMPTS(Google Flow)

Create a new project **in** Google Flow Upload each image **and** provide the corresponding video pr ompts

1. "I Think I'm Actually in Babylon"

Upload "time_travel_image_01.png" and select "add to Prompt" and provide the below prompt and run the prompt

Spoken Script:
"I don't know how this happened, but look behind me — this is Babylon! These streets, these buil dings, these people... I think I've gone back almost four thousand years."

A realistic cinematic vlog-style front-facing phone video of a character **in** Old Babylon during th e Old Babylonian period, around the 18th century BCE, at a crowded mud-brick street near th e central temple district. The video **is** captured from the character's front-facing phone camera at arm's length, **with** the recording device **not** visible **in** frame **and** no separate camera shown **i n** the hand. The character **is** speaking directly into the lens **with** a stunned **and** fascinated exp ression **while** reacting to suddenly finding himself surrounded by the bustling ancient city. The

scene must be accurate to the chosen setting, **with** appropriate clothing, hairstyle, architecture , people, objects, environment, **and** actions. In the background, show Babylonian citizens **in** pe riod-appropriate woven garments walking through narrow sun-baked mud-brick streets, merch ants carrying baskets, donkeys transporting goods, craftsmen working beside open-front works hops, **and** distant temple structures naturally happening. Background figures are actively movi ng, working, celebrating, fleeing, trading, marching, building, exploring, **or** reacting depending on the moment. Environmental motion should be visible, such as dust drifting through sunligh t, fabric awnings moving **in** the breeze, donkeys passing, crowds shifting, **and** distant activity u nfolding. The visible action **in** the shot should match what the character **is** saying **in** the spoke n script. The character occasionally turns slightly to reveal the surrounding action before bring ing the lens back to their face. The character **and** environment must share matching ambient li ght, matching color temperature, consistent shadows, realistic contact shadows, realistic skin t ones, **and** scene-consistent cinematic color grading. Full color, rich natural colors, vivid but rea listic color grading, **not** black **and** white, **not** monochrome, **not** sepia. Cinematic realism, imme rsive atmosphere, natural lighting, subtle handheld motion, high detail.

It will generate a video save it as "vb1.mp4"

2. 🧺 "This Market Is Incredible"

Upload "time_travel_image_02.png" and select "add to Prompt" and provide the below prompt and run the prompt

Spoken Script:
"This market is incredible. They're selling grain, dates, pottery and textiles everywhere — and loo k, there's even a scribe recording transactions on clay tablets!"

A realistic cinematic vlog-style front-facing phone video of a character **in** Old Babylon during th e Old Babylonian period, around the 18th century BCE, at a bustling marketplace **in** Babylon. The video **is** captured from the character's front-facing phone camera at arm's length, **with** the recording device **not** visible **in** frame **and** no separate camera shown **in** the hand. The characte r **is** speaking directly into the lens **with** an excited **and** curious expression **while** reacting to th e crowded market **and** unfamiliar ancient goods surrounding him. The scene must be accurate to the chosen setting, **with** appropriate clothing, hairstyle, architecture, people, objects, enviro nment, **and** actions. In the background, show merchants trading grain, dates, textiles, pottery, baskets **and** livestock, customers negotiating, workers carrying sacks, scribes handling clay ta blets, donkeys moving between stalls, **and** mud-brick buildings naturally happening. Backgrou nd figures are actively moving, working, celebrating, fleeing, trading, marching, building, explor ing, **or** reacting depending on the moment. Environmental motion should be visible, such as cl oth shades fluttering, baskets being passed between merchants, animals walking through the market, crowds shifting, dust moving beneath people's feet, and sunlight flickering through aw nings. The visible action in the shot should match what the character is saying in the spoken s cript. The character occasionally turns slightly to reveal the surrounding action before bringing the lens back to their face. The character and environment must share matching ambient light, matching color temperature, consistent shadows, realistic contact shadows, realistic skin tones , and scene-consistent cinematic color grading. Full color, rich natural colors, vivid but realistic

color grading, not black and white, not monochrome, not sepia. Cinematic realism, immersive a tmosphere, natural lighting, subtle handheld motion, high detail.

It will generate a video save it as "vb2.mp4"

3.✍ "He's Writing on Wet Clay"

Upload "time_travel_image_03.png" and select "add to Prompt" and provide the below prompt and run the prompt

Spoken Script:
"Look closely behind me. That scribe is pressing symbols straight into wet clay — we're actually watching cuneiform being written by hand."

A realistic cinematic vlog-style front-facing phone video of a character **in** Old Babylon during th e Old Babylonian period, around the 18th century BCE, at a Babylonian scribal workshop. The video **is** captured from the character's front-facing phone camera at arm's length, **with** the reco rding device **not** visible **in** frame **and** no separate camera shown **in** the hand. The character **is** speaking directly into the lens **with** an amazed **and** intensely curious expression **while** reacting to a scribe pressing cuneiform signs into wet clay. The scene must be accurate to the chosen se tting, **with** appropriate clothing, hairstyle, architecture, people, objects, environment, **and** actio ns. In the background, show scribes seated **with** wet clay tablets **and** reed styluses, apprentice s practicing cuneiform, shelves holding tablets, workers delivering records, **and** sunlight enteri ng the mud-brick workspace naturally happening. Background figures are actively moving, wor king, celebrating, fleeing, trading, marching, building, exploring, **or** reacting depending on the moment. Environmental motion should be visible, such as hands rapidly pressing styluses into clay, apprentices passing tablets, workers entering **and** leaving, dust floating through shafts of sunlight, **and** fabric garments moving naturally. The visible action **in** the shot should match w hat the character **is** saying **in** the spoken script. The character occasionally turns slightly to re veal the surrounding action before bringing the lens back to their face. The character **and** envir onment must share matching ambient light, matching color temperature, consistent shadows, realistic contact shadows, realistic skin tones, **and** scene-consistent cinematic color grading. F ull color, rich natural colors, vivid but realistic color grading, **not** black **and** white, **not** monoch rome, **not** sepia. Cinematic realism, immersive atmosphere, natural lighting, subtle handheld motion, high detail.

It will generate a video save it as "vb3.mp4"

4.👑 "A Royal Procession Is Coming"

Upload "time_travel_image_04.png" and select "add to Prompt" and provide the below prompt and run the prompt

Spoken Script:
"Something huge is happening behind me — everyone is clearing the street. A royal procession is coming through, and this is Babylon during the reign of Hammurabi."

A realistic cinematic vlog-style front-facing phone video of a character **in** Old Babylon during th e reign of Hammurabi, around the 18th century BCE, at a monumental ceremonial area within Babylon. The video **is** captured from the character's front-facing phone camera at arm's length, **with** the recording device **not** visible **in** frame **and** no separate camera shown **in** the hand. The character **is** speaking directly into the lens **with** an awestruck **and** cautious expression **while** r eacting to a royal procession moving through the ancient city. The scene must be accurate to t he chosen setting, **with** appropriate clothing, hairstyle, architecture, people, objects, environme nt, **and** actions. In the background, show Babylonian officials, attendants, guards **and** citizens gathering around a formal royal procession associated **with** King Hammurabi, surrounded by monumental mud-brick architecture, standards, temple buildings **and** crowded streets naturall y happening. Background figures are actively moving, working, celebrating, fleeing, trading, ma rching, building, exploring, **or** reacting depending on the moment. Environmental motion shoul d be visible, such as guards advancing, crowds stepping aside, standards **and** garments movin g **in** the breeze, dust rising from footsteps, **and** attendants passing through the ceremonial stre et. The visible action **in** the shot should match what the character **is** saying **in** the spoken scrip t. The character occasionally turns slightly to reveal the surrounding action before bringing the lens back to their face. The character **and** environment must share matching ambient light, ma tching color temperature, consistent shadows, realistic contact shadows, realistic skin tones, **a nd** scene-consistent cinematic color grading. Full color, rich natural colors, vivid but realistic c olor grading, **not** black **and** white, **not** monochrome, **not** sepia. Cinematic realism, immersive a tmosphere, natural lighting, subtle handheld motion, high detail.

It will generate a video save it as "vb4.mp4"

5. "This Is Babylon at Sunset"

Upload "time_travel_image_05.png" and select "add to Prompt" and provide the below prompt and run the prompt

Spoken Script:
"The sun is going down over the Euphrates, and Babylon looks completely different in this light. B oats are still arriving, people are unloading cargo... this city never seems to stop."

A realistic cinematic vlog-style front-facing phone video of a character **in** Old Babylon during th e Old Babylon

It will generate a video save it as "vb5.mp4"

Combine all the Videos using Filmora

Create a New project ==> 16:9
Add all the videos "vb1.mp4, vb2.mp4, vb3.mp4, vb4.mp4, vb5.mp4"

Creating Custom Skill : Flow Documentary Creator

You have access to @chrome

User will give a topic .. You will need to breakdown the topic into n seperate narrations **with** detailed video prompt as my video model can take narration **and** the scene details as input of each 10 seconds duration **and** then use the chrome **and** open the below url!

https://labs.google/fx/tools/flow

Create a new Project **and** then select Video model from the chatbox **and** set it as Omni flash. Select the aspect ratio as 16:9 **with** 10 second duration

You will need to submit the prompts one by one **and** then download the video **and** stich all of them into one single video.

Topic : Charminar, n=3

use @ Flow Documentary Creator
Topic : Based on Pushpa **and** Pushpa2 movies, I want to create a video on Pushpa3
n=3
Hindi

use @ Flow Documentary Creator
Topic : Story inspired by Rajamoulis Varanasi Movie Story
n=5
Telugu

Provide downloadable version of the skill @ Flow Documentary Creator

Use existing project

Codex ==> New Chat
Use Existing Project : skill_demo_project

Creation of the skill

Challenges

1. After copying prompt **in** google flow Submit button **is not** enabled
2. Downloading video from UI Screen from Flow **is not in** a position to download
   copy url of the video **and** open separately **and** download
3. Merging software **is** installed every time
   Dont do the installation again add to the path

Final prompt **for** Codex :
create the above prompt as a reusable skill

update this skill **for** sharing purpose **and** remove any hard coded system specific locations. For

ffmpeg once installed first time set path so that next time onwards **not** required to install separately

provide downloaded version of this skill so that I can share to my students

prompt:
You have access to @chrome

User will give a topic .. You will need to breakdown the topic into n seperate narrations **with** detailed video prompt as my video model can take narration **and** the scene details as input of each 10 seconds duration **and** then use the chrome **and** open the below url!

https://labs.google/fx/tools/flow

Create a new Project **and** do **not** use agent mode, **&** then select Video model from the chatbox **and** set it as Omni flash. Select the aspect ratio as 16:9 **with** 10 second duration.

You will need to submit the prompts one by one
after submitting every prompt use Windows-level computer control only **for** the single physical-style Space keystroke to enable submit button.**and** then copy the download url **and** download video directly using code **and** stitch all of them into one single video.
Topic: Tajmahal, n=3

Final Prompt

Goal

Create one complete documentary video about **[TOPIC]**, divided into **[N] clips**. Each clip must be exactly **10 seconds** **and** include coordinated narration, visuals, ambience, **and** music.

Workflow

1. Break **[TOPIC]** into **[N] sequential scenes** that form one coherent story.

   * Scene 1: Establishing/introduction
   * Middle scenes: History, details, culture, **or** key information
   * Final scene: Emotional conclusion **or** legacy

2. For every scene, write:

   * A detailed cinematic visual prompt
   * Camera movement
   * Lighting **and** atmosphere
   * People, environment, **and** architectural details

3. Open this URL using Chrome:

https://labs.google/fx/tools/flow

4. Create a new Flow project.

5. Configure Flow:

* Do **not** enable Agent mode
* Select Video
* Model: Omni Flash
* Aspect ratio: 16:9
* Duration: 10 seconds
* Generate one video per prompt

6. Submit prompts sequentially:

* Enter the complete scene prompt into Flow.
* Use Windows-level native keyboard input **for** the prompt whenever possible.
* After entering the complete prompt, inject exactly one physical-style native **Space** keystroke into the prompt box.
* Confirm that the submit arrow becomes enabled.
* Click the submit arrow.
* Repeat **for** all **[N]** prompts, one at a time.
* Do **not** accidentally enable Agent mode.

7. Wait until every clip has finished rendering.

8. Download each generated video:

* Open the generated clip's detail page.
* Locate the page's video element.
* Read its authenticated media redirect URL from the video element's `currentSrc`.
* Open that redirect URL in the authenticated Chrome session to resolve the signed `flow-content.google/video/...` URL.
* Copy the resolved signed URL.
* Download the MP4 directly with code rather than relying on the Save As dialog.
* Save clips in chronological order:

  * `[topic]_scene_1.mp4`
  * `[topic]_scene_2.mp4`
  * Continue through `scene_[N].mp4`

9. Stitch the clips:

* Verify that all clips have matching resolution, frame rate, video codec, audio codec, sample rate, and channel count.
* Concatenate them chronologically with FFmpeg.

* Use `C:\Users\NAGOOR\Tools\ffmpeg\bin\ffmpeg.exe` first.
* Never download or install FFmpeg when that file exists.
* Preserve both video and audio.
* Use stream copy when the streams are compatible; otherwise re-encode to H.264 video and AAC audio.
* Add `-movflags +faststart`.
* Name the result:
`[TOPIC]_Final_[N×10]s.mp4`

10. Verify the final output:

* Duration is approximately **[N×10] seconds**
* Aspect ratio is **16:9**
* All scenes appear in the correct order
* Audio and narration are present
* The file decodes without errors

Input

Topic: [TOPIC]
Number of scenes: [N]
Narration language/accent: [LANGUAGE OR ACCENT]
Preferred visual style: Cinematic, photoreal documentary

WhisprFlow
https://wisprflow.ai/
speech to text
The voice-to-text AI that turns speech into clear, polished writing **in** every app.

Saves hours of time
Typing ==> 30 to 40 words/min
Speech ==> 140 to 200 words/min

Purpose
Wisprflow.ai **is** the website **for** Wispr Flow, an AI voice-to-text (dictation) app made by Wispr AI, Inc.

Purpose:

Lets you speak instead of type, anywhere on your device
Works inside any app: Slack, WhatsApp, Email, ChatGPT, Docs, Gmail, etc.
Converts your speech into clean, polished, formatted text (removes filler words, fixes broken sentences)
Claims to be much faster than typing, around 184 WPM **for** one heavy user, versus 90 WPM

typing — Zack Proser
Available on Mac, Windows, iPhone, Android

Working with Wisprflow

1. Press Ctrl+Win keys simultaneously **and** speak after completion release the keys
2. For hands free mode
   Double-tap Ctrl+Win quickly
   Ctrl + Win + space
3. To change the settings : Wispr Flow ==> Settings ==> General ==> Shortcuts ==> Change



wispr_flow

Creating skill

Use existing project

Codex ==> New Chat
Use Existing Project : skill_demo_project

Prompt:
In my system, Wispr Flow **is** already installed. With this, can you create a skill so that wheneve r I am typing **or** speaking, the prompt should be typed automatically? Can you build the facility as a skill?

But there is no difference when creating the skill.

DURGA Software Solutions®

Skill Vs Plugin in Codex

Feature	Skill	Plugin
Purpose	Gives Codex instructions on how	Connects Codex to external apps or services
Contains	Prompts, workflows, examples, documentation	APIs, tools, authentication, external actions
Internet Required	No (usually built into the environment)	Often yes, to communicate with external services
Used For	Teaching Codex how to solve problems	Allowing Codex to access real-world data or perform actions
Example	"Create React components", "Review Python code", "Write SQL queries"	GitHub, Gmail, Slack, Google Drive, Jira

Skill

A Skill **is** like giving Codex a predefined expertise.

Example:

React development
Python debugging
Docker deployment
Writing unit tests
Code review

It tells Codex:

What to do
Best practices
Step-by-step workflow
Coding standards

Think of a skill as knowledge + instructions.

Plugin

A Plugin lets Codex interact **with** external systems.

Examples:

GitHub (create PRs, read repositories)
Gmail (read/send emails)
Slack (send messages)
Google Drive (read files)
Jira (create tickets)

A plugin **is** an integration **with** another service.

Simple Example
Suppose:

"Fix my GitHub project and create a pull request."

Skill
Understands the code
Finds the bug
Writes the fix
Follows coding standards

Plugin (GitHub)
Opens the repository
Commits the changes
Creates the pull request

Easy Analogy
Skill = Brain (knows how to do the work)
Plugin = Hands (can interact **with** external tools **and** services)

Both often work together:
The Skill decides how to solve the problem.
The Plugin performs actions **in** external systems to complete the task.

Quote
AI **is not** here to make our job esay
AI **is** here to do our job

Dont do anything on your own
Ask Codex **or** Claude to do that

Skills websites

skills.sh
Skills are reusable capabilities **for** AI agents.

Install them **with** a single command to enhance your agents **with** access to procedural knowle dge.

https://github.com/anthropics/skills

Select one skill ==> frontend-design
https://github.com/anthropics/skills/tree/main/skills/frontend-design

SKILL.md

https://github.com/anthropics/skills/blob/main/skills/frontend-design/SKILL.md

Codex ==> New Chat
Create a new project **or** select an existing project

Install the skill by using the prompmt

By using @$skill-installer install the skill https://github.com/anthropics/skills/blob/main/skills/frontend-design/SKILL.md

The skill frontend-design **is** developed by Anthropic **and** we are using that skill **in** Codex



frontend_design_skill

Now the skill **is** installed **and** we can check that

Plugins ==> Skills ==> Frontend Design



frontend_design_skill

prompt:
By using @ $Frontend Design, create a landing page for my AI with Durga Sir Batch daily @10PM



frontend_design_skill

skillhub.club
Find Agent Skills **for** every workflow

Search AI-evaluated Agent Skills **for** Claude Code, Codex, Gemini CLI, OpenCode, **and** OpenCla w. Compare quality **and** security signals, explore recommended Skill Sets, **and** install **in** one co mmand.

select the skill ==> linkedin-post

https://www.skillhub.club/skills/different-ai-zero-finance-linkedin-post

Codex ==> New Chat
Create a new project **or** select an existing project

Install the skill by using the prompmt

By using @$skill-installer install the skill https://www.skillhub.club/skills/different-ai-zero-fi nance-linkedin-post

GitHub Anthropic skills
https://github.com/anthropics/skills

MCP
M : Model
C : Context
P : Protocol

Anthropic introduced MCP **in** Noember 25, 2024.
MCP(Model Context Protocol) **is** an open standard that allows AI applications like ChatGPT, Cla ude, Cursor, etc., to securely connect **with** external applications, databases, files, **and** tools usi ng one common method. It was introduced by Anthropic on November 25, 2024, as an open-so urce standard.

Who introduced MCP?
Company : Anthropic
Introduced on November 25, 2024.
Type: open-source standard.
Creators: David Soria Parra **and** Justin Spahr-Summers at Anthropic

Why was the MCP introduced?
Before MCP, every application needed a different integration **for** every external application.

For example:
ChatGPT ==> Gmail integration
ChatGPT ==> Google Drive integration
ChatGPT ==> Slack integration

Claude ==> Gmail integration
Claude ==> Google Drive integration

Claude ==> Slack integration

Cursor ==> Gmail integration
Cursor ==> Google Drive integration
Cursor ==> Slack integration

Every connection had to be built separately.
This created a lot of extra work.

Problem without MCP

Imagine you have
- Gmail
- Google Drive
- Slack
- GitHub
- Notion

And you want to connect **with**
- ChatGPT
- Claude
- Cursor
- VS Code

Without MCP:
- Every AI needs its own connector.
- Developers write the same code again **and** again
- More maintenance
- More bugs
- More time
- Higher cost.

Simple Example
Suppose there are
- 5 AI applications
- 10 software applications.

Without MCP
- 5 × 10 = 50 separate integrations
- A huge amount of work

Solution **with** MCP
Now, every software creates only one MCP server.
Every AI that understands MCP can connect immediately.



MCP

No need to create separate integrations.
Build once,
Use everywhere.

Simple real-life example
Think about mobile chargers.

Before USB-C
Every phone had a different charger
- Nokia
- Samsung
- Sony
- Motorola.

Different cables everywhere

Very confusing.

After USB-C
One cable works **for** many devices.
Life becomes easier

MCP **is** the USB-C of AI.
One standard
Many AI applications
Many software applications
Everything connects easily.

How our life becomes Simpler
Without MCP:
Write custom integration every time
Spend weeks developing connectors
Difficult to maintain
High development cost

With MCP:
Connect once
Works **with** many applications
Faster development
Less coding
Lower maintenance
Easier automation.

Plugin
Group of Skills + Connnectors + Workflows

Pre-defined Plugin : Webapp plugin
A plugin **is** an installable package that adds extra capabilities to Codex.

Example:
A mobile phone can make calls.
After installing Google Maps, it can guide us.
After installing Phone Pay, it can make payments.

In the same way, Codex can perform coding tasks.
When we install a plugin, Codex receives additional specialized skills **and** tools.

Select Codex
Start New Chat

DURGA
Software Solutions®

Create a new Project

Project Name : Plugin Project
Select An Empty Folder : plugin_project

Plugins ==> Search **for** Build Web Apps



build_webapps

After installing any plugin restart the Codex
So that the plugin capability will be available properly



build_webapps

prompt-1:

Use the Build Web Apps plugin.
Create a simple student marks calculator using only
    HTML
    CSS
    JavaScript.

Requirements:
1. Ask **for** student name.

2. Ask **for** marks **in** English, Mathematics, **and** Science.
3. Each mark must be between 0 **and** 100.
4. Add a Calculate Result button.
5. Calculate total marks out of 300.
6. Calculate percentage.
7. Show Pass when the student scores at least 35 **in** every subject.
8. Otherwise show Fail.
9. Display a validation message **for** empty **or** invalid values.
10. Create these three files.
    index.html
    style.css
    script.js
11. Use a clean **and** simple design.
12. After creating the files explain how to run the application.
13. Check the code **for** errors before finishing.

Create the application now.



build_webapps



build_webapps

prompt-2:

Show me the list of files you created **and** explain each file **in** one simple line.



build_webapps

prompt-3:
Improve the Student Makrs Calculator.

Add:

1. Grade A **for** 75% **and** above.
2. Grade B **for** 60% to 74.99%.
3. Grade C **for** 50% to 59.99%.
4. Grade D **for** 35% to 49.99%.
5. Grade F when the student fails.
6. A Reset button.
7. Better mobile responsiveness.
8. Do **not** remove the existing features.

After making the changes, test the calculation logic again. Run the application again.



build_webapps



build_webapps

prompt-4

which plugin you used **for** this modification

Gemini Notebook(Previously NotebookLM)
https://notebook.google/

Create a Notebook
Create notebook ==> Add sources ==> Copied Text
Copy the selected text. ==> Insert



google_notebook



google_notebook

select Video ==> Explainer ==>
Choose Language : English
Choose Visual Style : Auto
What should the video focus on? : Plugin Basics

Generate Now



google_notebook



google_notebook

With Google Notebook we can generate
- Audio
- Slide Deck
- Video Overview

Reports
Flash Cards
Quiz
Infographic
Data Table

Customized Plugin : Gemini Notebook Replica
Select Codex
Start New Chat

Create a new Project **or** Use existing project

Project Name : Plugin Project
Select An Empty Folder **or** use existing project : plugin_project

Version-1:
Build a plugin by using the @plugin-creator, using the skills @gemini-tts **and** @imagegen, calle d by the name DNLM. Your goal **is** to use these skills **and** create a 2-minute explainer video ab out the user-given topic **in** reels format. Create 5 images **and** 5 text-to-speech, **and** stitch them together using already installed FFmpeg. Give me .mp4 final file

Suggested Modifications:
Video length should be provided by user
Aspect Ratio(16:9 ==> Horizontal, 9:16 ==> Vertical)
The number of images **and** audios should be decided by the plugin itself.
Add the required skills as part of the plugin.

Version-2
Build a plugin using the @plugin creator, using skills
@gemini-tts
@imagegen
called durga_notebooklm.

Your goal **is** to use these skills **and** create an explainer video about the user-given topic **in** 16:9 format.
The required length of the video topic will be provided by the user. Have these two skills as sep arate skills **in** the plugin.
For every 15- to 25-second video, create an image **with** meaningful text on the image **and** text-t o-speech voice, **and** stitch them together **in** proper sync using already installed FFmpeg.
Give me the final MP4 file.
Provide a downloadable version of this plugin as a zip file.

Suggested Modifications:
Aspect Ratio(16:9 ==> Horizontal, 9:16 ==> Vertical)

Version-3

Build a plugin using the @ $plugin-creator, using skills
@ $gemini-3-1-flash-tts
@ $imagegen
called durga-videonlm.

Your goal **is** to use these skills **and** create an explainer video about the user-given topic **in** user provided aspect ratio format.
The required length of the video topic will be provided by the user. Have these two skills as sep arate skills **in** the plugin.
For every 15- to 25-second video, create an image **with** meaningful text on the image **and** text-t o-speech voice, **and** stitch them together **in** proper sync using already installed FFmpeg.
Give me the final MP4 file.
Provide a downloadable version of this plugin as a zip file.

custom_plugin



custom_plugin



custom_plugin

Once the plugin **is** created **and** installed refresh the Codex to see the pluin under Personal tab. If **not** we have to search the name of the plugin

DURGA
Software Solutions®



custom_plugin



custom_plugin



custom_plugin



custom_plugin

Skills present this Plugin (3)
- Durga Videonlm Skill
- Gemini 3.1 Flash TTS Skill
- Image Gen Skill



custom_plugin

Test the plugin

prompt:
@Durga VideoNLM Create a Video
Topic : Mahabharath 95 seconds Hindi 16:9 Male Voice

It will ask **for** GEMINI_API_KEY.
If it **is** configured **in** system environment variable then it will take that key **and** generate the vid eo



custom_plugin

DURGA
Software Solutions®



custom_plugin



custom_plugin

MCP Architecture

Customer ==> Hotel Manager ==> Waiter ==> Kitchen Manager ==> Cook

User ==> MCP Host ==> MCP Client ==> MCP Server ==> Application

MCP Project : Web App(Temperature)

Create Application- (API End Point)

Select Codex
Start New Chat

Create a new Project

Project Name :
Select An Empty Folder : mcp_project

prompt-1:
Create a simple Node.js app that exposes one API to show temperatures of the cities Bangalore, Hyderabad, Chennai, **and** Mumbai. Hardcode the temperature values. Give the rest of the code to run on localhost that takes a three-letter city code **in** the request parameter **and** gives the JS ON response.



mcp_project

Run it:

Bash

```
npm start
```

Example request:

Plain text

```
http://localhost:3000/temperature?city=BLR
```

Supported codes: `BLR` , `HYD` , `MAA` , and `BOM` .

Tested successfully: valid requests return `200` , malformed codes return `400` , and unsupported codes return `404` .

Web preview
Website

Open in

mcp_project



mcp_project

Start the server : npm start

Send the api request : http://localhost:3000/temperature?city=BLR

Supported codes: BLR, HYD, MAA, **and** BOM

We can ask codex to start the sever **and** open open the browser **in** voice mode

DURGA
Software Solutions®



mcp_project

All API end point results

Supported codes: BLR, HYD, MAA, **and** BOM



mcp_project

Create MCP server and get the MCP server url

prompt-2:

create mcp server **for** this app **and** give me the mcp server url



mcp_project



mcp_project

Configuration of MCP server in Codex

Once mcp server **is** running, We required to add MCP server to our MCP Host(Codex)

profile--> settings--> plugins---> MCP---> Add---> Add MCP Server



mcp_project



mcp_project

Name : mcp_project
Type: StreamableHTTP
URL: http://127.0.0.1:3000/mcp



mcp_project



mcp_project

Test application

Codex
New Chat

prompt:
By using MCP what **is** the temperature of Hyderbad



mcp_project

prompt:
By using configured MCP server **in** codecs. Can you tell me what **is** the temperature of capital o f Karnataka



mcp_project



mcp_project



mcp_project

DURGA Software Solutions®

MCP project-2 : Moive Ticket Booking App

Create Application- (API End Point)

Select Codex
Start New Chat

Create a new Project

Project Name :
Select An Empty Folder : mcp_movie

prompt-1:
Create a movie booking app **with** a Node.js backend only, where a user can select a city:
- Bangalore
- Hyderabad
- Chennai
- Pune

For each city, there will be one multiplex playing five movies on five screens, **with** 100 seats. So me are already booked, **and** some are empty. Use recent, popular movie names. The user shoul d be able to get the seat availability.
Build an app **in** Node.js exposing all the APIs required **for** this app. All APIs should be GET req uests. Keep it simple **and** functional.

prompt-2:
Start server **and** provide all end points info

Create MCP server and get the MCP server url

prompt-3:

create mcp server **for** this app **and** give me the mcp server url

Configuration of MCP server in Codex

Once mcp server **is** running, We required to add MCP server to our MCP Host(Codex)

profile--> settings--> plugins---> MCP---> Add--->

DURGA
Software Solutions®



mcp_project



mcp_project

Name : mcp_movie
Type: StreamableHTTP
URL: http://127.0.0.1:3000/mcp

Test application
Codex
New Chat

prompt:
By using MCP List out all city names



mcp_project

prompt:
Which movies are playing **in** Hyderabad

prompt:
Alpha movie show timings

is seats available **for** this movie

Show all available seats

show **in** visual form

is any movie available after 9PM **in** pune

show me seat available list

book seat A1 **for** this movie

book A3 seat **for** this movie

available list **for** this movie

Deploy the application in netlify for the above project

netlify compatible project folder

Select Codex
Start New Chat

Create a new Project

Project Name :
Select Folder : mcp_movie

prompt:
Make this app compatible **with** Netlify deployment. Copy all required files into a folder called ne tlify-build.zip. We will deploy it manually on the Netlify website.

It will create the zip file

Login in the netlify

https://app.netlify.com/signup/start

Add New Project

Upload your project files : <upload your zip file here>

If problem arises copy that problem **and** paste **in** codex **and** ask to fix
then it will generate a new zip file

In netlify delete the zip file **and** re-upload the new zip file

open production deploy:
application url = <url>
mcp url : <url/mcp>

Configuration of MCP server in Codex

Once mcp server **is** running, We required to add MCP server to our MCP Host(Codex)

profile--> settings--> plugins---> MCP---> Add--->

Name : netlify movie mcp
Type: StreamableHTTP
URL: url/mcp
Save

Test application

Codex
New Chat

prompt:
By using MCP List of movies **in** bangalore



mcp_project

prompt:
which mcp server you used

dont use local mcp server, I configured remote mcp : <url/mcp>

MCP Apps : Spotify : Optional

Plugins ==> Search **for** Spotify
Install the plugin



spotify



spotify

Select ChatGPT
Start New Chat

prompt:
@Spotify show me latest telugu music

MCP Apps

Select Codex

Plugins ==> Search **for** Higgsfield
Install the plugin



higgsfield



higgsfield

Select Higgsfield ==>Try now

prompt:
@Higgsfield which video models do you support



higgsfield



higgsfield



higgsfield



higgsfield

prompt:
@Higgsfield Genearate a video using seedance about How to win friends **and** influence people **i n** English

@Higgsfield create video on financial education

New update 25Sep2026
OpenAI describes Chat as the fast conversational experience
Work as an agent **for** longer multi-step work **and** finished deliverables
Codex as the dedicated software-development environment.

Feature	**Chat**	**Work**	**Codex**
Main purpose	Ask, discuss, learn	**Get a task completed end-to-end**	**Build/debug software**
Typical use	Questions, explanations, brainstorming	Research, reports, presentations, spreadsheets, multi-step tasks	Coding, repositories, terminal, tests
Works autonomously	Limited	**Yes, much more**	**Yes, strongly focused on coding**
Can research	Yes	**Yes**	Yes, when useful for development
Can create documents	Yes	**Yes**	Not its primary purpose
Can work with local files	Limited	**Yes on desktop, with permission**	**Yes**
Can work with repositories	Not its focus	Possible depending on workflow	**Core capability**
Can run commands/tests	Not normally	Can perform computer/app tasks where permitted	**Yes**
Long-running tasks	Limited	**Designed for this**	**Designed for this**

UI change
On the new desktop ChatGPT app, OpenAI has essentially organized things like this:
ChatGPT
  Chat
  Work
Codex
  Separate development environment

So when you click New Chat, you may now see the option to start either:

Chat → normal conversation
Work → delegate a larger task

Work Vs Codex

Codex **is** Designed to work **with**:

- repositories
- local folders
- terminal
- commands
- tests
- debugging
- code changes
- diffs
- development workflows

OpenAI specifically describes Codex as the environment **for** writing/debugging code, running te sts **and** commands, reviewing changes **and** working **with** repositories.

Work can coordinate a broader workflow **and** produce finished artifacts.
Eg: Take my Salesforce Document Automator project **and** prepare a complete technical project report, architecture explanation, implementation summary, testing report **and** presentation.

Chat = Teacher
Work = Project Manager + Researcher + Executor
Codex = Software Engineer

MCP Apps2

Create Application and MCP Server URL

Select Codex
Start New Chat

Create a new Project

Project Name :
Select Folder : mcp_movie5

prompt:
Build a movie booking app where a user can select a city, **and** it should list the below movies **in** a multiplex at different timings **and** on different screens. The user can select the available seats , enter their name **and** phone number, **and** you must generate a dummy QR code ticket. No ne ed **for** payments.

Expose this app as an MCP app where the user can see the UI inside the MCP host. Design the required services accordingly **and** share me the local MCP server URL

Original references about movie names:

Paradise(Telugu)

https://assets-**in**.bmscdn.com/discovery-catalog/events/tr:w-400,h-600,bg-CCCCCC,e-usm-2-2-0.5-0.008:w-400.0,h-660.0,cm-pad_resize,bg-000000,fo-top:l-image,i-discovery-catalog@@icons@@like_202006280402.png,lx-24,ly-617,w-29,l-end:l-text,ie-NDU5SysgTGlrZXM%3D,fs-29,co-FFFFFF,ly-612,lx-70,pa-8_0_0_0,l-end/et00436621-cnxqmxsbyv-portrait.jpg

Avengers Endgame:Encore(English)

https://assets-**in**.bmscdn.com/discovery-catalog/events/tr:w-400,h-600,bg-CCCCCC,e-usm-2-2-0.5-0.008:w-400.0,h-660.0,cm-pad_resize,bg-000000,fo-top:l-image,i-discovery-catalog@@icons@@like_202006280402.png,lx-24,ly-617,w-29,l-end:l-text,ie-Mjc3SysgTGlrZXM%3D,fs-29,co-FFFFFF,ly-612,lx-70,pa-8_0_0_0,l-end/et00514163-bgayrwttwp-portrait.jpg

Spider Man: Brand New Day(Tamil)
https://assets-**in**.bmscdn.com/discovery-catalog/events/tr:w-400,h-600,bg-CCCCCC,e-usm-2-2-0.5-0.008:w-400.0,h-660.0,cm-pad_resize,bg-000000,fo-top:l-image,i-discovery-catalog@@icons@@star-icon-202203010609.png,lx-24,ly-615,w-29,l-end:l-text,ie-OC45LzEwICAzNTlLKyBWb3Rlcw%3D%3D,fs-29,co-FFFFFF,ly-612,lx-70,pa-8_0_0_0,l-end/et00447840-bwblgyupjx-portrait.jpg

Irumudi(Telugu)
https://assets-**in**.bmscdn.com/discovery-catalog/events/tr:w-400,h-600,bg-CCCCCC,e-usm-2-2-0.5-0.008:w-400.0,h-660.0,cm-pad_resize,bg-000000,fo-top:l-image,i-discovery-catalog@@icons@@like_202006280402.png,lx-24,ly-617,w-29,l-end:l-text,ie-MjU4SysgTGlrZXM%3D,fs-29,co-FFFFFF,ly-612,lx-70,pa-8_0_0_0,l-end/et00487933-xpmkprqscl-portrait.jpg



mcp_app_cinemora

Generated Urls
MCP server: http://localhost:8787/mcp
Standalone UI: http://localhost:8787/app
Health check: http://localhost:8787/health

DURGA
Software Solutions®



mcp_app_cinemora



mcp_app_cinemora



mcp_app_cinemora

http://localhost:8787/health



mcp_app_cinemora

Configuration of MCP server in Codex

Once mcp server **is** running, We required to add MCP server to our MCP Host(Codex)

profile--> settings--> plugins---> MCP---> Add---> Add MCP Server



mcp_app_cinemora

Name : cinemora
Type: StreamableHTTP
URL: http://localhost:8787/mcp



mcp_app_cinemora



mcp_app_cinemora

Test application
Codex
New Chat

prompt:
By using MCP what **is** the temperature of Hyderbad



mcp_app_cinemora

Form Codex only we can book tickets.
The ui **is** accessible from Codex

prompts:
provide any movies available **in** chennai after 10PM

Codex will Open the App url **and** search the movies **in** the Chennai **and** it will provide the resul es



mcp_app_cinemora

prompt:
Book a ticket A7 **for** Spider-Man **with** name :Shiva **and** mobile number 8888888888 after 10P M show

Codex will search **for** the available seats, **if not** found it will suggest the near-by seats.

After confirmation from user Codex will book the Ticket



mcp_app_cinemora



mcp_app_cinemora



mcp_app_cinemora



mcp_app_cinemora



mcp_app_cinemora

prompt:
Book **for** Ravi also, **with** the same mobile number, **in** the middle seats most comfortable to see the movies.

Note
With MCP UI of the custom app also will be available to the Codex

MCP Apps3 : Remote Control

We can control the PC with the help of a Device also(like mobile) From mobile we can provide the prompts and work is done in the PC

Configuration of remote connection
Profile --> Settings --> Connections --> Add --> Phone --> QR Code

DURGA
Software Solutions®



remote_project



remote_project



remote_project

Connect Codex Desktop With Mobile

Scan the QR Code from your mobile **with** Google Lens **for** pairing **with** Desktop app

Constraints

In your mobile ChatGPT codex app should be installed
Both Desktop **and** mobile Codex versions should be login **with** same accounts
The system should be ON **if** we want to access Codex from mobile



remote_project



remote_project



remote_project

Test the application using Mobile

In mobile app Open the ChatGPT Codex App
First select the project : remote_project

and give the following prompt:

Create a notebook **in** the folder **with** five bullet points about how to win friends **and** influence p eople

Note

Now Whatever prompts we have given **in** the mobile it will access our PC **and** complete the task



remote_project

Mobile Codex App

Prompt:
Create a text file- **in** the current folder **with**- five bullet points about how to win friends **and** infl uence people



remote_project

Codex creates the text file **in** the current project folder ==> remote_project



remote_project



remote_project

Revoke access

After completing the work
We can completelty cancel the mobile access to Desktop app
Profile --> Settings --> Connections --> Revoke Access
We can temporarily cancel the mobile access to Desktop app
Profile --> Settings --> Connections --> Allow Connections ==> Disable

DURGA
Software Solutions®



remote_project

When remote access **is** enabled we can prevent the computer sleep by Enabled the option "Kee p this PC Awake"



remote_project

Creating AI Applications

Plugins : OpenAI Developers
This will be useful **for** creating AI Applications **with** Codex

AI Application :ChatBot

Install Plugin

Install the OpenAI Developers Plugin

Plugins ==> Search **for** OpenAI Developers **and** install the plugin



ai_app_chatbot



ai_app_chatbot

OpenAI Developers Plugin contains
- App
  - OpenAI Platform
- MCP Server
  - OpenAI-api-key-local-confirmation
- Skills
  - Agents
  - Build ChatGPT app
  - ChatGPT app submission
  - OpenAI API troubleshooting
  - OpenAI API key setup

DURGA
Software Solutions®



ai_app_chatbot



ai_app_chatbot

Try the Plugin



ai_app_chatbot

Create OpenAI API key in Codex

Create a new project : aiapp2
Create openai API key : https://platform.openai.com/settings/organization/api-keys

Prompt:
@OpenAI Developers Create an OpenAI API key to use **in** this project

Then Codex will opens the platform.openai.com UI **and** we can create API Key here only



ai_app_chatbot



ai_app_chatbot

Codex will ask **for** approval to wtire the API Key **in** local system



ai_app_chatbot

After approval Codex will create the Key **in** platform.openai **and** the key **is** saved **in** local syste m also



ai_app_chatbot

DURGA
Software Solutions®



ai_app_chatbot



ai_app_chatbot

Create Chatbot App

Create a simple colorful demo chat bot using HTML, CSS, **and** JS. Use [@OpenAI Developers](plugin://openai-developers@openai-curated-remote)



ai_app_chatbot

Test the app

prompt:
Advantages of Appreciation

DURGA
Software Solutions®



ai_app_chatbot



ai_app_chatbot

Publish the app in Sites

prompt:

Publish this app to the sites **and** provide a public URL.



ai_app_chatbot



ai_app_chatbot

DURGA
Software Solutions®



ai_app_chatbot

Check the app in sites

Sites ==>



ai_app_chatbot

AI Application : Palm Astrology

Install Plugin

Install the OpenAI Developers Plugin

Plugins ==> Search **for** OpenAI Developers **and** install the plugin

DURGA
Software Solutions®



ai_app_palm_astrology



ai_app_palm_astrology

OpenAI Developers Plugin contains
- App
  - OpenAI Platform
- MCP Server
  - OpenAI-api-key-local-confirmation
- Skills

Agents
Build ChatGPT app
ChatGPT app submission
OpenAI API troubleshooting
OpenAI API key setup



ai_app_palm_astrology



ai_app_palm_astrology

Try the Plugin



ai_app_palm_astrology

Create Palm Astrology App
Codex
New Chat
Project : aiapp3

prompt:
Create a colorful AI app where a user will upload an image of his palm **for** astrology, using HT ML, CSS, **and** JS. AI should explain about his past, present, **and** future **in** a brief way **in** simpl e english. Provide a funny tagline about his future. Use [@OpenAI Developers](plugin://openai-developers@openai-curated-remote)



ai_app_palm_astrology

If OPENAI_API_KEY **is** avaiale it will be used by Codex
If **not** it will open the platform.openai.com **in** th Codex to create the OPENAI_API_KEY



ai_app_palm_astrology

Codex asks **for** approval to save the OPENAI_API_KEY **in** the local folder



ai_app_palm_astrology



ai_app_palm_astrology

Test the app
http://localhost:5173



ai_app_palm_astrology

Publish the app in Sites
prompt:
Publish this app to the sites **and** provide a public URL.

Check the app in sites
Sites ==>



ai_app_palm_astrology

Gaming Applications

Take the screen shot of the game which you are playing **in** mobile.
Provide the image to ChatGPT ask to to develop such type of game provide the prompt

Block Blast Game

Codex
New Chat
Project : gameapp2

Build a complete, fully playable 3D block blast game **in** a single self-contained HTML file (inclu ding inline CSS **and** JavaScript) using Three.js. Use reference image as sample



block_blast_game



block_blast_game

Bubble Game
Codex
New Chat
Project : gameapp2

prompt:

Build a complete, fully playable 3D bubble game in a single self-contained HTML file (including inline CSS and JavaScript) using Three.js.

Forest Paddle

1. Game Visuals & Environment:
- Camera: Low-angle third-person camera looking down the river behind the player.
- Art Style: Stylized low-poly aesthetic with soft lighting and a muted, natural color palette (deep forest greens, teal river water, tan/wooden kayak, gray rocks, brown logs).
- Environment Features:
  - A central river flowing towards the viewer/player to create the illusion of forward paddling.
  - Riverbanks on left and right lined with low-poly pine trees, stumps, and foliage.
  - Soft environmental fog blending into the horizon, plus a pale sun/moon low in the sky.

2. Player Character & Controls:
- Character (Aiko): A low-poly character sitting inside a yellow/tan canoe/kayak holding a wooden paddle.
- Animation: Continuous alternating left-and-right paddle stroke animation.
- Controls:
  - Steer left: 'A' key, Left Arrow, or on-screen '←' button.
  - Steer right: 'D' key, Right Arrow, or on-screen '→' button.
  - Start/Restart: Spacebar or clicking the main action button.
- Smooth lateral (left-right) movement restricted within the bounds of the river.

3. Gameplay & Obstacles:
- Procedurally spawn obstacles floating down the river toward the player at an increasing speed.
- Obstacle Types: Low-poly rocks, fallen logs, tree stumps, and branch clusters.
- Scoring: Distance-based score counter displayed at the top right, formatted as 5-digit padded numbers (e.g., 00124).
- Collision & Game Over: Precise bounding-box or bounding-sphere collision between kayak and obstacles. A single hit triggers Game Over.

4. UI & Overlays (HTML/CSS Overlay):
- Glassmorphism dark green rounded cards with clean, modern typography.
- Start Screen:
  - Header: "A FOREST RIVER ADVENTURE"
  - Title: "Forest Paddle"
  - Body: "Guide Aiko through the wild river. Dodge rocks, logs, stumps, and fallen branches."
  - Controls Diagram: Key icons showing ← / → or A / D to steer.
  - Button: "Begin Journey" (warm yellow/gold highlight).
  - Subtext: "PRESS SPACE TO START".
- Top HUD (Active Gameplay):
  - Top Left: "FOREST PADDLE" text logo.
  - Top Right: Score counter badge.
  - Bottom Center: Semi-transparent touch-friendly '←' and '→' buttons.

Game Over Screen:

- Subtitle: "THE RIVER CLAIMS ANOTHER RUN"
- Title: "Game Over"
- Display final 5-digit score prominently.
- Body: "Aiko hit an obstacle. Paddle back in and beat your distance."
- Button: "Paddle Again".

Performance & Responsiveness:
Ensure the canvas **is** responsive, fills the viewport, handles window resizing gracefully, **and** use s delta-time **in** the requestAnimationFrame loop **for** fluid 60fps performance across devices.

Scheduling Tasks(Latest Update on Work September2026)

As of September 2026, OpenAI describes Work this way:
web/mobile Work runs **in** the cloud,
while the desktop app can additionally use local files, local apps, **and** computer-use capabili ties.
Cloud Work chats also sync between web, mobile, **and** desktop.

Work on Web vs Desktop

Capability	🌐 Work on Web	🖥️ Work on Desktop
Execution environment	OpenAI cloud	Cloud **or your computer**
Computer must remain ON?	**No**	Depends on the task
Continue after closing ChatGPT?	Yes, for cloud tasks	Yes for cloud tasks; not for tasks requiring your computer
Access files on your PC directly	❌ No	✅ Yes, with permission
Work with desktop applications	❌ No	✅ Supported
Cloud browser	✅ Yes	✅ Cloud Work can use it
Built-in local browser	❌	✅ Yes
Connected plugins/apps	✅	✅
Scheduled Tasks	✅	✅, subject to task type/capabilities
Best suited for	Autonomous cloud workflows	Cloud workflows **plus local-computer automation**

Work Cloud = delegate work that can **continue** without your computer
Work Desktop = Work Cloud + access to your local computer when needed
Scheduled Tasks = tell Work when **or** under what condition to run

Application

Identify Top 5 Bollywood news
By using Gemini-tts skill generate audio file **for** the news
By Using WhatsApp web **and** send the audio file to a channel

Install Skills in web version

The Skills which we have installed **in** Desktop version **is not** available to Web version

So we need to install the skills **in** the web version
https://chatgpt.com/plugins?directoryTab=openai

We need to install the Gemini-tts skill **for** audio creation

New Chat ==> Work ==> Plugins

Then select the Skills tab



work_scheduling



work_scheduling

We have already created Gemini-tts plugin We have to upload the zip file

Skills ==> Add ==> Upload from your computer



work_scheduling



work_scheduling

DURGA
Software Solutions®

Collect news and create voice message

New Chat ==> Work

prompt:

Collect today's latest Bollywood top five news.Use Gemini 3.1 Flash PTS and create a 2-minute audio in Hindi about the news. Use this API key.
AQ.xxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxx



work_scheduling



work_scheduling

Send the file to Whatsapp channel

Constraint : You should login into WhatsApp web

Open web.whatsapp.com search **for** "AI with Durga Sir" channel **and** send this audio file.
Dont ask **for** approval to send **and** sent it always

Scheduling the task

Scheduled ==> Work

prompt:
At 11:10PM
Collect todays latest top 5 India cricket news..Use Gemini 3.1 Flash PTS **and** create a 2-minute audio **in** Hindi about the news. Use this API key.
AQ.xxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxx

Open web.whatsapp.com search **for** "AI with Durga Sir" channel **and** send this audio file.
Dont ask **for** approval to send **and** sent it always



work_scheduling



work_scheduling

Ollama

Ollama lets you download and run AI models like Llama locally on your own computer.

Advantages of Ollama

- Privacy: Your data can stay on your computer.
- Offline Usage: After downloading a model, many tasks can work without internet.
- No per-request API cost: Run local models without paying **for** every API call.
- Local execution: No need to send every request to a cloud server.
- Many models : easily run models such as Llama, Gemma, Qwen, DeepSeek, **and** others.
- Easy model switching: download **and** change models **with** simple commands.
- Developer-friendly: provide a local APIs that the application can call.
- Great **for** learning, testing, **and** experimenting **with** LLMs locally without depending on a cloud API

Ollama = an easy way to run **and** experiment **with** AI models locally **with** more privacy **and** con trol.

Download Ollama and install the software : Local Machine

https://ollama.com/
From this website Download Ollama

After download install the software

DURGA
Software Solutions®



ollama_download

Download the model

Ollama ==> select Model ==> qwen3.5:4b and download

Open terminal and run the following command
ollama --version ==>to check the ollama version installed in your system

Download the model
ollama pull qwen3.5:4b



ollama_models

Models View all

Name	Size / Usage	Context	Input
qwen3.5:latest	6.6GB	256K	Text, Image
qwen3.5:0.8b	1.0GB	256K	Text, Image
qwen3.5:2b	2.7GB	256K	Text, Image
qwen3.5:4b	3.4GB	256K	Text, Image
qwen3.5:9b latest	6.6GB	256K	Text, Image
qwen3.5:27b	17GB	256K	Text, Image
qwen3.5:35b	24GB	256K	Text, Image
qwen3.5:122b	81GB	256K	Text, Image
qwen3.5:0.8b-mlx MLX	1.2GB	256K	Text, Image
qwen3.5:2b-mlx MLX	3.1GB	256K	Text, Image
qwen3.5:4b-mlx MLX	4.0GB	256K	Text, Image
qwen3.5:9b-mlx MLX	8.9GB	256K	Text, Image

ollama_models

qwen3.5:4b

20.9M Downloads Updated 3 weeks ago

Qwen 3.5 is a family of open-source multimodal models that delivers exceptional utility and performance.

vision tools thinking 0.8b 2b 4b 9b 27b 35b 122b

CLI cURL Python JavaScript

```
ollama run qwen3.5:4b
```

Details

Updated 6 months ago		2a654d98e6fb · 3.4GB
model	arch qwen35 · parameters 4.66B · quantization Q4_K_M	3.4GB
license	Apache License Version 2.0, January 2004 http://www.apache.org/lice…	11kB
params	{ "presence_penalty": 1.5, "temperature": 1, "top_k": 20, "top_p": …	65B

ollama_models

```
[redacted]llama --version
ollama version is 0.32.6

[redacted]llama download qwen3.5:4b
Error: unknown command "download" for "ollama"

[redacted]llama pull qwen3.5:4b
pulling manifest
pulling 81fb60c7daa8: 100% [redacted] 3.4 GB
pulling 7339fa418c9a: 100%                 11 KB
pulling 9371364b27a5: 100%                 65 B
pulling de9fed2251b3: 100%                 475 B
verifying sha256 digest
writing manifest
success
```

ollama_models

Run the AI model :CLI

ollama run qwen3.5:4b

```
[redacted]llama run qwen3.5:4b
>>> Hello
Thinking...
Thinking Process:

1.  **Analyze the Request:**
    *   Input: "Hello"
    *   Intent: Greeting, initiating conversation.
    *   Tone: Friendly, polite, helpful.
    *   Context: General chat start (no specific task or question provided).

2.  **Determine the Appropriate Response:**
    *   Acknowledge the greeting.
    *   Offer assistance.
    *   Keep it open-ended to invite further input from the user.
    *   Maintain a warm and engaging tone.

3.  **Drafting Options:**
    *   Option 1 (Simple): Hello! How can I help you today?
    *   Option 2 (Friendly): Hi there! Welcome aboard. What's on your mind?
    *   Option 3 (Helpful): Hello! It's great to meet you. Is there something specific you'd like assistance with?

4.  **Selecting the Best Fit:**
    *   A combination of friendliness and readiness is usually best for a first interaction. Let's go with something welcoming that invites questions
or topics.

5.  **Final Polish (Internal Monologue):**
    *   "Hello! How can I assist you today?" is classic, but maybe add a bit more warmth. "Hi there! Welcome to our chat."
    *   Actually, keep it simple and direct: "Hello! Hi there! 👋" ... No, emojis can be okay but not overdone. Let's stick to text that sounds
natural.

6.  **Final Decision:**
    *   Greet back warmly.
    *   Offer help regarding tasks, questions, or chat topics.
    *   Example: "Hello! How are you doing today? Is there something specific I can assist you with?"

7.  **Output Generation** (matching the selected tone).
...done thinking.

Hello! 👋 How are you doing today? Is there anything specific you'd like to talk about or need help
```

ollama_models

Ollama UI

Windows search **for** Ollama **and** open



ollama_models

DURGA
Software Solutions®



ollama_models



ollama_models

Ollama in cloud platform

https://massedcompute.com/

Steps:
- We rented a powerful RTX PRO 6000 **with** 96 GB VRAM.
- We connected to that machine through SSH.
- We installed Ollama.
- We downloaded an LLM.
- We ran that model using the GPU.
- Finally, we installed Open WebUI **and** converted our terminal-based AI into a ChatGPT-like w eb application.

Complete flow:
Cloud → VM → GPU → SSH → Ollama → Model → Open WebUI → Our Own AI Chat.

One very important final instruction
- At the end of the **class**, stop/delete the GPU instance when you no longer need it.
- At the current $2.19/hour listed price, leaving it running **for** 10 unnecessary hours **is** about $21.90.

Massed Compute

Create account and login

Rent NVIDIA Cloud GPUs on Demand
https://massedcompute.com/

Create account : Min **with** $5
Login into the account

DURGA
Software Solutions®



massed_compute

Create Instance

My Instances ==> DEPLOY AN INSTANCE



massed_compute_virtual_machine

Deploy

Compute Section : GPU

GPU Type : RTX PRO 6000 Blackwell(96GB)
Quantity : 1
Category : Creator
Image : Fahd Mirza

Note:
If we select Creator : The required softwares are already available **with** the instance
We dont need to install the softwares separately.
Docker **is** already available **in** this image



massed_compute_virtual_machine

Create SSH Key pair using ChatGPT

To connect the Virtual machine which **is** on cloud through our local system SSH must be requi red

Public Key we have to provide **in** Virtual Machine
Privata Key will be **in** local machine(client side)
If we want to connect **with** Virtual Machine we have to **pass** the private key
Virtual Machine validata the private key **with** Public key

For generating Public **and** Private key we can use ChatGPT

prompt:
create an ssh key pair **and** send it as zip file



massed_compute_ssh

Extract the Zip file
we will have Private **and** Public key

Create SSH Key **in** Virtual Instance
SSH Key : Add SSH key
Name : durgapub
Public Key : <paste the content of Public key **in** zip file>
SSH Key : durgapub



massed_compute_ssh



massed_compute_ssh



massed_compute_ssh

Check the Hard Configuration **and** Deploy



massed_compute_ssh

Instance **is** creaed **and** running



massed_compute_ssh



massed_compute_ssh

To see the details of the VM click on Details
We will have
Login URL
Username
Password
These are requied to connect this VM through our local system

DURGA
Software Solutions®



massed_compute_ssh

Connect VM through local system : CLI

Open the command prompt where we have extracted the SSH public **and** private key
Run the following command
ssh -i <private_key_filename> U <username_on_server>@<Login URL:Server IP Address>
ssh -i id_ed25519 U Ubuntu@154.54.100.243

-i ==> Identify File

Ask **for continue and** password.Provide yes **and** password

```
D:\ssh-ed25519-keypair (1)>ssh -i id_ed25519 Ubuntu@154.54.100.243
The authenticity of host '154.54.100.243 (154.54.100.243)' can't be established.
ED25519 key fingerprint is SHA256:xkoN2+veQnMySjB6T05KF0UefmInkxfsSWh43YZKcBU.
This key is not known by any other names.
Are you sure you want to continue connecting (yes/no/[fingerprint])? yes
Warning: Permanently added '154.54.100.243' (ED25519) to the list of known hosts.
Bad permissions. Try removing permissions for user: NT AUTHORITY\\Authenticated Users (S-1-5-11) on file D:/ssh-ed25519-
keypair (1)/id_ed25519.
@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@
@         WARNING: UNPROTECTED PRIVATE KEY FILE!          @
@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@
Permissions for 'id_ed25519' are too open.
It is required that your private key files are NOT accessible by others.
This private key will be ignored.
Load key "id_ed25519": bad permissions
Ubuntu@154.54.100.243's password:
Welcome to Ubuntu 22.04.4 LTS (GNU/Linux 6.5.0-28-generic x86_64)

 * Documentation:  https://help.ubuntu.com
 * Management:     https://landscape.canonical.com
 * Support:        https://ubuntu.com/pro

Expanded Security Maintenance for Applications is not enabled.

473 updates can be applied immediately.
372 of these updates are standard security updates.
To see these additional updates run: apt list --upgradable

9 additional security updates can be applied with ESM Apps.
Learn more about enabling ESM Apps service at https://ubuntu.com/esm


The list of available updates is more than a week old.
To check for new updates run: sudo apt update
Last login: Tue Apr 14 20:50:01 2026 from 64.247.206.150
(base) Ubuntu@0572-dca3-asp6bk-prxmx160024:~$
```

massed_compute_ssh

Stop the Server Instance

My Instances ==> Stop



massed_compute_ssh



massed_compute_ssh

Delete the Server Instance

Delete the instance



massed_compute_ssh



massed_compute_docker

Steps to create VM and working with ollama

Firewall
To restrict unauthorized access
Like Security guard at gate

1. Creation of VM **with** required GPU configurations **and** SSH public key.
2. Connect to the VM by using SSH from the terminal.
3. Download **and** install Ollama.
4. Start Ollama
5. Allow Docker to reach Ollama
6. Start the web UI.
7. Find the Docker network.
8. Configure firewall.
9. Test Open web UI **and** Ollama connection.
10. Download Qwen 3.5 model.
11. Run Qwen model.
12. Access the WebUI from the browser.

Download and Install Ollama

curl -fsSL https://ollama.com/install.sh | sh

```
(base) Ubuntu@0572-dca3-asp6bk-prxmx160078:~$ curl -fsSL https://ollama.com/install.sh | sh
>>> Installing ollama to /usr/local
>>> Downloading ollama-linux-amd64.tar.zst
######################################################################## 100.0%
>>> Adding ollama user to render group...
>>> Adding ollama user to video group...
>>> Adding current user to ollama group...
>>> Creating ollama systemd service...
>>> Enabling and starting ollama service...
Created symlink /etc/systemd/system/default.target.wants/ollama.service → /etc/systemd/system/ollama.service.
>>> NVIDIA GPU installed.
(base) Ubuntu@0572-dca3-asp6bk-prxmx160078:~$
```

massed_compute_download_install_ollama

Start Ollama
sudo systemctl enable --now ollama

Linux, please start Ollama now **and** automatically start it whenever this machine starts.

```
(base) Ubuntu@0572-dca3-asp6bk-prxmx160078:~$ sudo systemctl enable --now ollama
(base) Ubuntu@0572-dca3-asp6bk-prxmx160078:~$
```

massed_compute_start_ollama

Allow Docker to reach Ollama
Ollama runs **in** Linux Host
Open WebUI runs **in** Docker Container
We have to make sure Open WebUI can talk to Ollama.

A. Create a configuration folder:
sudo mkdir -p /etc/systemd/system/ollama.service.d
Here we are simply creating a folder where we can give some extra settings to Ollama.

B. Tell Ollama: "Don't accept connections only from this Linux machine. Also accept connection s coming from Docker/Open WebUI."

printf '[Service]\nEnvironment="OLLAMA_HOST=0.0.0.0:11434"\n' | \
sudo tee /etc/systemd/system/ollama.service.d/override.conf

C. Reload the configuration:
sudo systemctl daemon-reload

D. Restart Ollama
sudo systemctl restart ollama

```
(base) Ubuntu@0572-dca3-asp6bk-prxmx160078:~$ sudo mkdir -p /etc/systemd/system/ollama.service.d
(base) Ubuntu@0572-dca3-asp6bk-prxmx160078:~$ printf '[Service]\nEnvironment="OLLAMA_HOST=0.0.0.0:11434"\n' | \
sudo tee /etc/systemd/system/ollama.service.d/override.conf
[Service]
Environment="OLLAMA_HOST=0.0.0.0:11434"
(base) Ubuntu@0572-dca3-asp6bk-prxmx160078:~$ sudo systemctl daemon-reload
(base) Ubuntu@0572-dca3-asp6bk-prxmx160078:~$ sudo systemctl restart ollama
(base) Ubuntu@0572-dca3-asp6bk-prxmx160078:~$
```

massed_compute_allow_docker_Ollama

Verify Ollama

Test whether Ollama **is** working. We should get a response from Ollama
curl http://127.0.0.1:11434/api/tags

```
(base) Ubuntu@0572-dca3-asp6bk-prxmx160078:~$ curl http://127.0.0.1:11434/api/tags
{"models":[]}(base) Ubuntu@0572-dca3-asp6bk-prxmx160078:~$
```

massed_compute_verify_Ollama

Start Open WebUI

But Ollama **is** mainly command-line based.
We want something beautiful like ChatGPT where we can type a question **in** the browser **and** s ee the answer.
For that we are going to use Open WebUI.

```
sudo docker run -d \
  -p 3000:8080 \
  --add-host=host.docker.internal:host-gateway \
  -e OLLAMA_BASE_URL=http://host.docker.internal:11434 \
  -v open-webui:/app/backend/data \
  --name open-webui \
  --restart always \
  ghcr.io/open-webui/open-webui:main
```

```
(base) Ubuntu@0572-dca3-asp6bk-prxmx160078:~$ sudo docker run -d \cker run -d \
  -p 3000:8080 \
  --add-host=host.docker.internal:host-gateway \
  -e OLLAMA_BASE_URL=http://host.docker.internal:11434 \
  -v open-webui:/app/backend/data \
  --name open-webui \
  --restart always \
  ghcr.io/open-webui/open-webui:main
Unable to find image 'ghcr.io/open-webui/open-webui:main' locally
main: Pulling from open-webui/open-webui
597c6c618d36: Pull complete
dec88b5dd81f: Pull complete
50bbb63acf74: Pull complete
0e1c3fb2fe1c: Pull complete
b9547f9930cb: Pull complete
4f4fb700ef54: Pull complete
41d6e7528dc0: Pull complete
f66a0c398e9a: Pull complete
2fe491d7c8d6: Pull complete
909591222360: Pull complete
00c535d8457e: Pull complete
6bd72d477936: Pull complete
14ff05f777ad: Pull complete
4c8446b1f69d: Pull complete
3a07ca8ed359: Pull complete
3f7ec5c675f4: Pull complete
Digest: sha256:6a773e5c3a246b65cbe74ce942b294292c0e5f81c138f703d111bc162f7d7c3d
Status: Downloaded newer image for ghcr.io/open-webui/open-webui:main
a40d4f15db10a67c3680ccc6fb9715ad221287bb3cd133f3456a3dc5a7670a81
(base) Ubuntu@0572-dca3-asp6bk-prxmx160078:~$
```

massed_compute_start_open_webui

Find the Docker Network

Now Ollama **and** Docker have to communicate.
For security, we dont want everybody on the internet to access Ollama port 11434.
We mainly want our Docker network to access it.
First, let us find the Docker network automatically.

```
DOCKER_SUBNET=$(sudo docker network inspect bridge \
  --format '{{(index .IPAM.Config 0).Subnet}}')

echo "Docker subnet: $DOCKER_SUBNET"
```

```
(base) Ubuntu@0572-dca3-asp6bk-prxmx160078:~$ DOCKER_SUBNET=$(sudo docker network inspect bridge \
  --format '{{(index .IPAM.Config 0).Subnet}}')

echo "Docker subnet: $DOCKER_SUBNET"
Docker subnet: 172.17.0.0/16
(base) Ubuntu@0572-dca3-asp6bk-prxmx160078:~$
```

massed_compute_docker_subnet

Configure Firewall

firewall **is** like the security guard at the gate.
It decides which network traffic **is** allowed.

Firewall, please allow users to access port 3000.

sudo ufw allow 3000/tcp
sudo ufw allow from "$DOCKER_SUBNET" to any port 11434 proto tcp
sudo ufw reload

```
(base) Ubuntu@0572-dca3-asp6bk-prxmx160078:~$ sudo ufw allow 3000/tcp
sudo ufw allow from "$DOCKER_SUBNET" to any port 11434 proto tcp
sudo ufw reload
Rule added
Rule added (v6)
Rule added
Firewall reloaded
(base) Ubuntu@0572-dca3-asp6bk-prxmx160078:~$
```

massed_compute_configure_firewall

Test Open WebUI → Ollama Connection

To ensure that Docker should communicate **with** Ollama.

sudo docker exec open-webui \
  curl --max-time 10 http://host.docker.internal:11434/api/tags

```
(base) Ubuntu@0572-dca3-asp6bk-prxmx160078:~$ sudo docker exec open-webui \
  curl --max-time 10 http://host.docker.internal:11434/api/tags
  % Total    % Received % Xferd  Average Speed   Time    Time     Time  Current
                                 Dload  Upload   Total   Spent    Left  Speed
100    13  100    13    0     0  16455      0 --:--:-- --:--:-- --:--:-- 13000
{"models":[]}(base) Ubuntu@0572-dca3-asp6bk-prxmx160078:~$
```

massed_compute_test_openwebui

Download Qwen Model

ollama pull qwen3.5:4b

```
{"models":[]}(base) Ubuntu@0572-dca3-asp6bk-prxmx160078:~$ ollama pull qwen3.5:4b
pulling manifest
pulling 81fb60c7daa8: 100% ▕████████████████████████████████████████████████▏ 3.4 GB/3.4 GB  421 MB/s     0s
verifying sha256 digest
writing manifest
success
(base) Ubuntu@0572-dca3-asp6bk-prxmx160078:~$
```

massed_compute_download_qwen

Run Qwen

ollama run qwen3.5:4b

```
(base) Ubuntu@0572-dca3-asp6bk-prxmx160078:~$ ollama run qwen3.5:4b
>>> Hello
Thinking...
Thinking
Thinking Process:

1.  **Analyze the Request:**
    *   Input: "Hello"
    *   Intent: Greeting, initiation of conversation.
    *   Tone: Friendly, polite, helpful.
    *   Expected Output: A greeting back, offer assistance.

2.  **Determine the Role/Persona:**
    *   I am an AI assistant.
    *   I should be welcoming and ready to help.

3.  **Draft Potential Responses:**
    *   Option 1 (Simple): Hello! How can I help you?
    *   Option 2 (Friendly): Hi there! Welcome in. What's on your mind today?
    *   Option 3 (Enthusiastic): Hello! It's great to meet you. Is there anything specific you'd like assistance with?

4.  **Select the Best Response:**
    *   A mix of friendly and helpful is usually best for a first interaction. Keep it concise but open-ended.

5.  **Final Polish (Internal Monologue):**
    *   "Hello" -> Acknowledge, return greeting, offer help.
    *   Avoid over-complicating since there's no specific context yet.
    *   Ensure the language is natural and polite.

6.  **Final Output Generation:**
    *   "Hello! How can I assist you today?" or similar.cw

7.  **Safety Check:** No sensitive topics, no policy violations. Safe to proceed.

8.  **Execution:** (Produce the greeting).cw

**Draft:** Hello! 👋 It's great to meet you. How are you doing today? Is there anything specific I can help you with?
...done thinking.

Hello! 👋 It is nice to meet you.
```

massed_compute_run_qwen

Terminal(client machine) ==> Massed Compute ==> VM ==> Ollama ==> AI Model ==> Response **in** same order

Browser ==> Massed Compute ==> Docker ==> OpenWebUI ==> Ollama ==> AI Model ==> Resp onse

To access from webui(Through browser in client machine)

Browser ==> Massed Compute ==> Docker ==> OpenWebUI ==> Ollama ==> AI Model ==> Resp onse

Open Browser **in** client machine(our machine)

http://server_ip_address:3000
http://154.54.100.243:3000
First time we have to create an account
User name : durga
User email : durga@gmail.com
Password : 123456

DURGA
Software Solutions®



massed_compute_openwebui





massed_compute_create_account



massed_compute_chat



massed_compute_chat

Note

Agentic Platforms
- Claude cowork
- ChatGPT work
- Openclaw
- hermes-agent

Clawdbot → Moltbot → OpenClaw
- Clawdbot — original name, launched **in** November 2025.
- Moltbot — temporary name after the first rebrand.
- OpenClaw — current name since January 2026.

Self Hosted **and** local installed Agentic platforms
  Openclaw
  hermes-agent
Claude cowork
  Only Claude AI models we have to use

ChatGPT Work
  Only OpenAI models we have to use

OpenClaw
  We can use any AI models(Proprietary **and** Opensource models)
  We can install **in** local system **and** we can self-host
OpenClaw **is** an Agentic AI platform that uses AI models **and** tools to work like personal AI Assi stant

Hermes-Agent Installation

https://portal.nousresearch.com/



hermes_agent

Download Desktop version

DURGA
Software Solutions®



hermes_agent_download



hermes_agent_installation

DURGA
Software Solutions®



hermes_agent_launch



hermes_agent_homepage

DURGA Software Solutions®

Settings

Hermes Agent Home page ==> Settings



hermes_agent_settings

Providers

Settings ==> Providers

- Acconts
- API Keys
- Custom Endpoints
- Local Models



hermes_agent_settings_providers

Accounts

Settings ==> Providers ==> Accounts

We can add any number of AI Models **with** subscriptions



hermes_agent_settings_providers_accounts

DURGA Software Solutions®

API Keys

Settings ==> Providers ==> API Keys

We can add any number of AI Models **with** API keys



hermes_agent_settings_providers_apikeys

Provide OpenAI API key **and** access OpenAI Models



hermes_agent_settings_providers_apikeys

hermes_agent_settings_providers_apikeys



hermes_agent_settings_providers_apikeys

Chat **with** hermes agent
/help ==> Shows available commands

DURGA
Software Solutions®



hermes_agent_chat

Provide Openrouter API Key



hermes_agent_openrouter



hermes_agent_openrouter_chat

Custom Endpoints

With the help of OpenAI compatible endpoints we can access the AI Models

Local Models

Application

prompt:
Build a compound interest calculator using HTML, CSS, **and** JS, where the user has to provide :
- Initial amount
- Every-month contribution
- Interest rate
- Period of compounding
- Duration

Everything should be inside a single .html file.

DURGA
Software Solutions®



hermes_agent_application



hermes_agent_application

Orcarouter
https://www.orcarouter.ai/
One gateway. Every model

Select Free models : DeepSeek V4 Flash (Free)
https://www.orcarouter.ai/models/deepseek/deepseek-v4-flash-free

Model : deepseek/deepseek-v4-flash-free
Endpoint URL : https://api.orcarouter.ai/v1
API Key : sk-xxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxx

DURGA
Software Solutions®



orcarouter_free_models



orcarouter_free_models_endpoint



orcarouter_free_models_apikey

Adding Orcarouter in Hermes Agent

With OpenAI compatible endpoint we can add Orcarouter to Hermes Agent

Add Endpoint

Name : deepseek
Provider ID: deepseek
Endpoint URL : https://api.orcarouter.ai/v1
Default Model: deepseek/deepseek-v4-flash-free
Context : Auto
API Key : sk-xxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxx

DURGA
Software Solutions®



hermes_agent_endpoint



hermes_agent_endpoint

Hermesagent Application

Open bookmyshow.com, check **for** PVR Irrum manzil Hyderabad movies **for** tomorrow. Use bro wser site panel.



hermes_agent_bookmyshow

Skills in Harmes Agent

Capabilities



hermes_agent_skills

Install Custom Skill in Hermes Agent

New Session
Select the gemini-tts-student.zip
install this skill



hermes_agent_skills_installation

Gemini-tts application

New Session
/gemini-tts provide top 5 ai viral news **in** india **in** just 1 min **in** hindi

DURGA
Software Solutions®



hermes_agent_skills_response

New Session
/gemini-tts provide top telugu movies news



hermes_agent_skills_response

Different levels of working with AI.

Prompt Engineering
Context Engineering
Harness Engineering
Loop Engineering

Prompt Engineering

Prepare today's AI topic.

Context Engineering

Use my previous classes, syllabus, files, **and** web research.

Harness Engineering

Research agent finds information.
Teaching agent prepares an explanation.
Quiz agent creates MCQs.
Review agent checks everything.

Loop Engineering

Do this automatically every day.

Hermes Agents ==>Ollama models

1. Creation of VM
2. Install Ollama **and** run
3. Make Ollama accessible from the internet
4. Download **and** run a model.

Connect that Ollama to Hermes agent

Create Instance(VM) in MassedCompute

My Instances ==> DEPLOY AN INSTANCE



massed_compute_virtual_machine

Deploy

Compute Section : GPU
GPU Type : RTX PRO 6000 Blackwell(96GB)
Quantity : 1
Category : Creator
Image : Fahd Mirza

Note:
If we select Creator : The required softwares are already available **with** the instance
We dont need to install the softwares separately.
Docker **is** already available **in** this image

DURGA
Software Solutions®



massed_compute_virtual_machine

Create SSH Key pair using ChatGPT

To connect the Virtual machine which **is** on cloud through our local system SSH must be requi red

Public Key we have to provide **in** Virtual Machine
Privata Key will be **in** local machine(client side)
If we want to connect **with** Virtual Machine we have to **pass** the private key
Virtual Machine validata the private key **with** Public key

For generating Public **and** Private key we can use ChatGPT

prompt:
create an ssh key pair **and** send it as zip file



massed_compute_ssh

Extract the Zip file
we will have Private **and** Public key

Create SSH Key **in** Virtual Instance
SSH Key : Add SSH key
Name : durgapub
Public Key : <paste the content of Public key **in** zip file>
SSH Key : durgapub



massed_compute_ssh



massed_compute_ssh



massed_compute_ssh

Check the Hard Configuration **and** Deploy



massed_compute_ssh

Instance **is** creaed **and** running



massed_compute_ssh



massed_compute_ssh

To see the details of the VM click on Details
We will have
Login URL : http://154.54.100.243
Username : Ubuntu
Password : xxxxxxxxxxxxxxx
These are requied to connect this VM through our local system



massed_compute_ssh

Connect VM through local system : CLI

Open the command prompt where we have extracted the SSH public **and** private key
Run the following command
ssh -i <private_key_filename> U <username_on_server>@<Login URL:Server IP Address>
ssh -i id_ed25519 U Ubuntu@154.54.100.243

-i ==> Identify File

Ask **for continue and** password.Provide yes **and** password

DURGA
Software Solutions®

```
D:\ssh-ed25519-keypair (1)>ssh -i id_ed25519 Ubuntu@154.54.100.243
The authenticity of host '154.54.100.243 (154.54.100.243)' can't be established.
ED25519 key fingerprint is SHA256:xkoN2+veQnMySjB6T05KF0UefmInkxfsSWh43YZKcBU.
This key is not known by any other names.
Are you sure you want to continue connecting (yes/no/[fingerprint])? yes
Warning: Permanently added '154.54.100.243' (ED25519) to the list of known hosts.
Bad permissions. Try removing permissions for user: NT AUTHORITY\\Authenticated Users (S-1-5-11) on file D:/ssh-ed25519-
keypair (1)/id_ed25519.
@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@
@         WARNING: UNPROTECTED PRIVATE KEY FILE!          @
@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@
Permissions for 'id_ed25519' are too open.
It is required that your private key files are NOT accessible by others.
This private key will be ignored.
Load key "id_ed25519": bad permissions
Ubuntu@154.54.100.243's password:
Welcome to Ubuntu 22.04.4 LTS (GNU/Linux 6.5.0-28-generic x86_64)

 * Documentation:  https://help.ubuntu.com
 * Management:     https://landscape.canonical.com
 * Support:        https://ubuntu.com/pro

Expanded Security Maintenance for Applications is not enabled.

473 updates can be applied immediately.
372 of these updates are standard security updates.
To see these additional updates run: apt list --upgradable

9 additional security updates can be applied with ESM Apps.
Learn more about enabling ESM Apps service at https://ubuntu.com/esm


The list of available updates is more than a week old.
To check for new updates run: sudo apt update
Last login: Tue Apr 14 20:50:01 2026 from 64.247.206.150
(base) Ubuntu@0572-dca3-asp6bk-prxmx160024:~$
```

massed_compute_ssh

Download and Install Ollama

curl -fsSL https://ollama.com/install.sh | sh

```
(base) Ubuntu@0572-dca3-asp6bk-prxmx160078:~$ curl -fsSL https://ollama.com/install.sh | sh
>>> Installing ollama to /usr/local
>>> Downloading ollama-linux-amd64.tar.zst
######################################################################## 100.0%
>>> Adding ollama user to render group...
>>> Adding ollama user to video group...
>>> Adding current user to ollama group...
>>> Creating ollama systemd service...
>>> Enabling and starting ollama service...
Created symlink /etc/systemd/system/default.target.wants/ollama.service → /etc/systemd/system/ollama.service.
>>> NVIDIA GPU installed.
(base) Ubuntu@0572-dca3-asp6bk-prxmx160078:~$
```

massed_compute_download_install_ollama

Start Ollama

sudo systemctl enable --now ollama

Linux, please start Ollama now **and** automatically start it whenever this machine starts.

```
(base) Ubuntu@0572-dca3-asp6bk-prxmx160078:~$ sudo systemctl enable --now ollama
(base) Ubuntu@0572-dca3-asp6bk-prxmx160078:~$
```

massed_compute_start_ollama

Allow External Traffic to reach Ollama

A. Create a configuration folder:
sudo mkdir -p /etc/systemd/system/ollama.service.d

printf '[Service]\nEnvironment="OLLAMA_HOST=0.0.0.0:11434"\n' | \
sudo tee /etc/systemd/system/ollama.service.d/override.conf

B. Reload the configuration:
sudo systemctl daemon-reload

C. Restart Ollama
sudo systemctl restart ollama

```
(base) Ubuntu@0572-dca3-asp6bk-prxmx160078:~$ sudo mkdir -p /etc/systemd/system/ollama.service.d
(base) Ubuntu@0572-dca3-asp6bk-prxmx160078:~$ printf '[Service]\nEnvironment="OLLAMA_HOST=0.0.0.0:11434"\n' | \
sudo tee /etc/systemd/system/ollama.service.d/override.conf
[Service]
Environment="OLLAMA_HOST=0.0.0.0:11434"
(base) Ubuntu@0572-dca3-asp6bk-prxmx160078:~$ sudo systemctl daemon-reload
(base) Ubuntu@0572-dca3-asp6bk-prxmx160078:~$ sudo systemctl restart ollama
(base) Ubuntu@0572-dca3-asp6bk-prxmx160078:~$
```

massed_compute_allow

Verify Ollama

Test whether Ollama **is** working. We should get a response from Ollama
sudo ufw allow 11434/tcp ==> Firewall opened to allow traffic from internet like hermes agent

```
(base) Ubuntu@578-dca3-asp6bk-prxmx160076:~$ sudo ufw allow 11434/tcp
Rule added
Rule added (v6)
(base) Ubuntu@578-dca3-asp6bk-prxmx160076:~$
```

massed_compute_verify

Check from the browser whether ollama **is** accessible **or not**
http:154.54.100.243:11434/api/tags



massed_compute_verify

Download Qwen Model

ollama pull qwen3.5:4b

```
{"models":[]}(base) Ubuntu@0572-dca3-asp6bk-prxmx160078:~$ ollama pull qwen3.5:4b
pulling manifest
pulling 81fb60c7daa8: 100% ▕████████████████████████████████████████████████▏ 3.4 GB/3.4 GB  421 MB/s      0s
verifying sha256 digest
writing manifest
success
(base) Ubuntu@0572-dca3-asp6bk-prxmx160078:~$
```

massed_compute_download_qwen

Run Qwen

ollama run qwen3.5:4b

```
(base) Ubuntu@0572-dca3-asp6bk-prxmx160078:~$ ollama run qwen3.5:4b
>>> Hello
Thinking...
Thinking
Thinking Process:

1.  **Analyze the Request:**
    *   Input: "Hello"
    *   Intent: Greeting, initiation of conversation.
    *   Tone: Friendly, polite, helpful.
    *   Expected Output: A greeting back, offer assistance.

2.  **Determine the Role/Persona:**
    *   I am an AI assistant.
    *   I should be welcoming and ready to help.

3.  **Draft Potential Responses:**
    *   Option 1 (Simple): Hello! How can I help you?
    *   Option 2 (Friendly): Hi there! Welcome in. What's on your mind today?
    *   Option 3 (Enthusiastic): Hello! It's great to meet you. Is there anything specific you'd like assistance with?

4.  **Select the Best Response:**
    *   A mix of friendly and helpful is usually best for a first interaction. Keep it concise but open-ended.

5.  **Final Polish (Internal Monologue):**
    *   "Hello" -> Acknowledge, return greeting, offer help.
    *   Avoid over-complicating since there's no specific context yet.
    *   Ensure the language is natural and polite.

6.  **Final Output Generation:**
    *   "Hello! How can I assist you today?" or similar.cw

7.  **Safety Check:** No sensitive topics, no policy violations. Safe to proceed.

8.  **Execution:** (Produce the greeting).cw

**Draft:** Hello! 👋 It's great to meet you. How are you doing today? Is there anything specific I can help you with?
...done thinking.

Hello! 👋 It is nice to meet you.
```

massed_compute_run_qwen

Adding Ollama models to Hermes Agent

Settings ==> Providers ==> Custom Endpoints

Name : ollama
Provider ID : ollama
Endpoint URL : http://154.54.100.198:11434/v1
Default Model : qwen3.5:4b
Context : Auto
API Key :
Test the connection



hermes_agent_test_connection



hermes_agent_chat

Integrating Telegram from Hermes Agent

Using BotFather create Bot(Telegram)

With BotFather we can create a bot **in** Telegram

/newbot


BotFather
79,58,519 monthly users
/editapp - edit a web app
/deleteapp - delete an existing web app
Games
/mygames - edit your games
/newgame - create a new game
/listgames - get a list of your games
/editgame - edit a game
/deletegame - delete an existing game
13:32
/newbot 13:37
Alright, a new bot. How are we going to call it? Please choose a name for your bot.
13:37
lifeskills_with_durgasir_bot 13:37
Good. Now let's choose a username for your bot. It must end in `bot`. Like this, for example: TetrisBot or tetris_bot.
13:37
lifeskills_with_durgasir_bot 13:38
Done! Congratulations on your new bot. You will find it at t.me/lifeskills_with_durgasir_bot. You can now add a description, about section and profile picture for your bot, see /help for a list of commands. By the way, when you've finished creating your cool bot, ping our Bot Support if you want a better username for it. Just make sure the bot is fully operational before you do this.
Use this token to access the HTTP API:
Keep your token secure and store it safely, it can be used by anyone to control your bot.
For a description of the Bot API, see this page:
/newbot create a new bot
Open
/newbot

hermes_telegram

Choose name of the bot : gk_hermes3_bot
user name : gk_hermes3_bot
Access Token : xxxxxxxxxxxxxxxxxxxxxxxx
bot url : t.me/gk_hermes3_bot

BotFather
79,58,519 monthly users

05:54

Good. Now let's choose a username for your bot. It must end in `bot`. Like this, for example: TetrisBot or tetris_bot. 05:54

durga_hermes3_bot 05:54

Sorry, this username is already taken. Please try something different. 05:54

/newbot 05:55

Alright, a new bot. How are we going to call it? Please choose a name for your bot. 05:55

gk_hermes3_bot 05:55

Good. Now let's choose a username for your bot. It must end in `bot`. Like this, for example: TetrisBot or tetris_bot. 05:55

gk_hermes3_bot 05:55

Done! Congratulations on your new bot. You will find it at t.me/gk_hermes3_bot. You can now add a description, about section and profile picture for your bot, see /help for a list of commands. By the way, when you've finished creating your cool bot, ping our Bot Support if you want a better username for it. Just make sure the bot is fully operational before you do this.

Use this token to access the HTTP API:

[redacted]

Keep your token **secure** and **store it safely**, it can be used by anyone to control your bot.

For a description of the Bot API, see this page:
https://core.telegram.org/bots/api 05:55

Open Write a message...

0038,

hermes_telegram_newbot

Copy the Bot Token to Hermes Agent Telegram Configuration

Messaging ==> Telegram ==> BBot Token
Save Changes **and** restart the Hermes Agent
Gateway ready



hermes_telegram_configuration



hermes_telegram_configuration



hermes_telegram_configuration

Restart the gateway

If the gateway **is not** ready run the following command **in** terminal
hermes gateway restart

After that restart the Hermes Agent again



hermes_telegram_gateway_restart

Pairing Telegram bot with Hermes Agent

Telegram open the bot : t.me/gk_hermes3_bot
/start
Telegram willprovide the key


gk_hermes3_bot
bot
September 28
/start 06:20
Hi! I don't recognize you yet, so I can't reply until the person running this bot approves you.
Your pairing code: XG8GSEZV (valid for 1 hour)
If you run this bot, open a terminal and run: hermes pairing approve telegram XG8GSEZV. Otherwise send that command to the bot owner. After approval, send your message again. 06:20
Menu
Write a message...

hermes_telegram_pairing

```
Windows PowerShell
Copyright (C) Microsoft Corporation. All rights reserved.

Loading personal and system profiles took 3344ms.
(base) PS C:\Users\Gopi> hermes pairing approve telegram XG8GSEZV

  Approved! User Gopi Krishna Pujari (1889828191) on telegram can now use the bot~
  They'll be recognized automatically on their next message.

(base) PS C:\Users\Gopi>
```

hermes_telegram_pairing

Chat in Telegram(Desktop)

Start chating **in** the Telegram
The request **is** send to Hermes Agent **and** the AI Model wil responsible to provide the response.

gk_hermes3_bot
bot

September 28

/start 06:20

Hi! I don't recognize you yet, so I can't reply until the person running this bot approves you.

Your pairing code: XG8GSEZV (valid for 1 hour)

If you run this bot, open a terminal and run: `hermes pairing approve telegram XG8GSEZV`. Otherwise send that command to the bot owner. After approval, send your message again. 06:20

Hello 06:27

No home channel is set for Telegram. A home channel is where Hermes delivers cron job results and cross-platform messages.

Type /sethome to make this chat your home channel, or ignore to skip. 06:27

> Gopi Krishna Pujari
> Hello

Hello! How can I help you today? 06:27

Menu Write a message...

hermes_telegram_chat

Hermes Agent

We can see the response **in** Hermes Agent

Hermes Agent ==> Telegram



hermes_telegram

gk_hermes3_bot
bot

Your pairing code: XG8GSEZV (valid for 1 hour)

If you run this bot, open a terminal and run: `hermes pairing approve telegram XG8GSEZV`. Otherwise send that command to the bot owner. After approval, send your message again. 06:20

Hello 06:27

📭 No home channel is set for Telegram. A home channel is where Hermes delivers cron job results and cross-platform messages.

Type /sethome to make this chat your home channel, or ignore to skip. 06:27

> Gopi Krishna Pujari
> Hello

Hello! How can I help you today? 06:27

what is the capital of India 06:32

> Gopi Krishna Pujari
> what is the capital of I...

New Delhi 06:32

provide 3 bullet points about How to win friends and influence people 06:33

> Gopi Krishna Pujari
> provide 3 bullet points about How to win friends and influence ...

- **Show genuine interest in others** – listen actively, remember names, and ask questions that let people talk about themselves.
- **Give honest, specific appreciation** – praise sincerely and often; people crave recognition more than criticism.
- **Arouse an eager want** – frame your requests in terms of the other person's benefits and desires, so they feel motivated to cooperate.

06:33

Menu Write a message...

hermes_telegram



hermes_telegram

Access the Telegram through Mobile

We can send message to bot through Mobile also

Hello provide some joke

Tell some important ai news today



hermes_telegram

AI with Durga Sir
Mastering OpenAI Codex, Work & CustomGPTs

DURGA
Software Solutions®

gk_hermes3_bot
bot

provide 3 bullet points about How to win friends and influence ...

- **Show genuine interest in others** – listen actively, remember names, and ask questions that let people talk about themselves.
- **Give honest, specific appreciation** – praise sincerely and often; people crave recognition more than criticism.
- **Arouse an eager want** – frame your requests in terms of the other person's benefits and desires, so they feel motivated to cooperate.

06:33

GK Hello provide some joke 06:40 ✓✓

Gopi Krishna Pujari
Hello provide some joke

Why don't scientists trust atoms?
Because they make up everything. 06:40

GK Tell some important ai news today 06:40 ✓✓

Gopi Krishna Pujari
Tell some important ai news today

Key AI developments (September 2026):

- **Anthropic targets November IPO** — aiming for a $100B+ annualized revenue valuation; OpenAI, Anthropic, and Google DeepMind confirmed a FINRA-style industry standards body (Cohere's CEO called it a "cartel").
- **Anthropic's R&D Automation Index** — Claude now performs ~26% of Anthropic's own AI research, up from <1% in February.
- **Massive compute bets** — Figure committed $3.5B for humanoid-robot compute (Helix models); Nvidia reportedly putting $2B into an AI cloud that buys its own chips; Nscale seeking $3.5B pre-IPO with $2B from Nvidia.
- **Microsoft Research released ProgramDistill** — a new distillation framework.
- **Dario Amodei publicly urged the industry to slow down** on capability scaling.

06:41

Menu Write a message

hermes_telegram

Using Hermes Skills in Telegram

New Session
Select the gemini-lyria-song-student-package-2026-07-18
install this skill



hermes_skill_install

hermes_skill_install

Open Telegram **and** send the request
Provide 1min hindi song by using gemini lyria skill **and** use api key: AQ.xxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxx

Cron Jobs in Hermes Agent

Cron job schedule format in Hermes

```
┌──────────── minute (0-59)
│ ┌────────── hour (0-23)
│ │ ┌──────── day of month (1-31)
│ │ │ ┌────── month (1-12)
│ │ │ │ ┌──── day of week (0-7, Sunday=0/7)
│ │ │ │ │
* * * * *
```

Scheduling jobs in Hermes Agent

We can schedule our own job

New Session
Every day at 07:45AM share a quote **with** brief explanation from psychology of money

It will be added under "Scheduled jobs"
And the response we can see under "CRON JOBS"



hermes_cronjobs



hermes_cronjobs



hermes_cronjobs

We can select Predefined Blueprints
We can select already defined blue prints
Select Custom Remainder
Start From : Customer remainder

Remind me to : remaind me about my activity tracker
What time : 07:50 AM
Repeat on : everyday
Where to deliver : This Desktop
Schedule it



hermes_cronjobs

We can check this job under Scheduled jobs



hermes_cronjobs

Deepseek Harness

DeepSeek Harness developer preview
https://deepseek.com/harness/en/
Everything **is** a plugin

DeepSeek harness **is** an open-source agent harness from DeepSeek.
It provides an environment where AI models can use tools, skills, **and** other capabilities to com plete real tasks.

Model = brain
Harness = working environment around the brain
So, Agent = Model + Harness

Harness can connect the model **with** the things like:

- Tools → perform actions
- Skills → specialized capabilities
- Context → information required **for** the current task
- Storage/memory → keep useful information
- Sub-agents → divide work among multiple agents
- Sandbox → safely executing certain tasks.
- Scheduling → performing work at a particular time.

Installation

https://github.com/deepseek-ai/deepseek-harness

Node.js should be installed **in** your system
Run the following command **in** terminal
npx @deepseek-ai/dsh web

```
Loading personal and system profiles took 2911ms.
(base) PS C:\Users\Gopi> npx @deepseek-ai/dsh web
Need to install the following packages:
@deepseek-ai/dsh@0.1.7-rc.2
Ok to proceed? (y) y

npm warn EBADENGINE Unsupported engine {
npm warn EBADENGINE   package: 'undici@8.11.2',
npm warn EBADENGINE   required: { node: '>=22.19.0' },
npm warn EBADENGINE   current: { node: 'v22.18.0', npm: '11.5.2' }
npm warn EBADENGINE }
npm warn EBADENGINE Unsupported engine {
npm warn EBADENGINE   package: '@earendil-works/pi-ai@0.85.1',
npm warn EBADENGINE   required: { node: '>=22.19.0' },
npm warn EBADENGINE   current: { node: 'v22.18.0', npm: '11.5.2' }
npm warn EBADENGINE }
npm warn EBADENGINE Unsupported engine {
npm warn EBADENGINE   package: '@deepseek-ai/libreoffice-kit@0.1.2',
npm warn EBADENGINE   required: { node: '>=22.19.0' },
npm warn EBADENGINE   current: { node: 'v22.18.0', npm: '11.5.2' }
npm warn EBADENGINE }
npm warn EBADENGINE Unsupported engine {
npm warn EBADENGINE   package: '@earendil-works/pi-telemetry@0.85.1',
npm warn EBADENGINE   required: { node: '>=22.19.0' },
npm warn EBADENGINE   current: { node: 'v22.18.0', npm: '11.5.2' }
npm warn EBADENGINE }
npm warn deprecated node-domexception@1.0.0: Use your platform's native DOMException instead
dsh web: http://127.0.0.1:3080/?token=ZCur3UK8LcLgIOrAMZLaOzjP55kc_WFgmAEAGFzQlOQ
dsh web: opening the default browser; pass --no-open to disable
```

deepseek_harness

Accessing through browser
http://127.0.0.1:3080/?token=ZCur3UK8LcLgIOrAMZLaOzjP55kc_WFgmAEAGFzQlOQ

DURGA
Software Solutions®



deepseek_harness



deepseek_harness

Openrouter API key Configuration

Create API Key **in** Openrouter
https://openrouter.ai/workspaces/default/keys

DeepSeekl Harness Browser

http://127.0.0.1:3080
Settings ==> Models ==> Add Provider ==>
Provider : openrouter
API Key : sk-**or**-v1-xxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxx
Apply



deepseek_harness

DURGA
Software Solutions®



deepseek_harness



deepseek_harness

Select Workspace

Select the Workspace



deepseek_harness

Select Openrouter model and chat

Select Openrouter free model **and** start chating



deepseek_harness_select_model



deepseek_harness_chat

Visual History

Trajectory **is** essentially the detailed visual history of what the agent actually did during a task.

Chat shows the conversation.
Trajectory shows the agents journey.



deepseek_harness_trajectory

We can see the System prompt **and** tools used **for** the prompt
We can also see the total token consumed **for** completion of the prompt at the bottom
We can see the context used also



deepseek_harness_trajectory



deepseek_harness_trajectory



deepseek_harness_trajectory_tokens



deepseek_harness_trajectory_context

Create Application

prompt:

Create a self-contained HTML app **for** a compound interest calculator **with** HTML, CSS, **and** JS .



deepseek_harness_app

Plugin Management

We can enable **and** disable the plugins according our requirements

Settings ==> Built-**in** Plugins



deepseek_harness_plugin_management

UI Appearance & Color Customization

Select Mode : Creator
Acess : Full Access

prompt:
Change the background of harness to a light green color. Use plugins.



deepseek_harness_ui_mode



deepseek_harness_ui_access



deepseek_harness_ui_color



deepseek_harness_ui_color

Adding a button at the bottom

prompt:
Add a button just below the chat window **with** the label DURGASOFT. Whenever we click it, it should go to https://www.durgasoftonline.com/



deepseek_harness_ui_button

prompt:
I want to add **in** the deepseek harness page just below chat window, a big size buttom must be required

deepseek_harness_ui_button

prompt:

revert back to default color

Stop the Deepseek harness service
in the terminal stop the service Ctrl + C

Start the Deepseek harness service
terminal
npx @deepseek-ai/dsh web

It will open **in** the browser

```
(base) PS C:\Users\Gopi> npx @deepseek-ai/dsh web
dsh web: http://127.0.0.1:3080/?token=6BAfLKcMvz_k-RTjKBwoBU1yppZmd5KVHHQF-QUrF_4
dsh web: opening the default browser; pass --no-open to disable
```

deepseek_harness_start

LangFuse

https://langfuse.com/

It **is** an open-source observability **and** monitoring platform **for** AI applications.
It helps us to understand what **is** happening inside our AI applications.
Landfills can track things like:

- What prompt was sent to that LLM?
- Which model was used?
- What response came back?
- How much time did it take?
- How many tokens were consumed?
- Where did the error occur, etc.?

A Trace shows the complete flow of one request from start to finish
A Span represents one particular operation such as searching a database **or** preparing a promp t
A Generation records an interaction **with** LLM-prompt goes to the model **and and** the response comes back.

Openclaw

https://openclaw.ai/
Personal AI Assistant

OpenClaw **is** the open-source AI assistant that runs on your machine **and** works from WhatsAp p, Telegram, **or** any chat app: inbox, email, calendar, flights

Period	Name	Notes
Nov 2025 – Jan 27, 2026	**Clawd / Clawdbot**	Original project name
Jan 27 – Jan 30, 2026	**Moltbot**	First rebrand
From Jan 30, 2026	**OpenClaw** 🦞	Current name

Installation

```
# Install OpenClaw
npm i -g openclaw

# Meet your lobster
openclaw onboard
```

Setup Mode : QuickStart
Model/auth Provider : OpenAI
OpenAI API key
Model Configured :
Select Channel(Quick Start) : Skip **for** now
Search Provider : DuckDuckGo Search(experimental)
Install missing skill dependencies : Skip **for** now



openclaw

openclaw_installation



openclaw_installation

openclaw_installation

```
◇  Model/auth provider
   OpenAI

◆  OpenAI auth method
   ○ ChatGPT Login
   ○ ChatGPT Device Pairing
   ● OpenAI API Key (Use your OpenAI API key directly)
   ○ Back
```

openclaw_installation

```
◇  Model/auth provider
   OpenAI

◇  OpenAI auth method
   OpenAI API Key

◇  Use existing OPENAI_API_KEY (env: OPENAI_API_KEY, sk-p…U2EA)?
   Yes

◒  Installing  [                ] 99%...
```

openclaw_installation

```
◇  Installed Codex plugin
13:34:51 [plugins] codex failed to load from C:\Users\Gopi\.openclaw\npm\node_modules\@openclaw\codex\dist\index.js: Error: Can
not find module 'C:/Users/Gopi/AppData/Roaming/npm/node_modules/openclaw/dist/plugin-sdk/root-alias.cjs/agent-harness-registrat
ion'
Require stack:
- C:\Users\Gopi\.openclaw\npm\node_modules\@openclaw\codex\dist\.setup\session-binding-record-BGoz8wOK.mjs

◇  Model configured ──────────────────────────────────────────────────────────────────────────────────────────────────────────────
│  Default model set to openai/gpt-5.5
├──────────────────────────────────────────────────────────────────────────────────────────────────────────────────────────────
13:35:02 [plugins] codex failed to load from C:\Users\Gopi\.openclaw\npm\node_modules\@openclaw\codex\dist\index.js: Error: Can
not find module 'C:/Users/Gopi/AppData/Roaming/npm/node_modules/openclaw/dist/plugin-sdk/root-alias.cjs/agent-harness-registrat
ion'
Require stack:
- C:\Users\Gopi\.openclaw\npm\node_modules\@openclaw\codex\dist\.setup\session-binding-record-BGoz8wOK.mjs

◆  Default model
   ○ Keep current (openai/gpt-5.5)
   ○ Enter model manually
   ● Browse all models (loads provider catalogs)
```

openclaw_installation

```
Default model

Search:
● Keep current (openai/gpt-5.5)
○ Enter model manually
○ openai/gpt-4
○ openai/gpt-4-turbo
○ openai/gpt-4.1
○ openai/gpt-4.1-mini
○ openai/gpt-4.1-nano
○ openai/gpt-4o
○ openai/gpt-4o-2024-05-13
○ openai/gpt-4o-2024-08-06
○ openai/gpt-4o-2024-11-20
○ openai/gpt-4o-mini
○ openai/gpt-5
○ openai/gpt-5-chat-latest
○ openai/gpt-5-mini
○ openai/gpt-5-nano
○ openai/gpt-5-pro
○ openai/gpt-5-codex
○ openai/gpt-5.1
○ openai/gpt-5.1-chat-latest
○ openai/gpt-5.1-codex
○ openai/gpt-5.1-codex-max
...
↑/↓ to select • Enter: confirm • Type: to search
```

openclaw_installation

```
Select channel (QuickStart)

Search:
...
o iMessage (imsg)
o IRC (Server + Nick)
o LINE (Messaging API)
o Matrix (plugin)
o Mattermost (plugin)
o Microsoft Teams (Teams SDK)
o Nextcloud Talk (self-hosted)
o Nostr (NIP-04 DMs)
o QQ Bot (Official API)
o Signal (signal-cli)
o Slack (Socket Mode)
o Synology Chat (Webhook)
o Telegram (Bot API)
o Tlon (Urbit)
o Twitch (Chat)
o WeCom (企业微信)
o Weixin (微信)
o WhatsApp (QR link)
o Yuanbao (元宝)
o Zalo (Bot API)
o Zalo (Personal Account)
● Skip for now (You can add channels later via `openclaw channels add`)
↑/↓ to select • Enter: confirm • Type: to search
```

openclaw_installation



openclaw_installation



openclaw_installation

```
◇  Configure skills now? (recommended)
   Yes

◇  Install missing skill dependencies
   Skip for now

◇  Set GOOGLE_PLACES_API_KEY for goplaces?
   No

◇  Set NOTION_API_KEY for notion?
   No

◇  Set ELEVENLABS_API_KEY for sag?
   No

◇  Hooks ──────────────────────────────────────────────────────────────────────╮
   │                                                                          │
   │  Hooks let you automate actions when agent commands are issued.          │
   │  Example: Save session context to memory when you issue /new or /reset.  │
   │                                                                          │
   │  Learn more: https://docs.openclaw.ai/automation/hooks                   │
   ├──────────────────────────────────────────────────────────────────────────╯
```

openclaw_installation

Control UI

```
◇  Control UI ──────────────────────────────────────────────────────────────────╮
   │                                                                          │
   │  Web UI: http://127.0.0.1:18789/                                         │
   │  Web UI (with token):                                                    │
   │  http://127.0.0.1:18789/#token=79dda78ab0c372034624db50a7a2e6219e56a0268141c6fe
   │  Gateway WS: ws://127.0.0.1:18789                                        │
   │  Gateway: reachable                                                      │
   │  Docs: https://docs.openclaw.ai/web/control-ui                           │
   ├──────────────────────────────────────────────────────────────────────────╯
```

openclaw_ui

DURGA Software Solutions®



openclaw_ui

Chat

Open browser
http://127.0.0.1:18789/*#token=79dda78ab0c372034624db50a7a2e6219e56a0268141c6fe*



openclaw_ui



openclaw_ui

Creating an App

Create a colorful, simple compounding interest calculator app **with** self-contained HTML, CSS, **and** JS.



openclaw_ui



openclaw_ui



openclaw_ui

Install a Skill in OpenClaw(Gemini-tts)
Install gemini-tts skill



openclaw_install_skill



openclaw_install_skill

Use the Skill
New session

prompt:
/gemini_tts provide 2 mins review about toxic movie **in** telugu **and** use API Key: AQ.xxxxxxxxxx xxxxxxxxxxxxxxxxxxxxxxxx

openclaw_use_skill



openclaw_use_skill



openclaw_use_skill