AI with Durga Sir
AI AGENTS MASTERY

DURGA
Software Solutions®

Contents

AI Agents Mastery Program....21
- Need of AI Agents....21
- What is an AI Agent....21
- Common Mistakes....22
- Interview Questions....23

Vibe coding with Google AI Studio....23
- Astrology Web App....23
- Topic Explainer....26
- What is Vibe Coding....27

Past Forward : Pre-defined app in Google AI Studio....28

Global Persona app : New app creation....28

What is AI....29
- Generative AI....29
- Mistakes....29
- Interview Questions....30

What is Agentic AI....30
- Mistakes....31
- Questions....31

AI Agent Vs AI Agency....32

AI Agent Architecture....32
- Questions....33

What is Memory in Agents?....34
- Importance of Memory....34

Practical Thinking while build AI Agents....34
- Mistakes....35

Automation....35
- 1. Coding Automation....35

2. Platform Automation....35
n8n....35
Common Beginner Mistakes....36
Interview Questions and Answers....36
What is Automation Platform (like n8n)?....37
Simple meaning:....37
How n8n works(Simple Flow)....37
Why Businesses Need Automation?....37
What Makes n8n Powerful?....37
What is n8n....37
How to run n8n....38
Self-Hosted vs Cloud Version....38
n8n Cloud version....38
Create first n8n workflow....38
1. Create a project ==> My project2....39
2. Create a workflow under that project....39
3. Workflow canvas....40
4. Two modes of creating workflows....40
5. Create Manual Workflow : Create Trigger Node....41
6. Create Action Node....42
Configurations....43
Add ChatModel : OpenAI Chat Model....44
Add Tool Node....46
7.Execute Workflow....48
Chat 1 :....48
Chat 2 :....50
Chat 3 :....50
Chat 4 :....51

Chat 5 :....51
7. Action Node : Memory....52
Chat 1 :....54
Chat 2 :....55
8.Complete Workflow....56
Nodes....56
n8n Dashboard Mastery....56
1. Workflow Canvas....56
2. Nodes....56
3. Node Configuration Panel:....57
4. Execution Logs....57
Components of workflow....58
Sequence of Actions....58
Prompt1:....58
Simple Idea First (Layman Story)....58
n8n Dashboard Overview....59
Prompt-2....61
Interview Questions and Answers....61
System Message....62
Email Workflow....64
Create a new workflow....64
1. Create Manual Workflow : Create Trigger Node....64
2. Create Action Node....65
3. Execute Workflow....73
Prompt to ChatGPT....74
System Message....74
Remove n8n Attribution in gmail tool....75
Execute the Workflow aagin....76

Form Based Feedback Automation....77
Create a new workflow....77
1. Create Manual Workflow : Create Trigger Node....77
2. Create Action Node....79
3. Execute Workflow....81
4. Add another action node....83
5. Complete Workflow....85
6. Publish the workflow....85
7. Acceess the production url....86
Loan Eligibility Check Automation....87
Create a new workflow....87
1. Create Manual Workflow : Create Trigger Node....87
2. Execute the node....90
3. Add Action Node : Edit Fields(Set)....91
4. Add Action Node :If....92
5. Add Action Node(If True branch) : Gmail....94
6. Add Action Node(If False branch) : Gmail....97
7. Execute the entire workflow....98
Google Sheets Feedback....100
Create a new workflow....100
1. Create Manual Workflow : Create Trigger Node....101
2. Execute the node....102
3. Add Action Node : Google Sheets....103
4. Action node : Wait node....108
5. Change the workflow....109
6. Publish the workflow....110
7. Action node : Gmail Send Message....112
8. Execute the entire workflow....114

Gmail & Googe Drive Attachment Automation 115
Create a new workflow 115
1. Create Manual Workflow : Create Trigger Node 115
2. Execute node 118
3. Add Action Node : Google Sheets 119
4. Action node : Gmail Send Message 122
5. Action node : Google Drive 125
6. Change the worflow 127
7. Gmail Send a message 128
8. Publish the workflow to make it live 131
9. Download the Workflow as JSON file 132
Create a workflow from a json 132
Create a new worflow 132
OpenRouter 133
OpenRouter Workflow 134
Create a new workflow 134
1. Create Manual Workflow : Create Trigger Node 134
2. Create Action Node 137
3. Create gmail Action node 141
Build Resume Screening AI Agent 145
Create a new workflow 145
1. Create Manual Workflow : Create Trigger Node 145
2. Add Action Node : Extract from File 149
3. Add Action Node : AI Agent 151
4. Add If node(Action Node) 157
5. Add Gmail Send a message Node to false branch 159
6. Add Google Sheet (Append row in sheet) Node to true branch 163
7. Add Gmail Send a message Node to Google Sheets 167

8. Add Gmail Send a message Node to Add Gmail Send a message Node ... 170
9. Publish the Workflow ... 173
Merge Node : Resume as Attachment ... 173
Add a Merge node ... 174
Configuration of Merge Node ... 174
Execute Merge Node ... 175
Update Configuration of Send a message1 ... 175
Execute Send a message1 node ... 177
Email sent with attachment ... 177
Scheduled Message Generator ... 177
Create a new workflow ... 177
1. Create Manual Workflow : Create Trigger Node ... 177
2. Add Action Node : AI Agent ... 178
3. Add Gmail Send a message Node ... 182
4. Publish the workflow ... 185
5. Add Another AI Agent ... 186
6. Add Gmail Send a message Node ... 191
7. Publish the workflow again ... 194
Tavily Node ... 196
Simple understanding: ... 196
Example: ... 196
Without Tavily ... 196
With Tavily: ... 196
Where Tavily is useful ... 196
Tavily Real time Data Integration ... 197
Create a new workflow ... 197
1. Create Manual Workflow : Create Trigger Node ... 197
2. Add Action Node : Tavily Node ... 198

3. Add Action Node : AI Agent 201
4. Add Gmail Send a message Node 205
Complete Workflow 208
n8n Workflow Library & Ready-Made Templates 209
Generate real-time IPL commentary from CricAPI data with GPT-4o(Rahul Joshi) 209
Documentation for the workflow using ChatGPT 211
Workflow Templates 211
Create a new workflow 211
MCQ on n8n 212
ikigai 217
AI Feedback Workflow - Classification 217
Create a new workflow 217
1. Create Manual Workflow : Create Trigger Node 217
2. Add Action Node : AI Agent 221
3. Add Action Node : Switch node 228
4. Add Action Node : Google Sheets(for 0 switch) 229
5. Add Action Node : Google Sheets(for 1 switch) 232
6. Add Action Node : Google Sheets(for 2 switch) 234
7. Executions Test Cases 238
8. Add Gmail Send a message Node to First Google Sheet 240
9. About Slack account 246
10. Add Slack to Gmail 248
11. Add Slack to Google Sheet(Swith compliment) 250
11. Add Slack to Google Sheet(Swith new feature request) 252
13. Complete Workflow 254
14. Executions Test Cases 254
Webhook 261
Points 262

Webhook node 262
Respond to Webhook node 262
Webhook Workflow 262
Create a new workflow 262
1. Create Manual Workflow : Add Webhook node 262
2. Add Action Node : AI Agent 263
3. Add Respond to Webhook 265
4. Create App using Google Gemini 266
5. Execution 267
6. Publish the workflow 271
7. Update the Chat app with Prodution Webhook url 271
8. Executions in Workflow 273
Webhooks & Local HTML App with n8n 274
Create a new workflow 274
1. Create Manual Workflow : Add Webhook node 274
2. Add Action Node : AI Agent 276
3. Add Respond to Webhook 278
4. Make the workflow live 279
5. Google Gemini 280
6. Open the downloaded html file 282
7. Configuration of AI Agent 284
8. Troubleshoot 284
9. Publish the workflow 288
10. Make local app live 289
Student Feedback Form with n8n & AI Agent 291
Create a new workflow 291
1. Create Manual Workflow : Add Webhook node 291
2. Google Gemini 292

3. Add Respond to Webhook 294
4. Open the downloaded html file 296
4. Add Action Node : AI Agent 297
5. Action node : Gmail Send Message 303
6. Add Action Node : Google Sheets 306
7. Execute the complete workflow : complaint 309
7. Execute the complete workflow : new feature 313
9. Publish the workflow 315
10. Make local app live 317
Hospital Appointment Automation with n8n forms 320
Create a new workflow 320
1. Create Manual Workflow : Create Trigger Node 320
2. Add Action Node : AI Agent 325
3. Add Action Node : Google Sheets 332
4. Action node : Gmail Send Message 335
5. Make the workflow live 339
MCP 340
MCQ 340
Like MCP other protocols for AI systems 343
MCP is mainly designed for AI systems 343
Understanding LangChain 343
Difference between n8n workflow and LangChain 344
About LangChain 344
MCQ 345
LangGraph 348
About LangGraph 349
LangGraph Vs n8n 349
Difference between LangChain and LangGraph 349

MCQs about LangChain, LangGraph and n8n 350
RAG 356
MCQ 356
Prompts 358
Prompt 1: Cute Lady Album Images prompts 358
Prompt 2: Prompt2 (butterfly-themed collage poster): 358
Prompt 3: Bride Prompt 359
Prompt-4: Radha Theme Prompt 359
Prompt 5 – Blue Saree Prompt 360
Prompt 6 – Green Lehenga Prompt 360
Telegram Bot Automation 361
Create a new workflow 361
1. Create Manual Workflow : Add Trigger Node(Telegram On Message) 361
2. Add Action Node : AI Agent 372
3. Add Action Node : Telegram(Send a text message) 376
4. Make the workflow live 379
Telegram Callback Queries 380
Create a new workflow 380
1. Create Manual Workflow : Add Trigger Node(Telegram On Message) 381
2. Add Action Node :If 390
3. Add Action Node(If True branch) : Telegram (Send a text message) 391
4. Add Action Node(If False branch) : Switch Node 403
5. Add Action Node : Telegram(Send a text message) 404
6. Configuration of Switch Node 407
7. Add Action Node : Telegram(Send a text message) 408
8. Publish the workflow to make it live 414
Prompt Chaining in n8n Multi-Agent Workflows 414
Advantages of Prompt Chaining 415

Create a new workflow 415
1. Create Manual Workflow : Create Trigger Node 415
2. Add Action Node : AI Agent 418
3. Add Action Node : AI Agent 422
4. Add Action Node : AI Agent 426
5. Add Action Node : AI Agent 430
6. Action node : Gmail Send Message 435
7. Add Action Node : Google Sheets 443
8. Make the workflow live 446
n8n Gmail Auto-Labeling with AI Classifier 447
Create a new workflow 447
1. Create Manual Workflow : Create Trigger Node 447
2. Add Text Classifier Node 451
3. Add Gmail Add label to message Node to Text Classifier 455
4. Duplicate Gmail Add label to message Node 457
5. Duplicate Gmail Add label to message Node 459
6. Adding multiple labels 460
7. Complete Workflow 464
8. Make the workflow live 464
n8n Routing, Auto-Reply & Telegram Forwarding 465
1. Create a new workflow 465
2. Workflow 467
3. Add AI Agent to Gmail(AI) 467
Add ChatModel : OpenAI Chat Model 467
Configuration of OpenAI Chat Model 468
System message generation using ChatGPT 468
Run the Workflow 469
Configuration of AI Agent 469

Execute the AI Agent 470
4. Add Gmail to AI Agent 471
Configuration of gmail 471
Execute the Gmal(Send a message) node 473
Check the mail 473
5. Add AI Agent to Gmail(Java) 474
Add ChatModel : OpenAI Chat Model 474
Configuration of OpenAI Chat Model 475
System message generation using ChatGPT 475
Run the Workflow 476
Configuration of AI Agent 476
Execute the AI Agent 477
6. Add Telegram node to AIAgent 477
Configuration of Telegram(Send a text message) 478
Execute the Telegram node 480
7. Publish the workflow to make it live 481
Merge Node and Aggregator Node 481
Merge Node 481
Aggregator 481
Why Both are needed 481
Key Differences between Merge Node and Aggregator Node 481
n8n Parallelism & Multiple AI Agents 482
Create a new workflow 482
1. Create Manual Workflow : Create Trigger Node 482
2. Add Action Node : AI Agent 485
3. Add Merge Node 491
4. Add Aggregate Node 493
5. Add AI Agent 495

6. Action node : Gmail Send Message 497
7. Make the workflow live 501
Advantages of Parallelism 501
Merge Vs Aggregate 502
1. Create a new project 502
2. Workflow 503
3. Execute the workflow 504
Submit the form 504
Final Result 504
3. Deactivate the Aggregate Node 505
Execute the workflow again 506
Submit the form 507
Final Result 507
4. Update the Merge Node configuration(Combine) 508
Execute the workflow again 509
Submit the form 510
Final Result 510
Specific Output format 512
1. Create a new project 512
2. Workflow 514
3. Configuration of Roadmap Agent 514
4. Configuration of Skills Agent 515
5. Configuration of Interview Agent 516
6. Execute the workflow 517
Submit the Form 518
7. Connect the Aggregate node to AI Agent 518
Configuration of AI Agent: 519
Execute AI node 521

8. Execute Gmail node 522
Check the mail 523
Aggregator 523
With Aggregator 523
Without Aggregator 524
Clear Comparision 524
Note 524
Evaluate-Optimize Framework & n8n Loops 525
Create a new workflow 525
1. Create Manual Workflow : Create Trigger Node 525
2. Add Action Node : AI Agent 528
3. Add Action Node : Edit Fields(Set) 531
4. Add Action Node : AI Agent 532
5. Add Action Node :If 539
6. Add Action Node(If True branch) : Gmail 540
7. Add Action Node(IF false branch) : AI Agent 543
8. Complete Workflow 548
Debugging Retry Counter Bug in n8n Loop 548
1. Create a new project 548
2. Workflow 550
3. Delete connection 550
Execute the n8n Form Node 551
4. Add Edit Fields(Set) Node 551
Configuration of Edit Fields(Set) Node 552
Execute the node 553
5. Add the connection : Add Edit Fields1 to AI Agent 553
Configuration of AI Agent 555
Execute AI Agent 556

6. Add Connection Edit Fields(Set) : Add AI Agent to Edit Fields 556
Configuration of Edit Fields 558
Execute the Edit Fields Node 559
7. Add the connection : Add Edit Fields to Eval Agent 559
Configuration of Eval Agent 560
Execute Eval Agent 562
8. Delete the remaining nodes 562
9. Add If node 563
Configuration of If node 563
Execute the If node 565
10. Add Action Node(If True branch) : Gmail 565
Configuation of Gmail node 566
11. Add Action Node(IF false branch) : If node 567
Configuration of If node 567
Execute If node 569
Add Gmail Node If(false branch) 569
Add Edit Fields to If(true branch) 570
Configuration of Edit Fields2 570
Execute Edit Fields2 571
12. Add Action Node : AI Agent 571
Rename AI Agent : Optimizer Agent 572
Add ChatModel : OpenAI Chat Model 572
Configuration of ChatModel 573
Optimizer Agent Configurations 573
Add output of Optimizer AI Agent to Edit Fields 575
13. Complete workflow 575
14. Infinte loop : Bug Fix 575
15. Execute the Workflow 577

Submit the form 577
Check the mail 578
n8n patterns(Frameworks) 578
MCP 578
Enable MCP in n8n (platform-level) 579
Connect your client 580
Server URL 581
API Key 582
How to access n8n 583
Publish the workflow and Enable MCP access(workflow-level) 583
Check the workflow enabled for MCP Access 586
Enable MCP in ChatGPT(GO Version) 589
Plugins 589
Chat with n8n from ChatGPT 601
Connecting ChatGPT to n8n Application 609
Create a new workflow 609
1. Create Manual Workflow : Create Trigger Node 609
2. Add Data table node 612
3. Complete Workflow 619
4. Publish the workflow and Enable MCP Access 619
5. Enable MCP in n8n (platform-level) 621
6. Check the workflow for Enable MCP access(workflow-level) 625
7. Enable MCP in ChatGPT(GO Version) 628
8. Chat with n8n from ChatGPT 641
Connecting Lovable to n8n via MCP 651
How to enable MCP in Lovable 652
Connecting Lovable to n8n via Webhook 652
Create a new workflow 652

1. Create Manual Workflow : Add Webhook node 652
2. Add Data table node 653
3. Add Respond to Webhook 657
4. Create app using lovable 658
5. Execute the workflow 662
6. Submit the Lovable Form 662
7. Check the Workflow execution 663
8. Execute the workflow again 665
9. Submit the Lovable Form again 666
10. Data is inserted in the data table 667
11. Publish the workflow 667
12. Replace Test url with Production URL in Lovable app 668
13. Publish the Lovable app 669
14. Submit the Lovable app 669
15. Data is inserted in the data table 671
16. Update the Workflow 671
17. Publish the workflow 673
18. Enable MCP in n8n (platform-level) 673
19. Enable MCP for the workflow 678
20. Enable MCP in ChatGPT(GO Version) 680
21. Chat with n8n from ChatGPT 690
21. Complete Flow diagram 694
ChatGPT with Higgsfield ai video 694
Higgsfield 694
Enable MCP at Higgsfield 695
ChatGPT 695
Install Higgsfield plugin in ChatGPT 696
Chat with Higgsfield through ChatGPT 697

RAG 700
RAG Workflow 701
Create a new workflow 701
1. Create Manual Workflow : Add Manual Trigger node 701
2. Add Action Node : Google Drive 702
3. Add Simnple Vector Store 704
4.Complete Work flow 709
Create a another workflow 709
1. Create Manual Workflow : Add On Chat(On new chat event) 709
2. Add Action Node : AI Agent 711
3. Prompts in Chat message 716
RAG Practice with Cricket Example 718
Create a new workflow 718
1. Create Manual Workflow : Add Manual Trigger node 718
2. Add Action Node : Google Drive 719
3. Add Simnple Vector Store 721
4. Complete Work flow 725
Create a another workflow 725
1. Create Manual Workflow : Add On Chat(On new chat event) 726
2. Add Action Node : AI Agent 727
3. Prompts in Chat Message 733
4. Complete Work flow 733
5. Note on RAG 734
Supabase Vector Database 734
Building RAG Workflow in n8n using Supabase 735
Supabase setup 736
Create account 736
Create new Organization 736

Create New project....737
Project is created....738
Project URL....738
API Key(secrete_role)....739
Create a new workflow....739
1. Create Manual Workflow : Add Manual Trigger node....739
2. Add Action Node : Google Drive....740
3. Add Supabase Vector Store....742
4.Complete Work flow....753
Create a another workflow....753
1. Create Manual Workflow : Add On Chat(On new chat event)....753
2. Add Action Node : AI Agent....755
3. Prompts in Chat message....759
n8n voice AI Automation....760
Create a new workflow....760
1. Create Manual Workflow : Add Trigger Node(Telegram On Message)....760
2. Add Telegram Node(Get a file)....771
3. Create Account in ElevenLabs and Get API Key....772
4. Add ElevenLabs node(Transcribe audio or video)....774
5. Add Action Node : AI Agent....777
6. Add ElevenLabs node(Convert text to speech)....779
7. Add Telegram Node(Send an audio file)....782
8. Response in Telegram Desktop....784
9. Publish the workflow....785
10. Complete Workflow....786
Auto Generate n8n workflows with AI Assistant....787
Workflow Prmpt 1:....787
Workflow is generated....787

Workflow Prmpt 2: 788
Workflow Prompt 3: 788
WhatsApp Bot Worflow 788
Pre-requisites 788
Step 1: Create Facebook account/ Use the existing account 788
Step 2: Create Business Manager 788
Step 3: Create Developer app 791
Step 4: Add products to your app 797
Step 5: Get App ID and App Secrete 798
Step 6: API Access Token generation 799
Create a new workflow : n8n Whatsapp bot workflow 805
1. Create Manual Workflow : Add WhatsApp Business Cloud(On messages) node 805
2. Add Action Node : AI Agent 807
3. Add WhatsApp Business Cloud(Send message) node 811
4. Execute the Workflow 814
5. Send message from WhatsApp 815

DURGA
Software Solutions®

AI Agents Mastery Program

- How to build AI Systems that can work automatically

Small Business
- Every day we receive many emails
  - Customer questions
  - Job applications
  - Meeting requests
  - Marketing Messages

Very Smart Assistant
This Assistant can:
  - Read all emails
  - Reply to customer questions
  - Send Interview invitations
  - Collect Market information

AI Agent = Digital Assistant that performs tasks automatically
  - just like human assistant
  - but faster **and** accurate, without emotions

Need of AI Agents

Today many people waste time on repetitive tasks

Student:
  - Searching Information
  - Summarizing Articles
  - Preparing Notes

These Tasks are :
  - Repetitive
  - Time consuming
  - Boring

This **is** where AI Agents help
AI Agents automate these tasks
They Save:
  - Time
  - Energy/Effort
  - Money

What is an AI Agent

An AI Agent **is** a system that can :
1. Receive instructions
2. Think about the task
3. Use tools **if** required
4. Perform an action

Input : User gives instructions
  Eg: Find Top competitors of Tesla
Thinking : AI analyzes the request
Tools : AI may use tools like:
  internet search
  database
  email system
Action : AI perform required action **and** produces the result
  Eg: Report
      Email reply
      Summarized data

So an AI Agent **is not** just answering questions. It **is** performing tasks/actions.

Flow:
Receive User request
Undersatnd the task
Select the required tool
Execute the task
Return the result

1. Customer Support
Companies receive 1000s of customer questions
AI Agent can:
  Read customer messages
  Understand the problem
  Send replies automatically

2. Email Automation
AI Agents Can:
  Read Emails
  Categorize them
  Send automatic replies

Prompt:
Act as market research agent
Find the top 5 electric vehicle companies **in** the world
Provide a short summary of each company

Common Mistakes
1. Thinking Chatbot = AI Agent
  This **is not** correct
  Chatbot ==> Answer Questions
  AI Agent ==> Perform tasks/actions

2. Thinking AI works alone
Actually AI needs tools
Eg: Search Engines, APIs, Databases

3. Thinking AI Agents are only **for** big companies
Even students also can build **and** use AI Agents

Interview Questions

1. What **is** an AI Agent?

An AI Agent **is** a system that can:
Receive input
Analyze the task
Use tools
Perform actions automatically

2. What **is** the difference between Chatbot **and** AI Agent?

Chatbot ==> Answer Questions
AI Agent ==> Performs actions **and** automation tasks

Vibe coding with Google AI Studio

Astrology Web App

ai.dev ==> https://aistudio.google.com/prompts/new_chat

Create a new App



google_ai_studio



google_ai_studio

Build an astrology web application where user has to enter name, date of birth, gender.
The App should provide a funny user specific astrology conclusion **and** also has to provide when user going to marriage date **and** time, **and** provide life partner sample image **for** the user.



google_ai_studio



google_ai_studio



google_ai_studio



google_ai_studio

If we need the code changes. Dont change the code. Change the prompt **and** execute it

The response to the user should be **in** very simple english **and** should be short. The life partner i mage should be more realistic **and** should be Indian.

Please change UI **with** rich bright colors like black **and** gold

Topic Explainer

Create an app, where user has to provide some topic name. Your job **is** to create a video to expla in the concept **in** telugu. User has to provide topic name, total video time

Create an app, where user has to enter topic name **and** video duration. Your job has to create th at video **with** telugu audio. The explanation should be suitable **for** beginners



topic_explainer



topic_explainer

What is Vibe Coding

Vibe Coding **is** a new trend that **is** emerging **in** the software world.
Usually, coding means learning difficult logic **and** syntax **and** then writing code.

But **in** vibe coding, it **is not** like that.
We just need to tell the AI **in** our normal language what kind of app **or** website we want.

The AI will write the complete code **for** us.

Here, we act like a director, just guiding the entire project by explaining our ideas.

This means even **if** we do **not** fully know computer languages, we can still do coding using our i deas **with** the help of AI.
This **is** called vibe coding.

Past Forward : Pre-defined app in Google AI Studio

Google AI Studio ==> Gallery ==> Past Forword

Your personal time machine. Gemini reimagines you **in** past decades **with** character consistency .



past_forward

Global Persona app : New app creation

Build app where has to upload his photo. App **is** required to transfer the image into location spe cific style. The location/countries should required to cover Iran, China, Russia, Africa. User has to select the location. The image should be downloadable

Note:

Before generating the app we can select the our required model

Google AI Studio ➔ New App ➔ Settings

DURGA
Software Solutions®



app_settings

What is AI

Teaching Machines to perform task that normally require human intelligence like
- Understanding Language
- Recognizing images
- Making Decisions
- Solving Problems

AI Systems learn from data
Eg:
- Google Maps
- Spam mail Identification
- Amazon Recommended Products

Generative AI

AI that generates new content like text, images, videos etc

Mistakes

Mistake1 : Thinking AI **and** Generative AI are the same
They are releated but **not** identical
AI **is** broader concept
Generative AI **is** special Category inside AI
ChatGPT
Suno
Flow

Mistake2 : Thinking AI systems think like humans
Actually AI systems only learn patterns from data
They do **not** have real understanding like humans

Mistake3 : Thinking AI will replace all Jobs
AI Wont replace you
But the person **with** AI Knowledge will replace you

Interview Questions

Q1: What **is** Artificial Intelligence?
Answer:
Artificial Intelligence **is** the technology that enables machine to perform tasks that normally requ ire human intelligence, such as recognizing patterns, understanding language **and** keing decisio ns

Q2: What **is** Generateive AI?
Answer:
Generative AI isa type of Artificial Intelligence that can generate content such as text, images, co de **or** music

Q3: What **is** the difference between AI **and** Generative AI?
Answer:
Artificital Intelligence analyzes data **and** makes decisions
Generative AI creates new content based on patterns learned from data

What is Agentic AI

AI systems that can take actions to complete tasks
They behave like digital agents/assistants.

An Agent **is** something that can:
- Observe a situation
- Think about the problem
- Take action

Normal AI:
- What are the best restaurants near me?

Agentic AI:
- User cann give a task
  "Book a table at the best restaurant near me?"

- AI Agent may do this:
  - Search restaurants
  - Check ratings
  - Select best option
  - Reserve the table
- Now the task **is** completed automatically

Example:
Book meeting tomorrow

The Agent may perform these steps:
Observe:
Read the request
Think:
Check calendar **for** availability
Act:
Schedule meeting **and** sent invitation

This loop **is** often called
Observe ➔ Think ➔ Act

Mistakes

Mistake1
Thinking Chatbot = AI Agent
Chatbot answers questions
AI Agent perform tasks
They are **not** same

Mistake2
Thinking agents work without tools
Agents require tools like:
APIs
Databases
Search engines

Mistake3
Thniking agents are very complicated
Actually many simple agents can be built using basic workflows

Questions

Question 1 :
What **is** Agentic AI
Answer :
Agentic AI refers to aI systems that can observe a situation, think about it, **and** perform actions to complete tasks automatically

Question 2 :
What **is** the difference between normal AI **and** Agentic AI
Answer :
Normal AI answers questions
Agentic AI performs tasks using tools **and** taking actions

Question 3 :
What **is** Observe ➔ Think ➔ Act model

Answer :
It **is** the process used by AI Agents
First the agent observes the situation
Then it thinks about the solution
Finally it takes action

AI Agent Vs AI Agency

AI Agent:
It **is** a system the can:
- Receive instructions
- Analyze the task
- Use tools
- Perform Actions

It behaves like a digital assistant/ worker

AI Agency:
A group of agents working together

Eg1: Customer Support System
- Email Agent
- Chatbot Agent
- Ticket Management Agent
- etc

Multiple Agents together form an AI agency system **or** Multi Agent Systems

Eg2: DURGASOFT training institute

Every day we will get :
- Student enquiries
- Fee Questions
- Batch timing Questions
- Follow-up calls
- Whatapp messages

We can build multiple agents like
- Enquiry Response Agent
- Batch Schedule Agent
- Follow-up Remainder Agent
- Payment Remainder Agent
- Feedback Collection Agent

AI Agent Architecture

An AI agent has 4 parts

1. Input:

The system receives the request
Eg: Find the cheapest flight from Hyderabad to Bangalore tomorrow
This request **is** called Input

2. Model :

The AI Model analyses the request
It understands the meaning of the instruction
This **is** where AI reasoning happens

3. Tools :

Sometimes AI needs tools

Eg: APIs
Databases
Search Engines
External Applications
These tools help AI collect information

4.Action :

After analysis the agent performs required action
Eg: Generatign a report
Sending Email
Booking a meeting

Input ➔ Model ➔ Tools ➔ Action

Questions
Question 1 :
What are the main components of an AI agent architecture?
Answer :
AI agent architecture usually includes:
- input
- AI model
- tools
- actions

Question 2 :
What **is** the Observe → Think → Act model?
Answer :
It **is** the process used by AI agents.
First the agent observes the request.

Then it thinks about the task.
Finally it performs actions.

Question 3 :
Why are tools important **for** AI agents?
Answer :
Tools allow AI agents to access external systems like APIs, databases, **and** applications to compl ete tasks.

What is Memory in Agents?

Memory concept applicable **for** AI Agents
Memory means:
Agent remembers past conversations
Agent remembers user preferences
Agent uses past data to take better decisions

Importance of Memory

1. Better user experience
   Feels like Human conversation

2. Faster responses
   No need to repeat information

3. Business value
   More engagement + Trust

Practical Thinking while build AI Agents

Looking at daily work **and** identify which tasks can be automated
This **is** the mindset of Read AI Agent Builder

Step1 : Observe daily tasks:
Which tasks are repeated again **and** again

Step2: Find repetitive tasks
Eg: Same type of emails
Same type of summaries
Same type of reports

Step3: Check **if** a tool can help
Email System
Spread Sheets
Calendar
Internet Search
API
Databases

Step4 :Design agent workflow
Input ➔ AI thinking ➔ Tools Usage ➔ Action

Mistakes
Mistake 1 : Trying to automate everything

Not every task should be automated
Best tasks **for** automation are
- Repetative
- Rule based
- Time consuming

Mistake 2: Starting from tools instead of problem

Beginners often ask: " Which Framework should I use?"
Better Question : "Which Problem am I solving?"
First problem then Tool.

Automation
Manual Flow
Automation Flow
What **is** the meaning of Automation
1. Coding Automation
2. Platform Automation

1. Coding Automation
Coding Automation requires writing programs

2. Platform Automation
An Automation platform **is** a tool that allows us to automate tasks by connecting different syste ms.

It help us to create workflows that perform actions automatically.

Examples of Automation platforms
n8n
Zapier
Make

n8n
N8N : NodeMatioN(Node Based Automation)

Common Beginner Mistakes

Mistake 1 :
Thinking automation platforms remove programming completely
They reduce coding but understanding logic **is** still important

Mistake 2 :
Trying to automate everything immediately
Start **with** small repetitive tasks

Mistake 3 :
Ignoring workflow design
Automation works only when the workflow **is** clear

Mistake 4 :
Not understanding triggers **and** actions
Automation always starts **with** a Trigger

Interview Questions and Answers

Question 1 :
What **is** an automation platform
Answer:
An automation platform **is** a tool that connects systems **and** automates tasks using workflows

Question 2 :
Give examples of automation platforms
Answer :
Examples include n8n, Zapier **and** Make

Question 3 :
What **is** the difference between Coding Automation **and** Platform Automation
Answer :
Coding Automation requires writing programs
Platform Automation allows visual workflow creation **with** minimal coding

Question 4 :
Why do companies use Automation Platforms?
Answer :
To reduce repetitive work **and** improve efficiency

Prompt:

Act as an automation expert,
Explain how automation platforms like n8n help automate repetitive tasks **in** business

What is Automation Platform (like n8n)?

An automation platform like n8n helps you connect different apps and make them work automatically without manual effort.

Simple meaning:

Instead of doing the same work again and again… You create a workflow once → system will do it automatically every time

How n8n works(Simple Flow)

Think like this:
Trigger ➔ Action ➔ Result

Example:
Trigger ➔ New student fills form
Action ➔ Send email + save data
Result ➔ Work done automatically

Why Businesses Need Automation?

In business, many tasks are repetitive:

* Sending emails
* Updating Excel / Google Sheets
* Following up **with** leads
* Posting content
* Data entry

❌ Doing manually → wastes time
☑ Automation → saves time + reduces mistakes

What Makes n8n Powerful?

✓ Connects 300+ apps (Gmail, WhatsApp, Sheets, APIs)
✓ Visual workflow (no heavy coding needed)
✓ Can run on your own system (low cost)
✓ Supports AI tools (ChatGPT, Gemini, etc.)

What is n8n

n8n **is** an automation platform that helps connect applications **and** automate workflows
It allows you to create workflows using nodes
Each node perform a task
Example tasks:
- Sending email
- Calling APIs
- Processing Data
- Triggering Workflows

DURGA
Software Solutions®

How to run n8n

n8n can run in two ways.

Self-Hosted
Cloud Version

Self-Hosted vs Cloud Version

Cloud Version

The cloud version runs on servers managed by n8n.
You simply create an account **and** start using the platform.
No installation required.
This **is** easier **for** beginners.

Self-Hosted Version

The self-hosted version runs on your own server **or** computer.
Developers install n8n using tools like Docker.
This version provides more control.

n8n Cloud version

https://n8n.io/

Build visually, go deep **with** code, connect to anything. Every step of your agents' reasoning, traceable on the canvas. Deploy on your infrastructure or ours.

Create first n8n workflow

Create account **in** n8n cloud(14 days free trial)
https://app.n8n.cloud/register

1. Create a project ==> My project2



My project2

2. Create a workflow under that project

- ✓ workflow name : automation1



workflow



automation1

3. Workflow canvas

workflow_canvas

4. Two modes of creating workflows

- ✓ Manual
- ✓ Build with AI



workflow_creaton

5. Create Manual Workflow : Create Trigger Node

✓ Add first Step ==> Nodes ==> "On chat message"



chat_message



chat_message

chat_message

6. Create Action Node

✓ Add AI Agent node(Action Node) to “On chat message”(Trigger Node)



ai_agent

Configurations



ai_agent_config



ai_agent_error

Add ChatModel : OpenAI Chat Model

- ✓ Add OpenAI Chat Model to “AI Agent”



ai_agent_chatmodel



ai_agent_openai_model

ai_agent_openai_model_error

Note:
If we claim the 100 credits offer then the error will disappears
For n8n openai providing 100 free credits.
For that we have to "claim credits"
Once these credits are exhausted we have to provide the OpenAI API key

(generated **in** "https://platform.openai.com/settings/organization/api-keys")



ai_agent_chatmodel

ai_agent_chatmodel

Add Tool Node

- ✓ Add Calculator tool to “AI Agent”



ai_agent_calculator



ai_agent_calculator

ai_agent_calculator

7.Execute Workflow

Chat 1 :

- ✓ "Hello Friend"



execute_workflow


My project2
automation1
Publish
Editor
Executions
Evaluations
When chat message received
AI Agent
Model
Tool
OpenAI Chat Model
Calculator
Hide chat
Chat
Logs
Nothing to display yet. Execute the workflow to see execution logs.

chat


My project2
automation1
Publish
Editor
Executions
Evaluations
When chat message received
AI Agent
Model
Tool
Hide chat
Chat
Logs
Hello Friend
OUTPUT
action
sessionId
chatInput
sendMessage
Hello Friend

chat



chat_response

Chat 2 :

✓ "Find the value of 4+5"



Chat 3 :

✓ "what is the result of 23456*7896"

chat3

Chat 4 :

- ✓ "Provide information about Donal Trump in a single line"



chat4

Chat 5 :

- ✓ "what is his age"



chat5

Note:

By default, AI Agent **is not** remembering the previous conversation.
We have to configure memory to the AI Agent then only it will remember the previous conversation

7. Action Node : Memory

- ✓ Add memory to the Action node ➔ AI Agent



ai_agent_memory



ai_agent_memory_config

ai_agent_memory



ai_agent_memory

Chat 1 :

- ✓ "Provide information about Donal Trump in a single line"



openai_chat_response



openai_simple_memory

Chat 2 :

- ✓ "what is his age"



chat2

8.Complete Workflow



complete_workflow

Nodes

Trigger Node : On chat message
Action Node : AI Agent
  Model : OpenAI Chat Model
  Memory : Simple Memory
  Tool : Calculator

n8n Dashboard Mastery

1. Workflow Canvas

The workflow can **is** the main workspace
This **is** where we build automation workflows
Think of it like a drawing board
We drag nodes **and** connect them here
This area shows how automation flows

2. Nodes

Nodes are building blocks of workflows
Each node performs a task
Examples :
  Sending email

Calling API
Processing data
Triggering workflows

In simple words :

Nodes = Actions **in** Automation

3. Node Configuration Panel:

When you click on a node, you will see configuration settings.

This panel allows you to define:

inputs
parameters
settings

For example, **in** a email node you will configure

recipient email
subject
message

4. Execution Logs

Execution logs show what happened during workflow execution

They help you understand

Which step ran successfully
Which step failed
What data was processed

This **is** very useful **for** debugging workflows

"Logs" under workflow canvas will show only the current execution log

"Execution" tab will provide all the



logs



executions

Components of workflow

User creates workflow
Workflow canvas shows automation flow
Nodes perform actions
Configuration panel controls node behavior
Execution log show results

Sequence of Actions

Create Workflow
Add Trigger Node
Add Action Node
Connect nodes
Run Workflow
Check execution logs

Prompt1:

Act as a beginner-friendly instructor
Explain the n8n dashboard interface **and** its main components

Simple Idea First (Layman Story)

Imagine n8n **is** like a factory
You design the process
Machines (nodes) do the work
Conveyor belt (connections) moves data
The dashboard **is** your control room where you design everything.

n8n Dashboard Overview

Main Components of n8n Dashboard

1. Canvas (Main Working Area)

This **is** the big white space **in** the center
- You create workflows here
- You add nodes (blocks)
- You connect them

Example:
Trigger → AI Agent → Gmail → Google Sheets
Like drawing a flowchart

2. Nodes (Building Blocks)

Nodes are like small machines
- Each node does one job

Example:
- HTTP Request → fetch data
- OpenAI → AI response
- Gmail → send email

Simple understanding: "One node = one action"

3. Nodes Panel (Left Side)

This **is** the list of all available nodes
- Search any tool (Gmail, WhatsApp, OpenAI, etc.)
- Drag **and** drop into canvas

Example:
Search “Telegram” → drag → connect

4. Node Settings Panel (Right Side)

When you click a node, settings open here
- Configure what the node should do
- Add API keys
- Write prompts (**for** AI nodes)

Example:
In OpenAI node → write prompt ==> "in simple English explain Python loops"

5. Connections (Lines Between Nodes)

These are data paths
- Show how data flows
- Output of one node → input of next node

Example:
User message → AI → Response → Send email

6. Execute Button (Top)

Used to run your workflow
- Test your automation
- Check **if** everything works

Beginner tip:
Always test before making it live.

7. Execution Panel (Bottom)
Shows what happened when you ran workflow
Success / Error
Input & Output data
Debug issues
Very important **for** beginners
If error → check here

8. Trigger Node
This **is** the starting point
Every workflow starts **with** a trigger
Examples:
Webhook → when API call comes
Chat → when user sends message
Schedule → every day 9 AM
Without trigger → workflow won't start

8. Simple Example Workflow

Chatbot flow

Chat Trigger
AI Agent
Response
Simple automation

9 Save & Publish
Two important actions:
Save → store workflow(Automatic save)
Publish → make it live
Example
Activate → chatbot works 24/7

Common Beginner Mistakes
❌ Not adding trigger
❌ Not connecting nodes
❌ Not checking execution panel
❌ Not activating workflow

Final Simple Summary
Canvas = Where you build
Nodes = What work happens
Connections = How data moves
Execute = Test

Execution panel = Debug
Publish = Go live

Prompt-2
Describe the role of workflow canvas, nodes **and** execution logs **in** n8n automation

Interview Questions and Answers
Question 1:
What **is** the workflow canvas **in** n8n?
Answer :
The workflow canvas **is** the main workspace where automation workflows are designed

Question 2:
What are nodes **in** n8n
Answer :
Nodes are components that perform tasks within a workflow

Question 3:
What **is** the purpose of execution logs
Answer :
Execution logs show workflow results **and** help debug errors

Question 4:
Why **is** the configuration panel important
Answer :
It allows users to configure node parameters **and** define workflow behaviour

Question 5:
Can we add more action nodes after AI agent?
Answer :
Yes
Chat Trigger ➔ AI Agent ➔ Google Sheets(Save data) ➔ WhatsApp(Send message)

Question 6:
Can we take multiple AI agents **in** a single workflow?
Answer :
Yes

Question 7:
Can we allow to use multiple LLMs **in** a single workflow?
Answer :
Yes (of course **in** different nodes)

Question 8:
Is it possible to define multiple workflows **in** the same canvas?
Answer :
No

Question 9:
Is it possible to connect two workflows
Answer :
Yes

System Message

AI Agent ==> Options ==> System Message

Fo any mathematical Calculations use calculator tool



system_message



sytstem_message



chat1

Email Workflow

Create a new workflow

Create a new workflow 'emailworkflow2' under 'My project2'

1. Create Manual Workflow : Create Trigger Node

✓ Add first Step ==> Nodes ==> "On chat message"

email_workflow



email_automation_chat

2. Create Action Node

Add AI Agent node(Action Node) to “On chat message”(Trigger Node)



email_automation_ai_agent

AI Agent Configurations



enail_automation_ai_agent_confir



email_automation_ai_agent

Add ChatModel : OpenAI Chat Model

- ✓ Add OpenAI Chat Model to "AI Agent"



email_automation_ai_agent_openai_chatmodel



email_automation_ai_agent_chat_model

Add Memory

- ✓ Add memory to the Action node ==> AI Agent



email_automation_ai_agent_memory



email_automation_ai_agent_memory_config



email_automation_ai_agent_memory

Add Tool Node

Add gmail tool to “AI Agent”



email_automation_ai_agent_gmail_tool

email_automation_ai_agent_gmail_tool1



email_automation_ai_agent_gmail_tool_config



email_automation_ai_agent_gmail_tool_config



email_automation_ai_agent_gmail_tool_credential



email_automation_ai_agent_gmail_tool_to



email_automation_ai_agent_gmail_tool_subject



email_automation_ai_agent_gmail_tool_message

email_automation_ai_agent_gmail_tool

3. Execute Workflow

Chat 1:
send mail to durgasoftonline@gmail.com about n8n conclusions **in** just 2 points



email_automation_mail_sent



email_automation_mail_content

Prompt to ChatGPT

I want to configure system message **in** AI Agent of n8n automation to send mail by using gmail t ool. Provide proper mail format **in** description style.

It will generate the SYSTEM MESSAGE PROMPT TEMPLATE

System Message

AI Agent ➔ Add Option ➔ System Message

Provide the genereated SYSTEM MESSAGE PROMPT TEMPLATE **in** previous step



email_automation_ai_agent_system_message



email_automation_ai_agent_system_message1

Remove n8n Attribution in gmail tool
This email was sent automatically **with** n8n
https://n8n.io



emai_automation_disable_n8n_attribution

Disable the “Append n8n Attribution”



emai_automation_disable_n8n_attribution

Execute the Workflow aagin

Chat 1:
send mail to durgasoftonline@gmail.com about importance of saving money **in** 4 points

Chat 2:
To which mail id the mail **is** sent

It can remember the conversations also because we have configured the “Simple Memory”

Form Based Feedback Automation

Create a new workflow

Create a new workflow 'FeedBack Workflow' under 'My project2'

1. Create Manual Workflow : Create Trigger Node

✓ Add first Step ==> Nodes ==> "n8n Form"

feedback_n8nform



feedback_n8nform

Authentication : None
Form Title : Student FeedBack Form
Form Description : Feedback form
Form Elements : Add Form Element

Label : Name
Element Type : Text Input
Add Attribute : Required Field - Enable

Label : Email
Element Type : Email
Add Attribute : Required Field - Enable

Label : Feedback
Element Type : Textarea
Add Attribute : Required Field - Enable



feedback_n8nform_form_elements

Test URL

Test URL: https://warriors.app.n8n.cloud/form-test/b70cf05b-194f-4693-b0fa-12818dc37633



feedback_n8nform_test_url

2. Create Action Node

✓ Add Gmail Send a message (Action Node) to "n8n Form"(Trigger Node)



feedback_gmail

feedback_gmail_send_a_message



feedback_gmail

3. Execute Workflow



feedback_execute

Credential : Gmail Account(select your gmail account **with** credentials)
Resource : Message
Operation : Send
To : {{ $json.Email }}
Subject : Thank You {{ $json.Name }} **for** your feedback
Email Type : TExt
Message :
Hello {{ $json.Name }}, Thank you **for** your valuable feedback. It **is** really helpful fr us to improve our services

Thanks **and** Regards
Durgasoft Online



feedback_sendmessage



feedback_sendmessage



feedback_sendmessage_response

4. Add another action node

Add another Gmail Send a message (Action Node) to Previous "Gmail Send a message"(Action Node)

Credential : Gmail Account(select your gmail account **with** credentials)
Resource : Message
Operation : Send
To : durgasoftonline@gmail.com
Subject : Feedback mail from {{ $('Student FeedBack Form').item.json.Name }}
Email Type : Text
Message :
Hello DURGASOFT TEAM, The Student named **with** {{ $('Student FeedBack Form').item.json.Name }} provided the following feedback
{{ $('Student FeedBack Form').item.json.Feedback }}

Regards
Automation Team

Add Option : Append n8n Attribution : Disable



feedback_sendmessage_message

feedback_sendmessage_message_sent

5. Complete Workflow



feedback_complete_workflow

6. Publish the workflow

Publish the workflow, so that anyone can access our workflow

feedback_complete_publish

Production URL

Production URL : https://warriors.app.n8n.cloud/form/b70cf05b-194f-4693-b0fa-12818dc37633



feedback_publish_public_url

7. Acceess the production url

https://warriors.app.n8n.cloud/form/b70cf05b-194f-4693-b0fa-12818dc37633



feedback_publish_form_submit



feedback_publish_mail_sent

Loan Eligibility Check Automation

Form
- First Name
- Last Name
- Mobile Number
- Email
- Salary
- Address

Edit Node
To clean data provided by form
Fullname : First Name + Last Name

Logical Node(IF node)
True branch ==> If salary > 35000, eligible **for** loan
False branch ==> **else**, **not** eligible **for** loan

Email Nodes:
True branch ==> Email Node to send Congratulations mail
False branch ==> Email Node to send sorry mail

Mail :
Hello {Fullname}

Create a new workflow

Create a new workflow 'Loan Eligibility Workflow' under 'My project2'

1. Create Manual Workflow : Create Trigger Node

- ✓ Add first Step ➔ Nodes ➔ "n8n Form"



loan_n8n_form

loan_n8n_form

Test URL

Test URL : https://warriors.app.n8n.cloud/form-test/5bae1f7b-9008-4ad9-8256-6e8740cc91fb

Authentication : None
Form Title : Loan Request Form
Form Description : Loan Request form
Form Elements : Add Form Element
Label : First Name
Element Type : Text Input
Add Attribute : Required Field - Enable

Label : Last Name
Element Type : Text Input
Add Attribute : Required Field - Enable

Label : Email
Element Type : Email
Add Attribute : Required Field - Enable

Label : Mobile Number
Element Type : Number
Add Attribute : Required Field - Enable

Label : Salary
Element Type : Number
Add Attribute : Required Field - Enable

Label : Address
Element Type : Textarea
Add Attribute : Required Field - Enable



loan_n8n_form_test_url



loan_n8n_form_form_elements

2. Execute the node



loan_execute



loan_execute

3. Add Action Node : Edit Fields(Set)

Add “Edit Fields” (Action Node) to Previous “n8n Form”(Action Node)



loan_editfields

Mode : Manual Mapping
Fields to Set :
Full Name(String) : {{ $json['First Name'] }}{{ $json['Last Name'] }}
Indian Mobile Number(String) : +91{{ $json['Mobile Number'] }}

Execute the node



loan_editfields_config

4. Add Action Node :If

Add If node (Action Node) to Previous “Edit Fields”(Action Node)

loan_ifnode

condition : {{ $('On form submission').item.json.Salary }} **is** greater than **or** equal to 35000



loan_ifnode_condition



loan_ifnode_condition_true_branch

5. Add Action Node(If True branch) : Gmail

- ✓ Add "Gmail Send a message" (Action Node) to Previous "If True branch"(Action Node)

loan_gmail_node

loan_gmail_node_send_a_message

Credential : Gmail Account(select your gmail account **with** credentials)
Resource : Message
Operation : Send
To : {{ $('On form submission').item.json.Email }}
Subject : Congratulations {{ $('On form submission').item.json['First Name'] }}, You are eligible **fo r** Loan
Email Type : Text
Message :
Hello {{ $('Edit Fields').item.json['Full Name'] }} , Congratulations, as your salary **is**{{ $('On form s ubmission').item.json.Salary }} fullfilled our criteria **and** you are eligible **for** loan. Our support te am team contact you soon

Regards
Durgasoft Loan Eligibility Check Team

Add Option : Append n8n Attribution : Disable



loan_gmail_node_send_a_message_config



loan_email_sent



loan_email_message

6. Add Action Node(If False branch) : Gmail

- ✓ Add Gmail Send a message (Action Node) to Previous "If False branch"(Action Node)
- ✓ Copy "Gmail Send a message" and paste. Connect this node to "If False branch"



loan_gmail_node_send_a_message_config

- ✓ Modify the content

Credential : Gmail Account(select your gmail account **with** credentials)
Resource : Message
Operation : Send
To : {{ $('On form submission').item.json.Email }}
Subject : Sorry {{ $('On form submission').item.json['First Name'] }}, You are **not** eligible **for** Loan
Email Type : Text

Message :
Hello {{ $('Edit Fields').item.json['Full Name'] }},

Thank you **for** your interest **in** our loan services.

Based on your submitted details, your salary {{ $('On form submission').item.json.Salary }} does **not** meet our current eligibility criteria. Hence, you are **not** eligible **for** the loan at this time.

We encourage you to apply again **in** the future **if** your eligibility improves.

For any questions **or** assistance, feel free to contact our support team.

Regards
Durgasoft Loan Eligibility Check Team

Add Option : Append n8n Attribution : Disable

7. Execute the entire workflow



loan_execute_workflow



loan_form_submission



loan_form_submission_false_branch

Sorry Gopi, You are not eligible for Loan Inbox ×

gk test
to me

Hello GopiP,
Thank you for your interest in our loan services.

Based on your submitted details, your salary 30000 does not meet our current eligibility criteria. Hence, you are not eligible for the loan at this time.

We encourage you to apply again in the future if your eligibility improves.

For any questions or assistance, feel free to contact our support team.

Regards
Durgasoft Loan Eligibility Check Team

loan_mail_message

Google Sheets Feedback

Form ➔ Google Sheets ➔ Gmail

Create a new workflow

Create a new workflow 'Feedback Form Workflow' under 'My project2'

1. Create Manual Workflow : Create Trigger Node

✓ Add first Step ==> Nodes ==> “n8n Form”



gsheets_n8n_form

gsheets_n8n_form_event

Test URL

Test URL : https://warriors.app.n8n.cloud/form-test/35965862-a7b5-490a-bd69-3d85510ff3cc

Authentication : None
Form Title : Feedback Form
Form Description :
Form Elements : Add Form Element
Label : Name

Element Type : Text Input
Add Attribute : Required Field - Enable

Label : Email
Element Type : Email
Add Attribute : Required Field - Enable

Label : Mobile Number
Element Type : Number
Add Attribute : Required Field - Enable

Label : Feedback
Element Type : Textarea
Add Attribute : Required Field - Enable



gsheets_n8n_form_elements

2. Execute the node



gsheets_n8n_form_execute



gsheets_n8n_form_submbit

3. Add Action Node : Google Sheets

- ✓ Add "Google Sheets (Append or update row in a sheet)" (Action Node) to Previous "n8n Form"(Action Node)



gsheets_googlesheets



gsheets_googlesheets



gsheets_googlesheets

Create a blank Google sheet



gsheets_googlesheets

Configuration of Google Sheets

Credential : Sign **in with** Google
Resource : Sheet within Document
Operation : Append Row
Document : From list : Feedbackdocument
Sheet : From list : agentic ai
Mapping Columnn Mode : Map Automatically



gsheets_googlesheets_config

Execute the node



gsheets_googlesheets_execute

Form data is inserted into the google sheet



gsheets_googlesheets_append

Run the same form multiple times



gsheets_googlesheets_append

Same record will be inserted multiple times



gsheets_googlesheets

Same form multiple times ==> update the record

If we submit the same form multiple times then it should be updated not appended as duplicate records

Credential : Sign **in with** Google
Resource : Sheet within Document
Operation : Append **or** Update Row
Document : From list : Feedbackdocument
Sheet : From list : agentic ai
Mapping Columnn Mode : Map Automatically
Column to match on : Email



gsheets_googlesheets_append_update

4. Action node : Wait node

Wherever **if** you want to pausing kind of thing **in** your workflow, we can use wait node
Wait Node : Wait before **continue with** execution
Add "Wait Node" (Action Node) to Previous "Google Sheets"(Action Node)



gsheets_wait_node

Resume : After Time Interval
Wait Amount: 65
Wait Unit: Seconds



gsheets_wait_node_config

5. Change the workflow

Old Workflow : n8n Form ==> Google Sheets ==> Wait Node
New Workflow : n8n Form ==> Wait Node ==> Google Sheets
User after submitting the form it will wait **for** 65 seconds to append the record **in** the google she ets



gsheets_old_workflow



gsheets_new_workflow

6. Publish the workflow

- ✓ Publish the workflow by sharing the Production URL, so that anyone can access our workflow



gsheets_publish

Production URL

https://warriors.app.n8n.cloud/form/35965862-a7b5-490a-bd69-3d85510ff3cc



gsheets_production_form_submission



gsheets_production_googlesheets

7. Action node : Gmail Send Message

Wait Node : Wait before **continue with** execution

Add " Gmail Send Message" (Action Node) to Previous "Google Sheets"(Action Node)



gsheets_gmail



gsheets_gmail_send_message

Configuration of Gmail Send a message

Credential : Gmail Account(select your gmail account **with** credentials)
Resource : Message
Operation : Send
To : {{ $json.Email }}
Subject : Thank you {{ $json.Name }} **for** your feedback
Email Type : Text
Message :
Hello {{ $json.Name }}

Thank you **for** your feedback. It **is** very valuable **for** us.

Please download agentic ai material

Regards
DURGASOFT

Add Option : Append n8n Attribution : Disable

gsheets_gmail_config

8. Execute the entire workflow



gsheets_production_form_submission



	A	B	C	D	E	F
1	Name	Email	Mobile Number	Feedback	submittedAt	formMode
2	Gopi Krishna	gopi4bigdata@gmail.com	9849098490	Excellent	2026-08-26T18:52:10.180+05:30	production
3						

gsheets_production_google_sheet_append



gsheets_production_gmail

Gmail & Googe Drive Attachment Automation

Create a new workflow

Create a new workflow 'gd workflow' under 'My project2'

1. Create Manual Workflow : Create Trigger Node

- ✓ Add first Step ➔ Nodes ➔ "n8n Form"



gdworkflow_n8n_form



gdworkflow_n8n_form

Test URL

Test URL : https://warriors.app.n8n.cloud/form-test/d7d7ff94-c688-43d1-ae06-4134c2dc3c19

Authentication : None
Form Title : Feedback Form
Form Description :
Form Elements : Add Form Element
Label : Name
Element Type : Text Input
Add Attribute : Required Field – Enable

Label : Email
Element Type : Email
Add Attribute : Required Field - Enable

Label : Feedback
Element Type : Textarea
Add Attribute : Required Field - Enable



gdworkflow_n8n_form_elements

2. Execute node



gdworkflow_n8n_form_execute



gdworkflow_n8n_form_execute

3. Add Action Node : Google Sheets

- ✓ Add "Google Sheets (Append or update row in a sheet)" (Action Node) to Previous "n8n Form"(Action Node)



gdworkflow_googlesheets



gdworkflow_googlesheets



gdworkflow_googlesheets

Create a blank Google sheet



gdworkflow_googlesheets

Credential : Sign **in with** Google
Resource : Sheet within Document
Operation : Append **or** Updaete Row
Document : From list : materialrequest
Sheet : From list : agentic ai
Mapping Columnn Mode : Map Each Column Manually
Column to match on : Email ID
Values to Send
  Name_of_the_student : {{ $json.Name }}
  Email ID : {{ $json.Email }}



gdworkflow_googlesheets_config

Execute the node



gdworkflow_googlesheets_execute

Form data is inserted into the google sheet



gdworkflow_googlesheets_append

4. Action node : Gmail Send Message

Add " Gmail Send Message" (Action Node) to Previous "Google Sheets"(Action Node)



gdworkflow_gmail



gdworkflow_gmail_send_message

Credential : Gmail Account(select your gmail account **with** credentials)
Resource : Message
Operation : Send
To : {{ $json.Email }}
Subject : Hello {{ $json.Name_of_the_student }}, Download workflow
Email Type : Text
Message :
Hello {{ $json.Name_of_the_student }}

Thank you **for** providing valuatble feedback

Please download the last session workflow from attachment

Regards
DURGASOFT

Add Option : Append n8n Attribution : Disable
Add Option : Attachments
Add Attachment
Attachment Field Name : data



gdworkflow_gmail

gdworkflow_gmail_config



gdworkflow_gmail_config



gdworkflow_gmail_config

5. Action node : Google Drive

Add "Google Drive" (Action Node) to Previous "Gmail Send Message"(Action Node)

gdworkflow_google_drive

gdworkflow_google_drive



gdworkflow_google_drive

6. Change the worflow

Old Workflow : n8n form ==> Goooogle Sheets ==> Gmail ==> Google Drive
New Workflow : n8n form ==> Goooogle Sheets ==> Google Drive ==> Gmail



gdworkflow_new

Configure the Google Drive

Upload “04_Loan Eligibility Workflow.json” file to the google drive

Credential : Sign **in with** Google
Resource : File
Operation : Download
File : From list : 04_Loan Eligibility Workflow.json



gdworkflow_gdrive_config

Execute the node



gdworkflow_gdrive_execute

Note

In the Google Drive or in N8N workflow image files, pdf files, some attachments are available in the binary data only

7. Gmail Send a message

Credential : Gmail Account(select your gmail account **with** credentials)
Resource : Message
Operation : Send
To : {{ $json.Email }}
Subject : Hello {{ $json.Name_of_the_student }}, Download workflow
Email Type : Text
Message :

Hello {{ $json.Name_of_the_student }}

Thank you **for** providing valuatble feedback

Please download the last session workflow from attachment

Regards
DURGASOFT

Add Option : Append n8n Attribution : Disable
Add Option : Attachments
Add Attachment
Attachment Field Name : data

Execute the Node



gdworkflow_gmail_execute

Mail sent



gdworkflow_gmail_mail_sent

8. Publish the workflow to make it live

gdworkflow_live

With “Production URL” we can access the workflow

Production URL : https://warriors.app.n8n.cloud/form/d7d7ff94-c688-43d1-ae06-4134c2dc3c19



gdworkflow_production_url

9. Download the Workflow as JSON file

gdworkflow_download_json

Create a workflow from a json

Create a new worflow

Create A new workflow under a project

Import ==> From file ==> Select the json file

import_json_file

DURGA
Software Solutions®

Name	Date modified	Type	Size
01_automation1.json	25-08-2026 08:21	JSON Source File	3
02_emailworkflow2.json	25-08-2026 19:56	JSON Source File	7
03_FeedBack Workflow.json	25-08-2026 23:07	JSON Source File	4
04_Loan Eligibility Workflow.json	26-08-2026 07:49	JSON Source File	7
05_Feedback Form Workflow.json	26-08-2026 14:32	JSON Source File	5
06_Feedback Form Workflow.json	26-08-2026 18:57	JSON Source File	7
07_gd workflow.json	27-08-2026 07:20	JSON Source File	6

import_json_file

import_json_file

OpenRouter

Create a new API Key in OpenRouter

https://openrouter.ai/workspaces/default/keys

To get free API keys/ paid also available
Vendor to provide multiple LLMs

Chat Trigger ==> AI Agent ==> Output
Gmail ==> AI Agent ==> Gmail
Form **with** Question ==> AI Agent ==> Gmail

DURGA
Software Solutions®

OpenRouter Workflow

Create a new workflow

Create a new workflow 'openrouterworkflow' under 'My project2'

1. Create Manual Workflow : Create Trigger Node

✓ Add first Step ==> Nodes ==> "Gmail On Message received"



openrouter_wf_gmail_trigger



openrouter_wf_gmail_trigger

Configure Gmail On MEssage received Node

Credential : Login **with** your gmail account
Poll Times :
Items1 : Mode : Every Minute
Event : Message Received
Simplify : Enable



openrouter_wf_gmail_trigger_config

Execute the node

Execute the node ==> "Fetch Test Event"



openrouter_wf_gmail_trigger_execute

Send the mail to the configured gmail account

openrouter_wf_gmail_trigger_send_mail

Execute the Node again

After sending one test mail execute the node again



openrouter_wf_gmail_trigger_execute



openrouter_wf_gmail_trigger_output

2. Create Action Node

✓ Add AI Agent node(Action Node) to "Gmail On Message received"(Trigger Node)



openrouter_wf_ai_agent

Configure the Action node

✓ By default AI Agent expecting the prompt {{ $json.chatInput }}

Source **for** Prompt(User Message) : Define Below
Prompt :
Act as Experienced Technical Trainer
Analyze **and** answer: {{ $json.snippet }}



openrouter_wf_ai_agent_config

openrouter_wf_ai_agent

Add ChatModel : OpenRouter Chat Model

- ✓ Add OpenRouter Chat Model to "AI Agent"



openrouter_wf_ai_agent_chatmodel

Configure Chat Model

Credential : Provide your OpenRouter API Key
Model : openrouter/free (select free model)



openrouter_wf_ai_agent_chatmodel_config

Create OpenRouter API key
https://openrouter.ai/workspaces/default/keys



openrouter_wf_ai_agent_chatmodel_config_API_Key



openrouter_wf_ai_agent_chatmodel_config_API_Key



openrouter_wf_ai_agent_chatmodel_config_API_Key

Execute the Node



openrouter_wf_ai_agent_chatmodel_execute

3. Create gmail Action node

Add "Gmail Send a messaage"(Action Node) to "AI Agent"(Action Node)



openrouter_wf_gmail



openrouter_wf_gmail

Gmail Send a message configuration
Credential : Gmail Account(select your gmail account **with** credentials)
Resource : Message
Operation : Send
To : {{ $('Gmail Trigger').item.json.From }}
Subject : Reply to : {{ $('Gmail Trigger').item.json.Subject }}
Email Type : Text
Message :
Hello Friend,

Please find the answer

Question : {{ $('Gmail Trigger').item.json.snippet }}

Answer : {{ $json.output }}

Regards
DURGASOFT

Add Option : Append n8n Attribution : Disable



openrouter_wf_gmail_config



openrouter_wf_gmail_config

Execute the node



openrouter_wf_gmail_execute

Email is sent



Reply to : Need information on n8n Inbox ×

Summarize this email

gk test
to me

Hello Friend,

Please find the answer

Question : I need information on n8n Regards Krishna

Answer : Hello Krishna,

As an experienced Technical Trainer, I am happy to provide a comprehensive overview of **n8n** (formerly known as n8n.io). It is currently one of the most popular open-source integration platforms in the industry due to its balance of ease-of-use and extensibility.

Here is a structured breakdown of what you need to know about n8n, covering its architecture, core concepts, and best practices.

---

1. What is n8n?
n8n is a visual workflow automation tool (often called an iPaaS -

openrouter_wf_gmail_mail_sent

Build Resume Screening AI Agent

Form Trigger:
  Name, Email, Mobile Number, LinkedIn profile, Resume
AI Agent
  Analyze resume **and** match **with** JD, Filter: eligible **or not**
  eligibility_for_job
  reason
  final_summary
If
  true ==> google sheet ==> send mail to hr person ==> send mail to candidate
  false ==> send a meail to candidate sayin gsorry you are **not** eligible

Create a new workflow

Create a new workflow 'Job Filtering Workflow' under 'My project2'

1. Create Manual Workflow : Create Trigger Node

- ✓ Add first Step ==> Nodes ==> "n8n Form"



jobwf_n8n_form



jobwf_n8n_form

Form Configuration

Test URL : https://warriors.app.n8n.cloud/form-test/d7f3fd5d-4771-41ae-a7be-7c496f078f59

Authentication : None
Form Title : Job Application Form
Form Description : Application Screening
Form Elements : Add Form Element
Label : Full Name
Element Type : Text Input
Add Attribute : Required Field - Enable

Label : Email
Element Type : Email
Add Attribute : Required Field - Enable

Label : Mobile Number
Element Type : Number
Add Attribute : Required Field - Enable

Label : LinkedIn Profile
Element Type : Text Input

Label : Resume(In PDF)
Element Type : File
Add Attribute : Required Field - Enable
Accepted File Types - *.pdf



jobwf_n8n_form_config

Execute the node



jobwf_n8n_form_execute



jobwf_n8n_form_submit

Note

- ✓ AI Agent can understand only JSON form
- ✓ But the our PDF is in binary form
- ✓ To convert binary data to JSON form ==> n8n having “Extract from File” node

2. Add Action Node : Extract from File

Add "Extract from File" (Action Node) to previous "n8n Form" (Trigger Node)
This node converts binary data to JSON



jobwf_extract_from_file



jobwf_extract_from_file_pdf

Configure the "Extract from File" Node

Operation : Extract from PDF
Input Binary Field : Resume_In_PDF_



jobwf_extract_from_file_config

Execute the node



jobwf_extract_from_file_execute

3. Add Action Node : AI Agent

✓ Add AI Agent node(Action Node) to "Extract from File"(Trigger Node)



jobwf_ai_agent

AI Agent Configurations

Source **for** Prompt(User Message) : Define Below
Prompt(User Message) : {{ $json.text }}



jobwf_ai_agent_config

Add ChatModel : OpenAI Chat Model

- ✓ Add OpenAI Chat Model to "AI Agent"



jobwf_ai_agent_openai_chat_model

Configure the ChatModel

Credential : n8n free OpenAI API credits **or** Provide your openai API key
Model : gpt-5-mini



jobwf_ai_agent_openai_chat_model_conofig

Add System Message to AI Agent

Source **for** Prompt(User Message) : Define Below
Prompt : {{ $json.text }}
Add Option : System Message

System Message



jobwf_ai_agent_config

System Message :

Act as Resume filter assistant,

Analyze the provided resume **for** java trainer requirement **with** 8 years of relavant experience

Rules :

1. Must have strong knowledge **in** java related technologies
2. Teaching experience must be essential



jobwf_ai_agent_config

Execute the AI Agent Node



jobwf_ai_agent_execute

Specific Output Format

AI Agent Configuration

Require Specific Output Format : Enable

Connect an output parser on the canvas to specify the output format you require



jobwf_ai_agent_config

Add Output Parser to AI Agent

Structured Output Parser

Return data **in** a defined JSON format

jobwf_ai_agent_config

Configuration of Structured Output Parser

JSON Example

```
{
   "eligibility_for_job": true,
   "reason": "xyz",
   "summary": "abc"
}
```



jobwf_ai_agent_structured_output_parser_config

Execute the AI Agent Node again

Now the output will be **in** the specified format as we have provided **in** previouw step.
It contains the keys
eligibility_for_job
reason
summary



jobwf_ai_agent_execute



jobwf_ai_agent_execute

4. Add If node(Action Node)

Add If Node(Action node) to previous AI Agent(Action Node)

jobwf_if_node

Configuration of If Node

Conditions

{{ $json.output.eligibility_for_job }} **is** true



jobwf_if_node_config



jobwf_if_node_config

Execute the If node



jobwf_if_node_execute

5. Add Gmail Send a message Node to false branch

Add "Gmail send a message"(Action Node) to the previous "If false branch"(Action Node)

jobwf_if_node_false_branch_gmail

jobwf_if_node_false_branch_gmail

Configure the gmail node
Credential : Gmail Account(select your gmail account **with** credentials)
Resource : Message
Operation : Send
To : {{ $('Job Application Form').item.json.Email }}
Subject : Sorry {{ $('Job Application Form').item.json['Full Name'] }}, you are **not** eligible **for** this Job
Email Type : Text
Message :

Hello {{ $('Job Application Form').item.json['Full Name'] }},

Thank you **for** your interest **in** joining DURGASOFT **and for** taking the time to apply **for** the pos ition.

We regret to inform you that, after reviewing your application, you have **not** been selected **for** thi s position at this time.

We appreciate your interest **in** working **with** us **and** encourage you to apply **for** future opportuni ties that match your skills **and** experience.

We wish you all the very best **in** your career **and** look forward to the possibility of working **with** you **in** the future.

Regards,
DURGASOFT HR TEAM

Add Option : Append n8n Attribution : Disable



jobwf_if_node_false_branch_gmail_config

Execute the node



jobwf_if_node_false_branch_gmail_send_message



jobwf_if_node_false_branch_gmail_send_message

Sorry Gopi, you are not eligible for this Job Inbox ×

gk test
to me

Hello Gopi,

Thank you for your interest in joining DURGASOFT and for taking the time to apply for the position.

We regret to inform you that, after reviewing your application, you have not been selected for this position at this time.

We appreciate your interest in working with us and encourage you to apply for future opportunities that match your skills and experience.

We wish you all the very best in your career and look forward to the possibility of working with you in the future.

Regards,
DURGASOFT HR TEAM

jobwf_if_node_false_branch_gmail_send_message

6. Add Google Sheet (Append row in sheet) Node to true branch

Add "Google Sheet(Append row in sheet)"(Action Node) to the previous "If true branch"(Action Node)



jobwf_if_node_true_branch_gsheet



jobwf_if_node_true_branch_gsheet

Create a blank Google sheet



jobwf_if_node_true_branch_gsheets

Configuration of Google Sheet

Credential : Sign **in with** Google
Resource : Sheet within Document
Operation : Append Row
Document : From list : shorlisted_candidates
Sheet : From list : java
Mapping Columnn Mode : Map Each Column Manually
Full Name : {{ $('Job Application Form').item.json['Full Name'] }}
Email : {{ $('Job Application Form').item.json.Email }}
Mobile Number : {{ $('Job Application Form').item.json['Mobile Number'] }}
LinkedIn Profile : {{ $('Job Application Form').item.json['LinkedIn Profile'] }}
Reason : {{ $('AI Agent').item.json.output.reason }}
Summary : {{ $('AI Agent').item.json.output.summary }}



jobwf_if_node_true_branch_gsheets_config



jobwf_if_node_true_branch_gsheets_config

Execute the workflow



jobwf_if_node_true_branch_gsheets_execute



jobwf_if_node_true_branch_gsheets_execute

Form data is inserted into the google sheet



jobwf_if_node_true_branch_gsheets_append

7. Add Gmail Send a message Node to Google Sheets

Add "Gmail send a message"(Action Node) to the previous "Google Sheets"(Action Node)

jobwf_if_true_branch_gmail

jobwf_if_true_branch_gmail

Configure the gmail node

Credential : Gmail Account(select your gmail account **with** credentials)
Resource : Message
Operation : Send
To : durgasoftonline@gmail.com
Subject : One Resume **is** waiting **for** your review
Email Type : Text
Message :

Hello HR Team,
The following candidate we filtered **and** waiting **for** your review

Name :
Email :
Mobile Number :
Reason :
Summary :

Regards
Automation Team

Add Option : Append n8n Attribution : Disable



jobwf_if_node_true_branch_gmail_config



jobwf_if_node_true_branch_gmail_config

Execute the node



jobwf_if_node_true_branch_gmail_send_message

Hello HR Team,
The following candidate we filtered and waiting for your review

Name : Gopi
Email : gopi4bigdata@gmail.com
Mobile Number : 9849098490
Reason : Candidate meets the 8-year requirement and the mandatory teaching experience. The resume shows 10+ years combined Java development and training experience (roles from 2016–present) and explicit, repeated responsibilities as a trainer. Strong, relevant Java technology stack (Core Java, Java 8+, OOP, Collections, Multithreading, JDBC, Spring, Spring Boot, Hibernate/JPA, REST APIs) and hands-on training experience are clearly demonstrated.
Summary : Experience: 10+ years combined Java development and technical training (Java Developer/Java Trainer from 2016–2020; Senior Java Developer/Technical Trainer 2020–present).
Teaching: Repeated trainer roles with hands-on sessions, coding exercises, project guidance, and assessments. Experienced training audiences include students and working professionals.
Technical Fit: Strong coverage of required technologies — Core Java, Java 8+, Spring/Spring Boot, Hibernate/JPA, REST APIs, JDBC, SQL (MySQL/Oracle), tools (Maven, Git, IntelliJ/Eclipse, Postman).
Strengths: Solid mix of enterprise development and practical training experience; emphasis on project-based, hands-on teaching and mentoring; relevant tech stack for a Java trainer role.
Concerns / Notes: Resume lacks quantitative training metrics (number of batches/learners, success rates) and certifications or sample curriculum/materials. Clarify the proportion of time spent on pure training vs development and request a short demo session or sample course outline during screening.
Recommendation: Eligible — invite for a technical + demo interview to validate teaching delivery, sample training materials, and depth of subject-matter knowledge.

Regards
Automation Team

jobwf_if_node_true_branch_gmail_mail

8. Add Gmail Send a message Node to Add Gmail Send a message Node

Add "Gmail send a message"(Action Node) to the previous "Add Gmail Send a message Node"(Acti on Node)

jobwf_gmail



jobwf_gmail

Configure the gmail node

Credential : Gmail Account(select your gmail account **with** credentials)
Resource : Message
Operation : Send
To : {{ $('Job Application Form').item.json.Email }}
Subject : Congratulations {{ $('Job Application Form').item.json['Full Name'] }}, you are shorliste
d
Email Type : Text
Message :
Hello {{ $('Job Application Form').item.json['Full Name'] }},

Congratulations!

We are pleased to inform you that your resume has been shortlisted **for** the position.

Our HR Team will contact you **with** further details regarding the next stage of the selection proc ess.

We appreciate your interest **in** joining DURGASOFT **and** wish you the very best **for** the upcomin g selection process.

Regards,
DURGASOFT RECRUITMENT TEAM

Add Option : Append n8n Attribution : Disable

jobwf_if_node_true_branch_gmail_config

Execute the node

jobwf_if_node_true_branch_gmail_execute

Congratulations Gopi, you are shorlisted Inbox ×

g **gk test**
to me

Hello Gopi,

Congratulations!

We are pleased to inform you that your resume has been shortlisted for the position.

Our HR Team will contact you with further details regarding the next stage of the selection process.

We appreciate your interest in joining DURGASOFT and wish you the very best for the upcoming selection process.

Regards,
DURGASOFT RECRUITMENT TEAM

jobwf_if_node_true_branch_gmail_mail

9. Publish the Workflow

Publish the workflow for live by providing the Production URL

Merge Node : Resume as Attachment

In Previous workflow **for** HR Team along **with** selected candidate details the resume also attache d
For this merge node **is** used

jobwf_old_workflow

Add a Merge node

Add a Merge Node between "Append row in sheet" **and** "Send a message" (after **if** true branch)

jobwf_attachemnt_merge_node

Configuration of Merge Node

Merge Node
  input1 : JobApplication
  input2 : Append row **in** sheet

Mode : Combine
Combine By : Position
Number of Inputs : 2



jobwf_attachemnt_merge_node_config

Execute Merge Node



jobwf_attachemnt_merge_node_execute

Update Configuration of Send a message1

Add Option : Attachments
Add Attachment:
Attachment Field Name : Resume_In_PDF_



jobwf_attachemnt_send_message1_configuration



jobwf_attachemnt_send_message1_config

Execute Send a message1 node

jobwf_attachemnt_send_message1_execute

Email sent with attachment



jobwf_attachemnt_send_message1_mail

Scheduled Message Generator

Create a new workflow

Create a new workflow 'scheduler flow' under 'My project2'

1. Create Manual Workflow : Create Trigger Node

- ✓ Add first Step ==> Nodes ==> "Schedule Trigger"

schedule_wf_trigge

Configuration fo Schedule Trigger

This workflow will run on the schedule you define here once you publish it.For testing, you can also trigger it manually: by going back to the canvas **and** clicking 'execute workflow'

Trigger Rules

Trigger Interval : Minutes
Miutes Between Triggers : 2



schedule_wf_trigger

2. Add Action Node : AI Agent

- ✓ Add AI Agent node(Action Node) to “Schedule Trigger”(Trigger Node)



schedule_wf_ai_agent

Configuration of AI Agent

Source **for** Prompt(User Message) : Define Below
Prompt(User Message) :
Provide 3 captions like

I can't bear this anymore.
I am fully frustrated now.
Please stop disturbing me.
Don't stress me again **and** again.
I need some peace, please.
Don't keep repeating the same thing.
I am already tired, don't push me more.
Please don't make things more difficult.
I am losing my patience now.
I don't want to argue again.
Please give me some space.
I can't handle this pressure anymore.
Don't force your thinking on me.
I am mentally exhausted.
Please understand my situation.
I don't want this discussion now.
Stop overthinking everything.
I need a **break** from all this.
Please don't drag this matter.
I am **not in** a mood to talk.
Don't make small things big.
I am already stressed, please don't add more.
Let's stop this conversation here.
I need some silence right now.

Please calm down, we can talk later.

Require Specific Output Format : Enable



schedule_wf_ai_agent_config

Add Output Parser for AI Agent



schedule_wf_ai_agent_output_parser

Configuration of Output Parser

Schema Type : Generate From JSON Example

JSON Example

```
{
   "C1.": "xyz",
   "C2.": "xyz",
   "C3.": "xyz"
}
```



schedule_wf_ai_agent_output_parser_config

Add ChatModel : OpenAI Chat Model

- ✓ Add OpenAI Chat Model to "AI Agent"



schedule_wf_ai_agent_openai_chat_mopdel

Configure the ChatModel

Credential : n8n free OpenAI API credits **or** Provide your openai API key
Model : gpt-5-mini



schedule_wf_ai_agent_openai_chat_mopdel_config

3. Add Gmail Send a message Node

Add "Gmail Send a message Node"(Action Node) to previous "AI Agent" (Action Node)

schedule_wf_gmail



schedule_wf_gmail_send_a_message

Configure the gmail node

Execute previous nodes

Credential : Gmail Account(select your gmail account **with** credentials)
Resource : Message
Operation : Send
To : durgasoftonline@gmail.com
Subject : Important message **for** you
Email Type : Text
Message:

Hello Brain Eater,

1. {{ $json.output['C1.'] }}

2. {{ $json.output['C2.'] }}

3. {{ $json.output['C3.'] }}

Hope so, you can understand

Add Option : Append n8n Attribution : Disable



schedule_wf_gmail_send_a_message_config

Execute the node



schedule_wf_gmail_send_a_message_execute

Send the message

Important message for you Inbox ×

g **gk test**
to me

Hello Brain Eater,

1. I can't keep doing this—please stop, I need some peace and space right now.

2. I'm at my limit. Don't push me further; let's pause and talk later.

3. I'm mentally drained. Please stop repeating this and give me a quiet break.

Hope so, you can understand

schedule_wf_gmail_send_a_message_send

4. Publish the workflow

Publish this workflow live
Once it **is** published **for** every 2 minutes a new mail **is** sent

schedule_wf_publish

Executions

Check the executions



schedule_wf_executions

Message sent for every 2 minutes

schedule_wf_message_sent

5. Add Another AI Agent

- ✓ Add Another AI Agent node(Action Node) and attach to “Schedule Trigger”(Trigger Node)



schedule_wf_ai_agent

Add ChatModel : OpenAI Chat Model

- ✓ Add OpenAI Chat Model to “AI Agent”

schedule_wf_ai_agent_openai_chat_model

Configure the ChatModel

Credential : n8n free OpenAI API credits **or** Provide your openai API key
Model : gpt-5-mini



schedule_wf_ai_agent_openai_chat_model_config



schedule_wf_ai_agent_openai_chat_model

Configuration of AI Agent
Source **for** Prompt(User Message) : Define Below
Prompt(User Message) :
Provide 3 captions like

1. I love you forever 💗
2. Without you, I cannot stay 💔
3. My heart always calls your name 💗
4. You are my life ❤️
5. I need you every moment 🥺
6. You are my happiness 😊
7. My world **is** only you 🌎 💗
8. I can't imagine life without you 🤍
9. You are my everything 💕
10. I miss you every second 😢
11. My heart beats only **for** you 💗
12. You are my dream 🌙
13. I feel complete **with** you ❤️

14. You are my forever love 💍
15. My love **for** you never ends ♾️
16. You are my peace ☁️
17. I just want you always 🫶
18. You are my reason to smile 😊
19. My heart belongs to you 💖
20. I can't stay away from you 😔
21. You are my soulmate 💞
22. I think about you all the time 🤍❤️
23. You are my sweetest feeling 🧁
24. I want to be **with** you forever ❤️
25. You are my love, my life, my everything 💘

Require Specific Output Format : Enable



schedule_wf_ai_agent_config

Execute the Node



schedule_wf_ai_agent_execute

Add Output Parser for AI Agent



schedule_wf_ai_agent_output_parser

Configuration of Output Parser

Schema Type : Generate From JSON Example

JSON Example

```
{
  "C1": "California",
  "C2": "California",
  "C3": "California"
}
```



schedule_wf_ai_agent_output_parser_config

6. Add Gmail Send a message Node

Add "Gmail Send a message Node"(Action Node) to previous "AI Agent" (Action Node)



schedule_wf_gmail



schedule_wf_gmail

Configure the gmail node

Execute previous nodes

Credential : Gmail Account(select your gmail account **with** credentials)
Resource : Message
Operation : Send
To : durgaocjp@gmail.com
Subject : I miss you dear...
Email Type : Text
Message:

Hello Dear, My feelings are

1. {{ $json.output.C1 }}

2. {{ $json.output.C2 }}

3. {{ $json.output.C3 }}

Your loving heart

Add Option : Append n8n Attribution : Disable



schedule_wf_gmail_send_a_message_config

Execute the node



schedule_wf_gmail_send_a_message_execute

Send the message



schedule_wf_gmail_send_a_message_send

7. Publish the workflow again

Complete Workflow



schedule_wf_complet

Publish this workflow live
Once it **is** published **for** every 2 minutes 2 new mails are sent

schedule_wf_publish

Tavily Node
https://www.tavily.com/
Connect your AI agents to the web
One secure API **for** real-time web access.
Create API Key

Tavily node = Web search tool **for** AI Agents

It allows your AI Agent to :
- Get real-rime data
- Give accurate answers (**not** old knowledge)

Simple understanding:
Without Tavily: AI Answers based on training(old data)
With Tavily : AI goes to internet ==> searches ==> give fresh answer

Example:

Without Tavily
User : "What is today gold price in Hyderabad?"
AI : May give approx **or** outdated answer

With Tavily:
AI: Searches google like sources reads latest data
Replies : " Today gold price is ₹XXXXX per gram"

Where Tavily is useful
1. Real-time questions
   News
   Stock Price
   Gold price
   Weather
   Cricket Scores
2. Business bot
   Restaurant bots
   Product availability
   Competitor Analysis
3. Research Agents
   Market Research
   Latest Trends
   Data collection

Tavily Real time Data Integration

Create a new workflow

Create a new workflow 'tavily workflow' under 'My project2'

1. Create Manual Workflow : Create Trigger Node

✓ Add first Step ==> Nodes ==> "Schedule Trigger"



tavily_wf_trigger

Configuration fo Schedule Trigger

This workflow will run on the schedule you define here once you publish it.For testing, you can also trigger it manually: by going back to the canvas **and** clicking 'execute workflow'

Trigger Rules

Trigger Interval : Minutes
Minutes Between Triggers : 2



tavily_wf_trigger

2. Add Action Node : Tavily Node

Add Tavily node(Action Node) to "Schedule Trigger"(Trigger Node)
First time we need to install the node



tavily_wf_tavily

Install the node



tavily_wf_tavily



tavily_wf_tavily_search

Configuration of Tavily Search Node



tavily_wf_tavily_search



tavily_wf_tavily_search

Credential : Provide your TAVILY API key
Resource : Search
Operation : Query
Query : what **is** the current score of todays match between HH-A vs ACT
Add Option : Include Answer : Advanced
Add Option : Search Depth : Advanced



tavily_wf_tavily_search_config

Execute the node



tavily_wf_tavily_search_config

3. Add Action Node : AI Agent

- ✓ Add AI Agent node(Action Node) to “Tavily Search”(ACtion Node)

tavily_wf_tavily_ai_agent

Add ChatModel : OpenAI Chat Model

- ✓ Add OpenAI Chat Model to "AI Agent"

tavily_wf_tavily_ai_agent_openai_chat_model

Configure the ChatModel

Credential : n8n free OpenAI API credits **or** Provide your openai API key
Model : gpt-5-mini

DURGA
Software Solutions®



tavily_wf_tavily_ai_agent_openai_chat_model_config

Note:

ChatGPT

I got multiple results from tavily node, I want to configure system message to analyse **and** prepa re summary **with** 5 bullet points **and with** some meaningful title generate a system Message

Configuration of AI Agent
Source **for** Prompt(User Message) : Define Below
Prompt(User Message) :
{{ $json.answer }}
Add Option : System Message
System Message :
You are an AI research **and** summarization assistant.

Your task **is** to analyze multiple search results provided by the Tavily search tool **and** create a cl ear, accurate, **and** useful summary.

INSTRUCTIONS:

1. Analyze ALL relevant Tavily search results before preparing the summary.
2. Combine information from different results **and** identify the common **and** most important poi nts.
3. Remove duplicate, repetitive, irrelevant, **or** low-value information.
4. Do **not** simply copy individual search results. Synthesize the information into a meaningful s ummary.
5. Do **not** invent facts **or** information that **is not** supported by the provided search results.
6. If different sources provide conflicting information, mention the conflict briefly instead of choo sing one without evidence.

7. Prioritize recent, relevant, **and** reliable information when the search results provide dates **or** s ource information.
8. Keep the language simple, clear, **and** easy to understand.
9. Focus on information that provides practical value to the reader.

OUTPUT FORMAT:

Create a meaningful **and** concise title that represents the main topic.

Title: [Meaningful Title]

• [Important Point 1]
• [Important Point 2]
• [Important Point 3]
• [Important Point 4]
• [Important Point 5]

SUMMARY RULES:

- Provide EXACTLY 5 bullet points.
- Each bullet point should contain one meaningful idea.
- Avoid unnecessary details.
- Avoid repeating the same information **in** different bullet points.
- Each bullet point should preferably be 1–3 sentences.
- The title should be short, relevant, **and** informative.
- Do **not** add an introduction **or** conclusion outside the required format.
- Do **not** mention that the information came from Tavily unless specifically requested.
- Preserve important names, numbers, dates, statistics, **and** facts accurately.



tavily_wf_tavily_ai_agent__config

Execute the node



tavily_wf_tavily_ai_agent_execute

4. Add Gmail Send a message Node

Add "Gmail Send a message Node"(Action Node) to previous "AI Agent" (Action Node)

tavily_wf_tavily_gmail

tavily_wf_tavily_gmail

Configure the gmail node

Execute previous nodes

Credential : Gmail Account(select your gmail account **with** credentials)
Resource : Message
Operation : Send
To : durgasoftonline@gmail.com
Subject : Updated IPL information
Email Type : Text
Message: {{ $json.output }}

Add Option : Append n8n Attribution : Disable



tavily_wf_tavily_gmail_send_message_config

Execute the node



tavily_wf_tavily_gmail_send_message_execute

Message sent

Updated Cricket Score Information Inbox ×

gk test
to me

Title: Hobart Hurricanes Academy vs Australian Capital Territory — Top End T20 highlights

• Aug 15, 2025 (Marrara Stadium): Australian Capital Territory 161/5 (20 overs); Hobart Hurricanes Academy 162/3 (19.2 overs) — HH Academy won by 7 wickets with 4 balls remaining.
• The chase featured a decisive 107-run third-wicket partnership between M. Wright and Bradley Hope that anchored Hobart Hurricanes Academy's victory.
• Aug 28, 2026 (22nd Match, DXC Arena) — live snapshot: Hobart Hurricanes Academy 91/4 after 13.4 overs (RR 6.66); Teague Wyllie 24 (28) and Bradley Hope 15 (15) were batting.
• Bowling and game state in that 2026 snapshot: Tom Hogan 2.4–0–17–0 and Harry Thomas 3–0–16–2; HHA had lost early wickets (falls at ~3–1, 33–2, 40–3, 59–4) but were rebuilding with a 32-run partnership recorded.
• Note: the 2025 match result is a completed scoreline; the Aug 28, 2026 information came from live score updates and showed the game in progress (no final result in the provided snapshots).

tavily_wf_tavily_gmail_mail_sent

Complete Workflow



tavily_wf_tavily_complete_workflow

Note:

Update Query **in** Tavily **and** re-run the workflow
Query : what **is** the current score of todays match between HH-A vs ACT? Gold price today, TCS share value



Updated Cricket Score Information Inbox ×

gk test
to me

Title: Live snapshot — HH-A 93/4; Gold ~US$2,350/oz; TCS ~₹4,200

• Hobart Hurricanes Academy are 93 for 4 after 14.0 overs, carrying a run-rate of 6.64.
• Australian Capital Territory (ACT) have not yet begun their innings; HH-A is currently batting.
• The spot price of gold today is about US$2,350 per ounce.
• Tata Consultancy Services (TCS) shares are trading around ₹4,200 each.
• All figures are approximate/current at the time stated and subject to change with ongoing play and market movements.

tavily_wf_tavily_gmail_mail_sent

n8n Workflow Library & Ready-Made Templates



readymade_wf

Generate real-time IPL commentary from CricAPI data with GPT-4o(Rahul Joshi)



readymade_wf



readymade_wf



readymade_wf

Note:
Download the workflow **in** JSON format

Documentation for the workflow using ChatGPT

Upload the json file in ChatGPT

Prompt:
Analyze this workflow, provide step by step documentation in simple english so that I can understand the clearly and I can create on my own. This documentation acts as material for my students also

Workflow Templates

Create a new workflow

Create a new workflow under 'My project2'



templates



templates

MCQ on n8n

Question 1:
What **is** n8n maily used **for**

A. Writing Programming code
B. Automating workflows between different applications
C. Designing UI Screens
D. Managing Databases Manually

Answer : B

Question 2:
In n8n, what **is** a Trigger Node

A. A node that stores data
B. A node that starts the workflow
C. A node that deletes data
D. A node that sends emails only

Answer : B. Every worklfow must start **with** Trigger

Question 3:
In n8n, What **is** the role of Webhook node?

A. It sends emails automatically
B. It receives data from external applications via HTTP request
C. It stores data **in** database
D. It schedules workflows

Answer : B Webhook => Entry point **for** outside world

Question 4:
In n8n, what **is** the purpose of a Set Node

A. To trigger the workflow
B. To manually define **or** modify data
C. To send HTTP requests
D. To connect to database

Answer : B Set Node => Data control

Question 5:
In n8n, what **is** the purpose of an IF Node

A. To send emails
B. To check conditions **and** make decisions
C. To store data permanently
D. To start the workflow

Answer : B . If Node => Decision Making Brain

Question 6:
In n8n, what **is** the purpose of an HTTP Request Node

A. To trigger workflows on schedule
B. To send **or** receive data from APIs
C. To design user interfaces
D. To store files locally

Answer : B. HTTP Request Node **is** used to connect **with** external APIs.

Question 7:
In n8n, what **is** the purpose of Cron Node

A. To store data **in** database
B. To run workflows at scheduled times

C. To send HTTP requests
D. To filter data

Answer : B. Cron Node **is** used to run workflows at specific times **or** intervals. Time-based Auto mation.Iot helps you run workflows without any external trigger

Question 8:
In n8n, what **is** the purpose of an Execute Workflow Node?

A. To delete a workflow
B. To call **and** run another workflow
C. To store workflow data
D. To design UI Scenes

Answer : B. Reusablity concept. You can create one workflow **and** reuse it **in** multiple place

Question 9:
In n8n, what **is** the purpose of Merge Node

A. To split data into multiple parts
B. To combine data from multiple inputs
C. To delete duplicate data
D. To trigger workflows

Answer : B. Merge Node ==> Combine Data. It helps you bring multiple data stream together

Question 10:
In n8n, what **is** the purpose of an Error Workflow?

A. To stop the workflow execution
B. To handle errors **and** take action when a workflow fails
C. To delete failed data
D. To restart the system

Answer : B. Error Handling ==> Professional Automation. Always design workflows to handle fail ures, **not** just success.

Question 11:
In n8n, what does the "Active" mode of a workflow mean?

A. Workflow **is** deleted
B. Workflow runs automatically based on trigger
C. Workflow runs manually
D. Workflow paused permanently

Answer : B. Active ==> Live Automation. Workflow works **in** real-time without manual execution

Question 12:
In n8n, what **is** meant by Execution?

A. Designing a workflow
B. Running a Workflow instance when triggered
C. Deleting workflow history
D. Creating a new node

Answer : B. Execution ==> One Run Instance. Each trigger creates a separate execution

Question 13:
In n8n, what **is** the purpose of the Wait Node?

A. To delete data after execution
B. To pause the workflow **for** a specific time **or** event
C. To merge multiple workflows
D. To trigger external APIs

Answer : B. Wait Node ==> Delay Control. Helps you add time gaps between steps **in** automation

Question 14:
In n8n, what **is** the purpose of Expressions?

A. To write full programming code
B. To dynamically use **and** manipulate data inside nodes
C. To design workflow UI
D. Toi delete execution history

Answer : B. {{$json.name}} ==> get name from previous node. Expressions ==> Dynamic Data Po wer. They allow workflows to work **with** real-time data.

Question 15:
In n8n, what **is** the main benefit of using Workflow automation tools like n8n

A. Writing long code programs
B. Reducing manual work **and** saving time
C. Increasing manual tasks
D. Only designing applications

Answer : B.Automation ==> Time + Effort Saving. Youo can focus on important work instead of r epeating tasks.

Question 16:
Scheduled Trigger Vs Cron Node

Scheduled Trigger (New Method) :
This **is** the modern **and** recommended way to schedule workflows
Features:
  Simple UI(easy **for** beginners)
  Options like:
    Every X minutes
    Daily / Weekly / Monthly
  No need to remember cron systax
Example:
  Run workflow every day at 9 AM
  Run every 10 minutes

Cron Node(Old Method) :
This **is** advanced **and** traditional method(based on cron expressions)

Features:
  Uses cron format like "0 9 * * *"
  Very flexible but slightly complex
  Needs understanding of cron syntax

Example:
  "0 9 * * *" ==> Every day at 9 AM
  "*/5 * * * *" ==> Every 5 minutes

Key Differences

Feature	Scheduled Trigger	Cron Node
Ease of Use	✅ Very Easy	❌ Slightly Difficult
Syntax Needed	❌ No	✅ Yes (cron format)
Recommended	✅ Yes (new users)	⚠️ Only if needed
Flexibility	Good	Very High

Finial Summary
n8n helps you:
  Automate workflows
  Connect multiple apps
  Reduce manual work
  Build Smart systems
If you master this:
  You can build real business automation(WhatsApp bots, AI Agents, Reports, Follow-ups)

ikigai
Ikigai Circle

1. What you love/ enjoy to do?
2. What you are good at?
3. What the world needs?
4. What you can be paid **for**?

- we have to identify the common answer

ikigai

Durga's Ikigai ==> Teaching
Ikigai ==> Life purpose

AI Feedback Workflow - Classification
Feedback Form ➔ AI Agent ➔ switch ➔ Store data in complaint sheet
➔ Store data in compliment sheet
➔ Store data in future request sheet

Create a new workflow

Create a new workflow 'Feedbacklform classification' under 'My project2'

1. Create Manual Workflow : Create Trigger Node

- ✓ Add first Step ==> Nodes ==> "n8n Form"

feedback_clf_n8n_form



feedback_clf_n8n_form

Configuration of n8n form

Test URL : https://warriors.app.n8n.cloud/form-test/d45b6e5d-0e8f-49a9-bc23-a9b8a0cf4703

Authentication : None
Form Title : Feedback Form
Form Description :
Form Elements : Add Form Element
Label : Name
Element Type : Text Input
Add Attribute : Required Field - Enable

Label : Email

Element Type : Email
Add Attribute : Required Field - Enable

Label : Mobile Number
Element Type : Number

Label : Feedback
Element Type : Textarea
Add Attribute : Required Field - Enable



feedback_clf_n8n_form_elements

Execute the node



feedback_clf_n8n_form_elements



feedback_clf_n8n_form_elements

2. Add Action Node : AI Agent

✓ Add AI Agent node(Action Node) to "n8n Form"(Trigger Node)



feedback_clf_ai_agent

Add ChatModel : OpenAI Chat Model

✓ Add OpenAI Chat Model to "AI Agent"

feedback_clf_ai_agent_openai_chat_model

Configure the ChatModel

Credential : n8n free OpenAI API credits **or** Provide your openai API key
Model : gpt-5-mini



feedback_clf_ai_agent_openai_chat_model_conofig

Note :
For generating system prompt provide the following prompt to ChatGPT

I want to provide system message prompt **in** n8n automation.The requirement **is** to analyze the customer feedback **and** should required to classify one of the following categories:

1. Complaint
2. Compliment

3. New feature request

The output shouel be only category.Provide system prompt

Response from ChatGPT

You are a customer feedback classification assistant.

Your task **is** to analyze the customer feedback provided as input **and** classify it into exactly ONE of the following categories:

1. Complaint
2. Compliment
3. New feature request

Classification rules:

- Complaint:
  Use this category when the customer expresses dissatisfaction, a problem, a negative experienc e, an issue, **or** requests resolution **for** something that **is not** working properly.

- Compliment:
  Use this category when the customer expresses satisfaction, appreciation, praise, gratitude, **or** positive feedback about a product, service, employee, **or** experience.

- New feature request:
  Use this category when the customer suggests, asks **for**, **or** recommends adding a new feature, functionality, capability, **or** improvement that does **not** currently exist.

Important instructions:
- Carefully analyze the meaning **and** intent of the feedback.
- Do **not** classify based only on individual keywords.
- If the feedback contains both positive **and** negative statements, classify it based on the custom er's primary intent.
- If the customer is mainly reporting a problem or dissatisfaction, classify it as Complaint.
- If the customer is mainly praising or appreciating something, classify it as Compliment.
- If the customer is mainly asking for new functionality or an additional capability, classify it as New feature request.
- Do not provide explanations, reasoning, punctuation, or additional text.

OUTPUT REQUIREMENT:
Return ONLY ONE of these exact values:

Complaint
Compliment
New feature request

You are a feedback classification assistant.

Your task **is** to analyze the given customer feedback **and** classify it into ONLY ONE of the followi ng categories:

1. complaint
2. compliment
3. new feature request

Rules:

* Carefully understand the intent of the feedback.
* If the feedback expresses dissatisfaction, problems, **or** issues → classify as "complaint".
* If the feedback expresses appreciation, satisfaction, **or** positive experience → classify as "compl iment".
* If the feedback suggests improvements, new ideas, **or** additional features → classify as "new fe ature request".
* Always choose the MOST relevant category.
* If multiple intents are present, choose the primary intent.

Output Rules:

* Output ONLY one word.
* Do NOT provide explanation.
* Do NOT add extra text.
* Do NOT use punctuation.

Final Output must be exactly one of:

complaint
compliment
new feature request

AI Agent Configurations
Source **for** Prompt(User Message) : Define Below
Prompt(User Message) : {{ $json.Feedback }}
Add Option : System Message

System Message:

You are a feedback classification assistant.

Your task **is** to analyze the given customer feedback **and** classify it into ONLY ONE of the followi ng categories:

1. complaint
2. compliment
3. new feature request

Rules:

* Carefully understand the intent of the feedback.
* If the feedback expresses dissatisfaction, problems, **or** issues → classify as "complaint".
* If the feedback expresses appreciation, satisfaction, **or** positive experience → classify as "compliment".
* If the feedback suggests improvements, new ideas, **or** additional features → classify as "new feature request".
* Always choose the MOST relevant category.
* If multiple intents are present, choose the primary intent.

Output Rules:

* Output ONLY one word.
* Do NOT provide explanation.
* Do NOT add extra text.
* Do NOT use punctuation.

Final Output must be exactly one of:

complaint
compliment
new feature request



feedback_clf_ai_agent_config

Execute the AI Agent Node



feedback_clf_ai_agent_execute

Specific Output Format

AI Agent Configuration

Require Specific Output Format : Enable

Connect an output parser on the canvas to specify the output format you require



feedback_clf_ai_agent_config

Add Output Parser to AI Agent

Structured Output Parser

Return data **in** a defined JSON format

feedback_clf_ai_agent_config

Configuration of Structured Output Parser

Schema Type : Generate From JSON Example

JSON Example

```
{
   "category" : "compliment"
}
```



feedback_clf_ai_agent_structured_output_parser_config

Execute the AI Agent Node again

Now the output will be **in** the specified format as we have provided **in** previouw step.

It contains the keys

category



feedback_clf_ai_agent_execute

3. Add Action Node : Switch node

Add Switch node(Action Node) to "AI Agent node"(Action Node)
Route items depending on defined expression or rules

feedback_clf_switch_node

Configuration of Switch Node

Mode : Rules
Routing Rules :
Routing Rule 1: {{ $json.output.category }} **is** equal to compliment
Rename Output : compliment
Routing Rule 2: {{ $json.output.category }} **is** equal to compliant
Rename Output : compliant
Routing Rule 3: {{ $json.output.category }} **is** equal to new feature request
Rename Output : new feature request



feedback_clf_switch_node_config



feedback_clf_switch_node_config

4. Add Action Node : Google Sheets(for 0 switch)

- ✓ Add "Google Sheets (Append or update row in a sheet)" (Action Node) to Previous "Switch node(0)"(Action Node)

feedback_clf_googlesheets1

feedback_clf_googlesheets1



feedback_clf_googlesheets1

Create a blank Google Spread sheet

Create Blank Spread Sheet **with** 3 sheets ==> compliment, complaint, new feature request
Create the following columns **in** all the sheets
Name, Email, Mobile Number, Feedback



feedback_clf_googlesheets1_new

Configuration of Google Sheets(for 0 switch)

Credential : Sign **in with** Google
Resource : Sheet within Document
Operation : Append Row
Document : From list : Classification feedback
Sheet : From list : complaint
Mapping Columnn Mode : Map Each Columnm Manually

Name : {{ $('On form submission').item.json.Name }}
Email : {{ $('On form submission').item.json.Email }}
Mobile Number : {{ $('On form submission').item.json['Mobile Number'] }}
Feedback : {{ $('On form submission').item.json.Feedback }}



feedback_clf_googlesheets1_config

5. Add Action Node : Google Sheets(for 1 switch)

- ✓ Add "Google Sheets (Append or update row in a sheet)" (Action Node) to Previous "Switch node(1)"(Action Node)



feedback_clf_googlesheets2

feedback_clf_googlesheets2



feedback_clf_googlesheets2

Configuration of Google Sheets(for 1 switch)
Credential : Sign **in with** Google
Resource : Sheet within Document
Operation : Append Row
Document : From list : Classification feedback
Sheet : From list : compliment
Mapping Columnn Mode : Map Each Columnm Manually
  Name : {{ $('On form submission').item.json.Name }}
  Email : {{ $('On form submission').item.json.Email }}
  Mobile Number : {{ $('On form submission').item.json['Mobile Number'] }}
  Feedback : {{ $('On form submission').item.json.Feedback }}



feedback_clf_googlesheets2_config

6. Add Action Node : Google Sheets(for 2 switch)

- ✓ Add "Google Sheets (Append or update row in a sheet)" (Action Node) to Previous "Switch node(2)"(Action Node)



feedback_clf_googlesheets3



feedback_clf_googlesheets3



feedback_clf_googlesheets3

Configuration of Google Sheets(for 2 switch)

Credential : Sign **in with** Google
Resource : Sheet within Document
Operation : Append Row
Document : From list : Classification feedback
Sheet : From list : compliment
Mapping Columnn Mode : Map Each Columnm Manually
  Name : {{ $('On form submission').item.json.Name }}
  Email : {{ $('On form submission').item.json.Email }}
  Mobile Number : {{ $('On form submission').item.json['Mobile Number'] }}
  Feedback : {{ $('On form submission').item.json.Feedback }}



feedback_clf_googlesheets3_config

Execute Switch Node



feedback_clf_switch_node_execute

Execute Google sheet1



feedback_clf_google_sheet1_execute



feedback_clf_google_sheet1_execute



feedback_clf_google_sheet1_execute

7. Executions Test Cases

Feed back 1. Excellent Sessons, slowly we are getting perfection : compliment 2. The product is not working as expected : complaint 3. Add an option to export reports as PDF : new feature request 4. I need RAG, langchain also : new feature request 5. Too good classes, I want RAG and Langchain : new feature request 6. Wonderful classes and never saw such type of worthy classes. Need RAG also : new feature request 7. I need RAG, and these classes wonderful and more worthy recommended to others : new feature request

Results

Form submission
Feedback : 1. Excellent Sessons, slowly we are getting perfection



feedback_clf_workflow execute_execute

Form submission
Feedback : 2. The product **is not** working as expected



feedback_clf_workflow execute_execute

Form submission
Feedback : 3. Add an option to export reports as PDF



feedback_clf_workflow execute_execute

8. Add Gmail Send a message Node to First Google Sheet

Add "Gmail send a message"(Action Node) to the previous "Append row in sheet"(Action Node) - First

feedback_clf_googlesheets1_gmail

feedback_clf_googlesheets1_gmail

Rename Switch Nodes

Mode : Rules

Routing Rules :

Routing Rule 1: {{ $json.output.category }} **is** equal to complaint

Rename Output : complaint

Routing Rule 2: {{ $json.output.category }} **is** equal to compliment

Rename Output : compliment

Routing Rule 3: {{ $json.output.category }} **is** equal to new feature request

Rename Output : new feature request



feedback_clf_switch_node_config



feedback_clf_switch_node_config

Configure the gmail node

Credential : Gmail Account(select your gmail account **with** credentials)
Resource : Message
Operation : Send
To : {{ $('On form submission').item.json.Email }}
Subject : Hello {{ $('On form submission').item.json.Name }}, Sorry **for** inconvience
Email Type : Text
Message :

Hello {{ $('On form submission').item.json.Name }},
We noticed your complaint **and** sincerely apologize **for** the inconvenience caused.

Our team **is** working on it **and** will resolve the issue **and** update you as soon as possible

Thank you
DURGASOFT
Add Option : Append n8n Attribution : Disable



feedback_clf_googlesheets1_gmail-config

Execute the Workflow

While form submission provide the following feedback

Worst classes, my kids sleeping disturbing like anything



feedback_clf_n8n_form_submission

feedback_clf_workflow_completion

Gmail message

Hello Gopi, Sorry for inconvience Inbox ×

gk test
to me

Hello Gopi,

We noticed your complaint and sincerely apologize for the inconvenience caused.

Our team is working on it and will resolve the issue and update you as soon as possible

Thank you
DURGASOFT

feedback_clf_gmail_message

DURGA
Software Solutions®

9. About Slack account

1. Team Communication Tool
   Slack account **is** used to chat **with** team members **in** one place (like WhatsApp **for** office work)
.

2. Channels **for** Organization
   You can create channels (groups) **for** different topics like projects, teams, **and** departments.

3. File Sharing & Collaboration
   You can send files, documents, images, **and** links easily inside chats.

4. Integration **with** Tools
   Slack can connect **with** tools like Google Drive, GitHub, **and** automation tools like n8n.

5. Real-Time & Async Communication
   You can chat instantly **or** leave messages **for** others to read later (no need to be online always)
.

Login into slack
https://slack.com/intl/en-**in**/get-started#/*createnew*

After login Create new Workspace



feedback_clf_slack_workspace

Create Workspace in Slack
Name of your Slack workspace : n8nagenticaifeedbackgroup
What **is** your name : gopi
Invite your teammates : Skip this step

Dont Invite anyone
How you want to use Slack : Work



feedback_clf_slack_worspacel

Create Channels in Slack
Create three channels
complaint
compliment
new feature request

Name : complaint
Visibility : Public
Add people **or** agents to complaint : Skip **for** now

Name : compliment
Visibility : Public
Add people **or** agents to compliment : Skip **for** now

Name : new-feature-request
Visibility : Public
Add people **or** agents to new-feature-request : Skip **for** now



feedback_clf_slack_channel_complaint

10. Add Slack to Gmail

Add “Slack Node” to the previous “Gmail”(Swith complaint)

feedback_clf_slack

feedback_clf_slack

Configuration of Slack Node

Credentials : Login **with** your slack account(allow access to *#n8nagenticaifeedbackgroup)*
Resource : Message
Operation : Send
Send Message To : Channel
Channel :
From list : complaint
Message Type : Simple Text Message
Message Text : {{ $('On form submission').item.json.Feedback }}



feedback_clf_slack_config

Exectute the node



feedback_clf_slack_execute

Check the message in slack



feedback_clf_slack_channel_complaint_message

11. Add Slack to Google Sheet(Swith compliment)

Duplicate the already created slack node

feedback_clf_slack_duplicate

Add “Slack Node” to the previous “Google Sheet”(Swith complaint)

feedback_clf_add_slack

Configuration of Slack Node
Only change the Channel

Channel :
From list : compliment



feedback_clf_add_slack_config

11. Add Slack to Google Sheet(Swith new feature request)

Duplicate the already created slack node



feedback_clf_slack_duplicate

Add “Slack Node” to the previous “Google Sheet”(Swith new feature request)

feedback_clf_add_slack

Configuration of Slack Node

Only change the Channel

Channel :

From list : new-feature-request



feedback_clf_add_slack_config

13. Complete Workflow



feedback_clf_complete_workflow

14. Executions Test Cases

Feed back 1. Worst classes, my kids sleeping disturbing like anything : complaint 2. Excellent Sessons, slowly we are getting perfection : compliment 3. I want RAG and Langchain : new feature request

Form submission

- ✓ Worst classes, my kids sleeping disturbing like anything : complaint



feedback_clf_form_submission

Google sheets append



feedback_clf_google_sheets

Gmail send message



feedback_clf_gmail_send_message

Slack send message



feedback_clf_slack

Form submission

B. Excellent Sessons, slowly we are getting perfection : compliment



feedback_clf_form_submission

Google sheets append



feedback_clf_google_sheets

Slack send message



feedback_clf_slack

Form submission

C. I want RAG and Langchain : new feature request



feedback_clf_form_submission

Google sheets append



feedback_clf_google_sheets

Slack send message



feedback_clf_slack

Webhook

A Webhook **in** n8n **is** URL that receives data **and** automatically triggers a workflow **in** real time

Eg1 : Contact From:
User submits a form ==> Webhook receives data ==> Saves **in** google sheets + Send email reply

Eg2: Payment Alert:

Customer makes payment ==> Webhook gets payment details ==> Sends confirmation message

Eg3: WhatsApp message:
User sends message ==> Webhook captures it ==> Bit replies automatically

Simple Idea:
Action Happens ==> Webhook catches ==> Automation runs

Points
1. It **is** a URL that listens **for** data
2. It triggers workflow automatically when data **is** received
3. It **is** used to connect apps **and** automated tasks
4. It **is** commonly used **in** forms, payments, bots, APIs etc

Webhook node
1. It **is** a Trigger node
2. Starts the workflow when URL **is** called
3. Receives incoming data(request)
5. First step **in** most workflows

Eg: User sends a request ==> Webhook starts workflow

Respond to Webhook node
1. It **is** response node
2. Sends data back to the caller
3. Used to **return** output
4. Usually placed at the end of the workflow

Workflow processes ==> Response node sends reply

Webhook node = Entry Point(input)
Respond to Webhook node = Exit Point(output)

Webhook Workflow

Create a new workflow

Create a new workflow 'webhook workflow' under 'My project2'

1. Create Manual Workflow : Add Webhook node
Add first Step ==> Nodes ==> "Webhook"
Starts the workflow when a webhook is called



webhook_wf_webhook

Configuration of Webhook
HTTP Method : POST
Path : durgaschat
Authentication : None
Respone : Using 'Respond to Webhook' Node
Test URL : https://warriors.app.n8n.cloud/webhook-test/durgaschat

webhook_wf_webhook_config

2. Add Action Node : AI Agent

Add “AI Agent” node to “Webhook” node



webhook_wf_ai_agent

Add ChatModel : OpenAI Chat Model

Add OpenAI Chat Model to "AI Agent"



webhook_wf_ai_agent_openai_chat_model

Configure the ChatModel

Credential : n8n free OpenAI API credits **or** Provide your openai API key
Model : gpt-5-mini



webhook_wf_ai_agent_openai_chat_model_config

3. Add Respond to Webhook

Add "Respond to Webhook" to "AI Agent"
Returns data for Webhook



webhook_wf_respond_to_webhook

Configuration of Respond to Webhook
Respond With : First Incoming Item



webhook_wf_respond_to_webhook_config

4. Create App using Google Gemini

New chat by selecting Canvas

Prompt:
Build a simple chat application **with** webhook url: https://warriors.app.n8n.cloud/webhook-test/durgaschat



webhook_wf_chat_app

5. Execution

Execute the workflow

webhook_wf_execute

Run the Chat App



webhook_wf_chat_app_run

Web hook Executed

webhook_wf_webhook

Configuration of AI Agent



webhook_wf_ai_agent_config

Update Configuration of AI Agent

Source **for** Prompt(User Message) : Define below

Prompt(User Message) : {{ $json.body.message }}



webhook_wf_ai_agent_config

Execute the workflow again

webhook_wf_execute

Run the Chat App again



webhook_wf_chat_app_run



webhook_wf_chat_app_run

Note:

In Test mode each time
First we need to execute the workflow
Then we need to run the chat application

To execute the workflow from the external applicaiton we have to publish the workflow **and** use t he Production URL **in** the external application

6. Publish the workflow



webhook_wf_publish

Production URL : https://warriors.app.n8n.cloud/webhook/durgaschat



webhook_wf_production_url

7. Update the Chat app with Prodution Webhook url

Prompt:
update my production webhook n8n url: https://warriors.app.n8n.cloud/webhook/durgaschat



webhook_wf_chat_app_update_production_url



webhook_wf_updated_chat_app



webhook_wf_chat_app_run

8. Executions in Workflow

Observe the execution in the Workflow



webhook_wf_executions

Open Respond to Webhook



webhook_wf_executions

Webhooks & Local HTML App with n8n

Create a new workflow

Create a new workflow 'Local Chatworkflow' under 'My project2'

1. Create Manual Workflow : Add Webhook node

- ✓ Add first Step ==> Nodes ==> "Webhook"
- ✓ Starts the workflow when a webhook is called



local_chatapp_wf_webhook

Configuration of Webhook

HTTP Method : POST
Path : chatapp
Authentication : None
Respone : Using 'Respond to Webhook' Node
Test URL : https://warriors.app.n8n.cloud/webhook-test/chatapp
Add option : Allowed Origins(CORS) ==> *



local_chatapp_wf_webhook



local_chatapp_wf_webhook



local_chatapp_wf_webhook

2. Add Action Node : AI Agent

✓ Add "AI Agent" node to "Webhook" node



local_chatapp_wf_ai_agent

local_chatapp_wf_ai_agent

Add ChatModel : OpenAI Chat Model

✓ Add OpenAI Chat Model to "AI Agent"



local_chatapp_wf_ai_agent_openai_chat_model

Configure the ChatModel

Credential : n8n free OpenAI API credits **or** Provide your openai API key
Model : gpt-5-mini



local_chatapp_wf_ai_agent_openai_chat_model_config

local_chatapp_wf_ai_agent_openai_chat_model

3. Add Respond to Webhook

- ✓ Add "Respond to Webhook" to "AI Agent"
- ✓ Returns data for Webhook



local_chatapp_wf_respond_to_webhook

Configuration of Respond to Webhook
Respond With : First Incoming Item



local_chatapp_wf_respond_to_webhook_config

4. Make the workflow live

Publish the workflow to make it live.
Take the Production URL

local_chatapp_wf_publish

Production URL : https://warriors.app.n8n.cloud/webhook/chatapp



local_chatapp_wf_publish

5. Google Gemini

https://gemini.google.com/u/3/app

select Tools ==> Canvas

Prompt:
I want to creat one html based chat app **with** webhook url: https://warriors.app.n8n.cloud/web hook/chatapp. use only HTML, CSS **and** javascript. App should contain only one html page



google_gemini

Preview app



google_gemini_Preview

Code of the App and Download



google_gemini_code

6. Open the downloaded html file



local_chatapp_html_run

Error



local_chatapp_html_run

Check the Executions

local_chatapp_executions



local_chatapp_executions

7. Configuration of AI Agent



local_chatapp_ai_agent_config

8. Troubleshoot

Unpublish and replace Production URL with Test URL
We cannot change the settings **in** the Executions mode
So First unpublish the workflow
Open the downloaded html file **and** replace
Production URL "https://warriors.app.n8n.cloud/webhook/chatapp" **with**
Test URL "https://warriors.app.n8n.cloud/webhook-test/chatapp"



local_chatapp_unpublish

Execute the Workflow



local_chatapp_execute

Run the html file

local_chatapp_local_html

Observe the workflow



local_chatapp_workflow

Configuration of AI Agent



local_chatapp_ai_agent_config

Source **for** Prompt(User Message) : Define below
Prompt (User Message) : {{$json.body.message}}



local_chatapp_ai_agent_config

Execute the AI Agent



local_chatapp_ai_agent_execute

Execute Respond to Webhook



local_chatapp_respond_to_webhook_execute

9. Publish the workflow

Publish and Replace Test URL with Production URL in html file

Publish the workflow
Open the downloaded html file **and** replace
Test URL "https://warriors.app.n8n.cloud/webhook-test/chatapp" **with**
Production URL "https://warriors.app.n8n.cloud/webhook/chatapp"

local_chatapp_publish

run the html



local_chatapp_local_html

10. Make local app live

https://www.netlify.com/ ==> Push your ideas to the web
Create **with** AI **or** code, deploy instantly on production infrastructure.
One platform to build **and** ship.
Create the project **and** upload your html(local app) file



local_chatapp_netlify



local_chatapp_netlify

Rename html file to "index.html"



local_chatapp_netlify

App is ready

https://euphonious-pothos-2f8b20.netlify.app/



local_chatapp_netlify



local_chatapp_netlify

Student Feedback Form with n8n & AI Agent

Create a new workflow

Create a new workflow 'Student Feedbackform(Webhook)w' under 'My project2'

1. Create Manual Workflow : Add Webhook node

✓ Add first Step ==> Nodes ==> "Webhook"

✓ Starts the workflow when a webhook is called

student_webhook_wf

Configuration of Webhook
HTTP Method : POST
Path : feedbackform
Authentication : None
Respone : Using 'Respond to Webhook' Node
Test URL : https://warriors.app.n8n.cloud/webhook-test/feedbackform
Add option : Allowed Origins(CORS) ==> *



student_webhook_wf_webhook_config

2. Google Gemini

https://gemini.google.com/u/3/app

select Tools ==> Canvas

Prompt:
I want feedback request form **for** my students **with** fields name, email, mobile number **and** feed back **in** pure HTML, CSS **and** Java script. Connect to n8n webhook url : https://warriors.app.n8n.cloud/webhook-test/feedbackform



google_gemini

Preview app



google_gemini_preview

Code of the App and Download



google_gemini_code

3. Add Respond to Webhook

- ✓ Add "Respond to Webhook" to "Webhook"
- ✓ Returns data for Webhook



student_webhook_wf_respond_to_webhook

Configuration of Respond to Webhook

Respond With : First Incoming Item



student_webhook_wf_respond_to_webhook_config

Execute the Workflow

student_webhook_wf_respond_to_webhook_config

4. Open the downloaded html file



student_webhook_wf_html_run



student_webhook_wf_html_run

4. Add Action Node : AI Agent

- ✓ Add "AI Agent" node to "Webhook" node



student_webhook_wf_ai_agent

Add ChatModel : OpenAI Chat Model

- ✓ Add OpenAI Chat Model to "AI Agent"



student_webhook_wf_ai_agent_chat_model

Configure the ChatModel

Credential : n8n free OpenAI API credits **or** Provide your openai API key
Model : gpt-5-mini



student_webhook_wf_ai_agent_openai_chat_model_config

Configuration of AI Agent

ChatGPT

In n8n ai agent system prompt, format the following message properly related to feedback respo nse

You are responsible to analyse feed **and** provide proper respons. If the feed back **is** compliment t he we should provide we will maintain our level best **in** future. If the feedback **is** complaint sorr

y definitely we will resolve this issue **if** it **is** new feature addition thanks **for** providing suggestion , definitely this new feature will be added soon. at last Thanks **and** regards DURGASOFT

Source **for** Prompt(User Message) : Define below
Prompt (User Message) : {{$json.body.message}}
Add Option : System Message
System Message:
You are a Customer Feedback Response Assistant **for** DURGASOFT.

Your responsibility **is** to analyze the customer feedback **and** generate an appropriate, profession al, polite, **and** positive response based on the feedback category.
From the user message include student name who provided the feedback **and** his feedback

The feedback will belong to one of these categories:

1. Compliment
2. Complaint
3. New Feature Request

RESPONSE RULES:

If the feedback **is** a COMPLIMENT:
- Thank the customer **for** their positive feedback.
- Appreciate their support **and** trust.
- Assure them that DURGASOFT will **continue** to maintain **and** improve the same level of servic e.
- Keep the response warm **and** professional.

If the feedback **is** a COMPLAINT:
- Apologize sincerely **for** the inconvenience **or** negative experience.
- Acknowledge the customer's concern.
- Assure the customer that the issue will be reviewed and resolved as soon as possible.
- Keep the response empathetic, professional, and solution-oriented.
- Do not argue with or blame the customer.

If the feedback is a NEW FEATURE REQUEST:
- Thank the customer for providing the valuable suggestion.
- Acknowledge the importance of the requested feature.
- Assure the customer that the suggestion will be considered for implementation and that the fe ature may be added in a future update.
- Do not guarantee a specific release date unless one is explicitly provided.
- Keep the response positive and professional.

GENERAL RULES:
- Carefully understand the customer's feedback before responding.
- The response must directly relate to the customer's feedback.

- Do not mention the classification category in the response.
- Do not invent details, promises, timelines, or commitments.
- Use simple, clear, professional language.
- Keep the response concise.
- Always end the response exactly with:

Thanks and Regards,
DURGASOFT



student_webhook_wf_ai_agent_config

Execute the AI Agent node



student_webhook_wf_ai_agent_execute

student_webhook_wf_ai_agent_execute

Note

- ✓ To get the specific ouput we have to enable the “Require Specific Output Format”

Configure Specific Output Format

Enable “Require Specific Output Format”



student_webhook_wf_ai_agent_output_format

student_webhook_wf_ai_agent_output_format

Schema Type : Generate From JSON Example
JSON Example:

```
{
    "subject": "xyz",
    "body": "message"
}
```



student_webhook_wf_ai_agent_output_format

Execute the AI Agent Again



student_webhook_wf_ai_agent_execute

5. Action node : Gmail Send Message

Add " Gmail Send Message" (Action Node) to Previous "AI Agent"(Action Node)

student_webhook_wf_gmail

student_webhook_wf_gmail

Configuration of Gmail Send a message

Credential : Gmail Account(select your gmail account **with** credentials)
Resource : Message
Operation : Send
To : {{ $json.Email }}
Subject : Thank you {{ $json.Name }} **for** your feedback
Email Type : Text
Message :
Hello {{ $json.Name }}

Thank you **for** your feedback. It **is** very valuable **for** us.

Please download agentic ai material

Regards
DURGASOFT

Add Option : Append n8n Attribution : Disable



student_webhook_wf_gmail_config

Execute the Gmail Send a message node



student_webhook_wf_gmail_config

Gmail message

Thank you for your feedback, Gopi Inbox ×

gk test
to me

Dear Gopi,

Thank you for your feedback: "Excellent sessions". We appreciate your support and trust in DURGASOFT. We will continue to maintain and improve the same level of service.

Thanks and Regards,
DURGASOFT

student_webhook_wf_gmail_message

6. Add Action Node : Google Sheets

- ✓ Add "Google Sheets (Append or update row in a sheet)" (Action Node) to Previous "Webhook"(Action Node)



student_webhook_wf_google_sheets

student_webhook_wf_google_sheets

Create a blank Google sheet



student_webhook_wf_google_sheets

Configuration of Google Sheets

Credential : Sign **in with** Google
Resource : Sheet within Document
Operation : Append Row
Document : From list : Webhook feedback form
Sheet : From list : feedback
Mapping Columnn Mode : Map Each Column Manually
Name : {{ $json.body.name }}
Enail : {{ $json.body.email }}
Mobile Number : {{ $json.body.mobile }}
Feedback : {{ $json.body.feedback }}



student_webhook_wf_google_sheets_config



student_webhook_wf_google_sheets_config

Execute the node



student_webhook_wf_google_sheets_execute

Form data is inserted into the google sheet



student_webhook_wf_google_sheets_append

7. Execute the complete workflow : complaint

First Execute the workflow
Then run the feedback html file

student_webhook_wf_execute

Student Feedback

We value your thoughts! Please fill out the form below.

Full Name *

Ravi

Email Address *

gopi4bigdata@gmail.com

Mobile Number *

9849098490

Your Feedback *

Worst sessions

Submit Feedback

student_webhook_wf_local_heml

Gmail send message

Our apologies, Ravi — we will review the sessions Inbox ×

gk test
to me

Dear Ravi,

We are very sorry to hear your feedback: "Worst sessions". Please accept our sincere apologies for the inconvenience and the poor experience you had. We understand how frustrating this must be and we will review the sessions and work to resolve the issues as soon as possible.

If you can share any additional details (session date, trainer name, or specific problems), it will help us investigate and address the matter more effectively.

Thanks and Regards,
DURGASOFT

student_webhook_wf_gmail_message

Form data inserted into the google sheets



student_webhook_wf_google_sheets_append

7. Execute the complete workflow : new feature

First Execute the workflow
Then run the feedback html file

student_webhook_wf_execute



student_webhook_wf_local_heml

Gmail send message

Thank you for your suggestion — Langgraph Inbox ×

gk test
to me

Dear Ganesh,

Thank you for your suggestion and for taking the time to share your feedback.

Student name: Ganesh
Feedback: "Please add Langgraph also so that very helpful for us"

We appreciate the importance of adding Langgraph and will forward this suggestion to our product team for consideration. We will evaluate it for possible inclusion in a future update.

Thanks and Regards,
DURGASOFT

student_webhook_wf_gmail_message

Form data inserted into the google sheets



student_webhook_wf_google_sheets_append

9. Publish the workflow

Publish and Replace Test URL with Production URL in html file
Publish the workflow
Open the downloaded html file **and** replace
Test URL "https://warriors.app.n8n.cloud/webhook-test/feedbackform" **with**
Production URL "https://warriors.app.n8n.cloud/webhook/feedbackform"

student_webhook_wf_publish

run the html



student_webhook_wf_local_html

Check the execution

student_webhook_wf_executions



student_webhook_wf_executions

10. Make local app live

https://www.netlify.com/ ==> Push your ideas to the web
Create **with** AI **or** code, deploy instantly on production infrastructure.
One platform to build **and** ship.
Create the project **and** upload your html(local app) file



Rename html file to "index.html"



local_feedbackapp_netlify

App is ready

https://golden-sopapillas-9b0936.netlify.app/

DURGA
Software Solutions®

local_feedbackapp_netlify



local_feedbackapp_netlify

Gmail send message

Thank you for your feedback, Suresh Inbox ×

gk test
to me

Dear Suresh,

Thank you for your positive feedback: "Excellent sessions". We appreciate your support and trust in DURGASOFT. We will continue to maintain and improve the same level of service to meet your expectations.

Thanks and Regards,
DURGASOFT

student_webhook_wf_gmail_message

Form data inserted into the google sheets



	Name	Email	Mobile Number	Feedback
2	Gopi	gopi4bigdata@g	9849098490	Excellent sessions
3	Ravi	gopi4bigdata@g	9849098490	Worst sessions
4	Ganesh	gopi4bigdata@g	9849098490	Please add Langgraph also so that very helpful for us
5	Krishna	gopi4bigdata@g	9849098490	Good sessions. We are understanding the concepts very clearly
6	Suresh	gopi4bigdata@g	9849098490	Excellent sessions

student_webhook_wf_google_sheets_append

Hospital Appointment Automation with n8n forms

Create a new workflow

Create a new workflow 'hospital appointment workflow' under 'My project2'

1. Create Manual Workflow : Create Trigger Node

- ✓ Add first Step ==> Nodes ==> "n8n Form"



hospital_appointment_wf_n8n_form



hospital_appointment_wf_n8n_form

Configuration of n8n form

Test URL : https://warriors.app.n8n.cloud/form-test/f37779f7-c26b-45b7-9302-aea6ac4f632d

Appointment Request Form
Authentication : None
Form Title : Appointment Request Form
Form Description :
Form Elements : Add Form Element
Label : Name

Element Type : Text Input
Add Attribute : Required Field - Enable

Label : Email
Element Type : Email
Add Attribute : Required Field - Enable

Label : Mobile Number
Element Type : Number
Add Attribute : Required Field - Enable

Label : Services
Element Type : Dropdown
Values1 : Option : Dentist
Add Field Option
Values2 : Option : Orthopedic
Add Field Option
Values3 : Option : Cardiology
Add Field Option
Values4 : Option : General Physician
Add Attribute : Required Field - Enable



hospital_appointment_wf_n8n_form_elements

Execute the node



hospital_appointment_wf_n8n_form_elements

Submit the form



hospital_appointment_wf_n8n_form_submit



hospital_appointment_wf_n8n_form_submit

2. Add Action Node : AI Agent

✓ Add AI Agent node(Action Node) to "n8n Form"(Trigger Node)



hospital_appointment_wf_ai_agent

Add ChatModel : OpenAI Chat Model

✓ Add OpenAI Chat Model to "AI Agent"



hospital_appointment_wf_ai_agent_openai_chat_model

Configure the ChatModel

Credential : n8n free OpenAI API credits **or** Provide your openai API key
Model : gpt-5-mini



hospital_appointment_wf_ai_agent_openai_chat_model_config

System Message Prompt Generation using ChatGPT

Prompt :

I want to send a mail to patient who send request **for** appointment **with** details name, service,ap pointment date, **and** general rules has to follow on appointment day related to hospital. Appoint ment date should be exactly 3 days from date of request **and** choose random time from 9AM to 6 PM Provide system message prompt **for** n8n automation

ChatGPT

json expression required to generate date after 3 days from today **for** n8n automation

Response

{{ $now.plus({ days: 3 }).toFormat('dd-MM-yyyy') }}

$now
This gives current date **and** time
It uses Luxon date library(used inside n8n)

.plus({days: 30})
This adds 3 days to current date

.toFormat('dd-MM-yyyy')
This formats the date into your required format
Format meaning
dd ==> day(31)
MM ==> month(09)
yyyy ==> year(2026)

AI Agent Configurations

- ✓ Appointment date 3 days after the service booked date

Source **for** Prompt(User Message) : Define Below
Prompt(User Message) : {{ $json.Name }}, {{ $json.Services }}
Add Option : System Message

System Message:
You are a Hospital Appointment Email Assistant.

Your job **is** to generate a polite, clear, professional email **for** a patient who submitted an appoint ment request.

You will receive patient request details such as:

* patient_name
* service_name
* request_date
* hospital_rules

Your responsibilities:

1. Confirm that the appointment request has been received.
2. Generate the appointment date as exactly 3 days after the request_date.
3. Generate a random appointment time between 9:00 AM **and** 6:00 PM.
4. Clearly include the following **in** the email:

* Patient Name
* Service Name
* Appointment Date
* Appointment Time

5. Add a section titled: "Important Instructions for Appointment Day"
6. Include the hospital rules **in** a neat bullet list.
7. Keep the tone polite, caring, professional, **and** easy to understand.
8. Use very simple English.
9. Do **not** add any medical advice.
10. Do **not** add any details that are **not** provided **in** the input, **except** the generated appointmen t details.
11. If any input field **is** missing, skip that item naturally without mentioning that it **is** missing.
12. Output only the email body, ready to send.
13. Do **not** output JSON.
14. Do **not** output explanations, labels, **or** notes outside the email.

Rules **for** appointment scheduling:

* Appointment date must be exactly 3 days after request_date.
* Appointment time must be one random slot between 9:00 AM **and** 6:00 PM.
* Time should be shown **in** 12-hour format **with** AM/PM.
* If needed, choose a clean slot such as:
  9:00 AM, 9:30 AM, 10:00 AM, 10:30 AM, 11:00 AM, 11:30 AM,
  12:00 PM, 12:30 PM, 1:00 PM, 1:30 PM, 2:00 PM, 2:30 PM,
  3:00 PM, 3:30 PM, 4:00 PM, 4:30 PM, 5:00 PM, 5:30 PM, 6:00 PM

Email structure:

* Greeting **with** patient name
* Thank you **for** contacting the hospital
* Confirmation that appointment has been scheduled
* Appointment Details section
* Important Instructions **for** Appointment Day
* Supportive closing
* End **with**:

Thanks & Regards
Hospital Team



hospital_appointment_wf_ai_agent_openai_chat_model_config

Execute the AI Agent Node



hospital_appointment_wf_ai_agent_execute

Specific Output Format

AI Agent Configuration

Require Specific Output Format : Enable

Connect an output parser on the canvas to specify the output format you require



hospital_appointment_wf_ai_agent_config

Add Output Parser to AI Agent

Structured Output Parser

Return data **in** a defined JSON format

hospital_appointment_wf_ai_agent_config

Configuration of Structured Output Parser

Schema Type : Generate From JSON Example

JSON Example

```
{
    "Mail Subject": "XYZ",
    "Mail Body": "ABC",
    "Appointment Date": "XYZ",
```

```
    "Appointment Time": "2:30PM"
}
```



hospital_appointment_wf_structured_output_parser_config

Execute the AI Agent Node again

Now the output will be **in** the specified format as we have provided **in** previouw step.
It contains the keys

Mail Subject
Mail Body
Appointment Date
Appoint Time



hospital_appointment_wf_structured_output_parser_config

3. Add Action Node : Google Sheets

- ✓ Add "Google Sheets (Append row in sheet)" (Action Node) to Previous "AI Agent"(Action Node)



hospital_appointment_wf_google_sheets



hospital_appointment_wf_google_sheets

Create a blank Google Spread sheet

Create Blank Spread Sheet **with** 3 sheets ==> compliment, complaint, new feature request
Create the following columns **in** all the sheets
Name, Email, Mobile Number, Feedback



hospital_appointment_wf_google_sheets_new

Configuration of Google Sheets

Credential : Sign **in with** Google
Resource : Sheet within Document
Operation : Append Row
Document : From list : Hospital Appointments
Sheet : From list : appointments
Mapping Columnn Mode : Map Each Columnm Manually
  Name : {{ $('Appointment Request Form').item.json.Name }}
  Email : {{ $('Appointment Request Form').item.json.Email }}
  Mobile Number : {{ $('Appointment Request Form').item.json['Mobile Number'] }}
  Service : {{ $('Appointment Request Form').item.json.Services }}
  Appointment Date : {{ $json.output['Appointment Date'] }}
  Appointment Time : {{ $json.output['Appointment Time'] }}



hospital_appointment_wf_google_sheets_config

Execute the node



hospital_appointment_wf_google_sheets_execute

Form data inserted into the google sheets



hospital_appointment_wf_google_sheets_append

4. Action node : Gmail Send Message

Add " Gmail Send Message" (Action Node) to Previous "AI Agent"(Action Node)

hospital_appointment_wf_gmail



hospital_appointment_wf_gmail

hospital_appointment_wf_gmail

Configuration of Gmail Send a message

Credential : Gmail Account(select your gmail account **with** credentials)
Resource : Message
Operation : Send
To : {{ $('Appointment Request Form').item.json.Email }}
Subject : {{ $json.output['Mail Subject'] }}
Email Type : Text
Message :
{{ $json.output['Mail Body'] }}

Add Option : Append n8n Attribution : Disable





Execute the Gmail Send a message node



hospital_appointment_wf_gmail_execute

Gmail message

Appointment Confirmation - General Physician Inbox ×

gk test
to me

Dear Ganesh,

Thank you for contacting the hospital. We have received your appointment request and have scheduled an appointment for you.

Appointment Details:
Patient Name: Ganesh
Service Name: General Physician
Appointment Date: September 3, 2026
Appointment Time: 2:30 PM

Important Instructions for Appointment Day
- Please arrive on time.
- Bring a valid ID and any medical reports you have.
- Follow directions from hospital staff.

If you need any help, please contact us.

Thanks & Regards
Hospital Team

hospital_appointment_wf_gmail_message

5. Make the workflow live

Publish the Workflow

hospital_appointment_wf_publish

Access the workflow with Production URL : https://warriors.app.n8n.cloud/form/f37779f7-c26b-45b7-9302-aea6ac4f632d



hospital_appointment_wf_production_url

MCP

MCP : Model Context Protocol **is** used to connect AI models **with** external tools, data, **and** syste ms **in** a statndardized way.

Examples :
An AI Assistant used MCP to connnecti **with** your email system
It reas new emails **and** automatically sends smart replies based on your instructions
An AI Assistant uses MCP to connect **with** your CRM system.
It automatically updates customer details **and** sends follow-up messages without manual work

About MCP:
MCP(Model Context Protocol) helps AI connect **with** external tools **and** systems
It provides a standard way to share data between AI **and** applications
It allows AI to perfrom real-world actions(like sending emails, updating data)
It reduces manual coding **for** integrations
It helps build powerful AI Agents **and** automation workflows easily

MCQ

Question 1:
What **is** the main purpose of MCP(Model Context Protocol)

A. To train AI models faster
B. To connect AI **with** external tools **and** systems
C. To increase internet speed
D. To store large datasets

Anwser: B
Without MCP ==> AI only gives answers
With MCP ==> AI can do real work

Question 2:
With MCP, what extra capability does AI get?

A. Only giving better answers
B. Ability to perform real-world actions
C. Ability to increase storage
D. Ability to design UI screens

Answer: B
AI becomes like an employee who can act,**not** just talk
With MCP, AI gets the power to perform real-wrold actions like:
Sending emails
Updating Google Sheets
Calling APIs
Triggering workflows

Question 3:
MCP mainly works as a _____ between AI **and** external systems

A. Storage
B. Bridge
C. Database
D. Language

Answer: B
MCP = Bridge ==> AI <==> Real World
MCP acts as a bridge between AI **and** external systems.
It helps AI communicate, send data, **and** receive responses from tools like Gmail, databases, API s etc

Question 4:
Which of the following **is** a real use case of MCP

A. Playing oiffline games
B. Sending automated emails using AI
C. Increasing RAM **in** computer
D. Designing logos manually

Answer: B
MCP = Action Power ==> Ai can work like automation system
MCP enables real use cases like sending automated emails using AI
It connects AI **with** email systems so it can read, understand, **and** respond automatically.

Question 5:
Why MCP important **for** AI agents?

A. It improves graphics
B. It allows AI to interact **with** real systems **and** tools
C. It increases battery life
D. It stores images

Answer: B
AI Agent = Brain(AI) + Hands(MCP)
MCP **is** improtant because it lets AI interact **with** real systems **and** tools
This **is** what makes AI agents powerful - they can take actions, automate tasks, **and** handle wor kflows

Question 6:
What problem does MCP solve

A. Slow internet issues
B. AI nt able to connect **with** external systems
C. Low batter problems
D. Screen resolution issues

Answer:B
MCP removes the limitation ==> AI becomes practical & usable **in** real life
MCP solves the problem of AI **not** being able to conntect **with** external systems.
Without MCP, AI **is** limited to chat.
With MCP, AI can integrate **with** tools, APIs, **and** workflows

Question 7:
Which type of systems can MCP connect **with**?

A. Only mobile apps
B. Only databases
C. Multiple systems like APIs, tools **and** apps
D. Only Offline software

Answer: C
MCP = One connection ==> Many systems
MCP can connect **with** multiple systems like APIs, tools, apps, databases, email services etc.

Question 8:
What does MCP help reduce?

A. Screen brightness
B. Manual coding **for** integrations
C. Internet speed
D. File size

Answer: B
Less coding ==> Faster Development ==> More Automation
MCP reduces the need of manual coding **for** integrations
Instead of writing complex code **for** every tool, MCP provides a standard way to connect AI **with** systems

Question 9:
MCP mainly helps **in** building which type of systems?

A. Gaming engines
B. AI-powered automation systems
C. Photo editing apps
D. Music Players

Answer: B
MCP = Backbone of AI automation systems
MCP **is** mainly used to build AI powered automation systems
It allows AI to connect **with** tools **and** perform tasks automatically, like workflows, agents, **and** b usiness autoamtion

Question 10:
Without MC, AI systems are mostly limited to:

A. Performing actions **in** real world
B. Giving only response(chat-based answers)
C. Managing databases
D. Running Automation workflows

Answer: B
Without MCP ==> AI = Brain only
With MCP ==> AI = Brain + Action + Automation

Without MCP, AI mostly limited to just giving answers(chat)
With MCP, AI can connect, act, automate **and** execute real tasks

Like MCP other protocols for AI systems

MCP ==> Standard way **for** AI to connect tools(new powerful concept)
API/REST ==> Basic communication methods
Webhooks ==> Event trigger system
gRPC ==> High-speed communication. Used **in** advanced systems **and** microservices(Faster than REST)
Tool Calling ==> AI deciding actions

MCP is mainly designed for AI systems

MCP(Model Context Protocol) **is** created to help AI models connect **with** tools, APIs, **and** data
Normal software systems already use API/REST/ Wehbooks, so they dont need MCP

Without AI ==> Use API directly
With AI ==> MCP helps AI understand + use those APIs properly

MCP **is not for** general software communication
It **is** specially built **for** AI agents to interact **with** the real world

Understanding LangChain

LangChain **is** used to build AI applications by connecting language models **with** tools, data **and** workflows

Using LangChain, you can build an AI assistant that:

Reads a question
Searches data(like Goolge **or** your database)
Give a final answer

Use asks ==> AI searches ==> AI answers

Difference between n8n workflow and LangChain

n8n workflow **is** mainly **for** automation using visual nodes
LangChain **is** mainly **for** building LLM/AI apps **and** agents **with** memory, tools, retrieval, **and** re asoning flows

Simple difference:
n8n = connects apps **and** automates business steps
Eg: Form Submit ==> Gmail ==> Google Sheets ==> WhatsApp

Langchain = helps developers build AI systems around language models
Eg: User asks question ==> LLM thinks ==> Searches docs/database ==> uses tool ==> gives fi nal answer

n8n **is** workflow automation first
LangChain **is** AI application/ agent framework first

Use n8n when you want to automate business processes fast **with** less code
Use LangChain when you want deep AI behavior like agent logic, memory, retrieval, tool use **and** custom LLM apps

Example:
Leads comes from website ==> Save **in** sheet ==> Send email : Use n8n
User asks complex question ==> AI Searches Knowledge base ==> Reasons ==> Answers :
Use LangChain

n8n = Automation Flow
LangChain = AI brain flow

Many teams use both together : LangChain **for** the AI logic **and** n8n **for** the outer business work flow

About LangChain

It helps build AI apps using language models
Eg: Chatbot that answers student doubts

It connects AI **with** external data sources
Eg: AI reads your PDF **and** answers questions

It supports tool usage by AI
Eg: AI calls calculator to solve math

It enables multi-step workflows(chaining)
Eg: Question ==> Search ==> Summarize ==> Answer

It helps create AI agents **with** decision-making
Eg: AI Chooses whether to search Google **or** Database

MCQ
Question 1:
What **is** the m ain purpose of LangChain

A. To design Websites
B. To build AI applications using language models
C. To increase internet speed
D. To store images

Answer: B
LangChain = Bulding AI Apps (Chatbots, agents, smnart tools)
LangChain **is** mainly used to build AI applications using language models

Question 2:
Which feature allows LangChain to connect AI **with** external data like PDFs **or** Databases

A. UI Design
B. Data Retrieval
C. Image Editing
D. Gaming Engine

Answer: B
AI does **not** guess ==> It checks real data ==> Then answers
In LangChain, Data Retrieval (often called RAG - Retrieval Augmented Generation) helps AI fetch information from PDFs, databases **or** documents **and** give accurate answers

Question 3:
What does "Chaining" mean **in** LangChain

A. Connecting multiple Steps of AI tasks
B. Increasing internet speed
C. Storing large files
D. Designing UI

Answer: A
One Step output ==> Next step input ==> Final Smart Result
In LangChain, Chaining means connecting multiple steps of AI tasks.

Eg: Question ==> Search Data ==> Summarize ==> Final Answer

Question 4:
In LangChain, what **is** an "Agent"

A. A UI design component
B. An AI system that can decide **and** take actions
C. A database table
D. A network cable

Answer: B
Agent = AI that thinks + Decides + Acts
In LangChain, an Agent **is** an AI system that can decide what to do **and** take actions.
IT can choose tools, search data, **and** execute steps automatically.

Question 5:
?Which capability allows LangChain to remember previous conversations

A. Memory
B. Storage
C. Networking
D. Rendering

Answer: A
Memory = AI remembers previous chats ==> Better Answers
In LangChain, Memory helps the AI remember past interactions **in** a conversation
This allows it to give more context-aware **and** personalized responses

Storage just means saving data(like files, database)
It does **not** understand context **or** conversation flow

Storage = Data Saved
Memory = Data + Understanding + Usage

Question 6:
In LangChain, What **is** the role of "Tools"?

A. To design UI Screens
B. To allow AI to interact **with** external Functions like APIs
C. To increase storage
D. To manage network speed

Answer: B
Tools = AI's hands to do real work
In LangChain, Tools allows AI to interact with external functions like APIs, calculators, database s etc

This helps AI perform real actions, not just give answers
Eg: AI uses calculator tool to solve math or an API to get live data

Question 7:
What is the main advantage of using LangChain

A. It improves screen resolution
B. It helps build complex AI workflows easily
C. It increases internet speed
D. It reduces file size

Answer: B
LangChain = Easy way to build powerful AI Systems
LangChain helps you build complex AI workflows easily ==> Like chaining steps, using tools, me mory and agents together

Question 8:
Which feature in LangChain helps AI improve answers by checking external knowledge sources?

A. Rendering
B. Retrieval(RAG)
C. Animation
D. Compression

Answer: B
RAG = Don't guess ==> Go Check ==> Then answer
In LangChain, Retrieval(RAG) helps AI fetch real information from external sources(like PDFs, da tabases, web) before answering

Why important
Reduces wrong answers
Gives up-to date **and** accurate responses

Question 9:
Which Combination best describes how LangChain builds powerful AI systems?

A. UI + Animation + Graphics
B. Memory + Tools + Chains + Agents
C. Storage + Network + Battery
D. Images + Videos + Audio

Answer: B
Memory ==> Remembers Context
Tools ==> Performs Actions
Chains ==> Handles step-by-step flow
Agents ==> Make decisions

All Components together = Smart, Real-World AI system

In LangChain powerful AI systems are built using Memory + Tools + Chains + Agents working to gether

Question 10:
Without using LangChain, building AI applications would be

A. Easier **and** faster
B. More manual **and** complex
C. Impossible
D. Only **for** gaming

Answer: B
LangChain = Orgamized System ==> Faster Development
Without it ==> More coding ==> More complex

Without LangChain, building AI apps becomes more manual **and** complex.
You have to handle tool connections, memory, workflows, **and** logic separately

LangChain = Framework that implements concepts like agents, chaining, memory, tools

LangGraph
LangGraph **is** a framework
used to build stateful,
step-by-step AI agent Workflows
using a graph(nodes + edges) structure
with memory **and** control over execution flow

LangGrpah **is** used to build AI workflows like a flowchart, where each step **is** connected **and** AI c an move step-by-step initelligently

Eg: User question ==> Search Data ==> Check Answer ==> Improve ==> Final Answer
Each step = One block(node)
Connection between steps = arrows(flow)

Real-life Example
You ask "Best investment idea?"

Flow:
1. AI understand question
2. Searches data
3. Checks quality

4. Improves answer
5. Gives final result

LangGraph = Flowchart for AI agents(step-by-step thinking + control)

About LangGraph

1. It **is** a framework to build AI workflows using graph(nodes + connections) structure
2. It allows step-by-step execution **with** full control over flow
3. It supports memory. So AI can remember previous steps
4. It helps create agent-like systems **with** decisions **and** loops
5. It **is** useful **for** complex AI processes like reasoning, retries, **and** multi-step tasks

LangGraph Vs n8n

Similarity:
Both LangGraph **and** n8n use step-by-step flow(like graph/workflow)
Both connect multiple steps to complete task

Key Difference:
n8n ==> Visual Automation Tool(Drag & Drop, Business workflows)
LangGraph ==> Code-based AI Workflow(logic, reasoning, agent control)

Example
n8n : Form ==> Gmail ==> Google Sheet ==> WhatsApp
LangGraph : Question ==> Think ==> Search ==> Evaluate ==> Improve ==> Answer

n8n = Business Automation Flow
LangGraph = AI Thinking Flow

Best Combo(Powerful)
Use LangGraph **for** AI brain + n8n **for** Automation Actions

Difference between LangChain and LangGraph

LangChain ==> Builds AI apps using chains(step-by-step)
LangGraph ==> Builds AI workflows **with** full control(loops, decisions, state)

1. Flow Type
LangChain ==> Mostly linear(A ==> B ==> C)
LangGraph ==> Graph-based(can go gorward, back, loop)

2. Control
LangChain ==> Limited Control
LangGraph ==> Full Control(retry, branching, conditions)

3. Use Case
LangChain ==> Simple apps(Chatbot, Q&A)
LangGraph ==> Complex agents(reasoning, multi-step thinking)

4. Execution Style
LangChain ==> Predefined flow
LangGraph ==> Dynamic Flow(AI decides next step)

5. Complexity Level
LangChain ==> Easy to Start
LangGraph ==> Advanced **and** Powerful

Example:
Using LangChain:
Question ==> Search ==> Answer

Using LangGraph:
Question ==> Think ==> Search ==> Check ==> Retry ==> Improve ==> Answer

LangChain = Straight Road
LangGraph = Full road network(signals,loops, decisions)

MCQs about LangChain, LangGraph and n8n
Question 1:
Which tool **is** mainly used **for** visual workflow automation without much coding?

A. LangChain
B. LangGraph
C. n8n
D. Python

Answer: C
n8n = Automation tool(no-code/ low-code workflows)
You can connect apps like Gmail, Google Sheets, APIs without heavy coding

Question 2:
Which tool **is** best suited **for** building simple AI applications using chains(step-by-step flow)

A. n8n
B. LangGraph
C. LangChain
D. Excel

Answer: C
LangChain **is** best **for** building simple AI apps using chains(step-by-step flow)
It connects prompts, tools, ,**and** data **in** a linear sequence
LangChain = Step-by-step AI flow

Question 3: Which framework **is** mainly used **for** advanced AI workflows **with** loops, conditions, **and** state control?

A. n8n
B. LangChain
C. LangGraph
D. HTML

Answer: C
LangGraph = AI thinking system **with** full control(like brain workflow)

Question 4:
Which option best describes LangChain vs LangGraph

A. Both are same, no difference
B. LangGraph **is for** UI design, LangGraph **is for** databases
C. LangGraph **is** linear flow, LangGraph **is** graph-based flow
D. LangGraph **is** only **for** automation

Answer: C
LangChain = Straight Path
LangGraph = Flexible Path(**with** turns, loops, decisions)

Question 5:
Which tool **is** best when you want AI to decide next step dynamically(**not** fixed flow)

A. LangChain
B. n8n
C. LangGraph
D. Excel

Answer: C
LangGraph = Dynamic decision-making AI flow

Question 6:
Which tool **is** mainly used **for** connecting apps like Gmail, Google Sheets, **and** APIs **in**

A. LangGraph
B. LangChain
C. n8n
D. CSS

Answer: C
n8n = App Integration + Automation Tool

Question 7:
Which component **is** common **in** both LangChain **and** LangGraph **for** maintaining convesation c ontext

A. Memory
B. Animation
C. CSS
D. HardWare

Answer: A
Memory = Context + Continuity

Question 8:
Which of the following best describes n8n vs LangChain

A. n8n **is** AI framework, LangChain **is** UI tool
B. n8n **is** automation tool, LangChain **is** AI framework
C. Both are database systems
D. Both are only **for** frontend design

Answer: B
n8n ==> Automation tool(connect apps, trigger workflows)
LangChain ==> AI framework(build LLM based apps like Chatbots, RAG)

n8n = Automation Engine
LangChain = AI brain builder

Question 9:
Which tool **is** best suited **for** building a PDF Question-Answer system using AI?

A. n8n
B. LangChain
C. Excel
D. HTML

Answer: B
LangChain = Best **for** data-based AI apps(like PDF Q&A)

LangChain has built-**in** support **for**:
Reading Documents(PDFs)
Converting text into embeddings
Storing **in** vector database
Retrieving relavant content(RAG)
Giving accurate answers

LangChain = Understand + Search + Answer form data

LangChain ==> Brain(PDF understanding + Q&A)
n8n ==> Actions(trigger, send result, store data)

LangChain = Thinking(AI understanding)
n8n = Doing(Automation Tasks)

Question 10:
Which concept **is** mainly supported by LangGraph but NOT easily handled by simple LangChain chains

A. Linear Step Execution
B. Looping **and** retry logic
C. Static prompt templates
D. Basic API calls

Answer: B
LangGraph = Handles loops + retries(Advanced AI Behaviour)

Question 11:
Which of the following **is** real use case of n8n(**not** LangChain **or** LangGraph)

A. AI deciding which tool to use
B. Looping AI reasoing process
C. Automating email sending when a form **is** submitted
D. Multi-step AI thinking **with** retries

Answer: C
n8n = Even-based Automation(no heavy AI thinking needed)

Question 12:
Which tool **is** best when you want to build an AI system that uses memory, tools, **and** chains tog ether easily

A. LangChain
B. n8n
C. HTML
D. Excel

Answer: A
LangChain = All-**in**-one AI building framework(easy integration)

Question 13:
Which statement **is** TRUE about LangGraph compared to n8n?

A. LangGraph **is** mainly **for** connecting Gmail **and** Sheets
B. n8n provides AI reasoing loops like retry **and** evaluation
C. LangGraph supports stateful AI workflows **with** control over execution
D. Both are only **for** UI design

Answer: C
LangGraph = Controlled AI flow **with** memory + decisions

Question 14:
Which tool **is** easiest **for** beginners to start **with**(less coding, more visual)

A. LangGraph
B. LangChain
C. n8n
D. Java

Answer: C
n8n = Beginner-friendly Automation Tool

Question 15:
Which tool **is** best when you want to build an AI system that can retry, branch, **and** manage co mplex execution flow

A. n8n
B. LangChain
C. LangGraph
D. CSS

Answer: C
LangGraph = Advanced AI control System

Question 16:
Which of the following best represents a LangChain Workflow?

A. Question ==> Think ==> Retry ==> Loop ==> Improve
B. Form ==> Gmail ==> WhatsApp ==> Sheet
C. Question ==> Search ==> Summarize ==> Answer
D. UI ==> CSS ==> Animation

Answer: C
LangChain = Straight pipeline AI flow

Question 17:
Which of the following best represents a LangGraph workflow

A. Question ==> Search ==> Answer
B. Question ==> Think ==> Evaluate ==> Retry ==> Imporve ==> Answer
C. Form ==> Gmail ==> Sheet
D. Static prompt ==> Output

Answer: B
LangGraph = Smart AI flow **with** loops + decisions
Question ==> Search ==> Answer : LangChain
Form ==> Gmail ==> Sheet : n8n
Static prompt ==> Output : Basic Prompt

Question 18:
Which statement **is** TRUE about n8n vs LangGraph

A. n8n supports complex AI reasoning loops natively
B. LangGraph **is** mainly **for** connecting Gmail **and** Sheets
C. n8n **is for** automation, LangGraph **is for** AI reasoning workflows
D. Both are same tools

Answer: C
n8n = Automation Engine
LangGraph = AI Thinking Engine

Question 19:
Which tool **is** best when you want to combine AI reasoning + Control Flow + State management

A. n8n
B. LangChain
C. LangGraph
D. Excel

Answer: C
LangGraph = Full Control AI System(brain + memory + decisions)

Question 20:
If you want to build a complete system where
AI Thiniks (LangGraph/LangChain)
and actions happens **in** real apps(n8n)
What **is** the best approach?

A. Use only n8n
B. Use only LangChain
C. Use only LangGraph

D. Combine AI framework(LangChain/LangGraph) **with** n8n

Answer: D
AI Brain + Automation Engine = Powerful Real System

RAG

RAG : Retrieval Augmented Generation

MCQ

Question 1:
What **is** the main purpose of Retrieval-Augmented Generation(RAG) **in** AI systems?

A. To train large language models from Scratch
B. To improve answers by retrieving external data before generating response
C. To reduce model size **and** memory
D. To convert text into images

Answer: B
Instead of guessing answer from memory. AI will search ==> then answer

Question 2:
In a typical Retrieval-Augmented Generation(RAG) pipeline, what **is** the correct order of steps?

A. Generate ==> Retrieve ==> Store
B. Retrieve ==> Generate ==> Respond
C. Train ==> Retrieve ==> Generate
D. Store ==> Train ==> Generate

Answer: B
In Retrieval-Augmented Generation(RAG) flow:
Step 1: Retrieve ==> Get relavant data from data from documents/database
Step 2: Generate ==> LLM uses that data to create answer
STep 3: Respond ==> Final output given to user

Question 3:
Which component **in** a Retrieval-Augmented Generation(RAG) system **is** responsible **for** finding r elevant documents?

A. Generator(LLM)
B. Retriever
C. Tokenizer
D. Decoder

Answer: B

Retriever = Searches **and** brings relevant documents
Generator(LLM) = reads those documents **and** creates final answer

Retriever = Like Google Search
Generator = Like a teacher explaining the result

Question 4:
Which type of database **is** commonly used **in** Retrieval-Augmented Generation(RAG) systems to store **and** search embeddings

A. Relational Databases(MySQL)
B. Vector Database
C. File System
D. Spreadsheet

Answer: B
Instead of keyword search, it does "meaning-based search"

Question 5:
What **is** the main benefit of using Retrieval-Augmented Generation(RAG) instead of relying only on a pre-trained LLM?

A. It makes the model smaller
B. It allows real-time access to updated **and** external information
C. It removes the need **for** prompts
D. It converts text into audio

Answer: B
LLM alone = Old Knowledge
RAG = Live + Updated Knowledge

Question 6:
Which of the following best describes embeddings used **in** a Retrieval-Aumented Generation(RAG) system

A. Images stored **in** the database
B. Numerical representation of text capturing meaning
C. Audio signals **for** speech recognition
D. Encrypted passwords

Answer: B
Embeddings = numbers representing meaning of text
Similar meaning ==> similar numbers
Eg : "car" **and** "vehicle" ==> close embeddings

"car" **and** "banana" ==> far embeddings

Question 7:
What **is** common real-world use case of Retrieval-Augmented Generation(RAG)?

A. Playing video games
B. Chatbot answering questions from company documents
C. Creating hardware circuits
D. Editing images

Answer: B
Chatbots that answer using company data(PDFs, docs, Knowledge base)
Used **in** : Customer Support, HR, Internal Tools, Training Systems

RAG = Search + Answer
Retriever + Generator Roles
Vector DB + Embeddings
Real-world usage

Prompts

Image generation ChatGPT is the best(OpenAI image2.0)

Prompt 1: Cute Lady Album Images prompts
a nostalgic vibe. Skin appears dewy **and** radiant **with** minimal elegant makeup. Style: soft glam, editorial aesthetic instagram collage, warm color grading, high detail, shallow depth of field cine matic lighting, 4k, ultra-realistic

Prompt 2: Prompt2 (butterfly-themed collage poster):
Create a high-resolution, cinematic butterfly-themed collage poster of a young South Indian wo man. Use the uploaded image as the exact face reference (strict face preservation - 100% identic al facial features, skin tone, hairstyle, expression, no changes at all).

The design should feature: A large central full-body image of the woman wearing a traditional sa ree (deep teal/blue tone **with** silver border) gold jhumka earrings, black bindi, white sheetopia w omen's flat sandals with bow Must wear black nail polish on feet and hands, white bangles, nec k surrounding gold chain, with anklet on their feet. standing gracefully and slightly twirling the Surrounding her, include 4 smaller portrait shots (close-up angles, smiling, side poses) arranged symmetrically in a butterfly wing shape. Add soft feathered edges around the smaller images to blend into the background.

Background: Soft pastel teal/blue gradient background with subtle vertical texture lines. Light mist/fog effect at the bottom. Slight nature touch (blurred trees or greenery in background for d epth).

Styling: Elegant, dreamy, and feminine aesthetic. Soft natural lighting with smooth skin tones. Add subtle glow and depth of field. Typography: Add a stylish cursive title text at the bottom: "Name" Add a name at the top in elegant handwritten font. Quality: Ultra HD, 4K resolution Sharp focus, professional photo manipulation Poster design, studio-quality finish--ar 3:5 --v 6 --style raw

Replace “Name” with any name

Prompt 3: Bride Prompt

A high-quality, ultra-realistic cinematic portrait of a beautiful young Indian bride. She is wearing a traditional pink and gold Banarasi silk saree with intricate embroidery.

She is adorned with heavy traditional gold jewelry, including:

- ✓ Necklace
- ✓ Jhumkas
- ✓ Nath (nose ring)
- ✓ Maang tikka

Her hair is styled in a graceful half-updo with fresh white and red flowers (gajra).

Background: Artistic watercolor splash style with shades of emerald green and soft orange.

At the top: Elegant gold filigree decoration with the text **“Bride Srileela”** in premium gold cursive font.

Extras: 8K resolution, soft studio lighting, bokeh effect, highly detailed features.

Prompt-4: Radha Theme Prompt

A hyper-realistic 8K cinematic portrait of a beautiful young Indian woman dressed as Radha, standing in gentle rain.

She is wearing a heavy pink embroidered lehenga with intricate gold work.

Jewelry:

Traditional pearl jewellery
Heavy necklace
Large jhumkas
White flower garlands (gajra) on wrists

Head styling:

Maang tikka
Peacock feather (mor pankh) in wavy wet hair

Scene:

Pink lotus petals falling
She is looking upwards with dreamy expression
Catching raindrops in her hand

Extras:

Soft bokeh background, ethereal lighting, high-definition details, 85mm lens effect.

Prompt 5 – Blue Saree Prompt

Powder blue sheer net saree

An ultra-realistic Indian woman wearing a powder blue sheer net saree with delicate embroidery.

Blouse: sleeveless with deep back cut

Pose: elegant back pose, slightly turning to look at camera

Hair: long wavy hair tied in low ponytail with soft curls

Accessories:

Statement gold jhumkas with turquoise stones

Makeup:

Flawless dewy look
Soft peach lips
Natural glow

Background:

Blurred portrait shadow
Pastel tone

Extras: Cinematic depth, soft vignette, studio lighting, high detail skin texture, fashion editorial style, realistic fabric flow, elegant feminine aura.

Prompt 6 – Green Lehenga Prompt

Mint green lehenga

A realistic Indian woman wearing a mint green lehenga with delicate thread embroidery and sheer net dupatta over one shoulder.

Makeup:

Soft glam
Glossy nude lips
Defined brows

Accessories:

Statement jhumkas

Hair: side-swept with loose curls

Pose: seated with graceful posture

Background:

Cinematic indoor lighting
Pastel background

Special Effect: Behind her, a soft-focus shadow-style portrait of the same woman's face (semi-transparent, monochrome tone) creating cinematic depth.

Extras:

Ultra-detailed fabric texture
Natural skin finish
Elegant and serene mood
No AI artifacts
DSLR photography, 85mm lens
Soft rim light, shallow depth of field
Luxury fashion editorial style

Telegram Bot Automation

Create a new workflow

Create a new workflow 'telegram workflow' under 'My project2'

1. Create Manual Workflow : Add Trigger Node(Telegram On Message)

- ✓ Add first Step ==> Nodes ==> "Telegram(On message)"

telegram_wf_telegram_node



telegram_wf_telegram_node

Configuration of Telegram Node



telegram_wf_telegram_node_config

Access Token

To access the Telegram we need Access Token

We can generate the Access Token using "BotFather" **in** Telegram



telegram_wf_telegram_node_config

Login to Telegram Desktop version

Search for “BotFather”

telegram_wf_telegram_desktop



telegram_wf_telegram_desktop

BotFather **is** the one bot to rule them all.
Use it to create new bot accounts **and** manage your existing bots

START the BotFather



telegram_wf_telegram_desktop



telegram_wf_telegram_desktop

Create a new bot
/newbot
Name of the Bot : gkaiagentbot
User name **for** your bot : gkaiagentbot(name should ends **with** bot)
It will generates Token
Your bot will be fine at : t.me/gkaiagentbot
Open that bot



telegram_wf_telegram_desktop

Configuration of the Telegram Node

Webhook URLs

Test URL : https://warriors.app.n8n.cloud/webhook-test/9847000f-0403-451e-84ad-b20e92edf4d8/webhook

Production URL : https://warriors.app.n8n.cloud/webhook/9847000f-0403-451e-84ad-b20e92edf4d8/webhook

Credential : Telegram account

Access Token : place the Token generated by BotFather

Base URL : https://api.telegram.org

Trigger On : Message



telegram_wf_telegram_node_config

Open the newly created bot(gkaiagentbot)

Your bot will be fine at : t.me/gkaiagentbot

Open that bot

Start the bot



telegram_wf_telegram_desktop

Execute the workflow



telegram_wf_telegram_node_execute



telegram_wf_telegram_node_execute

Send message from our bot(gkaiagentbot)



telegram_wf_telegram_desktop

Telegram node output



telegram_wf_telegram_node

2. Add Action Node : AI Agent

- ✓ Add AI Agent node(Action Node) to “n8n Form”(Trigger Node)



telegram_wf_ai_agent

Add ChatModel : OpenAI Chat Model

- ✓ Add OpenAI Chat Model to “AI Agent”



telegram_wf_ai_agent_chat_model

Configure the ChatModel

Credential : n8n free OpenAI API credits **or** Provide your openai API key
Model : gpt-5-mini



telegram_wf_ai_agent_chat_model_config

System Message Prompt Generation using ChatGPT

Prompt :

I want to configure system message **in** n8n workflow **for** durgasoftbot, which **is** responsible to pr ovide course information, new batches information etc **in** precise ane polite way. provide system prompt. add contact numbers **and** mail ids **and** address also

AI Agent Configurations

- ✓ Appointment date 3 days after the service booked date

Source **for** Prompt(User Message) : Define Below
Prompt(User Message) :
Add Option : System Message

System Message:

Place the ChatGPT generated Response here



telegram_wf_ai_agent_chat_model_config

Add Memory node

- ✓ Add memory to the Action node ==> AI Agent

telegram_wf_ai_agent_simple_memory

Configuration of Memory node

Session ID : Define below
Key : {{ $json.message.chat.id }}
Context Window Length : 5



telegram_wf_ai_agent_simple_memory_config

Execute the AI Agent Node



telegram_wf_ai_agent_execute

3. Add Action Node : Telegram(Send a text message)



telegram_wf_telegram_send_text_message

telegram_wf_telegram_send_text_message

Configuration of Telegram(Send a text message)

Credential : Login **with** your Telegram account by providing the Access Token
Resource : Message
Operation : Send Message
Chat ID : {{ $('Telegram Trigger').item.json.message.chat.id }}
Text : {{ $json.output }}
Reply Markup : None
Add Field : Append n8n Attribution : Disable



telegram_wf_telegram_send_text_message_config

Execute the node



telegram_wf_telegram_send_text_message_execute

Check the response in Telegram



telegram_wf_telegram_desktop

4. Make the workflow live

Publish the Workflow

telegram_wf_publish

Access the workflow with Production URL :
https://warriors.app.n8n.cloud/webhook/9847000f-0403-451e-84ad-b20e92edf4d8/webhook



telegram_wf_production_url

Telegram Callback Queries

Create a new workflow

Create a new workflow 'Life Skills Flow' under 'My project2'

DURGA Software Solutions®

1. Create Manual Workflow : Add Trigger Node(Telegram On Message)

- ✓ Add first Step ==> Nodes ==> "Telegram(On message)"

life_skills_wf_telegram_node



life_skills_wf_telegram_node

Login to Telegram Desktop version

Search for "BotFather"


BotFather
BotFather
Open
Update Telegram

life_skills_wf_telegram_desktop



life_skills_wf_telegram_desktop

BotFather **is** the one bot to rule them all.
Use it to create new bot accounts **and** manage your existing bots

START the BotFather



life_skills_wf_telegram_desktop



life_skills_wf_telegram_desktop

Create a new bot
/newbot
Name of the Bot : lifeskills_with_durgasir_bot
User name **for** your bot : lifeskills_with_durgasir_bot(name should ends **with** bot)
It will generates Token
Your bot will be fine at : t.me/lifeskills_with_durgasir_bot
Open that bot



life_skills_wf_telegram_desktop

Configuration of the Telegram Node(Send a text message)
Webhook URLs
Test URL : https://warriors.app.n8n.cloud/webhook-test/14138e57-61b1-427c-b9fa-273b8626ca59/webhook
Production URL : https://warriors.app.n8n.cloud/webhook/14138e57-61b1-427c-b9fa-273b8626ca59/webhook

Credential : Telegram account
Access Token : place the Token generated by BotFather
Base URL : https://api.telegram.org

Trigger On : Message



life_skills_wf_telegram_node_config



life_skills_wf_telegram_node_config

Open the newly created bot(lifeskills_with_durgasir_bot)
Your bot will be fine at : t.me/lifeskills_with_durgasir_bot
Open that bot
Start the bot



life_skills_wf_telegram_desktop

Execute the workflow



life_skills_wf_telegram_node_execute



life_skills_wf_telegram_node_execute

Send message from our bot(gkaiagentbot)



life_skills_wf_telegram_desktop

Telegram node output



life_skills_wf_telegram_node

2. Add Action Node :If

- ✓ Add If node (Action Node) to Previous "Telegram(On message)"(Action Node)

life_skills_wf_if_node

Configuration of If node

condition : {{ $json.message }} **is not** empty



life_skills_wf_if_node_config

Execute the node



life_skills_wf_if_node_true_branch

3. Add Action Node(If True branch) : Telegram (Send a text message)

- ✓ Add "Telegram(Send a text message)" (Action Node) to Previous "If True branch"(Action Node)



life_skills_wf_telegram_node



life_skills_wf_telegram_node

Configuration of Telegram(Send a text message)
Credential : Login **with** your Telegram account by providing the Access Token
Resource : Message
Operation : Send Message
Chat ID : {{ $json.message.chat.id }}
Text : Welcome to Life Skills With Durga Sir. Choose Your Required Category
Reply Markup : None
Add Field : Append n8n Attribution : Disable



life_skills_wf_telegram_send_text_message_config

Execute the node



life_skills_wf_telegram_send_text_message_execute

Check the response in Telegram



life_skills_wf_telegram_desktop

Configuration of Telegram(Send a text message): Adding buttons

Change the “Reply Markup” from “None” to “Inline Keyboard”

Reply Markup : Inline Keyboard
Inline Keyboard : Add Keyboard Row
  Rows 1
    Row : Add Button
      Button 1:
        Text : Mindset & Life Control
          Additional Fields : Callback Data
            Callback Data : mindset_life_control



life_skills_wf_telegram_send_text_message_config

Execute the Telegram(Send a text message)



life_skills_wf_telegram_send_text_message_execute

Check the response in Telegram



life_skills_wf_telegram_desktop

Configuration of the Telegram Node(Send a text message)

Trigger on : Message



life_skills_wf_telegram_send_text_message_config

Add "Callback Query" to "Trigger on"

Trigger on : Message , Callback Query



life_skills_wf_telegram_send_text_message_config



life_skills_wf_telegram_send_text_message_config

Execute the workflow



life_skills_wf_execute

Click on the button in the Telegram Bot(lifeskills_with_durgasir_bot)



life_skills_wf_telegram_desktop

Now Check the configuration If node

If we send message **in** the Telegram Bot then If branch **is** executed.
If we click on the button then False branch **is** executed



life_skills_wf_if_node_config

Configuration of Telegram(Send a text message): Add Remaining Buttons

Change the “Reply Markup” from “None” to “Inline Keyboard”

Reply Markup : Inline Keyboard
Inline Keyboard : Add Keyboard Row
  Rows 1
    Row : Add Button
      Button 1 :
        Text : Mindset & Life Control
          Additional Fields : Callback Data
            Callback Data : mindset_life_control
    Row : Add Button
      Button 2 :
        Text : Habits, Growth & Success
          Additional Fields : Callback Data
            Callback Data : habbits_growth_success
    Row : Add Button
      Button 3 :
        Text : Money, Influence & Business Thinking
          Additional Fields : Callback Data
            Callback Data : money_influence_business_thinking
    Row : Add Button
      Button 4 :
        Text : Leadership, Execution & Leverage
          Additional Fields : Callback Data
            Callback Data : leadership
Inline Keyboard : Add Keyboard Row
  Rows 1

Row : Add Button
Button 1 :
Text : Leadership, Execution & Leverage
Additional Fields : Callback Data
Callback Data : leadership



life_skills_wf_telegram_send_text_message_config

Execute the workflow

life_skills_wf_execute

Send message from Telegram

We can see the buttons



life_skills_wf_telegram_desktop

Execute the workflow

life_skills_wf_execute

Click on the button in Telegram

If we send message **in** the Telegram Bot then If branch **is** executed.
If we click on the button then False branch **is** executed



life_skills_wf_telegram_desktop



life_skills_wf_if_node_config

4. Add Action Node(If False branch) : Switch Node

- ✓ Add Switch (Action Node) to Previous "If False branch"(Action Node)
- ✓ Route items depending on defined expression or rules



life_skills_wf_switch_node

Configuration of Switch Node

Mode : Rules

Routing Rules :

Routing Rule 1: {{ $json.callback_query.data }} **is** equal to mindset_life_control

Rename Output : mindset & life control



life_skills_wf_switch_node_config

5. Add Action Node : Telegram(Send a text message)

Add "Telegram(Send a text message)" node to previous "Swtich Node"



life_skills_wf_telegram_send_text_message



life_skills_wf_telegram_send_text_message

Configuration of Telegram(Send a text message)
Credential : Login **with** your Telegram account by providing the Access Token
Resource : Message
Operation : Send Message
Chat ID : {{ $('Telegram Trigger').item.json.callback_query.message.chat.id }}
Text : For Mind Set **and** Life Control You can choose any of the following courses

Reply Markup : Inline Keyboard
Reply Markup : Inline Keyboard
Inline Keyboard : Add Keyboard Row
  Rows 1
    Row : Add Button
      Button 1 :
        Text : Ikigai
          Additional Fields : URL
            URL: https://www.durgasoftonline.com/courses/IKIGAI-**for**-Job-Seekers-**and**-Professionals-68ac58a0c5980d7178265479
    Row : Add Button
      Button 2 :
        Text : The Secret
          Additional Fields : URL
            URL : https://www.durgasoftonline.com/courses/The-Secret-to-Success--16-Days-Practical-Journey-68c050987f32764fdb889f75

Inline Keyboard : Add Keyboard Row
  Rows 1
    Row : Add Button
      Button 1 :
        Text : Stop Worrying **and** Start Living
          Additional Fields : URL
            URL : https://www.durgasoftonline.com/courses/Stop-Worrying-**and**-Start-Living-69ae3157ba8212774f466559

Add Field : Append n8n Attribution : Disable



telegram_wf_telegram_send_text_message_config

Execute the node



telegram_wf_telegram_send_text_message_execute

Check the response in Telegram



telegram_wf_telegram_desktop



telegram_wf_telegram_desktop



telegram_wf_url

6. Configuration of Switch Node

Configure remaining switches

Mode : Rules
Routing Rules :
Routing Rule 2: {{ $json.callback_query.data }} **is** equal to habbits_growth_success
Rename Output : Habbits



life_skills_wf_switch_node_config

7. Add Action Node : Telegram(Send a text message)

Add “Telegram(Send a text message)” node to previous “Swtich Node”

life_skills_wf_telegram_send_text_message

life_skills_wf_telegram_send_text_message

Configuration of Telegram(Send a text message)
Credential : Login **with** your Telegram account by providing the Access Token
Resource : Message
Operation : Send Message
Chat ID : {{ $('Telegram Trigger').item.json.callback_query.message.chat.id }}
Text : You can choose any of the following courses related to your catefgory : Habits, Growth & Success
Reply Markup : Inline Keyboard
Inline Keyboard : Add Keyboard Row
Rows 1
Row : Add Button
Button 1 :
Text : Atomic Habits
Additional Fields : URL
URL: https://www.durgasoftonline.com/courses/Atomic-Habits-Masterclass---Change-Your-Habits-Change-Your-Destiny-68f87c3c87c91f267b113de9

Inline Keyboard : Add Keyboard Row
Rows 1
Row : Add Button
Button 1 :
Text : Good to Great
Additional Fields : URL
URL : https://www.durgasoftonline.com/courses/Good-to-Great---16-Days-to-Extraordinary-Success-68da26fcce73cf63e815142d

Add Field : Append n8n Attribution : Disable



telegram_wf_telegram_send_text_message_config

Execute the Workflow

telegram_wf_execute

Click on Habbits Growth & Success button in Telegram



telegram_wf_telegram_desktop

Configuration of Telegram Send a text message2



telegram_wf_telegram_send_text_message_config

Check the response in Telegram



telegram_wf_telegram_desktop



telegram_wf_telegram_desktop



telegram_wf_url

8. Publish the workflow to make it live

telegram_wf_publish

With "Production URL" we can access the workflow

Production URL : https://warriors.app.n8n.cloud/webhook/14138e57-61b1-427c-b9fa-273b8626ca59/webhook



telegram_wf_production_url

Prompt Chaining in n8n Multi-Agent Workflows

You are providing a topic?

Simple explanation

Notes
Quiz Questions
Learning Plan/ Feedback
PPT
Instagram Reel Script

AI Agent-1: Simple explanation
AI Agent-2: Notes
AI Agent-3: Quiz Questions
AI Agent-4: Learning Plan/ Feedback

Advantages of Prompt Chaining

1. Better Output Quality
   One big prompt = confusion
   Multiple small prompts = clarity
2. Easy to debug
3. Reusability
4. More control over output
5. Scalable system
6. Real world workflow matching
   Topic Explanation ==> Notes ==> Quiz ==> Activities
   Reception ==> Doctor ==> Lab ==> Billing
7. Reduced AI Hallucination

Create a new workflow

Create a new workflow 'Prompt Chaining Workflow' under 'My project2'

1. Create Manual Workflow : Create Trigger Node

✓ Add first Step ==> Nodes ==> "n8n Form"



prompt_chaining_wf_n8n_form

prompt_chaining_wf_n8n_form

Configuration of n8n form

Rename the node to “AI Material Request Form”

Test URL : https://warriors.app.n8n.cloud/form-test/f6605317-18a1-4868-a72c-936ba94576ce

Appointment Request Form
Authentication : None
Form Title : AI Material Request Form
Form Description :
Form Elements : Add Form Element
Label : Student Name
Element Type : Text Input
Add Attribute : Required Field - Enable

Label : Email
Element Type : Email
Add Attribute : Required Field - Enable

Label : Topic
Element Type : Text Input
Add Attribute : Required Field - Enable

Label : Level
Element Type : Dropdown
Field Options
Values1 : Option : Beginner
Add Field Option
Values2 : Option : Intermediate
Add Field Option
Values3 : Option : Advanced

Add Attribute : Required Field - Enable



prompt_chaining_wf_n8n_form_elements

Execute the node



prompt_chaining_wf_n8n_form_elements

Submit the form



prompt_chaining_wf_n8n_form_submit



prompt_chaining_wf_n8n_form_submit

2. Add Action Node : AI Agent

- ✓ Add AI Agent node(Action Node) to “n8n Form”(Trigger Node)



prompt_chaining_wf_ai_agent

Add ChatModel : OpenAI Chat Model

- ✓ Add OpenAI Chat Model to "AI Agent"



prompt_chaining_wf_ai_agent_openai_chat_model

Configure the ChatModel

Credential : n8n free OpenAI API credits **or** Provide your openai API key
Model : gpt-5-mini



prompt_chaining_wf_ai_agent_openai_chat_model_config

Rename AI Agent : Explanation



prompt_chaining_wf_ai_agent_rename



prompt_chaining_wf_ai_agent_rename

AI Agent(Explanation) Configurations

Source **for** Prompt(User Message) : Define Below

Prompt(User Message) :

Topic : {{ $json.Topic }}

Level : {{ $json.Level }}

Add Option : System Message

System Message:

You are friendly Indian Teacher.

Your job **is** to explain the given topic **in** very simple English.

Rules:

- Explain like teaching a beginner student
- Use daily life examples
- Avoid technical jargon
- Keep the answer clar **and** easy to understand
- Output should have
  1. Simple Meaning
  2. Daily Life Example
  3. Why It **is** Useful



prompt_chaining_wf_ai_agent_openai_chat_model_config

Execute the AI Agent Node



prompt_chaining_wf_ai_agent_execute

3. Add Action Node : AI Agent

- ✓ Add AI Agent node(Action Node) to previous “AI Agent”(Action Node)



prompt_chaining_wf_ai_agent

Add ChatModel : OpenAI Chat Model

- ✓ Add OpenAI Chat Model to "AI Agent"



prompt_chaining_wf_ai_agent_openai_chat_model

Configure the ChatModel

Credential : n8n free OpenAI API credits **or** Provide your openai API key
Model : gpt-5-mini



prompt_chaining_wf_ai_agent_openai_chat_model_config

Rename AI Agent : Notes Generator



prompt_chaining_wf_ai_agent_rename



prompt_chaining_wf_ai_agent_rename

AI Agent(Notes Generator) Configurations

Source **for** Prompt(User Message) : Define Below

Prompt(User Message) :

{{ $json.output }}

Add Option : System Message

System Message:

You are a study notes generator

Your job **is** to convert the explanation into clean student notes

Rules:

- Use short points
- Use Simple English
- Make notes suitable **for** revision
- Do **not** add unnecessary theory
- Output should have:
  1. Key Points
  2. Important Terms
  3. One Simple Example
  4. Quick Revision Summary



prompt_chaining_wf_ai_agent_openai_chat_model_config

Execute the AI Agent Node



prompt_chaining_wf_ai_agent_execute

4. Add Action Node : AI Agent

- ✓ Add AI Agent node(Action Node) to previous “AI Agent”(Action Node)



prompt_chaining_wf_ai_agent

Add ChatModel : OpenAI Chat Model

- ✓ Add OpenAI Chat Model to "AI Agent"



prompt_chaining_wf_ai_agent_openai_chat_model

Configure the ChatModel

Credential : n8n free OpenAI API credits **or** Provide your openai API key
Model : gpt-5-mini



prompt_chaining_wf_ai_agent_openai_chat_model_config

Rename AI Agent : Quiz Generator



prompt_chaining_wf_ai_agent_rename



prompt_chaining_wf_ai_agent_rename

AI Agent(Quiz Generator) Configurations
Source **for** Prompt(User Message) : Define Below
Prompt(User Message) :
{{ $json.output }}

Add Option : System Message

System Message:
You are a quiz creator **for** students

Your job **is** to create MCQs from the given notes

Rules:
- Create 5 McQs
- Each MCQ should have 4 options : A, B, C, D
- Mention the correct answer
- Give a small explanation **for** the correct answer
- Questions should test understanding, **not** memory only.



prompt_chaining_wf_ai_agent_openai_chat_model_config

Execute the AI Agent Node



prompt_chaining_wf_ai_agent_execute

5. Add Action Node : AI Agent

- ✓ Add AI Agent node(Action Node) to previous “AI Agent”(Action Node)



prompt_chaining_wf_ai_agent

Add ChatModel : OpenAI Chat Model

- ✓ Add OpenAI Chat Model to "AI Agent"



prompt_chaining_wf_ai_agent_openai_chat_model

Configure the ChatModel

Credential : n8n free OpenAI API credits **or** Provide your openai API key
Model : gpt-5-mini



prompt_chaining_wf_ai_agent_openai_chat_model_config

Rename AI Agent : Feedback/ Study Plan Generator



prompt_chaining_wf_ai_agent_rename



prompt_chaining_wf_ai_agent_rename

AI Agent(Feedback/ Study Plan Generator) Configurations

Source **for** Prompt(User Message) : Define Below

Prompt(User Message) :

Student Name : {{ $('AI Material Request Form').item.json['Student Name'] }}
Topic : {{ $('AI Material Request Form').item.json.Topic }}
Explanation : {{ $('Explanation').item.json.output }}
Notes : {{ $('Notes Generator').item.json.output }}
Quiz : {{ $json.output }}

Add Option : System Message

System Message:

You are a learning mentor.

Your job **is** to prepare a final learning conclusion **for** the student

Rules:
- Summarize what the student learned
- Give practical tasks
- Suggest next topic to learn
- Motivate the Student
- Use simple Indian English



prompt_chaining_wf_ai_agent_openai_chat_model_config



prompt_chaining_wf_ai_agent_openai_chat_model_config

Execute the AI Agent Node



prompt_chaining_wf_ai_agent_execute

6. Action node : Gmail Send Message

Add " Gmail Send Message" (Action Node) to Previous "AI Agent"(Action Node)



prompt_chaining_wf_ai_gmail



prompt_chaining_wf_gmail

Configuration of Gmail Send a message

Credential : Gmail Account(select your gmail account **with** credentials)
Resource : Message
Operation : Send
To : {{ $('AI Material Request Form').item.json.Email }}
Subject : AI Genearated Study Material on {{ $('AI Material Request Form').item.json.Topic }}
Email Type : Text
Message :

Hi {{ $('AI Material Request Form').item.json['Student Name'] }}

Here **is** generated content

Explanation :{{ $('Explanation').item.json.output }}

Notes : {{ $('Notes Generator').item.json.output }}

Quiz : {{ $('Quiz Generator').item.json.output }}

Feedback : {{ $json.output }}

Regards
DURGASOFT

Add Option : Append n8n Attribution : Disable



prompt_chaining_wf_mail_config

Execute the Gmail Send a message node



prompt_chaining_wf_gmail_execute

Gmail message



prompt_chaining_wf_ai_gmail_message

Complete Gmail message

Hi Gopi

Here **is** generated content

Explanation :1. Simple Meaning
RAG means Retrieval-Augmented Generation. It **is** a way **for** an AI to answer questions by first looking up useful information, then using that information to make a clear answer **in** its own words. Think of it as an AI that first checks a library **or** books, **and** then explains the answer to you.

Simple flow:
- You ask a question.
- The AI finds relevant documents **or** facts (retrieval).
- The AI writes a helpful answer using those facts (generation).

2. Daily Life Example
Example 1 — Homework help:
You ask, "Who was Ashoka **and** what did he do?" The AI first looks into history books **or** trusted notes to find facts about Ashoka. Then it writes a short, easy answer using those facts. So you get a correct **and** clear paragraph **for** your homework.

Example 2 — Cooking:
You want to make masala dosa. The AI checks several recipes (like looking into cookbooks), picks the common steps, **and** then gives you a

step-by-step recipe that combines the best parts. You get a reliable recipe instead of a guess.

Example 3 — Travel planning:
You ask, “Which train options are best to reach Goa from Mumbai?” The AI searches the latest timetables **and** coach information, **and** then suggests good trains **and** tips based on what it found.

3. Why It **is** Useful
- More accurate answers: Because the AI checks real documents before answering, the result **is** less likely to be a random guess.
- Up-to-date information: It can look into recent documents so answers reflect current facts (**for** example news **or** new schedules).
- Trust **and** transparency: It can point to the sources it used, so you can verify the facts yourself.
- Handles big knowledge: Instead of memorizing everything, the AI can search large collections of documents **and** use only the relevant parts.
- Practical **for** real tasks: Good **for** homework, customer support, writing help, **or** any situation where a correct, sourced answer **is** needed.

Tip: RAG works well when the documents it searches are good. If the source documents are wrong, the answer can still be wrong—so always check important facts.

Notes : Key Points
- RAG = Retrieval-Augmented Generation.
- Two-step process: first retrieve relevant documents, then generate an answer using those facts.
- Works like checking a library, then writing a clear reply.
- Gives more accurate **and** up-to-date answers than guessing.
- Can show sources so you can verify facts.
- Quality of output depends on the quality of the documents searched.

Important Terms
- Retrieval: Finding relevant documents **or** facts **for** a question.
- Generation: Writing a clear answer using the retrieved information.
- Documents / Sources: Books, articles, databases, timetables, recipes, etc. the system searches.
- Grounding: When the answer **is** based on real source facts (makes it more reliable).
- Up-to-date: Ability to use recent documents **for** current information.

One Simple Example
- Question: “Who was Ashoka **and** what did he do?”
  - Retrieval: AI looks up trusted history notes about Ashoka.

- Generation: AI writes a short paragraph using those facts (e.g., Ashoka was a Mauryan emperor who promoted Buddhism **and** built pillars).
- Result: A clear, sourced paragraph **for** homework.

Quick Revision Summary
- RAG = look up facts, then answer.
- Helps accuracy, recency, **and** trust.
- Works best when sources are good—always check important facts.

Quiz : 1) Which sequence best describes how Retrieval-Augmented Generation (RAG) produces an answer?
A. Generate an answer, then search documents to support it
B. Retrieve relevant documents first, then generate an answer using those facts
C. Search every document **in** a corpus **and return** them without generating text
D. Train the model on new data, then generate the answer

Correct answer: B
Explanation: RAG **is** a two-step process—first retrieve relevant documents, then generate a response grounded **in** those retrieved facts.

2) Why does RAG often provide more up-to-date answers than a standard generative model?
A. Because the base model has a later training cutoff
B. Because it retrieves recent documents at query time **and** uses them to produce the answer
C. Because it reduces model size to speed up updates
D. Because it avoids using external sources altogether

Correct answer: B
Explanation: RAG can access recent **or** external documents during retrieval, allowing the generated answer to reflect current information even **if** the underlying model's training data **is** older.

3) What does "grounding" mean **in** the context of RAG, **and** why does it matter?
A. Ensuring the model runs on local hardware to reduce latency
B. Basing the answer on real source facts, which improves reliability but still depends on source quality
C. Preventing the model from generating long answers
D. Automatically correcting factual errors **in** the source documents

Correct answer: B
Explanation: Grounding means the output **is** tied to actual sources; this increases trustworthiness, but accuracy still depends on how good **and** relevant those sources are.

4) In which situation **is** RAG most likely to produce an incorrect answer despite using retrieved documents?
A. When the retrieval step returns high-quality, recent sources
B. When the generation step **is** skipped entirely
C. When the searched documents are low-quality, biased, **or** outdated
D. When there are too many relevant, high-quality sources

Correct answer: C
Explanation: RAG's output quality hinges on the documents it retrieves—poor **or** outdated sources can lead to incorrect **or** misleading answers even **if** generation **is** done correctly.

5) A student asks **for** today's train timetable. Why **is** RAG a better choice than relying solely on a pre-trained language model?
A. Because RAG can invent realistic timetables when none exist
B. Because RAG retrieves current timetables from source documents **and** then generates a clear reply **with** sources to verify
C. Because pre-trained models are always slower
D. Because RAG avoids using any external data **for** privacy

Correct answer: B
Explanation: For time-sensitive queries like timetables, RAG can pull the latest schedules from source documents **and** produce an answer grounded **in** those sources, enabling verification **and** recency.

Feedback : Final Learning Conclusion **for** Gopi

What you learned
- RAG means Retrieval-Augmented Generation. The AI first searches helpful documents (retrieval) **and** then writes an answer using those facts (generation).
- Simple flow: you ask → AI retrieves relevant documents → AI generates a clear reply using those documents.
- Daily-life examples: homework (history facts), cooking (best masala dosa recipe), travel planning (latest train options).
- Main benefits: more accurate answers, up-to-date information, ability to show sources (grounding), **and** handling large collections of documents.
- Important limits: **if** the source documents are wrong, RAG can still give wrong answers. So always check important facts.
- Key terms: Retrieval, Generation, Documents/Sources, Grounding, Up-to-date.
- You also practiced a short quiz that reinforced the two-step idea, recency advantage, **and** the meaning of grounding.

Practical tasks (do these to practise)
Beginner (30–60 minutes)

1) Explain RAG **in** your own words
- Write 3 simple sentences explaining RAG.
- Give 2 new daily-life examples (**not** the ones above).

2) Quick quiz
- Re-answer the quiz questions from memory. Check answers **and** note any mistakes.

Intermediate (2–4 hours)

3) Create a small RAG demo **with** school notes
- Collect 15–20 short documents (**class** notes **or** textbook summaries **in** .txt).
- Use an embedding service (like OpenAI embeddings **or** any free one) to convert documents to vectors.
- Store vectors **in** a small vector store (e.g., FAISS **or** Chroma).
- Write a script that: takes a question, retrieves top 3 documents, **and** uses an LLM to generate a short answer quoting which documents were used.
- Expected outcome: a Q&A where each answer lists the sources.

Advanced (1–2 days)

4) Build a simple chatbot **for** homework help
- Use a library like LangChain **or** Haystack.
- Connect a vector DB (Pinecone, Milvus, **or** Chroma), embeddings, **and** an LLM.
- Add a small UI (web page **or** chat **in** notebook).
- Test **with** time-sensitive queries (news **or** timetables) **and** see how RAG finds updated info.

Tools **and** quick pointers
- Embeddings: OpenAI embeddings, Hugging Face models.
- Vector DB: FAISS (local), Chroma, Milvus, Pinecone.
- Frameworks: LangChain, Haystack.
- Always check the top retrieved documents **for** quality before trusting the answer.

Suggested next topic to learn
- Embeddings **and** Vector Search — learn how vector embeddings work **and** how similarity search finds relevant documents.

(Optional next steps after that: Practical RAG building **with** LangChain **and** techniques to reduce hallucinations.)

Motivation **for** Gopi
- Good job learning RAG — it **is** a very practical idea. With RAG you can make AI answers more useful **and** trustworthy.
- Start small: even the beginner tasks will make the idea clear. Building one small demo will give you strong confidence.
- Keep practising **and** always check sources — that habit makes your work reliable **and** respected.

You can do this, Gopi! If you want, I can give step-by-step code **or** a short checklist **for** the intermediate demo. Which one would you like next?

Regards
DURGASOFT

7. Add Action Node : Google Sheets

- ✓ Add "Google Sheets (Append row in sheet)" (Action Node) to Previous "AI Agent(Feedback/Study Plan Generator)"(Action Node)



prompt_chaining_wf_google_sheets

prompt_chaining_wf_google_sheets

Create a blank Google sheet



prompt_chaining_wf_googlesheets

Configuration of Google Sheets

Credential : Sign **in with** Google
Resource : Sheet within Document
Operation : Append Row
Document : From list : Material Request Form
Sheet : From list : students
Mapping Columnn Mode : Map Each Column Manually
Name : {{ $('AI Material Request Form').item.json['Student Name'] }}

Mail Id : {{ $('AI Material Request Form').item.json.Email }}
Topic Name : {{ $('AI Material Request Form').item.json.Topic }}



prompt_chaining_wf_googlesheets_config

Execute the node



prompt_chaining_wf_googlesheets_execute

Form data is inserted into the google sheet



prompt_chaining_wf_googlesheets_append

Complete Workflow

prompt_chaining_wf_complete

8. Make the workflow live

Publish the Workflow



prompt_chaining_wf_publish

Access the workflow with Production URL : https://warriors.app.n8n.cloud/form/f6605317-18a1-4868-a72c-936ba94576ce



prompt_chaining_wf_publish

n8n Gmail Auto-Labeling with AI Classifier

Create a new workflow

Create a new workflow 'routing flow' under 'My project2'

1. Create Manual Workflow : Create Trigger Node

- ✓ Add first Step ==> Nodes ==> "Gmail On Message received"



routing_wf_gmail_trigger



routing_wf_gmail_trigger

Configure Gmail On Message received Node

Credential : Login **with** your gmail account
Poll Times :
  Items1 : Mode : Every Minute
Event : Message Received
Simplify : Enable



routing_wf_gmail_trigger_config

Create labels in gmail account
create lables **in** gmail
Python
Java
AI



routing_wf_gmail_labels

routing_wf_gmail_labels

Send the mail to the configured gmail account



routing_wf_gmail_trigger_send_mail

Execute the node
Execute the node ==> "Fetch Test Event"



routing_wf_gmail_trigger_execute

2. Add Text Classifier Node

Add Text Classifier node(Action Node) to "Gmail On Message received"(Trigger Node)

Classify your text into distinct categories



routing_wf_text_classifier

Add OpenAI Chat Model

Add OpenAI Chat Model(Action Node) to Text Classifier node(Action Node)



routing_wf_text_classifier_openai_chat_model

Configure the ChatModel
Credential : n8n free OpenAI API credits **or** Provide your openai API key
Model : gpt-5-mini



routing_wf_text_classifier_openai_chat_model_conofig

Category Description generation using ChatGPt
Java

Just I added text classifier node **in** n8n workflow. It **is** responsible to classify **with** category Java , from source mail body. Can you provide category description which **is** required to add **in** classif ier node **for** java category

Python

similarly provide description **for** python category

AI

do the same **for** AI

Configuration of Text Classifier
Text to Classify : {{ $json.snippet }}

Categories :

Add Category
Category : Java
Description :
Classify the email as "Java" **if** the email body **is** related to Java programming, Java training, **or** Java development.
This includes:
- Mentions of Java, Core Java, Advanced Java
- Frameworks like Spring, Spring Boot, Hibernate
- Questions about Java course, syllabus, fees, batch timings, **or** demo classes
- Job-related queries **for** Java Developer roles
- Technical doubts, errors, **or** coding questions related to Java
- Requests to join **or** learn Java
Do NOT classify as Java **if**:
- The email **is** mainly about other technologies like Python, AI, DevOps, Cloud, etc.
- The email **is** a general enquiry without clearly mentioning Java
- The email mentions multiple technologies but Java **is not** the main focus
Only classify as "Java" when there **is** clear **and** primary intent related to Java.

Add Category
Category : Python
Description :
Classify the email as "Python" **if** the email body **is** related to Python programming, Python traini ng, **or** Python development.
This includes:
- Mentions of Python, Core Python, Advanced Python
- Topics like Data Science, Machine Learning, AI, Deep Learning using Python
- Libraries such as NumPy, Pandas, Matplotlib, Scikit-learn, TensorFlow, PyTorch
- Questions about Python course, syllabus, fees, batch timings, **or** demo classes
- Job-related queries **for** Python Developer, Data Analyst, **or** Data Scientist roles
- Technical doubts, errors, **or** coding questions related to Python
- Requests to join **or** learn Python
Do NOT classify as Python **if**:
- The email **is** mainly about other technologies like Java, DevOps, Cloud, etc.

- The email **is** a general enquiry without clearly mentioning Python **or** Python-based topics
- The email mentions multiple technologies but Python **is not** the main focus

Only classify as "Python" when there **is** clear **and** primary intent related to Python **or** Python-bas ed technologies.

Add Category
Category : AI
Description :
Classify the email as "AI" **if** the email body **is** related to Artificial Intelligence, Generative AI, **or** A I-based technologies.
This includes:
- Mentions of AI, Artificial Intelligence, Generative AI, Agentic AI
- Topics like Machine Learning, Deep Learning, NLP (Natural Language Processing), Computer Vi sion
- Tools such as ChatGPT, OpenAI, Gemini, Copilot, LangChain, Hugging Face
- Concepts like prompt engineering, AI agents, LLMs (Large Language Models), AI automation
- Questions about AI course, syllabus, fees, batch timings, **or** demo classes
- Job-related queries **for** AI Engineer, ML Engineer, **or** AI-focused Data Scientist roles
- Technical doubts, projects, **or** use cases related to AI
- Requests to join **or** learn AI courses

Do NOT classify as AI **if**:
- The email **is** mainly about other technologies like Python, Java, DevOps, Cloud, etc.
- The email **is** a general enquiry without clearly mentioning AI **or** AI-based topics
- The email mentions multiple technologies but AI **is not** the main focus

Only classify as "AI" when there **is** clear **and** primary intent related to AI.



routing_wf_text_classifier_config

Execute the text classifier node



routing_wf_text_classifier_execute

3. Add Gmail Add label to message Node to Text Classifier

Add "Gmail Add label to message"(Action Node) to the previous "Text Classifier(AI)"(Action Node)



routing_wf_gmail



routing_wf_gmail

Configuration of gmail node

Credential : Gmail Account(select your gmail account **with** credentials)
Resource : Message
Operation : Add Label
Message Id : {{ $('Gmail Trigger').item.json.id }}
Label Names **or** IDs : AI



routing_wf_gmail_config

Execute the node



routing_wf_gmail_execute

Check the gmail

Check gmail. Now the label "AI" **is** added to the mail



routing_wf_gmail_message

4. Duplicate Gmail Add label to message Node

Duplicate the Gmail Add label to message Node
Add that node to the Text Classifier(Python)



routing_wf_gmail_duplicate

routing_wf_gmail_duplicate

Configuration of Gmail node

Only change Label Names **or** IDs to "Python"



routing_wf_gmail_config

5. Duplicate Gmail Add label to message Node

Duplicate the Gmail Add label to message Node
Add that node to the Text Classifier(Java)



routing_wf_gmail_duplicate



routing_wf_gmail_duplicate

Configuration of Gmail node

Only change Label Names **or** IDs to "Java"



routing_wf_gmail_config

6. Adding multiple labels

Configuration of Text Classifier

Text to Classify : {{ $json.snippet }}

Categories :

Add Category

Category : Java **and** AI
Description :
Classify the email as "Java + AI" **if** the email body clearly includes both Java-related **and** AI-relat ed topics.

This includes:
- Emails mentioning both Java **and** AI technologies together
- Queries about integrating Java **with** AI **or** Machine Learning
- Requests **for** courses **or** training that include both Java **and** AI
- Discussions involving Java frameworks along **with** AI concepts (ML, Deep Learning, NLP, etc.)
- Job-related queries requiring both Java **and** AI skills

Do NOT classify as "Java + AI" **if**:
- The email **is** mainly focused on only Java **or** only AI
- One topic **is** mentioned casually but **not** part of the main request
- The email **is** a general enquiry without clear focus on both topics

Only classify as "Java + AI" when both Java **and** AI are clearly important **and** equally relevant **in** the email.



routing_wf_text_classifier_config

Duplicate Gmail Add label to message Node
Duplicate the Gmail Add label to message Node
Add that node to the Text Classifier(Java **and** AI)



routing_wf_gmail_duplicate

routing_wf_gmail_duplicate

Configuration of Gmail node

Only change Label Names **or** IDs to "Java" **and** "AI"



routing_wf_gmail_config

7. Complete Workflow

routing_wf_complete

8. Make the workflow live

Publish the Workflow

routing_wf_publish

Send a mail to the gmail
Send a mail to the gmail which **is** configured **in** the workflow
And check the mails



routing_wf_gmail_mails

n8n Routing, Auto-Reply & Telegram Forwarding

1. Create a new workflow
import the previous workflow "routing flow" by selecting the json file

DURGA
Software Solutions®



auto_reply_wf_import



auto_reply_wf_import

2. Workflow

auto_reply_wf

3. Add AI Agent to Gmail(AI)

- ✓ Add AI Agent node(Action Node) to "Gmail(AI)"(Action Node)



auto_reply_wf_ai_agent

Add ChatModel : OpenAI Chat Model

- ✓ Add OpenAI Chat Model to "AI Agent"

auto_reply_wf_ai_agent_openai_chat_model

Configuration of OpenAI Chat Model

Credential : n8n free OpenAI API credits **or** Provide your openai API key
Model : gpt-5-mini



auto_reply_wf_ai_agent_openai_chat_model_config

System message generation using ChatGPT

I want system message to reply back to the student enquiry email about AI. Provide reply by mot ivation about AI importance **and** our support team will contact you soon etc

- ✓ It will generate the response.

Run the Workflow

Publish the workflow
Run the workflow by sending enquiry mail **for** ai related information to the gmail which **is** config ured **in** the workflow

Configuration of AI Agent

Source **for** Prompt(User Message) : Define Below
Prompt(User Messsage) : {{ $('Gmail Trigger').item.json.snippet }}
Add Option : System Message

System Message :

You are a friendly **and** professional support team member from DURGASOFT.
Your job **is** to reply to student enquiry emails about Artificial Intelligence courses.
Follow these rules:

1. Use simple Indian English.
2. Keep the tone friendly, motivating, **and** professional.
3. Thank the student **for** their interest.
4. Explain briefly why AI **is** important **for** future careers.
5. Encourage the student by saying they made a good decision.
6. Inform clearly that our support team will contact them soon.
7. Keep the email short **and** easy to read (6–10 lines).
8. Avoid technical jargon.

Email structure:
- Greeting (Hello/Hi + Student)
- Thank them **for** enquiry
- 2–3 lines about importance of AI (future, jobs, growth)
- Motivation line (good decision, great opportunity)
- Inform support team will contact soon
- Closing line (happy to help)

Optional:
- If suitable, mention DURGASOFT as trusted training institute

Do NOT:
- Write long paragraphs
- Use complex words
- Sound robotic

Tone:
Warm, supportive, confident



auto_reply_wf_ai_agent_config

Execute the AI Agent



auto_reply_wf_ai_agent_execute

4. Add Gmail to AI Agent



auto_reply_wf_gmail



auto_reply_wf_gmail

Configuration of gmail

Credential : Gmail Account(select your gmail account **with** credentials)
Resource : Message
Operation : Send
To : {{ $('Gmail Trigger').item.json.From }}
Subject : Re: {{ $('Gmail Trigger').item.json.Subject }}
Email Type : Text
Message : {{ $json.output }}

Add Option : Append n8n Attribution : Disable



auto_reply_wf_gmail_config



auto_reply_wf_gmail_config

Execute the Gmal(Send a message) node



auto_reply_wf_gmail_execute

Check the mail

Check the gamil from where you have send the enquiry

Re: information about ai Inbox ×

g **gk test**
to me

Hello Gopi,

Thank you for your enquiry and interest in learning AI.

AI is growing fast and is being used across many industries. Learning AI will open new job opportunities and help future-proof your career.

You have made a good decision to upskill — it's a great opportunity.

Our support team will contact you soon with suitable AI course options, schedules and fees.

DURGASOFT is a trusted training institute and we will guide you step-by-step.

Happy to help.

Regards,
DURGASOFT Support Team

auto_reply_wf_gmail_message

5. Add AI Agent to Gmail(Java)

- ✓ Add AI Agent node(Action Node) to "Gmail(Java)"(Action Node)

auto_reply_wf_ai_agent

Add ChatModel : OpenAI Chat Model

- ✓ Add OpenAI Chat Model to "AI Agent"



auto_reply_wf_ai_agent_openai_chat_model

Configuration of OpenAI Chat Model

Credential : n8n free OpenAI API credits **or** Provide your openai API key
Model : gpt-5-mini



auto_reply_wf_ai_agent_openai_chat_model_config

System message generation using ChatGPT

Student sends an enquiry mail about java. I want system message to prepare summary of mail **and** sent to telegram that summary. The expected format **is** A new mail came from {{ $('Gmail Trigger').item.json.From }} about Java **with** summary like that

- ✓ It will generate the response.

Run the Workflow

Publish the workflow
Run the workflow by sending enquiry mail **for** ai related information to the gmail which **is** config ured **in** the workflow

Configuration of AI Agent

Source **for** Prompt(User Message) : Define Below
Prompt(User Messsage) : {{ $('Gmail Trigger').item.json.snippet }},{{ $('Gmail Trigger').item.json.Fr om }}
Add Option : System Message

System Message :

You are an email summary assistant.

Your job **is** to read the student enquiry email body provided **in** the user message **and** prepare a short Telegram message.

The email **is** related to Java course enquiry.

Follow this exact output format:

A new mail came from {{ $('Gmail Trigger').item.json.From }} about Java.

Summary:
<write 2 to 4 simple lines about what the student **is** asking>

Important Details:
- Student Name: <name **if** available, otherwise write Not mentioned>
- Mobile Number: <number **if** available, otherwise write Not mentioned>
- Course Interest: Java
- Urgency/Requirement: <mention **if** available, otherwise write Not mentioned>

Action:
Please contact the student soon **and** share Java course details.

Rules:
- Use simple Indian English.
- Keep the message short **and** clear.
- Do **not** add unnecessary explanation.
- Do **not** reply like an email.
- Output only the Telegram message.



auto_reply_wf_ai_agent_config

Execute the AI Agent

auto_reply_wf_ai_agent_execute

6. Add Telegram node to AIAgent

Add Tegram (Send a text message) to the previous AI Agent
To send message to Telegram there should be a bot(mandatory)
We have already created Telegram Bot(lifeskills_with_durgasir_bot)
Use that bot Access Token

auto_reply_wf_telegram

auto_reply_wf_telegram

Configuration of Telegram(Send a text message)
Chat ID **is** requied **for** Telegram
BotFather ==> to create a new bot
user info ==> To get information about

Credential : Login **with** your Telegram account by providing the Access Token
Resource : Message
Operation : Send Message
Chat ID : In Telegram "User Info • Get ID • idbot" will give the ID
Text : {{ $json.output }}
Reply Markup : None
Add Field : Append n8n Attribution : Disable



auto_reply_wf_telegram_desktop



auto_reply_wf_telegram_send_text_message_config

Execute the Telegram node



auto_reply_wf_telegram_send_text_message_execute



auto_reply_wf_telegram_desktop

7. Publish the workflow to make it live

auto_reply_wf_publish

Merge Node and Aggregator Node

Merge Node

Collect outputs form multiple agents
After Merge we are getting separate items
Merge = "Put all answers in one place"

Aggregator

Convert multiple items ==> one structured item
After Aggregatoe everything **is in** one clean object
Aggregator = "Organize and combine into one clean format"

Why Both are needed

Without Merge
    You can't collect outputs
Without Aggregator
    Final Agent gets messy list
    Hard to understand/combine

Key Differences between Merge Node and Aggregator Node

Feature	Merge	Aggregator
Purpose	Collect outputs	Structure outputs
Output	Multiple items	Single object
Use	Parallel agents	Before final AI
Meaning	Gather	Organize

Merge gives raw data.
Aggregator makes it usable

n8n Parallelism & Multiple AI Agents

Create a new workflow

Create a new workflow 'Career guidance workflow' under 'My project2'

1. Create Manual Workflow : Create Trigger Node

- ✓ Add first Step ==> Nodes ==> "n8n Form"



career_guidance_wf_n8n_form



career_guidance_wf_n8n_form

Configuration of n8n form

Test URL : https://warriors.app.n8n.cloud/form-test/77131710-d1df-4ec3-956d-3659d0ae30fe

Rename the Node : Student Request Form
Authentication : None
Form Title : Student Request Form
Form Description :
Form Elements : Add Form Element
Label : Name
Element Type : Text Input
Add Attribute : Required Field - Enable

Label : Email
Element Type : Email
Add Attribute : Required Field - Enable

Label : Question
Element Type : Text Input
Add Attribute : Required Field - Enable



career_guidance_wf_n8n_form_elements

Execute the node



career_guidance_wf_n8n_form_elements_execute

Submit the form



career_guidance_wf_n8n_submit



career_guidance_wf_n8n_form_submit

2. Add Action Node : AI Agent

✓ Add AI Agent node(Action Node) to "n8n Form"(Trigger Node)



career_guidance_wf_ai_agent

AI Agent Configurations

Source **for** Prompt(User Message) : Define Below
Prompt(User Message) : {{ $json.Question }}
Add Option : System Message

System Message:

You are a DURGASOFT roadmap advisor.

Based on the student question, give a simple learning roadmap.
Use simple English. Keep it practical.



career_guidance_wf_ai_agent_config

Duplicate AI Agent
Duplicate the AI Agent two times
Rename first AI Agent ==> Roadmap Agent
Rename first AI Agent ==> Skills Agent
Rename first AI Agent ==> Interview Agent
connect all these agents to the previous n8n Form node



career_guidance_wf_ai_agent_duplicate



career_guidance_wf_ai_agent_rename

Skills Agent Configurations

Source **for** Prompt(User Message) : Define Below
Prompt(User Message) : {{ $json.Question }}
Add Option : System Message

System Message:

You are a DURGASOFT skills advisor.
Based on the student question, list the important skills required.
Use simple bullet points.



career_guidance_wf_skills_agent_config

Interview Agent Configurations

Source **for** Prompt(User Message) : Define Below
Prompt(User Message) : {{ $json.Question }}
Add Option : System Message

System Message:

You are a DURGASOFT interview preparation advisor.
Based on the student question, suggest interview preparation topics.
Keep it short **and** beginner-friendly.



career_guidance_wf_interview_agent_config

Add ChatModel to all AI Agents: OpenAI Chat Model

- ✓ Add OpenAI Chat Model to “AI Agent”



career_guidance_wf_roadmap_agent_openai_chat_model

Configure the ChatModel

Credential : n8n free OpenAI API credits **or** Provide your openai API key
Model : gpt-5-mini



career_guidance_wf_roadmap_agent_openai_chat_model_config

Assign the ChatModel

Assign the same single ChatModel to all the Agents ==> Roadmap Agent, Skills Agent, Interview Agent



career_guidance_wf_openai_chat_model

Execute the Roadmap Agent Node



career_guidance_wf_roadmap_agent_execute

Execute the Skills Agent Node



career_guidance_wf_skills_agent_execute

Execute the Interview Agent Node



career_guidance_wf_interview_agent_execute

3. Add Merge Node

Merge Node : Merges data of multiple streams once data from both **is** avaialable



career_guidance_wf_merge_node

Configuration of Merge Node

Mode : Append

Number of Inputs : 3



career_guidance_wf_merge_node_config

Connect All agents to Merge Node



career_guidance_wf_ai_agents_merge_node

Execute the Merge Node



career_guidance_wf_merge_node_execute

4. Add Aggregate Node

Add Aggregate node to previous Merge Node
Combine a field from many items into a list **in** a single item



career_guidance_wf_aggregate_node

Configuration of Aggregate Node

Aggregate : Individual Fields
Fields to Aggregate : output



career_guidance_wf_aggregate_node_config

Execute the Aggregate Node



career_guidance_wf_aggregate_node_execute

5. Add AI Agent

Add AI Agent to the previous Aggregate Node

career_guidance_wf_ai_agent

Configuration of AI Agent

Source **for** Prompt(User Message) : Define Below
Prompt(User Message) :
output : {{ $json.output }}
Name of the student : {{ $('Student Request Form').item.json.Name }}

Add Option : System Message

System Message:

You are a DURGASOFT student mentor.
Combine the roadmap, skills, **and** interview preparation outputs into one clear final answer.
Use simple English.
End **with** one motivating line.



career_guidance_wf_ai_agent_config

Add ChatModel to AI Agents: OpenAI Chat Model

- ✓ Add OpenAI Chat Model to "AI Agent"

career_guidance_wf_ai_agent_openai_chat_model

Configure the ChatModel

Credential : n8n free OpenAI API credits **or** Provide your openai API key
Model : gpt-5-mini



career_guidance_wf_ai_agent_openai_chat_model_config

Execute AI Agent



career_guidance_wf_ai_agent_execute

6. Action node : Gmail Send Message

Add " Gmail Send Message" (Action Node) to Previous "AI Agent"(Action Node)



career_guidance_wf_gmail

career_guidance_wf_gmail

Configuration of Gmail Send a message

Credential : Gmail Account(select your gmail account **with** credentials)
Resource : Message
Operation : Send
To : {{ $('Student Request Form').item.json.Email }}
Subject : Roadmap, Skillset **and** Interview Guidance
Email Type : Text
Message :
{{ $json.output }}

Regards

DURGASOFT

Add Option : Append n8n Attribution : Disable



career_guidance_wf_gmail_config



career_guidance_wf_gmail_config

Execute the Gmail Send a message node



career_guidance_wf_gmail_execute

Gmail message



career_guidance_wf_gmail_message

Resources (simple)
- Books/tutorials: Automate the Boring Stuff, Real Python, freeCodeCamp.
- Practice: LeetCode, HackerRank, Codewars.
- Docs: Python docs, Flask/Django/FastAPI docs.
- Courses: pick one well-rated course on Coursera/Udemy/edX for guided learning.

Resume & GitHub tips
- Write clear READMEs and usage instructions.
- Keep code organized and PEP8-friendly.
- Put GitHub and LinkedIn links on resume.
- Highlight measurable impact and your role in projects.

Want a customized week-by-week plan?
Tell me:
- How many hours per week you can study.
- Which specialization you prefer (web, data, automation, backend).
I will give a 4–12 week detailed plan and suggest your first 3 projects.

You can do this, Gopi — start small, be consistent, and keep building.
You've got this!

Regards
DURGASOFT

career_guidance_wf_gmail_message

7. Make the workflow live

Publish the Workflow

career_guidance_wf_publish

Advantages of Parallelism

1. Faster Response
2. Multi-Expert Thinking
3. Easy to Scale
4. Better final output quality

Only one constraint ==> tasks should be independent

In n8n **in** the visualization we are seeing that it **is** executed node by node but internally it **is** exe cuted parallelly

Merge Vs Aggregate

1. Create a new project

import the previous project "Career guidance workflow" by selecting the json file



merge_aggregate_wf_import



merge_aggregate_wf_import

2. Workflow

merge_aggregate_wf

3. Execute the workflow

merge_aggregate_wf_execute

Submit the form



merge_aggregate_wf_form_submit

Final Result

Input to the Merge node : 3 inputs
Output from Merge node : 3 items

input to Aggregate node : 3 items
output from Aggreagate node : 1 item

input to AI Agent node : 1 item

output from AI Agent node : 1 item

input to Gamil node : 1 item
output from Gmail node : 1 item

only one Email will be sent

merge_aggregate_wf_final_result

3. Deactivate the Aggregate Node

Now deactivate the Aggregate node

merge_aggregate_deactivate_aggregate

merge_aggregate_deactivate_aggregate

Execute the workflow again



merge_aggregate_wf_execute

Submit the form



merge_aggregate_wf_form_submit

Final Result

Input to the Merge node : 3 inputs
Output from Merge node : 3 items

input to AI Agent node : 3 items
output from AI Agent node : 3 items

input to Gamil node : 3 items
output from Gmail node : 3 items

3 mails are sent

merge_aggregate_wf_final_result

merge_aggregate_wf_gmail_messages

4. Update the Merge Node configuration(Combine)

Prevously the Mode **is** "Append"
Change that to "Combine"

Mode : Combine
Combine By : Position
Number of Inputs : 3



merge_aggregate_wf_merge_node_config

Execute the workflow again

merge_aggregate_wf_execute

Submit the form



merge_aggregate_wf_form_submit

Final Result

Input to the Merge node : 3 inputs
Output from Merge node : 1 item

input to AI Agent node : 1 item
output from AI Agent node : 1 item

input to Gamil node : 1 item
output from Gmail node : 1 item

Only one mail **is** sent

merge_aggregate_wf_final_result

DURGA
Software Solutions®



gk test Roadmap, Skillset and Interview Guidance - Hi Gopi — below is a single, simple roadmap that combines what to learn, hands-on practice, and intervie... 8:52 AM

Roadmap, Skillset and Interview Guidance Inbox ×

Summarize this email

gk test
to me

8:52 AM (1 minute ago)

Hi Gopi — below is a single, simple roadmap that combines what to learn, hands-on practice, and interview prep for n8n jobs. Follow the plan, build the sample workflows, and practise explaining them.

Roadmap (6 weeks, beginner → job-ready)
- Week 1 — Basics
  - Learn what n8n is, typical use cases (automation, integrations, ETL).
  - Understand workflows, nodes, triggers, webhook vs regular triggers.
  - Play with the UI: create a simple manual workflow and run it.
- Week 2 — Core nodes & expressions
  - Learn key nodes: Webhook, HTTP Request, Set, Function, Merge, SplitInBatches.
  - Practice Expressions and simple JavaScript in Function nodes.
  - Study data flow: items, node input/output, run modes.
- Week 3 — Integrations & APIs
  - Connect to a public REST API using HTTP Request. Handle headers and auth.
  - Learn auth types: API key, OAuth2, Basic.
  - Try database nodes (Postgres/MySQL) and a file service (S3 or Google Drive).
- Week 4 — Error handling & reliability
  - Implement retries, timeouts, On-Failure/error workflows.
- Note performance considerations (rate limits, batching).

Practical interview tips
- Keep answers concise and structured: problem → solution → trade-offs.
- If asked to design a workflow, sketch nodes and explain data flow.
- Bring a live demo or screen recording of your workflows.
- Be honest about limitations and what you'd improve.

Quick checklist before interviews
- 2–3 working workflows ready to demo.
- Short notes for answers to common questions.
- Environment ready (local or n8n.cloud) and credentials masked.
- Know how to run Docker compose or restart n8n quickly if needed.

Resources (fast)
- Official docs and node reference (n8n.io/docs).
- n8n community forum and GitHub examples.
- Simple JS/JSON tutorials (free online).

Good luck, Gopi — build small, demo clearly, and you'll shine in the interview. You've got this!

Regards
DURGASOFT

merge_aggregate_wf_gmail_messages

Specific Output format

1. Create a new project

import the previous project "Career guidance workflow" by selecting the json file



merge_aggregate_wf_import



merge_aggregate_wf_import

2. Workflow



merge_aggregate_wf

3. Configuration of Roadmap Agent

Change the System Message

System Message:

You are a DURGASOFT roadmap advisor
Based on the student quesion, provide only roadmap guidance

Return output **in** this exact format:

ROADMAP:
1. .....
2. .....
3. ....



merge_aggregate_wf_roadmap_agent_config



merge_aggregate_wf_roadmap_agent_config

4. Configuration of Skills Agent

Change the System Message

System Message:

You are a DURGASOFT skills advisor
Based on the student quesion, provide only required skills

Return output **in** this exact format:

SKILLS REQUIRED:
1. .....
2. .....
3. ....



merge_aggregate_wf_skills_agent_config

merge_aggregate_wf_skills_agent_config

5. Configuration of Interview Agent

Change the System Message

System Message:

You are a DURGASOFT interview preparation advisor
Based on the student quesion, provide only interview preparation points

Return output **in** this exact format:

INTERVIEW PREPARATION:
1. .....
2. .....
3. ....



merge_aggregate_wf_interview_agent_config



merge_aggregate_wf_interview_agent_config

6. Execute the workflow

Execute the workflow by removing the connection between Aggregate Node **and** AI Agent



merge_aggregate_wf_execute

Submit the Form



merge_aggregate_wf_form_submit

7. Connect the Aggregate node to AI Agent

Now connect again the Aggregate node to the AI Agent



merge_aggregate_wf_ai_agent

Configuration of AI Agent:
All 3 outputs from the agents are available



merge_aggregate_wf_ai_agent

Source **for** Prompt(User Message) : Define below

Prompt (User Message) :
Name of the student : {{ $('Student Request Form').item.json.Name }}
Question : {{ $('Student Request Form').item.json.Question }}
Roadmap : {{ $('Roadmap Agent').item.json.output }}
Skills: {{ $('Skills Agent').item.json.output }}
Interview : {{ $('Interview Agent').item.json.output }}

System Message:

You are a DURGASOFT student mentor.
Combine all agent outputs into one clear replay **for** the student.
USe this format exactly

Hi [Student Name]
Thanks **for** your question.
Your Question:
[Student Question]
Learning Roadmap:
[Roadmap points]
Important SKills
[Skills points]
Interview Preparation:
[Interveiw points]
Final Suggesion:
[Short practical advice]
Motivation:
[One simple motivating line]
Use simple English
Do **not** add unnessary explanation

Regards
DURGASOFT



merge_aggregate_wf_ai_agent_user_prompt



merge_aggregate_wf_ai_agent_system_message

Execute AI node



merge_aggregate_wf_ai_agent_execute

8. Execute Gmail node



merge_aggregate_wf_gmail_execute

Check the mail



Roadmap, Skillset and Interview Guidance Inbox ×

Summarize this email

gk test
to me

Hi Gopi
Thanks for your question.

Your Question:
Need java training and job

Learning Roadmap:
1. Learn Core Java (4–6 weeks): syntax, primitive types, OOP (classes, inheritance, polymorphism), exception handling, collections, generics, I/O, and Java 8 features (streams, lambdas). Build small console apps.
2. Master Data Structures & Algorithms (4–6 weeks): arrays, lists, stacks, queues, trees, graphs, sorting/searching, complexity analysis. Practice on LeetCode/HackerRank daily (focus on medium problems).
3. Advanced Java & Concurrency (3–4 weeks): multithreading, synchronization, concurrency utilities, JVM internals (memory, GC), classloading, performance tuning, common pitfalls.
4. Databases & SQL (2–3 weeks): relational design, SQL queries, joins, indexes, transactions. Learn JDBC and basic ORM concepts.
5. Learn Hibernate/JPA (2–3 weeks): mapping entities, relationships, JPQL, caching, transaction management. Integrate with projects.
balancing, database sharding, CAP theorem, and designing simple web systems.
16. Use version control professionally: Git workflows (branching, PRs, rebases), resolving merge conflicts, and writing good commit messages.
17. Build a strong portfolio: 2–3 complete projects (Spring Boot + DB + REST + frontend or CLI), host code on GitHub, and prepare project walkthroughs.
18. Practice behavioral and HR questions: STAR method for past experiences, strengths/weaknesses, teamwork and conflict examples.
19. Prepare for whiteboard interviews: practice explaining solutions aloud, drawing diagrams, and writing clean pseudo-code before coding.
20. Do mock interviews and technical presentations: simulate real interviews, get feedback, refine communication, and prepare concise elevator pitch about yourself.

Final Suggesion:
Start with Core Java and one small project, practice DSA daily, build projects with Spring Boot, put code on GitHub, and apply + network every week.

Motivation:
Stay consistent—small daily progress leads to a job.

Use simple English
Do not add unnessary explanation

Regards
DURGASOFT

merge_aggregate_wf_gmail_message

Aggregator

With Aggregator

Flow

Form → 3 AI Agents → Merge Append → Aggregator → Final AI Agent → Gmail

Positives

- Clean **and** structured output
- Final AI Agent gets one clear input
- Easy to label outputs like roadmap, skills, interview
- Best **for** real projects
- Easy to debug **and** scale

Negatives
- One extra Node
- Slightly more setup
- Little more execution time

Without Aggregator

Flow

Form → 3 AI Agents → Merge Combine → Final AI Agent → Gmail

Positives
- Faster
- Fewer nodes
- Simple **for** classroom demo
- Easy to build quickly

Negatives
- Less control
- Output may become confusing **if** agent names/fields are **not** clear
- Harder to scale when more agents are added
- Depends more on proper formatting from AI agents

Clear Comparision

Point	With Aggregator	Without Aggregator
Speed	Slightly slower	Faster
Setup	More steps	Simple
Structure	Very clean	Medium
Reliability	High	Medium
Best for	Real automation	Demo/simple flow
Risk of multiple emails	Low	Low if Merge Combine used
Scaling	Easy	Difficult

Note

Without Aggregator = Quick Shortcut
With Aggregator = Proper Production Design

Evaluate-Optimize Framework & n8n Loops

Create a new workflow

Create a new workflow 'Eval_Oprtimizer Workflow' under 'My project2'

1. Create Manual Workflow : Create Trigger Node

✓ Add first Step ==> Nodes ==> "n8n Form"



eval_optimizer_wf_n8n_form



eval_optimizer_wf_n8n_form

Configuration of n8n form

Test URL : https://warriors.app.n8n.cloud/form-test/80404473-ef2f-43df-88b9-dfb332061499

Rename the Node : Student Request Form
Authentication : None
Form Title : Student Request Form
Form Description :
Form Elements : Add Form Element
Label : Name
Element Type : Text Input
Add Attribute : Required Field - Enable

Label : Email
Element Type : Email
Add Attribute : Required Field - Enable

Label : Question
Element Type : Text Input
Add Attribute : Required Field - Enable



eval_optimizer_wf_n8n_form_elements

Execute the node



eval_optimizer_wf_n8n_form_elements_execute

Submit the form



eval_optimizer_wf_n8n_form_submit



eval_optimizer_wf_n8n_form_submit

2. Add Action Node : AI Agent

✓ Add AI Agent node(Action Node) to "n8n Form"(Trigger Node)



eval_optimizer_wf_ai_agent

Add ChatModel AI Agent: OpenAI Chat Model

✓ Add OpenAI Chat Model to "AI Agent"



eval_optimizer_wf_ai_agent_openai_chat_model

Configure the ChatModel

Credential : n8n free OpenAI API credits **or** Provide your openai API key
Model : gpt-5-mini



eval_optimizer_wf_ai_agent_openai_chat_model_config

AI Agent Configurations

Source **for** Prompt(User Message) : Define Below
Prompt(User Message) : {{ $json.Question }}
Add Option : System Message

System Message:

You are a DURGASOFT faculty assistant.

Answer the student question **in** simple Indian English.

Rules:
1. Explain like a classroom trainer.
2. Use beginner-friendly language.
3. Give one real-time example.
4. If it **is** technical, give simple code.
5. Avoid complex words.
6. Make answer useful **for** students **and** job seekers.

Output format:

Title:
Simple Explanation:
Real-Time Example:
Code Example:
Final Summary:



eval_optimizer_wf_ai_agent_config

Execute the AI Agent



eval_optimizer_wf_ai_agent_execute

3. Add Action Node : Edit Fields(Set)

Add "Edit Fields" (Action Node) to Previous "AI Agent"(Action Node)
Modify, add **or** remove item fields



eval_optimizer_wf_edit_fields

Configuration of Edit Fields Node

Mode : Manual Mapping
Fields to Set : Add Field
current_answer : {{ $json.output }}



eval_optimizer_wf_edit_fields_config

Execute the node



eval_optimizer_wf_edit_fields_execute

4. Add Action Node : AI Agent

✓ Add AI Agent node(Action Node) to “Edit Fields”(Action Node)

eval_optimizer_wf_ai_agent

Rename AI Agent : Eval Agent



eval_optimizer_wf_ai_agent_rename

eval_optimizer_wf_ai_agent_reanme

AI Agent(Explanation) Configurations

Source **for** Prompt(User Message) : Define Below

Prompt(User Message) :

Question : {{ $('Student Request Form').item.json.Question }}

Current Answer : {{ $json.current_answer }}

Add Option : System Message

System message:

You are a strict DURGASOFT answer evaluator.

Check the given answer based on:

1. Simple Indian English
2. Correct explanation
3. Beginner-friendly clarity
4. Real-time example
5. Code example **if** required
6. Proper structure
7. Useful **for** students **and** job seekers

Give score out of 100.

Return only valid JSON.

Format:

```
{
  "score": 85,
  "status": "approved",
  "feedback": "Answer is clear and useful."
}
```

Rules:
If score **is** 80 **or** above, status should be "approved".
If score **is** below 80, status should be "needs_improvement".
Do **not** add extra text outside JSON.



eval_optimizer_wf_ai_agent_config



eval_optimizer_wf_ai_agent_config

Add ChatModel : OpenAI Chat Model

- ✓ Add Previous OpenAI Chat Model to "AI Agent"

eval_optimizer_wf_ai_agent_openai_chat_mode

Execute the AI Agent Node



eval_optimizer_wf_ai_agent_execute

Specific Output Format

AI Agent Configuration

Require Specific Output Format : Enable

Connect an output parser on the canvas to specify the output format you require



eval_optimizer_wf_ai_agent_config

Add Output Parser to AI Agent

Structured Output Parser

Return data **in** a defined JSON format



eval_optimizer_wf_ai_agent_output_parser

Configuration of Structured Output Parser

Schema Type : Generate From JSON Example

JSON Example

```
{
  "score": 85,
  "status": "approved",
```

```
  "feedback": "Answer is clear and useful."
}
```




eval_optimizer_wf_ai_agent_output_parser_config

Execute the AI Agent Node again

Now the output will be **in** the specified format as we have provided **in** previouw step.
It contains the keys

score
status
feedback



eval_optimizer_wf_ai_agent_execute

5. Add Action Node :If

✓ Add If node (Action Node) to Previous “Edit Fields”(Action Node)

eval_optimizer_wf_if_node

Configuration of If node

Conditions

condition : {{ $json.output.score }} **is** greater than **or** equal to 85



eval_optimizer_wf_if_node_condition



eval_optimizer_wf_if_node_condition

Execute the node



eval_optimizer_wf_if_node_execute

6. Add Action Node(If True branch) : Gmail

- ✓ Add “Gmail Send a message” (Action Node) to Previous “If True branch”(Action Node)



eval_optimizer_wf_gmail_node

eval_optimizer_wf_gmail_node_send_message

Configuation of Gmail node

Credential : Gmail Account(select your gmail account **with** credentials)
Resource : Message
Operation : Send
To : {{ $('Student Request Form').item.json.Email }}
Subject : Answer **for** your Query
Email Type : Text
Message :
{{ $('Edit Fields').item.json.current_answer }}

Regards

DURGASOFT

Add Option : Append n8n Attribution : Disable



eval_optimizer_wf_gmail_node_config

Execute Gmail node



eval_optimizer_wf_gmail_node_cexecute

Gmail send message



eval_optimizer_wf_gmail_message

7. Add Action Node(IF false branch) : AI Agent

- ✓ Add AI Agent node(Action Node) to "If false branch"(Action Node)

eval_optimizer_wf_ai_agent

Rename AI Agent : Optimizer Agent



eval_optimizer_wf_ai_agent_rename

eval_optimizer_wf_ai_agent_reanme

Add ChatModel : OpenAI Chat Model

- ✓ Add OpenAI Chat Model to "AI Agent"

eval_optimizer_wf_ai_agent_openai_chat_model

Configuration of ChatModel



eval_optimizer_wf_ai_agent_openai_chat_model_config

Optimizer Agent Configurations

Source **for** Prompt(User Message) : Define Below

Prompt(User Message) :

Question : {{ $('Student Request Form').item.json.submittedAt }}
Current Answer : {{ $('Edit Fields').item.json.current_answer }}
Score : {{ $('Eval Agent').item.json.output.score }}
Feedback : {{ $('Eval Agent').item.json.output.feedback }}

Add Option : System Message

System message:

You are a senior DURGASOFT faculty optimizer.

Improve the previous answer based on evaluator feedback.

Rules:
1. Make explanation simpler.
2. Add missing points.
3. Add real-time DURGASOFT style example.
4. Add simple code **if** required.
5. Improve structure.
6. Make it suitable **for** beginners.
7. Do **not** make it too long unnecessarily.

Output format:

Title:
Improved Explanation:
Real-Time Example:
Code Example:
Student Takeaway:



eval_optimizer_wf_ai_agent_config

Add the Optimizet to the Edit Fields Node



eval_optimizer_wf_ai_agent_edit_fields

Gmail configuration
Message :

Score : {{ $json.output.score }}

{{ $('Edit Fields').item.json.current_answer }}

Regards
DURGASOFT

8. Complete Workflow

eval_optimizer_wf_complete

Debugging Retry Counter Bug in n8n Loop

1. Create a new project

import the previous project "Eval_Oprtimizer Workflow" by selecting the json file

DURGA
Software Solutions®



debug_retry_counter_wf_import



debug_retry_counter_wf_import

2. Workflow

debug_retry_counter_wf

3. Delete connection

Delete connection between n8n form amd AI Agent
Before executing the cuurent node delete the forward node connection

debug_retry_counter_wf_delete

Execute the n8n Form Node



debug_retry_counter_wf_n8n_form_execute



debug_retry_counter_wf_n8n_form_execute

4. Add Edit Fields(Set) Node

After n8n Form Add Edit Fields Node

debug_retry_counter_wf_edit_fields



debug_retry_counter_wf_edit_fields

Configuration of Edit Fields(Set) Node

Mode : Manual Mapping
Add Field
  retry_count(Number) : 0
  current_answer(String) : ""



debug_retry_counter_wf_edit_fields_config

Execute the node



debug_retry_counter_wf_edit_fields_execute

5. Add the connection : Add Edit Fields1 to AI Agent

Add connection between Edit Fields **and** AI Agent
Delete the connection between AI Agent next Edit Fields(Forward direction)

debug_retry_counter_wf_add_connection

debug_retry_counter_wf_delete_connection

debug_retry_counter_wf_delete_connection

Configuration of AI Agent

Source **for** Prompt (User Message) : Define bdlow
Prompt(User Message) : {{ $('Student Request Form').item.json.Question }}
System Message:

You are a DURGASOFT faculty assistant.

Answer the student question **in** simple Indian English.

Rules:
1. Explain like a classroom trainer.
2. Use beginner-friendly language.
3. Give one real-time example.
4. If it **is** technical, give simple code.
5. Avoid complex words.
6. Make answer useful **for** students **and** job seekers.

Output format:

Title:
Simple Explanation:
Real-Time Example:
Code Example:
Final Summary:



debug_retry_counter_wf_ai_agent_config

Execute AI Agent



debug_retry_counter_wf_ai_agent_execute

6. Add Connection Edit Fields(Set) : Add AI Agent to Edit Fields

Add connection between AI Agent **and** Edit Fields
Delete the connection between Edit Fields **and** Eval Agent (Forward direction)

debug_retry_counter_wf_add_connection

debug_retry_counter_wf_delete_connection

debug_retry_counter_wf_delete_connection

Configuration of Edit Fields

Mode : Manual Mapping

Fields to Set

curretn_answer(String) : {{ $json.output }}

retry_count(Number) : {{ $('Edit Fields1').item.json.retry_count }}



debug_retry_counter_wf_edit_fields_config

Execute the Edit Fields Node



debug_retry_counter_wf_edit_fields_execute

7. Add the connection : Add Edit Fields to Eval Agent

Add connection between Edit Fields **and** Eval Agent
Delete the connection between Eval Agent next If node(Forward direction)

debug_retry_counter_wf_add_connection



debug_retry_counter_wf_delete_connection



debug_retry_counter_wf_delete_connection

Configuration of Eval Agent

Only change the System Message

System Message:

System message:

You are a strict DURGASOFT answer evaluator.

Check the given answer based on:

1. Simple Indian English
2. Correct explanation
3. Beginner-friendly clarity
4. Real-time example
5. Code example **if** required
6. Proper structure
7. Useful **for** students **and** job seekers

Give score out of 100.

Return only valid JSON.

Format:

```
{
  "score": 85,
  "status": "approved",
  "feedback": "Answer is clear and useful."
}
```

Rules:
If score **is** 90 **or** above, status should be "approved".
If score **is** below 90, status should be "needs_improvement".
Do **not** add extra text outside JSON.



debug_retry_counter_wf_eval_agent_config

Execute Eval Agent



debug_retry_counter_wf_eval_agent_execute

8. Delete the remaining nodes

debug_retry_counter_wf_delete



debug_retry_counter_wf_delete

9. Add If node

Add If node to the Eval Agent



debug_retry_counter_wf_if_node

Configuration of If node

Conditions

condition : {{ $json.output.score }} **is** greater than **or** equal to 93

DURGA
Software Solutions®



debug_retry_counter_wf_if_node_config



debug_retry_counter_wf_if_node_config

Execute the If node



debug_retry_counter_wf_if_node_edit

10. Add Action Node(If True branch) : Gmail

- ✓ Add “Gmail Send a message” (Action Node) to Previous “If True branch”(Action Node)

debug_retry_counter_wf_gmail_node



debug_retry_counter_wf_gmail_node

Configuation of Gmail node

Credential : Gmail Account(select your gmail account **with** credentials)
Resource : Message
Operation : Send
To : {{ $('Student Request Form').item.json.Email }}
Subject :
Email Type : Text
Message :
Score : {{ $('Eval Agent').item.json.output.score }}

retry_count : {{ $('Edit Fields').item.json.retry_count }}

{{ $('Edit Fields').item.json.current_answer }}

Regards
DURGASOFT

Add Option : Append n8n Attribution : Disable



debug_retry_counter_wf_gmail_node_config

11. Add Action Node(IF false branch) : If node

- ✓ Add If node(Action Node) to "If false branch"(Action Node)

debug_retry_counter_wf_if_node

Configuration of If node

Conditions

condition : {{ $('Edit Fields').item.json.retry_count }} **is** less than **or** equal to 3



debug_retry_counter_wf_if_node_config



debug_retry_counter_wf_if_node_config

Execute If node



debug_retry_counter_wf_if_node_execute

Add Gmail Node If(false branch)

debug_retry_counter_wf_if_node_false

Add Edit Fields to If(true branch)



debug_retry_counter_wf_edit_fields

Configuration of Edit Fields2

Mode : Manual Mappings
Fields to Set
retry_count(Number) : {{ $('Edit Fields').item.json.retry_count +1 }}



debug_retry_counter_wf_edit_fields_config

Execute Edit Fields2



debug_retry_counter_wf_edit_fields_execute

12. Add Action Node : AI Agent

- ✓ Add AI Agent node(Action Node) to "Edit Fields2"(Action Node)

debug_retry_counter_wf_ai_agent

Rename AI Agent : Optimizer Agent

debug_retry_counter_wf_ai_agent_rename



debug_retry_counter_wf_ai_agent_rename

Add ChatModel : OpenAI Chat Model

- ✓ Add OpenAI Chat Model to “AI Agent”



debug_retry_counter_wf_ai_agent_chat_model

Configuration of ChatModel



debug_retry_counter_wf_ai_agent_chat_model_config

Optimizer Agent Configurations

Source **for** Prompt(User Message) : Define Below
Prompt(User Message) :
Question : {{ $('Student Request Form').item.json.Question }}
Current Answer : {{ $('Edit Fields').item.json.current_answer }}
Score : {{ $('Eval Agent').item.json.output.score }}
Feedback : {{ $('Eval Agent').item.json.output.feedback }}

Add Option : System Message

System message:

You are a senior DURGASOFT faculty optimizer.

Improve the previous answer based on evaluator feedback.

Rules:
1. Make explanation simpler.
2. Add missing points.
3. Add real-time DURGASOFT style example.
4. Add simple code **if** required.
5. Improve structure.
6. Make it suitable **for** beginners.
7. Do **not** make it too long unnecessarily.

Output format:

Title:
Improved Explanation:
Real-Time Example:
Code Example:
Student Takeaway:



debug_retry_counter_wf_ai_agent_config

Add output of Optimizer AI Agent to Edit Fields

debug_retry_counter_wf_edit_fields

13. Complete workflow

debug_retry_counter_wf

14. Infinte loop : Bug Fix

The above workflow will be **in** infinite loop
In Edit Field retry_count : {{ $('Edit Fields1').item.json.retry_count }}
Even though the retry_count **is** updated **in** Edit Fields2 as
{{ $('Edit Fields').item.json.retry_count +1 }}, it will consider the Edit Fileds1 value always(it **is** 0)

So sort out this problem update the value "Edit Field retry_count"
Edit Field retry_count : {{ $('Edit Fields2').isExecuted ? $('Edit Fields2').item.json.retry_count : 0 }
} [Ternary operator concept]



debug_retry_counter_wf_edit_fields_config

15. Execute the Workflow

debug_retry_counter_wf_execute

Submit the form



debug_retry_counter_wf_form_submit

DURGA
Software Solutions®

Check the mail



debug_retry_counter_wf_gmail_message

n8n patterns(Frameworks)

Frameworks:
- Prompt Chaining
- Routing
- Parallelism
- Eval Optimizer

MCP

MCP : Model Context Protocol

MCP helps AI models securely connect **and** communicate **with** the external tools like apps, data sources **in** the standardized way.

By default MCP **is** disabled **in** ChatGPT **and** n8n

Connect **and** communicate AI applications **with** other applications **or** other data sources **in** a st andardized way **or in** the secured way. For this purpose specially designed protocol **is** MCP

Enable MCP in n8n (platform-level)

We have to enable MCP **in** n8n platform level
And also we have to enable the MCP **in** workflow level also

By default MCP **is** disabled **in** n8n platform
n8n ==> Settings ==> Instance-level MCP



mcp_n8n



mcp_n8n_enable

Now MCP **is** enabled **in** n8n platform
n8n **is** showing green signal **for** MCP access



mcp_n8n_enable

Connect your client

By this other apps can communicate **with** n8n



mcp_n8n_connect_to_client

Server URL

Server URL : https://warriors.app.n8n.cloud/mcp-server/http
Paste this into your config to point Claude.ai at your instance



mcp_n8n_server_url

API Key
Server URL : https://warriors.app.n8n.cloud/mcp-server/http
Access Token : xxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxx

Configuration JSON

```
{
  "mcpServers": {
    "n8n-mcp": {
      "type": "http",
      "url": "https://warriors.app.n8n.cloud/mcp-server/http",
      "headers": {
        "Authorization": "Bearer xxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxx"
      }
    }
  }
}
```



mcp_n8n_api_key

How to access n8n

We can access the n8n by using

- Server URL
- Access Token
- Json

Publish the workflow and Enable MCP access(workflow-level)

By publishing the workflow, it enable the workflow **for** live execution.

mcp_n8n_workflow_publish



mcp_n8n_workflow_publish



mcp_n8n_workflow_publish

mcp_n8n_workflow_mcp_access



mcp_n8n_workflow_mcp_access

Enable Available **in** MCP



mcp_n8n_workflow_mcp_access

Check the workflow enabled for MCP Access

n8n ==> Settings ==> Instance-level MCP



mcp_n8n_enabled_workflows



mcp_n8n_enabled_workflows



mcp_n8n_enabled_workflows

Enable MCP in ChatGPT(GO Version)

ChatGPT changed its UI **in** July 2026:
The Plugin Directory **is** now the main place **for** discovering integrations, rather than the old App s directory

Plugins

Profile ==> Settings ==> Plugins



mcp_chatgpt_settings



mcp_chatgpt_settings_plugins

Search for n8n in the Plugins
Plugins ==> Browse Plugins



mcp_chatgpt_plugins_browse_plugins



mcp_chatgpt_plugins_search_n8n

By default n8n plugin **is not** available.
So we have to create a new plugin
For this first we need to enable the Developer mode

Enable Developer Mode
Settings ==> Plugins ==> Developer Mode



mcp_chatgpt_plugins_developer_mode

By default it **is** Disabled



mcp_chatgpt_plugins_developer_mode_disable

Enable the Developer Mode



mcp_chatgpt_plugins_developer_mode_enable

Create a new Plugin

After Enable the Developer Mode we can see "+" **in** the Plugin Search



mcp_chatgpt_plugins_search_plus

Now Create new plugin


New Plugin
Icon (optional)
PNG only. Best results at 256 x 256 px or larger. Max file size: 10 KB
Name
Custom Tool
Description (optional)
Explain what it does in a few words
Connection
Server URL
Tunnel
https://example.com/sse
Authentication
OAuth



Configuration of new plugin
New App : n8n_durga
Descrption :
MCP Server URL : https://warriors.app.n8n.cloud/mcp-server/http(Server URL of n8n)
Authentication : OAuth
Advanced OAuth settings
I understand **and** want to **continue** : check
Create



mcp_chatgpt_plugins_new_plugin_create

Permision of ChatGPT to n8n workflow

mcp_chatgpt_permission



mcp_chatgpt_permission



mcp_chatgpt_plugin_added

Check the plugins
Search **for** the newly created plugin **in** Plugins



mcp_chatgpt_plugin_search

Chat with n8n from ChatGPT
There are two ways to chat **with** n8n
1. We can select the Chat option from the plugin **and** chat



mcp_chatgpt_plugin_chat

2. Select New Chat
   Select the plugin "n8n_durga"



mcp_chatgpt_new_chat



mcp_chatgpt_new_chat

Chat in ChatGPT : Prompt 1
Provide list of available workflows



mcp_chatgpt_new_chat_response



mcp_chatgpt_new_chat_response

Chat in ChatGPT : Prompt 2

In the workflow : Eval_Oprtimizer Workflow_2_fix, what are various nodes are available

Response:

The Eval_Oprtimizer Workflow_2_fix`** workflow contains 13 nodes

Nodes in the workflow

#	Node Name	Node Type	Purpose
1	**Student Request Form**	Form Trigger	Collects Name, Email, and Question from the student
2	**Edit Fields1**	Set	Initializes retry_count = 0 and current_answer = ""
3	**AI Agent**	AI Agent	Generates the initial answer to the student's question
4	**OpenAI Chat Model**	OpenAI Chat Model	Provides GPT-5-mini to the AI Agent
5	**Edit Fields**	Set	Stores the generated answer in current_answer and maintains retry_count
6	**Eval Agent**	AI Agent	Evaluates the answer and gives a score, status, and feedback
7	**Structured Output Parser**	Structured Output Parser	Forces the evaluator's response into JSON format
8	**If**	IF	Checks whether the answer score is ≥ **93**
9	**Send a message**	Gmail	Emails the answer to the student's email
10	**If1**	IF	Checks whether retry_count < 3
11	**Edit Fields2**	Set	Increments retry_count by 1
12	**Optimizer Agent1**	AI Agent	Improves the answer based on evaluator feedback
13	**OpenAI Chat Model1**	OpenAI Chat Model	Provides GPT-5-mini to the Optimizer Agent

Overall flow

Student Request Form
↓
Edit Fields1
↓
AI Agent
↑
OpenAI Chat Model
↓
Edit Fields
↓

Eval Agent
↑
Structured Output Parser
↓
If
/ \
≥93 <93
↓ ↓
Gmail If1
/ \
<3 ≥3
↓ ↓
Edit Fields2 Gmail
↓
Optimizer Agent1
↑
OpenAI Chat Model1
↓
Edit Fields
↓
Eval Agent
↓
If ...

Important: The workflow is essentially an **AI answer → evaluation → optimization → re-evaluation loop**, with a maximum retry count of **3**, and an email sent when the relevant branch reaches the Gmail node.

I can also break down **each node's exact configuration and expressions** (especially how retry_count and current_answer move through the loop) if you want.

Chat in ChatGPT : Prompt 3
```python
I want to execute this workflow with details name: Gopi, mailid: gopi4bigdata@gmail.com, questi
on:n8n jobs
```



mcp_chatgpt_new_chat_response



mcp_chatgpt_new_chat_response

Check the workflow in n8n under Executions



mcp_chatgpt_n8n_executions

mcp_chatgpt_n8n_executions_completed

Check the gmail for the message



Answer for your Query Inbox ×

Summarize this email

gk test
to me

Score : 92

retry_count : 3

Title:
n8n Jobs / Executions — Beginner-Friendly Guide (DURGASOFT style)

Improved Explanation:
- What is a job?
  - Job = Execution. Each time a workflow runs from start to finish (triggered by Cron, Webhook, UI "Execute", API, or manually), that single run is one execution (job).
- How jobs start:
  - Triggers (Cron, Webhook, Schedule, Polling), manual "Execute Workflow" in the editor, or external calls (curl / API).
- Where to inspect jobs:
  - In n8n UI → Executions. Click an execution to see node-by-node inputs/outputs, timestamps, runtime, and error messages.
- Common job states:
  - success, error/failed, running, queued.

How to run:
- Save as docker-compose.yml and run: docker-compose up -d
- Visit http://localhost:5678, create a webhook/cron workflow, and test with the curl or axios examples.
- To see logs: docker-compose logs -f n8n
- To increase throughput: start more n8n-worker containers.

Student Takeaway:
- Job = one execution. Use the Executions page to inspect inputs, outputs, and errors.
- Debug: inspect node-level data, use "Continue On Fail" carefully, and add retries where needed.
- Scale: enable queue mode + Redis + worker containers (or use n8n.cloud).
- Ops tips: enable pruning to avoid full disks, set N8N_LOG_LEVEL for better logs, and check the execution Retry button (or re-trigger manually) when recovering failed jobs.
- Practice: build a Cron/Webhook workflow, break one node (e.g., wrong Slack token), then find the failed execution, fix it, and retry to see the full cycle.

Regards
DURGASOFT

Note about MCP

AI model **is** respond based on the trained data only

If the AI model **is** connect **with** some data sources, third-party apps, tools then automatically AI model will be more powerful.

The data we are getting from data sources **or** google sheets **or** from n8n workflow **is** by default c onsidered as "Context"

If the model **is** connected **with** n8n ==> n8n **is** the Context Provider **for** the model

Whenever model answers your query first it will bring the Context from the Context Provider **and** by using the "Context" **and with** the existing knowledge the model will respond

To bring the Context some standardization must be required. That standardization **is** nothing b ut "MCP"

Context Provider should be MCP enabled

M : Model = LLM App
C : Context = Third-party data what we are getting
P : Protocol = Standard rules **and** regulations

MCP : Think of it as a Common language :A standard way **for** AI to talk to the outside world

Connecting ChatGPT to n8n Application

Create a new workflow

Create a new workflow 'dbworkflow_feedback' under 'My project2'

1. Create Manual Workflow : Create Trigger Node

- ✓ Add first Step ==> Nodes ==> "n8n Form"



dbworkflow_feedback_n8n_form



dbworkflow_feedback_n8n_form

Configuration of n8n form

Test URL : https://warriors.app.n8n.cloud/form-test/2768fac4-466a-4020-bf89-f39920eca96e

feedback submit form
Authentication : None
Form Title : feedback submit form
Form Description :
Form Elements : Add Form Element
Label : Name
Element Type : Text Input

Add Attribute : Required Field - Enable

Label : Email
Element Type : Email
Add Attribute : Required Field - Enable

Label : Mobile Number
Element Type : Number
Add Attribute : Required Field - Enable

Label : Feedback
Element Type : Textarea
Add Attribute : Required Field - Enable



dbworkflow_feedback_n8n_form_elements

Execute the node



dbworkflow_feedback_n8n_form_execute



dbworkflow_feedback_n8n_form_submit

2. Add Data table node

Add Data table node to the previous n8n form node
Data table permanently save the data across workflow executions **in** a table



dbworkflow_feedback_data_table



dbworkflow_feedback_data_table_insert_row

Configuration of Data Table

Resource : Row
Operation : Insert
Data table :
From list : Create new data table



dbworkflow_feedback_data_table_insert_row_config

Create new data table

Create a new data table student_feedback2



dbworkflow_feedback_data_table_create



dbworkflow_feedback_data_table_create

Add Columns to the data table

Column Names should not contain spaces

Name : Name
Type : string

Name : MailId
Type : string

Name : MobileNumber
Type : string

Name : Feedback
Type : string



dbworkflow_feedback_data_table_columnns

Configuration of Data Table again

Resource : Row
Operation : Insert
Data table :
From list : student_feedback2
Mapping : Map Each Column Manually
Name : {{ $json.Name }}
MailId : {{ $json.Email }}
MobileNumber : {{ $json['Mobile Number'] }}
Feedback : {{ $json.Feedback }}



dbworkflow_feedback_data_table_insert_row_config

Execute the node



dbworkflow_feedback_data_table_insert_row_execute

Check the data tables

Overview provides the access to

- Workflows
- Credentials
- Executions
- Variables
- Data tables



dbworkflow_feedback_overview

DURGA
Software Solutions®



dbworkflow_feedback_overview_data_tables



dbworkflow_feedback_data_tables

dbworkflow_feedback_data_tables_row

3. Complete Workflow



dbworkflow_feedback

4. Publish the workflow and Enable MCP Access

Publish the workflow to make it live
Production URL : https://warriors.app.n8n.cloud/form/2768fac4-466a-4020-bf89-f39920eca96e



dbworkflow_feedback_publish



dbworkflow_feedback_publish



dbworkflow_feedback_publish

Enable the MCP Acess(workflow level)

dbworkflow_feedback_mcp_access

Available MCP : Enable



dbworkflow_feedback_available_mcp

5. Enable MCP in n8n (platform-level)

We have to enable MCP **in** n8n platform level
And also we have to enable the MCP **in** workflow level also

By default MCP **is** disabled **in** n8n platform
n8n ==> Settings ==> Instance-level MCP



dbworkflow_feedback_mcp_n8n

MCP Status should be enabled



dbworkflow_feedback_mcp_n8n

Now MCP **is** enabled **in** n8n platform
n8n **is** showing green signal **for** MCP access

Connect your client
By this other apps can communicate **with** n8n



dbworkflow_feedback_mcp_n8n_connect_your_client

Server URL

Server URL : https://warriors.app.n8n.cloud/mcp-server/http

Paste this into your config to point Claude.ai at your instance



dbworkflow_feedback_mcp_n8n_server_url

API Key
Server URL : https://warriors.app.n8n.cloud/mcp-server/http
Access Token : xxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxx

Configuration JSON

```
{
  "mcpServers": {
    "n8n-mcp": {
      "type": "http",
      "url": "https://warriors.app.n8n.cloud/mcp-server/http",
      "headers": {
        "Authorization": "Bearer xxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxx"
      }
    }
  }
}
```



dbworkflow_feedback_mcp_n8n_api_key

How to access n8n

We can access the n8n by using

- Server URL
- Access Token
- Json

6. Check the workflow for Enable MCP access(workflow-level)

Workflow ==> ... ==> Settings



dbworkflow_feedback_settings

If "Available in MCP" **is** disabled, we have to enebled



dbworkflow_feedback_mcp_access

Check the workflows enabled for MCP Access

n8n ==> Settings ==> Instance-level MCP



dbworkflow_feedback_enabled_workflows

Access
Workflows Exposed



dbworkflow_feedback_enabled_workflows



mcp_n8n_enabled_workflows

7. Enable MCP in ChatGPT(GO Version)

ChatGPT changed its UI **in** July 2026:
The Plugin Directory **is** now the main place **for** discovering integrations, rather than the old App s directory

Plugins
Profile ==> Settings ==> Plugins



mcp_chatgpt_settings



mcp_chatgpt_settings_plugins

Search for n8n in the Plugins
Plugins ==> Browse Plugins



mcp_chatgpt_plugins_browse_plugins



mcp_chatgpt_plugins_search_n8n

By default n8n plugin **is not** available.
So we have to create a new plugin
For this first we need to enable the Developer mode

Enable Developer Mode
Settings ==> Plugins ==> Developer Mode



mcp_chatgpt_plugins_developer_mode

By default it **is** Disabled



mcp_chatgpt_plugins_developer_mode_disable

Enable the Developer Mode



mcp_chatgpt_plugins_developer_mode_enable

Create a new Plugin

After Enable the Developer Mode we can see "+" **in** the Plugin Search



mcp_chatgpt_plugins_search_plus

Now Create new plugin



mcp_chatgpt_plugins_new_plugin



mcp_chatgpt_plugins_new_plugin

Configuration of new plugin
New App : n8n_durga2
Descrption :
MCP Server URL : https://warriors.app.n8n.cloud/mcp-server/http(Server URL of n8n)
Authentication : OAuth
Advanced OAuth settings
I understand **and** want to **continue** : check
Create



mcp_chatgpt_plugins_new_plugin_create

Permision of ChatGPT to n8n workflow



mcp_chatgpt_permission



mcp_chatgpt_permission



mcp_chatgpt_plugin_added



mcp_chatgpt_plugin_added

Check the plugins

Search **for** the newly created plugin **in** Plugins



mcp_chatgpt_plugin_search

8. Chat with n8n from ChatGPT

1. Select New Chat
   Select the plugin "n8n_durga2"



mcp_chatgpt_new_chat



mcp_chatgpt_new_chat

There are two ways to chat **with** n8n
2. We can select the Chat option from the plugin **and** chat



mcp_chatgpt_plugin_chat

Chat in ChatGPT : Prompt 1

Hello chatgpt, list out available workflows

mcp_chatgpt_new_chat_response

Chat in ChatGPT : Prompt 2

Provide information about dbworkflow_feedback



mcp_chatgpt_chat_response

Workflow Details

Property	Details
Name	dbworkflow_feedback
Status	**Active**
Workflow ID	XikRWp4W2IRRlNRL
Nodes	2
Trigger	Form Trigger
Available in MCP	Yes
Created	September 4, 2026
Last updated	September 4, 2026
Trigger count	1

Workflow Flow

Feedback Form
↓
Insert row
↓
student_feedback2 Data Table

The submitted information **is** inserted into the student_feedback2 Data Table.

The mapping **is**:

Form field	Data Table column
Name	Name
Email	MailId
Mobile Number	MobileNumber
Feedback	Feedback

Chat in ChatGPT : Prompt 3
Execute workflow **with** data : Sunny, sunny@gmail.com, 6767676767, classes are excellent **and** slowly learnig step by step



mcp_chatgpt_new_chat_response



mcp_chatgpt_new_chat_response

Check the Data table



mcp_chatgpt_data_table

Chat in ChatGPT : Prompt 4

database tables



mcp_chatgpt_new_chat_response

Chat in ChatGPT : Prompt 5
provide data from student_feedback2



mcp_chatgpt_new_chat_response

Chat in ChatGPT : Prompt 6
mcp enabled workflows list



mcp_chatgpt_new_chat_response

Chat in ChatGPT : Prompt 7

export student_feedback2 data to an excel sheet



mcp_chatgpt_new_chat_response



mcp_chatgpt_new_chat_response

Chat in ChatGPT : Prompt 8
in the student_feedback2 table which student provided feedback as worst



mcp_chatgpt_new_chat_response

Chat in ChatGPT : Prompt 8
in the student_feedback2 table which student provided feedback as worst



mcp_chatgpt_new_chat_response

Chat in ChatGPT : Prompt 9
analyze the feedback **and** provide 3 action items to improve



mcp_chatgpt_new_chat_response

Connecting Lovable to n8n via MCP



MCP

Lovable Prompt

Create a simple Student Enquiry Collector app.

Use MCP integration **with** n8n. Do **not** use webhook URL.

Create one clean page **with** a student enquiry form.

Form fields:

1. Name
2. MobileNumber
3. Email
4. Course dropdown **with** options Java, Python, AI, DevOps, React
5. Message

When the user clicks Submit Enquiry, call the MCP tool named "Submit Student Enquiry MCP"

Pass these exact values to the MCP tool:

* Name
* MobileNumber
* Email

* Course
* Message

After successful submission, show this message:
"Your enquiry submitted successfully. Our team will contact you soon."

If there **is** any error, show:
"Something went wrong. Please try again."

Keep the design simple, clean, mobile-friendly, **and** beginner-friendly.

How to enable MCP in Lovable

+ ==> Connectors ==> Manage Connectors ==> n8n MCP ==> Connect
Server URL :Server URL of n8n
Add **and** Authorize
Custom MCP servers require a Pro plan **or** higher

Connecting Lovable to n8n via Webhook

Create a new workflow

Create a new workflow 'lovable webhook workflow' under 'My project2'

1. Create Manual Workflow : Add Webhook node

- ✓ Add first Step ==> Nodes ==> "Webhook"
- ✓ Starts the workflow when a webhook is called



lovable_webhook_wf_webhook

Configuration of Webhook

Test URL : https://warriors.app.n8n.cloud/webhook-test/enquiry
HTTP Method : POST
Path : enquiry
Authentication : None
Respone : Using 'Respond to Webhook' Node



lovable_webhook_wf_webhook_config

2. Add Data table node

Add Data table node to the previous webhook node
Data table permanently save the data across workflow executions **in** a table



lovable_webhook_wf_webhook_data_table



lovable_webhook_wf_webhook_data_table_insert_row

Configuration of Data Table

Resource : Row
Operation : Insert
Data table :
From list : Create new data table



lovable_webhook_wf_webhook_data_table_insert_row_config

Create new data table

Create a new data table student_enquires

lovable_webhook_wf_webhook_data_table_create



lovable_webhook_wf_webhook_data_table_create

Add Columns to the data table

Column Names should not contain spaces

Name : Name
Type : string

Name : MobileNumber
Type : string

Name : Email
Type : string

Name : Course
Type : string

Name : Message
Type : string



Configuration of Data Table again
Resource : Row
Operation : Insert
Data table :
From list : student_enquires
Mapping : Map Automatically



lovable_webhook_wf_webhook_data_insert_row_config

3. Add Respond to Webhook

- ✓ Add "Respond to Webhook" to "Data table"
- ✓ Returns data for Webhook



lovable_webhook_wf_respond_to_webhook

Configuration of Respond to Webhook

Respond With : First Incoming Item



lovable_webhook_wf_respond_to_webhook_config

4. Create app using lovable

ChatGPT Prompt:
Modigy this prompt **with** webhook url instead of MCP:

Create a simple Student Enquiry Collector app.

Use MCP integration **with** n8n. Do **not** use webhook URL.

Create one clean page **with** a student enquiry form.

Form fields:

1. Name
2. MobileNumber
3. Email
4. Course dropdown **with** options Java, Python, AI, DevOps, React
5. Message

When the user clicks Submit Enquiry, call the MCP tool named "Submit Student Enquiry MCP"

Pass these exact values to the MCP tool:

* Name
* MobileNumber
* Email
* Course
* Message

After successful submission, show this message:
"Your enquiry submitted successfully. Our team will contact you soon."

If there **is** any error, show:
"Something went wrong. Please try again."

Keep the design simple, clean, mobile-friendly, **and** beginner-friendly.

and webhook url **is**: https://warriors.app.n8n.cloud/webhook-test/enquiry

ChatGPT Response
Create a simple Student Enquiry Collector app.

Use n8n webhook integration. Do **not** use MCP.

Create one clean page **with** a student enquiry form.

Form fields:

1. Name
2. MobileNumber
3. Email
4. Course dropdown **with** options Java, Python, AI, DevOps, React
5. Message

When the user clicks Submit Enquiry, send the form data to this n8n webhook URL using POST method:

https://warriors.app.n8n.cloud/webhook-test/enquiry

Send this exact JSON body:

```
{
  "Name": "value entered by user",
  "MobileNumber": "value entered by user",
  "Email": "value entered by user",
  "Course": "selected course value",
  "Message": "value entered by user"
}
```

After successful submission, show this message:

"Your enquiry submitted successfully. Our team will contact you soon."

If there **is** any error, show:

"Something went wrong. Please try again."

Keep the design simple, clean, mobile-friendly, **and** beginner-friendly.

Build app using Lovable
Create a simple Student Enquiry Collector app.

Use n8n webhook integration. Do **not** use MCP.

Create one clean page **with** a student enquiry form.

Form fields:

1. Name
2. MobileNumber
3. Email
4. Course dropdown **with** options Java, Python, AI, DevOps, React
5. Message

When the user clicks Submit Enquiry, send the form data to this n8n webhook URL using POST method:

https://warriors.app.n8n.cloud/webhook-test/enquiry

Send this exact JSON body:

```
{
  "Name": "value entered by user",
  "MobileNumber": "value entered by user",
  "Email": "value entered by user",
  "Course": "selected course value",
  "Message": "value entered by user"
}
```

After successful submission, show this message:

"Your enquiry submitted successfully. Our team will contact you soon."

If there **is** any error, show:

"Something went wrong. Please try again."

Keep the design simple, clean, mobile-friendly, **and** beginner-friendly.



lovable_webhook_wf_lovable_prompt

App is created



lovable_webhook_wf_lovable_app

5. Execute the workflow

lovable_webhook_wf_execute

6. Submit the Lovable Form



lovable_webhook_wf_lovable_app_form_submit



lovable_webhook_wf_lovable_app_form_submit_error

7. Check the Workflow execution



lovable_webhook_wf_execute_error

Configuration of Insert row



lovable_webhook_wf_insert_row_error

The error **is** because **in** data table "student_enquires" we have the following columns

Name
MobileNumber
Email
Course
Message
createdAt
updatedAt

But though the Lovable App we are submitting the following field values

Name
MobileNumber
Email
Course
Message

Mapping Column Mode we have mentioned as "Map Automatically". So it **is** missing "createdAt a nd updatedAt" values.

We have to change the configuration of "Map Automatically" to "Map Each Column Manually"

Name : {{ $json.body.Name }}
MobileNumber : {{ $json.body.MobileNumber }}
Email : {{ $json.body.Email }}
Course : {{ $json.body.Course }}
Message : {{ $json.body.Message }}



lovable_webhook_wf_lovable_insert_row_config

8. Execute the workflow again



lovable_webhook_wf_execute

9. Submit the Lovable Form again



lovable_webhook_wf_lovable_app_form_submit



lovable_webhook_wf_lovable_app_form_submit_success

10. Data is inserted in the data table



lovable_webhook_wf_data_table

11. Publish the workflow

Make workflow live by publishing the workflow

Prodution URL : "https://warriors.app.n8n.cloud/webhook/enquiry"

lovable_webhook_wf_publish

12. Replace Test url with Production URL in Lovable app



lovable_webhook_wf_app_update



lovable_webhook_wf_app_update

13. Publish the Lovable app



lovable_webhook_wf_app_publish



lovable_webhook_wf_app_publish

14. Submit the Lovable app

https://enquiry-connect-easy.lovable.app



lovable_webhook_wf_app_form_submit



lovable_webhook_wf_app_form_submit

15. Data is inserted in the data table



lovable_webhook_wf_data_table

16. Update the Workflow

Add a new node after Insert Node

Add Data table node

Add "Data Node(Get node) after Data Node(Insert row)



lovable_webhook_wf_data_table



lovable_webhook_wf_data_table

Configuraiton of Get row(s)

Resource : Row
Operation : Get
Data table:
From list : student_enquiries



lovable_webhook_wf_data_table_config

Connect Data node(Get row) to Respond to Webhook



lovable_webhook_wf_responod_to_webhook

17. Publish the workflow

Publish the workflow to make the changes live

lovable_webhook_wf_publish

18. Enable MCP in n8n (platform-level)

We have to enable MCP **in** n8n platform level
And also we have to enable the MCP **in** workflow level also

By default MCP **is** disabled **in** n8n platform
n8n ==> Settings ==> Instance-level MCP

lovable_webhook_wf_mcp_n8n

MCP Status should be enabled



lovable_webhook_wf_mcp_n8n

Now MCP **is** enabled **in** n8n platform
n8n **is** showing green signal **for** MCP access

Connect your client
By this other apps can communicate **with** n8n



lovable_webhook_wf_connect_your_client

Server URL

Server URL : https://warriors.app.n8n.cloud/mcp-server/http
Paste this into your config to point Claude.ai at your instance


Connect a client
Pick the client you want to connect, then follow the tailored setup steps.
When your client connects, n8n asks you to grant it access in a new tab.
OAuth (recommended)
API key
Your client
Choose your client to see tailored setup steps
Claude.ai
One-click setup
Add n8n to Claude.ai in one click, then approve access
Add to Claude.ai
Server URL
Paste this into your config to point Claude.ai at your instance
https://warriors.app.n8n.cloud/mcp-server/http


Connect a client
Pick the client you want to connect, then follow the tailored setup steps.
When your client connects, n8n asks you to grant it access in a new tab.
OAuth (recommended)
API key
Your client
Choose your client to see tailored setup steps
Claude.ai
One-click setup
Add n8n to Claude.ai in one click, then approve access
Add to Claude.ai
Server URL
Paste this into your config to point Claude.ai at your instance
https://warriors.app.n8n.cloud/mcp-server/http

API Key
Server URL : https://warriors.app.n8n.cloud/mcp-server/http
Access Token : xxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxx

Configuration JSON

```
{
  "mcpServers": {
    "n8n-mcp": {
      "type": "http",
      "url": "https://warriors.app.n8n.cloud/mcp-server/http",
      "headers": {
        "Authorization": "Bearer xxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxx"
      }
    }
  }
}
```



lovable_webhook_wf_mcp_n8n_api_key

How to access n8n

We can access the n8n by using

Server URL
Access Token
Json

19. Enable MCP for the workflow

workflow settings ==> Enable "Available MCP"



Check the workflows enabled for MCP Access
n8n ==> Settings ==> Instance-level MCP



lovable_webhook_wf_mcp_n8n

Access
Workflows Exposed



lovable_webhook_wf_enabled_workflows



lovable_webhook_wf_enabled_workflows

20. Enable MCP in ChatGPT(GO Version)

ChatGPT changed its UI **in** July 2026:
The Plugin Directory **is** now the main place **for** discovering integrations, rather than the old App s directory

Plugins
Profile ==> Settings ==> Plugins



mcp_chatgpt_settings



mcp_chatgpt_settings_plugins

Search for n8n in the Plugins
Plugins ==> Browse Plugins



mcp_chatgpt_plugins_browse_plugins



mcp_chatgpt_plugins_search_n8n

By default n8n plugin **is not** available.
So we have to create a new plugin
For this first we need to enable the Developer mode

Enable Developer Mode
Settings ==> Plugins ==> Developer Mode



mcp_chatgpt_plugins_developer_mode

By default it **is** Disabled



mcp_chatgpt_plugins_developer_mode_disable

Enable the Developer Mode



mcp_chatgpt_plugins_developer_mode_enable

Create a new Plugin

After Enable the Developer Mode we can see "+" **in** the Plugin Search



mcp_chatgpt_plugins_search_plus

Now Create new plugin



mcp_chatgpt_plugins_new_plugin



mcp_chatgpt_plugins_new_plugin

Configuration of new plugin
New App : n8n_durganew
Descrption :
Connecton : https://warriors.app.n8n.cloud/mcp-server/http(Server URL of n8n)
Authentication : OAuth
Advanced OAuth settings
I understand **and** want to **continue** : check
Create



mcp_chatgpt_plugins_new_plugin

Permision of ChatGPT to n8n workflow

mcp_chatgpt_permission



mcp_chatgpt_permission



mcp_chatgpt_plugin_added

Check the plugins

Search **for** the newly created plugin **in** Plugins



mcp_chatgpt_plugin_search

21. Chat with n8n from ChatGPT

There are two ways to chat **with** n8n

1. We can select the Chat option from the plugin **and** chat
2. Select New Chat
   Select the plugin "n8n_durga2"



mcp_chatgpt_plugin_chat



mcp_chatgpt_plugin_chat

Chat in ChatGPT : Prompt 1
provide available workflows

mcp_chatgpt_new_chat_response



mcp_chatgpt_new_chat_response

Chat in ChatGPT : Prompt 2

execute lovable webhook workflow **with** dummy data **and** provide recores **in** the database table



mcp_chatgpt_new_chat_response

mcp_chatgpt_new_chat_response

Chat in ChatGPT : Prompt 3

How many enquiries are there on ai

DURGA
Software Solutions®

mcp_chatgpt_new_chat_response

Chat in ChatGPT : Prompt 4

analyze the data of ai enquiries **and** update best batch timings



mcp_chatgpt_new_chat_response

21. Complete Flow diagram



complete_flow

Note
MCP stands **for** Model Context Protocol.
Think of it as a common language - A standard way **for** AI to talk to the outside world
Before MCP : AI only knew what it was trained on. No connection to live data **or** tools
With MCP : AI gets "Phone" - It can call **for** information **or** ask someone to complete a task

ChatGPT with Higgsfield ai video

MCP should be enables both **in** ChatGPT **and** Higgsfield

Higgsfield

https://higgsfield.ai/mcp
First Create an account **in** Higgsfield.

AI video creation platform — Higgsfield lets you create cinematic videos from text prompts, imag es, scripts, **and** reference videos, without needing a traditional camera **or** production setup.

Multiple AI models **in** one workspace — It brings models such as Kling, Sora, Veo, Seedance, **an d** Wan into a single platform, allowing creators to choose different models **for** different video-gen eration requirements.

Designed **for** professional-quality content — Its Cinema Studio provides controls inspired by real filmmaking, including virtual cameras, lenses, focal lengths, camera movements, character cons istency, **and** visual references. It **is** useful **for** content creators, marketers, educators, filmmaker s, **and** businesses.

Enable MCP at Higgsfield



higgsfield



higgsfield_plugin

ChatGPT

ChatGPT **is** having higgsfield plugin
Profile ==> Plugins ==> Search **for** Higgsfield

chatgpt_higgsfield_plugin

Install Higgsfield plugin in ChatGPT



chatgpt_higgsfield_plugin_install

login to higgsfileld **with** your credentials



chatgpt_higgsfield_login



chatgpt_higgsfield_authorize

Chat with Higgsfield through ChatGPT

There are two ways to chat **with** Higgsfield

1. We can chat **with** Higgsfield by Opening Chat from HiggsField plugin
2. Open "New Chat" **and** select " Higgsfield"



chatgpt_higgsfield_chat



chatgpt_higgsfield_chat

Chat : Prompt 1
What are various video generation models



chatgpt_higgsfield_chat1

Chat : Prompt 2

To generate the video we need to take paid subscription

prompt:

Create a video where monkey **is** jumping from one branch to another branch use Veo 3.1 Lite, 720p, 16:9 aspect ratio



chatgpt_higgsfield_chat2

In Higgsfield the video **is** generated **and** the generated video **is** shown **in** ChatGPT

RAG
Retrieval
Augmented
Generation

This technique that gives gives AI power to look things up before it answers

RAG : The AI's Research Assistant

Retrieval
Before answering, the AI searches an external knowledge base - like a personal library - for relev ant facts

Aumentation
the retrieved facts are added to the AI's context, enriching what it knows at the moment of answ ering

Generation
The AI combines its general knowledge **with** the retrieved information to produce a grounded, ac curate response.

RAG give AI a "Research Assistant" that fetches real, relevant information before generating any response



how_rag_works

RAG Workflow

Text present **in** PDF ==> Divide into Chunks ==> Vector Embeddings ==> Stored inside vector da tabase

Create a new workflow

Create a new workflow 'durgasoft_vector_pipelining2' under 'My project2'

1. Create Manual Workflow : Add Manual Trigger node

Add first Step ==> Nodes ==> "Manual Trigger"
Runs the Flow on clicking a button **in** n8n



durgasoft_vector_pipeline_wf_manual_trigger

2. Add Action Node : Google Drive

Add "DURGASOFT Python Course.pdf" file to the google drive
Add "Google Drive (Download file)" (Action Node) to Previous "Manual Trigger"(Trigger Node)



durgasoft_vector_pipeline_wf_google_drive



durgasoft_vector_pipeline_wf_google_drive

Configuration of Google Drive

Credential : login **with** your gmail credentials
Resouce : File
Operation : Download
File :
From list : DURGASOFT Python Course.pdf



durgasoft_vector_pipeline_wf_google_drive_config

Execute previous nodes

Execute previous nodes
Then execute the current node



durgasoft_vector_pipeline_wf_google_drive_execute



durgasoft_vector_pipeline_wf_google_drive_execute

3. Add Simnple Vector Store

The easiest way to experiment **with** vector stores, without external setup
Add "Simple Vector Store(Add documents)" to the previous "Google Drive(Download file)" node



durgasoft_vector_pipeline_wf_simple_vectorstore



durgasoft_vector_pipeline_wf_simple_vectorstore_add_documents

Configuration of Simple Vector Store

Operationb Mode: Insert Documents
Memory Key : python_information_document(create new)
Embedding Batch Size : 200



durgasoft_vector_pipeline_wf_simple_vectorstore_add_documents

Add Default Data Loader to Simple Vector Store(Document)
For Simple Vector Store We must Configure "Embedding" **and** "Document"
"Document" : Default Data Loader ==> Load data from previous step **in** the workflow
"Embedding Document" : Embeddings OpenAI



durgasoft_vector_pipeline_wf_simple_vectorstore_default_data_loader

Configuration of Default Data Loader
Type of Data : Binary
Mode : Load All Input Data
Data Format : Automatically Detect by Mime Type
Text Splitting : Simple



durgasoft_vector_pipeline_wf_simple_vectorstore_default_data_loader_config

Add Embeddings OpenAI to Simple Vector Store(Embedding Document)
"Embedding Document" : Embeddings OpenAI



durgasoft_vector_pipeline_wf_simple_vectorstore_embeddings

Configuration of Embeddings OpenAI
Credential : Provide your OpenAI API key
Model : text-embedding-3-small



durgasoft_vector_pipeline_wf_simple_vectorstore_embeddings_config

Execute the Simple Vector Store node



durgasoft_vector_pipeline_wf_simple_vectorstore_execute

4.Complete Work flow



durgasoft_vector_pipeline_wf

Create a another workflow

Create a new workflow 'My workflow' under 'My project2'

1. Create Manual Workflow : Add On Chat(On new chat event)

Add first Step ==> Nodes ==> "Chat"
Runs the Flow when a user sends a chat message.



chat_workflow_chat_node



chat_workflow_chat_node

Execute the node



chat_workflow_chat_node_execute

What **is** the duration of python course?



chat_workflow_chat_node_response

2. Add Action Node : AI Agent

- ✓ Add AI Agent node(Action Node) to "Chat node"(Trigger Node)



chat_workflow_ai_agent

AI Agent Configurations

Source **for** Prompt(User Message) : Connected Chat Trigger Node
Prompt(User Message) : {{ $json.chatInput }}
Add Option : System Message

System Message:

You are DURGASOFT course enquiry assistant

Answer only from the course PDF knowledgebase

If answer **is** available **in** the PDF, give a simple **and** clear answer

If anwer **is not** available, say
"Sorry, this information is not available in the course document"

Use simple Indian English

Do **not** guess



chat_workflow_ai_agent_config

Add ChatModel to AI Agent: OpenAI Chat Model
Add OpenAI Chat Model to "AI Agent"

chat_workflow_ai_agent_openai_chat_model

Configure the ChatModel

Credential : n8n free OpenAI API credits **or** Provide your openai API key
Model : gpt-5-mini



chat_workflow_ai_agent_openai_chat_model_config

Add Tool to AI Agent : Simple Vector Store

Add Simple Vector Store as tool to the AI Agent



chat_workflow_ai_agent_tool

Configuration of Simple Vector Store

Operation Mode: Retrieve Documents(As Tool **for** AI Agent)
Description(Mandatory) : This **is** used by AI Agent
Use this tool to answer questions from DURGASOFT course PDF Knowledgebase including co urse duration, syllabus, trainer, projects, timings, fees **and** course details
Memory Key : python_information_document(which **is** creaed **in** previous workflow)
Limit : 4
Include Metadata : Enable



chat_workflow_ai_agent_tool_config

Add Embeddings to the Simple Vector Store

Add Embeddings OpenAI to the Simple Vector Store



chat_workflow_ai_agent_tool_embeddings

Configuration of Embedding Model
Credential : Provide your OpenAI API key
Model : text-embedding-3-small



chat_workflow_ai_agent_tool_embeddings_config

Execute the AI Agent Node



chat_workflow_ai_agent_execute

3. Prompts in Chat message

Who **is** the trainer

chat_workflow_chat

who **is** the instrucor



chat_workflow_chat

What **is** the syllabus

Who **is** the trainer **for** java course

Update the System message

You are DURGASOFT course enquiry assistant

Answer only from the course PDF knowledgebase

If answer **is** available **in** the PDF, give a simple **and** clear answer

If anwer **is not** available,
please provide best possible anser based on your knowledge

Use simple Indian English

Do **not** guess

Prompts

What **is** the duration of Java Course

Provide typical Java Course duration options(eg.short/long formats)

What **is** the syllabus of Java?

RAG Practice with Cricket Example

For RAG we have to create 2 workflows
Creating vector store,creating vector database, doing vector Pipelining ==> one time activity
By using vector database **for** the end user queries we require to answer ==> Multiple times activi ty
It **is** recommended to take two workflows ==> Recommended approach

Create a new workflow

Create a new workflow 'vectorpipelining3' under 'My project2'

1. Create Manual Workflow : Add Manual Trigger node

Add first Step ==> Nodes ==> "Manual Trigger"
Runs the Flow on clicking a button **in** n8n



cricket_rag_wf_manual_trigger

Execute the workflow



cricket_rag_wf_manual_trigger_execute

2. Add Action Node : Google Drive

Add "50Rules_of_cricket.pdf" file to the google drive
Add "Google Drive (Download file)" (Action Node) to Previous "Manual Trigger"(Trigger Node)



cricket_rag_wf_google_drive



cricket_rag_wf_google_drive

Configuration of Google Drive

Credential : login **with** your gmail credentials
Resouce : File
Operation : Download
File :
From list : 50Rules_of_cricket.pdf



cricket_rag_wf_google_drive_conofig

Execute the node

Execute the current node



cricket_rag_wf_google_drive_execute

3. Add Simnple Vector Store

The easiest way to experiment **with** vector stores, without external setup
Add "Simple Vector Store(Add documents)" to the previous "Google Drive(Download file)" node



cricket_rag_wf_simple_vectorstore



cricket_rag_wf_simple_vectorstore_add_documents

Configuration of Simple Vector Store
Operationb Mode: Insert Documents
Memory Key : cricket_rules_database(create new)
Embedding Batch Size : 200



cricket_rag_wf_simple_vectorstore_add_documents_config

Embedding Batch Size : How many text chunks AI will process at one time
Default value : 200

Add Default Data Loader to Simple Vector Store(Document)
For Simple Vector Store We must Configure "Embedding" **and** "Document"
"Document" : Default Data Loader ==> Load data from previous step **in** the workflow
"Embedding Document" : Embeddings OpenAI



cricket_rag_wf_simple_vectorstore_default_data_loader

Configuration of Default Data Loader
Type of Data : Binary
Mode : Load All Input Data
Data Format : Automatically Detect by Mime Type
Text Splitting : Simple



cricket_rag_wf_simple_vectorstore_default_data_loader_config

Text Slitting
Simple : Splits every 1000 characters **with** a 200 character overlap
1st chunk : 1-1000 characters
2nd chunk : 801-1800 characters
3rd chunk : 1601- 2600 characters
Custom : Connect a custom text-splitting sub-node

Add Embeddings OpenAI to Simple Vector Store(Embedding Document)
"Embedding Document" : Embeddings OpenAI



cricket_rag_wf_simple_vectorstore_embeddings

Configuration of Embeddings OpenAI
Credential : Provide your OpenAI API key / use Gateway Credits
Model : text-embedding-3-small



cricket_rag_wf_simple_vectorstore_embeddings_config

Execute the Simple Vector Store node



cricket_rag_wf_simple_vectorstore_execute

Default Data Loader **is** responsible **for** two activities
to load PDF file binary data
converts into chunks(splitting)
Those chunks are converted to vector embeddings by Embeddings model
Then the vector embeddigs are stored **in** the vector store(Simple Vector Store)

4. Complete Work flow



cricket_rag_wf

Create a another workflow

Create a new workflow 'durgasoft_cricket_rules bot' under 'My project2'

DURGA
Software Solutions®

1. Create Manual Workflow : Add On Chat(On new chat event)

Add first Step ==> Nodes ==> "Chat"

Runs the Flow when a user sends a chat message.



cricket_rag_wf_chat_node



cricket_rag_wf_chat_node

Execute the node



cricket_rag_wf_chat_node_execute

How many balls **in** an over



cricket_rag_wf_chat_node_response

2. Add Action Node : AI Agent

✓ Add AI Agent node(Action Node) to “Chat node”(Trigger Node)



cricket_rag_wf_ai_agent

AI Agent Configurations
Source **for** Prompt(User Message) : Connected Chat Trigger Node
Prompt(User Message) : {{ $json.chatInput }}
Add Option : System Message

System Message:

Get the required data from vector database **and** provide response.

If the matched content **is not** available, then "sorry no information is available"



cricket_rag_wf_ai_agent_config

Add ChatModel to AI Agent: OpenAI Chat Model
Add OpenAI Chat Model to "AI Agent"



cricket_rag_wf_ai_agent_openai_chat_model

Configure the ChatModel
Credential : n8n free OpenAI API credits **or** Provide your openai API key
Model : gpt-5-mini



cricket_rag_wf_ai_agent_openai_chat_model_config

Add Tool to AI Agent : Simple Vector Store
Add Simple Vector Store as tool to the AI Agent



cricket_rag_wf_ai_agent_tool

Configuration of Simple Vector Store

Operation Mode: Retrieve Documents(As Tool **for** AI Agent)
Description(Mandatory) : This **is** used by AI Agent
    Use this tool to get information about cricket
Memory Key : cricket_rules_database(which **is** creaed **in** previous workflow)
Limit : 4
Include Metadata : Enable



cricket_rag_wf_ai_agent_tool_config

Limit : 4
Question **is** converted into question embeddings
For this question embeddings we have to find the top matched embeddings(matched chunks) fro

m vector store
How many matched embeddings our AI model **is** considered depends on the "Limit" paramter
Now top 4 matched chunks are considered.
Our question embedddings + 4 matched chunks are augmented **and** handover to the the chat m odel
Chat model based on the question embeddings **and** matched chunks it will analyze **and** going to provide the exactly required answer

Add Embeddings to the Simple Vector Store
Add Embeddings OpenAI to the Simple Vector Store



####
Configuration of Embedding Model

Credential : Provide your OpenAI API key
Model : text-embedding-3-small



cricket_rag_wf_ai_agent_tool_embeddings_config

Execute the AI Agent Node



cricket_rag_wf_ai_agent_execute

Limit : 4 Chunks



cricket_rag_wf_simple_vector_store

3. Prompts in Chat Message

How many balls present **in** one overs

what **is** duck out?

How many ways to out a batsman?

How many players are tehre **in** football game?

4. Complete Work flow

cricket_rag_wf

5. Note on RAG

Retrieval : Fetch matched chunks **for** the given question embeddings
Augmented : Question embeddings + Matched chunks are combined **and** handover to chat mode
l
Generation: chat model will generate the answer based on the input

Supabase Vector Database

1. Supabase Uses PostgreSQL + pgvector
Supabase vector database **is** built on top of PostgreSQL using the pgvector extension.
This means you can store:
- Normal SQL data
- User informations
- Documents
- AI Embeddings

all inside the same database
Very useful **for** :
- RAG Applications
- AI chatbots
- Semantic Search
- Recommendataion systems

2. It stores Embeddings **for** AI Search
In AI Systems, text **is** converted into vectors(embeddings)
Example:
- Learn Python
- Pyton course **for** beginners

Both may have different words but similar meaning
Supabase vector DB helps fiind similar meaning using vector similarity search
This **is** the core idea behing:
- AI search
- RAG
- AI Agents
- Smart Recommendations

3. Excellent **for** RAG Applications
Supabase **is** widely used **in** RAG(Retrieval-Aumented Generation) systems
Typical flow:
- Upload PDFs/documents
- Split into chunks
- Generate Embeddings
- Store embeddings **in** Supabase
- User asks question
- Similar chunks are retrieved
- LLM generates answer

This **is** commonly used **with** :
- n8n
- LangChain
- OpenAI
- Ollama

4. Easy Integration **with** AI Tools

Supabase integrates easily **with**
- Python
- JavaScript
- FastAPI
- n8n
- AI Agents
- Web Applications

In n8n, you can :
- Store embeddings
- Retrieve similar data
- Build chatbot memory
- Create Document Q&A systems

Very useful **for** students learning practical AI workflows

5. Open Source + Scalable

Supabase **is** developer friendly **and** scalable

Advantages:
- Cloud hosted
- Free tier available
- SQL support
- Authentication included
- Storage included
- Real-time support
- Open-source ecosystem

Small projects **and** enterprise-level AI applications both can use it.

Building RAG Workflow in n8n using Supabase

ChatGPT prompt:

I want 100 interview questions on n8n automation. Provide first 10 questions **with** clear answer s **with** learning conclusions, then wait **for** my confirmation.Once confirmed. Once confirmed gen erate next set of 10 questions **and** answers, **continue** the same **for** the remaining. Have you got it

Supabase setup

Create account

Create account **in** "https://supabase.com/" **with**
email **and** password
A confirmation email will be sent to your email
Once it **is** confirmed it will redirect to Supabase

Create new Organization

Create a new Organization **in** the Supabase
Name : <give the name of your organization>
Type : Personal
Plan : Free-$0/month
Give the details **and** create new organization

DURGA
Software Solutions®

Create New project

Create a new project

Your project will have its own dedicated instance and full Postgres database.
An API will be set up so you can easily interact with your new database.

Organization

krishtraining'sOrg FREE

GitHub (optional)

Connect GitHub

Ideal for agent-first workflows. Update your schema in code and push it to GitHub. Supabase deploys the changes. Learn more

Project name

krishtrainings Project

Database password

•••••••••••• Copy

Note: If using the Postgres connection string, you will need to percent-encode the password

This password is strong. Generate a password.

Region

Asia-Pacific

Select the region closest to your users for the best performance.

Security

- [x] **Enable Data API**
  Autogenerate a RESTful API for your public schema.
  Recommended if using a client library like supabase-js.
- [x] **Automatically expose new tables**
  Grants privileges to Data API roles by default, exposing new tables.
  We recommend disabling this to control access manually.
- [ ] **Enable automatic RLS**
  Create an event trigger that automatically enables Row Level Security on all new tables in the public schema.

ADVANCED CONFIGURATION

These settings cannot be changed after the project is created

Postgres Type

- (•) **Postgres** DEFAULT
  Recommended for production workloads
- ( ) **Postgres with OrioleDB** ALPHA
  Not recommended for production workloads

Cancel | Create new project

Project is created
The Status should be "Healthy"



supabase_project_created

Project URL
Under Project Name we can see the Project URL
Project URL : https://bywvzllsajemlwoziqza.supabase.co
This will be "Host" **in** n8n to connect the supabase account



supabase_project_url

API Key(secrete_role)
Project Settings ==> API Keys ==> Legacy anon, service_role API keys ==> secrete_role ==> reveal **and** copy

secrete_role : eyJhb.....Fv9dHk

This secrete_role will be "Service Role Secrete" **in** n8n to connect the supabase account



supabase_project_secrete_role

Create a new workflow

Create a new workflow 'supabase_vector_pipelining4' under 'My project2'

1. Create Manual Workflow : Add Manual Trigger node
Add first Step ==> Nodes ==> "Manual Trigger"
Runs the Flow on clicking a button **in** n8n



supabase_vector_pipeline_wf_manual_trigger

Execute the node



supabase_vector_pipeline_wf_manual_trigger_execute

2. Add Action Node : Google Drive

Add "100_n8n_Interview_Questions.pdf" file to the google drive
Add "Google Drive (Download file)" (Action Node) to Previous "Manual Trigger"(Trigger Node)



supabase_vector_pipeline_wf_google_drive



supabase_vector_pipeline_wf_google_drive

Configuration of Google Drive

Credential : login **with** your gmail credentials
Resouce : File
Operation : Download
File :
From list : 100_n8n_Interview_Questions.pdf



supabase_vector_pipeline_wf_google_drive_config

Execute the node
Execute the current node



supabase_vector_pipeline_wf_google_drive_execute

3. Add Supabase Vector Store

Add "Supabase Vector Store(Add documents to vector store)" to the previous "Google Drive(Down load file)" node



supabase_vector_pipeline_wf_supabase_vectorstore

supabase_vector_pipeline_wf_supabase_vectorstore_add_docuemnts

Configuration of Supabase Vector Store

Credential :

Connect to Supabase

Host : https://bywvzllsajemlwoziqza.supabase.co

Secrete Key : get the key from the supabase which **is** mentioned **in** Supabase Setup

Operation Mode : Insert Documents

Table Name:

From list :

Embedding Batch Size : 200



supabase_vector_pipeline_wf_supabase_vectorstore_config



supabase_vector_pipeline_wf_supabase_vectorstore_config

Table Name : **is** empty
To create table **in** the "Supabase Vector Store" node click on "Docs"
From that link you will see ==> ""



supabase_vector_pipeline_wf_supabase_vectorstore_config



supabase_vector_pipeline_wf_supabase_vectorstore_config

It will create extension, table **and** function
table name : documents
Copy the SQL Script

```
-- Enable the pgvector extension to work with embedding vectors
create extension vector
with
  schema extensions;

-- Create a table to store your documents
create table documents (
```

```
  id bigserial primary key,
  content text, -- corresponds to Document.pageContent
  metadata jsonb, -- corresponds to Document.metadata
  embedding extensions.vector(1536) -- 1536 works for OpenAI embeddings, change if needed
);

-- Create a function to search for documents
create function match_documents (
  query_embedding extensions.vector(1536),
  match_count int default null,
  filter jsonb DEFAULT '{}'
) returns table (
  id bigint,
  content text,
  metadata jsonb,
  similarity float
)
language plpgsql
as $$
#variable_conflict use_column
begin
  return query
  select
    id,
    content,
    metadata,
    1 - (documents.embedding <=> query_embedding) as similarity
  from documents
  where metadata @> filter
  order by documents.embedding <=> query_embedding
  limit match_count;
end;
$$;
```



supabase_vector_pipeline_wf_supabase_vectorstore_config

Create table in the Supabase

Go to the Supabase account ==> SQL Editor

Paste the Script **in** the SQL Editor **and** Run the script



supabase_vector_supabase_sql_editor

Check the table is created or not

In the Supabase account ==> Go to "Table Editor"

There will be newly created table "documents". No items yet



supabase_vector_supabase_table_editor

Go back to Configuration of Supabase Vector Store in n8n

Credential :

Connect to Supabase

Host : https://bywvzllsajemlwoziqza.supabase.co

Secrete Key : get the key from the supabase which is mentioned in Supabase Setup

Operation Mode : Insert Documents

Table Name:

From list : documents

Embedding Batch Size : 200



supabase_vector_pipeline_wf_supabase_vectorstore_config

Add Default Data Loader to Supabase Vector Store(Document)
For Simple Vector Store We must Configure "Embedding" **and** "Document"
"Document" : Default Data Loader ==> Load data from previous step **in** the workflow
"Embedding Document" : Embeddings OpenAI



supabase_vector_pipeline_wf_supabase_vectorstore_default_data_loader

Configuration of Default Data Loader
Type of Data : Binary
Mode : Load All Input Data
Data Format : Automatically Detect by Mime Type
Text Splitting : Simple



supabase_vector_pipeline_wf_supabase_vectorstore_default_data_loader_config

Add Embeddings OpenAI to Supabase Vector Store(Embedding Document)
"Embedding Document" : Embeddings OpenAI



supabase_vector_pipeline_wf_supabase_vectorstore_embeddings

Configuration of Embeddings OpenAI
Credential : Provide your OpenAI API key
Model : text-embedding-3-small



supabase_vector_pipeline_wf_supabase_vectorstore_embeddings_config

Execute the Supabase Vector Store node



supabase_vector_pipeline_wf_supabase_vectorstore_execute

Check the Supabase account

Vector embeddings are stored **in** the table "documents"


Table Editor
documents
Project Overview
Table Editor
SQL Editor
Database
Authentication
Storage
Edge Functions
Realtime
Advisors
Observability
Logs
Integrations
schema public
New table
Search tables...
documents
Filter by id, content, metadata... or
Sort
Add RLS policy
Role postgres
Insert
id int8
content text
metadata jsonb
Page 1 of 1
100 rows
71 records
Data
Definition

4.Complete Work flow



supabase_vector_pipeline_wf

Create a another workflow

Create a new workflow 'n8n_interview_chatbot' under 'My project2'

1. Create Manual Workflow : Add On Chat(On new chat event)

Add first Step ==> Nodes ==> "Chat"
Runs the Flow when a user sends a chat message.



n8n_interview_chatbot_chat_node



n8n_interview_chatbot_chat_node

Execute the node



n8n_interview_chatbot_chat_node_execute

What **is** trigger node?



n8n_interview_chatbot_chat_node_response

2. Add Action Node : AI Agent

✓ Add AI Agent node(Action Node) to "Chat node"(Trigger Node)



n8n_interview_chatbot_ai_agent

AI Agent Configurations

Source **for** Prompt(User Message) : Connected Chat Trigger Node
Prompt(User Message) : {{ $json.chatInput }}
Add Option : System Message

System Message:

Find the required anaswers from rag database.

If the answer **is not** available update as "sorry currently we are not in a position to answer your query"



n8n_interview_chatbot_ai_agent_config

Add ChatModel to AI Agent: OpenAI Chat Model
Add OpenAI Chat Model to "AI Agent"

n8n_interview_chatbot_ai_agent_openai_chat_model

Configure the ChatModel
Credential : n8n free OpenAI API credits **or** Provide your openai API key
Model : gpt-5-mini



n8n_interview_chatbot_ai_agent_openai_chat_model_config

Add Tool to AI Agent : Supabase Vector Store

Add Supabase Vector Store as tool to the AI Agent



n8n_interview_chatbot_ai_agent_tool

Configuration of Supabase Vector Store

Credential : Provide your supabase account credentials
Operation Mode: Retrieve Documents(As Tool **for** AI Agent)
Description(Mandatory) : This **is** used by AI Agent
  Use this tool to search **for** matched chunks **and** to provide answers **for** the user query
Table Name:
  From list : documents(supabase table)

Limit :
Include Metadata : Enable



n8n_interview_chatbot_ai_agent_tool_config

Add Embeddings to the Supabase Vector Store

Add Embeddings OpenAI to the Supabase Vector Store



n8n_interview_chatbot_ai_agent_tool_embeddings

Configuration of Embedding Model

Credential : Gated Credits(free) / Provide your OpenAI API key
Model : text-embedding-3-small



n8n_interview_chatbot_ai_agent_tool_embeddings_config

Execute the AI Agent Node



n8n_interview_chatbot_ai_agent_execute

3. Prompts in Chat message

What **is** the purpose of MCP

What **is** RAG

What **is** duck out **in** cricket?

What **is** thw question number 10

n8n voice AI Automation

Sequence of Steps :

Send Voice message from Telegram
Download the voice message(audio) **in** the workflow
Translate the audio to text(Speech to Text)
Send the text as input to AI Agent
AI Agent generates response
Transform the text message to Audio file(Text to Speech)
Send the Audio file back to Telegram

Elevenlabs :

https://elevenlabs.io/
Is one of the best tool **for** voice translations
Create an account **in** Elevenlabs

Create a new workflow

Create a new workflow 'voice_ai_automation_workflow' under 'My project2'

1. Create Manual Workflow : Add Trigger Node(Telegram On Message)

✓ Add first Step ==> Nodes ==> "Telegram(On message)"



voice_automation_wf_telegram_node



voice_automation_wf_telegram_node

Login to Telegram Desktop version

Search for “BotFather”


BotFather
BotFather
Open
Update Telegram

life_skills_wf_telegram_desktop



life_skills_wf_telegram_desktop

BotFather **is** the one bot to rule them all.
Use it to create new bot accounts **and** manage your existing bots

START the BotFather



life_skills_wf_telegram_desktop



life_skills_wf_telegram_desktop

Create a new bot
/newbot
Name of the Bot : lifeskills_with_durgasir_bot
User name **for** your bot : lifeskills_with_durgasir_bot(name should ends **with** bot)
It will generates Token
Your bot will be fine at : t.me/lifeskills_with_durgasir_bot
Open that bot



life_skills_wf_telegram_desktop

Configuration of Telegram Node(On Message)
Webhook URLs
Test URL : https://warriors1.app.n8n.cloud/webhook-test/e37b94a8-f909-4c78-8b2d-139884977820/webhook
Production URL : https://warriors1.app.n8n.cloud/webhook/e37b94a8-f909-4c78-8b2d-139884977820/webhook

Credential : Telegram account
Access Token : place the Token generated by BotFather
Base URL : https://api.telegram.org

Trigger On : Message



voice_automation_wf_telegram_node_config



voice_automation_wf_telegram_node_config



voice_automation_wf_telegram_node_config

Execute the workflow



voice_automation_wf_telegram_node_execute

Open the newly created bot(lifeskills_with_durgasir_bot)
Your bot will be fine at : t.me/lifeskills_with_durgasir_bot
Open that bot
Send the voice message from the bot



voice_automation_wf_telegram_desktop



voice_automation_wf_telegram_desktop

Telegram node output



voice_automation_wf_telegram_node

2. Add Telegram Node(Get a file)

Audio file **is** binary file
We have to download that audio file
The Audio file **is** present inside Telegram ==> we have to use Telegram(Get a file) node



voice_automation_wf_telegram_node1



voice_automation_wf_telegram_node1

Configuration of Telegram(Get a file) node

Credential : provide your telegram Access Token
Resource : File
Operation : Get

File ID : {{ $json.message.voice.file_id }}
Download : Enable



voice_automation_wf_telegram_node1_config

Execute the node



voice_automation_wf_telegram_node1_execute

3. Create Account in ElevenLabs and Get API Key

For voice translations ElevenLabs **is** one of the best tool
Create Account **in** ElevenLabs ==> "https://elevenlabs.io/"
Create API key : Develepers ==> API Keys



voice_automation_wf_elevenlabs_api_key_create

Name : n8n new key
Restrict Key : disable



voice_automation_wf_elevenlabs_api_key

API Key – n8n new key
Copy your new API key before closing this dialog. It will **not** be shown again.
This **is** your new API key. Make sure to copy it before closing this dialog as it won't be display ed again!
Save the API key

4. Add ElevenLabs node(Transcribe audio or video)

Add ElevenLabs node to previous Telegram(Get a file) node
ElevenLabs **is** one of the best tool **for** voice translations.
First time it will ask **for** the installation
After installation select the "Transcribe audio or video"



voice_automation_wf_elevenlabs



voice_automation_wf_elevenlabs_install



voice_automation_wf_elevenlabs_installed

voice_automation_wf_elevenlabs_transcribe

Configuration of Transcribe audio or video

Credential :

ElevenLabs API Key : Provide your ElevenLabs API Key here

Resource : Speech
Operation : Speech to Text
File : data



voice_automation_wf_elevenlabs_transcribe_audio_or_video_config



voice_automation_wf_elevenlabs_transcribe_audio_or_video_config

Execute the node



voice_automation_wf_elevenlabs_transcribe_audio_or_video_execute

5. Add Action Node : AI Agent

Add AI Agent node(Action Node) to "ElevenLabs(Transcribe)" node



voice_automation_wf_ai_agent

Configuration of AI Agent

Source **for** Prompt(User Message) : Define Below
Prompt(User Message) : {{ $json.text }}
Add Option : System Message

System Message:

You are a helpful assistant, provide response **in** concise way **for** the user question



voice_automation_wf_ai_agent_config

Add ChatModel AI Agent: OpenAI Chat Model
Add OpenAI Chat Model to "AI Agent"

voice_automation_wf_ai_agent_openai_chat_model

Configure the ChatModel
Credential : n8n free OpenAI API credits **or** Provide your openai API key
Model : gpt-5-mini



voice_automation_wf_ai_agent_openai_chat_model_config

Execute the AI Agent



voice_automation_wf_ai_agent_execute

6. Add ElevenLabs node(Convert text to speech)

Add ElevenLabs node to previous AI Agent node
Select the "Convert text to speech"



voice_automation_wf_elevenlabs

voice_automation_wf_elevenlabs_convert_text_to_speech

Configuration of Convert text to speech

Credential :

ElevenLabs API Key : Provide your ElevenLabs API Key here

Resource : Speech
Operation : Text to Speech
Voice : we can select either "From list" **or** "By ID"

From list : select one of the predefined voice : Bella

By ID : get the voice id from ElevenLabs(nzFihrBIvB34imQBuxub) ==>Subscription requuierd

Text : {{ $json.output }}

DURGA
Software Solutions®



voice_automation_wf_elevenlabs_voice_id



voice_automation_wf_elevenlabs_convert_text_to_speech_config

Execute the node



voice_automation_wf_elevenlabs_convert_text_to_speech_execute

Download the audio file **and** listen

7. Add Telegram Node(Send an audio file)

Add Telegram(Send an audio file) node to previous "ElevenLabs(Text to Speech)" node

voice_automation_wf_telegram_node1

voice_automation_wf_telegram_node1

Configuration of Send an audio file

Credential : Provide your Telegramm Credentials
Resource : Message
Operation : Send Audio
Chat ID : {{ $('Telegram Trigger').item.json.message.chat.id }}
Binary File : Enable
Input Binary Field : data



voice_automation_wf_telegram_node1_config



voice_automation_wf_telegram_node1_config

Chat ID : to the same chat window only the response will be sent

Execute the node



voice_automation_wf_telegram_node1_execute

8. Response in Telegram Desktop

The audio file **is** sent to the telegram



voice_automation_wf_telegram_desktop

9. Publish the workflow

Publish the workflow, so that anyone can access our workflow



10. Complete Workflow

voice_automation_wf

Auto Generate n8n workflows with AI Assistant

workflows_wth_ai_assistant

Workflow Prmpt 1:
ChatGPT Prompt:

I want to create a workflow, it has to display form to the student **with** the fields:
name
email
mobile number
required course.

Once student enter the details, our workflow has to capture the data **and** store **in** the google she et. Workglow has to send a mail to the student saying "Thanks for contacting and our support te am will contact you soon"

ChatGPT Response:

Create an n8n workflow **for** collecting student course enquiries.
The workflow should first display a form to the student **with** these fields:

* Name
* Email
* Mobile Number
* Required Course

All fields should be mandatory.
When the student submits the form, capture the submitted information **and** store it as a new re cord **in** a Google Sheet. The Google Sheet should contain the student name, email, mobile numb er, required course, **and** submission date/time.
After successfully storing the enquiry **in** Google Sheets, automatically send an email to the stud ent's email address.
The email should say:
"Thanks for contacting us. Our support team will contact you soon."
Use the student's name dynamically **in** the email where appropriate.
Make sure every form submission **is** added as a new row **in** the Google Sheet **and** existing data **i s not** overwritten.

Connect all the required nodes **and** configure the workflow so that the complete process works fr om form submission through Google Sheets storage **and** email confirmation.

workflows_wth_ai_assistant

Workflow is generated

workflows_wth_ai_assistant_generated_workflow

Workflow Prmpt 2:

Take random topic **in** agentic ai, create a poster **with** the conclusions of theat topic by using goo gle nanobanana, post this **in** the youtube, instagram **and** facebook

Workflow Prompt 3:

I will provide one topic, based on this topic I want to create 150 mins video **and** I want to publis h this to the YouTube. Workflow **is** required to generate script, scenes, images **and** videos **and** c ombining all those video clips into a single video etc.

It will generate the workflow.

System Prompt:
Create a detailed video script **for** a 150-minute video about: {{ $json.topic }}. Break it down into e xactly 30 scenes (each 5 minutes). For each scene, provide: 1) Scene number, 2) Duration (5 min utes), 3) Narration text (what will be spoken), 4) Visual description (what should be shown). For mat as JSON array **with** fields: sceneNumber, duration, narration, visualDescription.

WhatsApp Bot Worflow

Pre-requisites

Step 1: Create Facebook account/ Use the exsting account
Step 2: Create Business Manager
Step 3: Create Developer app
Step 4: Add products to your app
Step 5: WhatApp cloud API Setup

Step 1: Create Facebook account/ Use the existing account

Use exsitng account
https://www.facebook.com/

Create new account(**with** Email **or** Mobile number)
https://www.facebook.com/reg/?entry_point=login

Step 2: Create Business Manager

https://business.facebook.com/

Login **with** your exsiting facebook account
Your Business **or** Account Name : GK Agent
Your Name : Gopi
Your business email address : <your email address>



facebook_business_manager



facebook_business_manager



confirmation_email

Business Manager Account will be created

Step 3: Create Developer app

``python https://business.facebook.com/ Settings ==> Accounts ==> Apps ==> Create App ==> Add


```python
Confirm Account
```

DURGA
Software Solutions®





It **is** redirected to https://developers.facebook.com/apps
Create app



create_new_app

It **is** redirected to https://developers.facebook.com/apps/creation/



create_new_app

App Details

App Name : GKs Bot

App contact email : <your email>



create_new_app_details

Use Cases:
Others



create_new_app_others

Create an app:
Type:
Select an app Type : Business



create_new_app_business

Create an app:
Details
App Name : GKs Bot(auto-generated from previous step)
App contact email : <your email>(auto generated from previous step)
Business portpolio :
Create app (Ask **for** facebook password)



create_new_app_business



create_new_app_business



create_new_app_business

App is created

Step 4: Add products to your app

Add WhatsApp product to GKs Bot app



add_product_to_app



add_product_to_app_business_platform

Step 5: Get App ID and App Secrete

App Settings ==> Basic
App ID: xxxxxxxxxxxxxxxx
App Secrete : xxxxxxxxxxxxxxxx

n8n WhatApp Business Cloud(On messages) Node requires
Client ID: App ID
Client Secrete : App Secrete



app_id_app_secrete

Step 6: API Access Token generation

WhatsApp ==> Step 1: Try it out

Test Number : xxxxxxxxxxxxxxxxxxxxxxxxx
Phone Number ID : xxxxxxxxxxxxxxxxxxxx
WhatsApp Business account ID : xxxxxxxxxxxxx

Click on "Generate Token"
It will generate Token.

Access Token : xxxxxxxxxxxxxxxxxxxxxxxxxxx

But is is temporary(1 hour use only)

DURGA
Software Solutions®



whatsapp_access_token



whatsapp_access_token



whatsapp_access_token

Send a messge from your test number
Your test Number : xxxxxxxxxxxxxxxxxxxxx
Recipient Number : <your number>
It will send verification code to your number **in** whatsapp
Message : Hello World



whatsapp_send_message



whatsapp_message_received

How to make the Access Token Permanent

Generate Access Token with Permissions

Tools ==> Graph Explorer

Provide the following permissions

- read_insights
- Whatsapp_business_management
- Whatsapp_business_messaging
- whatsapp_business_manage_events

Generate Access Token

graph_explorer



generate_access_token_with_permissions



generate_access_token_with_permissions

Extend the Access Token

Tools ==> Access Token Debugger
Paste the newly generated Access Token **in** the previous step

generate_access_debug



generate_access_debug



generate_access_debug

From Facebook Business Manager we got the following credentials

App ID :
App Secrete :

Phone number ID :
Whatapp Business Account ID :
AccessToken

Create a new workflow : n8n Whatsapp bot workflow

Create a new workflow 'whatsapp_bot_workflow' under 'My project2'

1. Create Manual Workflow : Add WhatsApp Business Cloud(On messages) node

Add first Step ==> Nodes ==> "WhatsApp Business Cloud"
Handle WhatsApp events via webhooks



whatsapp_bot_workflow_wa_business_cloud



whatsapp_bot_workflow_wa_business_cloud_on_messages

Configuration of WhatsApp Trigger

Credential : Connect to WhatsApp OAuth

Client ID : <provide your App ID from WhatsApp Cloud setup>

Client Secrete : <provide your App Secrete from WhatsApp Cloud setup>

Trigger On : Message



whatsapp_bot_workflow_whatsapp_trigger_config



whatsapp_bot_workflow_whatsapp_trigger_config

2. Add Action Node : AI Agent

Add AI Agent node(Action Node) to “WhatsApp Business Cloud”(Trigger Node)



whatsapp_bot_workflow_ai_agent

Add ChatModel : OpenAI Chat Model

Add OpenAI Chat Model to "AI Agent"



whatsapp_bot_workflow_ai_agent_openai_chat_model

Configuration of ChatModel

Credential : n8n free OpenAI API credits **or** Provide your openai API key
Model : gpt-5-mini



whatsapp_bot_workflow_ai_agent_openai_chat_model_config

Coonfiguration of AI Agent

Source **for** Prompt(User Message) : Define Below
Prompt(User Message) : {{ json.messages[0].text }}

Add Option : System Message

System Message:
You are a professional WhatsApp AI assistant representing DURGASOFT.

Your role **is** to guide students, job seekers, **and** working professionals about courses, training, **a nd** career growth **in** a simple, friendly, **and** professional way.

Communication Style (Very Important):
- Use simple Indian English.
- Be friendly like a mentor, **not** like a robot.
- Keep answers short, clear, **and** useful.
- Maintain DURGASOFT teaching style: guidance + motivation + clarity.

Behavior Rules:
- Always greet politely **if** user says hello.
- Understand user intention clearly before answering.
- Give step-by-step guidance when required.
- Do **not** give confusing **or** complex answers.
- If information **is not** available, say politely:

"Please contact our team for more details."

Always keep a positive **and** helpful tone.
If user **is** confused, guide them like a teacher.
If user asks multiple questions, answer one by one clearly.
Do **not** use slang **or** casual disrespectful words.
Always represent DURGASOFT as a trusted training institute.

Assume students may ask these questions:

1. Course Details:
"Thank you for your message. We provide courses like Python, Data Science, AI, Generative AI, DevOps, and Full Stack. Please tell me which course you are interested in."

2. Fees:
"Our course fees depend on the program and duration. Please contact our team for exact fee detail s."

3. Timings:
"We have both morning and evening batches. Please share your preferred timing."

4. Duration:
"Course duration varies based on the program. Generally it ranges from 30 to 90 days."

5. Online **or** Offline:
"We provide both online live classes and offline classroom training."

6. Demo Class:
"Yes, demo class is available. You can attend and then decide."

7. Placement Support:
"Yes, we provide placement support including resume preparation and interview guidance."

8. Contact Details:
"You can contact us at:
99 27 37 27 37
durgasoftonlinetraining@gmail.com"

9. Location:
"Our institute is located in Ameerpet, Hyderabad."

10. Career Guidance:
"Based on your background, we will guide you to choose the right course for your career growth."

Response Format Rules:
Keep answers within 2-4 lines.
Use simple sentences.

Avoid long paragraphs.
If needed, use bullet points.
End important replies **with** a helpful suggestion **or** next step.

Special DURGASOFT Behavior:
Always guide user towards learning **and** growth.
Encourage them politely:
"You can start learning and build your career step by step."
If user shows interest, suggest:
"We recommend you to join our training for better understanding."

Fallback Rule:
If question **is not** related to DURGASOFT training, reply:
"Thank you for your message. I can help you with course details, training, and career guidan ce related to DURGASOFT."

Final Instruction:
Always act like DURGA SIR assistant.
Be helpful, motivating, **and** clear.
Your goal **is** to convert queries into enrollments through trust **and** guidance.



whatsapp_bot_workflow_ai_agent_config

3. Add WhatsApp Business Cloud(Send message) node

Add WhatsApp Business Cloud(Send message) node to previous AI Agent



whatsapp_bot_workflow_wa_businges_cloud



whatsapp_bot_workflow_wa_businges_cloud_send_message

Configuration of Send message

Credential :

Access Token : <from facebook app>

Business Account ID : <from facebook app>

Resource : Message

Operation : Send
Sender Phone Number(**or** ID) : <from Facebook app>
Recipient's Phone Number : <provide your whatsapp number>
Message Type : Text
Text Body : {{ json.output }}



whatsapp_bot_workflow_wa_businges_cloud_send_message_config



whatsapp_bot_workflow_wa_businges_cloud_send_message_config



whatsapp_bot_workflow_wa_businges_cloud_send_message_config

4. Execute the Workflow

whatsapp_bot_workflow_execute

5. Send message from WhatsApp



whatsapp_bot_workflow_send_message