

Dashboard overview

Platform status, clusters and workload inventory

KubeLaunch

LINUX SELF-SERVICE PORTAL

Overview

Cluster Requests

Linux Deployment

Scaling

Upgrades

Deployment History

● Prototype environment

Local simulation · No live cluster access

Workspace / Overview

Demo Mode

BD

DEVELOPER WORKSPACE

Infrastructure at a glance

Request environments and manage Linux workloads from one place.

Total clusters

2

Demo environments

Active deployments

1

Linux workloads

Desired replicas

4

Across deployments

Recorded events

3

Baseline + demo actions

Cluster environments

Request cluster →

NAME	PROVIDER	NODES	STATUS
vmware-lab	Local kind	1	Ready
vmware-test	Local kind	1	Ready

Quick actions

Launch your next Linux workload

Select a cluster, choose an image, and deploy using the guided workflow.

+ New deployment

This clickable prototype simulates requests locally. It does not execute kubectl or provision real VMware infrastructure.

Recent activity

View history →

TIME	ACTION	RESOURCE	DETAILS	RESULT
Demo baseline	Scale workload	nginx-demo	3 → 4 replicas (previously observed)	Success
Demo baseline	Deploy workload	nginx-demo	NGINX Linux deployment (previously observed)	Success
Demo baseline	Provision cluster	vmware-test	Local kind cluster (previously observed)	Success

Cluster requests

Request and configure a Linux Kubernetes cluster

KubeLaunch

LINUX SELF-SERVICE PORTAL

Overview

Cluster Requests

Linux Deployment

Scaling

Upgrades

Deployment History

● Prototype environment

Local simulation · No live cluster access

Workspace / Cluster Requests

Demo Mode

BD

INFRASTRUCTURE / 01

Cluster requests

Provision a standard Linux Kubernetes environment using a guided request form.

Request a cluster

Cluster name

e.g. linux-dev-01

Lowercase letters, numbers and hyphens

Environment

Development

Kubernetes version

v1.35.0 (demo)

Worker nodes

1 node

Infrastructure

Local kind (simulation)

Demo only: requests update the prototype state. No actual Kubernetes cluster is created.

+ Submit cluster request

Provisioning workflow

1 Validate request

2 Apply approved configuration

3 Provision Kubernetes cluster

4 Verify node readiness

5 Record deployment event

Template: Linux development

Standardized configuration · Repeatable setup · Readiness verification

Proposed enterprise workflow

Cluster inventory

CLUSTER	PROVIDER	VERSION	NODES	STATUS
vmware-lab	Local kind	v1.35.0	1	Ready
vmware-test	Local kind	v1.35.0	1	Ready

Interactive HTML prototype • Simulated actions • Not connected to a production Kubernetes cluster

Linux deployment

Deploy a containerized application

KubeLaunch

LINUX SELF-SERVICE PORTAL

Overview

Cluster Requests

Linux Deployment

Scaling

Upgrades

Deployment History

● Prototype environment
Local simulation · No live cluster access

Workspace / Linux Deployment

Demo Mode

BD

WORKLOADS / 02

Deploy Linux application

Use a guided form to simulate a repeatable Kubernetes deployment.

New deployment

Target cluster

vmware-lab

Namespace

self-service

Application name

e.g. nginx-web

Container image

nginx:stable

Initial replicas

3

Only predefined demo images are selectable. A real platform would validate registry access, security policies and resource quotas.

Deploy application

Deployment preview

SIMULATED KUBERNETES WORKFLOW

1. Validate image and namespace

2. Generate deployment manifest

3. Apply to selected cluster

4. Wait for Pod readiness

5. Record release history

Baseline example: nginx-demo was previously tested locally with 3/3 replicas, then scaled to 4/4.


Workload inventory

APPLICATION	CLUSTER	IMAGE	REPLICAS	STATUS
nginx-demo self-service	vmware-lab	nginx:stable	4/4	Healthy

Interactive HTML prototype • Simulated actions • Not connected to a production Kubernetes cluster

Workload scaling

Preview and adjust application replicas



LINUX SELF-SERVICE PORTAL

Overview

Cluster Requests

Linux Deployment

Scaling

Upgrades

Deployment History

● Prototype environment
Local simulation · No live cluster
access

Workspace / Scaling

● Demo Mode

BD

WORKLOADS / 03

Scale workloads

Adjust replica counts and inspect simulated capacity changes.

Scale deployment

Select workload

nginx-demo · vmware-lab

Desired replicas

5

Changes in this prototype are immediate simulations. A live platform would wait for the Kubernetes rollout and check resource capacity.

➤ Apply scaling

Capacity preview

Current

4



Requested

5

Scale out by 1 replica(s)

Deployment capacity

nginx-demo

4

Rolling upgrades

Preview a controlled release and rollback



KubeLaunch
LINUX SELF-SERVICE PORTAL

- Overview
- Cluster Requests
- Linux Deployment
- Scaling
- Upgrades**
- Deployment History

● Prototype environment
Local simulation · No live cluster access

Workspace / Upgrades

● Demo Mode

BD

RELEASE MANAGEMENT / 04

Rolling upgrades

Preview a controlled application upgrade and simulate success or rollback.

New upgrade

Workload

nginx-demo · vmware-lab

Target image

nginx:1.28

Release strategy

Rolling update

Select **nginx:invalid-test-tag** to simulate a failed rollout and rollback. This does not execute a real upgrade.

Start demo upgrade

Upgrade preview

Current image
nginx:stable
Deployment
nginx-demo · vmware-lab

PROPOSED RELEASE GUARDRAILS

- 1 Validate target image
- 2 Start rolling rollout
- 3 Check readiness and timeout
- 4 Rollback on failure
- 5 Record release outcome

Current workload versions

APPLICATION	CLUSTER	IMAGE	REPLICAS	STATUS
nginx-demo self-service	vmware-lab	nginx:stable	4/4	Healthy

Deployment history

Review simulated activity and release events

 **KubeLaunch**
LINUX SELF-SERVICE PORTAL

- Overview
- Cluster Requests
- Linux Deployment
- Scaling
- Upgrades
- Deployment History**

● Prototype environment
Local simulation · No live cluster access

Workspace / Deployment History

● Demo Mode BD

AUDIT TRAIL / 05

Deployment history

Review baseline examples and actions performed during this prototype session.

Activity log

All ▾

↓ Export CSV

TIME	ACTION	RESOURCE	DETAILS	RESULT
Demo baseline	Scale workload	nginx-demo	3 → 4 replicas (previously observed)	Success
Demo baseline	Deploy workload	nginx-demo	NGINX Linux deployment (previously observed)	Success
Demo baseline	Provision cluster	vmware-test	Local kind cluster (previously observed)	Success

Demo history is stored only in this page session. Baseline entries summarize previously observed local tests; newly generated entries are simulations.

Reset demo data