



Sanjivani Rural Education Society's
Sanjivani College of Engineering, Kopargaon-423 603
(An Autonomous Institute, Affiliated to Savitribai Phule Pune University, Pune)
NAAC 'A' Grade Accredited, ISO 9001:2015 Certified

Department of Computer Engineering

(NBA Accredited)

Subject- Object Oriented Programming (CO212)
Unit 4 – Templates and Exception Handling
Topic – 4.5 Some more things on Exception Handling



Some examples on Exception Handling

```
try
{
    int age = 15;
    if (age >= 18)
    {
        cout << "Access granted - you are old enough.";
    }
    else
    {
        throw (age);
    }
}
catch (int myNum)
{
    cout << "Access denied - You must be at least 18 yrs old";
    cout << "Age is: " << myNum;
}
```



You can also use throw keyword to output a reference number, like a custom error number

```
try
{
    int age = 15;
    if (age >= 18)
    {
        cout << "Access granted - you are old enough.";
    }
    else
    {
        throw 505;
    }
}
catch (int myNum)
{
    cout << "Access denied - You must be at least 18 years old";
    cout << "Error number: " << myNum;
}
```



Constructor, destructor and exception handling

- When an exception is thrown, all objects created inside the enclosing try block are destructed before the control is transferred to catch block.

```
class Test
```

```
{
```

```
public:
```

```
    Test() { cout << "Constructor of Test "; }
```

```
    ~Test() { cout << "Destructor of Test "; }
```

```
};
```

```
int main()
```

```
{
```

```
    try
```

```
{
```

```
    Test t1;
```

```
    throw 10;
```

```
}
```

```
catch (int i)
```

```
{
```

```
    cout << "Caught " << i << endl;
```

```
}
```

```
}
```

Output:

```
Constructor of Test
```

```
Destructor of Test
```

```
Caught 10
```

Thank You..