

Shivraj College of Arts, Commerce & D. S. Kadam Science College, Gadhinglaj

Department of Computer Science

Practical Exam 2023-2024

Subject Name: C# Programming And ASP.NET

Class: B.Sc Computer Science (Entire) -III

Name: Prajakta Tukaram Gurav

PRN No: 2021054385

INDEX

Sr No.	Assignment Name
1	Write a C# program that print “Hello” word using command line argument.
2	Write a C# program that demonstrate explicit conversion.
3	Write a console application which swap two numbers using pass by reference.
4	Write a C# program to display factorial of number.
5	Write a C# program to print the Sum of even and odd numbers.
6	Write a C# program to demonstrate interface..
7	Write a C# program to display the first n terms of Fibonacci series. .
8	Create windows based application to check entered number is even or odd.
9	write a C# program to check entered number is palindrome or not.
10	Write an ASP.Net program to add the value TextBox in to DropDown List Box.

11	Write an ASP.Net program to add the value TextBox in to DropDown List Box.
12	Write a Asp.Net code to perform validation.
13	Write a Asp.Net code to manipulate database as Insert, Update , Delete data.
14	Create application that receives the following information from set of student (sid, sname,coursename,city) and application should display information of all students once data is eneterd using ADO.NET
15	Write a ADO.NET application that demonstrate connected architecture.

K.V.R.S.S.S's

Shivraj College Of Arts , Commerce And D,S Kadam Science College
Gadhinglaj

Department Of Computer Science Entire

Name Of The Student :- Prajakta Tukaram Gurav PRN:-2021054385
Date:-12/08/2023 Class:-B.Sc (CS) Entire-III Subject:- C# Programming
& ASP.Net


Q1. Write a C# program that print “Hello” word using command line argument.

```
using System;
using System.Collections.Generic; using
System.Linq;
using System.Text;

namespace ConsoleApplication1
{
    class Program
    {
        static void Main(string[] args)
        {
            Console.WriteLine("Hello Word");
            Console.ReadLine();

        }
    }
}
```

Output –



K.V.R.S.S's

Shivraj College Of Arts , Commerce And D,S Kadam Science College
Gadhinglaj

Department Of Computer Science Entire


Name Of The Student :- Prajakta Tukaram Gurav PRN:-2021054385
Date:-23/08/2023 Class:-B.Sc (CS) Entire-III Subject:- C# Programming
& ASP.Net

Q2. Write a C# program that demonstrate explicit conversion.

```
using System;
using System.Collections.Generic;
using System.Linq; using
System.Text;
namespace ConsoleApplication1
{
    class prog2
    {
        static void Main(string[] args)
        {
            double d = 762.12;
int i = (int)d;
            Console.WriteLine(" Value of i is " + i);
            Console.ReadLine();

        }
    }
}
```

Output –



K.V.R.S.S.S's

Shivraj College Of Arts , Commerce And D,S Kadam Science College
Gadhinglaj

Department Of Computer Science Entire

Name Of The Student :- Prajakta Tukaram Gurav PRN:-2021054385
Date:-23/08/2023 Class:-B.Sc (CS) Entire-III Subject:- C# Programming
& ASP.Net

Q3. Write a console application which swap two numbers using pass by reference.

```
using System.Collections.Generic; using  
System.Linq;  
using System.Text;
```

```
namespace ConsoleApplication1  
{  
    class prog3  
    {  
        public static void swap(ref int a, ref int b)  
        {  
            int temp = a;  
a = b;  
            b = temp;  
        }  
        static void Main(string[] args)  
        {  
            int a, b;  
            Console.WriteLine("Enter value for A");  
a = Convert.ToInt32(Console.ReadLine());  
            Console.WriteLine("Enter value for B");                      b  
= Convert.ToInt32(Console.ReadLine());  
            Console.WriteLine("Before Swapping :");  
            Console.WriteLine("A=" + a);  
            Console.WriteLine("B=" + b);  
        }  
    }  
}
```


```

        Console.WriteLine("After Swapping using      call by value method
:");
        swap(ref a, ref b);
        Console.WriteLine("A=" + a);
        Console.WriteLine("B=" + b);
        Console.ReadLine();
    }

}
}

```

Output-



```

file:///C:/Users/OM/AppData/Local/Temporary Projects/ConsoleApplica...
Enter value for A
55
Enter value for B
22
Before Swapping :
A=55
B=22
After Swapping using call by value method :
A=22
B=55

```

Name Of The Student :- Prajakta Tukaram Gurav PRN:-2021054385

K.V.R.S.S.S's

Shivraj College Of Arts , Commerce And D,S Kadam Science College
Gadhinglaj

Department Of Computer Science Entire

Date:-01/09/2023 Class:-B.Sc (CS) Entire-III Subject:- C# Programming
& ASP.Net


Q4. Write a C# program to display factorial of number.

```
using System;
using System.Collections.Generic;
using System.Linq; using
System.Text;
using System.Threading.Tasks;

namespace ConsoleApplication1
{
    class Program
    {
        static void Main(string[] args)
        {
            int i, number, fact;
            Console.WriteLine("Enter the number");
            number = int.Parse(Console.ReadLine());    fact
            = number;
            for (i = number - 1; i >= 1; i--)
            {
                fact = fact * i;
            }
            Console.WriteLine("\n Factorial of given number is : " + fact);
            Console.ReadLine();

        }
    }
}
```

Output –

A screenshot of a Windows console application window. The title bar shows the file path: file:///C:/Users/OM/AppData/Local/Temporary Projects/ConsoleAp... The window has standard minimize, maximize, and close buttons. The console text is as follows:

```
Enter the number  
5  
  
Factorial of given number is :120
```


Name Of The Student :- Prajakta Tukaram Gurav PRN:-2021054385
Date:-01/09/2023 Class:-B.Sc (CS) Entire-III Subject:- C# Programming
& ASP.Net

Q.5 Write a C# program to print the Sum of even and odd numbers.

```
using System;
using System.Collections.Generic; using
System.Linq;
using System.Text;

namespace ConsoleApplication2
{
    class Program
    {
        static void Main(string[] args)
        {
            int limit, totaleven = 0, totalodd = 0;
            Console.WriteLine("Enter the range you want to sum of even and odd
numbers ;"); limit = Convert.ToInt32(Console.ReadLine());
            Console.WriteLine(" -----");
            Console.WriteLine("Even number :");
            Console.WriteLine("\t\t Odd number :");
            for (int num = 0; num < limit; num++)
            {
                if (num % 2 == 0)
                {
                    Console.WriteLine("\t\t\t {0}", num);
                    totaleven = totaleven + num;
                }
                else
                {
                    Console.WriteLine("\t\t\t {0} ", num);
                    totalodd = totalodd + num;
                }
                Console.WriteLine(" \n Sum of All Even Number are : {0} \n Sum of
All Odd Number are : {1}", totaleven, totalodd);
                Console.ReadLine();
            }
        }
    }
}
```

Output –



```
file:///E:/BSC and BCS GER PROG2021-22/ConsoleAppli...
:5
-----
Even number :          Odd number :
                        0

Sum of All Even Number are : 0
Sum of All Odd Number are :0

                        1

Sum of All Even Number are : 0
Sum of All Odd Number are :1

                        2

Sum of All Even Number are : 2
Sum of All Odd Number are :1

                        3

Sum of All Even Number are : 2
Sum of All Odd Number are :4

                        4

Sum of All Even Number are : 6
Sum of All Odd Number are :4
```

Name Of The Student :- Prajakta Tukaram Gurav PRN:-2021054385
Date:-08/09/2023 Class:-B.Sc (CS) Entire-III Subject:- C# Programming
& ASP.Net

Q.6 Write a C# program to demonstrate interface.

```
using System;
using System.Collections.Generic; using
System.Linq;
using System.Text;
```

```
namespace ConsoleApplication2
```

K.V.R.S.S.S's

Shivraj College Of Arts , Commerce And D,S Kadam Science College
Gadhinglaj

Department Of Computer Science Entire


```
{
    public interface Istudent
    {
        void putData();
    }
    public class Student :
Istudent
    {
        private int rno;
private string name;
private double marks;
        public Student (int r,string n,double m)
        {
rno=r;
name= n;
        marks= m;
        }
        public void putData()
        {
            Console.WriteLine ("Roll Number ={0}",rno);
            Console.WriteLine ("Name ={0}",name);
            Console.WriteLine ("Marks = {0}",marks );
            Console.WriteLine ();
        }
    }
}

class Class1
{
    static void Main(string[] args)
    {
        Student s1 = new Student(1, "John", 78.6);
        Student s2 = new Student(2, "amit", 55.5);

        s1.putData();
s2.putData();
Console.ReadLine();
    }
}
```

```
}  
}
```

Output –

A screenshot of a Windows console window. The title bar shows the file path "file:///E:/BSC and BCS GER PROG2021-22/ConsoleA...". The console has a black background with white text. The output consists of two sets of data. The first set shows "Roll Number =1", "Name =John", and "Marks = 78.6". The second set shows "Roll Number =2", "Name =amit", and "Marks = 55.5".

```
file:///E:/BSC and BCS GER PROG2021-22/ConsoleA...  
Roll Number =1  
Name =John  
Marks = 78.6  
  
Roll Number =2  
Name =amit  
Marks = 55.5
```

K.V.R.S.S.S's

Shivraj College Of Arts , Commerce And D,S Kadam Science College
Gadhinglaj

Department Of Computer Science Entire

Name Of The Student :- Prajakta Tukaram Gurav PRN:-2021054385
Date:-18/09/2023 Class:-B.Sc (CS) Entire-III Subject:- C# Programming
& ASP.Net

Q.7 Write a C# program to display the first n terms of Fibonacci series.

```
using System;
using System.Collections.Generic; using
System.Linq;
using System.Text;

namespace ConsoleApplication2
{
    class Class3
    {

        static void Main(string[] args)
        {
            int prv = 0, pre = 1, trm, i, n;
            Console.WriteLine("\n\n");
            Console.WriteLine("Display the first n terms of fibonacci series : \n");
            Console.WriteLine("-----");
            Console.WriteLine("\n\n");
            Console.WriteLine("Input number of terms :");
n = Convert.ToInt32(Console.ReadLine());
            Console.WriteLine(" Here is the fibonacci series upto to {0} terms :\n", n);
            Console.WriteLine("{0}   {1}", prv, pre);
            for (i = 3; i <=n; i++)
```


```

        {
            trm = prv + pre;
            Console.Write(" {0} ", trm);
            prv = pre;
        }
        pre = trm;
    }
    Console.WriteLine("\n");
    Console.ReadLine();
}

}
}

```

Output –



The screenshot shows a console window titled "file:///E:/BSC and BCS GER PROG2021-22/ConsoleApplication2/Consol...". The output text is as follows:

```

Display the first n terms of fibonacci series :
-----
Input number of terms :10
Here is the fibonacci series upto to 10 terms :
0  1  1  2  3  5  8  13  21  34

```

K.V.R.S.S.'s

Shivraj College Of Arts , Commerce And D,S Kadam Science College
Gadhinglaj

Department Of Computer Science Entire

Name Of The Student :- Prajakta Tukaram Gurav PRN:-2021054385
Date:-15/09/2023 Class:-B.Sc (CS) Entire-III Subject:- C# Programming
& ASP.Net

Q8. Create windows based application to check entered number is even or odd.


```
using System; using
System.Collections.Generic; using
System.ComponentModel;
using System.Data; using
System.Drawing; using
System.Linq; using
System.Text; using
System.Threading.Tasks;
using System.Windows.Forms;
```

```
namespace WindowsFormsApplication1
{
    public partial class Form1 : Form
    {
        public Form1()
        {
            InitializeComponent();
        }

        private void button1_Click(object sender, EventArgs e)
        {
            int n = Convert.ToInt32(textBox1.Text);
            if (n % 2 == 0)
            {
```

```
        label2.Text = "This number is even";  
    }  
else  
    {  
        label2.Text = "This number is odd";  
    }  
}  
}  
}
```

Output-



The screenshot shows a Windows application window titled "Form1". Inside the window, there is a label "Enter Number" followed by a text box containing the number "15". Below the text box is a button labeled "Answer". At the bottom of the window, the text "This number is odd" is displayed, indicating the result of the program's execution for the input number 15.

K.V.R.S.S.S's

Shivraj College Of Arts , Commerce And D,S Kadam Science College
Gadhinglaj

Department Of Computer Science Entire

Name Of The Student :- Prajakta Tukaram Gurav PRN:-2021054385
Date:-06/10/2023 Class:-B.Sc (CS) Entire-III Subject:- C# Programming
& ASP.Net


Q9. write a C# program to check entered number is palindrome or not.

```
using System;
using System.Collections.Generic;
using System.Linq; using
System.Text;
using System.Threading.Tasks;

namespace ConsoleApplication1
{   class
Program
    {
        static void Main(string[] args)
        {
            int num, r, sum = 0, t;
Console.Write("\n\n");
            Console.Write("Check wheather number is palindrome or not :\n");
            Console.Write("\n\n");
            Console.Write("Enter number:");
            Num =Convert.ToInt32(Console.ReadLine());
for (t = num; num != 0; num = num / 10)
        {
            r = num % 10;
sum = sum * 10 + r;          }
            if (t == sum)
                Console.WriteLine("{0} is a palindrome number .\n",t);
else
                Console.WriteLine("{0} is not palindrome number .\n",t);
```

```
        Console.ReadLine();  
    }  
  
}  
}
```

Output -



K.V.R.S.S.S's

Shivraj College Of Arts , Commerce And D,S Kadam Science College
Gadhinglaj

Department Of Computer Science Entire

Name Of The Student :- Prajakta Tukaram Gurav PRN:-2021054385
Date:-13/10/2023 Class:-B.Sc (CS) Entire-III Subject:- C# Programming
& ASP.Net

```
<%@ Page Language="C#" AutoEventWireup="true"
CodeFile="Default2.aspx.cs" Inherits="Default2" %>
```

```
<html xmlns="http://www.w3.org/1999/xhtml">
<head runat="server">
  <title></title>
</head>
<body>
  <form id="form1" runat="server">
    <div style="font-size: x-large">
```

Radio Button Control in Asp .Net

```
<asp:RadioButton ID="RadioButton1" runat="server" Text="RED" />
```



```

protected void Button1_Click(object sender, EventArgs e)
{
    if (RadioButton1.Checked == true)
    {
        Label1.Text = "You selected Red";
    }
    else if (RadioButton2.Checked == true)
    {
        Label1.Text = "You selected Green";
    }
else
    {
        Label1.Text = "You selected Blue ";
    }
}
}

```

Radio Button Control in Asp .Net

☐ RED ☐ GREEN ☐ BLUE

Select

[Label1]

Output –

Radio Button Control in Asp .Net

☒ RED ☐ GREEN ☐ BLUE

Select

You selected Red

K.V.R.S.S.S's

Shivraj College Of Arts , Commerce And D,S Kadam Science College
Gadhinglaj

Department Of Computer Science Entire

Name Of The Student :- Prajakta Tukaram Gurav PRN:-2021054385
Date:-29/12/2023 Class:-B.Sc (CS) Entire-III Subject:- C# Programming
& ASP.Net

Q.11 Write an ASP.Net program to add the value `TextBox` in to DropDown List Box.

<%@ Page Language="C#" AutoEventWireup="true"
CodeFile="Default.aspx.cs" Inherits="_Default" %>

```
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">
```

```
<html xmlns="http://www.w3.org/1999/xhtml">
<head runat="server">
  <title></title>
</head>
<body>
  <form id="form1" runat="server">
    <div>
```

[illegible]

[illegible]

```
<asp:DropDownList ID="DropDownList1" runat="server" Height="25px"
Width="75px">
```

```
<asp:ListItem Value="01">Meera</asp:ListItem>
```

```
<asp:ListItem Value="02">Ram</asp:ListItem>
```

```
<asp:ListItem Value="03">jay</asp:ListItem>
```

```
<asp:ListItem Value="04">rahul</asp:ListItem>
```

```
<asp:ListItem Value="05">Reena</asp:ListItem>
```

</asp:DropDownList>

;

[illegible]

```
</body>
</html>
```

```
using System;
using System.Collections.Generic;
using System.Linq; using
System.Web; using
System.Web.UI;
using System.Web.UI.WebControls;

public partial class _Default : System.Web.UI.Page
{
    protected void Page_Load(object sender, EventArgs e)
    {

    }

    protected void Button1_Click(object sender, EventArgs e)
    {
        Label1.Text = "The count = " + DropDownList1.Items.Count.ToString();
    }

    protected void Button2_Click(object sender, EventArgs e)
    {
        Label1.Text = "Text = " + DropDownList1.SelectedItem.Text;
    }

    protected void Button3_Click(object sender, EventArgs e)
    {
        Label1.Text = "Value =" + DropDownList1.SelectedValue;
    }

    protected void Button4_Click(object sender, EventArgs e)
    {
        Label1.Text = "Index =" + DropDownList1.ToString();
    }

    protected void Button5_Click(object sender, EventArgs e)
    {
        DropDownList1.Items.Clear();
        Label1.Text = "list box cleared";
    }
}
```

}
}

A screenshot of a form interface. At the top, there is a dropdown menu with the text "Meera" and a downward arrow. Below the dropdown, there are three buttons: "Count", "Selected Text", and "Selected Value". Further down, there are two more buttons: "Index" and "Clear". At the bottom, there is a label "[Label1]".

Output -

A screenshot of the same form interface as above, but with the dropdown menu now showing "Reena". The buttons "Count", "Selected Text", "Selected Value", "Index", and "Clear" are still present. Below the buttons, the text "Text = Reena" is displayed.

```
<asp:RequiredFieldValidator ID="RequiredFieldValidator1"
runat="server" ControlToValidate="TextBox1" ErrorMessage="please enter
name"></asp:RequiredFieldValidator>
```

[illegible]

```
</div>
</form>
</body>
</html>
```

Output-



The screenshot displays a web form titled "User Registration Form". It contains four input fields: "User Name" with the value "amit", "Password" with masked characters "*****", "Email" with the value "abc@gmail.com", and "Contact" with the value "987456321". Below the input fields are two buttons: "Save" and "Cancel".

User Registration Form	
User Name	amit
Password	*****
Email	abc@gmail.com
Contact	987456321
Save Cancel	

K.V.R.S.S.S's

Shivraj College Of Arts , Commerce And D,S Kadam Science College
Gadhinglaj

Department Of Computer Science Entire

Name Of The Student :- Prajakta Tukaram Gurav PRN:-2021054385
Date:-12/01/2024 Class:-B.Sc (CS) Entire-III Subject:- C# Programming
& ASP.Net

Q13. Write a Asp.Net code to manipulate database as Insert, Update , Delete data.

```
using System;
using System.Collections.Generic;
using System.Linq; using
System.Web; using System.Web.UI;
using System.Web.UI.WebControls;
using System.Data.OleDb; using
System.Data; using
System.Configuration;

public partial class _Default : System.Web.UI.Page

{
    OleDbConnection cn=new
OleDbConnection("Provider=Microsoft.ACE.OLEDB.12.0;Data
Source=D:\\BSC and BCS GER PROG2020-21\\emp.accdb");
    OleDbCommand cmd= new OleDbCommand ();

    protected void Page_Load(object sender, EventArgs e)  {

    }
    protected void Button1_Click(object sender, EventArgs e)
    {
        cmd.CommandText ="insert into
emp1(ename,eaddress,econtact,email)values(@ename,@eaddress,@econtact,@
email)";
        cmd.CommandType =CommandType .Text ;
        cmd.Connection =cn;
        cn.Open ();
```

```

        cmd.Parameters .AddWithValue ("@ename",TextBox2 .Text );
cmd .Parameters .AddWithValue ("@eaddress",TextBox3 .Text );
cmd.Parameters .AddWithValue ("@econtact",TextBox4 .Text );
cmd.Parameters .AddWithValue ("@email",TextBox5 .Text );
cmd.ExecuteNonQuery ();      cmd.Parameters .Clear ();
        cn.Close ();
        Label6 .Text =" Record Inserted ";

    }
protected void Button2_Click(object sender, EventArgs e)
{
    cmd.CommandText ="update emp1 set
ename=@ename,eaddress=@eaddress,econtact=@econtact,email=@email
where eid=@eid";
    cmd.CommandType =CommandType .Text ;
    cmd.Connection =cn;
    cn.Open ();
    cmd.Parameters .AddWithValue ("@ename",TextBox2 .Text );
cmd.Parameters .AddWithValue ("@eaddress",TextBox3 .Text );
cmd.Parameters .AddWithValue ("@econtact",TextBox4 .Text );
cmd.Parameters .AddWithValue ("@email",TextBox5 .Text );
cmd.Parameters .AddWithValue ("@eid",TextBox1 .Text );  cmd
.ExecuteNonQuery ();  cmd .Parameters .Clear ();
    cn.Close ();
    Label6 .Text = "Record updated";
}
protected void Button3_Click(object sender, EventArgs e)
{
    cmd.CommandText ="delete from emp1 where eid=@eid";
cmd.CommandType =CommandType .Text ;
    cmd.Connection =cn;
    cn.Open ();
    cmd.Parameters .AddWithValue ("@eid",TextBox1 .Text );
cmd.ExecuteNonQuery ();
    cmd .Parameters .Clear ();
    cn .Close ();
    Label6 .Text = "Record deleted";

}
}

```

Output-

Employee Information

Employee ID	6
Employee Name	akshay
Employee Address	kaulage
Employee Contact	987456321
Employee Email	akshay@gmail.com

Record updated

K.V.R.S.S.S's

Shivraj College Of Arts , Commerce And D,S Kadam Science College
Gadhinglaj

Department Of Computer Science Entire

Name Of The Student :- Prajakta Tukaram Gurav PRN:-2021054385

Date:-02/01/2024 Class:-B.Sc (CS) Entire-III Subject:- C# Programming
& ASP.Net

Q.14 Create application that receives the following information from set of student (sid, sname,coursename,city) and application should display information of all students once data is entered using ADO.NET

```
using System; using
System.Collections.Generic; using
System.ComponentModel;
using System.Data; using
System.Drawing; using
System.Linq; using
System.Text; using
System.Threading.Tasks; using
System.Windows.Forms; using
System.Data.OleDb;
```

```
namespace WindowsFormsApplication1
{
    public partial class Form1 : Form
    {
        OleDbConnection cn;
        OleDbCommand cmd;

        public Form1()
        {
            InitializeComponent();
        }

        public void connection()
        {
            cn = new OleDbConnection
("Provider=Microsoft.ACE.OLEDB.12.0;Data Source=D:\\BSC and BCS GER
PROG2020-21\\student.accdb");
            cn.Open ();

        }
    }
}
```

```

private void button1_Click(object sender, EventArgs e)
{
    // cn.Open ();
    connection ();
    cmd= new OleDbCommand ("insert into student values("+textBox1
.Text +",""+textBox2 .Text +",""+ +textBox3 .Text +",""+textBox4 .Text
+"")",cn);
    cmd.ExecuteNonQuery ();
    MessageBox .Show ("Record Save Successfully");
    cn.Close ();

}

```

```

private void Form1_Load(object sender, EventArgs e)
{
    connection ();

}

```

```

private void button2_Click(object sender, EventArgs e)
{
    connection ();
    textBox1 .Text = " ";
    textBox2 .Text = " ";
    textBox3 .Text = " ";
    textBox4 .Text = " ";

}

```

```

private void button3_Click(object sender, EventArgs e)
{
    Application .Exit ();

}
} }

```

Form1

Student Information

Student ID

Student Name

Course Name

City

student	sid	sname	cname	city	Click to Add
	1	amit	bcsIII	Gad	
	2	amit	BCSIII	Pune	
	4	Rahul	BCS	Kolhapur	
*	(New)				

Output-

Form1

Student Information

Student ID

Student Name

Course Name

City

Record Save Successfully

K.V.R.S.S.'s

Shivraj College Of Arts , Commerce And D,S Kadam Science College
Gadhinglaj

Department Of Computer Science Entire

Name Of The Student :- Prajakta Tukaram Gurav PRN:-2021054385

Date:-09/02/2024 Class:-B.Sc (CS) Entire-III Subject:- C# Programming
& ASP.Net

Q.15 Write a ADO.NET application that demonstrate connected architecture.

```
using System; using
System.Collections.Generic; using
System.ComponentModel;
using System.Data; using
System.Drawing; using
System.Linq; using
System.Text; using
System.Threading.Tasks; using
System.Windows.Forms;
using System.Data.OleDb;
```

```
namespace WindowsFormsApplication1
{
    public partial class Form1 : Form
    {
```

```

OleDbConnection cn;
OleDbCommand cmd;
OleDbDataReader dread;

public Form1()
{
InitializeComponent();
}

public void connection ()
{
    string str
=("Provider=Microsoft.ACE.OLEDB.12.0;Data Source=D:\\student.accdb");
cn= new OleDbConnection (str);
    cn.Open ();
}
private void button1_Click(object sender, EventArgs e)
{
    connection();
    MessageBox.Show ("Connection Successfully");
}

private void button2_Click(object sender, EventArgs e)
{
    connection ();
    cmd=new OleDbCommand ("insert into stud values    (" +textBox1 .Text
+"," +textBox2 .Text +"," +textBox3 .Text +"," +textBox4 .Text
+"," +textBox5 .Text +")",cn );
    cmd .ExecuteNonQuery ();
    MessageBox .Show ("Record save successfully");
}

private void button3_Click(object sender, EventArgs e)
{
    cmd =new OleDbCommand ("delete from stud where rno==" +textBox1 .Text
,cn);
    cmd .ExecuteNonQuery ();
    MessageBox .Show ("Record delete successfully");
}

```

```

}

private void button4_Click(object sender, EventArgs e)
{
    connection ();
    cmd=new OleDbCommand ("select * from stud where rno="+textBox1 .Text
,cn);
    dread =cmd.ExecuteReader();
    while (dread .Read ())
    {
        textBox2 .Text =dread [1].ToString ();
        textBox3 .Text =dread [2].ToString ();
        textBox4 .Text =dread [3].ToString ();    textBox5
        .Text =dread [4].ToString ();

    }
    dread .Close ();

}

```

```

private void button5_Click(object sender, EventArgs e)
{
    Application .Exit ();

}

```

```

private void button6_Click(object sender, EventArgs e)
{
    connection ();
    cmd= new OleDbCommand ("update stud set  sname="+textBox2 .Text
+""",saddress="+textBox3 .Text +""",sclass="+textBox4 .Text
+""",marks="+textBox5 .Text +"" where rno= "+textBox1 .Text ,cn);
    MessageBox .Show ("Record update Successfully");

}

```

```

private void button7_Click(object sender, EventArgs
e) {

```

```
    textBox1 .Clear ();  
    textBox2 .Clear ();   textBox3  
    .Clear ();   textBox4 .Clear ();  
    textBox5 .Clear ();  
  
    }  
}
```

Form1

Student Information

Roll No

Name

Address

Class

Marks

Clear

Modify

Exit

Search

Connect Save Delete

Output-

Form1

Student Information

Roll No

Name

Address

Class

Marks

Clear

Modify

Exit

Search

Connect Save Delete

Connection Successfully

OK

Form1

Student Information

Roll No

Name

Address

Class

Marks

Record save successfully

stud					
rno	sname	saddress	sclass	marks	Click to Add
1	amit	gadhinglaj	bcs III	87	
2	amey	gadhinglaj	bcs III	85	
3	Raj	Kolhapur	BCSIII	90	
4	Rahul	Pune	BCSIII	78	
5	Akshay	Gadhinglaj	BCSIII	67	
6	Rohan	Pune	BCSIII	98	
7	Amol	Gadhinglaj	BCSIII	89	
8	Anmol	Kolhapur	BCSIII	88	
*	(New)				