

K.V.R.S.S.S's

Shivraj college of Arts,Commerce and D.S.Kadam Science

College,Gadhinglaj.

DEPARTMENT OF COMPUTER SCIENCE

Name: Vaishnavi Vishwanath Fagare

Roll No.:-34

PRN No.:- 2021055201

Date:- 18/07/2023

Assignment No.:-1

Q. Write a program to perform arithmetic operations using switch case and dowhile statement.

```
import java.util.*; public
class arth
{
public static void main(String args[])throws Exception
{   int
no1,no2,ch,result;
    Scanner   scan=new   Scanner(System.in);
System.out.println("Enter Any Two Numbers");
no1=scan.nextInt();  no2=scan.nextInt(); do
{
System.out.println("Enter Any Choice"); ch=scan.nextInt();
switch (ch)
{
case 1:
result=no1+no2;
System.out.println("Addition is="+result);
break; case 2: result=no1-no2;
System.out.println("Substraction is="+result);
break; case 3:
result=no1*no2;
System.out.println("Multiplication is="+result);
```

break; case

4:

result=no1/no2;

System.out.println("Division is="+result);

break; default:

System.out.println("Wrong Choice");

}

}

while(ch!=6);

}

}

Output-:

```
C:\>cd java
C:\Java>javac arth.java
C:\Java>java arth
Enter Any Two Numbers
1
10
Enter Any Choice
1
Addition is=11
Enter Any Choice
2
Substraction is=-9
Enter Any Choice
3
Multiplication is=10
Enter Any Choice
4
Division is=0
Enter Any Choice
5
Wrong Choice
Enter Any Choice
|
```

K.V.R.S.S.S's

Shivraj college of Arts,Commerce and D.S.Kadam Science

College,Gadhinglaj.

DEPARTMENT OF COMPUTER SCIENCE

Name: Vaishnavi Vishwanath Fagare

Roll No:-34

PRN No.:- 2021055201

Date:-25/07/2023

Assignment No:-2

Q. Write a program to define a class book with appropriate data members accepts data for 5 books and print only java book information.

```
import java.util.*; public
class Book
{
    private String title; private
String author; private int
pages;
public Book(String title, String author, int pages){
this.title = title; this.author = author; this.pages =
pages;
}
public String getTitle()
{
return title;
}
public String getAuthor()
{
return author;
}
public int getPages()
{
return pages;
}
```

```
public static void main(String[] args)
{
Scanner scanner = new Scanner(System.in); List<Book>
books = new ArrayList<>();
for (int i = 0; i < 5; i++)
```


```

{
System.out.println("Enter book #" + (i+1) + " details:");

System.out.print("Title: ");
String title = scanner.nextLine();
System.out.print("Author: ");
String author = scanner.nextLine();
System.out.print("Pages: ");
int pages = scanner.nextInt();
scanner.nextLine();
Book book = new Book(title, author, pages);
books.add(book);
}
System.out.println("\nJava books:");
for (Book book : books)
{
if (book.getTitle().equalsIgnoreCase("Java"))
{
System.out.println(book.getTitle() + " by " + book.getAuthor() + ", " + book.getPages() +
" pages");
}
}
}
}

```

Output:



```

C:\>cd/

C:\>cd java

C:\Java>java Book
Enter book #1 details:
Title: Java
Author: Ok
Pages: 10
Enter book #2 details:
Title: Python
Author: JJ
Pages: 10
Enter book #3 details:
Title: C
Author: Riche
Pages: 20
Enter book #4 details:
Title: Cpp
Author: 20
Pages: 10
Enter book #5 details:
Title: C#
Author: KK
Pages: 5

Java books:
Java by Ok, 10 pages

C:\Java>

```

K.V.R.S.S.S'S

Shivraj college of Arts,Commerce and D.S.Kadam Science

College,Gadhinglaj.

DEPARTMENT OF COMPUTER SCIENCE

Name: Vaishnavi Vishwanath Fagare

Roll No:-34

PRN No.:- 2021055201

Date:-01/08/2023

Assignment 3

Q. Write a Program to Calculate area of rectangle, circle and triangle using method overloading.

```
import java.util.*; class
Area_calci
{
    float pi=3.14f, A;
    void cal_area(int r){
        A=pi*r*r;
        System.out.println("Area of Circle is : "+A+" square units");
    }
    void cal_area(int l, int b){
        A=l*b;
        System.out.println("Area of Rectangle is : "+A+" square units");
    }
    void cal_area(float b, float h) {
        A = 1 / 2 * (b * h);
        System.out.println("Area of Triangle is : " + A + " square units");
    }
}

public class area {    public static void
main(String[] args) {    Area_calci
a=new Area_calci();    a.cal_area(12);
        a.cal_area(10,12);
        a.cal_area(8.0f,7.0f);
    }
}
```

Output:-

```
C:\>cd java

C:\Java>javac area.java

C:\Java>java area
Area of Circle is : 452.16 square units
Area of Rectangle is : 120.0 square units
Area of Triangle is : 0.0 square units

C:\Java>
```

DEPARTMENT OF COMPUTER SCIENCE

Name: Vaishnavi Vishwanath Fagare

Roll No:-34

PRN No.:- 2021055201

Date:-08/08/2023

Assignment 4

Q. Write a program to use try, catch and finally block statement

```
import java.util.*; class ok {    public
static void main(String[] args)
{
int a,b;
    try
    {
        System.out.println("inside try block");
        System.out.println(34 / 2);
    }
    catch (ArithmeticException e)
    {
        System.out.println("Arithmetic Exception");
    }
    Finally
    {
        System.out.println(
            "finally : i execute always.");
    }
}
```

Output:-

```
C:\>cd java  
  
C:\Java>javac ok.java  
  
C:\Java>java ok  
inside try block  
17  
finally : i execute always.  
  
C:\Java>
```

K.V.R.S.S'S

Shivraj college of Arts,Commerce and D.S.Kadam Science

College,Gadhinglaj.

DEPARTMENT OF COMPUTER SCIENCE

Name: Vaishnavi Vishwanath Fagare

Roll No:-34

PRN No.:- 2021055201

Date:-22/08/2023

Assignment 5

Q. Write a program to perform implements any type of inheritance using super keyword.

```
import java.io.*;
class neutral
{
    neutral()
    {
        System.out.println("Welcome!"); }
}


class B extends neutral
{
    B(int a)
    { super();
        System.out.println("Value=" + a);
    }
} class C extends
neutral
{
    C(int b)
    { super();
        System.out.println("Value=" + b);
    }
}

class demo
{ public static void main(String[] args)

    {
        B b = new B(10);
```

```
C c1 = new C(20);  
}  
}
```

Output:-



```
C:\Windows\System32\cmd.exe  
Microsoft Windows [Version 10.0.22621.3155]  
(c) Microsoft Corporation. All rights reserved.  
  
C:\BCS III>javac demo.java  
  
C:\BCS III>java demo  
Welcome!  
Value=10  
Welcome!  
Value=20  
  
C:\BCS III>
```

K.V.R.S.S'S

Shivraj college of Arts,Commerce and D.S.Kadam Science

College,Gadhinglaj.

DEPARTMENT OF COMPUTER SCIENCE

Name: Vaishnavi Vishwanath Fagare

Roll No:-34

PRN No.:- 2021055201

Date:-29/08/2023

Assignment 6

Q. Write a program to performs two threads one finding a prime number and another finding non-prime number.

```
import java.util.*;
```

```

class PrimeThread extends Thread
{
    public void run()
    { int count = 0; int
      num = 2;
      while (count < 20)
      {
          boolean isPrime = true; for (int i = 2; i
            <= Math.sqrt(num); i++)
            {
                if (num % i == 0)
                { isPrime = false;
                  break;
                } }
          if (isPrime)
          {
              System.out.println(num + " is prime"); count++;
          }
          num++;
      }
    }
}

class NonPrimeThread extends
Thread
{
    public void run()
    { int count = 0; int
      num = 2; while
      (count < 20)
      {
          boolean isPrime = true; for (int i = 2; i <=
            Math.sqrt(num); i++)
            {
                if (num % i == 0)
                { isPrime = false;
                  break;
                } } if
            (!isPrime)
            {
                System.out.println(num + " is not prime");
                count++;
            }
          num++;
      }
    }
}


```

```

    }
}
}
public class Main
{ public static void main(String[] args)
{
    Thread t1 = new PrimeThread(); Thread
    t2 = new NonPrimeThread();
    t1.start(); t2.start();
}
}

```

Output-:



```

C:\>cd java
C:\Java>javac Main.java
C:\Java>java Main
4 is not prime
2 is prime
6 is not prime
3 is prime
8 is not prime
9 is not prime
5 is prime
10 is not prime
7 is prime
12 is not prime
11 is prime
13 is prime
14 is not prime
17 is prime
15 is not prime
19 is prime
16 is not prime
23 is prime
18 is not prime
29 is prime
20 is not prime
31 is prime
21 is not prime
37 is prime
22 is not prime
41 is prime
24 is not prime
43 is prime
25 is not prime
47 is prime
26 is not prime
53 is prime
27 is not prime
59 is prime
28 is not prime
30 is not prime
61 is prime
32 is not prime
67 is prime
71 is prime
C:\Java>

```

K.V.R.S.S.S'S

Shivraj college of Arts,Commerce and D.S.Kadam Science

College,Gadhinglaj.

DEPARTMENT OF COMPUTER SCIENCE

Name: Vaishnavi Vishwanath Fagare

Roll No:-34

PRN No.:- 2021055201

Date:-05/09/2023

Assignment 7

Q. Write a Program to Print following Pattern

A

B B

C C C

D D D D

```
import java.util.Scanner;
public class pattern
{
    public static void main(String[] args)
    {
        char i,j;        for (i
= 'A'; i <= 'D'; i++)
    {
        for (j = 'A'; j <= i; j++) {
            System.out.print(i + " ");
        }
        System.out.println();
    }
}
```

```
}  
}
```

Output:-

```
C:\Java>javac pattern.java
```

```
C:\Java>java pattern
```

```
A
```

```
B B
```

```
C C C
```

```
D D D D
```

```
C:\Java>
```

K.V.R.S.S.S'S

Shivraj college of Arts,Commerce and D.S.Kadam Science

College,Gadhinglaj.

DEPARTMENT OF COMPUTER SCIENCE

Name: Vaishnavi Vishwanath Fagare

Roll No:-34

PRN No.:- 2021055201

Date:-12/09/2023

Assignment 8

Q. Write a program to print Fibonacci series to given range

```
import java.util.*; class fab {   public static void main(String[]
args)
{
    int n, m1= 0, m2= 1;
    System.out.println("Enter Value For n: ");
    Scanner scn = new Scanner (System.in);
    n = scn.nextInt();
    System.out.println("Fibonacci Series till " + n + " terms:");
    for (int i = 1; i <= n; ++i)
    {        int m3 = m1 +
m2;        m1 = m2;
m2 = m3;
        System.out.print(m1 + ", ");
```

}

}

}

K.V.R.S.S.S'S

```
C:\Java>javac fab.java

C:\Java>java fab
Enter Value For n:
10
Fibonacci Series till 10 terms:
1, 1, 2, 3, 5, 8, 13, 21, 34, 55,
C:\Java>
```

Shivraj college of Arts,Commerce and D.S.Kadam Science

College,Gadhinglaj.

DEPARTMENT OF COMPUTER SCIENCE

Name: Vaishnavi Vishwanath Fagare

Roll No: 34

PRN No.:- 2021055201

Date :26/09/2023

Assignment 9 Q.

Write a program to find out GCD of two numbers

```
import java.util.*; public
class gcd
{   public static void main(String[]
args)
{
    Scanner sc= new Scanner(System.in);
    System.out.println("Enter first number");    int
n1=sc.nextInt();
```

Output-:

```
System.out.println("Enter Second number");
int n2=sc.nextInt();    int gcd=calgcd(n1,n2);
System.out.println("GCD=" +gcd);
} private static int calgcd(int a,
int b)
{ while
(b!=0) {    int
temp=b;
b=a%b;
a=temp;
}
return a;
}
}
```

```
C:\Java>javac gcd.java
```

```
C:\Java>java gcd
```

```
Enter first number
```

```
10
```

```
Enter Second number
```

```
20
```

```
GCD=10
```

```
C:\Java>|
```

K.V.R.S.S.S'S

Shivraj college of Arts,Commerce and D.S.Kadam Science

College,Gadhinglaj.

DEPARTMENT OF COMPUTER SCIENCE

Name: Vaishnavi Vishwanath Fagare

Roll No:- 34

PRN No.:- 2021055201

Date:-03/10/2023

Assignment 10

Q. Write a Program to find second min & max number in array.

```
import java.util.Arrays;
public class minmax
{
public static void main(String[] args)
{
```


Output-:

```
int[] arr = {5, 8, 1, 3, 9, 4, 7, 6, 2};
System.out.println("Original Array"); for(int
i=0;i<arr.length;i++)
    {
        System.out.print(arr[i] + " "); }
System.out.println();
Arrays.sort(arr);

int secondMin = arr[1]; int
secondMax = arr[arr.length - 2];

System.out.println("After Sorting Array :");

System.out.println("Second minimum number in the array is: " + secondMin);
System.out.println("Second maximum number in the array is: " +
secondMax);
}
}
```



```
C:\>cd java
C:\Java>javac minmax.java
C:\Java>java minmax
Original Array
5 8 1 3 9 4 7 6 2
After Sorting Array :
Second minimum number in the array is: 2
Second maximum number in the array is: 8
C:\Java>
```

K.V.R.S.S'S

Shivraj college of Arts,Commerce and D.S.Kadam Science

College,Gadhinglaj.

DEPARTMENT OF COMPUTER SCIENCE

Name: Vaishnavi Vishwanath Fagare

Roll No:-34

PRN No.:- 2021055201

Date:-21/11/2023

Assignment 11

Q. Write a program to create a user defined package to find out cube of given number.

Output-:

```
//Package program
package cube; public
class xyz
{   int a,cube;   public void
cubecal(int x)
    {       a=x;
cube=a*a*a;
    System.out.println("Cube is "+ cube);
    }
}
//main program
import cube.*; import
java.util.*; class abc
{
    public static void main(String args [])
    {
int n;
        Scanner sc= new Scanner(System.in);
System.out.println("Enter the number");
n=sc.nextInt();      xyz x1=new xyz();
```

K.V.R.S.S.S'S

```
x1.cubecal(n);  
}  
}
```

Output-:

```
C:\>cd java  
C:\Java>javac abc.java  
C:\Java>java abc  
Enter the number  
10  
Cube is 1000  
C:\Java>
```

Shivraj college of Arts,Commerce and D.S.Kadam Science

College,Gadhinglaj.

DEPARTMENT OF COMPUTER SCIENCE

Name: Vaishnavi Vishwanath Fagare

Roll No:-34

PRN No.:- 2021055201

Date:-28/11/2023

Assignment 12

Q. Writes a Program to check given no is Palindrome or not

```
import java.util.*; public class pal {  
    public static void main(String args[]) {  
        Scanner sc = new Scanner(System.in);    int  
        n, temp, sum = 0;  
        System.out.println("Enter The Number");  
        n = sc.nextInt();    temp = n;    while (n  
>= 1) {    int rev = n % 10;    sum  
= (sum * 10) + rev;    n = n / 10; //  
Corrected  
    }  
    if (temp == sum) {  
        System.out.println("Number is palindrome");  
    } else {  
        System.out.println("Number is not palindrome");  
    }  
}  
}
```

K.V.R.S.S'S

Output-:

```
C:\>cd java  
  
C:\Java>javac pal.java  
  
C:\Java>java pal  
Enter The Number  
121  
Number is palindrome  
  
C:\Java>|
```

Shivraj college of Arts,Commerce and D.S.Kadam Science

College,Gadhinglaj.

DEPARTMENT OF COMPUTER SCIENCE

Name: Vaishnavi Vishwanath Fagare

Roll No:-34

PRN No.:- 2021055201

Date:-05/12/2023

Assignment 13


Q. Write a program to implement simplet JFrame to display “welcome “message

```
import javax.swing.*;
import java.awt.*; import
java.awt.event.*;
public class frame extends JFrame implements ActionListener {
JFrame f;
JTextField t1; JButton b1;
frame(){ f=new
JFrame("sushama"); t1=new
JTextField(20); b1=new
JButton("click me");
setSize(500,500);
setVisible(true);
setLayout(new FlowLayout(FlowLayout.LEFT));
add(t1); add(b1);
b1.addActionListener(this);
}
public void actionPerformed(ActionEvent ae)
{
```

K.V.R.S.S.S'S

```
if(ae.getSource()==b1)
{
t1.setText("welcome");
}
}
public static void main(String args[])
{ frame f1=new
frame();
}
}
```

Output-:



Shivraj college of Arts,Commerce and D.S.Kadam Science

College,Gadhinglaj.

DEPARTMENT OF COMPUTER SCIENCE

Name: Vaishnavi Vishwanath Fagare

Roll No:-34

PRN No.:- 2021055201

Date:-12/12/2023

Assignment 14

Q. Write a program to perform arithmetic operation using swing control

```
import javax.swing.*; import
java.awt.*; import
java.awt.event.*;
public class Arithmetic extends JFrame implements ActionListener
{
    JFrame f1; JTextField
    t1,t2,t3;      JButton
    b1,b2,b3,b4; JLabel
    l1,l2,l3;

    Arithmetic()
    { f1=new JFrame(); t1=new
      JTextField(20); t2=new
      JTextField(20); t3=new
      JTextField(20); l1=new
      JLabel("No1"); l2=new
      JLabel("No2"); l3=new
      JLabel("Result"); b1=new
      JButton("+"); b2=new
      JButton("-"); b3=new
      JButton("*"); b4=new
```

K.V.R.S.S.S'S

```
JButton("/");





setSize(500,500); setVisible(true);
setTitle("Calculator");
setLayout(new
FlowLayout(FlowLayout.LEFT)); add(l1);
add(t1); add(l2); add(t2); add(l3); add(t3);
add(b1); add(b2); add(b3); add(b4);
b1.addActionListener(this);
b2.addActionListener(this);
b3.addActionListener(this);
b4.addActionListener(this);
}
public void actionPerformed(ActionEvent ae)
{ if(ae.getSource()==b1)
    { int no1,no2,res;
      no1=Integer.parseInt(t1.getText())
      ;
      no2=Integer.parseInt(t2.getText())
      ; res=no1+no2;
      t3.setText(String.valueOf(res));
    }

    if(ae.getSource()==b2)
    { int no1,no2,res;
      no1=Integer.parseInt(t1.getText())
      ;
      no2=Integer.parseInt(t2.getText())
      ; res=no1-no2;
      t3.setText(String.valueOf(res));
    }
}
```

```
        if(ae.getSource()==b3)
        { int no1,no2,res;
            no1=Integer.parseInt(t1.getText())
            ;
            no2=Integer.parseInt(t2.getText())
            ; res=no1*no2;
            t3.setText(String.valueOf(res));
        }
        if(ae.getSource()==b4)
        { int no1,no2,res;
            no1=Integer.parseInt(t1.getText())
            ;
            no2=Integer.parseInt(t2.getText())
            ; res=no1/no2;
            t3.setText(String.valueOf(res));
        }
    }
    public static void main(String args[])
    {
        Arithmetic A = new Arithmetic();
    }
}
```

K.V.R.S.S'S

Output:-



K.V.R.S.S.S'S

Shivraj college of Arts,Commerce and D.S.Kadam Science

College,Gadhinglaj.

DEPARTMENT OF COMPUTER SCIENCE

Name: Vaishnavi Vishwanath Fagare

Roll No:-34

PRN No.:- 2021055201

Date:-19/12/2023

Assignment 15

Q. Write a program to implement JRadio Button

```
//program import javax.swing.*;
import java.awt.*; public class
demo11 extends JFrame
{ demo11()
{
JFrame f=new JFrame();
setSize(500,500); setVisible(true);
JRadioButton r1=new JRadioButton("male");
JRadioButton r2=new JRadioButton("female");
JRadioButton r3=new JRadioButton("other");
ButtonGroup bg=new ButtonGroup();
setLayout(new FlowLayout(FlowLayout.LEFT));
bg.add(r1); bg.add(r2); bg.add(r3); add(r1);
add(r2); add(r3); }
public static void main(String args[])
{
```

```
demo11 d=new demo11();
```

```
}  
}
```

Output-:



A Java Swing window titled "demo11" with a light blue header and yellow title bar. It contains three radio buttons labeled "male", "female", and "other". The "female" radio button is selected and highlighted with a blue border.

K.V.R.S.S.S'S

Shivraj college of Arts,Commerce and D.S.Kadam Science

College,Gadhinglaj.

DEPARTMENT OF COMPUTER SCIENCE

Name: Vaishnavi Vishwanath Fagare

Roll No:-34

PRN No.:- 2021055201

Date:- 26/12/2023

Assignment 16

Q. Write a program to JTree Swing Control


```
//program import
javax.swing.*; import
java.awt.*;
import javax.swing.tree.DefaultMutableTreeNode; public
class treedemo extends JFrame
{
JFrame f1; JTree
root1,root2;
treedemo()
{
f1=new JFrame();
setSize(500,500); setVisible(true);
DefaultMutableTreeNode root=new DefaultMutableTreeNode ("root");
DefaultMutableTreeNode state= new DefaultMutableTreeNode ("state");
DefaultMutableTreeNode mh= new DefaultMutableTreeNode ("MH");
DefaultMutableTreeNode up= new DefaultMutableTreeNode ("UP");
```

```
DefaultMutableTreeNode ka= new DefaultMutableTreeNode ("KA");
DefaultMutableTreeNode kop=new DefaultMutableTreeNode ("kop");
root1=new JTree(state); add(root1); state.add(mh); state.add(up);
state.add(ka); mh.add(kop);

}

public static void main(String args[])
{
treedemo td=new treedemo();
}
}
```

Output:-



K.V.R.S.S.S'S

Shivraj college of Arts,Commerce and D.S.Kadam Science

College,Gadhinglaj.

DEPARTMENT OF COMPUTER SCIENCE

Name: Vaishnavi Vishwanath Fagare

Roll No:-34

PRN No.:- 2021055201

Date:-02/01/2024

Assignment 17

Q. Write a program to create JMenu bar where Menu Item such as file, edit and sub menu Item

```
//program import
java.awt.*; import
javax.swing.*;
public class mdemo extends JFrame
{
JFrame f1;
JMenuBar mbr;
JMenu file,edit;
JMenuItem open,save,cut,copy,past;
```

```
mdemo()
{
f1=new JFrame("hi"); setSize(500,500);
setVisible(true);
setLayout(new FlowLayout(FlowLayout.LEFT));
mbr=new JMenuBar(); add(mbr); file=new
JMenu("file"); edit=new JMenu("edit");
open=new JMenuItem("open"); save=new
JMenuItem("save"); cut=new JMenuItem("cut");
copy=new JMenuItem("copy");

past=new JMenuItem("past");
```



K.V.R.S.S.S'S

Shivraj college of Arts,Commerce and D.S.Kadam Science

College,Gadhinglaj.

```
file.add(open);
file.add(save);
edit.add(cut);
edit.add(copy);
edit.add(past);
mbr.add(file);
mbr.add(edit);
}
public static void main(String args[])
{
mdemo d=new mdemo();
}
}
```

Output:-



DEPARTMENT OF COMPUTER SCIENCE

Name: Vaishnavi Vishwanath Fagare

Roll No:-34

PRN No.:- 2021055201

Date:-09/01/2024

Assignment 18

Q. Write a program to Perform different Mouse operation using Swing control

```
//program import
javax.swing.*; import
java.awt.*; import java.
awt.event.*;
public class mousedemo extends JFrame implements MouseListener{
JFrame f1;
JTextField t1;
mousedemo(){ f1=new
JFrame("hi"); t1=new
JTextField(20);
setSize(500,500);
setVisible(true);
setLayout(new FlowLayout(FlowLayout.LEFT));
add(t1); t1.addMouseListener(this);
}
public void mouseClicked(MouseEvent me){
t1.setText("mouse clicked");
}
public void mouseEntered(MouseEvent me){
t1.setText("mouse enter");
}
```

K.V.R.S.S.S'S

Shivraj college of Arts,Commerce and D.S.Kadam Science

College,Gadhinglaj.

```
public void mouseReleased(MouseEvent me){  
t1.setText("mouse relise");  
}
```

```
public void mouseExited(MouseEvent me){  
    t1.setText("mouse exit");  
}  
public void mousePressed(MouseEvent me){  
    t1.setText("mouse press");  
}  
public static void main(String args[]){  
    mousedemo d=new mousedemo();  
}  
}
```

Output-:



K.V.R.S.S.S'S

Shivraj college of Arts,Commerce and D.S.Kadam Science

College,Gadhinglaj.

DEPARTMENT OF COMPUTER SCIENCE

Name: Vaishnavi Vishwanath Fagare

Roll No:-34

PRN No.:- 2021055201

Date:-16/01/2024

Assignment 19

Q. Create table Medicine(M_Id,M_Name,M_Price)Write JDBC program to display Medicine Information.

```
import java.sql.*; public class database
{ public static void main(String args[])

{ try
{
Class.forName("sun.jdbc.odbc.JdbcOdbcDriver");
System.out.println("driver loaded properly");
Connection con=DriverManager.getConnection("jdbc:odbc:Journal");
System.out.println("connection suscefully");
System.out.println("M_Id M_Name M_Price");
String sql "select * from Medicine";
```

```

Statement st=con.createStatement();
ResultSet rs=st.executeQuery(sql);
while(rs.next())
{
System.out.println(rs.getInt(1)+" "+" "+" "+"
"+rs.getString(2)+" "+" "+" "+" "+" "+rs.getString(3));
} con.close();
}
catch(SQLException e){
System.out.println("driver not loaded properly");
}
catch(Exception e){
System.out.println("error in connection");
}
}
}
}

```

Output-:

```

run:
driver loaded properly
connection suscefully
*****
M_Id M_Name    M_Price
*****
1    Crocine    15
2    Anacine    12
3    Ascoril    98
4    Adderall   15
5    Lisinopril  28
6    Metformin  104
7    telmisartan 34
8    Azithromycin 50
*****
BUILD SUCCESSFUL (total time: 3 seconds)
|

```

K.V.R.S.S.S'S

Shivraj college of Arts,Commerce and D.S.Kadam Science

College,Gadhinglaj.

Medicine				
M_Id	M_Name	M_Price	Click to Add	
1	Crocine	15		
2	Anacine	12		
3	Ascoril	98		
4	Adderall	15		
5	Lisinopril	28		
6	Metformin	104		
7	telmisartan	34		
8	Azithromycin	50		
*	(New)	0		

K.V.R.S.S.S'S

Shivraj college of Arts,Commerce and D.S.Kadam Science

College,Gadhinglaj.

DEPARTMENT OF COMPUTER SCIENCE

Name: Vaishnavi Vishwanath Fagare

Roll No:-34

PRN No.:- 2021055201

Date:-23/01/2024


Assignment 20

Q. Write a program to implement create, insert, update query using JDBC on Table Bike(b_name,b_color,b_price).

```
import java.sql.*; public class
database2 { public static void
main(String args[])
{ try
{
Class.forName("sun.jdbc.odbc.JdbcOdbcDriver");
System.out.println("driver loaded properly");
Connection con=DriverManager.getConnection("jdbc:odbc:Journal");
System.out.println("connection establised");
PreparedStatement ps1=con.prepareStatement("create table Bike(b_name text
,b_color text,b_price number)");ps1.executeUpdate();
System.out.println("table create successfully");
PreparedStatement ps2=con.prepareStatement("insert into Bike
values('Hornet','Black',90000),('Pleasure','Blue',55000),('Shine','Blue',70000),('Activ
a'
,'White',65000),('Unicorn','Black',87000)"); ps2.executeUpdate();
System.out.println("record insert suscefully");
PreparedStatement ps3=con.prepareStatement("update Bike set b_color='Yellow'
where b_name='Hornet'"); ps3.executeUpdate();
```

```
System.out.println("record update suscefully");
PreparedStatement ps4=con.prepareStatement("delete Bike
where b_name='Pleasure'"); ps4.executeUpdate();
System.out.println("record delete
suscefully"); con.close(); }
catch(SQLException e1)
{
System.out.println("driver not loaded properly");
}
catch(Exception e2)
{
System.out.println("error in connection");
}
}
}
```


Output:-



b_name	b_color	b_price	Click to Add
Activa	White	65000	
Hornet	Black	90000	
Pleasure	Blue	55000	
Shine	Blue	70000	
Unicorn	Black	87000	
*		0	

0

```
Java DB Database Process x GlassFish Server 3+ x
run:
driver loaded properly
connection established
record update suscefully
record delete suscefully
BUILD SUCCESSFUL (total time: 1 second)
```



b_name	b_color	b_price	Click to Add
Activa	White	65000	
Hornet	Yellow	90000	
Shine	Blue	70000	
Unicorn	Black	87000	
*		0	

K.V.R.S.S.S'S

Shivraj college of Arts,Commerce and D.S.Kadam Science

College,Gadhinglaj.

DEPARTMENT OF COMPUTER SCIENCE

Name: Vaishnavi Vishwanath Fagare

Roll No:-34

PRN No.:- 2021055201

Date:-30/01/2024

Assignment 21

**Q. Write a program to implement select query using JDBC on table
course(C_id,C_name,C_price).**


```
import java.sql.Connection;
import java.sql.DriverManager;
import java.sql.ResultSet;
import java.sql.SQLException;
import java.sql.Statement;

public class database3 { public static
    void main(String args[])
    { try
    {
        Class.forName("sun.jdbc.odbc.JdbcOdbcDriver");
        System.out.println("driver loaded properly");
        Connection con=DriverManager.getConnection("jdbc:odbc:Journal");
        System.out.println("connection suscefully");
        System.out.println("*****");
        System.out.println("C_Id C_Name C_Price");
        System.out.println("*****");
        String sql = "select * from course";
        Statement st=con.createStatement();


        ResultSet rs=st.executeQuery(sql);
```



```
while(rs.next()) {                                     "+" "+" "+"
System.out.println(rs.getInt(1)+" "+" "+" "+" "+rs.getString(2)+"
"+rs.getString(3));
}
con.close();
}
catch(SQLException e)
{
System.out.println("driver not loaded properly");
}
catch(Exception e)
{
System.out.println("error in connection");
}
}
}
```



Output_:



C_id	C_name	C_price	Click to Add
1	Java	10000	
2	C#	7000	
3	ML	8000	
4	SE	12000	
5	C++	4000	
6	Graphics Desig	17000	
7	C Basics	5000	
*	(New)		

```
run:
driver loaded properly
connection suscefully
*****
C_Id C_Name    C_Price
*****
1    Java      10000
2    C#         7000
3    ML         8000
4    SE        12000
5    C++        4000
6    Graphics Designing 17000
7    C Basics   5000
*****
BUILD SUCCESSFUL (total time: 1 second)
|
```

K.V.R.S.S.S'S

Shivraj college of Arts,Commerce and D.S.Kadam Science

College,Gadhinglaj.

DEPARTMENT OF COMPUTER SCIENCE

Name: Vaishnavi Vishwanath Fagare

Roll No:-34

PRN No.:- 2021055201

Date:-06/02/2024

Assignment 22

Q. Write a program to find out factorial of given no using JSP

HTML Code


```
<html>
  <head>
    <title>TODO supply a title</title>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
  </head>
  <body>
    <form action="fact.jsp">
      <div>
        <label>
          Enter The Number:
        </label>
        <input type="text" name="t1"/>
        <br>
        <br>
        <input type="submit" value="Clik" >
      </div>
    </form>
  </body>
</html>
```

```
        </div>
    </form>
</body> JSP code:
<%@page contentType="text/html" pageEncoding="UTF-8"%>
<!DOCTYPE html>
<html>
    <head>
        <meta http-equiv="Content-Type" content="text/html; charset=UTF-8">
        <title>JSP Page</title>
    </head>
    <body>
<%
int no, fact=1;
no=Integer.parseInt(request.getParameter("t1"));
while(no>=1)
{
fact=fact*no;
no--; }
out.println("factorial is "+fact);
%>
    </body> </html>
```

Output- :



Enter The Number:



factorial is 24

K.V.R.S.S'S

Shivraj college of Arts,Commerce and D.S.Kadam Science

College,Gadhinglaj.

DEPARTMENT OF COMPUTER SCIENCE

Name: Vaishnavi Vishwanath Fagare

Roll No:-34

PRN No.:- 2021055201

Date:-13/02/2024


Assignment 23

Q. Write a program to find out greater number out of two number using JSP

```
<html><head>
  <title>TODO supply a title</title>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
</head>
<body>
  <form action="Greater1.jsp" method="POST">
    Enter First Number<input type="text" name="t1" value="">
    <br>
    <br>
    Enter Second Number<input type="text" name="t2" value="">
    <br>
    <br>
    <input type="submit" value="Check">
  </form>
</body>
</html>
//jsp
<%@page contentType="text/html" pageEncoding="UTF-8"%>
<!DOCTYPE html>
<html>
  <head>
    <meta http-equiv="Content-Type" content="text/html; charset=UTF-8">
    <title>JSP Page</title>
```

```
</head>
<body>
    <%int no1=Integer.parseInt(request.getParameter("t1"));
int no2=Integer.parseInt(request.getParameter("t2"));
int greaternumber=Math.max(no1,no2); %>    <%
out.println("First number:"+no1);    out.println("Second
number:"+no2);
    out.println("Greater number:"+greaternumber);%>
</body> </html/>
```

Output- :



The screenshot shows a web browser window with the address bar displaying 'localhost:24241/java/greater.html'. Below the address bar, there are three icons: Gmail, YouTube, and Maps. The main content area of the browser contains a form with two input fields. The first input field is labeled 'Enter First Number' and contains the value '10'. The second input field is labeled 'Enter Second Number' and contains the value '15'. Below these input fields, there is a button labeled 'Check'.

K.V.R.S.S'S

Shivraj college of Arts,Commerce and D.S.Kadam Science

College,Gadhinglaj.

DEPARTMENT OF COMPUTER SCIENCE

Name: Vaishnavi Vishwanath Fagare

Roll No.:-34

PRN No.:- 2021055201

Date:-20/02/2024

Assignment 24

Q. Write a program to find out reverse no of given no in JSP

```
<!DOCTYPE html>
<html>
  <head>
    <title>TODO supply a title</title>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
  </head>
  <body>
    <form action="reverse1.jsp" method="POST">
      Enter the No: <input type="text" name="t1" value="" />
      <input type="submit" value="cal rev" />
    </form>
  </body>
</html>
```

```
//jsp
<%@page contentType="text/html" pageEncoding="UTF-8"%>
<!DOCTYPE html>
<html>
  <head>
    <meta http-equiv="Content-Type" content="text/html; charset=UTF-8">
  <title>JSP Page</title>
  </head>
```

```
<body>
    <% int no,sum1=0,rev;
no=Integer.parseInt(request.getParameter("t1"));
out.println("reverse no is");    while(no>=1) {
rev=no%10;    sum1=sum1+rev;
no=no/10;    out.print(rev);
    }%>
</body> </html>
```

Output- :

← → ↻ ⓘ localhost:24241/java/reverse.html

 Gmail  YouTube  Maps

Enter the No:

← → ↻ ⓘ localhost:24241/java/reverse1.jsp

 Gmail  YouTube  Maps

reverse no is 635

K.V.R.S.S.S'S

Shivraj college of Arts,Commerce and D.S.Kadam Science

College,Gadhinglaj.

DEPARTMENT OF COMPUTER SCIENCE

Name: Vaishnavi Vishwanath Fagare

Roll No:-34

PRN No.:- 2021055201

Date:-27/02/2024

Assignment 25

Q.Write a program to swap two number without using third variable using servlet.

```
<!DOCTYPE html>
```

```
<!--
```

To change this license header, choose License Headers in Project Properties.

To change this template file, choose Tools | Templates and open the template in the editor.

```
-->
```

```
<html>
```

```
  <head>
```

```
    <title>TODO supply a title</title>
```

```
    <meta charset="UTF-8">
```

```
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
```

```
  </head>
```

```
  <body>
```

```
    <form action="swap1" method="POST">
```

```
      Enter First No<input type="text" name="t1" value="" />
```

```
      Enter Second No<input type="text" name="t2" value="" />
```

```
      <input type="submit" value="swap" />
```

```
</form>
</body>
</html>
```

```
//serverlet
```

```
import java.io.IOException; import
java.io.PrintWriter; import
javax.servlet.ServletException; import
javax.servlet.annotation.WebServlet; import
javax.servlet.http.HttpServlet; import
javax.servlet.http.HttpServletRequest;
import javax.servlet.http.HttpServletResponse;
```

```
/**
```

```
 *
```

```
 * @author kk
```

```
 */
```

```
@WebServlet(urlPatterns = {"/swap1"})
```

```
public class swap extends HttpServlet {
```

```
    /**
```

```
    * Processes requests for both HTTP <code>GET</code> and
    <code>POST</code>
```

```
    * methods.
```

```
        *
```

```
    * @param request servlet request
```

```
    * @param response servlet response
```

```
    * @throws ServletException if a servlet-specific error occurs
```

```
    * @throws IOException if an I/O error occurs
```

```
    */
```

```
    protected void processRequest(HttpServletRequest request, HttpServletResponse
response)
```

```

        throws ServletException, IOException {
response.setContentType("text/html;charset=UTF-8");        try
(PrintWriter out = response.getWriter()) {
    /* TODO output your page here. You may use following sample code. */
    out.println("<!DOCTYPE html>");
        out.println("<html>");
    out.println("<head>");
        out.println("<title>Servlet swap1</title>");
    out.println("</head>");        out.println("<body>");
    int num1=Integer.parseInt(request.getParameter("t1"));
    int num2=Integer.parseInt(request.getParameter("t2"));
    out.println("Before Swapping");
        out.println("first number:"+num1);
    out.println("second number:"+num2);
        num1=num1+num2;
    num2=num1-num2;        num1=num1-
    num2;        out.println("After swapping");
    out.println("First number is:"+num1);
        out.println("Second number is:"+num2);

        out.println("</body>");
        out.println("</html>");
    }
}

```

```

// <editor-fold defaultstate="collapsed" desc="HttpServlet methods. Click on the
+ sign on the left to edit the code."> /**
* Handles the HTTP <code>GET</code> method.
*
* @param request servlet request
* @param response servlet response
* @throws ServletException if a servlet-specific error occurs
* @throws IOException if an I/O error occurs
*/
@Override

```

```


    protected void doGet(HttpServletRequest request, HttpServletResponse
response)
        throws ServletException, IOException
    {
        processRequest(request, response);
    }

    /**
    * Handles the HTTP <code>POST</code> method.
    *
    * @param request servlet request
    * @param response servlet response
    * @throws ServletException if a servlet-specific error occurs
    * @throws IOException if an I/O error occurs
    */
    @Override
    protected void doPost(HttpServletRequest request, HttpServletResponse
response)
        throws ServletException, IOException
    {
        processRequest(request, response);
    }

    /**
    * Returns a short description of the servlet.
    *
    * @return a String containing servlet description
    */
    @Override
    public String getServletInfo()
    {
        return "Short description";
    }
// </editor-fold>
}

```

Output:-



A screenshot of a web browser window. The address bar shows 'localhost:24241/java/swap1.html'. Below the address bar are links for Gmail, YouTube, and Maps. The main content area contains two input fields. The first is labeled 'Enter First No' and contains the value '10'. The second is labeled 'Enter Second No' and contains the value '20'. Below these fields is a button labeled 'swap'.


localhost:24241/java/swap1.html

Gmail YouTube Maps

Enter First No 10

Enter Second No 20

swap



Before Swapping first number:10 second number:20 After swapping First number is:20 Second number is:10
