

/\* Problem Statement: Write a JAVA program (using oop features) to implement following

1. FCFS
2. SJF(Preemptive)
3. Priority(Non- Preemptive)
4. Round Robin(Preemptive)

#### 1.FCFS

```
*/
import java.io.*;
import java.util.Scanner;
public class FCFS
{
    public static void main(String args[])
    {
        int i,no_p,burst_time[],TT[],WT[];
        float avg_wait=0,avg_TT=0;
        burst_time=new int[50];
        TT=new int[50];
        WT=new int[50];
        WT[0]=0;
        Scanner s=new Scanner(System.in);
        System.out.println("Enter the number of process: ");
        no_p=s.nextInt();
        System.out.println("\nEnter Burst Time for processes:");
        for(i=0;i<no_p;i++)
        {
            System.out.print("\tP"+(i+1)+" : ");
            burst_time[i]=s.nextInt();
        }

        for(i=1;i<no_p;i++)
        {
            WT[i]=WT[i-1]+burst_time[i-1];
            avg_wait+=WT[i];
        }
        avg_wait/=no_p;

        for(i=0;i<no_p;i++)
        {
            TT[i]=WT[i]+burst_time[i];
            avg_TT+=TT[i];
        }
    }
}
```

```

        avg_TT/=no_p;

System.out.println("\n*****");
        System.out.println("\tProcesses:");

System.out.println("*****");
        System.out.println("  Process\tBurst Time\tWaiting Time\tTurn Around Time");
        for(i=0;i<no_p;i++)
        {
            System.out.println("\tP"+(i+1)+"\t "+burst_time[i]+\t\t "+WT[i]+\t\t "+TT[i]);

        }
        System.out.println("\n-----");
        System.out.println("\nAverage waiting time : "+avg_wait);
        System.out.println("\nAverage Turn Around time : "+avg_TT+"\n");
    }
}

```

/\*Output:

Enter the number of process:

3

Enter Burst Time for processes:

P1: 24

P2: 3

P3: 3

\*\*\*\*\*

Processes:

\*\*\*\*\*

Process	Burst Time	Waiting Time	Turn Around Time
P1	24	0	24
P2	3	24	27
P3	3	27	30

-----

Average waiting time : 17.0

Average Turn Around time : 27.0 \*/

```

/*Round Robin(Preemptive)*/
import java.util.*;
import java.io.*;
class RoundR
{
    public static void main(String args[])
    {
        int Process[]=new int[10];
        int a[]=new int[10];
        int Arrival_time[]=new int[10];
        int Burst_time[]=new int[10];
        int WT[]=new int[10];
        int TAT[]=new int[10];
        int Pno,sum=0;;
        int TimeQuantum;

        System.out.println("\nEnter the no. of Process::");
        Scanner sc=new Scanner(System.in);
        Pno=sc.nextInt();
        System.out.println("\nEnter each process::");
        for(int i=0;i<Pno;i++)
        {
            Process[i]=sc.nextInt();
        }

        System.out.println("\nEnter the Burst Time of each process::");
        for(int i=0;i<Pno;i++)
        {
            Burst_time[i]=sc.nextInt();
        }

        System.out.println("\nEnter the Time Quantum::");
        TimeQuantum=sc.nextInt();
        do{
            for(int i=0;i<Pno;i++)
            {
                if(Burst_time[i]>TimeQuantum)
                {
                    Burst_time[i]-=TimeQuantum;
                    for(int j=0;j<Pno;j++)
                    {
                        if((j!=i)&&(Burst_time[j]!=0))
                            WT[j]+=TimeQuantum;
                    }
                }
            }
        } while (sum<Pno);
    }
}

```

```

        }
    }
    else
    {
        for(int j=0;j<Pno;j++)
        {
            if((j!=i)&&(Burst_time[j]!=0))
                WT[j]+=Burst_time[i];
        }
        Burst_time[i]=0;
    }
}

sum=0;
for(int k=0;k<Pno;k++)
    sum=sum+Burst_time[k];
} while(sum!=0);

for(int i=0;i<Pno;i++)
    TAT[i]=WT[i]+a[i];
System.out.println("process\t\tBT\tWT\tTAT");
for(int i=0;i<Pno;i++)
{
    System.out.println("process" +(i+1) +"\t"+a[i]+"\t"+WT[i]+"\t"+TAT[i]);
}

float avg_wt=0;
float avg_tat=0;
for(int j=0;j<Pno;j++)
{
    avg_wt+=WT[j];
}
for(int j=0;j<Pno;j++)
{
    avg_tat+=TAT[j];
}

System.out.println("average waiting time "+(avg_wt/Pno)+"\n Average turn around
time" +(avg_tat/Pno));
}
}

```

/\*OUTPUT::

unix@unix-HP-280-G1-

MT:~/TEA33\$ java RoundR

Enter the no. of Process::

5

Enter each process::

1

2

3

4

5

Enter the Burst Time of each process::

2

1

8

4

5

Enter the Time Quantum::

2

process	BT	WT	TAT
process1	0	0	0
process2	0	2	2
process3	0	12	12
process4	0	9	9
process5	0	13	13

average waiting time 7.2

Average turn around time7.2 \*/

```

/*          2. SJF(Non-Preemptive)          */
import java.util.Scanner;
class SJF1{
public static void main(String args[]){
int burst_time[],process[],waiting_time[],tat[],i,j,n,total=0,pos,temp;
float wait_avg,TAT_avg;
Scanner s = new Scanner(System.in);

System.out.print("Enter number of process: ");
n = s.nextInt();

process = new int[n];
burst_time = new int[n];
waiting_time = new int[n];
tat = new int[n];

System.out.println("\nEnter Burst time:");
for(i=0;i<n;i++)
{
System.out.print("\nProcess["+(i+1)+"]: ");
burst_time[i] = s.nextInt();
process[i]=i+1; //Process Number
}

//Sorting
for(i=0;i<n;i++)
{
pos=i;
for(j=i+1;j<n;j++)
{
if(burst_time[j]<burst_time[pos])
pos=j;
}

temp=burst_time[i];
burst_time[i]=burst_time[pos];
burst_time[pos]=temp;

temp=process[i];
process[i]=process[pos];
process[pos]=temp;
}
}

```

```

//First process has 0 waiting time
waiting_time[0]=0;
//calculate waiting time
for(i=1;i<n;i++)
{
    waiting_time[i]=0;
    for(j=0;j<i;j++)
        waiting_time[i]+=burst_time[j];
    total+=waiting_time[i];
}

//Calculating Average waiting time
wait_avg=(float)total/n;
total=0;

System.out.println("\nProcess\tBurst Time \tWaiting Time\tTurnaround Time");
for(i=0;i<n;i++)
{
    tat[i]=burst_time[i]+waiting_time[i]; //Calculating Turnaround Time
    total+=tat[i];
    System.out.println("\n p"+process[i]+" \t\t "+burst_time[i]+" \t\t "+waiting_time[i]+" \t\t "+tat[i]);
}

//Calculation of Average Turnaround Time
TAT_avg=(float)total/n;
System.out.println("\n\nAverage Waiting Time: "+wait_avg);
System.out.println("\n\nAverage Turnaround Time: "+TAT_avg);

}
}

```

```

/* 2. SJF(Preemptive)*/
import java.util.Scanner;

class sjf_swap1{
public static void main(String args[])
{
int
burst_time[],process[],waiting_time[],tat[],arr_time[],completion_time[],i,j,n,total=0,total_comp=0,pos,
temp;
float wait_avg,TAT_avg;
Scanner s = new Scanner(System.in);
System.out.print("Enter number of process: ");
n = s.nextInt();
process = new int[n];
burst_time = new int[n];
waiting_time = new int[n];
arr_time=new int[n];
tat = new int[n];
completion_time=new int[n];

//burst time
System.out.println("\nEnter Burst time:");
for(i=0;i<n;i++)
{
System.out.print("\nProcess["+(i+1)+"]: ");
burst_time[i] = s.nextInt();
process[i]=i+1; //Process Number
}

//arrival time
System.out.println("\nEnter arrival time:");
for(i=0;i<n;i++)
{
System.out.print("\nProcess["+(i+1)+"]: ");
arr_time[i] = s.nextInt();
process[i]=i+1; //Process Number
}

//Sorting
for(i=0;i<n;i++)
{
pos=i;

```



```

for(j=i+1;j<n;j++)
{
if(burst_time[j]<burst_time[pos])
pos=j;
}

temp=burst_time[i];
burst_time[i]=burst_time[pos];
burst_time[pos]=temp;

temp=process[i];
process[i]=process[pos];
process[pos]=temp;

System.out.println("process"+process[i]);
}
//completion time new
for(i=1;i<n;i++)
{
completion_time[i]=0;
for(j=0;j<i;j++)
completion_time[i]+=burst_time[j];
total_comp+=completion_time[i];
}

//First process has 0 waiting time
waiting_time[0]=0;
//calculate
waiting time
for(i=1;i<n;i++)
{
waiting_time[i]=0;
for(j=0;j<i;j++)
waiting_time[i]+=burst_time[j];
total+=waiting_time[i];
}

//Calculating Average waiting time
wait_avg=(float)total/n;
total=0;

```

```
System.out.println("\nPro_number\tBurst Time \tcompletion_time\tWaiting Time\tTurnaround Time");
for(i=0;i<n;i++)
{
    tat[i]=burst_time[i]+waiting_time[i];
    //Calculating Turnaround Time
    total+=tat[i];
    System.out.println("\n"+process[i]+" \t\t "+burst_time[i]+" \t\t "
    "+completion_time[i]+" \t\t "+waiting_time[i]+" \t\t "+tat[i]);
}

//Calculation of Average Turnaround Time
TAT_avg=(float)total/n;
System.out.println("\n\nAWT: "+wait_avg);
System.out.println("\nATAT: "+TAT_avg);

}
}
```