

PF (Programminag Fundamental)

Assignment#3 Part 3

Laiba Mansoor Khan SE(2C)

Problem 1: Count Even Numbers in an Array

```
#include <iostream>
```

```
using namespace std;
```

```
int countEvenNumbers(int arr[], int size)
```

```
{
```

```
    int count = 0;
```

```
    for(int I = 0; I < size; i++)
```

```
    {
```

```
        if(arr[i] % 2 == 0)
```

```
        {
```

```
            count++;
```

```
    }  
}
```

```
    return count;  
}
```

```
int main ()  
{
```

```
    int N;
```

```
    cout << "Enter Size of Array: ";
```

```
    cin >> N;
```

```
    int numbers[N];
```

```
    for(int I = 0; I < N; i++)
```

```
    {
```

```
        cout << "Enter value in index " << I << ": ";
```

```
        cin >> numbers[i];
```

```
}
```

```
int result = countEvenNumbers(numbers, N);
```

```
cout << "Number of Even Numbers in Array : ";<<  
result << endl;
```

```
return 0;
```

```
}
```

Problem 2: Display a 2D Array

```
#include <iostream>
```

```
using namespace std;
```

```
int main ()
```

```
{
```

```
int R, C;
```

```
cin >> R >> C;
```

```
int arr[R][C];
```

```
for(int i = 0; i < R; i++)
```

```
{
```

```
    for(int j = 0; j < C; j++)
```

```
    {
```

```
        cin >> arr[i][j];
```

```
    }
```

```
}
```

```
for(int i = 0; i < R; i++)
```

```
{
```

```
    for(int j = 0; j < C; j++)
```

```
    {
```

```
        cout << arr[i][j] << " ";
```

```
    }
```

```
    cout << endl;
```

```
}
```

```
    return 0;  
}
```

Problem 3: Find GCD

```
#include <iostream>  
  
using namespace std;  
  
int findGCD(int a, int b)  
{  
    while (b != 0)  
    {  
        int temp = b;  
        b = a % b;  
        a = temp;  
    }  
  
    return a;
```

```
}
```

```
int main()
```

```
{
```

```
    cout << findGCD(48, 18);
```

```
    return 0;
```

```
}
```

Missing conditon

```
    b != 0
```

Problem 4: Batting Strike Rate Calculator

```
#include <iostream>
```

```
using namespace std;
```

```
double calculateStrikeRate(int runs, int balls)
```

```
{
```

```
    return ((double)runs / balls) * 100;
}

int main ()
{
    int runs, balls;

    cin >> runs >> balls;

    double strikeRate = calculateStrikeRate(runs, balls);

    cout << "Strike Rate: " << strikeRate;

    return 0;
}
```

Problem 5: String Length

```
#include <iostream>
```

```
using namespace std;
```

```
int getLength(char arr[])
```

```
{
```

```
    int length = 0;
```

```
    for(int i = 0; arr[i] != '\0'; i++)
```

```
    {
```

```
        length++;
```

```
    }
```

```
    return length;
```

```
}
```

```
int main()
```

```
{
```

```
    char name[] = "Student";
```

```
cout << getLength(name);
```

```
return 0;
```

```
}
```

Missing Condition

```
arr[i] != '\0'
```

Problem 6: Copy Word

```
#include <iostream>
```

```
using namespace std;
```

```
void copyWord(char src[], char dest[], int length)
```

```
{
```

```
    for(int i = 0; i < length; i++)
```

```
    {
```

```
        dest[i] = src[i];
```

```
    }
```

```
    dest[length] = '\0';  
}
```

```
int main()  
{  
    char original[] = "Code";  
    char backup[10];  
  
    copyWord(original, backup, 4);  
  
    cout << backup;  
  
    return 0;  
}
```

Missing condition

```
    dest[i] = src[i];
```