

MySQL Workbench

Local instance wampmysqld x project x

File Edit View Query Database Server Tools Scripting Help

Navigator: SQL File 3* SQL File 4*

SCHMAS

Filter objects

ecommerce

Tables

Views

Stored Procedures

Functions

employee

employees

my_database

products

project

student

Administration

Information

No object selected

```

13 price DECIMAL(10,2)
14 );
15
16 CREATE TABLE orders (
17   order_id INT PRIMARY KEY,
18   customer_id INT,
19   order_date DATE,
20   FOREIGN KEY (customer_id) REFERENCES customers(customer_id)
21 );
22
23 CREATE TABLE order_items (
24   item_id INT PRIMARY KEY,
25   order_id INT,
26   product_id INT,
27   quantity INT,
28   FOREIGN KEY (order_id) REFERENCES orders(order_id),
29   FOREIGN KEY (product_id) REFERENCES products(product_id)
30 );
31
32 INSERT INTO customers VALUES (1, 'Alice', 'alice@example.com'), (2, 'Bob', 'bob@example.com');
33 INSERT INTO products VALUES (1, 'Laptop', 800.00), (2, 'Mouse', 20.00);

```

Output

#	Time	Action	Message	Duration / Fetch
1	15:39:27	CREATE DATABASE ecommerce	1 row(s) affected	0.000 sec
2	15:39:30	USE ecommerce	0 row(s) affected	0.000 sec
3	15:39:36	CREATE TABLE customers (customer_id INT PRIMARY KEY, name VARCHAR(100), ...	0 row(s) affected	0.078 sec
4	15:39:39	CREATE TABLE products (product_id INT PRIMARY KEY, product_name VARCHAR(10...	0 row(s) affected	0.047 sec
5	15:39:51	CREATE TABLE orders (order_id INT PRIMARY KEY, customer_id INT, order_date DA...	0 row(s) affected	0.140 sec
6	15:40:00	CREATE TABLE order_items (item_id INT PRIMARY KEY, order_id INT, product_id IN...	0 row(s) affected	0.110 sec

Query Completed

MySQL Workbench

Local instance wampmysqld x project x

File Edit View Query Database Server Tools Scripting Help

Navigator: SQL File 3* SQL File 4*

SCHMAS

Filter objects

ecommerce

Tables

Views

Stored Procedures

Functions

employee

employees

my_database

products

project

student

Administration

Information

No object selected

```

19 order_date DATE,
20 FOREIGN KEY (customer_id) REFERENCES customers(customer_id)
21 );
22
23 CREATE TABLE order_items (
24   item_id INT PRIMARY KEY,
25   order_id INT,
26   product_id INT,
27   quantity INT,
28   FOREIGN KEY (order_id) REFERENCES orders(order_id),
29   FOREIGN KEY (product_id) REFERENCES products(product_id)
30 );
31
32 INSERT INTO customers VALUES (1, 'Alice', 'alice@example.com'), (2, 'Bob', 'bob@example.com');
33 INSERT INTO products VALUES (1, 'Laptop', 800.00), (2, 'Mouse', 20.00);

```

Output

#	Time	Action	Message	Duration / Fetch
3	15:39:36	CREATE TABLE customers (customer_id INT PRIMARY KEY, name VARCHAR(100), ...	0 row(s) affected	0.078 sec
4	15:39:39	CREATE TABLE products (product_id INT PRIMARY KEY, product_name VARCHAR(1...	0 row(s) affected	0.047 sec
5	15:39:51	CREATE TABLE orders (order_id INT PRIMARY KEY, customer_id INT, order_date ...	0 row(s) affected	0.140 sec
6	15:40:00	CREATE TABLE order_items (item_id INT PRIMARY KEY, order_id INT, product_id I...	0 row(s) affected	0.110 sec
7	15:40:29	INSERT INTO customers VALUES (1, 'Alice', 'alice@example.com'), (2, 'Bob', 'bob@example.com')...	2 row(s) affected Records: 2 Duplicates: 0 Warnings: 0	0.031 sec
8	15:40:42	INSERT INTO products VALUES (1, 'Laptop', 800.00), (2, 'Mouse', 20.00)	2 row(s) affected Records: 2 Duplicates: 0 Warnings: 0	0.031 sec

Query Completed

MySQL Workbench

Local instance wampmysqld x

File Edit View Query Database Server Tools Scripting Help

Navigator: SQL File 3* SQL File 4*

SCHMAS

Filter objects

- departement
- employee
- employeee
- employees
- my_database
- products
- project
- student
- student_details
- studentdb
- students
- sys

Administration Schemas

Information

No object selected

```
20 FOREIGN KEY (customer_id) REFERENCES customers(customer_id)
21 );
22
23 CREATE TABLE order_items (
24     item_id INT PRIMARY KEY,
25     order_id INT,
26     product_id INT,
27     quantity INT,
28     FOREIGN KEY (order_id) REFERENCES orders(order_id),
29     FOREIGN KEY (product_id) REFERENCES products(product_id)
30 );
31
32 INSERT INTO customers VALUES (1, 'Alice', 'alice@example.com'), (2, 'Bob', 'bob@example.com');
33 INSERT INTO products VALUES (1, 'Laptop', 800.00), (2, 'Mouse', 20.00);
34 INSERT INTO orders VALUES (1, 1, '2024-01-10'), (2, 2, '2024-01-12');
35 INSERT INTO order_items VALUES (1, 1, 1, 1), (2, 1, 2, 2), (3, 2, 2, 1);
```

Output

Action Output

#	Time	Action	Message	Duration / Fetch
5	15:49:49	CREATE TABLE orders (order_id INT PRIMARY KEY, customer_id INT, order_date ...	0 row(s) affected	0.109 sec
6	15:49:54	CREATE TABLE order_items (item_id INT PRIMARY KEY, order_id INT, product_id ...	0 row(s) affected	0.140 sec
7	15:49:58	INSERT INTO customers VALUES (1, 'Alice', 'alice@example.com'), (2, 'Bob', 'bob@example...	2 row(s) affected Records: 2 Duplicates: 0 Warnings: 0	0.031 sec
8	15:50:01	INSERT INTO products VALUES (1, 'Laptop', 800.00), (2, 'Mouse', 20.00)	2 row(s) affected Records: 2 Duplicates: 0 Warnings: 0	0.016 sec
9	15:50:08	INSERT INTO orders VALUES (1, 1, '2024-01-10'), (2, 2, '2024-01-12')	2 row(s) affected Records: 2 Duplicates: 0 Warnings: 0	0.016 sec
10	15:50:28	INSERT INTO order_items VALUES (1, 1, 1, 1), (2, 1, 2, 2), (3, 2, 2, 1)	3 row(s) affected Records: 3 Duplicates: 0 Warnings: 0	0.016 sec

Object Info Session

Type here to search

03:52 PM 24-04-2025

MySQL Workbench

Local instance wampmysqld x

File Edit View Query Database Server Tools Scripting Help

Navigator: SQL File 3* SQL File 4*

SCHMAS

Filter objects

- departement
- employee
- employeee
- employees
- my_database
- products
- project
- student
- student_details
- studentdb
- students
- sys

Administration Schemas

Information

No object selected

```
33 INSERT INTO products VALUES (1, 'Laptop', 800.00), (2, 'Mouse', 20.00);
34 INSERT INTO orders VALUES (1, 1, '2024-01-10'), (2, 2, '2024-01-12');
35 INSERT INTO order_items VALUES (1, 1, 1, 1), (2, 1, 2, 2), (3, 2, 2, 1);
36 SELECT p.product_name, SUM(p.price * oi.quantity) AS total_revenue
37 FROM order_items oi
38 JOIN products p ON oi.product_id = p.product_id
39 GROUP BY p.product_name;
```

Result Grid

product_name	total_revenue
Laptop	800.00
Mouse	60.00

Result 1 x

Output

Action Output

#	Time	Action	Message	Duration / Fetch
6	15:49:54	CREATE TABLE order_items (item_id INT PRIMARY KEY, order_id INT, product_id ...	0 row(s) affected	0.140 sec
7	15:49:58	INSERT INTO customers VALUES (1, 'Alice', 'alice@example.com'), (2, 'Bob', 'bob@examl...	2 row(s) affected Records: 2 Duplicates: 0 Warnings: 0	0.031 sec
8	15:50:01	INSERT INTO products VALUES (1, 'Laptop', 800.00), (2, 'Mouse', 20.00)	2 row(s) affected Records: 2 Duplicates: 0 Warnings: 0	0.016 sec
9	15:50:08	INSERT INTO orders VALUES (1, 1, '2024-01-10'), (2, 2, '2024-01-12')	2 row(s) affected Records: 2 Duplicates: 0 Warnings: 0	0.016 sec
10	15:50:28	INSERT INTO order_items VALUES (1, 1, 1, 1), (2, 1, 2, 2), (3, 2, 2, 1)	3 row(s) affected Records: 3 Duplicates: 0 Warnings: 0	0.016 sec
11	15:52:32	SELECT p.product_name, SUM(p.price * oi.quantity) AS total_revenue FROM order_items oi ...	2 row(s) returned	0.016 sec / 0.000 sec

Object Info Session

Type here to search

03:52 PM 24-04-2025

MySQL Workbench

Local instance wampmysqld

File Edit View Query Database Server Tools Scripting Help

Navigator: SQL File 3* SQL File 4*

SCHMAS

Filter objects

- departement
- employee
- employees
- my_database
- products
- project
- student
- student_details
- studentdb
- students
- sys

Administration Schemas

Information

No object selected

```

39 GROUP BY p.product_name;
40 SELECT c.name, AVG(p.price * oi.quantity) AS avg_revenue
41 FROM customers c
42 JOIN orders o ON c.customer_id = o.customer_id
43 JOIN order_items oi ON o.order_id = oi.order_id
44 JOIN products p ON oi.product_id = p.product_id
45 GROUP BY c.name;

```

Result Grid

name	avg_revenue
Alice	420.000000
Bob	20.000000

Result 2 x

Output

Action Output

#	Time	Action	Message	Duration / Fetch
7	15:49:58	INSERT INTO customers VALUES (1, 'Alice', 'alice@example.com'), (2, 'Bob', 'bob@exampl...	2 row(s) affected Records: 2 Duplicates: 0 Warnings: 0	0.031 sec
8	15:50:01	INSERT INTO products VALUES (1, 'Laptop', 800.00), (2, 'Mouse', 20.00)	2 row(s) affected Records: 2 Duplicates: 0 Warnings: 0	0.016 sec
9	15:50:08	INSERT INTO orders VALUES (1, 1, '2024-01-10'), (2, 2, '2024-01-12')	2 row(s) affected Records: 2 Duplicates: 0 Warnings: 0	0.016 sec
10	15:50:28	INSERT INTO order_items VALUES (1, 1, 1), (2, 1, 2, 2), (3, 2, 2, 1)	3 row(s) affected Records: 3 Duplicates: 0 Warnings: 0	0.016 sec
11	15:52:32	SELECT p.product_name, SUM(p.price * oi.quantity) AS total_revenue FROM order_items oi ...	2 row(s) returned	0.016 sec / 0.000 sec
12	15:56:17	SELECT c.name, AVG(p.price * oi.quantity) AS avg_revenue FROM customers c JOIN order...	2 row(s) returned	0.000 sec / 0.000 sec

Object Info Session

MySQL Workbench

Local instance wampmysqld

File Edit View Query Database Server Tools Scripting Help

Navigator: SQL File 3* SQL File 4*

SCHMAS

Filter objects

- departement
- employee
- employees
- my_database
- products
- project
- student
- student_details
- studentdb
- students
- sys

Administration Schemas

Information

No object selected

```

37 FROM order_items oi
38 JOIN products p ON oi.product_id = p.product_id
39 GROUP BY p.product_name;
40 SELECT c.name, AVG(p.price * oi.quantity) AS avg_revenue
41 FROM customers c
42 JOIN orders o ON c.customer_id = o.customer_id
43 JOIN order_items oi ON o.order_id = oi.order_id
44 JOIN products p ON oi.product_id = p.product_id
45 GROUP BY c.name;
46 CREATE VIEW customer_revenue AS
47 SELECT c.customer_id, c.name, SUM(p.price * oi.quantity) AS revenue
48 FROM customers c
49 JOIN orders o ON c.customer_id = o.customer_id
50 JOIN order_items oi ON o.order_id = oi.order_id
51 JOIN products p ON oi.product_id = p.product_id
52 GROUP BY c.customer_id, c.name;

```

Output

Action Output

#	Time	Action	Message	Duration / Fetch
8	15:50:01	INSERT INTO products VALUES (1, 'Laptop', 800.00), (2, 'Mouse', 20.00)	2 row(s) affected Records: 2 Duplicates: 0 Warnings: 0	0.016 sec
9	15:50:08	INSERT INTO orders VALUES (1, 1, '2024-01-10'), (2, 2, '2024-01-12')	2 row(s) affected Records: 2 Duplicates: 0 Warnings: 0	0.016 sec
10	15:50:28	INSERT INTO order_items VALUES (1, 1, 1), (2, 1, 2, 2), (3, 2, 2, 1)	3 row(s) affected Records: 3 Duplicates: 0 Warnings: 0	0.016 sec
11	15:52:32	SELECT p.product_name, SUM(p.price * oi.quantity) AS total_revenue FROM order_items oi ...	2 row(s) returned	0.016 sec / 0.000 sec
12	15:56:17	SELECT c.name, AVG(p.price * oi.quantity) AS avg_revenue FROM customers c JOIN order...	2 row(s) returned	0.000 sec / 0.000 sec
13	15:58:22	CREATE VIEW customer_revenue AS SELECT c.customer_id, c.name, SUM(p.price * oi.qua...	0 row(s) affected	0.062 sec

Object Info Session

MySQL Workbench

Local instance wampmysqld x

File Edit View Query Database Server Tools Scripting Help

Navigator: SQL File 3* SQL File 4*

SCHMAS

Filter objects

- department
- employee
- employees
- my_database
- products
- project
- student
- student_details
- studentdb
- students
- sys

Administration Schemas

Information

No object selected

```
49 JOIN orders o ON c.customer_id = o.customer_id
50 JOIN order_items oi ON o.order_id = oi.order_id
51 JOIN products p ON oi.product_id = p.product_id
52 GROUP BY c.customer_id, c.name;
53 SELECT * FROM orders o
54 JOIN customers c ON o.customer_id = c.customer_id
55 WHERE c.name = 'Alice';
```

product_id	product_name	price
1	Laptop	800.00
2	Mouse	20.00
NULL	NULL	NULL

products 3 x

Output

Action Output

#	Time	Action	Message	Duration / Fetch
9	15:50:08	INSERT INTO orders VALUES (1, 1, '2024-01-10'), (2, 2, '2024-01-12');	2 row(s) affected Records: 2 Duplicates: 0 Warnings: 0	0.016 sec
10	15:50:28	INSERT INTO order_items VALUES (1, 1, 1), (2, 1, 2, 2), (3, 2, 2, 1);	3 row(s) affected Records: 3 Duplicates: 0 Warnings: 0	0.016 sec
11	15:52:32	SELECT p.product_name, SUM(p.price * oi.quantity) AS total_revenue FROM order_items oi ...	2 row(s) returned	0.016 sec / 0.000 sec
12	15:56:17	SELECT c.name, AVG(p.price * oi.quantity) AS avg_revenue FROM customers c JOIN order...	2 row(s) returned	0.000 sec / 0.000 sec
13	15:58:22	CREATE VIEW customer_revenue AS SELECT c.customer_id, c.name, SUM(p.price * oi.qu...	0 row(s) affected	0.062 sec
14	16:01:27	SELECT * FROM products ORDER BY price DESC LIMIT 0, 1000	2 row(s) returned	0.000 sec / 0.000 sec

Object Info Session

MySQL Workbench

Local instance wampmysqld x

File Edit View Query Database Server Tools Scripting Help

Navigator: SQL File 3* SQL File 4*

SCHMAS

Filter objects

- department
- employee
- employees
- my_database
- products
- project
- student
- student_details
- studentdb
- students
- sys

Administration Schemas

Information

No object selected

```
50 JOIN order_items oi ON o.order_id = oi.order_id
51 JOIN products p ON oi.product_id = p.product_id
52 GROUP BY c.customer_id, c.name;
53 SELECT * FROM orders o
54 JOIN customers c ON o.customer_id = c.customer_id
55 WHERE c.name = 'Alice';
56 SELECT * FROM products ORDER BY price DESC;
```

product_id	product_name	price
1	Laptop	800.00
2	Mouse	20.00
NULL	NULL	NULL

products 4 x

Output

Action Output

#	Time	Action	Message	Duration / Fetch
10	15:50:28	INSERT INTO order_items VALUES (1, 1, 1), (2, 1, 2, 2), (3, 2, 2, 1);	3 row(s) affected Records: 3 Duplicates: 0 Warnings: 0	0.016 sec
11	15:52:32	SELECT p.product_name, SUM(p.price * oi.quantity) AS total_revenue FROM order_items oi ...	2 row(s) returned	0.016 sec / 0.000 sec
12	15:56:17	SELECT c.name, AVG(p.price * oi.quantity) AS avg_revenue FROM customers c JOIN order...	2 row(s) returned	0.000 sec / 0.000 sec
13	15:58:22	CREATE VIEW customer_revenue AS SELECT c.customer_id, c.name, SUM(p.price * oi.qu...	0 row(s) affected	0.062 sec
14	16:01:27	SELECT * FROM products ORDER BY price DESC LIMIT 0, 1000	2 row(s) returned	0.000 sec / 0.000 sec
15	16:04:27	SELECT * FROM products ORDER BY price DESC LIMIT 0, 1000	2 row(s) returned	0.000 sec / 0.000 sec

Object Info Session

MySQL Workbench

Local instance wampmysqld

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

- departement
- employee
- employees
- my_database
- products
- project
- student
- student_details
- studentdb
- students
- sys

Administration Schemas

Information

No object selected

SQL File 3* SQL File 4*

```

53 SELECT * FROM orders o
54 JOIN customers c ON c.customer_id = o.customer_id
55 WHERE c.name = 'Alice';
56 SELECT * FROM products ORDER BY price DESC;
57 SELECT c.name, o.order_id
58 FROM customers c
59 LEFT JOIN orders o ON c.customer_id = o.customer_id;

```

Result Grid

name	order_id
Alice	1
Bob	2

Result 5

Output

Action Output

#	Time	Action	Message	Duration / Fetch
11	15:52:32	SELECT p product_name, SUM(p price * oi quantity) AS total_revenue FROM order_items oi ...	2 row(s) returned	0.016 sec / 0.000 sec
12	15:56:17	SELECT c.name, AVG(p price * oi quantity) AS avg_revenue FROM customers c JOIN order...	2 row(s) returned	0.000 sec / 0.000 sec
13	15:58:22	CREATE VIEW customer_revenue AS SELECT c customer_id, c.name, SUM(p price * oi qu...	0 row(s) affected	0.062 sec
14	16:01:27	SELECT * FROM products ORDER BY price DESC LIMIT 0, 1000	2 row(s) returned	0.000 sec / 0.000 sec
15	16:04:27	SELECT * FROM products ORDER BY price DESC LIMIT 0, 1000	2 row(s) returned	0.000 sec / 0.000 sec
16	16:07:02	SELECT c.name, o.order_id FROM customers c LEFT JOIN orders o ON c.customer_id = o...	2 row(s) returned	0.000 sec / 0.000 sec

Object Info Session

MySQL Workbench

Local instance wampmysqld

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

- departement
- employee
- employees
- my_database
- products
- project
- student
- student_details
- studentdb
- students
- sys

Administration Schemas

Information

No object selected

SQL File 3* SQL File 4*

```

57 SELECT c.name, o.order_id
58 FROM customers c
59 LEFT JOIN orders o ON c.customer_id = o.customer_id;
60 SELECT name FROM customer_revenue
61 WHERE revenue > (
62 SELECT AVG(revenue) FROM customer_revenue
63 );

```

Result Grid

name
Alice

customer_revenue 6

Output

Action Output

#	Time	Action	Message	Duration / Fetch
12	15:56:17	SELECT c.name, AVG(p price * oi quantity) AS avg_revenue FROM customers c JOIN order...	2 row(s) returned	0.000 sec / 0.000 sec
13	15:58:22	CREATE VIEW customer_revenue AS SELECT c customer_id, c.name, SUM(p price * oi qu...	0 row(s) affected	0.062 sec
14	16:01:27	SELECT * FROM products ORDER BY price DESC LIMIT 0, 1000	2 row(s) returned	0.000 sec / 0.000 sec
15	16:04:27	SELECT * FROM products ORDER BY price DESC LIMIT 0, 1000	2 row(s) returned	0.000 sec / 0.000 sec
16	16:07:02	SELECT c.name, o.order_id FROM customers c LEFT JOIN orders o ON c.customer_id = o...	2 row(s) returned	0.000 sec / 0.000 sec
17	16:09:15	SELECT name FROM customer_revenue WHERE revenue > (SELECT AVG(revenue) FR...	1 row(s) returned	0.047 sec / 0.000 sec

Object Info Session

MySQL Workbench

Local instance wampmysqld

File Edit View Query Database Server Tools Scripting Help

Navigator: SQL File 3* SQL File 4*

SCHMAS

Filter objects

- departement
- employee
- employeee
- employees
- my_database
- products
- project
- student
- student_details
- studentdb
- students
- sys

Administration Schemas

Information

No object selected

```

61 WHERE revenue > (
62     SELECT AVG(revenue) FROM customer_revenue
63 );
64 #Handle NULL values:
65 SELECT IFNULL(c.name, 'No Name') AS customer_name, o.order_id
66 FROM orders o
67 LEFT JOIN customers c ON o.customer_id = c.customer_id;

```

Result Grid

customer_name	order_id
Alice	1
Bob	2

Result 7

Output

Action Output

#	Time	Action	Message	Duration / Fetch
13	15:58:22	CREATE VIEW customer_revenue AS SELECT c.customer_id, c.name, SUM(p.price * oi.qu...	0 row(s) affected	0.062 sec
14	16:01:27	SELECT * FROM products ORDER BY price DESC LIMIT 0, 1000	2 row(s) returned	0.000 sec / 0.000 sec
15	16:04:27	SELECT * FROM products ORDER BY price DESC LIMIT 0, 1000	2 row(s) returned	0.000 sec / 0.000 sec
16	16:07:02	SELECT c.name, o.order_id FROM customers c LEFT JOIN orders o ON c.customer_id = o...	2 row(s) returned	0.000 sec / 0.000 sec
17	16:09:15	SELECT name FROM customer_revenue WHERE revenue > (SELECT AVG(revenue) FR...	1 row(s) returned	0.047 sec / 0.000 sec
18	16:12:05	SELECT IFNULL(c.name, 'No Name') AS customer_name, o.order_id FROM orders LEFT J...	2 row(s) returned	0.000 sec / 0.000 sec

Object Info Session

MySQL Workbench

Local instance wampmysqld

File Edit View Query Database Server Tools Scripting Help

Navigator: SQL File 3* SQL File 4*

SCHMAS

Filter objects

- departement
- employee
- employeee
- employees
- my_database
- products
- project
- student
- student_details
- studentdb
- students
- sys

Administration Schemas

Information

No object selected

```

57 SELECT c.name, o.order_id
58 FROM customers c
59 LEFT JOIN orders o ON c.customer_id = o.customer_id;
60 SELECT name FROM customer_revenue
61 WHERE revenue > (
62     SELECT AVG(revenue) FROM customer_revenue
63 );
64 #Handle NULL values:
65 SELECT IFNULL(c.name, 'No Name') AS customer_name, o.order_id
66 FROM orders o
67 LEFT JOIN customers c ON o.customer_id = c.customer_id;
68 #Create Index
69 CREATE INDEX idx_customer_id ON orders(customer_id);
70
71
72

```

Output

Action Output

#	Time	Action	Message	Duration / Fetch
14	16:01:27	SELECT * FROM products ORDER BY price DESC LIMIT 0, 1000	2 row(s) returned	0.000 sec / 0.000 sec
15	16:04:27	SELECT * FROM products ORDER BY price DESC LIMIT 0, 1000	2 row(s) returned	0.000 sec / 0.000 sec
16	16:07:02	SELECT c.name, o.order_id FROM customers c LEFT JOIN orders o ON c.customer_id = o...	2 row(s) returned	0.000 sec / 0.000 sec
17	16:09:15	SELECT name FROM customer_revenue WHERE revenue > (SELECT AVG(revenue) FR...	1 row(s) returned	0.047 sec / 0.000 sec
18	16:12:05	SELECT IFNULL(c.name, 'No Name') AS customer_name, o.order_id FROM orders LEFT J...	2 row(s) returned	0.000 sec / 0.000 sec
19	16:13:09	CREATE INDEX idx_customer_id ON orders(customer_id)	0 row(s) affected Records: 0 Duplicates: 0 Warnings: 0	0.125 sec

Object Info Session