

PREFACE

As a student of Bachelor of Computer Application according to the syllabus subscribed by Bhakta Kavi Narsinh Mehta Universiy, Junagadh(Gujarat), In 6th semester of B.C.A. to prepare a project on any particular subject of student choice. The project should be selected on precise subject that will fulfil the requirements.

The project report Training is under taken by <u>Pr.V.R.Godhaniya</u> <u>College</u> of information technology in porbandar. Project report has been prepared on the base of information we collected. We sincerely apologise if any wrong information is given.

<u>INDEX</u>

NO	TOPIC NAME	PG NO
1	Certificate	0
2	Preface	1
3	Index	2
4	Acknowledgement	3
5	Project Profile	5
6	Preliminary Invastigation	7
7	System Analysis and Designing	10
	Use Case Diagram	
	Class Diagram (OOP)	
8	Project Life Cycle	13
	E-R Diagram	
	Activity Diagram	
9	Database Creation	14
	Software Testing	15
10		
11	User Interface Designs (Snapshots)	18
12	Code	
	THANK YOU	

<u>ACKNOWLEGEMENT</u>

It is our great pleasure to present our project report on **RADHE PHOTOGRAPHY** which we conceived during the BCA 6^{th} Sem affiliated to Bhakta Kavi Narsinh Mehta University.

We take this opportunity to express our sincere gratitude and we feel immense pleasure to thank our faculty, philosopher and guide NIRAY DATTANI who

Project name	RADHE PHOTOGRAPHY
Front end	HTML,CSS,JS
Back end	PHP,MYSQL SERVER
Developed by	VARSHA PARMAR, RIDDHI GOHEL, MAHEK BHALIYA.
Tools	Microsoft Visual code 2012
Testing	Manual
Task	Analysis, Designing, Coding, Testing
Guided by	NIRAV DATTANI
Developed at	Dr.V.R.Godhaniya IT College Porbandar

helped us and gave full support in each and every way to fulfil and accomplish our website of RADHE PHOTOGRAPHY.

PROJECT PROFILE

ABSTRACT OF PROJECT (BRIEF SYSTEM BACKGROUND)

Project Title: Development of Radhe studio Website

Radhe photography aims to establish a robust online presence through a user-friendly, informative, and engaging news website. The platform will provide engagement, pre-wedding, wedding and photography.

System Overview:

The proposed system will:

- 1. for the photography
- 2. Offer categorized photos sections (engagement, pre-wedding, wedding and photography..)
- 3. Provide inquiry and information
- 4. Support multimedia content (images, videos, podcasts)

Key Objectives:

- 1. Enhance user experience through intuitive navigation and content organization
- 2. Increase website traffic and engagement
- 3. Provide seamless integration with social media platforms
- 5. Ensure scalability and reliability

Functional Requirements:

- 1. User registration and login
- 2. Content management system (CMS)
- 3. Search functionality
- 4. Social media integration
- 5. Analytics and performance tracking

This abstract provides a concise overview of the project's background, objectives, and requirements. It serves as a foundation for the project brief, which will outline the scope, timeline, and budget in greater detail.

Reports:

Name of Organization: RADHE PHOTOGRAPHY

Project Time Duration: 3 months.

Prepared By: Varsha Parmar.

Prepared By: Riddhi Gohel.

Prepared By: Mahek Bhaliya

Summary:

RADHE PHOTOGRAPHY aims to create a user-friendly, informative PHOTOS website providing real-time updates, categorized photo sections, searchable archives, and multimedia content. Key objectives include enhancing user experience, increasing traffic and engagement, establishing credibility, seamless social media integration, and scalability.

PRELIMINARY INVASTIGATION

This preliminary investigation aims to identify the feasibility, requirements, and potential challenges of developing the Rival News Website.

This preliminary investigation provides a foundation for further project planning and development.

Technical Feasibility:

- 1. Front-end: JavaScript, HTML5, CSS3 are suitable for responsive design and user interface.
- 2. Back-end: PHP is a popular choice for web development, suitable for dynamic content management.
- 3. Database: MySQL is a reliable and scalable database management system.

Functional Requirements:

- 1. Real-time photo updates: RSS feeds, API integration, or custom development.
- 2. Categorized photo sections: categorization feature.
- 3. Searchable archives: Database indexing, search algorithms.
- 4. Multimedia content support: Media library integration.
- 5. User registration/login: Authentication and authorization mechanisms.
- 6. Social media integration: API integration.

Non-Functional Requirements:

- 1. Security: SSL encryption, secure authentication.
- 2. Scalability: load balancing.
- 3. Usability: User-friendly interface, accessibility.
- 4. Performance: Optimization techniques, caching.

Potential Challenges:

- 1. Content management and updates.
- 2. Ensuring real-time updates.
- 3. Integrating social media platforms.

Next Steps:

- 1. Finalize project scope and timeline.
- 2. Assemble development team.
- 3. Begin detailed design and development.

Feasibility Studies:

1.Technical Feasibility Study

A study of resource availability that my effect the ability to achieve an acceptable system. This evaluation determines whether the technology needed for the proposed system is available or not. Can the work for the project be done with current equipment existing software technology & available personal? Can the system be upgraded if developed?

2. Economics Feasibility Study

Economic analysis is the most frequently used method for evaluating the effectiveness of a proposed system. In this feasibility we decide the proposed system as on the basis of cost, benefit analysis. Whether the proposed system is feasible according to the economic factors.

The benefit that this system has are many including the working speed of the system queries are stored in a faster manner, the data are stored in the database that can be used whenever required.

3. Operational Feasibility Study

The assessment made id the system will be used or not once it is developed. According to the project the material sharing application will use. The operational feasibility if the system is developed and implemented to measure. How well our project solution is will work in the organization.

SYSTEM ANALYSIS AND DESIGNING

Requirement Analysis

Function Requirement:

The software must allow input of product data from administrator at secured access, and from the data streaming real-time monitoring equipment.

Non-function Requirement:

The software interface must follow design conventions which allow for familiar location of menus etc.

MINIMUM HARDWARE REQUIREMENT

COMPONENT	MINIMUM REQUIREMENT
PROCESSOR	Intel(R) Core(TM) i3
SUPPORTED	32 BIT
ARCHITECTURE	64 BIT
HARD DISK	INSTALLING 250 GB OR HIGHER
RAM	4.00 GB OR HIGHER

C


> MINIMUM SOFTWARE REQUIRMENT

COMPONENT	MINIMUM REQUIREMENT
OPERATING SYSTEM	WINDOW 10
PROJECT DEVLOP SOFTWARE	MICROSOFT VISUAL CODE 2012
WEB BROWSERS	OPERA INTERNET BROWSER,
	GOOGLE CHROME,INTERNET
	EXPLORER, FIREFOX


CLASS DIAGRAM (OOP)

Order details		
Customer Name		
Customer Email id		
Address		
Number		
Date		
Order Details		


USE CASE DIAGRAM



Project Life Cycle




ACTIVITY DIAGRAM




DATABASE CREATION

ADMIN

1.LOGIN/SIGNUP





SOFTWARE TESTING

Before actual implementation the new system into operations, a test run of the system is done for removing all the bugs. After codifying the whole program of the system, a test plan should be developed and run on a given set of test data. The output of the test run should be match with the expected results. Sometimes, system testing is considered as a part of implementation process.

Using the test data following test run are carried out:

- ✓ Program test
- ✓ System test


Program test: When the programs have been coded and complied and brought to working conditions, they must be individually tested with prepared test data.


All verification and validation be checked and if any undesirable things happening it must be noted and debugged (error corrected).

System test: After carrying out the program test and removing errors, system test is done. At this stage the test is done on actual data. The complete system is executed on actual data.


USER INTERFACE DESIGNS (SNAPSHOTS)


HOME SCREEN





BOOK YOUR ORDER(ORDER DETAILS)





1 INDEX.HTML

```
Ink
href='http://fonts.googleapis.com/css?family=Roboto
:400,300,700' rel='stylesheet' type='text/css'>
  <!-- font awesome -->
  <!-- <li>href="//maxcdn.bootstrapcdn.com/font-
awesome/4.2.0/css/font-awesome.min.css"
rel="stylesheet"> -->
  <link rel="stylesheet"</pre>
href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/6.0.0-beta3/css/all.min.css">
  <!-- bootstrap -->
  <link rel="stylesheet"</pre>
href="assets/bootstrap/css/bootstrap.min.css" />
  <!-- animate.css -->
  <link rel="stylesheet"</pre>
href="assets/animate/animate.css" />
  <link rel="stylesheet"</pre>
href="assets/animate/set.css" />
  <style>
    .social-icons {
        display: flex;
        gap: 15px;
    }
    .social-icon {
        font-size: 2rem;
        color: #333;
        text-decoration: none;
        transition: color 0.3s;
    }
    .social-icon:hover {
```

```
color: #007bff; /* Change to whatever color
you prefer */
  </style>
  <!-- gallery -->
  <link rel="stylesheet"</pre>
href="assets/gallery/blueimp-gallery.min.css">
  <!-- favicon -->
  <link rel="shortcut icon"</pre>
href="images/favicon.ico" type="image/x-icon">
  <link rel="icon" href="images/favicon.ico"</pre>
type="image/x-icon">
  <link rel="stylesheet" href="assets/style.css">
</head>
<body>
  <!--<div class="topbar animated
fadeInLeftBig"></div>-->
  <!-- Header Starts -->
  <div class="navbar-wrapper">
    <div class="container">
      <div class="navbar navbar-inverse navbar-</pre>
fixed-top" role="navigation" id="top-nav">
        <div class="container">
          <div class="navbar-header">
            <!-- Logo Starts -->
            <a class="navbar-brand"</pre>
href="#home">RADHE STUDIO</a>
            <!-- #Logo Ends -->
```

```
<button type="button" class="navbar-</pre>
toggle collapsed" data-toggle="collapse" data-
target=".navbar-collapse">
            <span class="sr-only">Toggle
navigation
            <span class="icon-bar"></span>
            <span class="icon-bar"></span>
            <span class="icon-bar"></span>
          </button>
         </div>
         <!-- Nav Starts -->
         <!-- <div class="navbar-
collapse
        collapse">-->
        scroll">
          <a</pre>
href="#home">Home</a>
          <a href="#about">About</a>
          <a
href="#services">Services</a>
          <a href="#contact">Contact</a>
         </div>
       <!-- #Nav Ends -->
     </div>
   </div>
 </div>
 </div>
 <!-- #Header Starts -->
```

```
<div id="home">
    <!-- Slider Starts -->
    <div id="myCarousel" class="carousel slide</pre>
banner-slider animated bounceInDown" data-
ride="carousel">
      <div class="carousel-inner">
        <!-- Item 1 -->
        <div class="item active">
         <!-- <video src="video/demo9.mp" ></video>
-->
         <video controls>
          <source src="images/demoD.mp4"</pre>
type="video/mp4">
          Your browser does not support the video
tag.
      </video>
      <style>
      video {
        width: 100%; /* Make the video responsive
*/
        max-width: 800px; /* Optional: Limit the
maximum width */
        height: auto; /* Maintain the aspect ratio
*/
        margin-top: 20px;
        display: block;
        margin-left: auto;
        margin-right: auto; /* Center the video */
  </style>
        </div>
        <!-- #Item 1 -->
```

```
<!-- Item 1 -->
        <!--<div class="item">-->
          <!--<img src="images/bg.jpeg"
alt="banner">-->
        </div>
        <!-- #Item 1 -->
        <!-- Item 1 -->
        <div class="item">
          <img src="images/aaru.jpeg" alt="banner">
        </div>
        <!-- #Item 1 -->
        <!-- Item 1 -->
        <div class="item">
           <img src="images/back3.jpg" alt="banner">
        </div>
        <!-- #Item 1 -->
      </div>
      <a class="left carousel-control"</pre>
href="#myCarousel" data-slide="prev"><span</pre>
class="glyphicon-chevron-left"><i</pre>
             class="fa fa-angle-
left"></i></span></a>
             <a class="right carousel-control"</pre>
href="#myCarousel" data-slide="next"><span</pre>
class="glyphicon-chevron-right"><i</pre>
               class="fa fa-angle-
right"></i></span></a>
             </div>
             <!-- #Slider Ends -->
           </div>
           <div class="main">
             <div class="inner-div1">
```

```
<div class="col-sm-12 wowload</pre>
fadeInLeft">
                  <h4><i class="fa fa-camera-
retro"></i> <b>Introduction </b></h4>
                  <b>Hi, I'm Kuashik, a
passionate photographer and videographer with a
love for capturing life's most
                    authentic
                    and beautiful moments. Whether
it's a stunning landscape, a vibrant event, or a
personal portrait, I
                    thrive on
                    telling stories through the
lens.
                    With 7 years of experience, I
bring a blend of creativity, technical expertise,
and a keen eye for detail
                    every project. No matter the
assignment, I approach each with the same
dedication to quality and
                    excellence.
                    I believe that photography and
videography are more than just taking pictures or
recording videos-they are
                    about crafting a visual
narrative that resonates with people. My goal is
always to not only meet your
                    expectations but to exceed
them, delivering timeless visuals that you can
cherish forever..</b>
              </div>
```

<div class="inner-div2">

</div>

```
<img src="images/about.jpeg" alt="">
               <div class="social-icons">
                 <!-- Instagram Icon -->
                 <a
href="https://www.instagram.com/k.b.solanki 4/"
target="_blank" class="social-icon">
                     <i class="fab fa-</pre>
instagram"></i></i>
                 </a>
                 <a
href="https://www.facebook.com/https://www.facebook
.com/share/16DzDjaBuw/" target="_blank"
class="social-icon">
                 <!-- Facebook Icon -->
                     <i class="fab fa-facebook-</pre>
f"></i>
                 </a>
            </div>
            </div>
          </div>
        <h2 class="text-center wowload fadeInUp"</pre>
id="services"><b>Services</b></h2>
        <h4 class="text-center">
        <
          <!--<span><i class="fa fa-camera-
retro"></i><b>Photography</b></span>-->
```

```
<button style="width: 00px; height: 00px;</pre>
border: none;""alert('Button clicked!')"><a</pre>
              href="Photography.html">Photography/
a></button>
        <
          <!--<span><i class="fa fa-graduation-
cap"></i><b>Prewedding</b></span> -->
          <button style="width: 00px; height: 00px;</pre>
border: none;" onclick="alert('Button
clicked!')"><a</pre>
              href="Prewedding.html"
.html">Prewedding</a></button>
          <!--<button id="preweddingBtn" data-
price="15000">Prewedding Package - ₹15000</button>-
->
        <
          <!--<span><i class="fa fa-
umbrella"></i><br/>>cb>Engagement</b></span> -->
          <button style="width: 00px; height: 00px;</pre>
border: none;" onclick="alert('Button
clicked!')"><a</pre>
              href="Engagement.html"
.html">Engagement</a></button>
        <
          <!--<span><i class="fa fa-heart-
o"></i><b>Wedding</b></span> -->
```

```
<button style="width: 00px; height: 00px;</pre>
border: none;" onclick="alert('Button
clicked!')"><a</pre>
               href="Wedding.html"
.html">Wedding</a></button>
        </h4>
      </div>
  </div>
  </div>
  </div>
  <section id="portfolioo" class="portfolioo">
    <h2><b>Our photographs</b></h2>
    <div>
      <div class="ex">
        <div class="sliderrr">
          <div class="slide-trackkk">
             <div class="slidee"><img</pre>
src="images/demo1.jpeg" alt=""></div>
             <div class="slidee"><img</pre>
src="images/demo2.jpeg" alt=""></div>
             <div class="slidee"><img</pre>
src="images/demo3.jpeg" alt=""></div>
             <div class="slidee"><img</pre>
src="images/demo4.jpeg" alt=""></div>
             <div class="slidee"><img</pre>
src="images/demo5.jpeg" alt=""></div>
             <div class="slidee"><img</pre>
src="images/demo6.jpeg" alt=""></div>
```

```
<div class="slidee"><img</pre>
src="images/demo7.jpeg" alt=""></div>
             <div class="slidee"><img</pre>
src="images/demo10.jpg" alt=""></div>
             <div class="slidee"><img</pre>
src="images/demo2.jpeg" alt=""></div>
             <div class="slidee"><img</pre>
src="images/haldi (1).jpeg" alt=""></div>
             <div class="slidee"><img</pre>
src="images/demo11.jpg" alt=""></div>
             <div class="slidee"><img</pre>
src="images/demo12.jpg" alt=""></div>
             <div class="slidee"><img</pre>
src="images/demo13.jpg" alt=""></div>
             <div class="slidee"><img</pre>
src="images/demo15.jpg" alt=""></div>
             <div class="slidee"><img</pre>
src="images/demo16.JPG" alt=""></div>
             <div class="slidee"><img</pre>
src="images/demo18.jpg" alt=""></div>
             <div class="slidee"><img</pre>
src="images/demo17.jpg" alt=""></div>
             <div class="slidee"><img</pre>
src="images/demoM.jpg" alt=""></div>
           </div>
         </div>
      </div>
    </div>
  </section>
```

```
<div id="partners" class="container spacer ">
    <h2 class="text-center wowload</pre>
fadeInUp"><b>Some of our happy clients</b></h2>
    <div class="clearfix">
      <!--<div class="col-sm-6 partners wowload
fadeInLeft">
       <img src="images/partners/1.jpg"</pre>
alt="partners">
       <img src="images/partners/2.jpg"</pre>
alt="partners">
       <img src="images/partners/3.jpg"</pre>
alt="partners">
       <img src="images/partners/4.jpg"</pre>
alt="partners">
      </div>-->
      <div class="col-sm-6">
        <div id="carousel-testimonials"</pre>
class="carousel slide testimonails
fadeInRight" data-ride="carousel">
          <div class="carousel-inner">
             <div class="item active animated</pre>
bounceInRight row">
               <div class="animated slideInLeft col-</pre>
xs-2"><img alt="portfolio" src="images/demoC.jpeg"
width="100"
                   class="img-circle img-
responsive"></div>
               <div class="col-xs-10">
                 I must explain to you how all
this mistaken idea of denouncing pleasure and
praising pain was born
```

```
and I will give you a complete
account of the system, and expound the actual
teachings of the great
                   explorer of the truth, the
master-builder of human happiness. 
                <span>Angel Smith - <b>eshop
Canada</b></span>
              </div>
            </div>
            <div class="item animated</pre>
bounceInRight row">
              <div class="animated slideInLeft col-</pre>
xs-2"><img alt="portfolio" src="images/demoC.jpeg"</pre>
width="100"
                  class="img-circle img-
responsive"></div>
              <div class="col-xs-10">
                 No one rejects, dislikes, or
avoids pleasure itself, because it is pleasure, but
because those who do
                   not know how to pursue pleasure
rationally encounter consequences that are
extremely painful.
                <span>John Partic - <b>Crazy
Pixel</b></span>
              </div>
            </div>
            <div class="item animated</pre>
bounceInRight row">
              <div class="animated</pre>
slideInLeft col-xs-2"><img alt="portfolio"</pre>
src="images/team/3.jpg" width="100"
                   class="img-circle img-
responsive"></div>
```

```
<div class="col-xs-10">
             On the other hand, we denounce
with righteous indignation and dislike men who are
so beguiled and
              demoralized by the charms of
pleasure of the moment, so blinded by desire, that
they cannot foresee
              the pain and trouble that are
bound to ensue.
             <span>Harris David - <b>Jet
London</b></span>
           </div>
         </div>
        </div>
        <!-- Indicators -->
        testimonials" data-slide-to="0"
class="active">
         testimonials" data-slide-to="1">
         testimonials" data-slide-to="2">
        </01>
        <!-- Indicators -->
      </div>
     </div>
   </div>
```

```
<!-- About Starts -->
    <div class="highlight-info">
      <div class="overlay spacer">
        <div class="container">
          <div class="row text-center wowload</pre>
fadeInDownBig">
            <!--<div class="col-sm-3 col-xs-6">
              <i class="fa fa-smile-o fa-</pre>
5x"></i><h4>24 Clients</h4>
            </div>
  <div class="col-sm-3 col-xs-6">
  <i class="fa fa-rocket fa-5x"></i><h4>75
Projects</h4>
</div>
<div class="col-sm-3 col-xs-6">
  <i class="fa fa-cloud-download</pre>
                                   fa-
5x"></i><h4>454 Downloads</h4>
</div>
<div class="col-sm-3 col-xs-6">
  <i class="fa fa-map-marker fa-5x"></i><h4>2
Offices</h4>
</div>-->
          </div>
        </div>
      </div>
    </div>
    <!-- About Ends -->
```

```
<div id="contact" class="spacer">
      <!--Contact Starts-->
      <div class="container contactform center">
        <form method="post"</pre>
action="index_code.php">
          <h2 class="text-center wowload</pre>
fadeInUp"><b>Order Details</b></h2>
          <div class="row wowload fadeInLeftBig">
             <div class="col-sm-6 col-sm-offset-3</pre>
col-xs-12">
               <input type="text"</pre>
placeholder="customer Name" name="cname">
               <input type="text"</pre>
placeholder="customer Email Id" name="Eid">
               <textarea rows="5"
placeholder="Address" name="caddress"></textarea>
               <input type="number"</pre>
placeholder="Number" name="cnumber">
               <input type="date" placeholder="Date</pre>
" name="cdate">
               <!-- <input type=""
placeholder="Event Type" name="cevent"> -->
                <select name="" id="">
                 <option
value="Photography">photography</option>
                 <option value="Pre-Wedding">pre-
Wedding</option>
```

```
<option
value="Engagement">Engagement</option>
               <option
value="Wedding">Wedding</option>
              </select>
              <input type="submit" value="send">
            </div>
          </div>
        </form>
      </div>
    </div>
    <!--Contact Ends-->
    <!-- Footer Starts
    <div class="footer text-center spacer">
      <a href="#"><i</pre>
class="fa fa-facebook fa-2x"></i></a> <a
href="#"><i class="fa fa-instagram fa-2x"></i></a>
<a href="#"><i class="fa fa-twitter fa-2x"></i></a>
<a href="#"><i class="fa fa-flickr fa-2x"></i></a>
Best Photography Making....!!!
    </div>
    # Footer Ends
    <a href="#home" class="gototop "><i class="fa</pre>
fa-angle-up fa-3x"></i></a>-->
    <footer>
      © 2025 Photography. All Rights
Reserved. ~ Developed by <a
href="https://www.instagram.com/k.b.solanki 4/">
       Riddhi Gohel& Varsha Parmar & Mahek Bhaliya
</a>
    </footer>
```

```
<!-- The Bootstrap Image Gallery lightbox,
should be a child element of the document body -->
    <div id="blueimp-gallery" class="blueimp-</pre>
gallery blueimp-gallery-controls">
      <!-- The container for the modal slides -->
      <div class="slides"></div>
      <!-- Controls for the borderless lightbox -->
      <h3 class="title">Title</h3>
      <a class="prev"><</a>
      <a class="next">></a>
      <a class="close">×</a>
      <!-- The modal dialog, which will be used to
wrap the lightbox content -->
    </div>
    <!-- jquery -->
    <script src="assets/jquery.js"></script>
    <!-- wow script -->
    <script src="assets/wow/wow.min.js"></script>
    <!-- boostrap -->
    <script src="assets/bootstrap/js/bootstrap.js"</pre>
type="text/javascript"></script>
    <!-- jquery mobile -->
    <script
src="assets/mobile/touchSwipe.min.js"></script>
    <script
src="assets/respond/respond.js"></script>
```

2.STYLE.CSS

```
body { color:#333; font:300 15px/15px
Roboto,Arial,Helvetica;background:url(../images/bg.
jpg) right no-repeat fixed #fff; -webkit-font-
smoothing:antialiased;}

/*a{color:#00a9c6; text-decoration:none;}
a:hover{color:#666;}
.btn,a,.btn:hover,a:hover {
-webkit-transition: all 0.3s ease-in-out;
-moz-transition: all 0.3s ease-in-out;
-o-transition: all 0.3s ease-in-out;
transition: all 0.3s ease-in-out;
outline: none !important;
}*/
```

```
h1,h2,h3,h4{margin: 0;line-height: 1em;}
h1{font:700 5em
Roboto, Arial, Helvetica; margin: 0.25em 0; text-
transform: uppercase;}
h2{font:300 3em Roboto, Arial, Helvetica; margin-
bottom: 1.5em;}
h3{font:300 2em Roboto, Arial, Helvetica; margin:2em 0
1em 0;}
h4{font:300 1.5em Roboto, Arial, Helvetica; margin-
bottom: 1em;}
h4 i{margin-right: 0.5em;}
p{font-size:1em;line-height: 1.7em; margin-bottom:
1.7em;}
.spacer{padding: 6em 0;}
.btn{border:none;border-radius: 0;padding: 1em
4em; background: rgba(0,0,0,0.5); text-transform:
uppercase;}
.btn:hover,.btn:active{color: #fff;}
.btn-default{color: #ccc;border: 1px solid #aaa;}
.btn-default:hover,.btn-default:active{background:
rgba(0,0,0,0.8);}
.btn-primary{color: #fff;background:#e89f10;width:
100%; outline: none; }
.btn-primary:hover,.btn-primary:active,.btn-
primary:focus{background:#f3c024;box-shadow: none;}
/*.topbar {background:url(../images/lines.png);
height:5px;position: fixed;top: 0;width: 100%;z-
index: 1000;}*/
.navbar-nav > li > a{font-size: 1em;line-height:
1.5em;}
```

```
.navbar-inverse{background: #e1afaf; height: 20px;}
.navbar-inverse .navbar-nav>.active>a, .navbar-
inverse .navbar-nav>.active>a:hover, .navbar-
inverse .navbar-nav>.active>a:focus{background:
none;color: #E89F10;}
.navbar-inverse .navbar-brand{
    color: #fff;
#head,.carousel{margin-top: 0;}
#home{padding-top: 4em;height: 100vh;
overflow: hidden;}
/*about*/
.about.spacer{padding-left: 4em; padding-right:
4em;padding-bottom: 0;}
.services ul li{width: 10em;height: 10em;border:
1px solid #ccc;padding: 0;border-radius:
50%; margin: 0 1.25em; line-height: 13.5em; color:
#999;}
.services ul li span{line-height: 2em;display:
inline-block; font-weight: 300;}
.services ul li span i{font-size: 3em;}
.services ul li span b{display: block;font-size:
1em;font-weight: 300;}
/* Style for the main container */
.main {
    display: flex;
    justify-content: center; /* Horizontally center
the inner divs */
    align-items: center; /* Vertically center the
inner divs */
    height: 100vh; /* Full viewport height */
```

```
background-color:; /* Just to make it visible
*/
    width: 100%;
  }
  /* Style for the inner divs */
  .inner-div1 {
    background-color: ;
    color:black (36, 212, 162);
    padding: 20px;
    margin: 10px;
    text-align: center;
    width: 49%;
    height: 80%;
  }
  .inner-div2 {
    background-color:;
    color: white;
    padding: 20px;
    margin: 10px;
    text-align: center;
    width: 45%;
    height: 70%;
  }
  .icon-link{
    background-color:;
    height: 10%;
    width: 80%;
  }
  .inner-div2 img{
    height: 60%;
    width: 60%;
  }
```

```
/*testimonials*/
.partners img{float: left;margin:0 75px 30px 0;}
.testimonails{min-height: 195px;}
.testimonails img{margin-top: 5px;}
.testimonails span{color: #888;}
.testimonails span b{font-weight: 400;}
.carousel-indicators li{border: 1px solid #f3c024;}
.carousel-indicators{bottom: 0;}
.portfolioo{
    background-image: url("hand.jpeg");
   text-align: center;
    background-size: cover;
width: 100%;
height: 100vh;
/*Portfolio Section
.portfolio {
    height: 75vh;
    padding: 50px 20px;
   text-align: center;
    background-color: #5C7285;
}*/
.portfolioo h2 {
    padding-top: 20px;
   font-size: 3em;
}
.ex{
   min-height: 50vh;
   display: grid;
    place-items: center;
```

```
.sliderrr{
    height: 400px;
    margin: auto;
    position: relative;
    width: 99%;
    display: grid;
    place-items: center;
    overflow: hidden;
.slide-trackkk{
    display: flex;
    width: calc(250px * 18);
    animation: scroll 40s linear infinite;
}
.slide-trackkk:hover{
    animation-play-state: paused;
}
@keyframes scroll{
    0%{
        transform: translateX(0);
    100%{
        transform: translateX(calc(-250px * 9));
    }
}
.slidee{
    height: 200px;
    width: 250px;
    display: flex;
    align-items: center;
    padding: 20px;
```

```
perspective: 100px;
}
.slidee img{
    width: 100%;
    transition: transform 1s;
}
.slidee img:hover{
    transform: translateZ(25px);
}
/*services
#works{padding-top:6em;}
#works figcaption a{border:1px solid #fff;margin-
top: 1em;display: inline-block;color: #fff;padding:
0 2em;}
#works figcaption a:hover{text-decoration:
none;padding: 0 3em;}
services*/
/*team*/
.team figure{width: 100%;}
.team img{width: 100%;}
.team b{font-size: 1.2em;display: block;}
.team a i.fa{color: #fff; font-size: 2em;}
.team a i.fa:hover{color: #E89F10;}
.highlight-info{ background:url(../images/WhatsApp\
Image\ 2025-01-22\ at\ 8.14.30\ PM.jpeg) center
fixed; background-size: cover; color:#fff;}
.highlight-info .overlay{background: rgba(16, 232,
164, 0.7);}
.highlight-info h4{color: #fff;margin:0.5em 0 0 0;}
/*about us*/
```

```
/*contact*/
.contactform textarea,
.contactform input,.contactform select{width:
100%;padding:1em;border:1px solid #ccc;margin-
bottom: 1em;border-radius: 0;outline: none;}
/*contact*/
/*.footer{background-color: #111; color: #fff;
font-size: 1em;color: #aaa;}
.footer a{color: #aaa;margin: 0 1em; }*/
.gototop{position: fixed;bottom: 20px; right:
20px; background: rgba(54, 213, 32, 0.5); padding:
10px;color: #fff;}
.gototop i{line-height: 0.5em;}
@media (max-width: 1200px) {
    body{font:300 13px/13px
Roboto, Arial, Helvetica; }
    .navbar-brand{padding-top: 11px;}
    .services ul li{margin:0 0.5em; }
    .grid figure h2{font: 700 1.5em
Roboto, Arial, Helvetica; }
```

```
figure.effect-oscar figcaption{padding: 12%;}
    figure.effect-oscar
figcaption::before,figure.effect-chico
figcaption::before{top: 20px;right: 20px;bottom:
20px; left: 20px; }
    .partners img{margin: 0 25px 25px 0;}
}
@media (max-width: 900px) {
    h1{font: 700 3.5em Roboto, Arial, Helvetica;}
    h4 {font: 300 1.3em Roboto, Arial, Helvetica;}
    .btn{padding: 1em 2em;}
    .partners img{margin: 0 15px 25px 0;width:
157px;}
    .services ul li{width: 9em;height: 9em;}
 figure.effect-chico figcaption {padding: 2em;}
    figure.effect-oscar figcaption {padding: 20%;}
    figure.effect-chico figcaption::before{top:
10px;right: 10px;bottom: 10px;left: 10px;}
    .grid figure.effect-chico p{font-size:
0.6em;line-height: 1.5em;}
@media (max-width: 767px) {
    body{font:300 12px/12px
Roboto, Arial, Helvetica; }
    .navbar-nav > li > a {line-height: 1em;}
    .navbar-brand{padding: 7px;}
    .navbar-brand img{height: 37px;}
    .navbar-toggle{margin-top: 12px;}
```

```
.carousel-caption,.carousel-control,.carousel-
indicators{display: none;}
    h2.text-center{text-align: left;font-size:
1.7em;}
   h4 {font: 300 1.2em Roboto, Arial, Helvetica;}
    #partners h2{padding: 0 1em;}
    #home {padding-top: 5em;}
    .partners{display: block;float: left;}
    .partners img{width: 120px;}
    .about.spacer{padding-left: 2em;padding-right:
2em; }
    .spacer{padding:2em 0 0 0;}
    .services ul li{margin-bottom: 1em;}
    .highlight-info .overlay{padding-bottom: 2em;}
 .grid.team div{margin: 0;padding: 0;}
    figure.effect-chico figcaption {padding:
1.5em;}
    .footer{margin-top: 2em;padding-bottom: 2em;}
}
3.Index_code.php
<?php
```

```
$conn=mysqli connect("localhost","root","","rapho
todb");
  $nm=$_POST['cname'];
  $id=$ POST['Eid'];
  $add=$_POST['caddress'];
  $cno=$_POST['cnumber'];
  $datetime=$ POST['cdate'];
  $event=$ POST['cevent'];
  //$event = "photography";
  $ins="insert into order detalis
        values('$nm','$id','$add',$cno,'$datetime',
'$event')";
        mysqli_query($conn,$ins);
        echo "<script> alert('Record
Inserted');</script>";
       // header("location:orders.php");
?>
<html>
 <body>
    <center>
      <img src="images/sccaner.jpeg" alt="Make your</pre>
payment here width="500px" height="500px">
     <br/> <a href="orders.php"><input</pre>
type="button" value="Go to Your Orders"></a>
    </center>
  </body>
</html>
```

4.Orders.php

```
<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="UTF-8" />
    <meta http-equiv="Content-Type"</pre>
content="text/html; charset=utf-8" />
    <meta name="viewport" content="width=device-</pre>
width, initial-scale=1, maximum-scale=1, user-
scalable=no">
    <title>Radhe Studio</title>
    <style>
        /* Basic Reset */
        body, h2, p, input, select, textarea {
            margin: 0;
            padding: 0;
            font-family: Arial, sans-serif;
        }
        /* Page background */
        body {
            background-image:
url('images/cemera.jpg'); /* Replace with your
background image */
            background-size: cover;
            background-position: center;
            background-attachment: fixed;
            color: #333;
            font-family: Arial, sans-serif;
        }
        /* Main container */
```

```
.container {
            max-width: 800px;
            margin: 20px auto;
            padding: 20px;
            background-color: rgba(255, 255, 255,
0.8); /* White with slight transparency */
            border-radius: 10px;
            box-shadow: 0 2px 8px rgba(0, 0, 0,
0.1);
        }
        /* Contact form title */
        h2 {
            text-align: center;
            font-size: 24px;
            margin-bottom: 20px;
            color: #2c3e50;
        }
        /* Form Fields */
        input[type="text"],
        input[type="email"],
        input[type="number"],
        input[type="date"],
        select,
        textarea {
            width: 100%;
            padding: 12px;
            margin: 10px 0;
            border: 1px solid #ccc;
            border-radius: 5px;
            font-size: 14px;
        }
        textarea {
            resize: vertical;
```

```
}
        input[type="submit"] {
            background-color: #3498db;
            color: white;
            border: none;
            padding: 12px 20px;
            font-size: 16px;
            cursor: pointer;
            border-radius: 5px;
            transition: background-color 0.3s ease;
        }
        input[type="submit"]:hover {
            background-color: #2980b9;
        }
        /* Table styles for displaying contact
details
        */
        table {
            width: 100%;
            margin-top: 30px;
            border-collapse: collapse;
        }
        table, th, td {
            border: 1px solid #ddd;
        }
        th, td {
            padding: 12px;
            text-align: left;
        }
        th {
            background-color: #f2f2f2;
```

```
}
       /* Responsive design for mobile devices */
       @media screen and (max-width: 768px) {
           .container {
              padding: 10px;
              margin: 10px;
          }
       }
   </style>
</head>
<body>
   <!-- Table for displaying orders -->
   <div class="container">
       <h3>Recent Orders</h3>
       <thead>
              >
                  Customer Name
                  Email
                  Phone
                  Event Date
                  Event Type
                  Address
              </thead>
          <?php
                  $conn=mysqli_connect("localhost
", "root", "", "raphotodb");
                  $res=mysqli query($conn,"select
* from order_detalis");
                  while
($row=mysqli fetch row($res)) {
```

```
?>
           <?php echo $row[0];?>
              <?php echo $row[1];?>
              <?php echo $row[3];?>
              <?php echo $row[4];?>
              <?php echo $row[5];?>
              <?php echo $row[2];?>
           <?php
           ?>
        </div>
</body>
</html>
```