# Malware Analysis Appliance by Blue Coat Systems, Inc.

#### Task Details

Host: mag2, Sample ID: 69, Task ID: 276

Task ID: 276 Risk Level: 3

Date Processed: 2016-04-28 12:54:43 (UTC)

Processing Time: 62.76 seconds
Virtual Environment: IntelliVM

Execution Arguments: "c:\windows\temp\1e582d1e5a53441b694d7073a8bbc09c.exe"

Sample ID: 69
Type: basic
Owner: admin

Label: 1e582d1e5a53441b694d7073a8bbc09c

Date Added: 2016-04-28 12:44:56 (UTC)

File Type: PE32:win32:gui File Size: 60928 bytes

MD5: 1e582d1e5a53441b694d7073a8bbc09c

SHA256: b4effd7c5bca3871fc19cbf1e132d2a877f6b20278fd21031a85de762ddddb6a

Description: None

# Pattern Matching Results

3 Long sleep detected

#### Static Events

Anomaly: PE: Contains a virtual section

#### Process/Thread Events

Creates process: C:\windows\temp\1e582d1e5a53441b694d7073a8bbc09c.exe

["C:\windows\temp\1e582d1e5a53441b694d7073a8bbc09c.exe" ]

### Named Object Events

Creates mutex: \Sessions\1\BaseNamedObjects\DBWinMutex
Creates mutex: \Sessions\1\BaseNamedObjects\SendToMD5Instance
Creates mutex: \Sessions\1\BaseNamedObjects\CicLoadWinStaWinSta0

Creates mutex: \Sessions\1\BaseNamedObjects\MSCTF.CtfMonitorInstMutexDefault1

Creates mutex: \Sessions\1\BaseNamedObjects\Shell.CMruPidlList

Creates mutex:

\BaseNamedObjects\C::Users:Admin:AppData:Local:Microsoft:Windows:Explorer:thumbcache\_idx.db!rwWriterMutex Creates mutex:

\BaseNamedObjects\C::Users:Admin:AppData:Local:Microsoft:Windows:Explorer:thumbcache\_32.db!dfMaintainer Creates mutex:

\BaseNamedObjects\C::Users:Admin:AppData:Local:Microsoft:Windows:Explorer:thumbcache\_96.db!dfMaintainer Creates mutex:

\BaseNamedObjects\C::Users:Admin:AppData:Local:Microsoft:Windows:Explorer:thumbcache\_256.db!dfMaintainer Creates mutex:

\BaseNamedObjects\C::Users:Admin:AppData:Local:Microsoft:Windows:Explorer:thumbcache\_1024.db!dfMaintainer Creates mutex:

\BaseNamedObjects\C::Users:Admin:AppData:Local:Microsoft:Windows:Explorer:thumbcache\_sr.db!dfMaintainer
 Creates mutex:

\BaseNamedObjects\C::Users:Admin:AppData:Local:Microsoft:Windows:Explorer:thumbcache\_idx.db!rwReaderRefs

Creates event: \Sessions\1\BaseNamedObjects\MSCTF.CtfActivated.Default1

Creates event: \KernelObjects\MaximumCommitCondition
Creates event: \BaseNamedObjects\SvcctrlStartEvent\_A3752DX

Creates event:

\BaseNamedObjects\C::Users:Admin:AppData:Local:Microsoft:Windows:Explorer:thumbcache\_idx.db!rwWriterEvent

# File System Events

 $\label{lem:creates: C:\Users\Admin\AppData\Local\Microsoft\Windows\Caches} Creates: C:\Users\Admin\AppData\Local\Microsoft\Windows\Caches$ 

Creates: C:\Users\Admin

Creates: C:\Users\Admin\AppData\Local

Opens: C:\Windows\System32

Opens: C:\Windows\System32\sechost.dll

Opens: C:\windows\temp1e582d1e5a53441b694d7073a8bbc09c.exe.Local

Opens: C:\Windows\winsxs\x86\_microsoft.windows.common-

controls\_6595b64144ccf1df\_6.0.7601.17514\_none\_41e6975e2bd6f2b2

 $\label{lem:controls} Opens: C:\windows\winsxs\x86\_microsoft.windows.common-controls\_6595b64144ccf1df\_6.0.7601.17514\_none\_41e6975e2bd6f2b2\comctl32.dl1$ 

Opens: C:\Windows\System32\imm32.dll

```
Opens:
                                          C:\Windows\WindowsShell.Manifest
                                          C:\windows\temp\uxtheme.dll
  Opens:
  Opens:
                                          C:\Windows\System32\uxtheme.dll
  Opens:
                                          C:\Windows\Temp
  Opens:
                                          C:\windows\temp\1e582d1e5a53441b694d7073a8bbc09c.ini
  Opens:
                                          C:\windows\temp\dwmapi.dll
  Opens:
                                          C:\Windows\System32\dwmapi.dll
  Opens:
                                          C:\Windows\System32\en-US\user32.dll.mui
  Opens:
                                          C:\Windows\Globalization\Sorting\SortDefault.nls
  Opens:
                                          C:\Windows\Fonts\StaticCache.dat
  Opens:
                                          C:\Windows\System32\ole32.dll
  Opens:
                                          C:\Windows\System32\rpcss.dll
  Opens:
                                          C:\windows\temp\CRYPTBASE.dll
  Opens:
                                          C:\Windows\System32\cryptbase.dll
  Opens:
                                          C:\Windows\System32\shellstyle.dll
  Opens:
                                          C:\Windows\System32\en-US\comdlg32.dll.mui
  Opens:
                                          C:\Windows\System32\shell32.dll
  Opens:
                                          C:\Windows\system32\uxtheme.dll.Config
  Opens:
                                          C:\Program Files\Common Files\microsoft shared\ink\tiptsf.dll
  Opens:
                                          C:\Windows\Fonts\tahoma.ttf
  Opens:
                                          C:\Users\Admin\Desktop
  Opens:
                                          C:\Windows\System32\en-US\shell32.dll.mui
  Opens:
                                          C:\windows\temp\WindowsCodecs.dll
  Opens:
                                          C:\Windows\System32\WindowsCodecs.dll
  Opens:
                                          C:\windows\temp\apphelp.dll
  Opens:
                                          C:\Windows\System32\apphelp.dll
  Opens:
                                          C:\Windows\System32\EhStorShell.dll
  Opens:
                                          C:\Windows\System32\propsys.dll
  Opens:
                                          C:\Windows\System32\en-US\setupapi.dll.mui
  Opens:
                                          C:\Windows\System32\cscui.dll
  Opens:
                                          C:\Windows\System32\cscdll.dll
  Opens:
                                          C:\windows\temp\CSCAPI.dll
  Opens:
                                          C:\Windows\System32\cscapi.dll
  Opens:
                                          C:\Windows\System32\ntshrui.dll
  Opens:
                                          C:\windows\temp\srvcli.dll
  Opens:
                                          C:\Windows\System32\srvcli.dll
  Opens:
                                          C:\windows\temp\slc.dll
  Opens:
                                          C:\Windows\System32\slc.dll
  Opens:
                                          C:\Windows\System32\imageres.dll
  Opens:
                                          C:\Windows\System32\en-US\imageres.dll.mui
  Opens:
                                         C:\
  Opens:
                                         C:\Windows
  Opens:
                                          C:\Users\Admin\AppData\Local\Temp
  Opens:
                                         C:\Users
  Opens:
                                         C:\Users\Admin
  Opens:
                                          C:\Users\Admin\AppData
  Opens:
                                          C:\Users\Admin\AppData\Local
  Opens:
                                          C:\Users\Admin\AppData\Local\Microsoft\Windows\Caches\cversions.1.db
  Opens:
                                         C:\windows\temp\ntmarta.dll
  Opens:
                                          C:\Windows\System32\ntmarta.dll
  Opens:
                                          \label{lem:c:shows} $$C:\Users\Admin\AppData\Local\Microsoft\Windows\Caches\AFBF9F1A-8EE8-Reserved Applied A
4C77-AF34-C647E37CA0D9}.1.ver0x0000000000000006.db
  Opens:
                                         C:\Users\Admin\Desktop\desktop.ini
  Opens:
                                          C:\windows\temp\profapi.dll
  Opens:
                                          C:\Windows\System32\profapi.dll
  Opens:
                                          C:\windows\temp\CRYPTSP.dll
  Opens:
                                          C:\Windows\System32\cryptsp.dll
  Opens:
                                          C:\Windows\System32\rsaenh.dll
  Opens:
                                          C:\windows\temp\RpcRtRemote.dll
  Opens:
                                          C:\Windows\System32\RpcRtRemote.dll
  Opens:
                                          C:\Windows\System32\shlwapi.dll
  Opens:
                                          C:\Windows\System32\desktop.ini
  Opens:
                                          C:\Windows\System32\en-US\propsys.dll.mui
  Opens:
                                          C:\Windows\System32\StructuredQuery.dll
  Opens:
                                          C:\Windows\System32\secur32.dll
  Opens:
                                          C:\Windows\System32\sspicli.dll
  Opens:
                                          C:\Windows\System32\actxprxy.dll
  Opens:
                                          C:\Program Files\Internet Explorer\ieproxy.dll
  Opens:
                                          C:\Windows\System32\thumbcache.dll
  Opens:
                                          C:\windows\temp\SHDOCVW.dll
  Opens:
                                          C:\Windows\System32\shdocvw.dll
  Opens:
                                          C:\windows\temp\ieframe.DLL
  Opens:
                                          C:\Windows\System32\ieframe.dll
  Opens:
                                          C:\windows\temp\OLEACC.dll
  Opens:
                                          C:\Windows\System32\oleacc.dll
  Opens:
                                          C:\windows\temp\OLEACCRC.DLL
```

Opens: C:\Users\Admin\Documents
Opens: C:\Users\Admin\Favorites

C:\Windows\System32\oleaccrc.dll

Opens:

Opens: C:\Users\desktop.ini

Opens:

 $\verb|C:\USers\Admin\AppData\Local\Microsoft\Windows\Explorer\ThumbCacheToDelete|\\$ 

Opens: C:\Users\Admin\AppData\Local\Microsoft\Windows\Explorer\thumbcache\_32.db

Opens:

C:\Users\Admin\AppData\Local\Microsoft\Windows\Explorer\thumbcache\_idx.db

Opens: C:\Users\Admin\AppData\Local\Microsoft\Windows\Explorer\thumbcache\_96.db

Opens:

 $C: \verb|\USers\Admin\AppData\Local\Microsoft\Windows\Explorer\thumbcache\_256.db|$ 

Opens:

C:\Users\Admin\AppData\Local\Microsoft\Windows\Explorer\thumbcache\_1024.db

Opens: C:\Users\Admin\AppData\Local\Microsoft\Windows\Explorer\thumbcache\_sr.db

Opens: C:\Windows\System32\tzres.dll

Opens: C:\Windows\System32\en-US\tzres.dll.mui

Opens: C:\Windows\System32\0409

Opens: C:\Users\Public

Opens:  $C:\Windows\System32\accessibilitycpl.dll$ 

Opens: C:\Windows\System32\AdvancedInstallers
Reads from: C:\Windows\Fonts\StaticCache.dat
Reads from: C:\Users\Admin\Desktop\desktop.ini
Reads from: C:\Windows\System32\desktop.ini

Reads from: C:\Users\desktop.ini

Reads from: C:\Users\Admin\Favorites\desktop.ini
Reads from: C:\Windows\System32\migwiz.lnk

### Windows Registry Events

Creates key:

HKCU\software\microsoft\windows\currentversion\explorer\comdlg32\cidsizemru\

Creates key:

HKCU\software\microsoft\windows\currentversion\explorer\comdlg32\lastvisitedpidlmrulegacy\

Creates key: HKCU\software\classes\local settings

 $\label{lem:creates key: HKCU software lasses local settings software microsoft windows shell} \\$ 

Creates key: HKCU\software\classes\local settings\software\microsoft\windows\shell\bagmru HKCU\software\classes\local Creates key: settings\software\microsoft\windows\shell\bagmru\3 Creates key: HKCU\software\classes\local settings\software\microsoft\windows\shell\bagmru\3\0 Creates key: HKCU\software\classes\local settings\software\microsoft\windows\shell\bagmru\3\0\2 HKCU\software\classes\local Creates key: settings\software\microsoft\windows\shell\bagmru\3\0\2\0 Creates key: HKCU\software\classes\local settings\software\microsoft\windows\shell\bags\40\shell Creates key: HKCU\software\classes\local

settings\software\microsoft\windows\shell\bags
 Creates key: HKCU\software\classes\local
settings\software\microsoft\windows\shell\bags\40

Deletes value:

HKCU\software\microsoft\windows\currentversion\explorer\comdlg32\lastvisitedpidlmrulegacy[mrulist]

Deletes value: HKCU\software\classes\local

 $settings \verb|\software\microsoft\windows\shell\bagmru\3\0\2\0[mrulist]$ 

Opens key: HKLM\system\currentcontrolset\control\session manager
Opens key: HKLM\system\currentcontrolset\control\terminal server
Opens key: HKLM\system\currentcontrolset\control\safeboot\option
Opens key: HKLM\system\currentcontrolset\control\srp\gp\dl

Opens key: HKLM\software\policies\microsoft\windows\safer\codeidentifiers
Opens key: HKCU\software\policies\microsoft\windows\safer\codeidentifiers

Opens key: HKCU\

Opens key:  ${\tt HKCU \backslash control\ panel \backslash desktop \backslash muicached \backslash machine language configuration}$ 

Opens key: HKLM\software\policies\microsoft\mui\settings

Opens key: HKCU\software\policies\microsoft\control panel\desktop
Opens key: HKCU\control panel\desktop\languageconfiguration

Opens key: HKCU\control panel\desktop

Opens key: HKCU\control panel\desktop\muicached

```
Opens key:
                         HKLM\software\microsoft\windows\currentversion\sidebyside
 Opens key:
HKLM\software\microsoft\windows\currentversion\sidebyside\assemblystorageroots
 Opens key:
                         HKLM\system\currentcontrolset\control\nls\sorting\versions
 Opens key:
 Opens key:
                         HKLM\software\microsoft\windows nt\currentversion\diagnostics
 Opens key:
                         HKLM\system\currentcontrolset\control\error message instrument\
 Opens key:
                         HKLM\system\currentcontrolset\control\error message instrument
 Opens key:
                         HKLM\software\microsoft\windows nt\currentversion\gre_initialize
 Opens key:
                         HKLM\software\microsoft\windows nt\currentversion\compatibility32
 Opens key:
                         HKLM\software\microsoft\windows nt\currentversion\ime compatibility
 Opens key:
                         HKLM\software\microsoft\windows nt\currentversion\windows
 Opens key:
                         HKCU\software\vaultec\sendtomd5
 Opens key:
                         HKLM\system\currentcontrolset\control\nls\customlocale
 Opens key:
                         HKLM\system\currentcontrolset\control\nls\extendedlocale
 Opens key:
                         HKLM\system\currentcontrolset\control\nls\locale
 Opens key:
                         Opens key:
                         HKLM\system\currentcontrolset\control\nls\language groups
 Opens key:
                         HKLM\system\currentcontrolset\control\cmf\config
 Opens key:
HKLM\software\microsoft\ctf\compatibility\1e582d1e5a53441b694d7073a8bbc09c.exe
                         HKLM\software\microsoft\windows nt\currentversion\fontlink\systemlink
 Opens key:
 Opens key:
                         HKLM\software\microsoft\windows
nt\currentversion\languagepack\datastore_v1.0
                        HKLM\software\microsoft\windows
 Opens key:
nt\currentversion\languagepack\surrogatefallback
 Opens key:
                        HKLM\software\microsoft\windows
nt\currentversion\languagepack\surrogatefallback\segoe ui
 Opens key:
                         HKLM\software\microsoft\ole
 Opens key:
                         HKLM\software\microsoft\ole\tracing
                         Opens key:
Ofb58b01c4a4}\languageprofile\0x00000000\{0001bea3-ed56-483d-a2e2-aeae25577436}
 Opens key:
                         HKLM\software\microsoft\ctf\
 Opens key:
                         HKLM\software\microsoft\ctf\knownclasses
 Opens key:
                         HKLM\software\microsoft\windows nt\currentversion\fontsubstitutes
                        HKLM\software\microsoft\windows
 Opens kev:
nt\currentversion\languagepack\surrogatefallback\ms shell dlg
                         HKLM \verb|\software\microsoft\windows\currentversion\policies\comdlg32|
 Opens key:
 Opens key:
                         HKCU\software\microsoft\windows\currentversion\policies\comdlg32
 Opens key:
                         HKCU\software\classes\
                         HKLM\software\microsoft\com3
 Opens key:
 Opens key:
                         HKLM\software\microsoft\oleaut
 Opens key:
                         HKCU\software\classes\clsid\{725f645b-eaed-4fc5-b1c5-d9ad0accba5e}
                         HKCR\clsid\{725f645b-eaed-4fc5-b1c5-d9ad0accba5e}
 Opens key:
 Opens key:
                         HKCU\software\classes\clsid\{725f645b-eaed-4fc5-b1c5-
d9ad0accba5e}\treatas
 Opens kev:
                         HKCR\clsid\{725f645b-eaed-4fc5-b1c5-d9ad0accba5e}\treatas
 Opens key:
                         HKCU\software\classes\clsid\{725f645b-eaed-4fc5-b1c5-
d9ad0accba5e}\progid
 Opens key:
                         HKCR\clsid\{725f645b-eaed-4fc5-b1c5-d9ad0accba5e}\progid
 Opens key:
                         HKCU\software\classes\clsid\{725f645b-eaed-4fc5-b1c5-
d9ad0accba5e}\inprocserver32
                        HKCR\clsid\{725f645b-eaed-4fc5-b1c5-d9ad0accba5e}\inprocserver32
 Opens kev:
 Opens key:
                         HKCU\software\classes\clsid\{725f645b-eaed-4fc5-b1c5-
d9ad0accba5e}\inprochandler32
 Opens key:
                         HKCR\clsid\{725f645b-eaed-4fc5-b1c5-d9ad0accba5e}\inprochandler32
 Opens kev:
                         HKCU\software\classes\clsid\{725f645b-eaed-4fc5-b1c5-
d9ad0accba5e}\inprochandler
                         \label{lem:hkcr} $HKCR\clsid{725f645b-eaed-4fc5-b1c5-d9ad0accba5e}\inprochandler
 Opens key:
 Opens key:
                         HKCU\software\microsoft\windows\currentversion\explorer
 Opens key:
                         HKCU\software\microsoft\windows\currentversion\explorer\
 Opens key:
                         HKLM\software\microsoft\windows\currentversion\policies\explorer
 Opens key:
                         HKCU\software\microsoft\windows\currentversion\policies\explorer
 Opens key:
                         HKCU\software\microsoft\windows\currentversion\explorer\advanced
 Opens key:
                         HKCU\software\microsoft\windows\currentversion\app
paths\1e582d1e5a53441b694d7073a8bbc09c.exe
 Opens key:
                        HKLM\software\microsoft\windows\currentversion\app
paths\1e582d1e5a53441b694d7073a8bbc09c.exe
 Opens key:
                        HKCU\software\classes\clsid\{53bd6b4e-3780-4693-afc3-7161c2f3ee9c}
                         HKCR\clsid\{53bd6b4e-3780-4693-afc3-7161c2f3ee9c}
 Opens key:
 Opens key:
                         HKCU\software\classes\clsid\{53bd6b4e-3780-4693-afc3-
7161c2f3ee9c}\treatas
 Opens key:
                         HKCR\clsid\{53bd6b4e-3780-4693-afc3-7161c2f3ee9c}\treatas
 Opens key:
                         HKCU\software\classes\clsid\{53bd6b4e-3780-4693-afc3-
7161c2f3ee9c}\progid
                         \label{localized} $$HKCR\clsid_{53bd6b4e-3780-4693-afc3-7161c2f3ee9c} \rightarrow \\ Progid \\
 Opens key:
                         HKCU\software\classes\clsid\{53bd6b4e-3780-4693-afc3-
 Opens key:
```

7161c2f3ee9c}\inprocserver32

Opens key: HKCR\clsid\{53bd6b4e-3780-4693-afc3-7161c2f3ee9c}\inprocserver32

Opens key: HKCU\software\classes\clsid\{53bd6b4e-3780-4693-afc3-7161c2f3ee9c}\inprochandler32 Opens key: HKCR\clsid\{53bd6b4e-3780-4693-afc3-7161c2f3ee9c}\inprochandler32 Opens key: HKCU\software\classes\clsid\{53bd6b4e-3780-4693-afc3-7161c2f3ee9c}\inprochandler HKCR\clsid\{53bd6b4e-3780-4693-afc3-7161c2f3ee9c}\inprochandler Opens key: Opens key: HKLM\software\microsoft\windows\currentversion\shellcompatibility\applications\1e582d1e5a53441b694d7073a8bbc09c.exe Opens key: HKLM\software\microsoft\windows\windows error reporting\wmr Opens key: HKLM\software\microsoft\windows\tablet pc\ Opens key: HKCU\software\microsoft\windows\currentversion\explorer\autocomplete Opens key: HKLM\software\microsoft\windows\currentversion\explorer\autocomplete Opens key: HKCU\software\classes\clsid\{03c036f1-a186-11d0-824a-00aa005b4383} Opens key: HKCR\clsid\{03c036f1-a186-11d0-824a-00aa005b4383} Opens key: HKCU\software\classes\clsid\{03c036f1-a186-11d0-824a-00aa005b4383}\treatas HKCR\clsid\{03c036f1-a186-11d0-824a-00aa005b4383}\treatas Opens key: Opens key: HKCU\software\classes\clsid\{03c036f1-a186-11d0-824a-00aa005b4383}\progid HKCR\clsid\{03c036f1-a186-11d0-824a-00aa005b4383}\progid Opens key: Opens key: HKCU\software\classes\clsid\{03c036f1-a186-11d0-824a-00aa005b4383}\inprocserver32 Opens key: HKCR\clsid\{03c036f1-a186-11d0-824a-00aa005b4383}\inprocserver32 HKCU\software\classes\clsid\{03c036f1-a186-11d0-824a-Opens key: 00aa005b4383}\inprochandler32 Opens key: HKCR\clsid\{03c036f1-a186-11d0-824a-00aa005b4383}\inprochandler32 HKCU\software\classes\clsid\{03c036f1-a186-11d0-824a-Opens key: 00aa005b4383}\inprochandler Opens key: HKCR\clsid\{03c036f1-a186-11d0-824a-00aa005b4383}\inprochandler Opens key: HKCU\software\classes\clsid\{00bb2763-6a77-11d0-a535-00c04fd7d062} Opens key: HKCR\clsid\{00bb2763-6a77-11d0-a535-00c04fd7d062} Opens key: HKCU\software\classes\clsid\{00bb2763-6a77-11d0-a535-00c04fd7d062}\treatas Opens key: HKCR\clsid\{00bb2763-6a77-11d0-a535-00c04fd7d062}\treatas Opens key: HKCU\software\classes\clsid\{00bb2763-6a77-11d0-a535-00c04fd7d062}\progid Opens key: HKCR\clsid\{00bb2763-6a77-11d0-a535-00c04fd7d062}\progid Opens key: HKCU\software\classes\clsid\{00bb2763-6a77-11d0-a535-00c04fd7d062}\inprocserver32 Opens key:  $HKCR \c1sid \end{abb} 2763-6a77-11d0-a535-00c04fd7d062 \end{abs} \label{eq:hkcr} in procserver 32$ HKCU\software\classes\clsid\{00bb2763-6a77-11d0-a535-Opens key: 00c04fd7d062}\inprochandler32 Opens key: HKCR\clsid\{00bb2763-6a77-11d0-a535-00c04fd7d062}\inprochandler32 Opens key: HKCU\software\classes\clsid\{00bb2763-6a77-11d0-a535-00c04fd7d062}\inprochandler Opens key: Opens kev: HKLM\software\microsoft\windows\currentversion\explorer\autocomplete\client\ Opens key: HKCU\software\classes\clsid\{807c1e6c-1d00-453f-b920-b61bb7cdd997} Opens key: HKCR\clsid\{807c1e6c-1d00-453f-b920-b61bb7cdd997} Opens key: HKCU\software\classes\clsid\{807c1e6c-1d00-453f-b920b61bb7cdd997}\treatas HKCR\clsid\{807c1e6c-1d00-453f-b920-b61bb7cdd997}\treatas Opens key: Opens key: HKCU\software\classes\clsid\{807c1e6c-1d00-453f-b920b61bb7cdd997}\progid Opens key: HKCR\clsid\{807c1e6c-1d00-453f-b920-b61bb7cdd997}\progid Opens key: HKCU\software\classes\clsid\{807c1e6c-1d00-453f-b920b61bb7cdd997}\inprocserver32  $HKCR\clsid\{807c1e6c-1d00-453f-b920-b61bb7cdd997}\inprocserver32$ Opens key: Opens key: HKCU\software\classes\clsid\{807c1e6c-1d00-453f-b920b61bb7cdd997}\inprochandler32 Opens key: HKCR\clsid\{807c1e6c-1d00-453f-b920-b61bb7cdd997}\inprochandler32 Opens key: HKCU\software\classes\clsid\{807c1e6c-1d00-453f-b920b61bb7cdd997}\inprochandler Opens key:  $HKCR \clsid \end{807c1e6c-1d00-453f-b920-b61bb7cdd997} \label{eq:hkcr} \label{eq:hkcr} In prochamble \end{4000} The second substitution of the second subs$ Opens key: HKLM\software\microsoft\rpc\extensions Opens key: HKLM\software\microsoft\rpc Opens key: HKLM\system\currentcontrolset\control\computername\activecomputername Opens key: HKLM\system\setup

Opens key: HKLM\software\policies\microsoft\windows nt\rpc Opens key: HKLM\software\policies\microsoft\sqmclient\windows

Opens key: HKLM\software\microsoft\sqmclient\windows

Opens key:

 $\label{thm:linear} \begin{tabular}{ll} HKCU \software \microsoft \windows \current version \explorer \shell tasks cheduler \end{tabular}$ 

Opens key:

Opens key:

HKCU\software\microsoft\windows\currentversion\policies\comdlg32\placesbar

Opens key: HKCU\software\classes\clsid\{22877a6d-37a1-461a-91b0-dbda5aaebc99}

Opens key: HKCR\clsid\{22877a6d-37a1-461a-91b0-dbda5aaebc99} Opens key:  $HKLM \setminus software \setminus irrestance \setminus \{22877a6d-37a1-461a-1$ 91b0-dbda5aaebc99} Opens key: HKCU\software\microsoft\windows\currentversion\explorer\desktop\namespace\{22877a6d-37a1-461a-91b0-dbda5aaebc99} Opens key: HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions Opens key: HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b4bfcc3a-db2c-424cb029-7fe99a87c641} Opens key: HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b4bfcc3a-db2c-424cb029-7fe99a87c641}\propertybag HKCU\software\microsoft\windows\currentversion\explorer\sessioninfo\1 Opens key: Opens key: HKCU\software\microsoft\windows\currentversion\explorer\sessioninfo\1\knownfolders HKCU\software\microsoft\windows\currentversion\explorer\user shell Opens key: folders Opens key: HKLM\software\microsoft\windows\currentversion\explorer\knownfoldersettings HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a302545d-deff-464babe8-61c8648d939b} Opens key: HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a302545d-deff-464babe8-61c8648d939b}\propertybag Opens key: HKCU\software\classes\clsid\{031e4825-7b94-4dc3-b131-e946b44c8dd5} HKCR\clsid\{031e4825-7b94-4dc3-b131-e946b44c8dd5} Opens key: Opens key: HKLM\software\microsoft\windows\currentversion\explorer\desktop\namespace\{031e4825-7b94-4dc3b131-e946b44c8dd5} HKCU\software\classes\clsid\{031e4825-7b94-4dc3-b131-Opens key: e946b44c8dd5}\shellfolder  $HKCR \c1sid \end{6031e4825-7b94-4dc3-b131-e946b44c8dd5} \shell folder$ Opens key: Opens key: HKCU\software\microsoft\windows\currentversion\explorer\clsid\{031e4825-7b94-4dc3-b131-e946b44c8dd5}\shellfolder Opens key:  $HKLM \ software \ microsoft \ windows \ current version \ explorer \ clsid \ \{031e4825-explorer\} \ description \$ 7b94-4dc3-b131-e946b44c8dd5}\shellfolder Opens key: HKCU\software\microsoft\windows\currentversion\policies\nonenum Opens key: HKLM\software\microsoft\windows\currentversion\policies\nonenum Opens key: HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{0ac0837c-bbf8-452a-850d-79d08e667ca7} Opens key:  $HKLM \setminus software \setminus increased in the first of the first o$ 850d-79d08e667ca7}\propertybag HKCU\software\classes\clsid\{20d04fe0-3aea-1069-a2d8-Opens kev: 08002b30309d}\shellfolder Opens key: HKCR\clsid\{20d04fe0-3aea-1069-a2d8-08002b30309d}\shellfolder Opens key: HKCU\software\microsoft\windows\currentversion\explorer\clsid\{20d04fe0-3aea-1069-a2d8-08002b30309d}\shellfolder  $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ clsid \ \{20d04fe0-derivation\} \ derivative \ derivat$ Opens key: 3aea-1069-a2d8-08002b30309d}\shellfolder Opens key:  $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{d20 beec 4-5 ca 8-490 5-490$ ae3b-bf251ea09b53} Opens key: ae3b-bf251ea09b53}\propertybag Opens kev: HKCU\software\classes\clsid\{f02c1a0d-be21-4350-88b0-7367fc96ef3c} Opens key: HKCR\clsid\{f02c1a0d-be21-4350-88b0-7367fc96ef3c} Opens key: HKLM\software\microsoft\windows\currentversion\explorer\desktop\namespace\{f02c1a0d-be21-4350-88b0-7367fc96ef3c} HKCU\software\classes\clsid\{f02c1a0d-be21-4350-88b0-Opens kev: 7367fc96ef3c}\shellfolder HKCR\clsid\{f02c1a0d-be21-4350-88b0-7367fc96ef3c}\shellfolder Opens key:  $HKCU \setminus software \setminus microsoft \setminus windows \setminus current version \setminus explorer \setminus f02c1a0d-f02c$ Opens key: be21-4350-88b0-7367fc96ef3c}\shellfolder Opens key: be21-4350-88b0-7367fc96ef3c}\shellfolder HKCU\software\classes\clsid\{71f96385-ddd6-48d3-a0c1-ae06e8b055fb} Opens key: Opens key: HKCR\clsid\{71f96385-ddd6-48d3-a0c1-ae06e8b055fb}  $HKCU \setminus software \setminus classes \setminus clsid \setminus \{71f96385 - ddd6 - 48d3 - a0c1 - ddd6 - addd6 - a$ Opens key: ae06e8b055fb}\treatas

 $\label{lem:clsid} Opens~key: $$ HKCR\clsid\{71f96385-ddd6-48d3-a0c1-ae06e8b055fb}\treatas$$ Opens~key: $$ HKCU\software\classes\clsid\{71f96385-ddd6-48d3-a0c1-ae06e8b055fb}\treatas$$$ 

```
ae06e8b055fb}\progid
  Opens key:
                                     HKCR\clsid\{71f96385-ddd6-48d3-a0c1-ae06e8b055fb}\progid
  Opens key:
                                     HKCU\software\classes\clsid\{71f96385-ddd6-48d3-a0c1-
ae06e8b055fb}\inprocserver32
  Opens key:
                                     HKCR\clsid\{71f96385-ddd6-48d3-a0c1-ae06e8b055fb}\inprocserver32
                                     HKCU\software\classes\clsid\{71f96385-ddd6-48d3-a0c1-
  Opens key:
ae06e8b055fb}\inprochandler32
  Opens key:
                                     HKCR \clsid \final formula for the first of the first o
  Opens key:
                                     HKCU\software\classes\clsid\{71f96385-ddd6-48d3-a0c1-
ae06e8b055fb}\inprochandler
  Opens key:
                                     HKCR\clsid\{71f96385-ddd6-48d3-a0c1-ae06e8b055fb}\inprochandler
  Opens key:
                                     HKCU\software\classes\clsid\{104846ab-42b1-4e38-a80d-136f78c3f258}
  Opens key:
                                     HKCR\clsid\{104846ab-42b1-4e38-a80d-136f78c3f258}
  Opens key:
                                     HKCU\software\classes\clsid\{104846ab-42b1-4e38-a80d-
136f78c3f258}\treatas
  Opens key:
                                     HKCR\clsid\{104846ab-42b1-4e38-a80d-136f78c3f258}\treatas
  Opens key:
                                     HKCU\software\classes\clsid\{104846ab-42b1-4e38-a80d-
136f78c3f258}\progid
                                     HKCR \ clsid \ \{104846ab-42b1-4e38-a80d-136f78c3f258\} \ \ progid
  Opens key:
  Opens key:
                                     HKCU\software\classes\clsid\{104846ab-42b1-4e38-a80d-
136f78c3f258}\inprocserver32
                                     HKCR\clsid\{104846ab-42b1-4e38-a80d-136f78c3f258}\inprocserver32
  Opens key:
  Opens key:
                                     HKCU\software\classes\clsid\{104846ab-42b1-4e38-a80d-
136f78c3f258}\inprochandler32
                                     HKCR\clsid\{104846ab-42b1-4e38-a80d-136f78c3f258}\inprochandler32
  Opens key:
  Opens key:
                                     HKCU\software\classes\clsid\{104846ab-42b1-4e38-a80d-
136f78c3f258}\inprochandler
  Opens key:
                                     HKCR\clsid\{104846ab-42b1-4e38-a80d-136f78c3f258}\inprochandler
  Opens key:
                                     HKLM\software\microsoft\windows\currentversion\explorer
  Opens key:
                                     HKLM\software\microsoft\windows\currentversion\explorer\
  Opens key:
                                     HKCU\software\classes\clsid\{fae3d380-fea4-4623-8c75-
c6b61110b681}\instance
  Opens key:
                                     HKCR\clsid\{fae3d380-fea4-4623-8c75-c6b61110b681}\instance
                                     HKCU\software\classes\clsid\{fae3d380-fea4-4623-8c75-
  Opens key:
c6b61110b681}\instance\disabled
                                    HKCR\clsid\{fae3d380-fea4-4623-8c75-c6b61110b681}\
  Opens kev:
  Opens key:
HKLM \ software \ microsoft \ windows \ current version \ liconover layidentifiers \ enhanced storages hell
  Opens key:
HKLM \ software \ microsoft \ windows \ current version \ licens \ verlay identifiers \ off line files
  Opens key:
HKLM\software\microsoft\windows\currentversion\explorer\shelliconoverlayidentifiers\sharingprivate
  Opens key:
                                    HKCU\software\classes\clsid\{d9144dcd-e998-4eca-ab6a-
dcd83ccba16d}\inprocserver32
  Opens key:
                                     HKCR\clsid\{d9144dcd-e998-4eca-ab6a-dcd83ccba16d}\inprocserver32
  Opens key:
                                     HKLM\software\microsoft\windows\currentversion\shell extensions\blocked
                                     HKCU\software\microsoft\windows\currentversion\shell extensions\blocked
  Opens key:
  Opens key:
                                     HKLM\system\currentcontrolset\control\session manager\appcompatibility
  Opens key:
                                     HKLM\software\policies\microsoft\windows\appcompat
  Opens key:
                                     HKCU\software\microsoft\windows nt\currentversion
  Opens key:
                                    HKCU\software\microsoft\windows nt\currentversion\appcompatflags\layers
  Opens key:
                                     HKLM\software\microsoft\windows nt\currentversion\appcompatflags
  Opens key:
                                     HKLM\software\microsoft\windows
nt\currentversion\appcompatflags\custom\ehstorshell.dll
  Opens key:
                                     HKCU\software\microsoft\windows\currentversion\shell extensions\cached
  Opens key:
                                     HKCU\software\classes\clsid\{d9144dcd-e998-4eca-ab6a-dcd83ccba16d}
  Opens key:
                                     HKCR \verb|\clsid|{d9144dcd-e998-4eca-ab6a-dcd83ccba16d}|
  Opens key:
                                     HKCU\software\classes\clsid\{d9144dcd-e998-4eca-ab6a-
dcd83ccba16d}\treatas
  Opens key:
                                     HKCR\clsid\{d9144dcd-e998-4eca-ab6a-dcd83ccba16d}\treatas
  Opens key:
                                     HKCU\software\classes\clsid\{d9144dcd-e998-4eca-ab6a-
dcd83ccba16d}\progid
  Opens key:
                                     HKCR\clsid\{d9144dcd-e998-4eca-ab6a-dcd83ccba16d}\progid
  Opens key:
                                     HKCU\software\classes\clsid\{d9144dcd-e998-4eca-ab6a-
dcd83ccba16d}\inprochandler32
  Opens key:
                                    HKCR\clsid\{d9144dcd-e998-4eca-ab6a-dcd83ccba16d}\inprochandler32
  Opens key:
                                     HKCU\software\classes\clsid\{d9144dcd-e998-4eca-ab6a-
dcd83ccba16d}\inprochandler
  Opens key:
                                     HKCR\clsid\\ \{d9144dcd-e998-4eca-ab6a-dcd83ccba16d\\ \\ \inprochandler
                                     HKLM\software\microsoft\windows\currentversion\setup
  Opens key:
  Opens key:
                                     HKLM\software\microsoft\windows\currentversion
```

HKLM\software\microsoft\windows\currentversion\shellcompatibility\objects\{d9144dcd-e998-4eca-

Opens kev:

Opens key: HKCR\clsid\{4e77131d-3629-431c-9818-c5679dc83e81}\inprocserver32

```
Opens key:
                                                  HKLM\software\microsoft\windows
nt\currentversion\appcompatflags\custom\cscui.dll
   Opens key:
                                                  HKCU\software\classes\clsid\{4e77131d-3629-431c-9818-c5679dc83e81}
   Opens key:
                                                  HKCR\clsid\{4e77131d-3629-431c-9818-c5679dc83e81}
   Opens key:
                                                  HKCU\software\classes\clsid\{4e77131d-3629-431c-9818-
c5679dc83e81}\treatas
   Opens key:
                                                  HKCR\clsid\{4e77131d-3629-431c-9818-c5679dc83e81}\treatas
   Opens key:
                                                  HKCU\software\classes\clsid\{4e77131d-3629-431c-9818-
c5679dc83e81}\progid
   Opens key:
                                                  HKCR\clsid\{4e77131d-3629-431c-9818-c5679dc83e81}\progid
   Opens key:
                                                  HKCU\software\classes\clsid\{4e77131d-3629-431c-9818-
c5679dc83e81}\inprochandler32
   Opens kev:
                                                  HKCR\clsid\{4e77131d-3629-431c-9818-c5679dc83e81}\inprochandler32
   Opens key:
                                                  HKCU\software\classes\clsid\{4e77131d-3629-431c-9818-
c5679dc83e81}\inprochandler
   Opens key:
                                                  HKCR\clsid\{4e77131d-3629-431c-9818-c5679dc83e81}\inprochandler
   Opens key:
                                                  HKLM\system\currentcontrolset\control\sqmservicelist
   Opens key:
HKLM\software\microsoft\windows\currentversion\shellcompatibility\objects\{4e77131d-3629-431c-
9818-c5679dc83e81}
                                                  HKCU\software\classes\clsid\{08244ee6-92f0-47f2-9fc9-
   Opens key:
929baa2e7235}\inprocserver32
                                                  HKCR\clsid\{08244ee6-92f0-47f2-9fc9-929baa2e7235}\inprocserver32
   Opens kev:
   Opens key:
                                                  HKLM\software\microsoft\windows
nt\currentversion\appcompatflags\custom\ntshrui.dll
   Opens key:
                                                  HKCU\software\classes\clsid\{08244ee6-92f0-47f2-9fc9-929baa2e7235}
   Opens key:
                                                  HKCR\clsid\{08244ee6-92f0-47f2-9fc9-929baa2e7235}
   Opens key:
                                                  HKCU\software\classes\clsid\{08244ee6-92f0-47f2-9fc9-
929baa2e7235}\treatas
   Opens key:
                                                  HKCR\clsid\{08244ee6-92f0-47f2-9fc9-929baa2e7235}\treatas
   Opens key:
                                                  HKCU\software\classes\clsid\{08244ee6-92f0-47f2-9fc9-
929baa2e7235}\progid
   Opens key:
                                                  HKCR\clsid\{08244ee6-92f0-47f2-9fc9-929baa2e7235}\progid
   Opens key:
                                                  HKCU\software\classes\clsid\{08244ee6-92f0-47f2-9fc9-
929baa2e7235}\inprochandler32
                                                  HKCR \verb|\clsid| \{08244ee6-92f0-47f2-9fc9-929baa2e7235\} \verb|\inprochandler32| 
   Opens kev:
   Opens key:
                                                  HKCU\software\classes\clsid\{08244ee6-92f0-47f2-9fc9-
929baa2e7235}\inprochandler
                                                  \label{lem:hkcr} $$ HKCR\clsid_{08244ee6-92f0-47f2-9fc9-929baa2e7235} \in \cline{1.00} $$ HKCR_clsid_{08244ee6-92f0-47f2-9fc9-929baa2e7235} \in 
   Opens key:
   Opens key:
                                                  \label{lem:hklm} \verb+Kklm \system \current control set \services \label{lem:hklm} \verb+ label \system \sy
   Opens key:
HKLM\software\microsoft\windows\currentversion\shellcompatibility\objects\{08244ee6-92f0-47f2-
9fc9-929baa2e7235}
                                                  HKLM\software\microsoft\windows\currentversion\explorer\shell icons
   Opens key:
   Opens key:
                                                  HKCU\software\classes\clsid\{603d3800-bd81-11d0-a3a5-00c04fd706ec}
   Opens key:
                                                  HKCR\clsid\{603d3800-bd81-11d0-a3a5-00c04fd706ec}
   Opens key:
                                                  HKCU\software\classes\clsid\{603d3800-bd81-11d0-a3a5-
00c04fd706ec}\treatas
   Opens key:
                                                  HKCR\clsid\{603d3800-bd81-11d0-a3a5-00c04fd706ec}\treatas
   Opens key:
                                                  HKCU\software\classes\clsid\{603d3800-bd81-11d0-a3a5-
00c04fd706ec}\progid
   Opens key:
                                                  HKCR\clsid\{603d3800-bd81-11d0-a3a5-00c04fd706ec}\progid
   Opens key:
                                                  HKCU\software\classes\clsid\{603d3800-bd81-11d0-a3a5-
00c04fd706ec}\inprocserver32
   Opens key:
                                                  HKCR\clsid\{603d3800-bd81-11d0-a3a5-00c04fd706ec}\inprocserver32
   Opens key:
                                                  HKCU\software\classes\clsid\{603d3800-bd81-11d0-a3a5-
00c04fd706ec}\inprochandler32
                                                  HKCR\clsid\{603d3800-bd81-11d0-a3a5-00c04fd706ec}\inprochandler32
   Opens key:
   Opens key:
                                                  HKCU\software\classes\clsid\{603d3800-bd81-11d0-a3a5-
00c04fd706ec}\inprochandler
   Opens key:
                                                  HKCR \clsid \end{603d3800-bd81-11d0-a3a5-00c04fd706ec} \label{eq:hkcr} in prochandler
   Opens key:
HKCU\software\microsoft\windows\currentversion\explorer\sessioninfo\1\desktop
   Opens kev:
HKCU\software\microsoft\windows\currentversion\explorer\comdlg32\lastvisitedpidlmrulegacy\
ba85-6007caedcf9d}
   Opens key:
ba85-6007caedcf9d}\propertybag
   Opens key:
```

Opens key:
HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f1b32785-6fba-4fcf-

acb8-4330f5687855} Opens key:

acb8-4330f5687855}\propertybag

9d55-7b8e7f157091} Opens kev: HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f1b32785-6fba-4fcf-9d55-7b8e7f157091}\propertybag Opens key: HKCU\software\microsoft\windows\currentversion\explorer\mountpoints2\cpc\volume 11e3-b3bc-806e6f6e6963}\ Opens key: HKCU\software\classes\drive\shellex\folderextensions Opens key: HKCR\drive\shellex\folderextensions Opens key: HKCU\software\classes\drive\shellex\folderextensions\{fbeb8a05-beee-4442-804e-409d6c4515e9} Opens key: HKCR\drive\shellex\folderextensions\{fbeb8a05-beee-4442-804e-409d6c4515e9} Opens key: HKLM\software\policies\microsoft\windows\explorer Opens key: HKCU\software\policies\microsoft\windows\explorer Opens key: Opens key:  $\label{thm:linear} \begin{tabular}{ll} HKCU \software \microsoft \windows \shell \associations \urlassociations \directory \end{tabular}$ Opens key: HKCU\software\classes\directory Opens key: HKCR\directorv Opens key: HKCU\software\classes\directory\curver Opens key: HKCR\directory\curver Opens key: HKCR\directory\ Opens key: HKCU\software\classes\directory\shellex\iconhandler Opens key: HKCR\directory\shellex\iconhandler Opens key: HKCU\software\classes\folder Opens key: HKCR\folder Opens key: HKCU\software\classes\folder\shellex\iconhandler Opens key: HKCR\folder\shellex\iconhandler Opens key: HKCU\software\classes\allfilesystemobjects Opens key: HKCR\allfilesystemobjects Opens key: HKCU\software\classes\allfilesystemobjects\shellex\iconhandler Opens key: HKCR\allfilesystemobjects\shellex\iconhandler Opens key: HKCU\software\classes\directory\docobject Opens key: HKCR\directory\docobject Opens key: HKCU\software\classes\folder\docobject Opens key: HKCR\folder\docobject Opens key: HKCU\software\classes\allfilesystemobjects\docobject Opens key: HKCR\allfilesystemobjects\docobject Opens key: HKCU\software\classes\directory\browseinplace Opens key: HKCR\directory\browseinplace Opens key: HKCU\software\classes\folder\browseinplace Opens key: HKCR\folder\browseinplace Opens kev: HKCU\software\classes\allfilesystemobjects\browseinplace Opens key: HKCR\allfilesystemobjects\browseinplace Opens key: HKCU\software\classes\directory\clsid Opens key: HKCR\directory\clsid Opens key: HKCU\software\classes\folder\clsid Opens key: HKCR\folder\clsid Opens key: HKCU\software\classes\allfilesystemobjects\clsid Opens key: HKCR\allfilesystemobjects\clsid Opens key: HKCU\software\classes\clsid\{1f486a52-3cb1-48fd-8f50-b8dc300d9f9d} Opens key: HKCR\clsid\{1f486a52-3cb1-48fd-8f50-b8dc300d9f9d} Opens key: HKCU\software\classes\clsid\{1f486a52-3cb1-48fd-8f50b8dc300d9f9d}\treatas Opens key:  $HKCR\clsid\{1f486a52-3cb1-48fd-8f50-b8dc300d9f9d}\$  treatas Opens key: HKCU\software\classes\clsid\{1f486a52-3cb1-48fd-8f50b8dc300d9f9d}\progid Opens key: HKCR\clsid\{1f486a52-3cb1-48fd-8f50-b8dc300d9f9d}\progid Opens key: HKCU\software\classes\clsid\{1f486a52-3cb1-48fd-8f50b8dc300d9f9d}\inprocserver32 Opens key: HKCR\clsid\{1f486a52-3cb1-48fd-8f50-b8dc300d9f9d}\inprocserver32 Opens key: HKCU\software\classes\clsid\{1f486a52-3cb1-48fd-8f50b8dc300d9f9d}\inprochandler32 Opens kev: HKCR\clsid\{1f486a52-3cb1-48fd-8f50-b8dc300d9f9d}\inprochandler32

Opens key: HKCU\software\classes\clsid\{1f486a52-3cb1-48fd-8f50b8dc300d9f9d}\inprochandler Opens key:  $HKCR\clsid\{1f486a52-3cb1-48fd-8f50-b8dc300d9f9d}\ \ in prochandler$ 

Opens key: HKLM\system\currentcontrolset\control\lsa\accessproviders

Opens key: HKLM\system\currentcontrolset\services\ldap

Opens kev:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1b3ea5dc-b587-4786b4ef-bd1dc332aeae}

Opens key:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1b3ea5dc-b587-4786b4ef-bd1dc332aeae}\propertybag

Opens key:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\}$ 

Opens kev:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\} \ property bag$ 

Opens key:

 $\label{lem:hklmsoftware} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5e6c858f-0e22-4760-9afe-ea3317b67173\}$$ 

Opens key:

 $\label{thm:local-property} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folde$ 

Opens key:

Opens key:

Opens key:

 $\label{thm:local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \f38bf404-1d43-42f2-9305-67de0b28fc23 \end{substitute}$ 

Opens key:

 $\label{thm:local-continuous} HKLM software \min cosoft \windows \current version \explorer \folder descriptions \ff38bf404-1d43-42f2-9305-67 de 0b28 fc23 \property bag$ 

Opens key:

 $\label{thm:local-equation} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ff7f1ed05-9f6d-47a2-aaae-29d317c6f066 \end{figure}$ 

Opens key:

Opens key

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \ \{2112ab0a-c86a-4ffe-a368-0de96e47012e\}$ 

Opens key:

Opens key:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \ \{48 daf 80 b-e6 cf-4f 4e-b800-0e69 d84 ee384\}$ 

Opens key:

 $\label{thm:local-continuous} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cal{HKLM} 48 daf 80 b-e6 cf-4f 4e-b800-0e69 d8 4ee 384 \property bag$ 

Opens key:

HKLM\software\microsoft\windows\currentversion\explorer\user shell

folders

Opens key:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{dfdf76a2-c82a-4d63-906a-5644ac457385}

Opens key

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{dfdf76a2-c82a-4d63-906a-5644ac457385}\propertybag

Opens key:

HKLM\software\microsoft\windows nt\currentversion\profilelist

Opens key:

Opens kev:

Opens key:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{98ec0e18-2098-4d44-8644-66979315a281\}$ 

Opens key:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{98ec0e18-2098-4d44-8644-66979315a281\} \ \ property bag$ 

Opens kev:

 $\label{local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \earlies \fa4115719-d62e-491d-aa7c-e74b8be3b067 \footnote{Abellies of the control of the control$ 

Opens key:

 $\label{lem:hklmsoftware} HKLM software \ensurement version \ensurement folder descriptions \$ 

Opens key:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{cac52c1a-b53d-4edc-92d7-6b2e8ac19434}

Opens key:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{cac52c1a-b53d-4edc-92d7-6b2e8ac19434}\propertybag

Opens key:

841c-ab7c74e4ddfc}

Opens key:

 $HKLM \ software \ `microsoft \ `windows \ current version \ explorer \ folder descriptions \ \{18989b1d-99b5-455b-841c-ab7c74e4ddfc\} \ property bag$ 

Opens key:

 $HKLM \ software \ `microsoft\ `windows \ `current version \ `explorer \ folder descriptions \ `\{52a4f021-7b75-48a9-9f6b-4b87a210bc8f\}$ 

Opens key:

 $\label{thm:local-property} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folde$ 

Opens key:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{de974d24-d9c6-4d3e-bf91-f4455120b917\}$ 

Onens key

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{de 974d 24-d 9c6-4d 3e-bf 91-f 4455120b 917\} \ property bag$ 

Opens key:

 $\label{thm:local-problem} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{6f0cd92b-2e97-45d1-88ff-b0d186b8dedd} \\$ 

Opens kev:

 $HKL\dot{M} software \mbox{$microsoft\windows\currentversion\explorer\folderdescriptions\end{$ef0cd92b-2e97-45d1-88ff-b0d186b8dedd}\propertybag}$ 

Opens key:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{76fc4e2d-d6ad-4519-a663-37bd56068185}$ 

Opens key:

 $\label{thm:local-property} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \$ 

Opens key:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder \f$ 

Opens key:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `a75d362e-50fc-4fb7-ac2c-a8beaa314493 \ \ property bag$ 

Opens key:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \ \{491e922f-5643-4af4-a7eb-4e7a138d8174\}$ 

Opens key:

Opens key:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cal{lem:hklmsoftware} \folder \cal{lem:hklmsoftware} \$ 

Opens key:

Opens key

 $\label{thm:local-equation} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder \folder$ 

Opens key:

 $\label{thm:local-equation} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \explorer \folder descriptions \explorer \folder descriptions \explorer \folder \folder$ 

Opens key:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{82a5ea35-d9cd-47c5-9629-e15d2f714e6e\}$ 

Opens key:

 $\label{thm:local-equation} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \explorer \folder descriptions \explorer \folder \folde$ 

Opens key:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ '\{debf2536-e1a8-4c59-b6a2-414586476aea\}$ 

Opens key:

 $\label{thm:local-equation} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{debf2536-e1a8-4c59-b6a2-414586476aea\}\propertybag}$ 

Opens key:

 $HKL\dot{M}\ software \ microsoft\ windows \ current version \ \ explorer\ folder descriptions \ \ \{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\}$ 

Opens key:

 $\label{thm:local-decomposition} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\eqdef a 2dd-070d1d495d97\property bag$ 

Opens kev:

Opens key:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{0f214138-b1d3-4a90-bba9-27cbc0c5389a\} \ property bag$ 

Opens key:

Opens kev:

Opens key:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \ \{d9dc8a3b-b784-432e-a781-5a1130a75963\}$ 

Opens key:

 $HKL\dot{M} software \\ microsoft \\ windows \\ current version \\ (d9dc8a3b-b784-432e-a781-5a1130a75963) \\ property bag$ 

Opens kev:

Opens key:

 $\label{thm:local-property} HKL\dot{M} software \microsoft \windows \current version \explorer \folder descriptions \current \curre$ 

Opens key:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\folder$ 

Opens key:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\folder$ 

Opens key:

 $\label{lem:hklmsoftware} HKLM software \microsoft \windows \current version \explorer \folder descriptions \cal{lem:hklmsoftware} a 41b-587a 76d 7e7f9 \end{lem:hklmsoftware}$ 

Opens key:

Opens key

 $HKLM\software\mbox{$\star$ windows\currentversion} explorer\folderdescriptions \folderdescriptions \folderde$ 

Opens key:

 $HKL\dot{M} software \verb|\microsoft| windows \verb|\currentversion| explorer \verb|\folderdescriptions| \{4bfefb45-347d-4006-a5be-ac0cb0567192\} \verb|\propertybag| explorer \verb|\folderdescriptions| folderdescriptions| and the second secon$ 

Opens key:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{b7534046-3ecb-4c18-be4e-64cd4cb7d6ac\}$ 

Opens key:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{b7534046-3ecb-4c18-be4e-64cd4cb7d6ac\} \ property bag$ 

Opens kev:

Opens key:

Opens key:

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \ \ a9c3-b52a1ff411e8 \ property bag$ 

Opens key:

 $HKLM \ software \ `microsoft\ `windows \ `current version \ `explorer \ folder descriptions \ \ \{0139d44e-6afe-49f2-8690-3dafcae6ffb8\}$ 

Opens key:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{0139d44e-6afe-49f2-8690-3daf \ cae 6ffb8\} \ property bag$ 

Opens key:

 $\label{lem:hklmsoftware} HKLM software \microsoft \windows \current version \explorer \folder descriptions \cal{lem:hklmsoftware} $$ 4121-8900-86626 \cal{lem:hklmsoftware} $$ 6626 \cal{lem:hklmsoftware} $$ 121-8900-86626 \cal{lem:hklmsoftware} $$ 121-8900-86000 \cal{lem:hklmsoftwa$ 

Opens key:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c5abbf53-e17f-4121-8900-86626fc2c973}\propertybag

Opens key

 $\label{thm:local-prop} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{56784854-c6cb-462b-8169-88e350acb882\}$$ 

Opens key:

 $\label{thm:local-property} HKL\dot{M} software \microsoft \windows \current version \explorer \folder descriptions \folder \folder descriptions \folder \fol$ 

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{7b396e54-9ec5-4300-be0a-2482ebae1a26\}$ 

Opens key:

 $HKLM \ software \ `microsoft\ `windows \ `current version \ `explorer\ `folder descriptions \ `\{905e63b6-c1bf-494e-b29c-65b732d3d21a\}$ 

Opens key:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{905e63b6-c1bf-494e-b29c-65b732d3d21a\} \ property bag$ 

Opens key:

 $HKLM \ software \ `microsoft\ `windows\ `current version' \ explorer \ folder descriptions \ \ \{bcbd3057-ca5c-4622-b42d-bc56db0ae516\}$ 

Opens key:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder descriptions \folder descriptions \folder descriptions \folder \f$ 

Opens key:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5cd7aee2-2219-4a67-b85d-6c9ce15660cb\}$ 

Opens kev:

 $\label{lem:hammon} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \fold$ 

Opens kev:

Opens key:

Opens key:

 $HKLM \ software \ `microsoft\ `windows\ `current version' \ explorer \ folder descriptions \ \ \{2a00375e-224c-49de-b8d1-440df7ef3ddc\}$ 

Opens key:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2a00375e-224c-49de-b8d1-440df7ef3ddc}\propertybag$ 

Opens key:

Opens key

Opens key:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \ \{054fae61-4dd8-4787-80b6-090220c4b700\}$ 

Opens key:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{054fae61-4dd8-4787-80b6-090220c4b700\}\propertybag}$ 

Opens key:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{1777f761-68ad-4d8a-87bd-30b759fa33dd\}$ 

Opens key:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \ \{1777f761-68ad-4d8a-87bd-30b759fa33dd \ property bag$ 

Opens key

 $HKLM \ software \ `microsoft\ `windows\ `current version\ `explorer\ `folder descriptions\ `\{b250c668-f57d-4ee1-a63c-290ee7d1aa1f\}$ 

Opens key:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\folder$ 

Opens kev:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{3214 fab 5-9757-4298-bb 61-92a 9 dea a 44 ff\}$ 

Opens key:

Opens key:

Opens key:

Opens key:

Opens key:

 $\label{thm:local-problem} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{8983036c-27c0-404b-8f08-102d10dcfd74}\propertypag$ 

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{bcb5256f-79f6-4cee-b725-dc34e402fd46\}$ 

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{bcb5256f-79f6-4cee-b725-dc34e402fd46\} \ property bag$ 

Opens key:

b827-48b24b6c7174}

Opens key:

 $HKLM \ software \ `microsoft \ `windows \ current version \ explorer \ folder descriptions \ \{9e3995ab-1f9c-4f13-b827-48b24b6c7174\} \ property bag$ 

Opens key:

 $HKLM \ software \ `microsoft\ `windows \ `current version' explorer \ `folder descriptions \ `\{724ef170-a42d-4fef-9f26-b60e846fba4f\}$ 

Opens key:

Opens kev:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{a77f5d77-2e2b-44c3-a6a2-aba601054a51\}$ 

Opens kev:

Opens key:

 $HKLM \ software \ `microsoft\ `windows \ `current version \ `explorer \ folder descriptions \ \ \{4bd8d571-6d19-48d3-be97-42220080e43\}$ 

Opens key:

Opens kev:

Opens key:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version' explorer \ 'folder descriptions \ '\{de61d971-5ebc-4f02-a3a9-6c82895e5c04\} \ \ 'property bag$ 

Opens key

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{0762d272-c50a-4bb0-a382-697dcd729b80\}$ 

Opens key:

 $HKLM\software\mbox{$0762d272-c50a-4bb0-a382-697dcd729b80}\property bag$ 

Opens key:

 $HKLM\software\mbox{$M$ icrosoft\windows\currentversion} explorer\folderdescriptions \end{$4d9f7874-4e0c-4904-967b-40b0d20c3e4b}$ 

Opens key:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4d9f7874-4e0c-4904-967b-40b0d20c3e4b}\propertypag$ 

Opens key:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \ \{1ac14e77-02e7-4e5d-b744-2eb1ae5198b7\}$ 

Opens key:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{1ac14e77-02e7-4e5d-b744-2eb1ae5198b7\} \ \ property bag$ 

 $Opens~key: \\ HKCU \ software \ classes \ directory \ shellex \ library description handler$ 

Opens key: HKCR\directory\shellex\librarydescriptionhandler

Opens key: HKCU\software\classes\folder\shellex\librarydescriptionhandler

Opens key: HKCR\folder\shellex\librarydescriptionhandler

Opens key:

HKCU\software\classes\allfilesystemobjects\shellex\librarydescriptionhandler

 $\label{lem:continuous} Opens~key: & HKCR\allfilesystemobjects\shellex\librarydescriptionhandler \\ Opens~key: & HKCU\software\classes\appid\1e582d1e5a53441b694d7073a8bbc09c.exe \\ \end{tabular}$ 

Opens key: HKCR\appid\1e582d1e5a53441b694d7073a8bbc09c.exe

Opens key: HKLM\software\microsoft\ole\appcompat
Opens key: HKLM\system\currentcontrol\sa

Opens key: HKLM\software\microsoft\cryptography\defaults\provider\microsoft strong

cryptographic provider

Opens key: HKLM\system\currentcontrolset\control\lsa\fipsalgorithmpolicy

Opens key:

HKLM\system\currentcontrolset\policies\microsoft\cryptography\configuration

Opens key: HKLM\software\policies\microsoft\cryptography
Opens key: HKLM\software\microsoft\cryptography

Opens key: HKLM\software\microsoft\cryptography\offload

Opens key: HKCU\software\classes\interface\{00000134-0000-0000-0000-00000000046}

000000000046}\proxystubclsid32

Opens key: HKCR\interface\{00000134-0000-0000-0000-00000000046}\proxystubclsid32

Opens key: HKLM\system\currentcontrolset\services\bfe

Opens key: HKLM\software\microsoft\sqmclient\windows\disabledprocesses\
Opens key: HKLM\software\microsoft\sqmclient\windows\disabledsessions\
Opens key: HKLM\software\microsoft\windows\currentversion\explorer\advanced

Opens key:

HKCU\software\microsoft\windows\currentversion\explorer\search\primaryproperties\unindexedlocations
 Opens key:

HKLM\software\microsoft\windows\currentversion\explorer\search\primaryproperties\unindexedlocations
 Opens key:

HKCU\software\microsoft\windows\currentversion\explorer\search\preferences Opens key: HKLM\software\microsoft\windows\currentversion\explorer\search\preferences Opens key: HKCU\software\classes\local settings\software\microsoft\windows\shell\ Opens key: HKCU\software\classes\clsid\{42aedc87-2188-41fd-b9a3-0c966feabec1} Opens key: HKCR\clsid\{42aedc87-2188-41fd-b9a3-0c966feabec1} Opens key: HKCU\software\classes\clsid\{42aedc87-2188-41fd-b9a3-0c966feabec1}\treatas Opens key: HKCR\clsid\{42aedc87-2188-41fd-b9a3-0c966feabec1}\treatas Opens key: HKCU\software\classes\clsid\{42aedc87-2188-41fd-b9a3-0c966feabec1}\progid Opens key: HKCR\clsid\{42aedc87-2188-41fd-b9a3-0c966feabec1}\progid Opens key: HKCU\software\classes\clsid\{42aedc87-2188-41fd-b9a3-0c966feabec1}\inprocserver32 HKCR\clsid\{42aedc87-2188-41fd-b9a3-0c966feabec1}\inprocserver32 Opens key: Opens key: HKCU\software\classes\clsid\{42aedc87-2188-41fd-b9a3-0c966feabec1}\inprochandler32 Opens key:  $HKCR\clsid\{42aedc87-2188-41fd-b9a3-0c966feabec1\}\nprochandler32$ Opens kev: HKCU\software\classes\clsid\{42aedc87-2188-41fd-b9a3-0c966feabec1}\inprochandler Opens key:  $HKCR \verb|\clsid|{42} aedc87-2188-41fd-b9a3-0c966 feabec1} \verb|\inprochandler| \\$ Opens key: HKCU\software\classes\local settings\software\microsoft\windows\shell\bags\36\shell\inherit Opens key: HKCU\software\classes\local settings\software\microsoft\windows\shell\bags\11\shell\inherit Opens key: HKCU\software\classes\local settings\software\microsoft\windows\shell\bags\9\shell\inherit HKCU\software\classes\local Opens kev: settings\software\microsoft\windows\shell\bags\allfolders\shell Opens key: HKLM\software\microsoft\windows\shell Opens key: ba1f-a1ef4146fc19} Opens key: HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{625b53c3-ab48-4ec1ba1f-a1ef4146fc19}\propertybag Opens key: 8655-8a092e34987a} Opens key: HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{ae50c081-ebd2-438a-8655-8a092e34987a}\propertybag Opens key: HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{ed4824af-dce4-45a8-81e2-fc7965083634} Opens key: 81e2-fc7965083634}\propertybag Opens kev: HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{fdd39ad0-238f-46afadb4-6c85480369c7} Opens kev: adb4-6c85480369c7}\propertybag Opens key: HKCU\software\classes\clsid\{4df0c730-df9d-4ae3-9153-aa6b82e9795a} HKCR\clsid\{4df0c730-df9d-4ae3-9153-aa6b82e9795a} Opens key: Opens key: HKCU\software\classes\clsid\{4df0c730-df9d-4ae3-9153aa6b82e9795a}\treatas HKCR\clsid\{4df0c730-df9d-4ae3-9153-aa6b82e9795a}\treatas Opens key: Opens key: HKCU\software\classes\clsid\{4df0c730-df9d-4ae3-9153aa6b82e9795a}\progid Opens key: HKCR\clsid\{4df0c730-df9d-4ae3-9153-aa6b82e9795a}\progid Opens key: HKCU\software\classes\clsid\{4df0c730-df9d-4ae3-9153aa6b82e9795a}\inprocserver32 Opens key: HKCR\clsid\{4df0c730-df9d-4ae3-9153-aa6b82e9795a}\inprocserver32 Opens key: HKCU\software\classes\clsid\{4df0c730-df9d-4ae3-9153aa6b82e9795a}\inprochandler32 Opens kev: HKCR\clsid\{4df0c730-df9d-4ae3-9153-aa6b82e9795a}\inprochandler32 Opens key: HKCU\software\classes\clsid\{4df0c730-df9d-4ae3-9153aa6b82e9795a}\inprochandler Opens key:  $HKCR\clsid\{4df0c730-df9d-4ae3-9153-aa6b82e9795a}\tinprochandler$ Opens kev: HKCU\software\classes\local settings\software\microsoft\windows\shell\bagmru\3\0\2\0\ Opens kev:

HKCU\software\classes\local settings\software\microsoft\windows\shell\bags\40\shell HKLM\software\microsoft\windows\currentversion\explorer\foldertypes Opens key: Opens key: HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{5c4f28b5-f869-4e84-8e60f11db97c5cc7}

Opens key:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder types \ \{5c4f28b5-f869-4e84-8e60-f11db97c5cc7\} \ `modifiers$ 

Opens key: HKCU\software\microsoft\windows\currentversion\explorer\foldertypes

Opens key:

 $\label{thm:local-bound} HKLM \software \microsoft \windows \current version \explorer \folder types \folder types \folder \f$ 

Opens key:

 $\label{thm:local-continuous} HKCU software \mincrosoft \windows \current version \explorer \folder types \focal folder \cite{local-continuous} folder \cite{local-continuous} for the local-continuous \cite{local-continuous} for the loc$ 

Opens kev:

 $\label{lem:hklmsoftwaremicrosoft} HKLM \software \end{to} $$ 11db97c5cc7 \times \{00000000-0000-0000-000000000000\} $$$ 

Opens key: HKCU\software\classes\local

 $settings \ software \ microsoft \ windows \ shell \ bags \ 40 \ comdligle gacy \ \{5c4f28b5-f869-4e84-8e60-f11db97c5cc7\}$ 

Opens key: HKCU\software\classes\local

 $settings software \verb|microsoft| windows \verb|shell| bags 40 \verb|comdlg| legacy $ 5c4f28b5-f869-4e84-8e60-f11db97c5cc7 $ \| windows $ 11db97c5cc7 $ \| windows $$ 

Opens key: HKCU\software\classes\local

 $settings software \verb|microsoft| windows \verb|shell| bags | 36 \verb|comdlg| legacy | \{5c4f28b5-f869-4e84-8e60-f11db97c5cc7\} | inherit | 11db97c5cc7 | windows | 12db97c5cc7 | window$ 

Opens key: HKCU\software\classes\local

 $settings software \verb|\microsoft| windows \verb|\shell| bags \|\shell| bags \|\shell| bags \|\shell|$ 

f11db97c5cc7\inherit

Opens key: HKCU\software\classes\local

f11db97c5cc7}\inherit

Opens key: HKCU\software\classes\local

 $settings software \verb|microsoft| windows \verb|shell| bags \verb|allfolders| comdly legacy \verb|| \{5c4f28b5-f869-4e84-8e60-f11db97c5cc7\}|$ 

Opens key: HKCU\software\microsoft\windows\currentversion\explorer\streams\defaults

Opens key:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder types \c1f8339f-f312-4c97-b1c6-ecdf5910c5c0 \end{substitute}$ 

Opens key:

 $\label{lem:hklmsoftwaremicrosoftwindows\currentversion} In the constant of t$ 

Opens key:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder types \ \{b3690e58-e961-423b-b687-386ebfd83239\}$ 

Opens key:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder types \ `\{b3690e58-e961-423b-b687-386ebfd83239\} \ `modifiers \ 'explorer \ 'folder types' \ 'all and 'explorer' \ 'explorer'' \ 'explorer' \ 'explorer' \ 'explorer' \ 'explorer' \ 'explorer'' \ 'explorer' \ 'explorer'' \$ 

Opens key:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder types \ `\{b3690e58-e961-423b-b687-386ebfd83239\} \ 'topviews$ 

Opens key:

 $\label{lem:hkculosoftware} HKCU software \microsoft \windows \current version \explorer \folder types \ \{0b2baaeb-0042-4dca-aa4d-3ee8648d03e5\} \topviews \ \{00000000-0000-0000-00000000000000\}$ 

Opens key:

 $\label{thm:local-equation} HKLM software \\ microsoft \\ windows \\ current version \\ explorer \\ folder types \\ \{0b2baaeb-0042-4dca-aa4d-3ee8648d03e5\} \\ top views \\ \{00000000-0000-0000-000000000000\} \\$ 

Opens key

 $\label{lem:hklmsoftware} HKLM software \end{align* in the label} HKLM software \end{$ 

Opens key:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder types \ `\{0b2baaeb-0042-4dca-aa4d-3ee8648d03e5\} \ `modifiers \ 'explorer' \ 'explorer'' \ 'explorer' \ 'explorer' \ 'explorer' \ 'explorer'' \ 'expl$ 

Opens key:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder types \ \ \{0b2baaeb-0042-4dca-aa4d-3ee8648d03e5\} \ \ top views$ 

Opens key

Opens key

HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{0b2baaeb-0042-4dca-aa4d-3ee8648d03e5}\topviews\{82ba0782-5b7a-4569-b5d7-ec83085f08cc}

Opens key:

 $\label{lem:hkcu} HKCU\software\microsoft\windows\currentversion\explorer\foldertypes\{0b2baaeb-0042-4dca-aa4d-3ee8648d03e5\}\topviews\{a186c41c-a75c-44fb-aef2-77a36e0ec1b3\}}$ 

Opens kev:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder types \ \{0b2baaeb-0042-4dca-aa4d-3ee8648d03e5\} \ topviews \ \{a186c41c-a75c-44fb-aef2-77a36e0ec1b3\}$ 

Opens key

 $\label{lem:hkcusoftware} HKCU software \microsoft \windows \current version \explorer \folder types \ \{0b2baaeb-0042-4dca-aa4d-3ee8648d03e5\} \topviews \foreyiews \$ 

Opens key:

3ee8648d03e5}\topviews\{b7e74fd5-0a6a-476a-9da6-6009c74adf8d} Opens kev: HKCU\software\microsoft\windows\currentversion\explorer\foldertypes\{0b2baaeb-0042-4dca-aa4d-3ee8648d03e5\topviews\{c68292a3-bfe0-40d4-82d9-327a5d156771} Opens key: HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{0b2baaeb-0042-4dca-aa4d-3ee8648d03e5}\topviews\{c68292a3-bfe0-40d4-82d9-327a5d156771} HKCU\software\microsoft\windows\currentversion\explorer\foldertypes\{0b2baaeb-0042-4dca-aa4d-3ee8648d03e5}\topviews\{e5e2e7f6-7a4b-45ce-8b40-9a8e3dd8b9a7} Opens kev: HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{0b2baaeb-0042-4dca-aa4d-3ee8648d03e5}\topviews\{e5e2e7f6-7a4b-45ce-8b40-9a8e3dd8b9a7}  $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder types \ \ \{c1f8339f-f312-4c97-b1c6-f312-6c97-b1c6-f312-6c97-b1c6-f312-6c97-b1c6-f312-6c97-b1c6-f312-6c97-b1c6-f312-6c97-b1c6-f312-6c97-b1c6-f312-6c97-b1c6-f312-6c97-b1c6-f312-6c97-b1c6-f312-6c97-b1c6-f312-6c97-b1c$ ecdf5910c5c0}\modifiers Opens key: ecdf5910c5c0}\topviews Opens key: HKCU\software\microsoft\windows\currentversion\explorer\foldertypes\{b3690e58-e961-423b-b687-386ebfd83239}\topviews\{00000000-0000-0000-0000-000000000000} Opens kev: HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{292108be-88ab-4f33-9a26-7748e62e37ad} Opens key: HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{631958a6-ad0f-4035-a745-28ac066dc6ed} Opens key: 691d05850de8} Opens kev: HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{5fa96407-7e77-483c-ac93-691d05850de8}\modifiers Opens key: 691d05850de8}\topviews Opens key: HKCU\software\microsoft\windows\currentversion\explorer\foldertypes\{631958a6-ad0f-4035-a745-28ac066dc6ed}\topviews\{00000000-0000-0000-0000-000000000000} Opens key: HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{631958a6-ad0f-4035-a745-

HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{631958a6-ad0f-4035-a745 28ac066dc6ed}\topviews\{00000000-0000-0000-0000000000000}

Opens key:

 $\label{lem:hamman} HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{5fa96407-7e77-483c-ac93-691d05850de8\}\topviews\{00000000-0000-0000-0000000000000\}}$ 

Opens key:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder types \ \{631958a6-ad0f-4035-a745-28ac066dc6ed\} \ `modifiers$ 

Opens key

 $\label{thm:local-continuous} HKLM \software \microsoft \windows \current version \explorer \folder types \end{continuous} \{631958a6-ad0f-4035-a745-28ac066dc6ed\} \top views$ 

Opens key:

 $\label{thm:local-continuous} HKCU software \verb|microsoft| windows \verb|currentversion| explorer \verb|foldertypes|| \{631958a6-ad0f-4035-a745-28ac066dc6ed\} \\ topviews $\{2c0bc161-7181-49ba-8337-10584d53d8d0\}$$ 

Opens key:

Opens key:

 $\label{thm:local-equation} HKCU software \\ microsoft \\ windows \\ current version \\ explorer \\ folder types \\ \{631958a6-ad0f-4035-a745-28ac066dc6ed\} \\ top views \\ \{34cbc45c-eb17-448d-ac3a-838eb3ecdcd0\} \\$ 

Opens key:

Opens key

 $\label{thm:local-equation} HKCU\software\microsoft\windows\currentversion\explorer\folder types\{631958a6-ad0f-4035-a745-28ac066dc6ed\}\topviews\folder\fol$ 

Opens key:

HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{631958a6-ad0f-4035-a745-28ac066dc6ed}\topviews\{62c0c838-9084-440e-a64e-acb34d6e9c82}

Opens key

 $\label{thm:local-equation} HKCU software \\ microsoft \\ windows \\ current version \\ explorer \\ folder types \\ \{631958a6-ad0f-4035-a745-28ac066dc6ed\} \\ top views \\ \{82ba0782-5b7a-4569-b5d7-ec83085f08cc\} \\$ 

Opens key

 $\label{thm:local-continuous} HKLM \software \microsoft \windows \current version \explorer \folder types \folds \folds$ 

Opens key:

 $HKCU software \min cosoft windows current version explorer folder types \\ \{631958a6-ad0f-4035-a745-28ac066dc6ed\} top views \\ \{83059b98-14a1-4d85-8edb-c46d915ace5a\} \\$ 

Opens key:

 $HKLM \ software \ `microsoft \ `windows \ current version \ explorer \ folder types \ \{631958a6-ad0f-4035-a745-28ac066dc6ed\} \ topviews \ \{83059b98-14a1-4d85-8edb-c46d915ace5a\}$ 

Opens kev:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder types \capable - 88ab - 4f33 - 9a26 - 7748e62e37ad \modifiers$ 

Opens key:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version' \ explorer \ 'folder types \ '{292108be-88ab-4f33-9a26-7748e62e37ad} \ 'top views$ 

Opens key:

 $\label{thm:local-continuous} $$HKCU \sim \min_{microsoft\leq microsoft} \approx \sum_{microsoft\leq microsoft} (5fa96407-7e77-483c-ac93-691d05850de8) \times (0000000-0000-0000-0000-0000000000)$ 

Opens key:

Opens key:

Opens key:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folder types\{d674391b-52d9-4e07-834e-67c98610f39d}\topviews$ 

Opens key:

 $\label{thm:local-prop} HKLM \software \microsoft \windows \current version \explorer \folder types \folder \$ 

Opens key:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder types \ \{91475 fe5-586 b-4eba-8d75-d17434b8 cdf6\}$ 

Opens key:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder types \ \{91475 fe5-586 b-4 eba-8 d75-d17434 b8 cdf6\} \ `modifiers$ 

Opens key:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder types \ \{91475 fe5-586 b-4eba-8d75-d17434 b8cdf6\} \ top views$ 

Opens key:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder types \ \{503a4e73-1734-441a-8eab-01b3f3861156\} \ `modifiers$ 

Opens key:

 $\label{thm:local-prop} HKLM \software \microsoft \windows \current version \explorer \folder types \folder types \folder \fo$ 

Opens key:

 $\label{thm:local-equation} HKCU software \\ \min_{cosoft \windows \current version \explorer folder types \ \{503a4e73-1734-441a-8eab-01b3f3861156\} \\ \tanh_{cosoft \windows \current \current$ 

Opens key:

 $\label{thm:local-equation} HKLM software \mincrosoft \windows \current version \explorer \folder types \folder type$ 

HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{36011842-dccc-40fe-aa3d-6177ea401788}

Opens kev:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder types \ \{7d49d726-3c21-4f05-99aa-fdc2c9474656\}$ 

Opens key:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder types \ \{7d49d726-3c21-4f05-99aa-fdc2c9474656\} \ `modifiers$ 

Opens key:

 $\label{thm:local-prop} $$HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{7d49d726-3c21-4f05-99aa-fdc2c9474656\}\topviews}$$ 

Opens kev

 $\label{thm:local-equation} HKCU software \microsoft \windows \current version \explorer \folder types \folder \folder \current \folder \folder \current \folder \folder \current \folder \current \folder \folder \folder \folder \current \folder \fold$ 

Opens key:

Opens key:

 $HKL\dot{M} software \mbox{\tt icrosoft} windows \mbox{\tt current} version \mbox{\tt explorer} folder types \mbox{\tt 36011842-dccc-40fe-aa3d-6177ea401788} \mbox{\tt modifiers}$ 

Opens key

Opens key:

 $\label{two-explorer} HKCU\software\microsoft\windows\currentversion\explorer\foldertypes\{36011842-dccc-40fe-aa3d-6177ea401788\}\topviews\{424c81ab-7a7b-4fc1-a848-ddbadc10cdf5\}}$ 

Opens key:

 $HKLM \ software \ `microsoft \ `windows \ current version \ explorer \ folder types \ \{36011842-dccc-40fe-aa3d-6177ea401788\} \ topviews \ \{424c81ab-7a7b-4fc1-a848-ddbadc10cdf5\}$ 

Onens kev

 $\label{thm:local-condition} HKCU software \min cosoft windows current version explorer folder types \ \{36011842-dccc-40fe-aa3d-6177ea401788\} \ topviews \ \{4804caf0-de08-42ec-b811-52350e94c01e\}$ 

```
HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{36011842-dccc-40fe-aa3d-
6177ea401788}\topviews\{4804caf0-de08-42ec-b811-52350e94c01e}
  Opens key:
HKCU \setminus software \setminus microsoft \setminus windows \setminus current version \setminus explorer \setminus folder types \setminus \{36011842 - dccc - 40fe-aa3d-dccc - 40f
6177ea401788}\topviews\{724cded7-242e-425c-b660-86af28ba1567}
HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{36011842-dccc-40fe-aa3d-
6177ea401788}\topviews\{724cded7-242e-425c-b660-86af28ba1567}
  Opens key:
HKCU\software\microsoft\windows\currentversion\explorer\foldertypes\{36011842-dccc-40fe-aa3d-
6177ea401788}\topviews\{bb69f21e-3e71-466e-b8ec-db1a35410985}
  Opens key:
HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{36011842-dccc-40fe-aa3d-
6177ea401788}\topviews\{bb69f21e-3e71-466e-b8ec-db1a35410985}
HKCU\software\microsoft\windows\currentversion\explorer\foldertypes\{36011842-dccc-40fe-aa3d-
6177ea401788}\topviews\{bd6ab8cf-c0fd-4d50-bc73-7aad9b067958}
6177ea401788}\topviews\{bd6ab8cf-c0fd-4d50-bc73-7aad9b067958}
  Opens key:
                                    HKCU\software\classes\clsid\{9cfc2df3-6ba3-46ef-a836-e519e81f0ec4}
                                    HKCR\clsid\{9cfc2df3-6ba3-46ef-a836-e519e81f0ec4}
  Opens key:
  Opens key:
                                    HKCU\software\classes\clsid\{9cfc2df3-6ba3-46ef-a836-
e519e81f0ec4}\treatas
                                    HKCR\clsid\{9cfc2df3-6ba3-46ef-a836-e519e81f0ec4}\treatas
  Opens key:
  Opens key:
                                    HKCU\software\classes\clsid\{9cfc2df3-6ba3-46ef-a836-
e519e81f0ec4}\progid
  Opens key:
                                    HKCR\clsid\{9cfc2df3-6ba3-46ef-a836-e519e81f0ec4}\progid
  Opens key:
                                    HKCU\software\classes\clsid\{9cfc2df3-6ba3-46ef-a836-
e519e81f0ec4}\inprocserver32
  Opens key:
                                    HKCR\clsid\{9cfc2df3-6ba3-46ef-a836-e519e81f0ec4}\inprocserver32
  Opens key:
                                    HKCU\software\classes\clsid\{9cfc2df3-6ba3-46ef-a836-
e519e81f0ec4}\inprochandler32
                                    HKCR\clsid\{9cfc2df3-6ba3-46ef-a836-e519e81f0ec4}\inprochandler32
  Opens key:
  Opens key:
                                    HKCU\software\classes\clsid\{9cfc2df3-6ba3-46ef-a836-
e519e81f0ec4}\inprochandler
                                    HKCR\clsid\{9cfc2df3-6ba3-46ef-a836-e519e81f0ec4}\inprochandler
  Opens key:
  Opens key:
                                    HKCU\software\classes\clsid\{76765b11-3f95-4af2-ac9d-ea55d8994f1a}
  Opens key:
                                    HKCR\clsid\{76765b11-3f95-4af2-ac9d-ea55d8994f1a}
  Opens key:
                                    HKCU\software\classes\clsid\{76765b11-3f95-4af2-ac9d-
ea55d8994f1a}\treatas
  Opens key:
                                    HKCR\clsid\{76765b11-3f95-4af2-ac9d-ea55d8994f1a}\ treatas
  Opens key:
                                    HKCU\software\classes\clsid\{76765b11-3f95-4af2-ac9d-
ea55d8994f1a}\progid
  Opens key:
                                    HKCR\clsid\{76765b11-3f95-4af2-ac9d-ea55d8994f1a}\progid
  Opens key:
                                    HKCU\software\classes\clsid\{76765b11-3f95-4af2-ac9d-
ea55d8994f1a}\inprocserver32
  Opens key:
                                    HKCR\clsid\{76765b11-3f95-4af2-ac9d-ea55d8994f1a}\inprocserver32
                                    HKCU\software\classes\clsid\{76765b11-3f95-4af2-ac9d-
  Opens kev:
ea55d8994f1a}\inprochandler32
                                    HKCR\clsid\{76765b11-3f95-4af2-ac9d-ea55d8994f1a}\inprochandler32
  Opens key:
  Opens key:
                                    HKCU\software\classes\clsid\{76765b11-3f95-4af2-ac9d-
ea55d8994f1a}\inprochandler
  Opens key:
                                    HKCR \ clsid \ \{76765b11-3f95-4af2-ac9d-ea55d8994f1a\} \ \ in prochandler
  Opens key:
                                    HKCU\software\classes\clsid\{b8967f85-58ae-4f46-9fb2-5d7904798f4b}
  Opens key:
                                    HKCR\clsid\{b8967f85-58ae-4f46-9fb2-5d7904798f4b}
  Opens key:
                                    HKCU\software\classes\clsid\{b8967f85-58ae-4f46-9fb2-
5d7904798f4b}\treatas
  Opens key:
                                    HKCR\clsid\{b8967f85-58ae-4f46-9fb2-5d7904798f4b}\treatas
  Opens key:
                                    HKCU\software\classes\clsid\{b8967f85-58ae-4f46-9fb2-
5d7904798f4b}\progid
  Opens key:
                                    HKCR\clsid\{b8967f85-58ae-4f46-9fb2-5d7904798f4b}\progid
  Opens key:
                                    HKCU\software\classes\clsid\{b8967f85-58ae-4f46-9fb2-
5d7904798f4b}\inprocserver32
  Opens key:
                                    HKCR\clsid\{b8967f85-58ae-4f46-9fb2-5d7904798f4b}\inprocserver32
  Opens key:
                                    HKCU\software\classes\clsid\{b8967f85-58ae-4f46-9fb2-
5d7904798f4b}\inprochandler32
  Opens kev:
                                    HKCR\clsid\{b8967f85-58ae-4f46-9fb2-5d7904798f4b}\inprochandler32
  Opens key:
                                    HKCU\software\classes\clsid\{b8967f85-58ae-4f46-9fb2-
5d7904798f4b}\inprochandler
  Opens key:
                                    HKCR\clsid\{b8967f85-58ae-4f46-9fb2-5d7904798f4b}\inprochandler
  Opens key:
                                    HKCU\software\classes\clsid\{934d4698-6a59-48f8-9f29-9fb30670320e}
  Opens key:
                                    HKCR\clsid\{934d4698-6a59-48f8-9f29-9fb30670320e}
  Opens key:
                                    HKCU\software\classes\clsid\{934d4698-6a59-48f8-9f29-
9fb30670320e}\treatas
  Opens key:
                                    HKCR\clsid\{934d4698-6a59-48f8-9f29-9fb30670320e}\treatas
                                    HKCU\software\classes\clsid\{934d4698-6a59-48f8-9f29-
  Opens key:
9fb30670320e}\progid
  Opens key:
                                    HKCR\clsid\{934d4698-6a59-48f8-9f29-9fb30670320e}\progid
```

```
Opens key:
                         HKCU\software\classes\clsid\{934d4698-6a59-48f8-9f29-
9fb30670320e}\inprocserver32
 Opens key:
                         HKCR\clsid\{934d4698-6a59-48f8-9f29-9fb30670320e}\inprocserver32
 Opens key:
                         HKCU\software\classes\clsid\{934d4698-6a59-48f8-9f29-
9fb30670320e}\inprochandler32
 Opens key:
                         HKCR\clsid\{934d4698-6a59-48f8-9f29-9fb30670320e}\inprochandler32
 Opens key:
                         HKCU\software\classes\clsid\{934d4698-6a59-48f8-9f29-
9fb30670320e}\inprochandler
 Opens key:
                         HKCR\clsid\{934d4698-6a59-48f8-9f29-9fb30670320e}\inprochandler
 Opens key:
                         HKCU\software\classes\interface\{000214e3-0000-0000-c000-000000000046}
 Opens key:
                         HKCR\interface\{000214e3-0000-0000-c000-00000000046}
 Opens key:
                         HKCU\software\classes\interface\{000214e3-0000-0000-c000-
000000000046}\proxystubclsid32
 Opens key:
                         HKCR\interface\{000214e3-0000-0000-0000-00000000046}\proxystubclsid32
 Opens key:
                         HKCU\software\classes\clsid\{c90250f3-4d7d-4991-9b69-a5c5bc1c2ae6}
 Opens key:
                         HKCR\clsid\{c90250f3-4d7d-4991-9b69-a5c5bc1c2ae6}
 Opens key:
                         HKCU\software\classes\clsid\{c90250f3-4d7d-4991-9b69-
a5c5bc1c2ae6}\treatas
                         HKCR\clsid\{c90250f3-4d7d-4991-9b69-a5c5bc1c2ae6}\treatas
 Opens kev:
 Opens key:
                         HKCU\software\classes\clsid\{c90250f3-4d7d-4991-9b69-
a5c5bc1c2ae6}\progid
 Opens key:
                         HKCR\clsid\{c90250f3-4d7d-4991-9b69-a5c5bc1c2ae6}\progid
 Opens key:
                         HKCU\software\classes\clsid\{c90250f3-4d7d-4991-9b69-
a5c5bc1c2ae6}\inprocserver32
 Opens key:
                         HKCR\clsid\{c90250f3-4d7d-4991-9b69-a5c5bc1c2ae6}\inprocserver32
 Opens key:
                         HKCU\software\classes\clsid\{c90250f3-4d7d-4991-9b69-
a5c5bc1c2ae6}\inprochandler32
 Opens key:
                         HKCR\clsid\{c90250f3-4d7d-4991-9b69-a5c5bc1c2ae6}\inprochandler32
 Opens key:
                         HKCU\software\classes\clsid\{c90250f3-4d7d-4991-9b69-
a5c5bc1c2ae6}\inprochandler
 Opens key:
                         \label{local-equation} HKCR\clsid\{c90250f3-4d7d-4991-9b69-a5c5bc1c2ae6}\\\ \\\ inprochandler
 Opens key:
                         HKCU\software\classes\interface\{00000114-0000-0000-0000-000000000046}
 Opens key:
                         HKCR\interface\{00000114-0000-0000-c000-00000000046}
 Opens key:
                         HKCU\software\classes\interface\{00000114-0000-0000-c000-
000000000046}\proxystubclsid32
                         Opens key:
 Opens key:
                         HKCU\software\classes\interface\{6d5140c1-7436-11ce-8034-00aa006009fa}
 Opens key:
                         HKCR\interface\{6d5140c1-7436-11ce-8034-00aa006009fa}
 Opens key:
                         HKCU\software\classes\interface\{6d5140c1-7436-11ce-8034-
00aa006009fa}\proxystubclsid32
 Opens key:
                         HKCR\interface\{6d5140c1-7436-11ce-8034-00aa006009fa}\proxystubclsid32
 Opens key:
                         HKCU\software\classes\clsid\{a4a1a128-768f-41e0-bf75-e4fddd701cba}
 Opens key:
                         HKCR\clsid\{a4a1a128-768f-41e0-bf75-e4fddd701cba}
 Opens key:
                         HKCU\software\classes\clsid\{a4a1a128-768f-41e0-bf75-
e4fddd701cba}\treatas
 Opens key:
                         HKCR\clsid\{a4a1a128-768f-41e0-bf75-e4fddd701cba}\treatas
 Opens kev:
                         HKCU\software\classes\clsid\{a4a1a128-768f-41e0-bf75-
e4fddd701cba}\progid
 Opens key:
                         HKCR\clsid\{a4a1a128-768f-41e0-bf75-e4fddd701cba}\progid
 Opens key:
                         HKCU\software\classes\clsid\{a4a1a128-768f-41e0-bf75-
e4fddd701cba}\inprocserver32
 Opens key:
                         HKCR\clsid\{a4a1a128-768f-41e0-bf75-e4fddd701cba}\) in procserver 32
                         HKCU\software\classes\clsid\{a4a1a128-768f-41e0-bf75-
 Opens key:
e4fddd701cba}\inprochandler32
 Opens key:
                         HKCR\clsid\{a4a1a128-768f-41e0-bf75-e4fddd701cba}\nprochandler32
 Opens key:
                         HKCU\software\classes\clsid\{a4a1a128-768f-41e0-bf75-
e4fddd701cba}\inprochandler
 Opens key:
                         HKCR\clsid\{a4a1a128-768f-41e0-bf75-e4fddd701cba}\inprochandler
 Opens key:
                         HKCU\software\classes\clsid\{7efc002a-071f-4ce7-b265-f4b4263d2fd2}
                         HKCR\clsid\{7efc002a-071f-4ce7-b265-f4b4263d2fd2}
 Opens key:
 Opens key:
                         HKCU\software\classes\clsid\{7efc002a-071f-4ce7-b265-
f4b4263d2fd2}\treatas
 Opens key:
                         HKCR \clsid \end{7efc} 002a-071f-4ce7-b265-f4b4263d2fd2 \end{7efc} treats
 Opens key:
                         HKCU\software\classes\clsid\{7efc002a-071f-4ce7-b265-
f4b4263d2fd2}\progid
 Opens key:
                         HKCR\clsid\{7efc002a-071f-4ce7-b265-f4b4263d2fd2}\progid
 Opens key:
                         HKCU\software\classes\clsid\{7efc002a-071f-4ce7-b265-
f4b4263d2fd2}\inprocserver32
 Opens key:
                         HKCR\clsid\{7efc002a-071f-4ce7-b265-f4b4263d2fd2}\inprocserver32
 Opens key:
                         HKCU\software\classes\clsid\{7efc002a-071f-4ce7-b265-
f4b4263d2fd2}\inprochandler32
 Opens key:
                         HKCR\clsid\{7efc002a-071f-4ce7-b265-f4b4263d2fd2}\tinprochandler32
 Opens key:
                         HKCU\software\classes\clsid\{7efc002a-071f-4ce7-b265-
f4b4263d2fd2}\inprochandler
 Opens key:
                         HKCR \ clsid \ \{7efc002a-071f-4ce7-b265-f4b4263d2fd2\} \ \ inprochandler
```

HKCU\software\classes\clsid\{d58960ba-2ef3-4910-9e34-c911b1710180}

HKCR\clsid\{d58960ba-2ef3-4910-9e34-c911b1710180}

HKCU\software\classes\clsid\{d58960ba-2ef3-4910-9e34-

Opens key: c911b1710180}\treatas

Opens key:

```
Opens key:
                                                                                 HKCR\clsid\{d58960ba-2ef3-4910-9e34-c911b1710180}\treatas
     Opens key:
                                                                                 HKCU\software\classes\clsid\{d58960ba-2ef3-4910-9e34-
c911b1710180}\progid
                                                                                 HKCR\clsid\{d58960ba-2ef3-4910-9e34-c911b1710180}\progid
     Opens key:
     Opens key:
                                                                                 HKCU\software\classes\clsid\{d58960ba-2ef3-4910-9e34-
c911b1710180}\inprocserver32
     Opens key:
                                                                                 HKCR\clsid\{d58960ba-2ef3-4910-9e34-c911b1710180}\inprocserver32
     Opens key:
                                                                                 HKCU\software\classes\clsid\{d58960ba-2ef3-4910-9e34-
c911b1710180}\inprochandler32
     Opens key:
                                                                                 HKCR\clsid\{d58960ba-2ef3-4910-9e34-c911b1710180}\inprochandler32
     Opens key:
                                                                                 HKCU\software\classes\clsid\{d58960ba-2ef3-4910-9e34-
c911b1710180}\inprochandler
     Opens key:
                                                                                 HKCR\clsid\{d58960ba-2ef3-4910-9e34-c911b1710180}\inprochandler
     Opens key:
                                                                                 HKCU\software\microsoft\windows\currentversion\explorer\travellog
     Opens key:
                                                                                 HKLM\software\microsoft\windows\currentversion\explorer\travellog
     Opens key:
                                                                                 HKLM\software\policies\microsoft\internet explorer\restrictions
     Opens key:
                                                                                 HKCU\software\policies\microsoft\internet explorer\restrictions
     Opens key:
                                                                                 HKCU\software\classes\clsid\{59031a47-3f72-44a7-89c5-
5595fe6b30ee}\shellfolder
     Opens key:
                                                                                 HKCR\clsid\{59031a47-3f72-44a7-89c5-5595fe6b30ee}\shellfolder
     Opens key:
                                                                                 HKCU \ software \ `microsoft \ `windows \ `current version \ `explorer \ clsid \ '{59031a47-microsoft}' \ and \ 'explorer' \ 'explorer'' \ 'explorer' \ 'explorer' \ 'explorer' \ 'explorer' \ 'explorer'' \ 'explorer' \ 'explorer'' \ 'explorer' \ 'explorer'' \ 'explorer'
3f72-44a7-89c5-5595fe6b30ee}\shellfolder
     Opens kev:
                                                                                 HKLM\software\microsoft\windows\currentversion\explorer\clsid\{59031a47-
3f72-44a7-89c5-5595fe6b30ee}\shellfolder
     Opens key:
HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f3ce0f7c-4901-4acc-
8648-d5d44b04ef8f}
     Opens kev:
HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{f3ce0f7c-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-490
8648-d5d44b04ef8f}\propertybag
                                                                                 Opens key:
3aea-1069-a2d8-08002b30309d}
                                                                                 HKCU \setminus software \setminus microsoft \setminus windows \setminus current version \setminus explorer \setminus (20d04fe0-texplorer) \setminus (20d04fe0-texplorer)
     Opens key:
3aea-1069-a2d8-08002b30309d}\
     Opens key:
                                                                                 HKCU\software\microsoft\windows\currentversion\explorer\clsid\{20d04fe0-
3aea-1069-a2d8-08002b30309d}\shellex\iconhandler
     Opens key:
                                                                                 HKCU\software\microsoft\windows\currentversion\explorer\clsid\{20d04fe0-
3aea-1069-a2d8-08002b30309d}\defaulticon
     Opens key:
HKCU\software\microsoft\windows\currentversion\explorer\sessioninfo\1\desktop\namespace\namecustomizations
     Opens key:
                                                                                 HKCU\software\classes\clsid\{20d04fe0-3aea-1069-a2d8-08002b30309d}
     Opens kev:
                                                                                 HKCR\clsid\{20d04fe0-3aea-1069-a2d8-08002b30309d}
     Opens key:
HKCU\software\microsoft\windows\currentversion\explorer\mountpoints2\{69d250e4-6c18-11e3-b3bc-
806e6f6e6963}\
     Opens key:
HKCU \setminus software \setminus microsoft \setminus windows \setminus current version \setminus explorer \setminus drive i cons \setminus c \setminus default \mid abel
HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ \ drive i cons \ \ \ \ \ default label
     Opens key:
                                                                                 HKCU\software\classes\applications\explorer.exe\drives\c\defaultlabel
     Opens key:
                                                                                 HKCR\applications\explorer.exe\drives\c\defaultlabel
     Opens key:
864c-16f3910ab8fe}
     Opens key:
HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{fd228cb7-ae11-4ae3-
864c-16f3910ab8fe}\propertybag
     Opens key:
                                                                                 HKCU\software\microsoft\windows\currentversion\explorer\cabinetstate
     Opens key:
HKLM\software\microsoft\windows\currentversion\explorer\driveicons\c\defaulticon
     Opens key:
                                                                                 \label{thm:linear} HKCU \software \classes \applications \explorer. exe \drives \classes \application
                                                                                 HKCR\applications\explorer.exe\drives\c\defaulticon
     Opens key:
     Opens key:
                                                                                 HKLM\software\microsoft\windows search
     Opens key:
HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d0384e7d-bac3-4797-
8f14-cba229b392b5}
HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d0384e7d-bac3-4797-
8f14-cba229b392b5}\propertybag
     Opens key:
HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7b0db17d-9cd2-4a93-
9733-46cc89022e7c}
     Opens kev:
HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7b0db17d-9cd2-4a93-
9733-46cc89022e7c}\propertybag
     Opens key:
HKLM \setminus software \setminus microsoft \setminus windows \setminus current version \setminus explorer \setminus folder descriptions \setminus \{9274bd8d-cfd1-41c3-descriptions \setminus \{9274bd8d-cfd1-41c4-descriptions \setminus \{9274bd8d-cfd1-41c4-descript
```

Opens key:

b35e-b13f55a758f4}

 $\label{thm:local-continuous} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{9274bd8d-cfd1-41c3-b35e-b13f55a758f4} \property bag$ 

Opens key:

 $\label{thm:local-continuous} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{69d2cf90-fc33-4fb7-9a0c-ebb0f0fcb43c\}}$ 

Opens key:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{69d2cf90-fc33-4fb7-9a0c-ebb0f0fcb43c}\propertybag$ 

Opens key:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{374de290-123f-4565-9164-39c4925e467b\}$ 

Opens key:

Opens kev:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{859ead94-2e85-48ad-a71a-0969cb56a6cd\}$ 

Opens key:

 $\label{thm:local-equation} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ \{859ead94-2e85-48ad-a71a-0969cb56a6cd\} \property bag$ 

Opens key:

 $\label{lem:hklmsoftware} HKLM software \ensurements ion \explorer \folder descriptions \ensurement \folder descriptions \folder \fol$ 

Opens key:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$ 

Opens key:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3d644c9b-1fb8-4f30-9b45-f670235f79c0\}$ 

Opens key:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3d644c9b-1fb8-4f30-9b45-f670235f79c0}\property bag$ 

Opens key

Opens key:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a990ae9f-a03b-4e80-94bc-9912d7504104}\propertybag$ 

Opens key:

Opens key:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \{1a6fdba2-f42d-4358-a798-b74d745926c5\} \ property bag$ 

Opens key:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{a520a1a4-1780-4ff6-bd18-167343c5af16\}$ 

Opens key:

 $\label{thm:local-problem} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \folder$ 

Opens key:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{b88f4daa-e7bd-49a9-b74d-02885a5dc765\}$ 

Opens kev:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{b88f4daa-e7bd-49a9-b74d-02885a5dc765\} \ \ property bag$ 

Opens key:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \ \{2c36c0aa-5812-4b87-bfd0-4cd0dfb19b39\}$ 

Opens key:

Opens key:

Opens key:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{df7266ac-9274-4867-8d55-3bd661de872d}\propertybag

Opens key:

 $HKLM \ software \ `microsoft\ `windows \ `current version \ `explorer \ folder descriptions \ \ \{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27\}$ 

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27\} \ property bag$ 

Opens key:

 $HKLM \ software \ `microsoft\ `windows \ `current version \ `explorer \ folder descriptions \ \ \{15 ca 69 b 3 - 30 e e - 49 c 1 - a c e 1 - 6 b 5 e c 372 a f b 5\}$ 

Opens key:

ace1-6b5ec372afb5}\propertybag

Opens key:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{b97d20bb-f46a-4c97-ba10-5e3608430854\}$ 

Opens key:

Opens key

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{de92c1c7-837f-4f69-a3bb-86e631204a23\}}$ 

Opens key:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{de92c1c7-837f-4f69-a3bb-86e631204a23\}\propertybag}$ 

Onens key

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{10c07cd0-ef91-4567-b850-448b77cb37f9\}$ 

Opens key:

 $\label{thm:local-continuous} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \fold$ 

Opens key:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c1bae2d0-10df-4334-bedd-7aa20b227a9d\}$ 

Opens key:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \c1bae2d0-10df-4334-bedd-7aa20b227a9d \property bag$ 

Opens key:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{190337d1-b8ca-4121-a639-6d472d16972a\}$ 

Opens key:

 $\label{thm:local-decomposition} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \f$ 

Opens key:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{54eed 2e0-e7ca-4fdb-9148-0f4247291cfa\}$ 

Opens key:

 $HKLM \ software \ `microsoft \ `windows \ current version \ explorer \ folder descriptions \ \{54eed 2e0-e7ca-4fdb-9148-0f4247291cfa\} \ property bag$ 

Opens key:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{bfb9d5e0-c6a9-404c-b2b2-ae6db6af4968\}$ 

Opens key:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{bfb9d5e0-c6a9-404c-b2b2-ae6db6af4968\} \ property bag$ 

Opens key:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{b94237e7-57ac-4347-9151-b08c6c32d1f7\}$ 

Opens key:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{b94237e7-57ac-4347-9151-b08c6c32d1f7\} \ \ property bag$ 

Opens key

 $\label{lem:hklmsoftware} HKLM software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \fo$ 

Opens key:

 $\label{thm:local-property} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \early \folder descriptions \folder \f$ 

Opens key:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{5ce4a5e9-e4eb-479d-b89f-130c02886155\}$ 

Opens key:

 $\label{thm:local-property} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \footnote{1} \footnote{$ 

Opens key:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{82a74aeb-aeb4-465c-a014-d097ee346d63\}$ 

Opens key:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{82a74aeb-aeb4-465c-a014-d097ee346d63\} \ \ property bag$ 

Opens key:

 $\label{thm:local-prop} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7c5a40ef-a0fb-4bfc-874a-c0f2e0b9fa8e\}$}$ 

Opens key:

 $\label{thm:local-property} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \descriptions \folder \folder \descriptions \folder \descriptions \folder \descriptions \folder \folder \descriptions \folder \folde$ 

Opens kev:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{43668bf8-c14e-49b2-97c9-747784d784b7\}$ 

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{43668bf8-c14e-49b2-97c9-747784d784b7\} \ property bag$ 

```
Opens key:
```

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \ \{915221fb-9efe-4bda-8fd7-f78dca774f87\}$ 

Opens kev:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{915221fb-9efe-4bda-8fd7-f78dca774f87\} \ property bag$ 

Opens kev:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \ \{4c5c32ff-bb9d-43b0-b5b4-2d72e54eaaa4\}$ 

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{4c5c32ff-bb9d-43b0-b5b4-2d72e54eaaa4\} \ property bag$ 

Opens key: HKCU\software\classes\clsid\{18907f3b-9afb-4f87-b764-f9a4e16a21b8}

Opens key: HKCR\clsid\{18907f3b-9afb-4f87-b764-f9a4e16a21b8}
Opens key: HKCU\software\classes\clsid\{18907f3b-9afb-4f87-b764-

f9a4e16a21b8}\treatas

Opens key: HKCR\clsid\{18907f3b-9afb-4f87-b764-f9a4e16a21b8}\treatas Opens key: HKCU\software\classes\clsid\{18907f3b-9afb-4f87-b764-

f9a4e16a21b8}\progid

Opens key: HKCR\clsid\{18907f3b-9afb-4f87-b764-f9a4e16a21b8}\progid Opens key: HKCU\software\classes\clsid\{18907f3b-9afb-4f87-b764-

f9a4e16a21b8}\inprocserver32

Opens key: HKCR\clsid\{18907f3b-9afb-4f87-b764-f9a4e16a21b8}\inprocserver32

Opens key: HKCU\software\classes\clsid\{18907f3b-9afb-4f87-b764-

f9a4e16a21b8}\inprochandler32

Opens key: HKCR\clsid\{18907f3b-9afb-4f87-b764-f9a4e16a21b8}\inprochandler32

Opens key: HKCU\software\classes\clsid\{18907f3b-9afb-4f87-b764-

f9a4e16a21b8}\inprochandler

Opens key: HKCR\clsid\{18907f3b-9afb-4f87-b764-f9a4e16a21b8}\inprochandler
Opens key: HKCU\software\classes\clsid\{50ef4544-ac9f-4a8e-b21b-8a26180db13f}

Opens key: HKCR\clsid\{50ef4544-ac9f-4a8e-b21b-8a26180db13f}
Opens key: HKCU\software\classes\clsid\{50ef4544-ac9f-4a8e-b21b-

8a26180db13f}\treatas

8a26180db13f}\progid

Opens key:  $\begin{tabular}{ll} HKCR\clsid\{50ef4544-ac9f-4a8e-b21b-8a26180db13f}\progid\\ Opens key: \\ HKCU\software\classes\clsid\{50ef4544-ac9f-4a8e-b21b-} \end{tabular}$ 

8a26180db13f}\inprocserver32

Opens key:  $\label{eq:hkcr} \mbox{HKCR\clsid\{50ef4544-ac9f-4a8e-b21b-8a26180db13f\}\inprocserver32}}$ 

Opens key: HKCU\software\classes\clsid\{50ef4544-ac9f-4a8e-b21b-

8a26180db13f}\inprochandler32

 $Opens~key: \\ HKCR\clsid\{50ef4544-ac9f-4a8e-b21b-8a26180db13f}\inprochandler 32$ 

Opens key: HKCU\software\classes\clsid\{50ef4544-ac9f-4a8e-b21b-

8a26180db13f}\inprochandler

Opens key: HKCR\clsid\{50ef4544-ac9f-4a8e-b21b-8a26180db13f}\inprochandler
Opens key: HKCU\software\microsoft\windows\currentversion\thumbnailcache
Opens key: HKCU\software\classes\directory\shellex\propertyhandler

Opens key: HKCR\directory\shellex\propertyhandler

Opens key: HKCU\software\classes\folder\shellex\propertyhandler

Opens key: HKCR\folder\shellex\propertyhandler

 $Opens~key: \\ HKCU \ software \ classes \ all file system objects \ shellex \ property handler$ 

Opens key: HKCR\allfilesystemobjects\shellex\propertyhandler

Opens key: HKLM\software\microsoft\windows\currentversion\propertysystem
Opens key: HKCU\software\classes\clsid\{82c588e7-e54b-408c-9f8c-6af9adf6f1e9}

6af9adf6f1e9}\treatas

Opens key:  $\label{lem:hkcr} \begin{tabular}{ll} HKCR\clsid\{82c588e7-e54b-408c-9f8c-6af9adf6f1e9}\ \ \\ Opens key: \\ HKCU\software\classes\clsid\{82c588e7-e54b-408c-9f8c-6af9adf6f1e9}\ \ \\ \begin{tabular}{ll} HKCU\software\classes\clsid\{82c588e7-e54b-408c-9f8c-6af9adf6f1e9}\ \ \\ \begin{tabular}{ll} HKCU\software\classes\clsid\{82c588e7-e54b-408c-9f8c-6af9adf6f1e9}\ \ \\ \begin{tabular}{ll} HKCU\software\classes\clsid\clsi$ 

6af9adf6f1e9}\progid

Opens key:  $\label{eq:hkcr} \begin{tabular}{ll} HKCR\clsid\{82c588e7-e54b-408c-9f8c-6af9adf6f1e9}\progid\\ Opens key: \\ HKCU\software\classes\clsid\{82c588e7-e54b-408c-9f8c-6af9adf6f1e9}\progid\\ \end{tabular}$ 

6af9adf6f1e9}\inprocserver32

Opens key: HKCR\clsid\{82c588e7-e54b-408c-9f8c-6af9adf6f1e9}\inprocserver32

Opens key: HKCU\software\classes\clsid\{82c588e7-e54b-408c-9f8c-

6af9adf6f1e9}\inprochandler32

Opens key: HKCR\clsid\{82c588e7-e54b-408c-9f8c-6af9adf6f1e9}\inprochandler32

Opens key: HKCU\software\classes\clsid\{82c588e7-e54b-408c-9f8c-

6af9adf6f1e9}\inprochandler

Opens key: HKCR\clsid\{82c588e7-e54b-408c-9f8c-6af9adf6f1e9}\inprochandler
Opens key: HKCU\software\classes\clsid\{edb5f444-cb8d-445a-a523-ec5ab6ea33c7}

Opens key: HKCR\clsid\{edb5f444-cb8d-445a-a523-ec5ab6ea33c7}
Opens key: HKCU\software\classes\clsid\{edb5f444-cb8d-445a-a523-

ec5ab6ea33c7}\treatas

Opens key: HKCR\clsid\{edb5f444-cb8d-445a-a523-ec5ab6ea33c7}\treatas Opens key: HKCU\software\classes\clsid\{edb5f444-cb8d-445a-a523-

ec5ab6ea33c7}\progid

Opens key: HKCR\clsid\{edb5f444-cb8d-445a-a523-ec5ab6ea33c7}\progid

```
Opens key:
                                       HKCU\software\classes\clsid\{edb5f444-cb8d-445a-a523-
ec5ab6ea33c7}\inprocserver32
  Opens key:
                                       HKCR\clsid\{edb5f444-cb8d-445a-a523-ec5ab6ea33c7}\inprocserver32
  Opens key:
                                       HKCU\software\classes\clsid\{edb5f444-cb8d-445a-a523-
ec5ab6ea33c7}\inprochandler32
  Opens key:
                                       HKCR\clsid\{edb5f444-cb8d-445a-a523-ec5ab6ea33c7}\inprochandler32
  Opens key:
                                       HKCU\software\classes\clsid\{edb5f444-cb8d-445a-a523-
ec5ab6ea33c7}\inprochandler
  Opens key:
                                       HKCR\clsid\{edb5f444-cb8d-445a-a523-ec5ab6ea33c7}\inprochandler
  Opens key:
                                       HKLM\system\currentcontrolset\control\computername
  Opens key:
                                       HKCU\software\classes\.
  Opens key:
                                       HKCR\.
  Opens key:
                                       HKCU\software\classes\.\openwithprogids
  Opens key:
                                       HKCR\.\openwithprogids
  Opens key:
HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.\openwithprogids
                                       HKCU\software\microsoft\windows\currentversion\explorer\fileexts
  Opens key:
  Opens key:
                                       HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.
  Opens key:
                                       HKCU\software\classes\unknown
  Opens key:
                                       HKCR\unknown
                                       HKCU\software\classes\unknown\curver
  Opens key:
  Opens key:
                                       HKCR\unknown\curver
  Opens key:
                                       HKCR\unknown\
  Opens key:
                                       HKCU\software\classes\unknown\shellex\iconhandler
  Opens key:
                                       HKCR\unknown\shellex\iconhandler
  Opens key:
                                       HKCU\software\classes\systemfileassociations\.
  Opens key:
                                       HKCR\systemfileassociations\.
  Opens key:
                                       HKCU\software\classes\unknown\docobject
  Opens key:
                                       HKCR\unknown\docobject
  Opens key:
                                       HKCU\software\classes\unknown\browseinplace
  Opens key:
                                       HKCR\unknown\browseinplace
  Opens key:
                                       HKCU\software\classes\unknown\clsid
  Opens key:
                                       HKCR\unknown\clsid
  Opens key:
                                       HKCU\software\classes\.cpx
  Opens key:
                                       HKCR\.cpx
  Opens key:
                                       HKCU\software\classes\.cpx\openwithprogids
  Opens key:
                                       HKCR\.cpx\openwithprogids
  Opens key:
HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.cpx\openwithprogids
  Opens key:
                                       HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.cpx
  Opens key:
                                       HKCU\software\classes\systemfileassociations\.cpx
                                       HKCR\systemfileassociations\.cpx
  Opens key:
  Opens key:
                                       HKCU\software\classes\.c7483456-a289-439d-8115-601632d005a0
  Opens key:
                                       HKCR\.c7483456-a289-439d-8115-601632d005a0
  Opens key:
                                       HKCU\software\classes\.c7483456-a289-439d-8115-
601632d005a0\openwithprogids
  Opens kev:
                                       HKCR\.c7483456-a289-439d-8115-601632d005a0\openwithprogids
  Opens key:
HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.c7483456-a289-439d-8115-
601632d005a0\openwithprogids
  Opens key:
HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.c7483456-a289-439d-8115-
601632d005a0
  Opens key:
                                       HKCU\software\classes\systemfileassociations\.c7483456-a289-439d-8115-
601632d005a0
   Opens key:
                                       HKCR\systemfileassociations\.c7483456-a289-439d-8115-601632d005a0
  Opens key:
                                       HKCU\software\classes\.dll
  Opens key:
                                       HKCR\.dll
  Opens key:
                                       HKCU\software\classes\.dll\openwithprogids
  Opens key:
                                       HKCR\.dll\openwithprogids
  Opens key:
HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.dll\openwithprogids
  Opens key:
                                       HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.dll
  Opens key:
                                       HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.dll\
  Opens key:
HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.dll\userchoice
  Opens key:
                                       HKCU\software\classes\dllfile
  Opens key:
                                       HKCR\dllfile
                                       HKCU\software\classes\dllfile\curver
  Opens key:
  Opens key:
                                       HKCR\dllfile\curver
  Opens key:
                                       HKCR\dllfile\
                                       HKCU\software\classes\dllfile\shellex\iconhandler
  Opens key:
  Opens key:
                                       HKCR\dllfile\shellex\iconhandler
                                       HKCU\software\classes\systemfileassociations\.dll
  Opens key:
  Opens key:
                                       HKCR\systemfileassociations\.dll
  Opens key:
                                       \label{thm:local_hammon_hammon} \begin{tabular}{l} HKCU \software \classes \system file associations \classes \classes
  Opens key:
                                       HKCR\systemfileassociations\.dll\shellex\iconhandler
  Opens key:
                                       HKCU\software\classes\dllfile\docobject
```

HKCR\dllfile\docobject

```
Opens key:
                          HKCU\software\classes\systemfileassociations\.dll\docobject
 Opens key:
                          HKCR\systemfileassociations\.dll\docobject
 Opens key:
                          HKCU\software\classes\dllfile\browseinplace
 Opens key:
                          HKCR\dllfile\browseinplace
 Opens key:
                          HKCU\software\classes\systemfileassociations\.dll\browseinplace
                          {\tt HKCR} \verb|\systemfileassociations|.dll\browseinplace|
 Opens key:
 Opens key:
                          HKCU\software\classes\dllfile\clsid
 Opens key:
                          HKCR\dllfile\clsid
 Opens key:
                          HKCU\software\classes\systemfileassociations\.dll\clsid
 Opens key:
                          HKCR\systemfileassociations\.dll\clsid
 Opens key:
                          HKCU\software\classes\.tlb
 Opens key:
                          HKCR\.tlb
 Opens key:
                          HKCU\software\classes\.tlb\openwithprogids
 Opens key:
                          HKCR\.tlb\openwithprogids
 Opens key:
HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.tlb\openwithprogids
                          HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.tlb
 Opens key:
 Opens key:
                          HKCU\software\classes\.tlb\shellex\iconhandler
                          HKCR\.tlb\shellex\iconhandler
 Opens key:
 Opens key:
                          HKCU\software\classes\systemfileassociations\.tlb
 Opens key:
                          HKCR\systemfileassociations\.tlb
 Opens key:
                          HKCU\software\classes\.tlb\docobject
 Opens key:
                          HKCR\.tlb\docobject
 Opens key:
                          HKCU\software\classes\.tlb\browseinplace
 Opens key:
                          HKCR\.tlb\browseinplace
 Opens key:
                          HKCU\software\classes\.tlb\clsid
 Opens key:
                          HKCR\.tlb\clsid
 Opens key:
                          HKCU\software\classes\.exe
 Opens key:
                          HKCR\.exe
 Opens key:
                          HKCU\software\classes\.exe\openwithprogids
 Opens key:
                          HKCR\.exe\openwithprogids
 Opens kev:
HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.exe\openwithprogids
 Opens key:
                          HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.exe
 Opens key:
                          HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.exe\
 Opens key:
HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.exe\userchoice
 Opens key:
                          HKCU\software\classes\exefile
 Opens key:
                          HKCR\exefile
 Opens key:
                          HKCU\software\classes\exefile\curver
 Opens key:
                          HKCR\exefile\curver
 Opens key:
                          HKCR\exefile\
 Opens key:
                          HKCU\software\classes\exefile\shellex\iconhandler
                          HKCR\exefile\shellex\iconhandler
 Opens key:
 Opens key:
                          HKCU\software\classes\systemfileassociations\.exe
 Opens key:
                          HKCR\systemfileassociations\.exe
 Opens kev:
                          HKCU\software\classes\systemfileassociations\.exe\shellex\iconhandler
 Opens key:
                          HKCR\systemfileassociations\.exe\shellex\iconhandler
 Opens key:
                          HKCU\software\classes\exefile\docobject
 Opens key:
                          HKCR\exefile\docobject
                          {\tt HKCU \ } software \verb|\ classes \verb|\ systemfile associations \verb|\ .exe \verb|\ docobject| \\
 Opens key:
 Opens key:
                          HKCR\systemfileassociations\.exe\docobject
 Opens key:
                          HKCU\software\classes\exefile\browseinplace
 Opens key:
                          HKCR\exefile\browseinplace
 Opens key:
                          HKCU\software\classes\systemfileassociations\.exe\browseinplace
 Opens key:
                          HKCR\systemfileassociations\.exe\browseinplace
 Opens key:
                          HKCU\software\classes\exefile\clsid
 Opens key:
                          HKCR\exefile\clsid
 Opens key:
                          HKCU\software\classes\systemfileassociations\.exe\clsid
 Opens key:
                          HKCR\systemfileassociations\.exe\clsid
 Opens key:
                          HKCU\software\classes\.sys
 Opens key:
                          HKCR\.sys
 Opens key:
                          HKCU\software\classes\.sys\openwithprogids
 Opens key:
                          HKCR\.sys\openwithprogids
 Opens key:
HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.sys\openwithprogids
 Opens key:
                          HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.sys
 Opens kev:
                          HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.sys\
 Opens key:
HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.sys\userchoice
 Opens key:
                          HKCU\software\classes\sysfile
 Opens key:
                          HKCR\sysfile
 Opens key:
                          HKCU\software\classes\sysfile\curver
 Opens key:
                          HKCR\sysfile\curver
 Opens key:
                          HKCR\sysfile\
 Opens key:
                          HKCU\software\classes\sysfile\shellex\iconhandler
 Opens key:
                          HKCR\sysfile\shellex\iconhandler
                          HKCU\software\classes\systemfileassociations\.sys
 Opens key:
 Opens key:
                          HKCR\systemfileassociations\.sys
```

```
Opens key:
                                       HKCU\software\classes\systemfileassociations\.sys\shellex\iconhandler
  Opens key:
                                       HKCR\systemfileassociations\.sys\shellex\iconhandler
  Opens key:
                                       HKCU\software\classes\systemfileassociations\system
  Opens key:
                                       HKCR\systemfileassociations\system
  Opens key:
                                       HKCU\software\classes\sysfile\docobject
  Opens key:
                                       HKCR\sysfile\docobject
  Opens key:
                                       HKCU\software\classes\systemfileassociations\.sys\docobject
  Opens key:
                                       HKCR\systemfileassociations\.sys\docobject
  Opens key:
                                       HKCU\software\classes\systemfileassociations\system\docobject
  Opens key:
                                       HKCR\systemfileassociations\system\docobject
  Opens key:
                                       HKCU\software\classes\sysfile\browseinplace
  Opens key:
                                       HKCR\sysfile\browseinplace
  Opens key:
                                       HKCU\software\classes\systemfileassociations\.sys\browseinplace
  Opens key:
                                       HKCR\systemfileassociations\.sys\browseinplace
  Opens key:
                                       HKCU\software\classes\systemfileassociations\system\browseinplace
  Opens key:
                                       HKCR\systemfileassociations\system\browseinplace
  Opens key:
                                       HKCU\software\classes\sysfile\clsid
  Opens key:
                                       HKCR\sysfile\clsid
  Opens key:
                                       \label{lem:hkcu} \verb+KKCU \software \classes \system file associations \verb+\.sys \clsid+ \\
  Opens key:
                                       HKCR\systemfileassociations\.sys\clsid
  Opens key:
                                       HKCU\software\classes\.cpl
  Opens key:
                                       HKCR\.cpl
  Opens key:
                                       HKCU\software\classes\.cpl\openwithprogids
  Opens key:
                                       HKCR\.cpl\openwithprogids
  Opens key:
HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.cpl\openwithprogids
                                       HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.cpl
  Opens key:
  Opens key:
                                       HKCU\software\classes\cplfile
  Opens key:
                                       HKCR\cplfile
  Opens key:
                                       HKCU\software\classes\cplfile\curver
  Opens key:
                                       HKCR\cplfile\curver
  Opens key:
                                       HKCR\cplfile\
  Opens key:
                                       HKCU\software\classes\cplfile\shellex\iconhandler
  Opens key:
                                       HKCR\cplfile\shellex\iconhandler
  Opens key:
                                       HKCU\software\classes\systemfileassociations\.cpl
  Opens key:
                                       HKCR\systemfileassociations\.cpl
  Opens key:
                                       HKCU\software\classes\cplfile\docobject
  Opens key:
                                       HKCR\cplfile\docobject
  Opens key:
                                       HKCU\software\classes\cplfile\browseinplace
  Opens key:
                                       HKCR\cplfile\browseinplace
  Opens key:
                                       HKCU\software\classes\cplfile\clsid
  Opens key:
                                       HKCR\cplfile\clsid
  Opens key:
                                       HKCU\software\classes\.nt
  Opens key:
                                       HKCR\.nt
  Opens key:
                                       HKCU\software\classes\.nt\openwithprogids
  Opens key:
                                       HKCR\.nt\openwithprogids
  Opens kev:
HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.nt\openwithprogids
  Opens key:
                                       HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.nt
  Opens key:
                                       HKCU\software\classes\systemfileassociations\.nt
  Opens key:
                                       HKCR\systemfileassociations\.nt
  Opens key:
                                       HKCU\software\classes\.msc
  Opens key:
                                       HKCR\.msc
  Opens key:
                                       HKCU\software\classes\.msc\openwithprogids
  Opens key:
                                       HKCR\.msc\openwithprogids
   Opens key:
\label{thm:linear} \begin{tabular}{ll} HKCU \software \microsoft \windows \current version \explorer \file exts \cdots 
  Opens key:
                                       HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.msc
  Opens key:
                                       HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.msc\
  Opens key:
HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.msc\userchoice
  Opens key:
                                       HKCU\software\classes\mscfile
  Opens key:
                                       HKCR\mscfile
                                       HKCU\software\classes\mscfile\curver
  Opens key:
  Opens key:
                                       HKCR\mscfile\curver
  Opens key:
                                       HKCR\mscfile\
  Opens key:
                                       HKCU\software\classes\mscfile\shellex\iconhandler
  Opens key:
                                       HKCR\mscfile\shellex\iconhandler
  Opens key:
                                       HKCU\software\classes\mscfile\docobject
                                       HKCR\mscfile\docobject
  Opens key:
  Opens key:
                                       HKCU\software\classes\systemfileassociations\.msc
  Opens key:
                                       HKCR\systemfileassociations\.msc
  Opens key:
                                       HKCU\software\classes\mscfile\browseinplace
                                       HKCR\mscfile\browseinplace
  Opens key:
  Opens key:
                                       HKCU\software\classes\mscfile\clsid
  Opens key:
                                       HKCR\mscfile\clsid
                                       HKCU\software\classes\.ax
  Opens key:
                                       HKCR\.ax
  Opens kev:
  Opens key:
                                       HKCU\software\classes\.ax\openwithprogids
```

Opens key: HKCR\.ax\openwithprogids Opens key: HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.ax\openwithprogids Opens key: HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.ax Opens key: HKCU\software\classes\systemfileassociations\.ax Opens key: HKCR\systemfileassociations\.ax Opens key: HKCU\software\classes\.rom Opens key: HKCR\.rom Opens key: HKCU\software\classes\.rom\openwithprogids Opens key: HKCR\.rom\openwithprogids Opens key: HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.rom\openwithprogids HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.rom Opens key: Opens key: HKCU\software\classes\systemfileassociations\.rom Opens key: HKCR\systemfileassociations\.rom Opens key: HKCU\software\classes\.sdi Opens key: HKCR\.sdi Opens key: HKCU\software\classes\.sdi\openwithprogids Opens key: HKCR\.sdi\openwithprogids Opens key: HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.sdi\openwithprogids HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.sdi Opens key: Opens key: HKCU\software\classes\systemfileassociations\.sdi Opens key: HKCR\systemfileassociations\.sdi Opens key: HKCU\software\classes\.uce Opens key: HKCR\.uce Opens key: HKCU\software\classes\.uce\openwithprogids Opens key: HKCR\.uce\openwithprogids Opens key: HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.uce\openwithprogids Opens key: HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.uce Opens key: HKCU\software\classes\systemfileassociations\.uce Opens key: HKCR\systemfileassociations\.uce Opens key: HKCU\software\classes\.scr Opens key: HKCR\.scr Opens key: HKCU\software\classes\.scr\openwithprogids Opens key: HKCR\.scr\openwithprogids Opens key: HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.scr\openwithprogids Opens key:  $\label{lem:hkcu} \begin{tabular}{ll} HKCU \software \verb|\microsoft| windows \current version \explorer \file exts \verb|\.scr| \\ \end{tabular}$ HKCU\software\classes\scrfile Opens key: Opens key: HKCR\scrfile Opens key: HKCU\software\classes\scrfile\curver Opens key: HKCR\scrfile\curver Opens key: HKCR\scrfile\ Opens key: HKCU\software\classes\scrfile\shellex\iconhandler Opens kev: HKCR\scrfile\shellex\iconhandler Opens key: HKCU\software\classes\systemfileassociations\.scr Opens key: HKCR\systemfileassociations\.scr Opens key: HKCU\software\classes\scrfile\docobject Opens key: HKCR\scrfile\docobject Opens key: HKCU\software\classes\scrfile\browseinplace Opens key: HKCR\scrfile\browseinplace Opens key: HKCU\software\classes\scrfile\clsid Opens key: HKCR\scrfile\clsid Opens key: HKCU\software\classes\.rs Opens key: HKCR\.rs Opens key: HKCU\software\classes\.rs\openwithprogids Opens key: HKCR\.rs\openwithprogids Opens key:  $\label{thm:hkcu} \begin{tabular}{ll} HKCU \software \microsoft \windows \current version \explorer \file exts \c. rs \open with progids \end{tabular}$ Opens key: HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.rs Opens key: HKCU\software\classes\systemfileassociations\.rs Opens key: HKCR\systemfileassociations\.rs Opens key: HKCU\software\classes\.ime Opens key: HKCR\.ime Opens key: HKCU\software\classes\.ime\openwithprogids Opens kev: HKCR\.ime\openwithprogids Opens key: HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.ime\openwithprogids Opens key:  $\label{lem:hkcu} \begin{tabular}{ll} HKCU \software \microsoft \windows \current version \explorer \file exts \cite{line}. \end{tabular}$ Opens key: HKCU\software\classes\systemfileassociations\.ime Opens key: HKCR\systemfileassociations\.ime Opens key: HKCU\software\classes\.com Opens key: HKCR\.com Opens key:

HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.com\openwithprogids

HKCR\.com\openwithprogids

Opens key:

Opens kev:

HKCU\software\classes\.com\openwithprogids

```
Opens key:
                          HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.com
 Opens key:
                          HKCU\software\classes\comfile
 Opens key:
                          HKCR\comfile
                          HKCU\software\classes\comfile\curver
 Opens key:
 Opens key:
                          HKCR\comfile\curver
 Opens key:
                          HKCR\comfile\
 Opens key:
                          HKCU\software\classes\comfile\shellex\iconhandler
 Opens key:
                          HKCR\comfile\shellex\iconhandler
 Opens key:
                          HKCU\software\classes\systemfileassociations\.com
 Opens key:
                          HKCR\systemfileassociations\.com
 Opens key:
                          HKCU\software\classes\comfile\docobject
 Opens key:
                          HKCR\comfile\docobject
 Opens key:
                          HKCU\software\classes\comfile\browseinplace
 Opens key:
                          HKCR\comfile\browseinplace
 Opens key:
                          HKCU\software\classes\comfile\clsid
 Opens key:
                          HKCR\comfile\clsid
 Opens key:
                          HKCU\software\classes\.rll
 Opens key:
                          HKCR\.rll
 Opens key:
                          HKCU\software\classes\.rll\openwithprogids
 Opens key:
                          HKCR\.rll\openwithprogids
 Opens key:
HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.rll\openwithprogids
                          \label{thm:constant} \begin{tabular}{ll} HKCU \software \microsoft \windows \current version \explorer \file exts \clim{tabular}. rll \end{tabular}
 Opens key:
 Opens key:
                          HKCU\software\classes\systemfileassociations\.rll
 Opens key:
                          HKCR\systemfileassociations\.rll
 Opens key:
                          HKCU\software\classes\.drv
 Opens key:
                          HKCR\.drv
 Opens key:
                          HKCU\software\classes\.drv\openwithprogids
 Opens key:
                          HKCR\.drv\openwithprogids
 Opens key:
HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.drv\openwithprogids
 Opens key:
                          HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.drv
 Opens key:
                          HKCU\software\classes\drvfile
 Opens key:
                          HKCR\drvfile
 Opens key:
                          HKCU\software\classes\drvfile\curver
                          HKCR\drvfile\curver
 Opens key:
 Opens key:
                          HKCR\drvfile\
 Opens key:
                          HKCU\software\classes\drvfile\shellex\iconhandler
 Opens key:
                          HKCR\drvfile\shellex\iconhandler
                          HKCU\software\classes\systemfileassociations\.drv
 Opens key:
 Opens key:
                          HKCR\systemfileassociations\.drv
 Opens key:
                          HKCU\software\classes\drvfile\docobject
 Opens key:
                          HKCR\drvfile\docobject
                          HKCU\software\classes\drvfile\browseinplace
 Opens key:
 Opens key:
                          HKCR\drvfile\browseinplace
                          HKCU\software\classes\drvfile\clsid
 Opens key:
 Opens kev:
                          HKCR\drvfile\clsid
 Opens key:
                          HKCU\software\classes\.nls
 Opens key:
                          HKCR\.nls
 Opens key:
                          HKCU\software\classes\.nls\openwithprogids
 Opens key:
                          HKCR\.nls\openwithprogids
 Opens key:
HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.nls\openwithprogids
 Opens key:
                          HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.nls
 Opens key:
                          HKCU\software\classes\.nls\shellex\iconhandler
 Opens key:
                          HKCR\.nls\shellex\iconhandler
 Opens key:
                          HKCU\software\classes\systemfileassociations\.nls
 Opens key:
                          HKCR\systemfileassociations\.nls
 Opens key:
                          HKCU\software\classes\.nls\docobject
 Opens key:
                          HKCR\.nls\docobject
 Opens key:
                          HKCU\software\classes\.nls\browseinplace
 Opens key:
                          HKCR\.nls\browseinplace
 Opens key:
                          HKCU\software\classes\.nls\clsid
 Opens key:
                          HKCR\.nls\clsid
 Opens key:
                          HKCU\software\classes\.ocx
 Opens key:
                          HKCR\.ocx
 Opens key:
                          HKCU\software\classes\.ocx\openwithprogids
 Opens kev:
                          HKCR\.ocx\openwithprogids
 Opens key:
HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.ocx\openwithprogids
 Opens key:
                          HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.ocx
 Opens key:
                          HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.ocx\
 Opens key:
HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.ocx\userchoice
 Opens key:
                          HKCU\software\classes\ocxfile
 Opens key:
                          HKCR\ocxfile
 Opens key:
                          HKCU\software\classes\ocxfile\curver
                          HKCR\ocxfile\curver
 Opens key:
 Opens key:
                          HKCR\ocxfile\
```

```
Opens key:
                                        HKCU\software\classes\ocxfile\shellex\iconhandler
  Opens key:
                                        HKCR\ocxfile\shellex\iconhandler
  Opens key:
                                        HKCU\software\classes\systemfileassociations\.ocx
  Opens key:
                                        HKCR\systemfileassociations\.ocx
  Opens key:
                                        HKCU\software\classes\systemfileassociations\.ocx\shellex\iconhandler
  Opens key:
                                        HKCR\systemfileassociations\.ocx\shellex\iconhandler
  Opens key:
                                        HKCU\software\classes\ocxfile\docobject
  Opens key:
                                        HKCR\ocxfile\docobject
  Opens key:
                                        HKCU\software\classes\systemfileassociations\.ocx\docobject
  Opens key:
                                        HKCR\systemfileassociations\.ocx\docobject
  Opens key:
                                        HKCU\software\classes\ocxfile\browseinplace
  Opens key:
                                        HKCR\ocxfile\browseinplace
  Opens key:
                                        HKCU\software\classes\systemfileassociations\.ocx\browseinplace
  Opens key:
                                        HKCR\systemfileassociations\.ocx\browseinplace
  Opens key:
                                        HKCU\software\classes\ocxfile\clsid
  Opens key:
                                        HKCR\ocxfile\clsid
  Opens key:
                                        HKCU\software\classes\systemfileassociations\.ocx\clsid
  Opens key:
                                        HKCR\systemfileassociations\.ocx\clsid
  Opens key:
                                        HKCU\software\classes\.dat
  Opens key:
                                        HKCR\.dat
  Opens key:
                                        {\tt HKCU \backslash software \backslash classes \backslash .dat \backslash open with progids}
  Opens key:
                                        HKCR\.dat\openwithprogids
  Opens key:
HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.dat\openwithprogids
  Opens key:
                                        HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.dat
  Opens key:
                                        HKCU\software\classes\.dat\shellex\iconhandler
  Opens key:
                                        HKCR\.dat\shellex\iconhandler
                                        HKLM\software\microsoft\windows nt\currentversion\time zones\w. europe
  Opens key:
standard time\dynamic dst
  Opens key:
                                        HKCU\software\classes\systemfileassociations\.dat
  Opens key:
                                        HKCR\systemfileassociations\.dat
  Opens key:
                                        HKCU\software\classes\.dat\docobject
  Opens key:
                                        HKCR\.dat\docobject
  Opens key:
                                        HKCU\software\classes\.dat\browseinplace
  Opens key:
                                        HKCR\.dat\browseinplace
                                        HKCU\software\classes\.dat\clsid
  Opens key:
  Opens key:
                                        HKCR\.dat\clsid
  Opens key:
                                        HKCU\software\classes\.hlp
  Opens key:
                                        HKCR\.hlp
  Opens key:
                                        HKCU\software\classes\.hlp\openwithprogids
  Opens key:
                                        HKCR\.hlp\openwithprogids
  Opens key:
HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.hlp\openwithprogids
                                        \label{thm:local_hammon} \begin{tabular}{ll} HKCU \software \mbox{$\stackrel{\cdot}{\rm microsoft}$ \windows \current version \explorer \fileexts.hlp} \end{tabular}
  Opens kev:
  Opens key:
                                        HKCU\software\classes\hlpfile
  Opens key:
                                        HKCR\hlpfile
  Opens kev:
                                        HKCU\software\classes\hlpfile\curver
  Opens key:
                                        HKCR\hlpfile\curver
  Opens key:
                                        HKCR\hlpfile\
  Opens key:
                                        HKCU\software\classes\hlpfile\shellex\iconhandler
  Opens key:
                                        HKCR\hlpfile\shellex\iconhandler
  Opens key:
                                        HKCU\software\classes\systemfileassociations\.hlp
  Opens key:
                                        HKCR\systemfileassociations\.hlp
  Opens key:
                                        HKCU\software\classes\hlpfile\docobject
  Opens key:
                                        HKCR\hlpfile\docobject
  Opens key:
                                        HKCU\software\classes\hlpfile\browseinplace
  Opens key:
                                        HKCR\hlpfile\browseinplace
  Opens key:
                                        HKCU\software\classes\hlpfile\clsid
  Opens key:
                                        HKCR\hlpfile\clsid
  Opens key:
                                        HKCU\software\classes\.cpi
  Opens key:
                                        HKCR\.cpi
  Opens key:
                                        HKCU\software\classes\.cpi\openwithprogids
  Opens key:
                                        HKCR\.cpi\openwithprogids
  Opens key:
HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.cpi\openwithprogids
  Opens key:
                                        HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.cpi
  Opens key:
                                        HKCU\software\classes\systemfileassociations\.cpi
  Opens key:
                                        HKCR\systemfileassociations\.cpi
  Opens key:
                                        HKCU\software\classes\.xsl
  Opens key:
                                        HKCR\.xsl
  Opens key:
                                        HKCU\software\classes\.xsl\openwithprogids
  Opens key:
                                        HKCR\.xsl\openwithprogids
  Opens key:
\label{thm:local_hammon} \begin{tabular}{ll} HKCU \software \verb|\microsoft| windows \verb|\currentversion| explorer \verb|\fileexts|.xsl| open with progids $$ (a) $$ (b) $$ (b) $$ (b) $$ (c) $
   Opens key:
                                        HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.xsl
  Opens key:
                                        HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.xsl\
  Opens key:
HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.xsl\userchoice
```

Opens key: HKCU\software\classes\xslfile

```
Opens key:
                          HKCR\xslfile
                          HKCU\software\classes\xslfile\curver
 Opens key:
 Opens key:
                          HKCR\xslfile\curver
 Opens key:
                          HKCR\xslfile\
 Opens key:
                          HKCU\software\classes\xslfile\shellex\iconhandler
                          HKCR\xslfile\shellex\iconhandler
 Opens key:
 Opens key:
                          HKCU\software\classes\systemfileassociations\.xsl
 Opens key:
                          HKCR\systemfileassociations\.xsl
 Opens key:
                          HKCU\software\classes\systemfileassociations\text
 Opens key:
                          HKCR\systemfileassociations\text
 Opens key:
                          HKCU\software\classes\systemfileassociations\text\shellex\iconhandler
 Opens key:
                          HKCR\systemfileassociations\text\shellex\iconhandler
                          HKCU\software\classes\xslfile\docobject
 Opens key:
 Opens key:
                          HKCR\xslfile\docobject
 Opens key:
                          HKCU\software\classes\systemfileassociations\text\docobject
 Opens key:
                          HKCR\systemfileassociations\text\docobject
 Opens key:
                          HKCU\software\classes\xslfile\browseinplace
 Opens key:
                          HKCR\xslfile\browseinplace
 Opens key:
                          \label{lem:hkcusoftware} HKCU \ software \ \ system file associations \ \ text \ browsein place
 Opens key:
                          HKCR\systemfileassociations\text\browseinplace
 Opens key:
                          HKCU\software\classes\xslfile\clsid
 Opens key:
                          HKCR\xslfile\clsid
                         HKCU\software\classes\clsid\{48123bc4-99d9-11d1-a6b3-
 Opens key:
00c04fd91555}\implemented categories\{00021490-0000-0000-c000-000000000046}
                         HKCR\clsid\{48123bc4-99d9-11d1-a6b3-00c04fd91555}\implemented
 Opens key:
categories\{00021490-0000-0000-c000-00000000046}
 Opens key:
                         HKCU\software\classes\.vbs
 Opens key:
                          HKCR\.vbs
 Opens key:
                          HKCU\software\classes\.vbs\openwithprogids
 Opens key:
                          HKCR\.vbs\openwithprogids
 Opens key:
HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.vbs\openwithprogids
 Opens key:
                          HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.vbs
 Opens key:
                          HKCU\software\classes\vbsfile
 Opens key:
                          HKCR\vbsfile
                          HKCU\software\classes\vbsfile\curver
 Opens key:
 Opens key:
                          HKCR\vbsfile\curver
 Opens key:
                          HKCR\vhsfile\
 Opens key:
                          HKCU\software\classes\vbsfile\shellex\iconhandler
 Opens key:
                          HKCR\vbsfile\shellex\iconhandler
 Opens key:
                          HKCU\software\classes\systemfileassociations\.vbs
 Opens key:
                          HKCR\systemfileassociations\.vbs
 Opens key:
                          HKCU\software\classes\vbsfile\docobject
 Opens key:
                          HKCR\vbsfile\docobject
                          HKCU\software\classes\vbsfile\browseinplace
 Opens key:
 Opens key:
                          HKCR\vbsfile\browseinplace
 Opens kev:
                          HKCU\software\classes\vbsfile\clsid
 Opens key:
                          HKCR\vbsfile\clsid
 Opens key:
                          HKCU\software\classes\.pro
 Opens key:
                          HKCR\.pro
 Opens key:
                          HKCU\software\classes\.pro\openwithprogids
 Opens key:
                          HKCR\.pro\openwithprogids
 Opens key:
HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.pro\openwithprogids
 Opens key:
                          HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.pro
 Opens key:
                          HKCU\software\classes\systemfileassociations\.pro
 Opens key:
                          HKCR\systemfileassociations\.pro
 Opens key:
                          HKCU\software\classes\.tsp
 Opens key:
                          HKCR\.tsp
 Opens key:
                          HKCU\software\classes\.tsp\openwithprogids
 Opens key:
                          HKCR\.tsp\openwithprogids
 Opens key:
HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.tsp\openwithprogids
 Opens key:
                          HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.tsp
 Opens key:
                          HKCU\software\classes\.tsp\shellex\iconhandler
 Opens key:
                          HKCR\.tsp\shellex\iconhandler
 Opens key:
                          HKCU\software\classes\systemfileassociations\.tsp
 Opens key:
                          HKCR\systemfileassociations\.tsp
 Opens key:
                          HKCU\software\classes\.tsp\docobject
 Opens key:
                          HKCR\.tsp\docobject
 Opens key:
                          HKCU\software\classes\.tsp\browseinplace
 Opens key:
                          HKCR\.tsp\browseinplace
 Opens key:
                          HKCU\software\classes\.tsp\clsid
 Opens key:
                          HKCR\.tsp\clsid
 Opens key:
                          HKCU\software\classes\.iec
 Opens key:
                          HKCR\.iec
 Opens key:
                          HKCU\software\classes\.iec\openwithprogids
 Opens key:
                          HKCR\.iec\openwithprogids
 Opens key:
```

HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.iec\openwithprogids Opens key: HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.iec Opens key: HKCU\software\classes\systemfileassociations\.iec Opens key: HKCR\systemfileassociations\.iec Opens key: HKCU\software\classes\.rat Opens key: HKCR\.rat Opens key: HKCU\software\classes\.rat\openwithprogids Opens key: HKCR\.rat\openwithprogids Opens key: HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.rat\openwithprogids Opens key: HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.rat HKCU\software\classes\ratfile Opens key: Opens key: HKCR\ratfile HKCU\software\classes\ratfile\curver Opens key: Opens key: HKCR\ratfile\curver Opens key: HKCR\ratfile\ Opens key: HKCU\software\classes\ratfile\shellex\iconhandler Opens key: HKCR\ratfile\shellex\iconhandler HKCU\software\classes\systemfileassociations\.rat Opens key: Opens key: HKCR\systemfileassociations\.rat Opens key: HKCU\software\classes\ratfile\docobject Opens key: HKCR\ratfile\docobject Opens key: HKCU\software\classes\ratfile\browseinplace Opens key: HKCR\ratfile\browseinplace Opens key: HKCU\software\classes\ratfile\clsid Opens key: HKCR\ratfile\clsid Opens key: HKCU\software\classes\.inf Opens key: HKCR\.inf Opens key: HKCU\software\classes\.inf\openwithprogids Opens key: HKCR\.inf\openwithprogids Opens key: HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.inf\openwithprogids Opens key: HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.inf Opens key: HKCU\software\classes\inffile Opens key: HKCR\inffile HKCU\software\classes\inffile\curver Opens key: Opens key: HKCR\inffile\curver Opens key: HKCR\inffile\ Opens key: HKCU\software\classes\inffile\shellex\iconhandler Opens key: HKCR\inffile\shellex\iconhandler Opens key: HKCU\software\classes\systemfileassociations\.inf Opens key: HKCR\systemfileassociations\.inf Opens key: HKCU\software\classes\inffile\docobject Opens key: HKCR\inffile\docobject Opens key: HKCU\software\classes\inffile\browseinplace Opens key: HKCR\inffile\browseinplace Opens kev: HKCU\software\classes\inffile\clsid Opens key: HKCR\inffile\clsid Opens key: HKCU\software\classes\unknown\shellex\{000214f9-0000-0000-c000-000000000046} Opens key: HKCR\unknown\shellex\{000214f9-0000-0000-c000-00000000046} Opens key: HKCU\software\classes\\* HKCR\\* Opens key: Opens key: HKCU\software\classes\\*\shellex\{000214f9-0000-0000-c000-000000000046} Opens key: HKCR\\*\shellex\{000214f9-0000-0000-c000-00000000046} Opens key: HKCU\software\classes\allfilesystemobjects\shellex\{000214f9-0000-0000c000-0000000000046} Opens key: HKCR\allfilesystemobjects\shellex\{000214f9-0000-0000-c000-000000000046} Opens key: HKCU\software\classes\dllfile\shellex\{000214f9-0000-0000-c000-000000000046} Opens key: HKCR\dllfile\shellex\{000214f9-0000-0000-c000-00000000046} Opens key: HKCU\software\classes\.dll\shellex\{000214f9-0000-0000-c000-000000000046} Opens key: HKCR\.dll\shellex\{000214f9-0000-0000-c000-00000000046} Opens key: HKCU\software\classes\systemfileassociations\.dll\shellex\{000214f9-0000-0000-c000-000000000046} Opens key: HKCR\systemfileassociations\.dll\shellex\{000214f9-0000-0000-c000-000000000046} Opens key: HKCU\software\classes\.tlb\shellex\{000214f9-0000-0000-c000-000000000046} Opens key: HKCR\.tlb\shellex\{000214f9-0000-0000-c000-00000000046} Opens key: HKCU\software\classes\exefile\shellex\{000214f9-0000-0000-c000-00000000046} Opens key: HKCR\exefile\shellex\{000214f9-0000-0000-c000-00000000046} Opens key: HKCU\software\classes\.exe\shellex\{000214f9-0000-0000-c000-

Opens key: HKCR\.exe\shellex\{000214f9-0000-0000-c000-00000000046} Opens key: HKCU\software\classes\systemfileassociations\.exe\shellex\{000214f9-0000-0000-c000-00000000046}

000000000046}

Opens key: HKCR\systemfileassociations\.exe\shellex\{000214f9-0000-0000-c000-000000000046} Opens key: HKCU\software\classes\sysfile\shellex\{000214f9-0000-0000-c000-000000000046} HKCR\sysfile\shellex\{000214f9-0000-0000-c000-00000000046} Opens key: HKCU\software\classes\.sys\shellex\{000214f9-0000-0000-c000-Opens key: 000000000046} HKCR\.sys\shellex\{000214f9-0000-0000-c000-00000000046} Opens key: Opens key: HKCU\software\classes\systemfileassociations\.sys\shellex\{000214f9-0000-0000-c000-000000000046} Opens key: HKCR\systemfileassociations\.sys\shellex\{000214f9-0000-0000-c000-000000000046} Opens key: HKCU\software\classes\cplfile\shellex\{000214f9-0000-0000-c000-000000000046} Opens key: HKCR\cplfile\shellex\{000214f9-0000-0000-c000-00000000046} Opens key: HKCU\software\classes\.cpl\shellex\{000214f9-0000-0000-c000-000000000046} Opens key: HKCR\.cpl\shellex\{000214f9-0000-0000-c000-00000000046} Opens key: HKLM\software\microsoft\windows\currentversion\propertysystem\propertyhandlers\.cpx Opens key: HKCU\software\classes\unknown\shellex\propertyhandler Opens key: HKCR\unknown\shellex\propertyhandler HKCU\software\classes\\*\shellex\propertyhandler Opens key: Opens key: HKCR\\*\shellex\propertyhandler Opens key: HKLM\software\microsoft\windows\currentversion\propertysystem\propertyhandlers\.dll Opens key: HKCU\software\classes\clsid\{66742402-f9b9-11d1-a202-0000f81fedee}\overridefilesystemproperties Opens key: HKCR\clsid\{66742402-f9b9-11d1-a202-0000f81fedee}\overridefilesystemproperties Opens key: HKCU\software\classes\clsid\{66742402-f9b9-11d1-a202-0000f81fedee} Opens key: HKCR\clsid\{66742402-f9b9-11d1-a202-0000f81fedee} Opens key: HKCU\software\classes\explorerclsidflags\{66742402-f9b9-11d1-a202-0000f81fedee} Opens key: HKCR\explorerclsidflags\{66742402-f9b9-11d1-a202-0000f81fedee} Opens key: HKLM\software\microsoft\windows\currentversion\propertysystem\propertyhandlers\.tlb HKCU\software\classes\.tlb\shellex\propertyhandler Opens key: Opens key: HKCR\.tlb\shellex\propertyhandler Opens key: HKLM\software\microsoft\windows\currentversion\propertysystem\propertyhandlers\.exe Opens key: HKLM\software\microsoft\windows\currentversion\propertysystem\propertyhandlers\.sys Opens key: HKLM\software\microsoft\windows\currentversion\propertysystem\propertyhandlers\.cpl Opens key: HKLM\software\microsoft\windows\currentversion\propertysystem\propertyhandlers\.nt Opens key: HKCU\software\classes\.acm Opens key: HKCR\.acm Opens key: HKCU\software\classes\.acm\openwithprogids Opens key: HKCR\.acm\openwithprogids Opens key: HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.acm\openwithprogids Opens key: HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.acm Opens key: HKCU\software\classes\unknown\defaulticon Opens key: HKCR\unknown\defaulticon HKCU\software\classes\dllfile\defaulticon Opens key: Opens key: HKCR\dllfile\defaulticon Opens key: HKCU\software\classes\systemfileassociations\.acm Opens key: HKCR\systemfileassociations\.acm Opens key: HKCU\software\classes\.log Opens key: HKCR\.log Opens key: HKCU\software\classes\.log\openwithprogids Opens key: HKCR\.log\openwithprogids Opens key: HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.log\openwithprogids Opens key: HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.log Opens key: HKCU\software\classes\txtfile Opens key: HKCR\txtfile HKCU\software\classes\txtfile\curver Opens key: Opens key: HKCR\txtfile\curver Opens key: HKCR\txtfile\ Opens key: HKCU\software\classes\txtfile\shellex\iconhandler HKCR\txtfile\shellex\iconhandler Opens key: Opens key: HKCU\software\classes\systemfileassociations\.log Opens key: HKCR\systemfileassociations\.log

Opens key: HKCR\txtfile\docobject
Opens key: HKCU\software\classes\txtfile\browseinplace

HKCU\software\classes\txtfile\docobject

```
Opens key:
                         HKCR\txtfile\browseinplace
 Opens key:
                         HKCU\software\classes\txtfile\clsid
 Opens key:
                         HKCR\txtfile\clsid
 Opens key:
                         HKCU\software\classes\.lex
 Opens key:
                         HKCR\.lex
 Opens key:
                         HKCU\software\classes\.lex\openwithprogids
 Opens key:
                         HKCR\.lex\openwithprogids
 Opens key:
HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.lex\openwithprogids
 Opens key:
                         HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.lex
 Opens key:
                         HKCU\software\classes\lexfile
 Opens key:
                         HKCR\lexfile
 Opens key:
                         HKCU\software\classes\lexfile\curver
 Opens key:
                         HKCR\lexfile\curver
 Opens key:
                         HKCR\lexfile\
 Opens key:
                         HKCU\software\classes\lexfile\shellex\iconhandler
 Opens key:
                         HKCR\lexfile\shellex\iconhandler
 Opens key:
                         HKCU\software\classes\systemfileassociations\.lex
 Opens key:
                         HKCR\systemfileassociations\.lex
 Opens key:
                         HKCU\software\classes\lexfile\docobject
 Opens key:
                         HKCR\lexfile\docobject
 Opens key:
                         HKCU\software\classes\lexfile\browseinplace
 Opens key:
                         HKCR\lexfile\browseinplace
 Opens key:
                         HKCU\software\classes\lexfile\clsid
 Opens key:
                         HKCR\lexfile\clsid
 Opens key:
                         HKCU\software\classes\.tbl
 Opens key:
                         HKCR\.tbl
 Opens key:
                         HKCU\software\classes\.tbl\openwithprogids
 Opens key:
                         HKCR\.tbl\openwithprogids
 Opens key:
HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.tbl\openwithprogids
 Opens key:
                         HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.tbl
 Opens key:
                         HKCU\software\classes\systemfileassociations\.tbl
 Opens key:
                         HKCR\systemfileassociations\.tbl
 Opens key:
                         HKCU\software\classes\.rtf
 Opens key:
                         HKCR\.rtf
 Opens key:
                         HKCU\software\classes\.rtf\openwithprogids
 Opens key:
                         HKCR\.rtf\openwithprogids
 Opens key:
HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.rtf\openwithprogids
 Opens key:
                         HKCU\software\classes\rtffile
 Opens key:
                         HKCR\rtffile
 Opens key:
                         HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.rtf
 Opens key:
                         HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.rtf\
 Opens key:
HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.rtf\userchoice
 Opens kev:
                         HKCU\software\classes\wordview.rtf.8
                         HKCR\wordview.rtf.8
 Opens key:
 Opens key:
                         HKCU\software\classes\wordview.rtf.8\curver
 Opens key:
                         HKCR\wordview.rtf.8\curver
 Opens key:
                         HKCR\wordview.rtf.8\
 Opens key:
                         HKCU\software\classes\wordview.rtf.8\shellex\iconhandler
 Opens key:
                         HKCR\wordview.rtf.8\shellex\iconhandler
 Opens key:
                         HKCU\software\classes\systemfileassociations\.rtf
 Opens key:
                         HKCR\systemfileassociations\.rtf
 Opens key:
                         HKCU\software\classes\systemfileassociations\.rtf\shellex\iconhandler
                         HKCR\systemfileassociations\.rtf\shellex\iconhandler
 Opens key:
 Opens key:
                         HKCU\software\classes\systemfileassociations\document
 Opens key:
                         HKCR\systemfileassociations\document
 Opens key:
                         HKCU\software\classes\wordview.rtf.8\docobject
 Opens key:
                         HKCR\wordview.rtf.8\docobject
 Opens key:
                         HKCU\software\classes\systemfileassociations\.rtf\docobject
 Opens key:
                         HKCR\systemfileassociations\.rtf\docobject
 Opens key:
                         HKCU\software\classes\wordview.rtf.8\browseinplace
 Opens key:
                         HKCR\wordview.rtf.8\browseinplace
 Opens key:
                         HKCU\software\classes\systemfileassociations\.rtf\browseinplace
 Opens key:
                         HKCR\systemfileassociations\.rtf\browseinplace
 Opens key:
                         HKCU\software\classes\wordview.rtf.8\clsid
 Opens key:
                         HKCR\wordview.rtf.8\clsid
 Opens key:
                         HKCU\software\classes\systemfileassociations\.rtf\clsid
 Opens key:
                         HKCR\systemfileassociations\.rtf\clsid
 Opens key:
                         HKCU\software\classes\.xml
 Opens key:
                         HKCR\.xml
 Opens key:
                         HKCU\software\classes\.xml\openwithprogids
 Opens key:
                         HKCR\.xml\openwithprogids
```

HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.xml\openwithprogids

Opens key: HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.xml

Opens key: HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.xml\

Opens key: HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.xml\userchoice Opens key: HKCU\software\classes\xmlfile Opens key: HKCR\xmlfile Opens key: HKCU\software\classes\xmlfile\curver Opens key: HKCR\xmlfile\curver Opens key: HKCR\xmlfile\ Opens key: HKCU\software\classes\xmlfile\shellex\iconhandler Opens key: HKCR\xmlfile\shellex\iconhandler Opens key: HKCU\software\classes\systemfileassociations\.xml Opens key: HKCR\systemfileassociations\.xml Opens key:  $\label{thm:local_thm:loc$ Opens key: HKCR\systemfileassociations\.xml\shellex\iconhandler Opens key: HKCU\software\classes\xmlfile\docobject Opens key: HKCR\xmlfile\docobject Opens key: HKCU\software\classes\systemfileassociations\.xml\docobject Opens key: HKCR\systemfileassociations\.xml\docobject Opens key: HKCU\software\classes\xmlfile\browseinplace HKCR\xmlfile\browseinplace Opens key: Opens key: HKCU\software\classes\systemfileassociations\.xml\browseinplace Opens key: HKCR\systemfileassociations\.xml\browseinplace Opens key: HKCU\software\classes\xmlfile\clsid Opens key: HKCR\xmlfile\clsid Opens key: HKCU\software\classes\.wsf Opens key: HKCR\ wsf Opens key: HKCU\software\classes\.wsf\openwithprogids Opens key: HKCR\.wsf\openwithprogids Opens key: HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.wsf\openwithprogids Opens key: HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.wsf Opens key: HKCU\software\classes\wsffile Opens key: HKCR\wsffile Opens key: HKCU\software\classes\wsffile\curver Opens key: HKCR\wsffile\curver Opens key: HKCR\wsffile\ Opens key: HKCU\software\classes\wsffile\shellex\iconhandler Opens key: HKCR\wsffile\shellex\iconhandler HKCU\software\classes\systemfileassociations\.wsf Opens key: Opens key: HKCR\systemfileassociations\.wsf Opens key: HKCU\software\classes\wsffile\docobject Opens key: HKCR\wsffile\docobject Opens key: HKCU\software\classes\wsffile\browseinplace Opens key: HKCR\wsffile\browseinplace HKCU\software\classes\wsffile\clsid Opens key: Opens key: HKCR\wsffile\clsid Opens key: HKCU\software\classes\.lnk Opens kev: HKCR\.lnk Opens key: HKCU\software\classes\.lnk\openwithprogids Opens key: HKCR\.lnk\openwithprogids Opens key: HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.lnk\openwithprogids Opens key: HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.lnk Opens key: HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.lnk\ Opens key: HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.lnk\userchoice Opens key: HKCU\software\classes\lnkfile Opens key: HKCR\lnkfile Opens key: HKCU\software\classes\lnkfile\curver Opens key: HKCR\lnkfile\curver Opens key: HKCR\lnkfile\ Opens key: HKCU\software\classes\lnkfile\shellex\iconhandler Opens key: HKCR\lnkfile\shellex\iconhandler Opens key: HKCU\software\classes\lnkfile\docobject Opens key: HKCR\lnkfile\docobject Opens key: HKCU\software\classes\systemfileassociations\.lnk Opens key: HKCR\systemfileassociations\.lnk HKCU\software\classes\systemfileassociations\.lnk\docobject Opens key: Opens key: HKCR\systemfileassociations\.lnk\docobject Opens key: HKCU\software\classes\lnkfile\browseinplace Opens key: HKCR\lnkfile\browseinplace Opens key: HKCU\software\classes\systemfileassociations\.lnk\browseinplace Opens key: HKCR\systemfileassociations\.lnk\browseinplace Opens key: HKCU\software\classes\lnkfile\clsid Opens key: HKCR\lnkfile\clsid HKCU\software\classes\clsid\{00021401-0000-0000-c000-

Opens key: HKCU\software\classes\clsid\{00021401-0000-0000-c000-0000000000046}\implemented categories\{00021490-0000-c000-0000000000046}\
Opens key: HKCR\clsid\{00021401-0000-0000-c000-000000000046}\implemented categories\{00021490-0000-c000-00000000046}\
Opens key: HKCU\software\classes\.tsk

```
Opens key:
                                                            HKCR\.tsk
                                                            HKCU\software\classes\.tsk\openwithprogids
   Opens key:
   Opens key:
                                                            HKCR\.tsk\openwithprogids
   Opens key:
HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.tsk\openwithprogids
   Opens key:
                                                            HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.tsk
   Opens key:
                                                            HKCU\software\classes\systemfileassociations\.tsk
   Opens key:
                                                            HKCR\systemfileassociations\.tsk
   Opens key:
                                                            HKCU\software\classes\.chs
   Opens key:
                                                            HKCR\.chs
                                                            HKCU\software\classes\.chs\openwithprogids
   Opens key:
   Opens key:
                                                            HKCR\.chs\openwithprogids
   Opens key:
HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.chs\openwithprogids
                                                            {\tt HKCU \ } \dot{o} {\tt tware \ 
   Opens key:
   Opens key:
                                                            HKCU\software\classes\systemfileassociations\.chs
   Opens key:
                                                            {\tt HKCR} \verb|\systemfileassociations|.chs|
   Opens key:
                                                            HKCU\software\classes\.cht
   Opens key:
                                                            HKCR\.cht
   Opens key:
                                                            HKCU\software\classes\.cht\openwithprogids
   Opens key:
                                                            HKCR\.cht\openwithprogids
    Opens key:
HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.cht\openwithprogids
   Opens key:
                                                            HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.cht
   Opens key:
                                                            HKCU\software\classes\systemfileassociations\.cht
   Opens key:
                                                            HKCR\systemfileassociations\.cht
   Opens key:
                                                            HKCU\software\classes\.jpn
   Opens key:
                                                            HKCR\.jpn
   Opens key:
                                                            HKCU\software\classes\.jpn\openwithprogids
   Opens key:
                                                            HKCR\.jpn\openwithprogids
   Opens key:
\label{thm:linear} \begin{tabular}{ll} HKCU \software \mbox{$microsoft \windows \current version \explorer \file exts \. jpn \open with progids \end{tabular}
   Opens key:
                                                            HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.jpn
   Opens key:
                                                            HKCU\software\classes\systemfileassociations\.jpn
   Opens key:
                                                            HKCR\systemfileassociations\.jpn
                                                            HKCU\software\classes\.kor
   Opens key:
   Opens key:
                                                            HKCR\.kor
   Opens key:
                                                            HKCU\software\classes\.kor\openwithprogids
   Opens key:
                                                            HKCR\.kor\openwithprogids
   Opens key:
HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.kor\openwithprogids
   Opens key:
                                                            HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.kor
   Opens key:
                                                            HKCU\software\classes\systemfileassociations\.kor
   Opens key:
                                                            HKCR\svstemfileassociations\.kor
   Opens key:
                                                            HKCU\software\classes\.tha
                                                            HKCR\.tha
   Opens key:
   Opens kev:
                                                            HKCU\software\classes\.tha\openwithprogids
   Opens key:
                                                            HKCR\.tha\openwithprogids
   Opens key:
HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.tha\openwithprogids
   Opens key:
                                                            \label{thm:constant} \begin{tabular}{ll} HKCU \software \mbox{$\stackrel{\cdot}{\text{microsoft}}$ windows \current version \explorer \file exts \color="1.5". The constant is also a simple of the constant is also
   Opens key:
                                                            HKCU\software\classes\systemfileassociations\.tha
   Opens key:
                                                            HKCR\systemfileassociations\.tha
   Opens key:
                                                            HKCU\software\classes\.rsp
   Opens key:
                                                            HKCR\.rsp
   Opens key:
                                                            HKCU\software\classes\.rsp\openwithprogids
   Opens key:
                                                            HKCR\.rsp\openwithprogids
   Opens key:
\label{two-proposed} \begin{tabular}{ll} HKCU\soft\ware\microsoft\windows\currentversion\explorer\fileexts\.rsp\open\swithprogids \end{tabular}
                                                            HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.rsp
   Opens key:
   Opens key:
                                                            HKCU\software\classes\.rsp\shellex\iconhandler
   Opens key:
                                                            HKCR\.rsp\shellex\iconhandler
   Opens key:
                                                            HKCU\software\classes\systemfileassociations\.rsp
   Opens key:
                                                            HKCR\systemfileassociations\.rsp
   Opens key:
                                                            HKCU\software\classes\.rsp\docobject
   Opens key:
                                                            HKCR\.rsp\docobject
   Opens key:
                                                            HKCU\software\classes\.rsp\browseinplace
   Opens key:
                                                            HKCR\.rsp\browseinplace
   Opens key:
                                                            HKCU\software\classes\.rsp\clsid
   Opens key:
                                                            HKCR\.rsp\clsid
   Opens key:
                                                            HKCU\software\classes\.cmd
   Opens key:
                                                            HKCR\.cmd
   Opens key:
                                                            HKCU\software\classes\.cmd\openwithprogids
```

Opens key: HKCU\software\classes\cmdfile
Opens key: HKCR\cmdfile

HKCR\.cmd\openwithprogids

HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.cmd\openwithprogids

HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.cmd

Opens key:

Opens key:

```
Opens key:
                          HKCU\software\classes\cmdfile\curver
 Opens key:
                          HKCR\cmdfile\curver
 Opens key:
                          HKCR\cmdfile\
 Opens key:
                          HKCU\software\classes\cmdfile\shellex\iconhandler
 Opens key:
                          HKCR\cmdfile\shellex\iconhandler
 Opens key:
                          HKCU\software\classes\systemfileassociations\.cmd
 Opens key:
                          HKCR\systemfileassociations\.cmd
 Opens key:
                          HKCU\software\classes\cmdfile\docobject
 Opens key:
                          HKCR\cmdfile\docobject
 Opens key:
                          HKCU\software\classes\cmdfile\browseinplace
 Opens key:
                          HKCR\cmdfile\browseinplace
 Opens key:
                          HKCU\software\classes\cmdfile\clsid
 Opens key:
                          HKCR\cmdfile\clsid
 Opens key:
                          HKCU\software\classes\.sep
 Opens key:
                          HKCR\.sep
 Opens key:
                          HKCU\software\classes\.sep\openwithprogids
 Opens key:
                          HKCR\.sep\openwithprogids
 Opens key:
HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.sep\openwithprogids
 Opens key:
                          HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.sep
 Opens key:
                          HKCU\software\classes\systemfileassociations\.sep
 Opens key:
                          HKCR\systemfileassociations\.sep
 Opens key:
                         HKCU\software\classes\.ico
 Opens key:
                          HKCR\.ico
 Opens key:
                          HKCU\software\classes\.ico\openwithprogids
 Opens key:
                          HKCR\.ico\openwithprogids
 Opens key:
HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.ico\openwithprogids
 Opens key:
                          HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.ico
 Opens key:
                          HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.ico\
 Opens key:
HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.ico\userchoice
 Opens key:
                          HKCU\software\classes\icofile
 Opens key:
                          HKCR\icofile
 Opens key:
                          HKCU\software\classes\icofile\curver
                          HKCR\icofile\curver
 Opens key:
 Opens key:
                          HKCR\icofile\
 Opens key:
                          HKCU\software\classes\icofile\shellex\iconhandler
 Opens key:
                          HKCR\icofile\shellex\iconhandler
 Opens key:
                          HKCU\software\classes\systemfileassociations\.ico
 Opens key:
                          HKCR\systemfileassociations\.ico
 Opens key:
                          HKCU\software\classes\systemfileassociations\.ico\shellex\iconhandler
 Opens key:
                          HKCR\systemfileassociations\.ico\shellex\iconhandler
 Opens key:
                          HKCU\software\classes\systemfileassociations\image
 Opens key:
                          HKCR\systemfileassociations\image
 Opens key:
                          HKCU\software\classes\systemfileassociations\image\shellex\iconhandler
 Opens kev:
                          HKCR\systemfileassociations\image\shellex\iconhandler
 Opens key:
                          HKCU\software\classes\icofile\docobject
 Opens key:
                          HKCR\icofile\docobject
 Opens key:
                          HKCU\software\classes\systemfileassociations\.ico\docobject
 Opens key:
                          HKCR\systemfileassociations\.ico\docobject
 Opens key:
                          HKCU\software\classes\systemfileassociations\image\docobject
 Opens key:
                          HKCR\systemfileassociations\image\docobject
 Opens key:
                          HKCU\software\classes\icofile\browseinplace
 Opens key:
                          HKCR\icofile\browseinplace
 Opens key:
                          HKCU\software\classes\systemfileassociations\.ico\browseinplace
 Opens key:
                          HKCR\systemfileassociations\.ico\browseinplace
 Opens key:
                          HKCU\software\classes\systemfileassociations\image\browseinplace
 Opens key:
                          HKCR\systemfileassociations\image\browseinplace
 Opens key:
                          HKCU\software\classes\icofile\clsid
 Opens key:
                          HKCR\icofile\clsid
 Opens key:
                          HKCU\software\classes\systemfileassociations\.ico\clsid
 Opens key:
                          HKCR\systemfileassociations\.ico\clsid
 Opens key:
                          HKCU\software\classes\systemfileassociations\image\clsid
 Opens key:
                          HKCR\systemfileassociations\image\clsid
 Opens key:
                          HKCU\software\classes\.ini
 Opens key:
                          HKCR\.ini
 Opens key:
                          HKCU\software\classes\.ini\openwithprogids
 Opens key:
                          HKCR\.ini\openwithprogids
 Opens key:
HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.ini\openwithprogids
 Opens key:
                          \label{lem:hkcu} \verb+KKCU \software \verb+microsoft \verb+windows \verb+current version \verb+explorer \verb+\fileexts \verb+\.ini+ \\
 Opens key:
                          HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.ini\
 Opens key:
HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.ini\userchoice
                         HKCU\software\classes\inifile
 Opens key:
 Opens key:
                          HKCR\inifile
                         HKCU\software\classes\inifile\curver
 Opens key:
```

Opens key: HKCR\inifile\curver

```
Opens key:
                        HKCR\inifile\
 Opens key:
                        HKCU\software\classes\inifile\shellex\iconhandler
 Opens key:
                        HKCR\inifile\shellex\iconhandler
                        HKCU\software\classes\systemfileassociations\.ini
 Opens key:
 Opens key:
                        HKCR\systemfileassociations\.ini
 Opens key:
                        HKCU\software\classes\inifile\docobject
 Opens key:
                        HKCR\inifile\docobject
 Opens key:
                        HKCU\software\classes\inifile\browseinplace
 Opens key:
                        HKCR\inifile\browseinplace
 Opens key:
                        HKCU\software\classes\inifile\clsid
 Opens key:
                        HKCR\inifile\clsid
 Opens key:
                        HKCU\software\classes\systemfileassociations\text\clsid
 Opens key:
                        HKCR\systemfileassociations\text\clsid
 Opens key:
                        HKCU\software\classes\.h
 Opens key:
                        HKCR\.h
 Opens key:
                        HKCU\software\classes\.h\openwithprogids
 Opens key:
                        HKCR\.h\openwithprogids
 Opens key:
HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.h\openwithprogids
 Opens key:
                        HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.h
 Opens key:
                        HKCU\software\classes\.h\shellex\iconhandler
 Opens key:
                        HKCR\.h\shellex\iconhandler
 Opens key:
                        HKCU\software\classes\systemfileassociations\.h
 Opens key:
                        HKCR\systemfileassociations\.h
 Opens key:
                        HKCU\software\classes\.h\docobject
 Opens key:
                        HKCR\.h\docobject
 Opens key:
                        HKCU\software\classes\.h\browseinplace
 Opens key:
                        HKCR\.h\browseinplace
 Opens key:
                        HKCU\software\classes\.h\clsid
 Opens key:
                        HKCR\.h\clsid
 Opens key:
                        HKCU\software\classes\.mof
 Opens key:
                        HKCR\.mof
 Opens key:
                        HKCU\software\classes\.mof\openwithprogids
 Opens key:
                        HKCR\.mof\openwithprogids
 Opens key:
HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.mof\openwithprogids
 Opens key:
                        HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.mof
 Opens key:
                        HKCU\software\classes\systemfileassociations\.mof
 Opens key:
                        HKCR\systemfileassociations\.mof
 Opens key:
                        HKCU\software\classes\.man
 Opens key:
                        HKCR\.man
 Opens key:
                        HKCU\software\classes\.man\openwithprogids
 Opens key:
                        HKCR\.man\openwithprogids
 Opens key:
HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.man\openwithprogids
 Opens key:
                        HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.man
 Opens kev:
                        HKCU\software\classes\.man\shellex\iconhandler
                        HKCR\.man\shellex\iconhandler
 Opens key:
 Opens key:
                        HKCU\software\classes\systemfileassociations\.man
 Opens key:
                        HKCR\systemfileassociations\.man
 Opens key:
                        HKCU\software\classes\.man\docobject
                        HKCR\.man\docobject
 Opens key:
                        HKCU\software\classes\.man\browseinplace
 Opens key:
 Opens key:
                        HKCR\.man\browseinplace
 Opens key:
                        HKCU\software\classes\.man\clsid
 Opens key:
                        HKCR\.man\clsid
 Opens key:
                        HKCU\software\classes\.ebd
 Opens key:
                        HKCR\.ebd
 Opens key:
                        HKCU\software\classes\.ebd\openwithprogids
 Opens key:
                        HKCR\.ebd\openwithprogids
 Opens key:
Opens key:
                        HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.ebd
 Opens key:
                        HKCU\software\classes\systemfileassociations\.ebd
 Opens key:
                        HKCR\systemfileassociations\.ebd
 Opens key:
                        HKCU\software\classes\.etl
 Opens key:
                        HKCR\.etl
 Opens key:
                        HKCU\software\classes\.etl\openwithprogids
 Opens key:
                        HKCR\.etl\openwithprogids
 Opens key:
HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.etl\openwithprogids
 Opens key:
                        HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.etl
 Opens key:
                        HKCU\software\classes\systemfileassociations\.etl
                        HKCR\systemfileassociations\.etl
 Opens key:
 Opens key:
                        HKCU\software\classes\lnkfile\shellex\{000214f9-0000-0000-c000-
000000000046}
 Opens key:
                        HKCR\lnkfile\shellex\{000214f9-0000-0000-c000-00000000046}
 Opens key:
```

000000000046}

Opens key: HKCR\.lnk\shellex\{000214f9-0000-0000-c000-00000000046}

Opens key: HKCU\software\classes\clsid\{00021401-0000-0000-c000-000000000046}}

Opens key: HKCR\clsid\{00021401-0000-0000-c000-00000000046}

Opens key: HKCU\software\classes\explorerclsidflags\{00021401-0000-0000-c000-

00000000046}

Opens key: HKCR\explorerclsidflags\{00021401-0000-0000-c000-00000000046}

Opens key: HKCU\software\classes\.mod

Opens key: HKCR\.mod

Opens key: HKCU\software\classes\.mod\openwithprogids

Opens key: HKCR\.mod\openwithprogids

Opens key:

HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.mod\openwithprogids

Opens key: HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.mod
Opens key: HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.mod\

Opens key:

HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.mod\userchoice

Opens key: HKCU\software\classes\wmp11.assocfile.mpeg

Opens key: HKCR\wmp11.assocfile.mpeg

Opens key: HKCU\software\classes\wmp11.assocfile.mpeg\curver

Opens key: HKCR\wmp11.assocfile.mpeg\curver Opens key: HKCR\wmp11.assocfile.mpeg\

Opens key: HKCU\software\classes\wmp11.assocfile.mpeg\shellex\iconhandler

 $\begin{tabular}{lll} Opens~key: & HKCR\wmp11.assocfile.mpeg\shellex\iconhandler \\ Opens~key: & HKCU\software\classes\systemfileassociations\.mod \\ \end{tabular}$ 

Opens key: HKCR\systemfileassociations\.mod

Opens key: HKCU\software\classes\systemfileassociations\.mod\shellex\iconhandler

Opens key: HKCR\systemfileassociations\.mod\shellex\iconhandler
Opens key: HKCU\software\classes\systemfileassociations\video

Opens key: HKCR\systemfileassociations\video

Opens key: HKCU\software\classes\wmp11.assocfile.mpeg\docobject

Opens key: HKCR\wmp11.assocfile.mpeg\docobject

Opens key: HKCU\software\classes\systemfileassociations\.mod\docobject

Opens key: HKCR\systemfileassociations\.mod\docobject

Opens key: HKCU\software\classes\systemfileassociations\video\docobject

Opens key: HKCR\systemfileassociations\video\docobject

Opens key: HKCU\software\classes\wmp11.assocfile.mpeg\browseinplace

Opens key: HKCR\wmp11.assocfile.mpeg\browseinplace

Opens key: HKCU\software\classes\systemfileassociations\.mod\browseinplace

Opens key: HKCR\systemfileassociations\.mod\browseinplace

 $Opens\ key: \\ \hspace{2.5cm} \mathsf{HKCU} \\ \mathsf{Software} \\ \mathsf{classes} \\ \mathsf{systemfileassociations} \\ \mathsf{video} \\ \mathsf{browseinplace} \\$ 

Opens key: HKCR\systemfileassociations\video\browseinplace
Opens key: HKCU\software\classes\wmp11.assocfile.mpeg\clsid

Opens key: HKCR\wmp11.assocfile.mpeg\clsid

Opens key: HKCU\software\classes\systemfileassociations\.mod\clsid

Opens key: HKCR\systemfileassociations\.mod\clsid

Opens key: HKCU\software\classes\.dtd

Opens key: HKCR\.dtd

Opens key: HKCU\software\classes\.dtd\openwithprogids

Opens key: HKCR\.dtd\openwithprogids

Opens key:

HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.dtd\openwithprogids

Opens key: HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.dtd

Opens key:  ${\tt HKCU \setminus software \setminus classes \setminus system file associations \setminus .dtd}$ 

Opens key: HKCR\systemfileassociations\.dtd

Queries value: HKLM\system\currentcontrolset\control\session

manager[cwdillegalindllsearch]

Queries value: HKLM\system\currentcontrolset\control\terminal server[tsappcompat]
Queries value: HKLM\system\currentcontrolset\control\terminal server[tsuserenabled]

Queries value:

 $\label{thm:local_ham} \begin{tabular}{ll} HKLM \software \policies \microsoft \windows \safer \code identifiers \cite{transparente} abled \end{tabular}$ 

Queries value: HKCU\control panel\desktop[preferreduilanguages]

Queries value: HKCU\control panel\desktop\muicached[machinepreferreduilanguages]

Queries value:

 $HKLM \verb|\software\microsoft\windows\currentversion\side| preferexternal manifest| \\$ 

Queries value: HKLM\system\currentcontrolset\control\nls\sorting\versions[]

Queries value: HKLM\system\currentcontrolset\control\session manager[safedllsearchmode]

Queries value: HKLM\software\microsoft\windows nt\currentversion\gre\_initialize[disablemetafiles]
Queries value: HKLM\software\microsoft\windows

nt\currentversion\compatibility32[1e582d1e5a53441b694d7073a8bbc09c]

Queries value: HKLM\software\microsoft\windows

nt\currentversion\windows[loadappinit\_dlls]

Queries value: HKLM\system\currentcontrolset\control\nls\customlocale[en-us]
Queries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[en-us]
Queries value: HKLM\system\currentcontrolset\control\nls\locale[00000409]
Queries value: HKLM\system\currentcontrolset\control\nls\language groups[1]
Queries value: HKLM\system\currentcontrolset\control\config[system]

Queries value: HKLM\software\microsoft\windows nt\currentversion\languagepack\datastore\_v1.0[disable]

```
nt\currentversion\languagepack\datastore_v1.0[datafilepath]
                                                   HKLM\software\microsoft\windows
   Oueries value:
nt\currentversion\languagepack\surrogatefallback[plane1]
                                                   HKLM\software\microsoft\windows
   Queries value:
nt\currentversion\languagepack\surrogatefallback[plane2]
   Queries value:
                                                   HKLM\software\microsoft\windows
nt\currentversion\languagepack\surrogatefallback[plane3]
                                                   HKLM\software\microsoft\windows
   Oueries value:
\verb|nt\currentversion\language| pack\surrogatefallback[plane4]|
                                                   HKLM\software\microsoft\windows
   Oueries value:
nt\currentversion\languagepack\surrogatefallback[plane5]
                                                   HKLM\software\microsoft\windows
   Oueries value:
nt\currentversion\languagepack\surrogatefallback[plane6]
   Oueries value:
                                                   HKLM\software\microsoft\windows
nt\currentversion\languagepack\surrogatefallback[plane7]
                                                   HKLM\software\microsoft\windows
   Queries value:
nt\currentversion\languagepack\surrogatefallback[plane8]
   Queries value:
                                                   HKLM\software\microsoft\windows
nt\currentversion\languagepack\surrogatefallback[plane9]
   Queries value:
                                                   HKLM\software\microsoft\windows
nt\currentversion\languagepack\surrogatefallback[plane10]
   Oueries value:
                                                   HKLM\software\microsoft\windows
nt\currentversion\languagepack\surrogatefallback[plane11]
                                                   HKLM\software\microsoft\windows
   Oueries value:
nt\currentversion\languagepack\surrogatefallback[plane12]
   Queries value:
                                                   HKLM\software\microsoft\windows
nt\currentversion\languagepack\surrogatefallback[plane13]
                                                   HKLM\software\microsoft\windows
   Queries value:
nt\current version \verb|\languagepack| surrogatefall back[plane 14]|
   Queries value:
                                                   HKLM\software\microsoft\windows
nt\currentversion\languagepack\surrogatefallback[plane15]
   Oueries value:
                                                   HKLM\software\microsoft\windows
nt\currentversion\languagepack\surrogatefallback[plane16]
   Queries value:
                                                   HKLM\software\microsoft\ole[pageallocatorusesystemheap]
   Oueries value:
                                                   HKLM\software\microsoft\ole[pageallocatorsystemheapisprivate]
   Queries value:
                                                   HKLM\software\microsoft\ctf\tip\{0000897b-83df-4b96-be07-
0 fb 58b 01c 4a 4 \\ \label{lem:condition} \ 0 fb 58b 01c 4a 4 \\ \label{lem:condition} \ 1 enable \\ \ 1 enable \\ \ 2 enable \\ \ 3 enable \\ \ 4 enable \\ 4 enable \\ \ 4 enable \\ 4 enable \\ \ 4 enable \\ 4 enable \\ \ 4 enable \\ \
   Oueries value:
                                                   HKLM\software\microsoft\ctf[enableanchorcontext]
   Queries value:
                                                   HKLM\software\microsoft\windows nt\currentversion\fontsubstitutes[segoe
ui]
   Queries value:
                                                   HKLM\software\microsoft\com3[com+enabled]
                                                   HKCR\clsid\{725f645b-eaed-4fc5-b1c5-d9ad0accba5e}[]
   Oueries value:
   Oueries value:
                                                   HKCR\clsid\{725f645b-eaed-4fc5-b1c5-
d9ad0accba5e}\inprocserver32[inprocserver32]
   Queries value:
                                                   HKCR\clsid\{725f645b-eaed-4fc5-b1c5-d9ad0accba5e}\inprocserver32[]
   Oueries value:
                                                   HKCR\clsid\{725f645b-eaed-4fc5-b1c5-
d9ad0accba5e}\inprocserver32[threadingmodel]
   Oueries value:
                                                   HKLM\software\microsoft\ole[maxsxshashcount]
                                                   HKCU\software\microsoft\windows\currentversion\explorer[shellstate]
   Queries value:
   Oueries value:
                                                   HKCU\software\microsoft\windows\currentversion\explorer\advanced[hidden]
   Oueries value:
HKCU\software\microsoft\windows\currentversion\explorer\advanced[showcompcolor]
HKCU\software\microsoft\windows\currentversion\explorer\advanced[hidefileext]
   Oueries value:
HKCU\software\microsoft\windows\currentversion\explorer\advanced[dontprettypath]
   Oueries value:
\label{lem:hkcu} \begin{tabular}{ll} HKCU \software \microsoft \windows \current version \explorer \advanced \cite{tabular} is a constant \cite{tabular} and \cite{tabular
   Queries value:
HKCU\software\microsoft\windows\currentversion\explorer\advanced[hideicons]
   Oueries value:
HKCU\software\microsoft\windows\currentversion\explorer\advanced[mapnetdrvbtn]
   Oueries value:
HKCU\software\microsoft\windows\currentversion\explorer\advanced[webview]
   Oueries value:
                                                   HKCU\software\microsoft\windows\currentversion\explorer\advanced[filter]
   Oueries value:
HKCU\software\microsoft\windows\currentversion\explorer\advanced[showsuperhidden]
HKCU\software\microsoft\windows\currentversion\explorer\advanced[separateprocess]
\label{thm:linear} \begin{tabular}{ll} HKCU \software \mbox{$microsoft \windows \current version \explorer \advanced [nonetcrawling] \end{tabular} \label{thm:linear}
   Oueries value:
HKCU\software\microsoft\windows\currentversion\explorer\advanced[autocheckselect]
   Oueries value:
HKCU\software\microsoft\windows\currentversion\explorer\advanced[iconsonly]
   Oueries value:
HKCU\software\microsoft\windows\currentversion\explorer\advanced[showtypeoverlay]
                                                   HKLM\software\microsoft\windows nt\currentversion\fontsubstitutes[ms
   Queries value:
```

HKLM\software\microsoft\windows

```
shell dlg]
```

Queries value: HKCR\clsid\{53bd6b4e-3780-4693-afc3-7161c2f3ee9c}[]

Queries value: HKCR\clsid\{53bd6b4e-3780-4693-afc3-

7161c2f3ee9c}\inprocserver32[inprocserver32]

Queries value: HKCR\clsid\{53bd6b4e-3780-4693-afc3-7161c2f3ee9c}\inprocserver32[]

Queries value: HKCR\clsid\{53bd6b4e-3780-4693-afc3-

7161c2f3ee9c}\inprocserver32[threadingmodel]

Queries value:

HKCU\software\microsoft\windows\currentversion\explorer\comdlg32\cidsizemru[mrulistex]

Queries value: HKLM\software\microsoft\windows\windows error reporting\wmr[disable]

Queries value: HKLM\software\microsoft\windows\tablet pc[istabletpc]

Queries value:

HKCU\software\microsoft\windows\currentversion\explorer\autocomplete[autocomplete in file dialog]

HKLM\software\microsoft\windows\currentversion\explorer\autocomplete[autocomplete in file dialog]

Queries value: HKCR\clsid\{03c036f1-a186-11d0-824a-00aa005b4383}[]

Queries value: HKCR\clsid\{03c036f1-a186-11d0-824a-

00aa005b4383}\inprocserver32[inprocserver32]

Queries value: HKCR\clsid\{03c036f1-a186-11d0-824a-00aa005b4383}\inprocserver32[]

Queries value: HKCR\clsid\{03c036f1-a186-11d0-824a-

00aa005b4383}\inprocserver32[threadingmodel]

Queries value: HKCR\clsid\{00bb2763-6a77-11d0-a535-00c04fd7d062}[]

Queries value: HKCR\clsid\{00bb2763-6a77-11d0-a535-

00c04fd7d062}\inprocserver32[inprocserver32]

Queries value: HKCR\clsid\{00bb2763-6a77-11d0-a535-00c04fd7d062}\inprocserver32[]

Queries value: HKCR\clsid\{00bb2763-6a77-11d0-a535-

00c04fd7d062}\inprocserver32[threadingmodel]

Oueries value:

Queries value:  $\begin{tabular}{ll} HKCR\clsid\{807c1e6c-1d00-453f-b920-b61bb7cdd997}\progid[] \\ Queries value: \\ HKCR\clsid\{807c1e6c-1d00-453f-b920-b61bb7cdd997}[] \\ \end{tabular}$ 

Queries value: HKCR\clsid\{807c1e6c-1d00-453f-b920-

b61bb7cdd997}\inprocserver32[inprocserver32]

Queries value: HKCR\clsid\{807c1e6c-1d00-453f-b920-b61bb7cdd997}\inprocserver32[]

Queries value: HKCR\clsid\{807c1e6c-1d00-453f-b920-

b61bb7cdd997}\inprocserver32[threadingmodel]

Queries value: HKLM\software\microsoft\rpc\extensions[ndroleextdll]

Queries value: HKLM\software\microsoft\rpc[maxrpcsize]

Queries value: The war eximiter osoft tripe[maxi pesize]

 $\label{lem:hklm} \verb+KLM\+ system \current control \computer name \ | active computer name \ | compute$ 

Queries value: HKLM\system\setup[oobeinprogress]
Queries value: HKLM\system\setup[systemsetupinprogress]

Queries value: HKLM\software\microsoft\sqmclient\windows[ceipenable]

Oueries value:

HKCU\software\microsoft\windows\currentversion\explorer\autocomplete[autosuggest]

Queries value:
HKLM\software\microsoft\windows\currentversion\explorer\autocomplete[autosuggest]

\LW\SOTtware

HKCU\software\microsoft\windows\currentversion\explorer\autocomplete[always use tab]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\autocomplete[always use tab]

Queries value: HKCU\control panel\desktop[smoothscroll]

Oueries value:

HKCU\software\microsoft\windows\currentversion\explorer\advanced[enableballoontips]

Queries value:

HKCU\software\microsoft\windows\currentversion\explorer\advanced[listviewalphaselect]

Queries value:

HKCU\software\microsoft\windows\currentversion\explorer\advanced[listviewshadow]

Queries value:

Queries value:

HKCU\software\microsoft\windows\currentversion\explorer\advanced[usedoubleclicktimer]

Queries value: HKCR\clsid\{22877a6d-37a1-461a-91b0-dbda5aaebc99}[sortorderindex]
Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\gamma\$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b4bfcc3a-db2c-424c-

b029-7fe99a87c641}[name]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b4bfcc3a-db2c-424c-

b029-7fe99a87c641}[parentfolder]

Queries value:

b029-7fe99a87c641}[description]

Queries value:

b029-7fe99a87c641}[relativepath]

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{b4bfcc3a-db2c-424c-b029-7fe99a87c641\} [parsing name]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{b4bfcc3a-db2c-424c-b029-7fe99a87c641\}[infotip]$ 

Queries value:

 $HKLM\software\mbox{b4bfcc3a-db2c-424c-b029-7fe99a87c641}[localized name] \\$ 

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{b4bfcc3a-db2c-424c-b029-7fe99a87c641\}[icon]$ 

Oueries value

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{b4bfcc3a-db2c-424c-b029-7fe99a87c641\} [security]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{b4bfcc3a-db2c-424c-b029-7fe99a87c641\} [stream resource]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{b4bfcc3a-db2c-424c-b029-7fe99a87c641\}[stream resource type]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{b4bfcc3a-db2c-424c-b029-7fe99a87c641\} \ [local redirect only]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{b4bfcc3a-db2c-424c-b029-7fe99a87c641\} \ [roamable]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{b4bfcc3a-db2c-424c-b029-7fe99a87c641\}[precreate]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{b4bfcc3a-db2c-424c-b029-7fe99a87c641\}[stream]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{b4bfcc3a-db2c-424c-b029-7fe99a87c641\} [publish expanded path]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{b4bfcc3a-db2c-424c-b029-7fe99a87c641\} [attributes]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{b4bfcc3a-db2c-424c-b029-7fe99a87c641\}[folder typeid]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{b4bfcc3a-db2c-424c-b029-7fe99a87c641\}[initfolder handler]$ 

Queries value:

 $\label{thm:linear} \mbox{\tt HKCU\software\mbox{\tt microsoft\windows\currentversion\explorer\user\ shell}}$ 

folders[desktop]

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{a302545d-deff-464b-abe8-61c8648d939b\}' [category]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{a302545d-deff-464b-abe8-61c8648d939b\} \ [name]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{a302545d-deff-464b-abe8-61c8648d939b\} \ [parent folder]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{a302545d-deff-464b-abe8-61c8648d939b\} [description]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{a302545d-deff-464b-abe8-61c8648d939b\}[relative path]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{a302545d-deff-464b-abe8-61c8648d939b\} \ [parsing name]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \ \{a302545d-deff-464b-abe8-61c8648d939b\} [infotip]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{a302545d-deff-464b-abe8-61c8648d939b\} \ [localized name]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \ \{a302545d-deff-464b-abe8-61c8648d939b\} \ [icon]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{a302545d-deff-464b-abe8-61c8648d939b\}[security]$ 

```
HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a302545d-deff-464b-
abe8-61c8648d939b}[streamresource]
 Queries value:
HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a302545d-deff-464b-
abe8-61c8648d939b}[streamresourcetype]
 Queries value:
HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a302545d-deff-464b-
abe8-61c8648d939b}[localredirectonly]
 Oueries value:
HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a302545d-deff-464b-
abe8-61c8648d939b}[roamable]
 Queries value:
HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a302545d-deff-464b-
abe8-61c8648d939b}[precreate]
 Oueries value:
HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a302545d-deff-464b-
abe8-61c8648d939b}[stream]
 Queries value:
abe8-61c8648d939b}[publishexpandedpath]
 Queries value:
HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a302545d-deff-464b-
abe8-61c8648d939b}[attributes]
 Oueries value:
HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a302545d-deff-464b-
abe8-61c8648d939b}[foldertypeid]
 Queries value:
HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a302545d-deff-464b-
abe8-61c8648d939b}[initfolderhandler]
 Oueries value:
                        HKCR\clsid\{031e4825-7b94-4dc3-b131-e946b44c8dd5}[sortorderindex]
                        HKCR\clsid\{031e4825-7b94-4dc3-b131-
 Queries value:
e946b44c8dd5}\shellfolder[attributes]
                        HKCR\clsid\{031e4825-7b94-4dc3-b131-
 Oueries value:
e946b44c8dd5}\shellfolder[callforattributes]
 Queries value:
                        HKCR\clsid\{031e4825-7b94-4dc3-b131-
e946b44c8dd5}\shellfolder[restrictedattributes]
                        HKCR\clsid\{031e4825-7b94-4dc3-b131-
 Queries value:
e946b44c8dd5}\shellfolder[wantsfordisplay]
 Queries value:
                        HKCR\clsid\{031e4825-7b94-4dc3-b131-
e946b44c8dd5}\shellfolder[hidefolderverbs]
 Queries value:
                        HKCR\clsid\{031e4825-7b94-4dc3-b131-
e946b44c8dd5}\shellfolder[usedrophandler]
                        HKCR\clsid\{031e4825-7b94-4dc3-b131-
 Oueries value:
e946b44c8dd5}\shellfolder[wantsforparsing]
                        HKCR\clsid\{031e4825-7b94-4dc3-b131-
 Oueries value:
e946b44c8dd5}\shellfolder[wantsparsedisplayname]
                        HKCR\clsid\{031e4825-7b94-4dc3-b131-
 Oueries value:
e946b44c8dd5}\shellfolder[queryforoverlay]
                        HKCR\clsid\{031e4825-7b94-4dc3-b131-
 Oueries value:
e946b44c8dd5}\shellfolder[mapnetdriveverbs]
                        HKCR\clsid\{031e4825-7b94-4dc3-b131-
 Queries value:
e946b44c8dd5}\shellfolder[queryforinfotip]
                        HKCR\clsid\{031e4825-7b94-4dc3-b131-
 Oueries value:
e946b44c8dd5}\shellfolder[hideinwebview]
 Oueries value:
                        HKCR\clsid\{031e4825-7b94-4dc3-b131-
e946b44c8dd5}\shellfolder[hideondesktopperuser]
 Oueries value:
                        HKCR\clsid\{031e4825-7b94-4dc3-b131-
e946b44c8dd5}\shellfolder[wantsaliasednotifications]
 Queries value:
                        HKCR\clsid\{031e4825-7b94-4dc3-b131-
e946b44c8dd5}\shellfolder[wantsuniversaldelegate]
 Queries value:
                        HKCR\clsid\{031e4825-7b94-4dc3-b131-
e946b44c8dd5}\shellfolder[nofilefolderjunction]
 Queries value:
                        HKCR\clsid\{031e4825-7b94-4dc3-b131-
e946b44c8dd5}\shellfolder[pintonamespacetree]
                        HKCR\clsid\{031e4825-7b94-4dc3-b131-
 Queries value:
e946b44c8dd5}\shellfolder[hasnavigationenum]
e946b44c8dd5}]
```

Oueries value: HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{0ac0837c-bbf8-452a-

850d-79d08e667ca7}[category]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{0ac0837c-bbf8-452a-850d-79d08e667ca7}[name]

Oueries value:

 $HKLM \setminus software \setminus increased in the content of the$ 850d-79d08e667ca7}[parentfolder]

```
HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{0ac0837c-bbf8-452a-
850d-79d08e667ca7}[description]
         Queries value:
HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \ \{0ac 0837c-bbf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-
 850d-79d08e667ca7}[relativepath]
          Queries value:
HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \ \{0ac 0837c-bbf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-
 850d-79d08e667ca7}[parsingname]
         Oueries value:
 HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{0ac0837c-bbf8-452a-
 850d-79d08e667ca7}[infotip]
           Queries value:
HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ `folder descriptions \ `\{0ac 0837c-bbf8-452a-descriptions, \ accordance of the control of the co
850d-79d08e667ca7}[localizedname]
          Oueries value:
 HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{0ac0837c-bbf8-452a-
 850d-79d08e667ca7}[icon]
         Queries value:
850d-79d08e667ca7}[security]
          Queries value:
 HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{0ac0837c-bbf8-452a-
 850d-79d08e667ca7}[streamresource]
          Oueries value:
 HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{0ac0837c-bbf8-452a-
 850d-79d08e667ca7}[streamresourcetype]
         Queries value:
HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \ \{0ac 0837c-bbf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-
850d-79d08e667ca7}[localredirectonly]
          Oueries value:
 HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{0ac0837c-bbf8-452a-
 850d-79d08e667ca7}[roamable]
HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \ \{0ac 0837c-bbf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-452a-bf8-
 850d-79d08e667ca7}[precreate]
         Oueries value:
HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{0ac0837c-bbf8-452a-
850d-79d08e667ca7}[stream]
          Oueries value:
 HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{0ac0837c-bbf8-452a-
 850d-79d08e667ca7}[publishexpandedpath]
```

 $HKLM \setminus software \setminus increased in the content of the$ 

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{0ac0837c-bbf8-452a-

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \ \{0ac 0837c-bbf8-452a-bf8-$ 

HKCR\clsid\{20d04fe0-3aea-1069-a2d8-

Oueries value:

Oueries value:

Queries value:

Oueries value:

Oueries value:

Oueries value:

Oueries value:

Queries value:

Queries value:

Queries value:

Queries value:

Oueries value:

Queries value:

Queries value:

Queries value:

Queries value:

Oueries value:

Queries value:

850d-79d08e667ca7}[attributes]

850d-79d08e667ca7}[foldertypeid]

850d-79d08e667ca7}[initfolderhandler]

08002b30309d}\shellfolder[attributes]

08002b30309d}\shellfolder[callforattributes]

08002b30309d}\shellfolder[wantsfordisplay]

08002b30309d}\shellfolder[hidefolderverbs]

08002b30309d}\shellfolder[usedrophandler]

08002b30309d}\shellfolder[wantsforparsing]

08002b30309d}\shellfolder[queryforoverlay]

08002b30309d}\shellfolder[mapnetdriveverbs]

08002b30309d}\shellfolder[queryforinfotip]

08002b30309d}\shellfolder[hideondesktopperuser]

08002b30309d}\shellfolder[wantsaliasednotifications]

08002b30309d}\shellfolder[hideinwebview]

08002b30309d}\shellfolder[wantsparsedisplayname]

08002b30309d}\shellfolder[restrictedattributes]

08002b30309d}\shellfolder[wantsuniversaldelegate]

Queries value: HKCR\clsid\{20d04fe0-3aea-1069-a2d8-

08002b30309d}\shellfolder[nofilefolderjunction]

Queries value: HKCR\clsid\{20d04fe0-3aea-1069-a2d8-

08002b30309d}\shellfolder[pintonamespacetree]

Queries value: HKCR\clsid\{20d04fe0-3aea-1069-a2d8-

08002b30309d}\shellfolder[hasnavigationenum]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ policies \ nonenum \ [\{20d04fe0-3aea-1069-a2d8-4069-a2d8$ 

08002b30309d}]

Oueries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \calebox{d20beec4-5ca8-4905-ae3b-bf251ea09b53} \category\cite{Mathematics} \cite{Mathematics} \cite{Mathematics}$ 

Oueries value

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{d20beec4-5ca8-4905-ae3b-bf251ea09b53\} \ [name]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{d20beec4-5ca8-4905-ae3b-bf251ea09b53\} \ [parent folder]$ 

Queries value:

Queries value:

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \ \{d20beec4-5ca8-4905-ae3b-bf251ea09b53\} \ [parsing name]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \ \{d20beec4-5ca8-4905-ae3b-bf251ea09b53\} \ [infotip]$ 

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d20beec4-5ca8-4905-ae3b-bf251ea09b53\}[localizedname]}$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \ \{d20beec4-5ca8-4905-ae3b-bf251ea09b53\} \ [icon]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \ \{d20beec4-5ca8-4905-ae3b-bf251ea09b53\} \ [security]$ 

Queries value:

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d20beec4-5ca8-4905-ae3b-bf251ea09b53}[streamresourcetype]

Queries value:

Queries value

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \gamma \folder descriptions \gamma \gam$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \ \{d20beec4-5ca8-4905-ae3b-bf251ea09b53\} \ [stream]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d20beec4-5ca8-4905-ae3b-bf251ea09b53\}[publishexpandedpath]}$ 

Queries value:

Queries value

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \ \{d20beec4-5ca8-4905-ae3b-bf251ea09b53\} \ [folder typeid]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d20beec4-5ca8-4905-ae3b-bf251ea09b53}[initfolderhandler]

Queries value: HKCR\clsid\{f02c1a0d-be21-4350-88b0-7367fc96ef3c}[sortorderindex]

Queries value: HKCR\clsid\{f02c1a0d-be21-4350-88b0-

7367fc96ef3c}\shellfolder[attributes]

Queries value: HKCR\clsid\{f02c1a0d-be21-4350-88b0-

7367fc96ef3c}\shellfolder[callforattributes]

Queries value: HKCR\clsid\{f02c1a0d-be21-4350-88b0-

7367fc96ef3c}\shellfolder[restrictedattributes]

Queries value: HKCR\clsid\{f02c1a0d-be21-4350-88b0-

7367fc96ef3c}\shellfolder[wantsfordisplay]

```
Queries value:
                                     HKCR\clsid\{f02c1a0d-be21-4350-88b0-
7367fc96ef3c}\shellfolder[hidefolderverbs]
                                     HKCR\clsid\{f02c1a0d-be21-4350-88b0-
  Oueries value:
7367fc96ef3c}\shellfolder[usedrophandler]
                                     HKCR\clsid\{f02c1a0d-be21-4350-88b0-
  Queries value:
7367fc96ef3c}\shellfolder[wantsforparsing]
  Queries value:
                                     HKCR\clsid\{f02c1a0d-be21-4350-88b0-
7367fc96ef3c}\shellfolder[wantsparsedisplayname]
                                     HKCR\clsid\{f02c1a0d-be21-4350-88b0-
  Oueries value:
7367fc96ef3c}\shellfolder[queryforoverlay]
                                     HKCR\clsid\{f02c1a0d-be21-4350-88b0-
  Oueries value:
7367fc96ef3c}\shellfolder[mapnetdriveverbs]
  Oueries value:
                                     HKCR\clsid\{f02c1a0d-be21-4350-88b0-
7367fc96ef3c}\shellfolder[queryforinfotip]
                                     HKCR\clsid\{f02c1a0d-be21-4350-88b0-
  Oueries value:
7367fc96ef3c}\shellfolder[hideinwebview]
                                    HKCR\clsid\{f02c1a0d-be21-4350-88b0-
  Queries value:
7367fc96ef3c}\shellfolder[hideondesktopperuser]
                                     HKCR\clsid\{f02c1a0d-be21-4350-88b0-
  Queries value:
7367fc96ef3c}\shellfolder[wantsaliasednotifications]
  Queries value:
                                     HKCR\clsid\{f02c1a0d-be21-4350-88b0-
7367fc96ef3c}\shellfolder[wantsuniversaldelegate]
  Queries value:
                                     HKCR\clsid\{f02c1a0d-be21-4350-88b0-
7367fc96ef3c}\shellfolder[nofilefolderjunction]
                                     HKCR\clsid\{f02c1a0d-be21-4350-88b0-
  Queries value:
7367fc96ef3c}\shellfolder[pintonamespacetree]
  Queries value:
                                     HKCR\clsid\{f02c1a0d-be21-4350-88b0-
7367fc96ef3c}\shellfolder[hasnavigationenum]
HKLM \ software \ microsoft \ windows \ current version \ policies \ nonenum \ [f02c1a0d-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4350-88b0-be21-4500-88b0-be21-4500-88b0-be21-4500-88b0-be21-4500-88b0-be21-4500-88b0-be21-4500-88b0-be21-4500-88b0-be21-4500-88b0-be21-4500-88b0-be21-4500-88b0-be21-4500-88b0-be21-
7367fc96ef3c}1
  Oueries value:
                                     HKCR\clsid\{71f96385-ddd6-48d3-a0c1-ae06e8b055fb}[]
  Oueries value:
                                     HKCR\clsid\{71f96385-ddd6-48d3-a0c1-
ae06e8b055fb}\inprocserver32[inprocserver32]
  Oueries value:
                                     HKCR\clsid\{71f96385-ddd6-48d3-a0c1-ae06e8b055fb}\inprocserver32[]
                                     HKCR\clsid\{71f96385-ddd6-48d3-a0c1-
  Oueries value:
ae06e8b055fb}\inprocserver32[threadingmodel]
                                     HKCR\clsid\{104846ab-42b1-4e38-a80d-136f78c3f258}[]
  Queries value:
  Queries value:
                                     HKCR\clsid\{104846ab-42b1-4e38-a80d-
136f78c3f258}\inprocserver32[inprocserver32]
  Queries value:
                                     HKCR\clsid\{104846ab-42b1-4e38-a80d-136f78c3f258}\inprocserver32[]
  Queries value:
                                     HKCR\clsid\{104846ab-42b1-4e38-a80d-
136f78c3f258}\inprocserver32[threadingmodel]
  Queries value:
                                     HKLM\software\microsoft\windows\currentversion\explorer[max cached
icons1
  Queries value:
HKLM\software\microsoft\windows\currentversion\explorer\shelliconoverlayidentifiers\enhancedstorageshell[suppressionpolicy]
HKLM\software\microsoft\windows\currentversion\explorer\shelliconoverlayidentifiers\offline
files[suppressionpolicy]
  Oueries value:
HKLM\software\microsoft\windows\currentversion\explorer\shelliconoverlayidentifiers\offline
files[]
  Oueries value:
HKLM\software\microsoft\windows\currentversion\explorer\shelliconoverlayidentifiers\sharingprivate[suppressionpolicy]
  Oueries value:
HKLM\software\microsoft\windows\currentversion\explorer\shelliconoverlayidentifiers\sharingprivate[]
  Queries value:
                                     HKCR\clsid\{d9144dcd-e998-4eca-ab6a-dcd83ccba16d}\inprocserver32[]
  Queries value:
                                     HKCR\clsid\{d9144dcd-e998-4eca-ab6a-
dcd83ccba16d}\inprocserver32[loadwithoutcom]
                                     HKCU\software\microsoft\windows\currentversion\shell
extensions\cached[{d9144dcd-e998-4eca-ab6a-dcd83ccba16d} {0c6c4200-c589-11d0-999a-00c04fd655e1}
0xffff]
  Queries value:
                                     HKCR\clsid\{d9144dcd-e998-4eca-ab6a-dcd83ccba16d}\progid[]
  Queries value:
                                     HKCR\clsid\{d9144dcd-e998-4eca-ab6a-dcd83ccba16d}[]
                                     HKCR\clsid\{d9144dcd-e998-4eca-ab6a-
  Oueries value:
dcd83ccba16d}\inprocserver32[inprocserver32]
                                     HKCR\clsid\{d9144dcd-e998-4eca-ab6a-
  Queries value:
dcd83ccba16d}\inprocserver32[threadingmodel]
  Oueries value:
                                     HKLM\software\microsoft\windows\currentversion\setup[sourcepath]
  Oueries value:
                                     HKLM\software\microsoft\windows\currentversion[devicepath]
  Oueries value:
                                     HKCR\clsid\{4e77131d-3629-431c-9818-c5679dc83e81}\inprocserver32[]
  Queries value:
                                     HKCR\clsid\{4e77131d-3629-431c-9818-
c5679dc83e81}\inprocserver32[loadwithoutcom]
  Oueries value:
                                     HKCU\software\microsoft\windows\currentversion\shell
extensions\cached[{4e77131d-3629-431c-9818-c5679dc83e81} {0c6c4200-c589-11d0-999a-00c04fd655e1}
0xffff]
```

Queries value: HKCR\clsid\{4e77131d-3629-431c-9818-c5679dc83e81}[]

Queries value: HKCR\clsid\{4e77131d-3629-431c-9818-

c5679dc83e81}\inprocserver32[inprocserver32]

Queries value: HKCR\clsid\{4e77131d-3629-431c-9818-

c5679dc83e81}\inprocserver32[threadingmodel]

Queries value: HKLM\system\currentcontrolset\control\sqmservicelist[sqmservicelist] Queries value: HKCR\clsid\{08244ee6-92f0-47f2-9fc9-929baa2e7235}\inprocserver32[]

Queries value: HKCR\clsid\{08244ee6-92f0-47f2-9fc9-

929baa2e7235}\inprocserver32[loadwithoutcom]

Queries value: HKCU\software\microsoft\windows\currentversion\shell

extensions\cached[{08244ee6-92f0-47f2-9fc9-929baa2e7235} {0c6c4200-c589-11d0-999a-00c04fd655e1}

0xffff]

Queries value: HKCR\clsid\{08244ee6-92f0-47f2-9fc9-929baa2e7235}[]

Queries value: HKCR\clsid\{08244ee6-92f0-47f2-9fc9-

929baa2e7235}\inprocserver32[inprocserver32]

Queries value: HKCR\clsid\{08244ee6-92f0-47f2-9fc9-

929baa2e7235}\inprocserver32[threadingmodel]

Queries value:

Queries value: HKLM\system\currentcontrolset\control\session

manager[safeprocesssearchmode]

Queries value: HKCR\clsid\{603d3800-bd81-11d0-a3a5-00c04fd706ec}[]

Queries value: HKCR\clsid\{603d3800-bd81-11d0-a3a5-

00c04fd706ec}\inprocserver32[inprocserver32]

Queries value: HKCR\clsid\{603d3800-bd81-11d0-a3a5-00c04fd706ec}\inprocserver32[]

Queries value: HKCR\clsid\{603d3800-bd81-11d0-a3a5-

00c04fd706ec}\inprocserver32[threadingmodel]

Queries value:

 $HKCU \ software \ microsoft \ windows \ current version \ (explorer \ comdlg 32 \ last visited pidlmrule gacy \ [mrulistex]$ 

Queries value:

Queries value:

ba85-6007caedcf9d}[category]

Queries value:

ba85-6007caedcf9d}[name]

Queries value:

ba85-6007caedcf9d}[parentfolder]

Queries value:

ba85-6007caedcf9d}[description]

Queries value:

ba85-6007caedcf9d}[relativepath]

Queries value:

ba85-6007caedcf9d}[parsingname]

Queries value

ba85-6007caedcf9d}[infotip]

Queries value:

-HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{352481e8-33be-4251

ba85-6007caedcf9d}[localizedname]

Queries value:

ba85-6007caedcf9d}[icon]

Queries value:

ba85-6007caedcf9d}[security]

Queries value:

ba85-6007caedcf9d}[streamresource]

Queries value

ba85-6007caedcf9d}[streamresourcetype]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{352481e8-33be-4251-

ba85-6007caedcf9d}[localredirectonly]

Queries value:

ba85-6007caedcf9d}[roamable]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{352481e8-33be-4251-

ba85-6007caedcf9d}[precreate]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{352481e8-33be-4251-

ba85-6007caedcf9d}[stream]

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ current version \ explorer \ folder descriptions \ \ \{352481e8-33be-4251-ba85-6007 \ caedcf9d\} \ [publish expanded path]$ 

Oueries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{352481e8-33be-4251-ba85-6007caedcf9d}\[attributes\]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{352481e8-33be-4251-ba85-6007 \ caedcf9d\}[folder typeid]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version' \ explorer \ 'folder descriptions \ '\{352481e8-33be-4251-ba85-6007 \ caedcf9d\}[initfolder handler]$ 

Queries value:

HKCU\software\microsoft\windows\currentversion\explorer\user shell

folders[cache]

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{9e52ab10-f80d-49df-acb8-4330f5687855\} \ [category]$ 

Oueries value:

 $\label{thm:local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \fo$ 

Queries value:

 $\label{thm:local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder \folder$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{9e52ab10-f80d-49df-acb8-4330f5687855\} \ [description]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{9e52ab10-f80d-49df-acb8-4330f5687855\} [relative path]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ \ \{9e52ab10-f80d-49df-acb8-4330f5687855\} \cite{Monthsoftware} \end{substitute}$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{9e52ab10-f80d-49df-acb8-4330f5687855\}[infotip]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{9e52ab10-f80d-49df-acb8-4330f5687855\}[localized name]$ 

Oueries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ \{9e52ab10-f80d-49df-acb8-4330f5687855\} \ [icon]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{9e52ab10-f80d-49df-acb8-4330f5687855\} [security]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{9e52ab10-f80d-49df-acb8-4330f5687855\} [stream resource]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{9e52ab10-f80d-49df-acb8-4330f5687855\} [stream resource type]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{9e52ab10-f80d-49df-acb8-4330f5687855\} [local redirectonly]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{9e52ab10-f80d-49df-acb8-4330f5687855\} \ [roamable]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{9e52ab10-f80d-49df-acb8-4330f5687855\} [precreate]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{9e52ab10-f80d-49df-acb8-4330f5687855\} \ [stream]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{9e52ab10-f80d-49df-acb8-4330f5687855\} \ [publish expanded path]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{9e52ab10-f80d-49df-acb8-4330f5687855\} \ [attributes]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{9e52ab10-f80d-49df-acb8-4330f5687855\} [folder type id]$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{9e52ab10-f80d-49df-acb8-4330f5687855}[initfolderhandler]

Queries value: HKCU\software\microsoft\windows\currentversion\explorer\user shell

folders[cd burning]

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{f1b32785-6fba-4fcf-9d55-7b8e7f157091\} \ [category]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \{f1b32785-6fba-4fcf-9d55-7b8e7f157091\} \ [name]$ 

Oueries value:

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{f1b32785-6fba-4fcf-9d55-7b8e7f157091\} \ [description]$ 

Queries value:

 $\label{thm:local-problem} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \fi1b32785-6 fba-4 fcf-9d55-7b8e7f157091 \firelative path]$ 

Queries value:

 $\label{thm:local-problem} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \fill 1532785-6 fba-4 fcf-9 d55-7 b8e7 f157091 \cite{thm:local-problem} \cite{thm:loc$ 

Queries value

 $\label{thm:local-problem} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \fi1b32785-6 fba-4 fcf-9 d55-7 b8e7 f157091 \fill \$ 

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \{f1b32785-6fba-4fcf-9d55-7b8e7f157091\} \ [localized name]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \fill 1532785-6 fba-4 fcf-9 d55-7 b8e7 f157091 \fill 157091 \fil$ 

Oueries value:

 $\label{thm:local-continuous} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \fill 1532785-6 fba-4 fcf-9 d55-7 b8e7 f157091 \cite{thm:local-continuous} \cite{thm:local-continuous} \end{substitute}$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \{f1b32785-6fba-4fcf-9d55-7b8e7f157091\} [stream resource]$ 

Queries value:

Queries value:

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \{f1b32785-6fba-4fcf-9d55-7b8e7f157091\} \ [roamable]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \{f1b32785-6fba-4fcf-9d55-7b8e7f157091\} \ [precreate]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \{f1b32785-6fba-4fcf-9d55-7b8e7f157091\} \ [stream]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \{f1b32785-6fba-4fcf-9d55-7b8e7f157091\} \ [publish expanded path]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \{f1b32785-6fba-4fcf-9d55-7b8e7f157091\} \ [attributes]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{f1b32785-6fba-4fcf-9d55-7b8e7f157091\} \ [folder type id]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{f1b32785-6fba-4fcf-9d55-7b8e7f157091\}[initfolder handler]$ 

Queries value: HKCU\software\microsoft\windows\currentversion\explorer\user shell

folders[local appdata]

Queries value:

 $HKCU software \verb|\microsoft| windows \verb|\currentversion| explorer \verb|\mountpoints| 2 cpc \verb|\volume| {69d250e4-6c18-11e3-b3bc-806e6f6e6963} [data]$ 

Queries value:

Queries value: HKCR\drive\shellex\folderextensions\{fbeb8a05-beee-4442-804e-

409d6c4515e9}[drivemask]

Queries value: HKCR\directory[docobject]
Queries value: HKCR\folder[docobject]

Queries value: HKCR\allfilesystemobjects[docobject]
Queries value: HKCR\directory[browseinplace]
Queries value: HKCR\folder[browseinplace]

Queries value: HKCR\allfilesystemobjects[browseinplace]

Queries value: HKCR\directory[isshortcut]
Queries value: HKCR\folder[isshortcut]

Queries value: HKCR\allfilesystemobjects[isshortcut]

Queries value: HKCR\directory[alwaysshowext]
Queries value: HKCR\directory[nevershowext]
Queries value: HKCR\folder[nevershowext]

Queries value: HKCR\allfilesystemobjects[nevershowext]

Queries value: HKCR\clsid\{1f486a52-3cb1-48fd-8f50-b8dc300d9f9d}[]

Queries value: HKCR\clsid\{1f486a52-3cb1-48fd-8f50-

b8dc300d9f9d}\inprocserver32[inprocserver32]

Queries value: HKCR\clsid\{1f486a52-3cb1-48fd-8f50-b8dc300d9f9d}\inprocserver32[]

Queries value: HKCR\clsid\{1f486a52-3cb1-48fd-8f50-

b8dc300d9f9d}\inprocserver32[threadingmodel]

Queries value:

HKLM\system\currentcontrolset\control\lsa\accessproviders[martaextension]

Queries value: HKLM\system\currentcontrolset\services\ldap[ldapclientintegrity]
Queries value: HKLM\system\currentcontrolset\services\ldap[useoldhostresolutionorder]
Queries value: HKLM\system\currentcontrolset\services\ldap[usehostnameasalias]

Oueries value:

Oueries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\}[name]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\} \ [parent folder]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae}[description]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\} \ [relative path]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\} [parsing name]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ current version \ explorer \ folder descriptions \ \{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\} [infotip]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ current version \ `explorer \ folder descriptions \ \{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\} \ [localized name]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\}[icon]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\} [security]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae}[streamresource]

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\} [stream resource type]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\}[local redirect only]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \ \{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\} \ [roamable]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\}[precreate]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\} \ [stream]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \ \{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\} \ [publish expanded path]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1b3ea5dc-b587-4786b4ef-bd1dc332aeae}[attributes]

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\}[folder typeid]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae}[initfolderhandler]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3eb685db-65f9-4cf6a03a-e3ef65729f3d}[category]

Queries value:

a03a-e3ef65729f3d}[name]

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\}' [parent folder]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\} \ [description]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\}[relative path]$ 

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\}\[parsingname]$ 

Oueries value

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\}[infotip]$ 

Queries value:

 $HKLM \setminus software \setminus icrosoft \setminus windows \setminus explorer \setminus folder descriptions \setminus \{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\}[localized name]$ 

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\folder$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cal{lem:hklmsoftware} a03a-e3ef65729f3d \cal{lem:hklmsoftware} [security]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\}[stream resource]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\}[stream resource type]$ 

Oueries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\}[localredirectonly]}$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\} \ [roamable]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\}\cite{lem:hklmsoftware}\cite{lem:hklmsoftwa$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\}[stream]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\}' [publish expanded path]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\}[attributes]$ 

Queries value

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\}[foldertypeid]}$ 

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\}[initfolderhandler]}$ 

Queries value:

 $\label{local-constraint} \mbox{\tt HKCU\software\mbox{\tt microsoft\windows\currentversion\explorer\user\ shell}}$ 

folders[appdata]

Queries value:

 $\label{thm:local-continuous} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \fol$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{5e6c858f-0e22-4760-9afe-ea3317b67173\} \ [name]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{5e6c858f-0e22-4760-9afe-ea3317b67173\} \ [parent folder]$ 

Queries value

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \current \folder \current \folder \current \cur$ 

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ current version \ explorer \ folder descriptions \ \{5e6c858f-0e22-4760-9afe-ea3317b67173\} \ [relative path]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{5e6c858f-0e22-4760-9afe-ea3317b67173\} \ [parsing name]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{5e6c858f-0e22-4760-9afe-ea3317b67173\} [infotip]$ 

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5e6c858f-0e22-47609afe-ea3317b67173}[localizedname]

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{5e6c858f-0e22-4760-9afe-ea3317b67173\} \ [icon]$ 

Queries value:

 $\label{thm:local-continuous} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder$ 

Queries value:

 $\label{thm:local-continuous} HKLM software \microsoft \windows \current version \explorer \folder descriptions \folder \$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{5e6c858f-0e22-4760-9afe-ea3317b67173\} [stream resource type]$ 

Oueries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5e6c858f-0e22-4760-9afe-ea3317b67173\}[localredirectonly]}$ 

Queries value:

 $\label{thm:local-continuous} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \fol$ 

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{5e6c858f-0e22-4760-9afe-ea3317b67173\} \ [precreate]$ 

Oueries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder\folder \folder \folder \folder \folder \folder \folder \folder \$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{5e6c858f-0e22-4760-9afe-ea3317b67173\} \ [publish expanded path]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{5e6c858f-0e22-4760-9afe-ea3317b67173\} \ [attributes]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{5e6c858f-0e22-4760-9afe-ea3317b67173\}[folder typeid]$ 

Queries value:

 $\label{thm:local-continuous} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \fol$ 

Queries value: HKLM\software\microsoft\windows nt\currentversion\profilelist\s-1-5-21-2160590473-689474908-1361669368-1002[profileimagepath]

Queries value:

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \ \{7d1d3a04-debb-4115-95cf-2f29da2920da\} \ [name]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7d1d3a04-debb-4115-95cf-2f29da2920da}[parentfolder]

Queries value

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ current version \ explorer \ folder descriptions \ \{7d1d3a04-debb-4115-95cf-2f29da2920da\} \ [relative path]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \ \{7d1d3a04-debb-4115-95cf-2f29da2920da\} \ [parsing name]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \descriptions \folder \folder \descriptions \folder \folde$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version' \ explorer \ 'folder descriptions \ 'fold 3a04-debb-4115-95cf-2f29 \ da2920 \ da \ '[localized name]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7d1d3a04-debb-4115-95cf-2f29da2920da}ficon1

Queries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7d1d3a04-debb-4115-95cf-2f29da2920da}\[security]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \ \{7d1d3a04-debb-4115-95cf-2f29da2920da\} \ [stream resource]$ 

Queries value:

Queries value:

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \ \{7d1d3a04-debb-4115-95cf-2f29da2920da\} \ [roamable]$ 

Oueries value:

 $\label{thm:microsoft} $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7d1d3a04-debb-4115-95cf-2f29da2920da}\[precreate]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{7d1d3a04-debb-4115-95cf-2f29da2920da\} \ [stream]$ 

Queries value:

 $\label{thm:local-continuous} HKLM software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \folde$ 

Oueries value:

 $HKLM\software\mbox{$microsoft\windows\currentversion\explorer\folderdescriptions\f(7d1d3a04-debb-4115-95cf-2f29da2920da)\f(attributes)\f(3d1d3a04-debb-4115-95cf-2f29da2920da2920da2920d$ 

Queries value

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7d1d3a04-debb-4115-95cf-2f29da2920da}[foldertypeid]

Oueries value:

Queries value: HKCU\software\microsoft\windows\currentversion\explorer\user shell

folders[{7d1d3a04-debb-4115-95cf-2f29da2920da}]

Oueries value:

 $\label{thm:local-continuous} HKLM software \microsoft \windows \current version \explorer \folder descriptions \ff38bf404-1d43-42f2-9305-67 de 0b28 fc23 \cite{continuous} \$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \{f38bf404-1d43-42f2-9305-67de0b28fc23\} \ [name]$ 

Queries value:

 $\label{thm:local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \f38bf404-1d43-42f2-9305-67 de 0b28 fc23 \cite{local-prop} \cite{l$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \{f38bf404-1d43-42f2-9305-67de0b28fc23\} \ [description]$ 

Queries value:

 $\label{thm:local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \f38bf404-1d43-42f2-9305-67 de 0b28 fc23 \cite{local-prop} \cite{l$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \f38bf404-1d43-42f2-9305-67 de 0b28 fc23 \cite{lem:hklmsoftware} \cite{lem:hklmsoftware} \end{substitute}$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \{f38bf404-1d43-42f2-9305-67de0b28fc23\} [infotip]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \{f38bf404-1d43-42f2-9305-67de0b28fc23\} [localized name]$ 

Queries value:

 $\label{thm:local-continuous} HKLM software \microsoft \windows \current version \explorer \folder descriptions \f38bf404-1d43-42f2-9305-67 de 0b28 fc23 \cite{local-continuous} [icon]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \{f38bf404-1d43-42f2-9305-67de0b28fc23\} [security]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \{f38bf404-1d43-42f2-9305-67de0b28fc23\} [stream resource]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \{f38bf404-1d43-42f2-9305-67de0b28fc23\} [stream resource type]$ 

Queries value:

 $\label{thm:local-equation} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \f38bf404-1d43-42f2-9305-67 de \folder \cite{thm:local-equation} \end{substitute} I consider \cite{thm:local-equation} \fill \cite{thm:local-e$ 

Queries value:

 $\label{thm:local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ff38bf404-1d43-42f2-9305-67de0b28fc23 \froat \f$ 

Oueries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f38bf404-1d43-42f2-9305-67de0b28fc23}\[precreate]$ 

Queries value:

 $\label{thm:local-continuous} HKLM software \verb|\microsoft| windows \verb|\currentversion| explorer \verb|\folderdescriptions| {f38bf404-1d43-42f2-9305-67de0b28fc23} [stream]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version' \ explorer \ 'folder descriptions \ '\{f38bf404-1d43-42f2-9305-67de0b28fc23\} \ [publish expanded path]$ 

Queries value

 $HKLM\software\mbox{$microsoft\windows\currentversion\explorer\folderdescriptions\ff38bf404-1d43-42f2-9305-67de0b28fc23}[attributes]$ 

Oueries value:

9305-67de0b28fc23}[foldertypeid]

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \{f38bf404-1d43-42f2-9305-67de0b28fc23\} [initfolder handler]$ 

Queries value:

 $\label{thm:local-continuous} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ff7f1ed05-9f6d-47a2-aaae-29d317c6f066 \category\]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{f7f1ed05-9f6d-47a2-aaae-29d317c6f066\} \ [name]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \{f7f1ed05-9f6d-47a2-aaae-29d317c6f066\} [parent folder]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{f7f1ed05-9f6d-47a2-aaae-29d317c6f066\} [description]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \{f7f1ed05-9f6d-47a2-aaae-29d317c6f066\} [relative path]$ 

Queries value:

 $\label{thm:local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ff7f1ed05-9f6d-47a2-aaae-29d317c6f066 \cite{local-prop} \cite{loc$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \{f7f1ed05-9f6d-47a2-aaae-29d317c6f066\} [infotip]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \{f7f1ed05-9f6d-47a2-aaae-29d317c6f066\} [localized name]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ff7f1ed05-9f6d-47a2-aaae-29d317c6f066 \ficon\figure{1.5cm} [icon\figure{1.5cm}]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \ \{f7f1ed05-9f6d-47a2-aaae-29d317c6f066\} [security]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \{f7f1ed05-9f6d-47a2-aaae-29d317c6f066\} [stream resource]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \{f7f1ed05-9f6d-47a2-aaae-29d317c6f066\} [stream resource type]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \ \{f7f1ed05-9f6d-47a2-aaae-29d317c6f066\} \ [local redirectonly]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \{f7f1ed05-9f6d-47a2-aaae-29d317c6f066\} \ [roamable]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \{f7f1ed05-9f6d-47a2-aaae-29d317c6f066\} [precreate]$ 

Queries value

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \{f7f1ed05-9f6d-47a2-aaae-29d317c6f066\} [stream]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\ff7f1ed05-9f6d-47a2-aaae-29d317c6f066\fractbreak[publishexpandedpath]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \{f7f1ed05-9f6d-47a2-aaae-29d317c6f066\} [attributes]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{f7f1ed05-9f6d-47a2-aaae-29d317c6f066\}[folder typeid]$ 

Queries value:

 $\label{thm:local-equation} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ff7f1ed05-9f6d-47a2-aaae-29d317c6f066 \cite{timescription} [initfolder \cite{timescription}]$ 

Queries value: HKLM\software\microsoft\windows\currentversion[commonfilesdir]

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \ \{2112ab0a-c86a-4ffe-a368-0de96e47012e\} \ [category]$ 

Queries value

 $\label{lem:hklmsoftware} Hklm \end{a} Hklm$ 

Queries value:

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{2112ab0a-c86a-4ffe-a368-0de96e47012e\} \ [description]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ `folder descriptions \ `\{2112ab0a-c86a-4ffe-microsoft \ `windows \ `current version \ `explorer \ `folder descriptions \ `\{2112ab0a-c86a-4ffe-microsoft \ `windows \ `current version \ `explorer \ `folder descriptions \ `explorer \ `folder \ `explorer \ `explorer \ `folder \ `explorer \ `explorer \ `folder \ `explorer \ `ex$ 

a368-0de96e47012e}[relativepath]

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \ \{2112ab0a-c86a-4ffe-a368-0de96e47012e\} \ [parsing name]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{2112ab0a-c86a-4ffe-a368-0de96e47012e\}[infotip]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \ \{2112ab0a-c86a-4ffe-a368-0de96e47012e\} \ [localized name]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \ \{2112ab0a-c86a-4ffe-a368-0de96e47012e\} \ [icon]$ 

Oueries value

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \ \{2112ab0a-c86a-4ffe-a368-0de96e47012e\} \ [security]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{2112ab0a-c86a-4ffe-a368-0de96e47012e\} [stream resource]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \ \{2112ab0a-c86a-4ffe-a368-0de96e47012e\} [stream resource type]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \ \{2112ab0a-c86a-4ffe-a368-0de96e47012e\} \ [local redirect only]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \ \{2112ab0a-c86a-4ffe-a368-0de96e47012e\} \ [roamable]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{2112ab0a-c86a-4ffe-a368-0de96e47012e\}[precreate]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \ \{2112ab0a-c86a-4ffe-a368-0de96e47012e\} [stream]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \ \{2112ab0a-c86a-4ffe-a368-0de96e47012e\} \ [publish expanded path]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{2112ab0a-c86a-4ffe-a368-0de96e47012e\}[attributes]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{2112ab0a-c86a-4ffe-a368-0de96e47012e\}[folder typeid]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{2112ab0a-c86a-4ffe-a368-0de96e47012e\}[init folder handler]$ 

Queries value: HKCU\software\microsoft\windows\currentversion\explorer\user shell folders[{2112ab0a-c86a-4ffe-a368-0de96e47012e}]

Queries value:

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{48 daf 80 b-e 6 cf-4 f 4 e-b 80 0-0 e 6 9 d 8 4 e e 3 8 4 \} \ [name]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{48 daf 80 b-e 6 cf-4 f 4 e-b 80 0-0 e 6 9 d 8 4 e e 3 8 4\} \ [par ent folder]$ 

Queries value:

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{48 daf 80 b-e 6 cf-4 f 4 e-b 80 0-0 e 6 9 d 8 4 e e 3 8 4\} [relative path]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{48 daf 80 b-e 6 cf-4 f 4 e-b 80 0-0 e 6 9 d 8 4 e e 3 8 4\} \ [parsing name]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{48 daf 80 b-e 6 cf-4 f 4 e-b 80 0-0 e 6 9 d 8 4 e e 3 8 4\} [infotip]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{48 daf80 b-e6 cf-4f4 e-b800-0e69 d84 ee384\} \ [localized name]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \ \{48 daf 80 b-e 6 cf-4 f 4 e-b 80 0-0 e 6 9 d 8 4 e e 3 8 4\} [icon]$ 

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{48daf80b-e6cf-4f4e-b800-0e69d84ee384\}[security]$ 

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{48 daf 80 b-e 6 cf-4 f 4 e-b 80 0-0 e 6 9 d 8 4 e e 3 8 4\} [stream resource]$ 

Queries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{48daf80b-e6cf-4f4e-b800-0e69d84ee384\}\[streamresourcetype]$ 

Queries value:

 $\label{thm:local} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{48daf80b-e6cf-4f4e-b800-0e69d84ee384\}[localredirectonly]}$ 

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{48daf80b-e6cf-4f4e-b800-0e69d84ee384\}[roamable]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{48 daf 80 b-e 6 cf-4 f 4 e-b 80 0-0 e 6 9 d 8 4 e e 3 8 4\} [precreate]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{48 daf80b-e6cf-4f4e-b800-0e69d84ee384\} [stream]$ 

Queries value:

 $\label{thm:local-continuous} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \folder descriptions \current \folder \fold$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{48 daf 80 b-e 6 cf-4 f 4 e-b 80 0-0 e 6 9 d 8 4 e e 3 8 4\} [attributes]$ 

Oueries value:

 $\label{thm:local-continuous} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cal{HKLM} 48 daf 80 b-e6 cf-4f 4e-b800-0e69 d8 4ee 384 \cal{HKLM} [folder type id]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{48 daf 80 b-e 6 cf-4 f 4 e-b 80 0-0 e 6 9 d 8 4 e e 3 8 4\} [init folder handler]$ 

Queries value:  $HKLM\software\microsoft\windows\currentversion\explorer\user shell folders[{48daf80b-e6cf-4f4e-b800-0e69d84ee384}]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{dfdf76a2-c82a-4d63-906a-5644ac457385}[category]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{dfdf76a2-c82a-4d63-906a-5644ac457385\} \ [name]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \ \{dfdf76a2-c82a-4d63-906a-5644ac457385\} \ [parent folder]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{dfdf76a2-c82a-4d63-906a-5644ac457385}[description]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{dfdf76a2-c82a-4d63-906a-5644ac457385}[relativepath]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{dfdf76a2-c82a-4d63-906a-5644ac457385}[parsingname]

Queries value

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \ \{dfdf76a2-c82a-4d63-906a-5644ac457385\} [infotip]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ 'all dfdf76a2-c82a-4d63-906a-5644ac457385 \ [localized name]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \ \{dfdf76a2-c82a-4d63-906a-5644ac457385\} [icon]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{dfdf76a2-c82a-4d63-906a-5644ac457385}[security]

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{dfdf76a2-c82a-4d63-906a-5644ac457385\}[stream resource]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{dfdf76a2-c82a-4d63-906a-5644ac457385\} [stream resource type]$ 

Queries value:

 $\label{local-equation} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \fdf df df a 2-c82a-4d63-906a-5644 a c457385 \floar \current \curr$ 

Queries value:

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{dfdf76a2-c82a-4d63-906a-5644ac457385\} \ [precreate]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \ \{dfdf76a2-c82a-4d63-906a-5644ac457385\} \ [stream]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{dfdf76a2-c82a-4d63-906a-5644ac457385}[publishexpandedpath]

Oueries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{dfdf76a2-c82a-4d63-906a-5644ac457385\}[attributes]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{dfdf76a2-c82a-4d63-906a-5644ac457385\} \ [folder type id]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{dfdf76a2-c82a-4d63-906a-5644ac457385}[initfolderhandler]

Queries value: HKLM\software\microsoft\windows nt\currentversion\profilelist[public]

Queries value:

Queries value:

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{c4aa340d-f20f-4863-afef-f87ef2e6ba25\}[parent folder]$ 

Queries value:

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{c4aa340d-f20f-4863-afef-f87ef2e6ba25\}[relative path]$ 

Queries value:

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{c4aa340d-f20f-4863-afef-f87ef2e6ba25\}[infotip]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \c4aa 340 d-f20 f-4863-afef-f87 ef2e6 ba25 \c1bcalized \c1bc$ 

Queries value:

Queries value:

Queries value:

Queries value:

Queries value

Queries value:

Oueries value:

Queries value:

Queries value:

Queries value

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{c4aa340d-f20f-4863-afef-f87ef2e6ba25\} \ [attributes]$ 

Queries value:

 $\label{thm:local-prop} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c4aa340d-f20f-4863-afef-f87ef2e6ba25\}[foldertypeid]$$ 

Queries value:

Queries value: HKLM\software\microsoft\windows\currentversion\explorer\user shell

folders[common desktop]

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{98ec0e18-2098-4d44-8644-66979315a281\} \ [category]$ 

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{98ec0e18-2098-4d44-8644-66979315a281\} \ [name]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{98ec0e18-2098-4d44-8644-66979315a281\} \ [parent folder]$ 

Queries value:

 $\label{thm:local-soft-windows} HKLM software \verb|\microsoft| windows \verb|\currentversion| explorer \verb|\folderdescriptions| {98ec0e18-2098-4d44-8644-66979315a281} [description]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{98ec0e18-2098-4d44-8644-66979315a281\}\[relative\path]\]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{98ec0e18-2098-4d44-8644-66979315a281\}\[parsingname]\]$ 

Oueries value:

 $HKLM\software\mbox{windows\currentversion} explorer\folderdescriptions \eqref{98ec0e18-2098-4d44-8644-66979315a281} [infotip]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{eq:hklm} 98ec0e18-2098-4d44-8644-66979315a281 \cite{localized} [localized name]$ 

Queries value:

 $\label{thm:local-equation} HKLM software \min crosoft \windows \current version \explorer \folder descriptions \eqref{98ec0e18-2098-4d44-8644-66979315a281} [icon]$ 

Oueries value:

 $\label{thm:local-continuous} HKLM software \verb|\microsoft| windows \verb|\currentversion| explorer \verb|\folderdescriptions| {98ec0e18-2098-4d44-8644-66979315a281} [security]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{98ec0e18-2098-4d44-8644-66979315a281\} [stream resource]$ 

Queries value:

 $\label{thm:local-continuous} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder \folder$ 

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{98ec0e18-2098-4d44-8644-66979315a281\} \ [local redirect only]$ 

Queries value:

 $\label{thm:local-software-microsoft-windows} Label{thm:local-software-windows} In the local label{thm:local-windows} In the local label{thm:local-$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{98ec0e18-2098-4d44-8644-66979315a281\} [precreate]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{98ec0e18-2098-4d44-8644-66979315a281\} [stream]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{98ec0e18-2098-4d44-8644-66979315a281\} \ [publish expanded path]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{98ec0e18-2098-4d44-8644-66979315a281\} \ [attributes]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{98ec0e18-2098-4d44-8644-66979315a281\} [folder typeid]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{98ec0e18-2098-4d44-8644-66979315a281\} [init folder handler]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{a4115719-d62e-491d-aa7c-e74b8be3b067\} \ [category]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{a4115719-d62e-491d-aa7c-e74b8be3b067\} \ [name]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{a4115719-d62e-491d-aa7c-e74b8be3b067\} [parent folder]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a4115719-d62e-491d-aa7c-e74b8be3b067}[description]

Queries value:

 $\label{lem:hklmsoftware} HKLM software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder \fol$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a4115719-d62e-491d-aa7c-e74b8be3b067}[parsingname]

Queries value:

 $HKLM\software\mbox{microsoft\windows\currentversion\explorer\folderdescriptions\{a4115719-d62e-491d-aa7c-e74b8be3b067\}[infotip]}$ 

Queries value:

aa7c-e74b8be3b067}[localizedname]

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{a4115719-d62e-491d-aa7c-e74b8be3b067\} \ 'icon1$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{a4115719-d62e-491d-aa7c-e74b8be3b067\} \ [security]$ 

Oueries value:

 $HKLM\software\mbox{$microsoft\windows\currentversion\explorer\folderdescriptions\{a4115719-d62e-491d-aa7c-e74b8be3b067\}[streamresource]}$ 

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{a4115719-d62e-491d-aa7c-e74b8be3b067\} [stream resource type]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{a4115719-d62e-491d-aa7c-e74b8be3b067\}[local redirectonly]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{a4115719-d62e-491d-aa7c-e74b8be3b067\} \ [roamable]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{a4115719-d62e-491d-aa7c-e74b8be3b067\}[precreate]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \ \{a4115719-d62e-491d-aa7c-e74b8be3b067\} [stream]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a4115719-d62e-491d-aa7c-e74b8be3b067\}[publishexpandedpath]}$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{a4115719-d62e-491d-aa7c-e74b8be3b067\}[attributes]$ 

Oueries value:

 $\label{thm:local-continuous} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder \f$ 

Queries value:

 $HKLM\software\mbox{microsoft\windows\currentversion\explorer\folderdescriptions\{a4115719-d62e-491d-aa7c-e74b8be3b067\}[initfolderhandler]}$ 

Queries value: HKLM\software\microsoft\windows\currentversion\explorer\user shell

folders[common start menu]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{cac52c1a-b53d-4edc-92d7-6b2e8ac19434}[category]

Oueries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{cac52c1a-b53d-4edc-92d7-6b2e8ac19434\}[name]}$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{cac52c1a-b53d-4edc-92d7-6b2e8ac19434\} \ [parent folder]$ 

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\e$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{cac52c1a-b53d-4edc-92d7-6b2e8ac19434\} [relative path]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{cac52c1a-b53d-4edc-92d7-6b2e8ac19434}[parsingname]

Queries value:

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{cac52c1a-b53d-4edc-92d7-6b2e8ac19434\} [localized name]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cac52c1a-b53d-4edc-92d7-6b2e8ac19434 \ficon\cite{Condition} \end{substitute}$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{cac52c1a-b53d-4edc-92d7-6b2e8ac19434\} [security]$ 

Queries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{cac52c1a-b53d-4edc-92d7-6b2e8ac19434\}\[streamresource]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{cac52c1a-b53d-4edc-92d7-6b2e8ac19434\} [stream resource type]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{cac52c1a-b53d-4edc-92d7-6b2e8ac19434\} \ [roamable]$ 

Queries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{cac52c1a-b53d-4edc-92d7-6b2e8ac19434\}\[precreate]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{cac52c1a-b53d-4edc-92d7-6b2e8ac19434\} \ [stream]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{cac52c1a-b53d-4edc-92d7-6b2e8ac19434}[publishexpandedpath]

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{cac52c1a-b53d-4edc-92d7-6b2e8ac19434\} [attributes]$ 

Oueries value:

 $\label{thm:local-bound} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{cac52c1a-b53d-4edc-92d7-6b2e8ac19434\}[foldertypeid]}$ 

Queries value:

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{18989b1d-99b5-455b-841c-ab7c74e4ddfc\} \ [category]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{18989b1d-99b5-455b-841c-ab7c74e4ddfc\} \ [name]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{18989b1d-99b5-455b-841c-ab7c74e4ddfc\} \ [parent folder]$ 

Queries value:

 $HKLM\software\mbox{18989b1d-99b5-455b-841c-ab7c74e4ddfc} [description] \label{eq:hklm} The software \mbox{18989b1d-99b5-455b-841c-ab7c74e4ddfc} [description] \label{eq:hklm} The software \mbox{18990b1d-99b5-455b-841c-ab7c74e4ddfc} [description] \label{eq:hklm} The software \mbox{18900b1d-99b5-455b-841c-ab7c74e4ddfc} [description] \label{eq:hklm} The software \mbox{18900b1d-99b5-455b-841c-ab7c74e4ddfc} [description] \label{eq:hklm} The software \mbox{18900b1d-99b5-455b-841c-$ 

Oueries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \fill 18989b1d-99b5-455b-841c-ab7c74e4ddfc \fill \f$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{18989b1d-99b5-455b-841c-ab7c74e4ddfc\} [parsing name]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{18989b1d-99b5-455b-841c-ab7c74e4ddfc}[infotip]

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{18989b1d-99b5-455b-841c-ab7c74e4ddfc\} [localized name]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{18989b1d-99b5-455b-841c-ab7c74e4ddfc\} [icon]$ 

Queries value:

 $\label{thm:local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cal{local-p9b5-455b-841c-ab7c74e4ddfc} [security]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{18989b1d-99b5-455b-841c-ab7c74e4ddfc}[streamresource]

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{18989b1d-99b5-455b-841c-ab7c74e4ddfc\} [stream resource type]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{18989b1d-99b5-455b-841c-ab7c74e4ddfc\} [local redirect only]$ 

Queries value:

 $\label{thm:local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \fo$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{18989b1d-99b5-455b-841c-ab7c74e4ddfc\} \ [precreate]$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{18989b1d-99b5-455b-841c-ab7c74e4ddfc}[stream]

Queries value:

 $\label{thm:local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \fill 18989b1d-99b5-455b-841c-ab7c74e4ddfc \cite{thm:local-prop} [publish \cite{thm:local-prop} \cite{t$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{18989b1d-99b5-455b-841c-ab7c74e4ddfc\} [attributes]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{18989b1d-99b5-455b-841c-ab7c74e4ddfc\} \ [folder typeid]$ 

Queries value:

841c-ab7c74e4ddfc}[initfolderhandler]
Oueries value: HKCU\software\microsof

 $\label{thm:local_hammon_hammon} \begin{tabular}{ll} HKCU \software \mbox{$microsoft \windows \current version \explorer \substitutes} \end{tabular} \begin{tabular}{ll} explorer \mbox{$microsoft \windows \current version \explorer \substitutes} \end{tabular} \begin{tabular}{ll} explorer \mbox{$microsoft \windows \current version \explorer \substitutes} \end{tabular} \begin{tabular}{ll} explorer \mbox{$microsoft \windows \current version \explorer \substitutes} \end{tabular} \begin{tabular}{ll} explorer \mbox{$microsoft \windows \current version \explorer \substitutes} \end{tabular} \begin{tabular}{ll} explorer \mbox{$microsoft \windows \current \windows \explorer \explorer \explorer \explorer \windows \explorer \exp$ 

folders[my video]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{52a4f021-7b75-48a9-9f6b-4b87a210bc8f}[category]

Queries value:

Queries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{52a4f021-7b75-48a9-9f6b-4b87a210bc8f}\[parentfolder]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{52a4f021-7b75-48a9-9f6b-4b87a210bc8f\} \ [description]$ 

Queries value

 $\label{thm:local-prop} $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{52a4f021-7b75-48a9-9f6b-4b87a210bc8f}\[relative\path]$ 

Oueries value:

 $\label{thm:local-bound} HKLM software \verb|\microsoft| windows \verb|\currentversion| explorer \verb|\folderdescriptions| $\{52a4f021-7b75-48a9-9f6b-4b87a210bc8f\}[parsing name] $$$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{52a4f021-7b75-48a9-9f6b-4b87a210bc8f\}[infotip]}$ 

Queries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{52a4f021-7b75-48a9-9f6b-4b87a210bc8f}\[localizedname]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM software \ensurements ion \explorer \folder descriptions \folder \folder descriptions \folder descriptions \folder \fold$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM software \ensurement version \ensurement \ensurement version \ensurement version \ensurement \ensureme$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{52a4f021-7b75-48a9-9f6b-4b87a210bc8f\} \ [stream resource]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{52a4f021-7b75-48a9-9f6b-4b87a210bc8f\} [stream resource type]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folder$ 

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{52a4f021-7b75-48a9-9f6b-4b87a210bc8f\} \ [roamable]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{52a4f021-7b75-48a9-9f6b-4b87a210bc8f\}[precreate]$ 

Queries value:

 $\label{thm:local-obs} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \fo$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ current version \ explorer \ folder descriptions \ \{52a4f021-7b75-48a9-9f6b-4b87a210bc8f\} \ [publish expanded path]$ 

Queries value:

 $\label{thm:local-prop} $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{52a4f021-7b75-48a9-9f6b-4b87a210bc8f\}[attributes]}$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{52a4f021-7b75-48a9-9f6b-4b87a210bc8f\} [folder type id]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder$ 

Queries value: HKCU\software\microsoft\windows\currentversion\explorer\user shell folders[ $\{52a4f021-7b75-48a9-9f6b-4b87a210bc8f\}$ ]

Oueries value:

 $\label{thm:local-decomposition} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \f$ 

Queries value

 $\label{lem:hkcu} HKCU software \microsoft \windows \current version \explorer \mountpoints 2 \cpc \volume \{69d250e3-6c18-11e3-b3bc-806e6f6e6963\} [data]$ 

Oueries value:

 $HKCU software \verb|\microsoft| windows \verb|\currentversion| explorer \verb|\mountpoints| 2 cpc \verb|\volume| {69d250e3-6c18-11e3-b3bc-806e6f6e6963} [generation]$ 

Queries value:

Queries value:

bf91-f4455120b917}[parentfolder]

Oueries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$ 

Queries value:

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{de 974d 24-d 9c6-4d 3e-bf 91-f 4455120b 917\} \ [parsing name]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \ \{de974d24-d9c6-4d3e-bf91-f4455120b917\} \ [infotip]$ 

Oueries value

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ '\{de974d24-d9c6-4d3e-bf91-f4455120b917\} [localized name]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{de 974d 24-d 9c6-4d 3e-bf 91-f 4455120b 917\} \ [icon]$ 

Queries value:

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{de974d24-d9c6-4d3e-bf91-f4455120b917\} [stream resource]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{de974d24-d9c6-4d3e-bf91-f4455120b917\} [stream resource type]$ 

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{de974d24-d9c6-4d3e-bf91-f4455120b917\}[localredirectonly]}$ 

Queries value:

 $HKLM \setminus software \setminus icrosoft \setminus ic$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{de 974d 24-d 9c6-4d 3e-bf 91-f 4455120b 917\} \ [precreate]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{de974d24-d9c6-4d3e-bf91-f4455120b917} [stream]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ '\{de974d24-d9c6-4d3e-bf91-f4455120b917\} [publish expanded path]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{de974d24-d9c6-4d3e-bf91-f4455120b917\}[attributes]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ '\{de974d24-d9c6-4d3e-bf91-f4455120b917\} [folder type id]$ 

Queries value

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{de974d24-d9c6-4d3e-bf91-f4455120b917\}[initfolderhandler]}$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$ 

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{6f0cd92b-2e97-45d1-88ff-b0d186b8dedd\} \ [name]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{6f0cd92b-2e97-45d1-88ff-b0d186b8dedd\} \ [parent folder]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \ \{6f0cd92b-2e97-45d1-88ff-b0d186b8dedd\} \ [description]$ 

Queries value:

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ current version \ explorer \ folder descriptions \ \{6f0cd92b-2e97-45d1-88ff-b0d186b8dedd\} \ [parsing name]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{6f0cd92b-2e97-45d1-88ff-b0d186b8dedd\} [infotip]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \ \{6f0cd92b-2e97-45d1-88ff-b0d186b8dedd\} \ [localized name]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \ \{6f0cd92b-2e97-45d1-88ff-b0d186b8dedd\} \ [icon]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ current version \ explorer \ folder descriptions \ \{6f0cd92b-2e97-45d1-88ff-b0d186b8dedd\} \ [security]$ 

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ current version \ `explorer \ folder descriptions \ \{6f0cd92b-2e97-45d1-88ff-b0d186b8dedd\} \ [stream resource type]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{6f0cd92b-2e97-45d1-88ff-b0d186b8dedd\} \ [local redirect only]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{6f0cd92b-2e97-45d1-88ff-b0d186b8dedd\} \ [roamable]$ 

Queries value

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{6f0cd92b-2e97-45d1-88ff-b0d186b8dedd} \cite{Constraints} \eqref{fig:hklmsoftware} \eqref{fig:hklmsoftwar$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{6f0cd92b-2e97-45d1-88ff-b0d186b8dedd\} \ [stream]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ current version \ explorer \ folder descriptions \ \{6f0cd92b-2e97-45d1-88ff-b0d186b8dedd\} \ [publish expanded path]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{6f0cd92b-2e97-45d1-88ff-b0d186b8dedd\} [attributes]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ current version \ `explorer \ folder descriptions \ \{6f0cd92b-2e97-45d1-88ff-b0d186b8dedd\} \ [folder typeid]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{6f0cd92b-2e97-45d1-88ff-b0d186b8dedd\} [initfolder handler]$ 

Queries value:

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \ \{76fc4e2d-d6ad-4519-a663-37bd56068185\} \ [name]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{76fc4e2d-d6ad-4519-a663-37bd56068185\} \ [parent folder]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{76fc4e2d-d6ad-4519-a663-37bd56068185\} [description]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{76fc4e2d-d6ad-4519-a663-37bd56068185\} [relative path]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{76fc4e2d-d6ad-4519-a663-37bd56068185\} \ [parsing name]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \ \{76fc4e2d-d6ad-4519-a663-37bd56068185\} [infotip]$ 

Queries value:

 $\label{thm:localized} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \fol$ 

Queries value:

Queries value:

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{76fc4e2d-d6ad-4519-a663-37bd56068185}[streamresource]

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \ \{76fc4e2d-d6ad-4519-a663-37bd56068185\} [stream resource type]$ 

Queries value:

 $\label{thm:local} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folderdescrip$ 

Queries value:

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{76fc4e2d-d6ad-4519-a663-37bd56068185\} [precreate]$ 

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{76fc4e2d-d6ad-4519-a663-37bd56068185\} [stream]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \ \{76fc4e2d-d6ad-4519-a663-37bd56068185\} \ [publish expanded path]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{76fc4e2d-d6ad-4519-a663-37bd56068185\} [attributes]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{76fc4e2d-d6ad-4519-a663-37bd56068185\} \ [folder type id]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{76fc4e2d-d6ad-4519-a663-37bd56068185\} [init folder handler]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{a75d362e-50fc-4fb7-ac2c-a8beaa314493\}[category]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{a75d362e-50fc-4fb7-ac2c-a8beaa314493\} \ [name]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `a75d362e-50fc-4fb7-ac2c-a8beaa314493 \ [parent folder]$ 

Oueries value:

 $\label{thm:local-prop} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a75d362e-50fc-4fb7-ac2c-a8beaa314493\}[description]$$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{a75d362e-50fc-4fb7-ac2c-a8beaa314493\} [relative path]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{a75d362e-50fc-4fb7-ac2c-a8beaa314493\} \ [parsing name]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{a75d362e-50fc-4fb7-ac2c-a8beaa314493\}[infotip]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{a75d362e-50fc-4fb7-ac2c-a8beaa314493\}[localized name]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \explorer \folder descriptions \folder \f$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{a75d362e-50fc-4fb7-ac2c-a8beaa314493\}[security]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{a75d362e-50fc-4fb7-ac2c-a8beaa314493\} [stream resource]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{a75d362e-50fc-4fb7-ac2c-a8beaa314493\}[stream resource type]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a75d362e-50fc-4fb7-ac2c-a8beaa314493}[localredirectonly]

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{a75d362e-50fc-4fb7-ac2c-a8beaa314493\} \ [roamable]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `a75d362e-50fc-4fb7-ac2c-a8beaa314493 \ [precreate]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{a75d362e-50fc-4fb7-ac2c-a8beaa314493\} [stream]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{a75d362e-50fc-4fb7-ac2c-a8beaa314493\} [publish expanded path]$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a75d362e-50fc-4fb7-ac2c-a8beaa314493}[attributes]

Queries value:

 $\label{thm:local-problem} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a75d362e-50fc-4fb7-ac2c-a8beaa314493\}[foldertypeid]$ 

Queries value:

 $\label{thm:local-continuous} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a75d362e-50fc-4fb7-ac2c-a8beaa314493\}[initfolderhandler]}$ 

Queries value:  $HKCU\software\microsoft\windows\currentversion\explorer\user shell folders[{a75d362e-50fc-4fb7-ac2c-a8beaa314493}]$ 

Oueries value:

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{491e922f-5643-4af4-a7eb-4e7a138d8174\} \ [name]$ 

Oueries value:

Queries value:

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{491e922f-5643-4af4-a7eb-4e7a138d8174\} [relative path]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \ \{491e922f-5643-4af4-a7eb-4e7a138d8174\} \ [parsing name]$ 

Oueries value

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{491e922f-5643-4af4-a7eb-4e7a138d8174\} \ [localized name]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \ \{491e922f-5643-4af4-a7eb-4e7a138d8174\} [icon]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{491e922f-5643-4af4-a7eb-4e7a138d8174\} [security]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{491e922f-5643-4af4-a7eb-4e7a138d8174\}[stream resource]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ current version \ `explorer \ folder descriptions \ \ \{491e922f-5643-4af4-a7eb-4e7a138d8174\} [stream resource type]$ 

Queries value:

 $\label{thm:local_two_properties} HKLM software \end{are} icrosoft \windows \current version \explorer \folder descriptions \fill 491e922f-5643-4af4-a7eb-4e7a138d8174 \cite{Area} \cite{$ 

Queries value:

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{491e922f-5643-4af4-a7eb-4e7a138d8174\}[precreate]$ 

Oueries value:

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{491e922f-5643-4af4-a7eb-4e7a138d8174\} [publish expanded path]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{491e922f-5643-4af4-a7eb-4e7a138d8174\} \ [attributes]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{491e922f-5643-4af4-a7eb-4e7a138d8174\} [folder typeid]$ 

Queries value:

 $HKLM\software\mbox{$M$ irrentversion} explorer\folder descriptions \folder \folder$ 

Queries value:  $HKCU\software\microsoft\windows\currentversion\explorer\user shell folders[{491e922f-5643-4af4-a7eb-4e7a138d8174}]$ 

Queries value:

 $\label{thm:local-continuous} HKLM software \verb|\microsoft| windows \verb|\currentversion| explorer \verb|\folderdescriptions| {33e28130-4e1e-4676-835a-98395c3bc} [category]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{33e28130-4e1e-4676-835a-98395c3bc\} \ [name]$ 

Oueries value:

Queries value:

 $\label{thm:local-continuous} HKLM software \microsoft \windows \current version \explorer \folder descriptions \cite{23e28130-4e1e-4676-835a-98395c3bc} \cite{23e28130-4e1e-4676-8366bc} \cite{23e28130-4e1e-4676-8366bc} \cite{23e28130-4e1e-4676-8366bc} \cite{23e28130-4e1e-4676-8366b$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version' \ explorer \ 'folder descriptions \ '{33e28130-4e1e-4676-835a-98395c3bb} \ [relative path]$ 

Queries value:

Queries value:

835a-98395c3bc3bb}[infotip]

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{33e28130-4e1e-4676-835a-98395c3bc\} [localized name]$ 

Queries value:

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{33e28130-4e1e-4676-835a-98395c3bb\}[security]$ 

Oueries value:

Oueries value:

Queries value:

 $\label{thm:local} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{33e28130-4e1e-4676-835a-98395c3bb\}[localredirectonly]}$ 

Queries value:

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{33e28130-4e1e-4676-835a-98395c3bc\} \ [precreate]$ 

Queries value:

Queries value:

 $\label{thm:local-continuous} HKLM software \microsoft \windows \current version \explorer \folder descriptions \cite{233e28130-4e1e-4676-835a-98395c3bc} \cite{235e28130-4e1e-4676-835a-98395c3bc} \$ 

Queries value:

 $\label{thm:local-continuous} HKLM software \verb|\microsoft| windows \verb|\currentversion| explorer \verb|\folderdescriptions| {33e28130-4e1e-4676-835a-98395c3bb} [attributes]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{33e28130-4e1e-4676-835a-98395c3bc3bb\}[folder typeid]$ 

Queries value:

HKCU\software\microsoft\windows\currentversion\explorer\user shell

Queries value:

folders[my pictures]

 $\label{thm:local-equation} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder \folder$ 

Queries value:

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{8ad 10c 31-2ad b-4296-a8f7-e470 123 2c 972\} \ [name]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{8ad10c31-2adb-4296-a8f7-e4701232c972\} [parent folder]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{8ad10c31-2adb-4296-a8f7-e4701232c972\} \ [description]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{8ad 10c 31-2ad b-4296-a8f7-e470 123 2c 972\} [relative path]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{8ad 10c 31-2ad b-4296-a8f7-e470 123 2c 972\} \ [parsing name]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{8ad 10c 31-2ad b-4296-a8f7-e4701232c972\}[infotip]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{8ad10c31-2adb-4296a8f7-e4701232c972}[localizedname]

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \ \{8ad10c31-2adb-4296-a8f7-e4701232c972\} \ [icon]$ 

Oueries value:

 $\label{thm:local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder \fol$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{8ad 10c 31-2ad b-4296-a8f7-e470 123 2c 972\} [stream resource]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ current version \ `explorer \ folder descriptions \ \{8ad 10c 31-2ad b-4296-a8f7-e4701232c972\} [stream resource type]$ 

 $HKLM \ software \ `microsoft \ `windows \ current version \ `explorer \ folder descriptions \ `\{8ad 10c 31-2ad b-4296-a8f7-e4701232c972\} \ [local redirectonly]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{8ad 10c 31-2ad b-4296-a8f7-e470 123 2c 972\} \ [roamable]$ 

Queries value:

 $\label{thm:local-equation} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \explorer \folder descriptions \explorer \folder descriptions \explorer \folder \folder$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{8ad 10c 31-2ad b-4296-a8f7-e470 123 2c 972\} [stream]$ 

Queries value:

 $\label{thm:local-continuous} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{8ad10c31-2adb-4296-a8f7-e4701232c972\}\ [publishexpandedpath]}$ 

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{8ad10c31-2adb-4296-a8f7-e4701232c972\} [attributes]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{8ad10c31-2adb-4296-a8f7-e4701232c972\}[folder typeid]$ 

Queries value:

 $\label{thm:local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \explorer \folder \$ 

Queries value:

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{82a5ea35-d9cd-47c5-9629-e15d2f714e6e\}[name]$ 

Queries value:

 $\label{thm:local-equation} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder \fol$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{82a5ea35-d9cd-47c5-9629-e15d2f714e6e\} [description]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{82a5ea35-d9cd-47c5-9629-e15d2f714e6e\} \ [relative path]$ 

Queries value:

 $\label{thm:local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder \fol$ 

Queries value:

 $\label{thm:local-equation} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \folder$ 

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{82a5ea35-d9cd-47c5-9629-e15d2f714e6e\}[localized name]$ 

Queries value:

Queries value:

 $\label{thm:local-equation} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \explorer \folder descriptions \explorer \folder descriptions \explorer \folder \folder$ 

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{82a5ea35-d9cd-47c5-9629-e15d2f714e6e\}[stream resource]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{82a5ea35-d9cd-47c5-9629-e15d2f714e6e\}[stream resource type]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{82a5ea35-d9cd-47c5-9629-e15d2f714e6e\} \ [local redirect only]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{82a5ea35-d9cd-47c5-9629-e15d2f714e6e\} \ [roamable]$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{82a5ea35-d9cd-47c5-9629-e15d2f714e6e}[precreate]

Queries value:

 $\label{thm:local-equation} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \folder$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{82a5ea35-d9cd-47c5-9629-e15d2f714e6e\} [publish expanded path]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{82a5ea35-d9cd-47c5-9629-e15d2f714e6e\}[attributes]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ `folder descriptions \ `\{82a5ea35-d9cd-47c5-d9cd-47$ 

9629-e15d2f714e6e}[foldertypeid]

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ current version \ explorer \ folder descriptions \ \ \{82a5ea35-d9cd-47c5-9629-e15d2f714e6e\} \ [init folder handler]$ 

Queries value: HKLM\software\microsoft\windows\currentversion\explorer\user shell

folders[common startup]

Queries value:

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{debf2536-e1a8-4c59-b6a2-414586476aea\}[name]$ 

Oueries value:

Queries value

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{debf2536-e1a8-4c59-b6a2-414586476aea\} \ [description]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{debf2536-e1a8-4c59-b6a2-414586476aea\} \ [relative path]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{debf2536-e1a8-4c59-b6a2-414586476aea\}[parsingname]}$ 

Queries value:

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ '\{debf2536-e1a8-4c59-b6a2-414586476aea\} \ [localized name]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{debf2536-e1a8-4c59-b6a2-414586476} icon]$ 

Oueries value:

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{debf2536-e1a8-4c59-b6a2-414586476aea\}[stream resource]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ current version \ explorer \ folder descriptions \ \{debf2536-e1a8-4c59-b6a2-414586476aea\} \ [stream resource type]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ current version \ `explorer \ folder descriptions \ '\{debf2536-e1a8-4c59-b6a2-414586476aea\} \ [local redirectionly]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{debf2536-e1a8-4c59-b6a2-414586476aea\} \ [roamable]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ '\{debf2536-e1a8-4c59-b6a2-414586476aea\} \ [precreate]$ 

Queries value:

Queries value:

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{debf2536-e1a8-4c59-b6a2-414586476aea\}[attributes]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ current version \ `explorer \ folder descriptions \ \ \{debf2536-e1a8-4c59-b6a2-414586476aea\} \ [folder typeid]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{debf2536-e1a8-4c59-b6a2-414586476aea\}[initfolderhandler]}$ 

Queries value:  $HKLM\software\microsoft\windows\currentversion\explorer\user shell folders[{debf2536-e1a8-4c59-b6a2-414586476aea}]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder \fo$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97}[name]

Queries value:

 $HKLM\software\mbox{$62ab5d82-fdc1-4dc3-a9dd-070d1d495d97}[parentfolder] \\$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ `folder descriptions \ `\{62ab5d82-fdc1-4dc3-fdc1-4dc1-4dc1-4dc1-4dc1-4dc1-4dc1-4d$ 

a9dd-070d1d495d97}[description]

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\}[relative path]$ 

Queries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\}\[parsingname]\]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\}[infotip]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ current version \ `explorer \ folder descriptions \ \{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\} \ [localized name]$ 

Oueries value

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\}[icon]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\}[security]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\}[stream resource]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\} \ [stream resource type]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ current version \ `explorer \ folder descriptions \ \{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\} \ [local redirect only]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\} \ [roamable]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\} \ [precreate]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\}[stream]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\} \ [publish expanded path]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\}[attributes]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\}[folder typeid]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\}[initfolder handler]$ 

Queries value: HKLM\software\microsoft\windows

nt\currentversion\profilelist[programdata]

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{0f214138-b1d3-4a90-bba9-27cbc0c5389a\}[category]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{0f214138-b1d3-4a90-bba9-27cbc0c5389a\}[parent folder]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{0f214138-b1d3-4a90-bba9-27cbc0c5389a\} \ [description]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{0f214138-b1d3-4a90-bba9-27cbc0c5389a\}[relative path]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{0f214138-b1d3-4a90-bba9-27cbc0c5389a\}[parsing name]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \ \{0f214138-b1d3-4a90-bba9-27cbc0c5389a\} [infotip]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{0f214138-b1d3-4a90-bba9-27cbc0c5389a\}[localized name]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \$ 

 $HKLM \ software \ `microsoft \ `windows \ current version \ `explorer \ folder descriptions \ \ \{0f214138-b1d3-4a90-bba9-27cbc0c5389a\} \ [security]$ 

Queries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{0f214138-b1d3-4a90-bba9-27cbc0c5389a}\{streamresource}$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{0f214138-b1d3-4a90-bba9-27cbc0c5389a\}[stream resource type]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM software \ensurements ion \explorer \folder descriptions \ensurements \folder descriptions \folder \f$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{0f214138-b1d3-4a90-bba9-27cbc0c5389a\}\[roamable]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{0f214138-b1d3-4a90-bba9-27cbc0c5389a\}[precreate]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{0f214138-b1d3-4a90-bba9-27cbc0c5389a\}[stream]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{0f214138-b1d3-4a90-bba9-27cbc0c5389a\}[publish expanded path]$ 

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{0f214138-b1d3-4a90-bba9-27cbc0c5389a\}\[attributes]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{0f214138-b1d3-4a90-bba9-27cbc0c5389a\}[folder typeid]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{0f214138-b1d3-4a90-bba9-27cbc0c5389a\}[initfolder handler]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{2400183a-6185-49fb-a2d8-4a392a602ba3\} \ [category]$ 

Queries value:

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{2400183a-6185-49fb-a2d8-4a392a602ba3\}[parent folder]$ 

Queries value:

Queries value:

Queries value:

 $\label{lem:hklmsoftware} HKLM software \microsoft \windows \current version \explorer \folder descriptions \cal{lem:hklmsoftware} a 248-4a392a602ba3\cal{lem:hklmsoftware} [parsing name]$ 

Queries value:

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{2400183a-6185-49fb-a2d8-4a392a602ba3\}[localized name]$ 

Queries value:

Queries value:

Queries value:

Queries value:

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{2400183a-6185-49fb-a2d8-4a392a602ba3\}[local redirect only]$ 

Oueries value:

 $HKLM\software\mbox{windows\currentversion} explorer\folderdescriptions \currentversion\explorer\folderdescriptions \currentversion\explorer\folderdescriptions \currentversion\explorer\folderdescriptions \currentversion\explorer\folderdescriptions \currentversion\explorer\folderdescriptions \currentversion\explorer\folderdescriptions \currentversion\explorer\folderdescriptions \currentversion\explorer\folderdescriptions \currentversion\explorer\folderdescriptions \currentversion\explorer\expl$ 

Queries value:

Queries value:

a2d8-4a392a602ba3}[stream]

Oueries value:

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{2400183a-6185-49fb-a2d8-4a392a602ba3\} \ [attributes]$ 

Queries value:

 $\label{thm:local-continuous} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \curre$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{2400183a-6185-49fb-a2d8-4a392a602ba3\} [init folder handler]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\user shell

folders[commonvideo]

Queries value:

 $\label{thm:local-bound} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \descriptions \folder \fo$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{d9dc8a3b-b784-432e-a781-5a1130a75963\} \ [name]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \ \{d9dc8a3b-b784-432e-a781-5a1130a75963\} \ [parent folder]$ 

Queries value:

Queries value:

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \ \{d9dc8a3b-b784-432e-a781-5a1130a75963\} \ [parsing name]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{d9dc8a3b-b784-432e-a781-5a1130a75963\} \ [infotip]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \ \{d9dc8a3b-b784-432e-a781-5a1130a75963\} \ [localized name]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \ \{d9dc8a3b-b784-432e-a781-5a1130a75963\} \ [icon]$ 

Oueries value:

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \ \{d9dc8a3b-b784-432e-a781-5a1130a75963\} \ [stream resource]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \ \{d9dc8a3b-b784-432e-a781-5a1130a75963\} \ [stream resource type]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{d9dc8a3b-b784-432e-a781-5a1130a75963\} \ [local redirect only]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \ \{d9dc8a3b-b784-432e-a781-5a1130a75963\} \ [roamable]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \ \{d9dc8a3b-b784-432e-a781-5a1130a75963\} \ [precreate]$ 

Queries value:

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{d9dc8a3b-b784-432e-a781-5a1130a75963\} \ [publish expanded path]$ 

Queries value

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d9dc8a3b-b784-432e-a781-5a1130a75963\}\[attributes\]$ 

Queries value:

 $\label{thm:microsoft} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d9dc8a3b-b784-432e-a781-5a1130a75963\}\[foldertypeid]$ 

Queries value:

 $\label{limit} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d9dc8a3b-b784-432e-a781-5a1130a75963\}[initfolderhandler]}$ 

Queries value: HKCU\software\microsoft\windows\currentversion\explorer\user shell

folders[history]

Queries value:

844b-64e6faf8716b}[category]

Oueries value:

Queries value:

Oueries value:

Oueries value:

Oueries value

Queries value:

Queries value:

Queries value:

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{c4900540-2379-4c75-844b-64e6faf8716b\} [security]$ 

Queries value:

Oueries value:

 $HKLM \setminus software \setminus icrosoft \setminus ic$ 

Oueries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c4900540-2379-4c75-844b-64e6faf8716b\}\[localredirectonly]}$ 

Queries value:

Queries value:

Queries value:

Queries value:

Queries value

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c4900540-2379-4c75-844b-64e6faf8716b}\[foldertypeid]$ 

Oueries value:

Queries value: HKLM\software\microsoft\windows\currentversion\explorer\user shell folders[{c4900540-2379-4c75-844b-64e6faf8716b}]

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{b6ebfb86-6907-413c-9af7-4fc2abf07cc5\} \ [category]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{b6ebfb86-6907-413c-9af7-4fc2abf07cc5\}[name]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{b6ebfb86-6907-413c-9af7-4fc2abf07cc5\}[parent folder]$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b6ebfb86-6907-413c-9af7-4fc2abf07cc5}[description]

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{b6ebfb86-6907-413c-9af7-4fc2abf07cc5\}[relative path]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{b6ebfb86-6907-413c-9af7-4fc2abf07cc5\}[parsing name]$ 

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b6ebfb86-6907-413c-9af7-4fc2abf07cc5\}[infotip]$ 

Queries value:

 $\label{thm:localized} $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b6ebfb86-6907-413c-9af7-4fc2abf07cc5\}[localizedname]}$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{b6ebfb86-6907-413c-9af7-4fc2abf07cc5\}[security]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b6ebfb86-6907-413c-9af7-4fc2abf07cc5\}[streamresource]$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b6ebfb86-6907-413c-9af7-4fc2abf07cc5}[streamresourcetype]

Queries value:

 $\label{localization} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \fol$ 

Queries value:

 $\label{thm:local-continuous} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \fol$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b6ebfb86-6907-413c-9af7-4fc2abf07cc5\}[precreate]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{b6ebfb86-6907-413c-9af7-4fc2abf07cc5\}[stream]$ 

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b6ebfb86-6907-413c-9af7-4fc2abf07cc5\}[publishexpandedpath]}$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{b6ebfb86-6907-413c-9af7-4fc2abf07cc5\}[attributes]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{b6ebfb86-6907-413c-9af7-4fc2abf07cc5\}[folder typeid]$ 

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b6ebfb86-6907-413c-9af7-4fc2abf07cc5\}[initfolderhandler]$ 

Queries value: HKLM\software\microsoft\windows\currentversion\explorer\user shell

folders[commonpictures]

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \calebox{289a9a43-be44-4057-a41b-587a76d7e7f9} \category\cite{Control of the control of the$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{289a9a43-be44-4057-a41b-587a76d7e7f9\} \ [name]$ 

Queries value

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{289a9a43-be44-4057-a41b-587a76d7e7f9\} \ [parent folder]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{289a9a43-be44-4057-a41b-587a76d7e7f9\}[description]}$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{289a9a43-be44-4057-a41b-587a76d7e7f9\} \ [relative path]$ 

Queries value:

Queries value:

 $\label{lem:hkkm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \current$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{289a9a43-be44-4057-a41b-587a76d7e7f9\} \ [localized name]$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{289a9a43-be44-4057-a41b-587a76d7e7f9}[icon]

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{289a9a43-be44-4057-a41b-587a76d7e7f9\} [security]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{289a9a43-be44-4057-a41b-587a76d7e7f9\} \ [stream resource]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{289a9a43-be44-4057-a41b-587a76d7e7f9\} \ [stream resource type]$ 

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{289a9a43-be44-4057-a41b-587a76d7e7f9}[localredirectonly]

Oueries value:

 $\label{lem:hklm} HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \ \{289a9a43-be44-4057-a41b-587a76d7e7f9\} \ [roamable]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{289a9a43-be44-4057-a41b-587a76d7e7f9\} [precreate]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{289a9a43-be44-4057-a41b-587a76d7e7f9\} [stream]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{289a9a43-be44-4057-a41b-587a76d7e7f9\} \ [publish expanded path]$ 

Oueries value

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{289a9a43-be44-4057-a41b-587a76d7e7f9\} [attributes]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{289a9a43-be44-4057-a41b-587a76d7e7f9\} \ [folder typeid]$ 

Queries value:

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder \fo$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \ \{4bfefb45-347d-4006-a5be-ac0cb0567192\} \ [name]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ '\{4bfefb45-347d-4006-a5be-ac0cb0567192\} \ [parent folder]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{4bfefb45-347d-4006-a5be-ac0cb0567192\} \ [description]$ 

Queries value:

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \ \{4bfefb45-347d-4006-a5be-ac0cb0567192\} \ [parsing name]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \ \{4bfefb45-347d-4006-a5be-ac0cb0567192\} [infotip]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ '\{4bfefb45-347d-4006-a5be-ac0cb0567192\} [localized name]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \ \{4bfefb45-347d-4006-a5be-ac0cb0567192\} \ [icon]$ 

Queries value:

Queries value:

Queries value:

Queries value:

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4bfefb45-347d-4006-a5be-ac0cb0567192}[roamable]

Queries value:

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \ \{4bfefb45-347d-4006-a5be-ac0cb0567192\} \ [stream]$ 

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4bfefb45-347d-4006-a5be-ac0cb0567192\}\[publishexpandedpath]\]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{4bfefb45-347d-4006-a5be-ac0cb0567192\} [attributes]$ 

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{4bfefb45-347d-4006-a5be-ac0cb0567192\}[folder typeid]$ 

Queries value:

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{b7534046-3ecb-4c18-be4e-64cd4cb7d6ac\}[category]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{b7534046-3ecb-4c18-be4e-64cd4cb7d6ac\}[name]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folder$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{b7534046-3ecb-4c18-be4e-64cd4cb7d6ac\} \ [description]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM software \\ \mbox{b7534046-3ecb-4c18-be4e-64cd4cb7d6ac} [relative path]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{b7534046-3ecb-4c18-be4e-64cd4cb7d6ac\}[parsing name]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folder$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \{b7534046-3ecb-4c18-be4e-64cd4cb7d6ac\}[localized name]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \{b7534046-3ecb-4c18-be4e-64cd4cb7d6ac\} [icon]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{b7534046-3ecb-4c18-be4e-64cd4cb7d6ac\}' [security]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{b7534046-3ecb-4c18-be4e-64cd4cb7d6ac\}[stream resource]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{b7534046-3ecb-4c18-be4e-64cd4cb7d6ac\}[stream resource type]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{b7534046-3ecb-4c18-be4e-64cd4cb7d6ac\}[local redirectonly]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{b7534046-3ecb-4c18-be4e-64cd4cb7d6ac\} \ [roamable]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{b7534046-3ecb-4c18-be4e-64cd4cb7d6ac\}[precreate]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{b7534046-3ecb-4c18-be4e-64cd4cb7d6ac\} [stream]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{b7534046-3ecb-4c18-be4e-64cd4cb7d6ac\} [publish expanded path]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{b7534046-3ecb-4c18-be4e-64cd4cb7d6ac\}[attributes]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{b7534046-3ecb-4c18-be4e-64cd4cb7d6ac\}' [folder type id]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{b7534046-3ecb-4c18-be4e-64cd4cb7d6ac\}[init folder handler]$ 

Queries value:

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\eq ee 32e 446-31ca-4aba-814f-a5ebd2fd6d5e\folds\cite{hklmsoftware}\cite{hklmsoftwa$ 

Queries value:

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ ee 32e 446-31 ca-4aba-814f-a 5eb d 2fd 6d 5e \ [description]$ 

Queries value:

814f-a5ebd2fd6d5e}[relativepath]

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ current version \ explorer \ folder descriptions \ \{ee32e446-31ca-4aba-814f-a5ebd2fd6d5e\}[parsing name]$ 

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\eq ee 32e 446-31 ca-4 aba-814f-a 5ebd 2fd 6d 5e \cite{lem:hklmsoftware} [infotip]$ 

Oueries value:

 $HKLM\software\mbox{$\sim$currentversion} explorer\folderdescriptions\{ee32e446-31ca-4aba-814f-a5ebd2fd6d5e}\[localized name]$ 

Oueries value:

Oueries value

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `ee32e446-31ca-4aba-814f-a5ebd2fd6d5e \ [security]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `ee32e446-31ca-4aba-814f-a5ebd2fd6d5e \ [stream resource]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ current version \ explorer \ folder descriptions \ \{ee32e446-31ca-4aba-814f-a5ebd2fd6d5e\} [stream resource type]$ 

Oueries value:

Queries value:

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `ee32e446-31ca-4aba-814f-a5ebd2fd6d5e \ [precreate]$ 

Oueries value:

 $HKLM \setminus software \setminus icrosoft \setminus ic$ 

Queries value:

 $HKLM\software\mbox{microsoft\windows\currentversion\explorer\folderdescriptions\ee32e446-31ca-4aba-814f-a5ebd2fd6d5e}[publishexpandedpath]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \ \{ee 32e 446-31ca-4aba-814f-a 5eb d 2f d 6d 5e\} [attributes]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{ee32e446-31ca-4aba-814f-a5ebd2fd6d5e}[foldertypeid]

Queries value:

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{c870044b-f49e-4126-a9c3-b52a1ff411e8\} \ [category]$ 

Queries value

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \ \{c870044b-f49e-4126-a9c3-b52a1ff411e8\} \ [name]$ 

Queries value:

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{c870044b-f49e-4126-a9c3-b52a1ff411e8\} [description]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{c870044b-f49e-4126-a9c3-b52a1ff411e8\} [relative path]$ 

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \center \folder descriptions \center \folder \center \folder \center \folder \center \folder \center \center \folder \center \ce$ 

Queries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c870044b-f49e-4126-a9c3-b52a1ff411e8}\$ [infotip]

Oueries value:

 $\label{thm:localized} $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c870044b-f49e-4126-a9c3-b52a1ff411e8}\[localized\ name]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \ \{c870044b-f49e-4126-a9c3-b52a1ff411e8\} [icon]$ 

Oueries value:

 $HKLM\software\mbox{microsoft\windows\currentversion\explorer\folderdescriptions\folderd$ 

Queries value:

Oueries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c870044b-f49e-4126-a9c3-b52a1ff411e8\}\[localredirectonly]$ 

Queries value:

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \ \{c870044b-f49e-4126-a9c3-b52a1ff411e8\} [precreate]$ 

Oueries value:

Oueries value

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \c2870044b-f49e-4126-a9c3-b52a1ff411e8 \c29b[publishexpanded path]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{c870044b-f49e-4126-a9c3-b52a1ff411e8\}[attributes]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{c870044b-f49e-4126-a9c3-b52a1ff411e8\}[folder typeid]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{c870044b-f49e-4126-a9c3-b52a1ff411e8\} [initfolder handler]$ 

Queries value:  $HKCU\software\microsoft\windows\currentversion\explorer\user shell folders[{c870044b-f49e-4126-a9c3-b52a1ff411e8}]$ 

Oueries value:

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \ \{0139d44e-6afe-49f2-8690-3dafcae6ffb8\} \ [name]$ 

Queries value:

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{0139d44e-6afe-49f2-8690-3dafcae6ffb8}[description]

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{0139d44e-6afe-49f2-8690-3dafcae6ffb8\}[relative path]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{0139d44e-6afe-49f2-8690-3dafcae6ffb8\}[parsing name]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{0139d44e-6afe-49f2-8690-3dafcae6ffb8\}[infotip]}$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{0139d44e-6afe-49f2-8690-3dafcae6ffb8\}[localized name]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{0139d44e-6afe-49f2-8690-3dafcae6ffb8\}[icon]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{0139d44e-6afe-49f2-8690-3dafcae6ffb8\}[security]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{0139d44e-6afe-49f2-8690-3dafcae6ffb8\}[stream resource]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{0139d44e-6afe-49f2-8690-3daf \ cae 6ffb8\}[stream resource type]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{0139d44e-6afe-49f2-8690-3dafcae6ffb8\}[local redirectonly]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \$ 

Queries value:

 $HKLM\software\mbox{$0139d44e-6afe-49f2-8690-3dafcae6ffb8}[precreate] \\$ 

Queries value:

 $HKLM\software\mbox{0139d44e-6afe-49f2-8690-3dafcae6ffb8}[stream] \\$ 

Queries value:

8690-3dafcae6ffb8}[publishexpandedpath] Oueries value: HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{0139d44e-6afe-49f2-8690-3dafcae6ffb8}[attributes] Queries value: HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{0139d44e-6afe-49f2-8690-3dafcae6ffb8}[foldertypeid] Queries value: HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{0139d44e-6afe-49f2-8690-3dafcae6ffb8}[initfolderhandler] HKLM\software\microsoft\windows\currentversion\explorer\user shell Oueries value: folders[common programs] Oueries value: HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c5abbf53-e17f-4121-8900-86626fc2c973}[category] Queries value: -HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c5abbf53-e17f-4121 8900-86626fc2c973}[name] Oueries value: HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c5abbf53-e17f-4121-8900-86626fc2c973}[parentfolder] Queries value: HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c5abbf53-e17f-4121-8900-86626fc2c973}[description] Queries value: HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c5abbf53-e17f-4121-8900-86626fc2c973}[relativepath] Oueries value: HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c5abbf53-e17f-4121-8900-86626fc2c973}[parsingname] Queries value: HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c5abbf53-e17f-4121-8900-86626fc2c973}[infotip] Oueries value: HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c5abbf53-e17f-4121-8900-86626fc2c973}[localizedname] Queries value: HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c5abbf53-e17f-4121-8900-86626fc2c973}[icon] Queries value: HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c5abbf53-e17f-4121-8900-86626fc2c973}[security] Oueries value: -HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c5abbf53-e17f-4121 8900-86626fc2c973}[streamresource] Queries value: HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c5abbf53-e17f-4121-8900-86626fc2c973}[streamresourcetype] Oueries value: HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c5abbf53-e17f-4121-8900-86626fc2c973}[localredirectonly] Oueries value: HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c5abbf53-e17f-4121-8900-86626fc2c973}[roamable] Oueries value: HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c5abbf53-e17f-4121-8900-86626fc2c973}[precreate] Queries value: HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c5abbf53-e17f-4121-8900-86626fc2c973}[stream] Queries value: HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c5abbf53-e17f-4121-8900-86626fc2c973}[publishexpandedpath] Oueries value: -HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c5abbf53-e17f-4121 8900-86626fc2c973}[attributes] HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c5abbf53-e17f-4121-8900-86626fc2c973}[foldertypeid] Oueries value: -HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c5abbf53-e17f-4121

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{56784854-c6cb-462b-8169-88e350acb882\[category]
Oueries value:

8900-86626fc2c973}[initfolderhandler]

Queries value:

folders[nethood]
 Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{56784854-c6cb-462b-

HKCU\software\microsoft\windows\currentversion\explorer\user shell

8169-88e350acb882}[name]

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ current version \ explorer \ folder descriptions \ \ \{56784854-c6cb-462b-8169-88e350acb882\} \ [parent folder]$ 

Queries value:

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{56784854-c6cb-462b-8169-88e350acb882\} \ [relative path]$ 

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{56784854-c6cb-462b-8169-88e350acb882\}\cite{Mklmsoftware}\cite{$ 

Oueries value

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{56784854-c6cb-462b-8169-88e350acb882\} [infotip]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{56784854-c6cb-462b-8169-88e350acb882\} \ [localized name]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{56784854-c6cb-462b-8169-88e350 \ acb 882\} \ [icon]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{56784854-c6cb-462b-8169-88e350acb882\} [security]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{56784854-c6cb-462b-8169-88e350acb882\} [stream resource]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ current version \ `explorer \ folder descriptions \ \ \{56784854-c6cb-462b-8169-88e350 \ acb882\} \ [stream resource type]$ 

Queries value:

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{56784854-c6cb-462b-8169-88e350acb882\} \ [roamable]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{56784854-c6cb-462b-8169-88e350 \ acb 82\} \ [precreate]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \ \{56784854-c6cb-462b-8169-88e350acb882\} \ [stream]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{56784854-c6cb-462b-8169-88e350 \ acb82\} \ [publish expanded path]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{56784854-c6cb-462b-8169-88e350acb882\} \ [attributes]$ 

Queries value

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{56784854-c6cb-462b-8169-88e350acb882\}\[foldertypeid]$ 

Queries value:

 $\label{thm:local-condition} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \fold$ 

Queries value: HKCU\software\microsoft\windows\currentversion\explorer\user shell

folders[{56784854-c6cb-462b-8169-88e350acb882}]

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\folder$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \ \{7b396e54-9ec5-4300-be0a-2482ebae1a26\} \ [name]$ 

Queries value:

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{7b396e54-9ec5-4300-be0a-2482ebae1a26\} [description]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ current version \ explorer \ folder descriptions \ \{7b396e54-9ec5-4300-be0a-2482ebae1a26\} \ [relative path]$ 

Oueries value:

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7b396e54-9ec5-4300-be0a-2482ebae1a26}[localizedname]

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \ \{7b396e54-9ec5-4300-be0a-2482ebae1a26\} \ [icon]$ 

Queries value:

Oueries value:

Queries value:

Oueries value:

 $HKLM\software\mbox{$m$icrosoft\windows\currentversion} explorer\folderdescriptions \folderdescriptions \$ 

Queries value:

Queries value:

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \fixed 7b396e54-9ec5-4300-be0a-2482ebae1a26 \fixed [stream]$ 

Queries value:

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \ \{7b396e54-9ec5-4300-be0a-2482ebae1a26\} [attributes]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{7b396e54-9ec5-4300-be0a-2482ebae1a26\}[folder typeid]$ 

Queries value:

Queries value:  $HKLM\software\microsoft\windows\currentversion\explorer\user shell folders[{7b396e54-9ec5-4300-be0a-2482ebae1a26}]$ 

Queries value:

 $\label{thm:local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \gamma \folder \folder \folder \folder \folder \gamma \$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{905e63b6-c1bf-494e-b29c-65b732d3d21a\}[name]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{905e63b6-c1bf-494e-b29c-65b732d3d21a\}[parent folder]$ 

Queries value

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\grays\$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ current version \ explorer \ folder descriptions \ \{905e63b6-c1bf-494e-b29c-65b732d3d21a\} \ [relative path]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{905e63b6-c1bf-494e-b29c-65b732d3d21a\}[parsing name]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \gamma \figure{200} \forestab{200} \forestab{2$ 

Queries value:

 $\label{thm:localized} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \gamma \folder \folder \folder \folder \folder \gamma \g$ 

Queries value

Queries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{905e63b6-c1bf-494e-b29c-65b732d3d21a\}\[security]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{905e63b6-c1bf-494e-b29c-65b732d3d21a\}[stream resource]$ 

Oueries value:

 $\label{thm:local-continuous} HKLM software \verb|\microsoft| windows \verb|\currentversion| explorer \verb|\folderdescriptions| {905e63b6-c1bf-494e-b29c-65b732d3d21a} [streamresource type]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{905e63b6-c1bf-494e-b29c-65b732d3d21a}[localredirectonly]

 $HKLM \ software \ `microsoft \ `windows \ current version \ explorer \ folder descriptions \ \{905e63b6-c1bf-494e-b29c-65b732d3d21a\} \ [roamable]$ 

Oueries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{905e63b6-c1bf-494e-b29c-65b732d3d21a\}\[precreate]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{905e63b6-c1bf-494e-b29c-65b732d3d21a\} \ stream \ ]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM software \microsoft \windows \current version \explorer \folder descriptions \gamma \folder descriptions \gamma \gamm$ 

Oueries value:

 $\label{thm:local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ \{905e63b6-c1bf-494e-b29c-65b732d3d21a\} \ [attributes]$ 

Oueries value

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ \{905e63b6-c1bf-494e-b29c-65b732d3d21a\} \ [folder type id]$ 

Oueries value:

 $\label{thm:local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \fo$ 

Queries value: HKLM\software\microsoft\windows\currentversion[programfilesdir]

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{bcbd 3057-ca 5c-4622-b42d-bc 56db 0ae 516\} \ [category]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{bcbd 3057-ca 5c-4622-b42d-bc 56db 0ae 516\} \ [name]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{bcbd3057-ca5c-4622-b42d-bc56db0ae516\}[parent folder]$ 

Queries value:

 $\label{thm:local-condition} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder descriptions \folder description \folder \folder$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{bcbd3057-ca5c-4622-b42d-bc56db0ae516\} \ [relative path]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{bcbd 3057-ca 5c-4622-b42d-bc 56db 0ae 516\} \ [parsing name]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{bcbd3057-ca5c-4622-b42d-bc56db0ae516\}[infotip]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{bcbd 3057-ca 5c-4622-b42d-bc 56db 0ae 516\}[localized name]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{bcbd 3057-ca 5c-4622-b42d-bc 56db 0ae 516\}[icon]$ 

Queries value

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{bcbd3057-ca5c-4622b42d-bc56db0ae516}[security]

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{bcbd 3057-ca 5c-4622-b42d-bc 56db 0ae 516\} [stream resource]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{bcbd3057-ca5c-4622-b42d-bc56db0ae516\}[stream resource type]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{bcbd 3057-ca 5c-4622-b42d-bc 56db 0ae 516\}[local redirect only]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \ \{bcbd3057-ca5c-4622-b42d-bc56db0ae516\} \ [roamable]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{bcbd3057-ca5c-4622-b42d-bc56db0ae516\} \ `precreate1"$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{bcbd3057-ca5c-4622-b42d-bc56db0ae516\}[stream]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{bcbd3057-ca5c-4622-b42d-bc56db0ae516\} \ [publish expanded path]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{bcbd3057-ca5c-4622-b42d-bc56db0ae516\} \ [attributes]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{bcbd3057-ca5c-4622-b42d-bc56db0ae516\}[folder typeid]$ 

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{bcbd3057-ca5c-4622-b42d-bc56db0ae516\}[initfolderhandler]}$ 

Queries value: HKCU\software\microsoft\windows\currentversion\explorer\user shell

folders[{bcbd3057-ca5c-4622-b42d-bc56db0ae516}]

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{5cd7aee2-2219-4a67-b85d-6c9ce15660cb\} \ [category]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5cd7aee2-2219-4a67-b85d-6c9ce15660cb}\ [name]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{5cd7 a ee 2-2219-4a67-b85d-6c9 ce 15660 cb\} [parent folder]$ 

Oueries value:

 $\label{thm:local-continuous} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder descriptions \folder \folder$ 

Queries value:

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{5cd7aee2-2219-4a67-b85d-6c9ce15660cb\} [parsing name]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5cd7aee2-2219-4a67-b85d-6c9ce15660cb}\[infotip]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{5cd7aee2-2219-4a67-b85d-6c9ce15660cb\} [localized name]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM software \microsoft \windows \current version \explorer \folder descriptions \folder \folder descriptions \folder \fo$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{5cd7aee2-2219-4a67-b85d-6c9ce15660cb\} [security]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{5cd7aee2-2219-4a67-b85d-6c9ce15660cb\} [stream resource]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5cd7aee2-2219-4a67-b85d-6c9ce15660cb}[streamresourcetype]

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{5cd7 a ee 2-2219-4a67-b85d-6c9 ce 15660 cb\} [local redirect only]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{5cd7aee2-2219-4a67-b85d-6c9ce15660cb\} \ [roamable]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{5cd7 a ee 2-2219-4a67-b85d-6c9 ce 15660 cb\} [precreate]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{5cd7aee2-2219-4a67-b85d-6c9ce15660cb\}[stream]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{5cd7 a ee 2-2219-4a67-b85d-6c9 ce 15660 cb\} [publish expanded path]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{5cd7 a ee 2-2219-4a67-b85d-6c9 ce 15660 cb\} [attributes]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{5cd7aee2-2219-4a67-b85d-6c9ce15660cb\}[folder typeid]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5cd7aee2-2219-4a67-b85d-6c9ce15660cb}\[initfolderhandler]$ 

Queries value:  $HKCU\software\microsoft\windows\currentversion\explorer\user shell folders[{5cd7aee2-2219-4a67-b85d-6c9ce15660cb}]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{2b0f765d-c0e9-4171-908e-08a611b84ff6\} \ [category]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{2b0f765d-c0e9-4171-908e-08a611b84ff6\} \ [name]$ 

Oueries value:

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ current version \ explorer \ folder descriptions \ \ \{2b0f765d-c0e9-4171-908e-08a611b84ff6\} \ [relative path]$ 

Oueries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2b0f765d-c0e9-4171-908e-08a611b84ff6}\[parsingname]$ 

Queries value:

Queries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2b0f765d-c0e9-4171-908e-08a611b84ff6\}[localizedname]$ 

Oueries value:

Queries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2b0f765d-c0e9-4171-908e-08a611b84ff6\}\[security]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{2b0f765d-c0e9-4171-908e-08a611b84ff6\} \ [stream resource]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \ \{2b0f765d-c0e9-4171-908e-08a611b84ff6\} [stream resource type]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2b0f765d-c0e9-4171-908e-08a611b84ff6\}[localredirectonly]}$ 

Queries value:

 $\label{thm:local-coef-soft-coef-so$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \ \{2b0f765d-c0e9-4171-908e-08a611b84ff6\} \ [precreate]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{2b0f765d-c0e9-4171-908e-08a611b84ff6\} \ [stream]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM software \ensurements ion \explorer \folder descriptions \ensurement \folder descriptions \ensurement \folder descriptions \folder \fo$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2b0f765d-c0e9-4171-908e-08a611b84ff6\}[attributes]}$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2b0f765d-c0e9-4171-908e-08a611b84ff6}[foldertypeid]

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{2b0f765d-c0e9-4171-908e-08a611b84ff6\}[initfolder handler]$ 

Queries value:

 $\label{thm:local_hammon_hammon} \begin{tabular}{l} HKCU \software \microsoft \windows \current version \explorer \subseteq \cite{Allocal_hammon_ham$ 

folders[cookies]

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\explorer\folderdescriptions\currentversion\explorer\explor$ 

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \ \{2a00375e-224c-49de-b8d1-440df7ef3ddc\} \ [name]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{2a00375e-224c-49de-b8d1-440df7ef3ddc\}[parent folder]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{2a00375e-224c-49de-b8d1-440df7ef3ddc\} [description]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{2a00375e-224c-49de-b8d1-440df7ef3ddc\} [relative path]$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2a00375e-224c-49de-b8d1-440df7ef3ddc}[parsingname]

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\explorer\folderdescriptions\currentversion\explorer\e$ 

Queries value:

Queries value:

Queries value:

b8d1-440df7ef3ddc}[security]

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{2a00375e-224c-49de-b8d1-440df7ef3ddc\} [stream resource]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{2a00375e-224c-49de-b8d1-440df7ef3ddc\} \ [stream resource type]$ 

Oueries value:

Oueries value:

Oueries value

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{2a00375e-224c-49de-b8d1-440df7ef3ddc\} [precreate]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{2a00375e-224c-49de-b8d1-440df7ef3ddc\}[stream]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \ \{2a00375e-224c-49de-b8d1-440df7ef3ddc\} \ [publish expanded path]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{2a00375e-224c-49de-b8d1-440df7ef3ddc\}[attributes]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{2a00375e-224c-49de-b8d1-440df7ef3ddc\}[folder typeid]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{2a00375e-224c-49de-b8d1-440df7ef3ddc\}[initfolder handler]$ 

Queries value:

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \ \{e555ab60-153b-4d17-9f04-a5fe99fc15ec\} \ [name]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{e555ab60-153b-4d17-9f04-a5fe99fc15ec}\ [parentfolder]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \equiv (e555 ab 60 - 153 b - 4 d 17 - 9 f 04 - a5 f e 99 f c 15 e c \folder description) \equiv (e555 ab 60 - 153 b - 4 d 17 - 9 f 04 - a5 f e 99 f c 15 e c \folder description) \equiv (e555 ab 60 - 153 b - 4 d 17 - 9 f 04 - a5 f e 99 f c 15 e c \folder description) \equiv (e555 ab 60 - 153 b - 4 d 17 - 9 f 04 - a5 f e 99 f c 15 e c \folder description) \equiv (e555 ab 60 - 153 b - 4 d 17 - 9 f 04 - a5 f e 99 f c 15 e c \folder description) \equiv (e555 ab 60 - 153 b - 4 d 17 - 9 f 04 - a5 f e 99 f c 15 e c \folder description) \equiv (e555 ab 60 - 153 b - 4 d 17 - a5 f e 99 f c 15 e c \folder description) \equiv (e555 ab 60 - 153 b - 4 d 17 - a5 f e 99 f c 15 e c \folder description) \equiv (e555 ab 60 - 153 b - 4 d 17 - a5 f e 99 f c 15 e c \folder description) \equiv (e555 ab 60 - 153 b - 4 d 17 - a5 f e 99 f c 15 e c \folder description) \equiv (e555 ab 60 - 153 b - 4 d 17 - a5 f e 99 f c 15 e c \folder description) \equiv (e555 ab 60 - 153 b - a5 f e 99 f c 15 e c \folder description) \equiv (e555 ab 60 - 153 b - a5 f e 99 f e$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \ \{e555ab60-153b-4d17-9f04-a5fe99fc15ec\} [relative path]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \ \{e555ab60-153b-4d17-9f04-a5fe99fc15ec\} \ [parsing name]$ 

Queries value

 $\label{lem:hammon} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \folder$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \ \{e555ab60-153b-4d17-9f04-a5fe99fc15ec\}[localized name]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \ \{e555ab60-153b-4d17-9f04-a5fe99fc15ec\}[icon]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `explorer \ folder \$ 

Queries value:

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \ \{e555ab60-153b-4d17-9f04-a5fe99fc15ec\} [stream resource type]$ 

Queries value:

 $\label{thm:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{e555ab60-153b-4d17-9f04-a5fe99fc15ec}\ [localredirectonly]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \ \{e555ab60-153b-4d17-9f04-a5fe99fc15ec\} \ [roamable]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \ \{e555ab60-153b-4d17-9f04-a5fe99fc15ec\}[precreate]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \ \{e555ab60-153b-4d17-9f04-a5fe99fc15ec\} [stream]$ 

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{e555ab60-153b-4d17-9f04-a5fe99fc15ec}[publishexpandedpath]

Oueries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{e555ab60-153b-4d17-9f04-a5fe99fc15ec}[attributes]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \ \{e555ab60-153b-4d17-9f04-a5fe99fc15ec\}[folder typeid]$ 

Queries value:

Queries value:  $HKLM\software\microsoft\windows\currentversion\explorer\user shell folders[{e555ab60-153b-4d17-9f04-a5fe99fc15ec}]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{054fae61-4dd8-4787-80b6-090220c4b700\} \ [category]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{054fae61-4dd8-4787-80b6-090220c4b700\} \ [name]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{054fae61-4dd8-4787-80b6-090220c4b700\}[parentfolder]}$ 

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{054fae61-4dd8-4787-80b6-090220c4b700\}[description]}$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{054fae61-4dd8-4787-80b6-090220c4b700\} [relative path]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM software \ensurement version \ensurement \ensurement version \ensurement version \ensurement \ensureme$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{054fae61-4dd8-4787-80b6-090220c4b700\} [infotip]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{054fae61-4dd8-4787-80b6-090220c4b700\} [localized name]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{054fae61-4dd8-4787-80b6-090220c4b700\} \ [stream resource]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{054fae61-4dd8-4787-80b6-090220c4b700\} [stream resource type]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ current version \ explorer \ folder descriptions \ \{054fae61-4dd8-4787-80b6-090220c4b700\} \ [local redirectonly]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{054fae61-4dd8-4787-80b6-090220c4b700\} \ [roamable]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{054fae61-4dd8-4787-80b6-090220c4b700\} \ [precreate]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{054fae61-4dd8-4787-80b6-090220c4b700\} \ [stream]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{054 fae 61-4 dd 8-4787-80 b6-090220 c4 b700\} [publish expanded path]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{054fae61-4dd8-4787-80b6-090220c4b700\} \ [attributes]$ 

Queries value:

 $\label{thm:local-decomposition} HKLM software \ensurements ion \explorer \folder descriptions \ensurements \folder \$ 

Queries value:

Queries value:  $HKCU\software\microsoft\windows\currentversion\explorer\user shell folders[{054fae61-4dd8-4787-80b6-090220c4b700}]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{1777f761-68ad-4d8a-87bd-30b759fa33dd\} \ [category]$ 

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{1777f761-68ad-4d8a-87bd-30b759fa33dd\} \ [name]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{1777f761-68ad-4d8a-87bd-30b759fa33dd\}[parent folder]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cal{lem:hklmsoftware} add \cal{lem:hklmsoftware} \end{substantsignal} If the lem is a simple of the lem is a simple constant. The lem is a simple constant is a simple constant and the lem is a simple constant. The lem is a simple constant is a simple constant and the lem is a simple constant. The lem is a simple constant is a simple constant and the lem is a simple constant. The lem is a simple constant is a simple constant and the lem is a simple constant. The lem is a simple constant is a simple constant and the lem is a simple constant. The lem is a simple constant is a simple constant and the lem is a simple constant. The lem is a simple constant is a simple constant and the lem is a simple constant. The lem is a simple constant is a simple constant and the lem is a simple constant and the lem is a simple constant. The lem is a simple constant and the lem is a simple constant. The lem is a simple constant and the lem is a simple constant and the lem is a simple constant. The lem is a simple constant and the lem is a simple constant. The lem is a simple constant and the lem is a simple constant and the lem is a simple constant and the lem is a simple constant. The lem is a simple constant and the lem is a simple constant. The lem is a simple constant and the lem is a simple constant. The lem is a simple constant and the lem is a simple constant and the lem is a simple constant and the lem is a simple constant. The lem is a simple constant and the lem is a simple constant and the lem is a simple constant and the$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{1777f761-68ad-4d8a-87bd-30b759fa33dd\}[relative path]$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1777f761-68ad-4d8a-87bd-30b759fa33dd}[parsingname]

Queries value

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1777f761-68ad-4d8a-87bd-30b759fa33dd}[infotip]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \{1777f761-68ad-4d8a-87bd-30b759fa33dd\} [localized name]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1777f761-68ad-4d8a-87bd-30b759fa33dd\}[icon]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{1777f761-68ad-4d8a-87bd-30b759fa33dd\} [security]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{1777f761-68ad-4d8a-87bd-30b759fa33dd\}[stream resource]$ 

Oueries value

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{1777f761-68ad-4d8a-87bd-30b759fa33dd\} [stream resource type]$ 

Oueries value:

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{1777f761-68ad-4d8a-87bd-30b759fa33dd\}[precreate]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{1777f761-68ad-4d8a-87bd-30b759fa33dd\} [stream]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{1777f761-68ad-4d8a-87bd-30b759fa33dd\} \ [publish expanded path]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ current version \ explorer \ folder descriptions \ \{1777f761-68ad-4d8a-87bd-30b759fa33dd\} [attributes]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{1777f761-68ad-4d8a-87bd-30b759fa33dd\} [folder typeid]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{1777f761-68ad-4d8a-87bd-30b759fa33dd\}[initfolder handler]$ 

Queries value:

 $\label{lem:hkcu} \verb+KKCU\+software\+microsoft\+windows\+currentversion\+explorer\+user\ shell$ 

folders[favorites]

Queries value:

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{b250c668-f57d-4ee1-a63c-290ee7d1aa1f\}[name]$ 

Oueries value:

Queries value

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{b250c668-f57d-4ee1-a63c-290ee7d1aa1f\} [description]$ 

Queries value:

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{b250c668-f57d-4ee1-a63c-290ee7d1aa1f\}[parsing name]$ 

Oueries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{b250c668-f57d-4ee1-description\} \ folder \ descriptions \ folder \ folder \ descriptions \ folder \ descriptions \ folder \ folder \ descriptions \ folder \ folde$ 

a63c-290ee7d1aa1f}[infotip]

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{b250c668-f57d-4ee1-a63c-290ee7d1aa1f\}[localized name]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{b250c668-f57d-4ee1-a63c-290ee7d1aa1f\} \ [icon]$ 

Queries value:

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b250c668-f57d-4ee1-a63c-290ee7d1aa1f}\fstreamresourcel

Oueries value

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{b250c668-f57d-4ee1-a63c-290ee7d1aa1f\}[stream resource type]$ 

Oueries value:

 $\label{thm:local} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b250c668-f57d-4ee1-a63c-290ee7d1aa1f\}[localredirectonly]}$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{b250c668-f57d-4ee1-a63c-290ee7d1aa1f\} \ [roamable]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{b250c668-f57d-4ee1-a63c-290ee7d1aa1f\}[precreate]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{b250c668-f57d-4ee1-a63c-290ee7d1aa1f\}[stream]$ 

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\folder$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{b250c668-f57d-4ee1-a63c-290ee7d1aa1f\}[attributes]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ current version \ `explorer \ folder descriptions \ \{b250c668-f57d-4ee1-a63c-290ee7d1aa1f\}[folder typeid]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{b250c668-f57d-4ee1-a63c-290ee7d1aa1f\}[initfolder handler]$ 

Queries value: HKLM\software\microsoft\windows\currentversion\explorer\user shell folders[{b250c668-f57d-4ee1-a63c-290ee7d1aa1f}]

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{3214 fab5-9757-4298-bb61-92a9 deaa 44 ff\} [category]$ 

Queries value:

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{3214 fab5-9757-4298-bb61-92a9 deaa 44 ff\} [parent folder]$ 

Queries value:

Queries value:

 $\label{thm:local-soft-windows} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cal{local-928-bb61-92a9dea} and \cal{local-92a9dea} for the local descriptions \cal{local-92a9dea} for the local description \cal{local$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{3214 fab5-9757-4298-bb61-92a9 deaa 44 ff\} [parsing name]$ 

Queries value:

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows current version explorer folder descriptions \ \{3214 fab 5-9757-4298-bb61-92a9 dea a 44 ff \} [localized name]$ 

Queries value:

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3214fab5-9757-4298-bb61-92a9deaa44ff}[security]

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{3214 fab5-9757-4298-bb61-92a9 deaa 44 ff\} [stream resource]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{3214 fab5-9757-4298-bb61-92a9 deaa 44 ff\} [stream resource type]$ 

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \called 1923 \called 1923$ 

Queries value:

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{3214 fab 5-9757-4298-bb 61-92a 9 dea a 44 ff\} [precreate]$ 

Queries value:

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{3214 fab5-9757-4298-bb61-92a9 deaa 44 ff\} [publish expanded path]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{3214 fab5-9757-4298-bb61-92a9 deaa 44 ff\} [attributes]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{3214 fab5-9757-4298-bb61-92a9 deaa 44 ff\} [folder type id]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{3214 fab5-9757-4298-bb61-92a9 deaa 44 ff\} [init folder handler]$ 

Queries value:

 $\label{thm:local_hammon_hammon} \begin{tabular}{ll} HKLM \end{tabular} software \begin{tabular}{ll} microsoft \end{tabular} windows \current version \end{tabular} explorer \end{tabular} user shell \end{tabular}$ 

folders[commonmusic]

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folds \fol$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{52528a6b-b9e3-4add-b60d-588c2dba842d\}[name]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{52528a6b-b9e3-4add-b60d-588c2dba842d\} [parent folder]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{52528a6b-b9e3-4add-b60d-588c2dba842d\} \ [description]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folds \fol$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{52528a6b-b9e3-4add-b60d-588c2dba842d}[parsingname]

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{52528a6b-b9e3-4add-b60d-588c2dba842d\}[infotip]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{52528a6b-b9e3-4add-b60d-588c2dba842d\} \ [localized name]$ 

Queries value

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folds \fol$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ current version \ `explorer \ folder descriptions \ `\{52528a6b-b9e3-4add-b60d-588c2dba842d\} [security]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{52528a6b-b9e3-4add-b60d-588c2dba842d\} [stream resource]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{52528a6b-b9e3-4add-b60d-588c2dba842d\}[stream resource type]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ current version \ `explorer \ folder descriptions \ `\{52528a6b-b9e3-4add-b60d-588c2dba842d\} \ [local redirectonly]$ 

Queries value

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{52528a6b-b9e3-4add-b60d-588c2dba842d\} \ `froamable 1'$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{52528a6b-b9e3-4add-b60d-588c2dba842d\} [precreate]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{52528a6b-b9e3-4add-b60d-588c2dba842d\} [stream]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{52528a6b-b9e3-4add-b60d-588c2dba842d\} [publish expanded path]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{52528a6b-b9e3-4add-b60d-588c2dba842d\} [attributes]$ 

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{52528a6b-b9e3-4add-b60d-588c2dba842d}[foldertypeid]

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{52528a6b-b9e3-4add-b60d-588c2dba842d\}[initfolder handler]$ 

Queries value:

 $\label{thm:local-condition} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder \folder$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{8983036c-27c0-404b-8f08-102d10dcfd74\} \ [name]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{8983036c-27c0-404b-8f08-102d10dcfd74\} \ [parent folder]$ 

Queries value

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{8983036c-27c0-404b-8f08-102d10dcfd74\}[description]$ 

Oueries value:

 $\label{thm:local-condition} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder \folder$ 

Queries value:

 $\label{thm:local-condition} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder \folder$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{8983036c-27c0-404b-8f08-102d10dcfd74\}[infotip]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{8983036c-27c0-404b-8f08-102d10dcfd74\}[localized name]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{8983036c-27c0-404b-8f08-102d10dcfd74\}[icon]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{8983036c-27c0-404b-8f08-102d10dcfd74\}[security]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{8983036c-27c0-404b-8f08-102d10dcfd74\}[stream resource]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ current version \ `explorer \ folder descriptions \ \ \{8983036c-27c0-404b-8f08-102d10dcfd74\} [stream resource type]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ current version \ explorer \ folder descriptions \ \ \{8983036c-27c0-404b-8f08-102d10dcfd74\} \ [local redirectonly]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{8983036c-27c0-404b-8f08-102d10dcfd74\} \ [roamable]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder \f$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{8983036c-27c0-404b-8f08-102d10dcfd74\} \ [stream]$ 

Queries value:

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{8983036c-27c0-404b-8f08-102d10dcfd74\}[attributes]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ current version \ `explorer \ folder descriptions \ \ \{8983036c-27c0-404b-8f08-102d10dcfd74\} \ [folder typeid]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \explorer \folder \folder$ 

Queries value:

 $\label{lem:hkcu} \verb+KKCU\+software\+microsoft\+windows\+currentversion\+explorer\+user\ shell$ 

folders[sendto]

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\folder$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{bcb5256f-79f6-4cee-b725-dc34e402fd46\} \ [name]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{bcb5256f-79f6-4cee-b725-dc34e402fd46\} \ [parent folder]$ 

Queries value:

b725-dc34e402fd46}[description]

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{bcb5256f-79f6-4cee-b725-dc34e402fd46\} [relative path]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{bcb5256f-79f6-4cee-b725-dc34e402fd46\} \ [parsing name]$ 

Oueries value:

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{bcb5256f-79f6-4cee-b725-dc34e402fd46\}[localized name]$ 

Oueries value

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{bcb5256f-79f6-4cee-b725-dc34e402fd46\}[icon]$ 

Oueries value:

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{bcb5256f-79f6-4cee-b725-dc34e402fd46\}[streamresource]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{bcb5256f-79f6-4cee-b725-dc34e402fd46\}[stream resource type]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ current version \ `explorer \ folder descriptions \ \{bcb5256f-79f6-4cee-b725-dc34e402fd46\} \ [local redirect only]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{bcb5256f-79f6-4cee-b725-dc34e402fd46\} \ [roamable]$ 

Oueries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{bcb5256f-79f6-4cee-b725-dc34e402fd46\}[precreate]}$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{bcb5256f-79f6-4cee-b725-dc34e402fd46\}[stream]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{bcb5256f-79f6-4cee-b725-dc34e402fd46\} \ [publish expanded path]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{bcb5256f-79f6-4cee-b725-dc34e402fd46\}[attributes]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{bcb5256f-79f6-4cee-b725-dc34e402fd46\}[folder typeid]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{bcb5256f-79f6-4cee-b725-dc34e402fd46\}[initfolder handler]$ 

Queries value:  $HKCU\software\microsoft\windows\currentversion\explorer\user shell folders[\{bcb5256f-79f6-4cee-b725-dc34e402fd46\}]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{9e3995ab-1f9c-4f13-b827-48b24b6c7174\} \ [category]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{9e3995ab-1f9c-4f13-b827-48b24b6c7174\} \ [name]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{9e3995ab-1f9c-4f13-b827-48b24b6c7174\} [parent folder]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{9e3995ab-1f9c-4f13-b827-48b24b6c7174\} [description]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{9e3995ab-1f9c-4f13-b827-48b24b6c7174\} \ [relative path]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{9e3995ab-1f9c-4f13-b827-48b24b6c7174\} \ [parsing name]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{9e3995ab-1f9c-4f13-b827-48b24b6c7174\} \ [infotip]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{9e3995ab-1f9c-4f13-b827-48b24b6c7174\} [localized name]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{9e3995ab-1f9c-4f13-b827-48b24b6c7174\} [icon]$ 

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{9e3995ab-1f9c-4f13-b827-48b24b6c7174\} [security]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{9e3995ab-1f9c-4f13-b827-48b24b6c7174}[streamresource]

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{9e3995ab-1f9c-4f13-b827-48b24b6c7174\} [stream resource type]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ current version \ explorer \ folder descriptions \ \{9e3995ab-1f9c-4f13-b827-48b24b6c7174\} \ [local redirectonly]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{9e3995ab-1f9c-4f13-b827-48b24b6c7174\}[roamable]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{9e3995ab-1f9c-4f13-b827-48b24b6c7174\} [precreate]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{9e3995ab-1f9c-4f13-b827-48b24b6c7174\}[stream]$ 

Oueries value:

 $HKLM\software\mbox{$\mathbb{4}$ 9e3995ab-1f9c-4f13-b827-48b24b6c7174} [publishex panded path] \\$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{9e3995ab-1f9c-4f13-b827-48b24b6c7174\}[attributes]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ current version \ `explorer \ folder descriptions \ \{9e3995ab-1f9c-4f13-b827-48b24b6c7174\} [folder type id]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ current version \ `explorer \ folder descriptions \ \{9e3995ab-1f9c-4f13-b827-48b24b6c7174\} [initfolder handler]$ 

Queries value:  $HKCU\software\microsoft\windows\currentversion\explorer\user shell folders[{9e3995ab-1f9c-4f13-b827-48b24b6c7174}]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{724ef170-a42d-4fef-9f26-b60e846fba4f\} \ [category]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \ \{724ef170-a42d-4fef-9f26-b60e846fba4f\} \ [name]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder\folder \folder \folder \folder \folder \folder \folder \folder \$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{724ef170-a42d-4fef-9f26-b60e846fba4f\} \ [description]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{724ef170-a42d-4fef-9f26-b60e846fba4f\} \ [relative path]$ 

Queries value

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{724ef170-a42d-4fef-9f26-b60e846fba4f\} \ [parsing name]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{724ef170-a42d-4fef-9f26-b60e846fba4f\} [infotip]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{724ef170-a42d-4fef-9f26-b60e846fba4f\}[localized name]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{724ef170-a42d-4fef-9f26-b60e846fba4f\}[icon]$ 

Queries value:

 $\label{thm:local-continuous} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \fol$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{724ef170-a42d-4fef-9f26-b60e846fba4f}{streamresource}

Oueries value:

 $\label{thm:local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \current \folder \fold$ 

Queries value:

 $\label{thm:local} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder$ 

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{724ef170-a42d-4fef-9f26-b60e846fba4f\} \ [roamable]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{724ef170-a42d-4fef-9f26-b60e846fba4f\}[precreate]$ 

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{724ef170-a42d-4fef-9f26-b60e846fba4f\} [stream]$ 

Oueries value:

Queries value:

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ current version \ explorer \ folder descriptions \ \ \{724ef170-a42d-4fef-9f26-b60e846fba4f\} \ [folder type id]$ 

Oueries value:

 $\label{thm:local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \f$ 

Queries value:  $HKCU\software\microsoft\windows\currentversion\explorer\user shell folders[administrative tools]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{a77f5d77-2e2b-44c3-a6a2-aba601054a51\}[category]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{a77f5d77-2e2b-44c3-a6a2-aba601054a51\}[name]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a77f5d77-2e2b-44c3-a6a2-aba601054a51\}[parentfolder]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{a77f5d77-2e2b-44c3-a6a2-aba601054a51\} [description]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{a77f5d77-2e2b-44c3-a6a2-aba601054a51\}[relative path]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{a77f5d77-2e2b-44c3-a6a2-aba601054a51\} [parsing name]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{a77f5d77-2e2b-44c3-a6a2-aba601054a51\}[infotip]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{a77f5d77-2e2b-44c3-a6a2-aba601054a51\}[localized name]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{a77f5d77-2e2b-44c3-a6a2-aba601054a51\}[icon]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{a77f5d77-2e2b-44c3-a6a2-aba601054a51\} [security]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{a77f5d77-2e2b-44c3-a6a2-aba601054a51\}[stream resource]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{a77f5d77-2e2b-44c3-a6a2-aba601054a51\} [stream resource type]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{a77f5d77-2e2b-44c3-a6a2-aba601054a51\} [local redirect only]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{a77f5d77-2e2b-44c3-a6a2-aba601054a51\} \ [roamable]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{a77f5d77-2e2b-44c3-a6a2-aba601054a51\}[precreate]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{a77f5d77-2e2b-44c3-a6a2-aba601054a51\}[stream]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `a77f5d77-2e2b-44c3-a6a2-aba601054a51 \ [publish expanded path]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{a77f5d77-2e2b-44c3-a6a2-aba601054a51\}[attributes]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{a77f5d77-2e2b-44c3-a6a2-aba601054a51\}[folder typeid]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{a77f5d77-2e2b-44c3-a6a2-aba601054a51\}[init folder handler]$ 

Queries value: HKCU\software\microsoft\windows\currentversion\explorer\user shell folders[programs]

Oueries value:

 $\label{thm:local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \fo$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \ \{4bd8d571-6d19-48d3-be97-422220080e43\} \ [parent folder]$ 

Queries value:

Oueries value:

 $HKLM\software\mbox{$k$ indows\currentversion} explorer\folderdescriptions \folderdescriptions \folderdescriptions. \folderdescriptions \folderde$ 

Oueries value

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{4bd8d571-6d19-48d3-be97-422220080e43} \cite{Abd8d571-6d19-48d3-be97-422220080e43} \cite{Abd8d571-6d19-48d3-be97-42222080e43} \cite{Abd8d571-$ 

Oueries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4bd8d571-6d19-48d3-be97-422220080e43\}[infotip]}$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \ \{4bd8d571-6d19-48d3-be97-422220080e43\} \ [localized name]$ 

Queries value:

 $\label{thm:local-continuous} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4bd8d571-6d19-48d3-be97-422220080e43\}\[icon]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{4bd8d571-6d19-48d3-be97-422220080e43\} \ [security]$ 

Oueries value

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \ \{4bd8d571-6d19-48d3-be97-422220080e43\} \ [stream resource]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{4bd8d571-6d19-48d3-be97-422220080e43\} \ [stream resource type]$ 

Queries value:

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \ \{4bd8d571-6d19-48d3-be97-422220080e43\} \ [roamable]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \ \{4bd8d571-6d19-48d3-be97-422220080e43\} \ [precreate]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \ \{4bd8d571-6d19-48d3-be97-422220080e43\} \ [stream]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{4bd8d571-6d19-48d3-be97-422220080e43\} \ [publish expanded path]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{4bd8d571-6d19-48d3-be97-422220080e43\} \ [attributes]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{4bd8d571-6d19-48d3-be97-422220080e43\} \ [folder type id]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \ \{4bd8d571-6d19-48d3-be97-422220080e43\} [initfolder handler]$ 

Queries value:

HKCU\software\microsoft\windows\currentversion\explorer\user shell

folders[my music]

Queries value:

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \ \{de 61d971-5ebc-4f02-a3a9-6c82895e5c04\} \ [name]$ 

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{de61d971-5ebc-4f02-a3a9-6c82895e5c04\}[parentfolder]}$ 

Oueries value:

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{de61d971-5ebc-4f02-a3a9-6c82895e5c04\}[relative path]}$ 

Queries value:

a3a9-6c82895e5c04}[parsingname]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{de61d971-5ebc-4f02-a3a9-6c82895e5c04}\infotipl

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ '\{de61d971-5ebc-4f02-a3a9-6c82895e5c04\} \ [localized name]$ 

Oueries value:

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{de61d971-5ebc-4f02-a3a9-6c82895e5c04\}[security]$ 

Oueries value

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \ \{de 61d971-5ebc-4f02-a3a9-6c82895e5c04\} [stream resource]$ 

Oueries value:

 $\label{thm:local-continuous} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \equiv \folder descriptions \folder \folder$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ current version \ `explorer \ folder descriptions \ \ \{de 61 d971-5 ebc-4f02-a3a9-6c82895e5c04\} \ [local redirect only]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM software \ensurements ion \explorer \folder descriptions \ensurements \folder descriptions \folder \f$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM software \ensurements ion \explorer \folder descriptions \ensurements \folder descriptions \folder \f$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \ \{de 61 d971-5 ebc-4f02-a3a9-6c82895e5c04\} [stream]$ 

Oueries value:

 $\label{thm:local-continuous} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \equal (de61d971-5ebc-4f02-a3a9-6c82895e5c04) \cite{Continuous} \cite{Continuo$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{de 61d971-5ebc-4f02-a3a9-6c82895e5c04\} \ [attributes]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{de61d971-5ebc-4f02-a3a9-6c82895e5c04\}[foldertypeid]}$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{de61d971-5ebc-4f02-a3a9-6c82895e5c04\}[initfolder handler]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{0762d272-c50a-4bb0-a382-697dcd729b80\} \ [category]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{0762d272-c50a-4bb0-a382-697dcd729b80\} \ [name]$ 

Queries value

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{0762d272-c50a-4bb0-a382-697dcd729b80\} \ [parent folder]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{0762d272-c50a-4bb0-a382-697dcd729b80\} \ [description]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{0762d272-c50a-4bb0-a382-697dcd729b80\} \ [relative path]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM software \microsoft \windows \current version \explorer \folder descriptions \cal{lem:hklmsoftware} a 382-697 \mbox{dcd} 729 \mbox{bd} \cal{lem:hklmsoftware} [parsing name]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{0762d272-c50a-4bb0-a382-697dcd729b80\}[infotip]$ 

Queries value:

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{0762d272-c50a-4bb0a382-697dcd729b80}[icon]

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{0762d272-c50a-4bb0-a382-697dcd729b80\} [security]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{0762d272-c50a-4bb0-a382-697dcd729b80\} \ [stream resource]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{0762d272-c50a-4bb0-a382-697dcd729b80\} [stream resource type]$ 

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{0762d272-c50a-4bb0-a382-697dcd729b80}[localredirectonly]

Oueries value:

 $\label{lem:hklm} HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{0762d272-c50a-4bb0-a382-697dcd729b80\} \ [roamable]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{0762d272-c50a-4bb0-a382-697dcd729b80\} \ [precreate]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{0762d272-c50a-4bb0-a382-697dcd729b80\}[stream]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{0762d272-c50a-4bb0-a382-697dcd729b80}[publishexpandedpath]

Queries value

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{0762d272-c50a-4bb0-a382-697dcd729b80\}[attributes]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ current version \ `explorer \ folder descriptions \ `\{0762d272-c50a-4bb0-a382-697dcd729b80\} \ [folder typeid]$ 

Queries value:

Queries value: HKLM\software\microsoft\windows

nt\currentversion\profilelist[profilesdirectory]

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4d9f7874-4e0c-4904-967b-40b0d20c3e4b\}[name]}$ 

Oueries value:

 $\label{thm:local-continuous} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder \f$ 

Queries value:

 $\label{thm:local-continuous} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \fold$ 

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4d9f7874-4e0c-4904-967b-40b0d20c3e4b\}[relativepath]}$ 

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4d9f7874-4e0c-4904-967b-40b0d20c3e4b\}[parsingname]}$ 

Oueries value:

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4d9f7874-4e0c-4904-967b-40b0d20c3e4b\}[localizedname]}$ 

Queries value:

Oueries value:

Queries value:

Queries value:

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4d9f7874-4e0c-4904-967b-40b0d20c3e4b\}[localredirectonly]}$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \ \{4d9f7874-4e0c-4904-967b-40b0d20c3e4b\} \ [roamable]$ 

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4d9f7874-4e0c-4904-967b-40b0d20c3e4b\}[precreate]}$ 

Queries value:

Queries value:

Queries value:

967b-40b0d20c3e4b}[attributes]

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{4d9f7874-4e0c-4904-967b-40b0d20c3e4b\}[folder typeid]$ 

Queries value:

 $\label{thm:local-prop} $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4d9f7874-4e0c-4904-967b-40b0d20c3e4b\}[initfolderhandler]}$ 

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{1ac14e77-02e7-4e5d-b744-2eb1ae5198b7\} [category]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \{1ac14e77-02e7-4e5d-b744-2eb1ae5198b7\} \ [name]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{1ac14e77-02e7-4e5d-b744-2eb1ae5198b7\} [parent folder]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{1ac14e77-02e7-4e5d-b744-2eb1ae5198b7\} [description]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{1ac14e77-02e7-4e5d-b744-2eb1ae5198b7\} [relative path]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{1ac14e77-02e7-4e5d-b744-2eb1ae5198b7\} [parsing name]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{1ac14e77-02e7-4e5d-b744-2eb1ae5198b7\}[infotip]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{1ac14e77-02e7-4e5d-b744-2eb1ae5198b7\} [localized name]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{1ac14e77-02e7-4e5d-b744-2eb1ae5198b7\}[icon]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{1ac14e77-02e7-4e5d-b744-2eb1ae5198b7\} [security]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{1ac14e77-02e7-4e5d-b744-2eb1ae5198b7\} [stream resource]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{1ac14e77-02e7-4e5d-b744-2eb1ae5198b7\}[stream resource type]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{1ac14e77-02e7-4e5d-b744-2eb1ae5198b7\}[local redirectonly]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{1ac14e77-02e7-4e5d-b744-2eb1ae5198b7\} \ [roamable]$ 

Queries value

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{1ac14e77-02e7-4e5d-b744-2eb1ae5198b7\}[precreate]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{1ac14e77-02e7-4e5d-b744-2eb1ae5198b7\} \ [stream]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{1ac14e77-02e7-4e5d-b744-2eb1ae5198b7\} \ [publish expanded path]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{1ac14e77-02e7-4e5d-b744-2eb1ae5198b7\}[attributes]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1ac14e77-02e7-4e5d-b744-2eb1ae5198b7}[foldertypeid]

Queries value

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1ac14e77-02e7-4e5d-b744-2eb1ae5198b7}{initfolderhandlerl

Queries value: HKLM\software\microsoft\ole\appcompat[raisedefaultauthnlevel]

Queries value: HKLM\software\microsoft\ole[defaultaccesspermission]

Queries value: HKLM\system\currentcontrolset\control\lsa[everyoneincludesanonymous]
Queries value: HKLM\software\microsoft\cryptography\defaults\provider\microsoft strong
cryptographic provider[type]

Queries value: HKLM\software\microsoft\cryptography\defaults\provider\microsoft strong cryptographic provider[image path]

Queries value: HKLM\system\currentcontrol\sa\fipsalgorithmpolicy[enabled]

Queries value: HKLM\system\currentcontrolset\control\lsa[fipsalgorithmpolicy]
Queries value: HKLM\software\policies\microsoft\cryptography[privkeycachemaxitems]

Queries value:

HKLM\software\policies\microsoft\cryptography[privkeycachepurgeintervalseconds]

```
Queries value:
                         HKLM\software\policies\microsoft\cryptography[privatekeylifetimeseconds]
 Oueries value:
                         HKLM\software\microsoft\cryptography[machineguid]
 Queries value:
                         HKCR\interface\{00000134-0000-0000-c000-00000000046}\proxystubclsid32[]
 Oueries value:
                         HKLM\software\microsoft\rpc\extensions[remoterpcdll]
 Queries value:
                         HKLM\software\microsoft\sqmclient\windows\disabledprocesses[29ed373a]
 Queries value:
HKLM\software\microsoft\sqmclient\windows\disabledsessions[machinethrottling]
 Oueries value:
HKLM\software\microsoft\sqmclient\windows\disabledsessions[globalsession]
HKCU\software\microsoft\windows\currentversion\explorer\advanced[fullrowselect]
\label{lem:hklm} \verb+KLM\software\microsoft\windows\currentversion\explorer\advanced[fullrowselect]
HKLM \ software \ microsoft \ windows \ current version \ explorer \ search \ preferences [search subfolders]
HKLM\software\microsoft\windows\currentversion\explorer\search\preferences[autowildcard]
 Oueries value:
HKLM \ software \ microsoft \ windows \ current version \ explorer \ search \ preferences \ [enablenatural query syntax]
 Queries value:
HKLM\software\microsoft\windows\currentversion\explorer\search\preferences[wholefilesystem]
 Queries value:
HKLM\software\microsoft\windows\currentversion\explorer\search\preferences[systemfolders]
 Oueries value:
HKLM\software\microsoft\windows\currentversion\explorer\search\preferences[archivedfiles]
                         HKCR\clsid\{42aedc87-2188-41fd-b9a3-0c966feabec1}[]
 Queries value:
 Queries value:
                         HKCR\clsid\{42aedc87-2188-41fd-b9a3-
0c966feabec1}\inprocserver32[inprocserver32]
                         HKCR\clsid\{42aedc87-2188-41fd-b9a3-0c966feabec1}\inprocserver32[]
 Queries value:
 Oueries value:
                         HKCR\clsid\{42aedc87-2188-41fd-b9a3-
0c966feabec1}\inprocserver32[threadingmodel]
                        HKCU\software\classes\local
 Oueries value:
settings\software\microsoft\windows\shell[bagmru size]
                        HKCU\software\classes\local
 Oueries value:
settings\software\microsoft\windows\shell\bagmru[mrulistex]
 Oueries value:
                        HKCU\software\classes\local
settings\software\microsoft\windows\shell\bagmru[nodeslots]
 Queries value:
                         HKCU\software\classes\local
settings\software\microsoft\windows\shell\bagmru[0]
 Queries value:
                         HKCU\software\classes\local
settings\software\microsoft\windows\shell\bagmru[3]
 Queries value:
                        HKCU\software\classes\local
settings\software\microsoft\windows\shell\bagmru\3[mrulistex]
 Queries value:
                        HKCU\software\classes\local
settings\software\microsoft\windows\shell\bagmru\3[1]
                         HKCU\software\classes\local
 Queries value:
settings\software\microsoft\windows\shell\bagmru\3[0]
                         HKCU\software\classes\local
 Queries value:
settings\software\microsoft\windows\shell\bagmru\3\0[mrulistex]
 Queries value:
                        HKCU\software\classes\local
settings\software\microsoft\windows\shell\bagmru\3\0[2]
 Oueries value:
                        HKCU\software\classes\local
settings\software\microsoft\windows\shell\bagmru\3\0\2[mrulistex]
 Queries value:
                        HKCU\software\classes\local
settings\software\microsoft\windows\shell\bagmru\3\0\2[nodeslot]
 Queries value:
                         HKCU\software\classes\local
settings\software\microsoft\windows\shell\bagmru\3\0[nodeslot]
                         HKCU\software\classes\local
 Queries value:
settings\software\microsoft\windows\shell\bagmru\3[nodeslot]
 Queries value:
                        HKCU\software\classes\local
settings\software\microsoft\windows\shell\bagmru[nodeslot]
                         HKCU\software\classes\local
 Oueries value:
settings\software\microsoft\windows\shell\bags\allfolders\shell[foldertype]
                         HKCU\software\classes\local
 Oueries value:
settings\software\microsoft\windows\shell\bags\allfolders\shell[sniffedfoldertype]
 Oueries value:
HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{625b53c3-ab48-4ec1-
ba1f-a1ef4146fc19}[category]
 Queries value:
ba1f-a1ef4146fc19}[name]
 Oueries value:
-HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{625b53c3-ab48-4ec1
ba1f-a1ef4146fc19}[parentfolder]
 Oueries value:
HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{625b53c3-ab48-4ec1-
```

ba1f-a1ef4146fc19}[description]

ba1f-a1ef4146fc19}[relativepath]

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ current version \ `explorer \ folder descriptions \ \ \{625b53c3-ab48-4ec1-ba1f-a1ef4146fc19\} \ [parsing name]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{625b53c3-ab48-4ec1-ba1f-a1ef4146fc19\} \ [infotip]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{625b53c3-ab48-4ec1-ba1f-a1ef4146fc19\} \ [localized name]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{625b53c3-ab48-4ec1-ba1f-a1ef4146fc19\} \ [icon]$ 

Oueries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{625b53c3-ab48-4ec1-ba1f-a1ef4146fc19\}\[security]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{625b53c3-ab48-4ec1-ba1f-a1ef4146fc19\}[stream resource]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{625b53c3-ab48-4ec1-ba1f-a1ef4146fc19\} [stream resource type]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{625b53c3-ab48-4ec1-ba1f-a1ef4146fc19\} \ [local redirect only]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{625b53c3-ab48-4ec1-ba1f-a1ef4146fc19\}[precreate]$ 

Queries value:

 $HKLM \ software \verb|\microsoft| windows \verb|\currentversion| explorer \verb|\folderdescriptions| \{625b53c3-ab48-4ec1-ba1f-a1ef4146fc19\} | stream|$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{625b53c3-ab48-4ec1-ba1f-a1ef4146fc19}[publishexpandedpath]

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{625b53c3-ab48-4ec1-ba1f-a1ef4146fc19\} [attributes]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{625b53c3-ab48-4ec1-ba1f-a1ef4146fc19\}[folder typeid]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{625b53c3-ab48-4ec1-ba1f-a1ef4146fc19\}[initfolder handler]$ 

Queries value: HKCU\software\microsoft\windows\currentversion\explorer\user shell

folders[start menu]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{ae50c081-ebd2-438a-8655-8a092e34987a}[category]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{ae 50c 081-ebd 2-438a-8655-8a092e 34987a\} \ [name]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \end{2-438a-8655-8a092e34987a} \ [parent folder]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{ae50c081-ebd2-438a-8655-8a092e34987a\} \ [description]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `ae50c081-ebd2-438a-8655-8a092e34987a \ [relative path]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{ae50c081-ebd2-438a-8655-8a092e34987a}[parsingname]

Queries value

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `ae50c081-ebd2-438a-8655-8a092e34987a] [infotip]$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{ae50c081-ebd2-438a-8655-8a092e34987a}[localizedname]

Queries value:

 $HKLM\software\mbox{microsoft\windows\currentversion\explorer\folderdescriptions\{ae50c081-ebd2-438a-8655-8a092e34987a\}[icon]}$ 

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `ae50c081-ebd2-438a-8655-8a092e34987a] [security]$ 

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{ae50c081-ebd2-438a-8655-8a092e34987a}[streamresource]

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `ae50c081-ebd2-438a-8655-8a092e34987a \ [stream resource type]$ 

Queries value:

 $HKLM\software\mbox{microsoft\windows\currentversion\explorer\folderdescriptions\{ae50c081-ebd2-438a-8655-8a092e34987a\}[localredirectonly]}$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `ae50c081-ebd2-438a-8655-8a092e34987a] \ [roamable]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `ae50c081-ebd2-438a-8655-8a092e34987a \ [precreate]$ 

Oueries value:

 $HKLM\software\mbox{microsoft\windows\currentversion\explorer\folderdescriptions\{ae50c081-ebd2-438a-8655-8a092e34987a\}[stream]}$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ ae 50c081-ebd2-438a-8655-8a092e34987a \ [publish expanded path]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `ae50c081-ebd2-438a-8655-8a092e34987a \ [attributes]$ 

Queries value:

 $\label{thm:local-bound} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{ae50c081-ebd2-438a-8655-8a092e34987a\}[foldertypeid]$$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `ae50c081-ebd2-438a-8655-8a092e34987a' [initfolder handler]$ 

Queries value:

HKCU\software\microsoft\windows\currentversion\explorer\user shell

folders[recent]

Oueries value:

Queries value:

Queries value:

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{ed4824af-dce4-45a8-81e2-fc7965083634\} [description]$ 

Queries value:

Queries value:

 $\label{lem:hklmsoftware} HKLM software \end{area} $$Hklm software \end{area} $$1e2-fc7965083634 \end{area} $$[parsing name]$ 

Queries value

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\eq 4824af-dce4-45a8-81e2-fc7965083634\[localizedname]$ 

Queries value:

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\eq 4824af-dce4-45a8-81e2-fc7965083634\footnote{1.00cm} [security]$ 

Queries value:

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{ed4824af-dce4-45a8-81e2-fc7965083634\} [stream resource type]$ 

Queries value:

 $\label{thm:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{ed4824af-dce4-45a8-81e2-fc7965083634\}[localredirectonly]$ 

Queries value:

Oueries value:

Queries value:

Oueries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{ed4824af-dce4-45a8-81e2-fc7965083634\}[attributes]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `ed4824af-dce4-45a8-81e2-fc7965083634 \ [folder type id]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{ed4824af-dce4-45a8-81e2-fc7965083634\}[initfolderhandler]$ 

Queries value: HKLM\software\microsoft\windows\currentversion\explorer\user shell

folders[common documents]

Oueries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\f(fdd39ad0-238f-46af-adb4-6c85480369c7)\cite{Category}$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \{fdd39ad0-238f-46af-adb4-6c85480369c7\} \ [name]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{fdd39ad0-238f-46af-adb4-6c85480369c7\}[parent folder]$ 

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\fdd39ad0-238f-46af-adb4-6c85480369c7\fdescription\]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \{fdd39ad0-238f-46af-adb4-6c85480369c7\} [relative path]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \{fdd39ad0-238f-46af-adb4-6c85480369c7\} \ [parsing name]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \{fdd39ad0-238f-46af-adb4-6c85480369c7\}[infotip]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \{fdd39ad0-238f-46af-adb4-6c85480369c7\} \ [localized name]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \{fdd39ad0-238f-46af-adb4-6c85480369c7\}[icon]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \{fdd39ad0-238f-46af-adb4-6c85480369c7\} [security]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \{fdd39ad0-238f-46af-adb4-6c85480369c7\} [stream resource]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{fdd39ad0-238f-46af-adb4-6c85480369c7\}[stream resource type]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \{fdd39ad0-238f-46af-adb4-6c85480369c7\}[local redirectonly]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \{fdd39ad0-238f-46af-adb4-6c85480369c7\} \ [roamable]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \{fdd39ad0-238f-46af-adb4-6c85480369c7\}[precreate]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \ \{fdd39ad0-238f-46af-adb4-6c85480369c7\} \ [stream]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \{fdd39ad0-238f-46af-adb4-6c85480369c7\} [publish expanded path]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \{fdd39ad0-238f-46af-adb4-6c85480369c7\}[attributes]$ 

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\f(fdd39ad0-238f-46af-adb4-6c85480369c7)\foldertypeid\]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{fdd39ad0-238f-46af-adb4-6c85480369c7}[initfolderhandler]

Queries value: HKCU\software\microsoft\windows\currentversion\explorer\user shell

folders[personal]

Queries value: HKCU\software\classes\local

settings\software\microsoft\windows\shell\bags\allfolders\shell[knownfolderderivedfoldertype]

Queries value: HKCR\clsid\{4df0c730-df9d-4ae3-9153-aa6b82e9795a}[]

Queries value: HKCR\clsid\{4df0c730-df9d-4ae3-9153aa6b82e9795a}\inprocserver32[inprocserver32] Queries value: HKCR\clsid\{4df0c730-df9d-4ae3-9153-aa6b82e9795a}\inprocserver32[] Oueries value: HKCR\clsid\{4df0c730-df9d-4ae3-9153aa6b82e9795a}\inprocserver32[threadingmodel] Queries value: HKCU\software\classes\local settings\software\microsoft\windows\shell\bagmru\3\0\2\0[mrulistex] HKCU\software\classes\local Queries value: settings\software\microsoft\windows\shell\bagmru\3\0\2\0[mrulist] HKCU\software\classes\local Queries value: settings\software\microsoft\windows\shell\bagmru\3\0\2\0[nodeslot] HKCU\software\classes\local Queries value: settings\software\microsoft\windows\shell\bagmru\3\0\2[0] Oueries value: HKCU\software\classes\local settings\software\microsoft\windows\shell\bags\40\shell[foldertype] Queries value: HKCU\software\classes\local settings\software\microsoft\windows\shell\bags\40\shell[sniffedfoldertype] HKCU\software\classes\local Queries value: settings\software\microsoft\windows\shell\bags\40\shell[knownfolderderivedfoldertype] Queries value: HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{5c4f28b5-f869-4e84-8e60f11db97c5cc7}[parent] Oueries value: HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{5c4f28b5-f869-4e84-8e60f11db97c5cc7}[canonicalname] Queries value: HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{5c4f28b5-f869-4e84-8e60f11db97c5cc7}[perceivedtype] Queries value: f11db97c5cc7}[theme] Oueries value: -HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{5c4f28b5-f869-4e84-8e60 f11db97c5cc7}[layouttype] Queries value: f11db97c5cc7}[topviewpersistence] Queries value: HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{5c4f28b5-f869-4e84-8e60f11db97c5cc7}[viewsettingspersistence] Queries value: -HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{5c4f28b5-f869-4e84-8e60 f11db97c5cc7}[mode] Queries value: HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{5c4f28b5-f869-4e84-8e60f11db97c5cc7}[helptopic] Oueries value: HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{5c4f28b5-f869-4e84-8e60f11db97c5cc7}[class] Queries value: -HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{5c4f28b5-f869-4e84-8e60 f11db97c5cc7}[mostrelevant] Oueries value: HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{5c4f28b5-f869-4e84-8e60f11db97c5cc7}[defaultview] Oueries value: HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{5c4f28b5-f869-4e84-8e60f11db97c5cc7}\topviews[overrideparenttopviews] Queries value: f11db97c5cc7}\topviews\{00000000-0000-0000-000000000000}[name] Oueries value: HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{5c4f28b5-f869-4e84-8e60f11db97c5cc7}\topviews\{00000000-0000-0000-0000-0000000000}[version] HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{5c4f28b5-f869-4e84-8e60f11db97c5cc7}\topviews\{00000000-0000-0000-0000000000000}[logicalviewmode] Oueries value: HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{5c4f28b5-f869-4e84-8e60f11db97c5cc7}\topviews\{00000000-0000-0000-0000-00000000000}[iconsize] Queries value: 

f11db97c5cc7}\topviews\{00000000-0000-0000-0000-00000000000}[querytype] HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{5c4f28b5-f869-4e84-8e60f11db97c5cc7}\topviews\{00000000-0000-0000-0000000000000}[hidefilenames] Oueries value: HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{5c4f28b5-f869-4e84-8e60-

f11db97c5cc7}\topviews\{00000000-0000-0000-00000000000}[datecategorizerinfo]

HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{5c4f28b5-f869-4e84-8e60-

f11db97c5cc7}\topviews\{00000000-0000-0000-00000000000}[childviewid]

Oueries value:

f11db97c5cc7}\topviews\{00000000-0000-0000-000000000000}[groupby]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{5c4f28b5-f869-4e84-8e60-

f11db97c5cc7}\topviews\{00000000-0000-0000-0000000000000}[groupascending]

Oueries value:

f11db97c5cc7}\topviews\{00000000-0000-0000-0000000000000}[stackby]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{5c4f28b5-f869-4e84-8e60-

f11db97c5cc7}\topviews\{00000000-0000-0000-000000000000}[primaryproperty]

Oueries value:

f11db97c5cc7}\topviews\{00000000-0000-0000-0000-0000000000}[primarysettings]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{5c4f28b5-f869-4e84-8e60-

f11db97c5cc7}\topviews\{00000000-0000-0000-0000-00000000000}[columnlist]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{5c4f28b5-f869-4e84-8e60-

f11db97c5cc7}\topviews\{00000000-0000-0000-000000000000}[sortbylist]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{5c4f28b5-f869-4e84-8e60-

f11db97c5cc7}\topviews\{00000000-0000-0000-0000-00000000000}[order]

Oueries value:

ecdf5910c5c0}[parent]

Queries value:

 $\label{prop:hamman} HKLM \software \microsoft \windows \current version \explorer \folder types \cdot \folder \cdot \folder \cdot \folder \folder \folder \cdot \folder \fol$ 

3ee8648d03e5}[parent]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{b3690e58-e961-423b-b687-

386ebfd83239}[parent]

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder types \ `\{b3690e58-e961-423b-b687-e961-425b-b687-e961-425b-$ 

386ebfd83239}[canonicalname]

Queries value:

386ebfd83239}[perceivedtype]

Queries value:

-HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{b3690e58-e961-423b-b687

386ebfd83239}[theme]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{b3690e58-e961-423b-b687-

386ebfd83239}[layouttype]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{b3690e58-e961-423b-b687-

386ebfd83239}[topviewpersistence]

Queries value:

386ebfd83239}[viewsettingspersistence]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{b3690e58-e961-423b-b687-

386ebfd83239}[mode]

Queries value:

386ebfd83239}[helptopic]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{b3690e58-e961-423b-b687-

386ebfd83239}[class]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{b3690e58-e961-423b-b687-

386ebfd83239}[mostrelevant]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{b3690e58-e961-423b-b687-

386ebfd83239}[defaultview]

Queries value:

386ebfd83239}\topviews[overrideparenttopviews]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{b3690e58-e961-423b-b687-

386ebfd83239}\topviews\{00000000-0000-0000-0000-0000000000}[name]

Queries value:

 $386ebfd83239 \} \\topviews \\ \{00000000-0000-0000-0000-00000000000\} [version]$ 

```
HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{b3690e58-e961-423b-b687-
386ebfd83239}\topviews\{00000000-0000-0000-000000000000}[logicalviewmode]
       Queries value:
HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder types \ `\{b3690e58-e961-423b-b687-e961-423b-b687-e961-423b-b687-e961-423b-b687-e961-423b-b687-e961-423b-b687-e961-423b-b687-e961-423b-b687-e961-423b-b687-e961-423b-b687-e961-423b-b687-e961-423b-b687-e961-423b-b687-e961-423b-b687-e961-423b-b687-e961-423b-b687-e961-423b-b687-e961-423b-b687-e961-423b-b687-e961-423b-b687-e961-423b-b687-e961-423b-b687-e961-423b-b687-e961-423b-b687-e961-423b-b687-e961-423b-b687-e961-423b-b687-e961-423b-b687-e961-423b-b687-e961-423b-b687-e961-423b-b687-e961-423b-b687-e961-423b-b687-e961-423b-b687-e961-423b-b687-e961-423b-b687-e961-423b-b687-e961-423b-b687-e961-423b-b687-e961-423b-b687-e961-423b-b687-e961-423b-b687-e961-423b-b687-e961-423b-b687-e961-423b-b687-e961-423b-b687-e961-423b-b687-e961-423b-b687-e961-423b-b687-e961-423b-b687-e961-423b-b687-e961-423b-b687-e961-423b-b687-e961-423b-b687-e961-423b-b687-e961-423b-b687-e961-423b-b687-e961-423b-b687-e961-423b-b687-e961-423b-b687-e961-423b-b687-e961-423b-b687-e961-423b-b687-e961-423b-b687-e961-423b-b687-e961-423b-b687-e961-423b-b687-e961-423b-b687-e961-423b-b687-e961-423b-b687-e961-423b-b687-e961-423b-b687-e961-423b-b687-e961-423b-b687-e961-423b-b687-e961-423b-b687-e961-423b-b687-e961-423b-b687-e961-423b-b687-e961-423b-b687-e961-423b-b687-e961-423b-b687-e961-423b-b687-e961-423b-b687-e961-423b-b687-e961-423b-b687-e961-423b-b687-e961-423b-b687-e961-423b-b687-e961-423b-b687-e961-423b-b687-e961-423b-b687-e961-423b-b687-e961-423b-b687-e961-423b-b687-e961-423b-b687-e961-425b-b687-e961-425b-b687-e961-425b-b687-e961-425b-b687-e961-425b-b687-e961-425b-b687-e961-425b-b687-e961-425b-b687-e961-425b-b687-e961-425b-b687-e961-425b-b687-e961-425b-b687-e961-425b-b687-e961-425b-b687-e961-425b-b687-e961-425b-b687-e961-425b-b687-e961-425b-b687-e961-425b-b687-e961-425b-b687-e961-425b-b687-e961-425b-b687-e961-425b-b687-e961-425b-b687-e961-425b-b687-e961-425b-b687-e961-425b-b687-e961-425b-b687-e961-425b-b687-e961-425b-b687-e961-425b-b687-e961-425b-b687-e961-425b-b687-e961-425b-
386ebfd83239}\topviews\{00000000-0000-0000-0000000000000}[iconsize]
        Queries value:
HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{b3690e58-e961-423b-b687-
386ebfd83239}\topviews\{00000000-0000-0000-0000-0000000000}[querytype]
```

HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{b3690e58-e961-423b-b687-386ebfd83239}\topviews\{0000000-0000-0000-000000000000}[hidefilenames]

HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{b3690e58-e961-423b-b687-386ebfd83239}\topviews\{00000000-0000-0000-000000000000}[datecategorizerinfo] Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{b3690e58-e961-423b-b687-386ebfd83239}\topviews\{00000000-0000-0000-0000-000000000000}[childviewid] Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder types \ `\{b3690e58-e961-423b-b687-e961-425b-b687-e961-425b-$ 386ebfd83239}\topviews\{00000000-0000-0000-0000-00000000000}[groupby] Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{b3690e58-e961-423b-b687-386ebfd83239}\topviews\{00000000-0000-0000-0000-00000000000}[groupascending] Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{b3690e58-e961-423b-b687-386ebfd83239}\topviews\{00000000-0000-0000-0000-0000000000}[stackby]

HKLM\software\microsoft\windows\currentversion\explorer\foldertvpes\{b3690e58-e961-423b-b687-386ebfd83239}\topviews\{00000000-0000-0000-000000000000}[primaryproperty]

Oueries value: HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{b3690e58-e961-423b-b687-

386ebfd83239}\topviews\{00000000-0000-0000-00000000000000}[primarysettings]

HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{b3690e58-e961-423b-b687-386ebfd83239}\topviews\{00000000-0000-0000-0000-0000000000}[columnlist]

Oueries value: HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{b3690e58-e961-423b-b687-386ebfd83239}\topviews\{00000000-0000-0000-0000-0000000000}[sortbylist] Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{b3690e58-e961-423b-b687-386ebfd83239}\topviews\{00000000-0000-0000-0000-000000000000}[order]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{0b2baaeb-0042-4dca-aa4d-3ee8648d03e5}[canonicalname]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{0b2baaeb-0042-4dca-aa4d-3ee8648d03e5}[perceivedtype]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{0b2baaeb-0042-4dca-aa4d-3ee8648d03e5}[theme]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{0b2baaeb-0042-4dca-aa4d-3ee8648d03e5}[layouttype]

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ lex plorer \ folder types \ \{0b2baaeb-0042-4dca-aa4d-b$ 3ee8648d03e5}[topviewpersistence]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{0b2baaeb-0042-4dca-aa4d-3ee8648d03e5}[viewsettingspersistence]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{0b2baaeb-0042-4dca-aa4d-3ee8648d03e5}[mode]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{0b2baaeb-0042-4dca-aa4d-3ee8648d03e5}[helptopic]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{0b2baaeb-0042-4dca-aa4d-3ee8648d03e5}[class]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ lex plorer \ folder types \ \{0b2baaeb-0042-4dca-aa4d-b$ 3ee8648d03e5}[mostrelevant]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{0b2baaeb-0042-4dca-aa4d-3ee8648d03e5}[defaultview]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{0b2baaeb-0042-4dca-aa4d-3ee8648d03e5}\topviews[overrideparenttopviews]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{0b2baaeb-0042-4dca-aa4d-

```
3ee8648d03e5}\topviews\{82ba0782-5b7a-4569-b5d7-ec83085f08cc}[name]
  Oueries value:
HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{0b2baaeb-0042-4dca-aa4d-
3ee8648d03e5}\topviews\{82ba0782-5b7a-4569-b5d7-ec83085f08cc}[version]
  Queries value:
HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{0b2baaeb-0042-4dca-aa4d-
3ee8648d03e5}\topviews\{82ba0782-5b7a-4569-b5d7-ec83085f08cc}[logicalviewmode]
HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{0b2baaeb-0042-4dca-aa4d-
3ee8648d03e5}\topviews\{82ba0782-5b7a-4569-b5d7-ec83085f08cc}[iconsize]
  Oueries value:
HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{0b2baaeb-0042-4dca-aa4d-
3ee8648d03e5}\topviews\{82ba0782-5b7a-4569-b5d7-ec83085f08cc}[querytype]
HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{0b2baaeb-0042-4dca-aa4d-
3ee8648d03e5}\topviews\{82ba0782-5b7a-4569-b5d7-ec83085f08cc}[hidefilenames]
  Oueries value:
HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{0b2baaeb-0042-4dca-aa4d-
3ee8648d03e5}\topviews\{82ba0782-5b7a-4569-b5d7-ec83085f08cc}[datecategorizerinfo]
  Queries value:
HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{0b2baaeb-0042-4dca-aa4d-
3ee8648d03e5}\topviews\{82ba0782-5b7a-4569-b5d7-ec83085f08cc}[childviewid]
  Oueries value:
HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{0b2baaeb-0042-4dca-aa4d-
3ee8648d03e5}\topviews\{82ba0782-5b7a-4569-b5d7-ec83085f08cc}[groupby]
  Queries value:
HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{0b2baaeb-0042-4dca-aa4d-
3ee8648d03e5}\topviews\{82ba0782-5b7a-4569-b5d7-ec83085f08cc}[groupascending]
HKLM \ software \ `microsoft \ 'windows \ 'current version' \ explorer \ 'folder types \ '\{0b2baaeb-0042-4dca-aa4d-microsoft \ 'windows' \ 'current version' \ 'explorer' \ 'folder types' \ 'abelian \ 'balanca' \ 'abelian \ 'abelian \ 'balanca' \ 'abelian \ 'abelian \ 'balanca' \ 'abelian \ '
3ee8648d03e5}\topviews\{82ba0782-5b7a-4569-b5d7-ec83085f08cc}[stackby]
  Oueries value:
HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{0b2baaeb-0042-4dca-aa4d-
3ee8648d03e5}\topviews\{82ba0782-5b7a-4569-b5d7-ec83085f08cc}[primaryproperty]
  Oueries value:
HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{0b2baaeb-0042-4dca-aa4d-
3ee8648d03e5}\topviews\{82ba0782-5b7a-4569-b5d7-ec83085f08cc}[primarysettings]
  Oueries value:
HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{0b2baaeb-0042-4dca-aa4d-
3ee8648d03e5}\topviews\{82ba0782-5b7a-4569-b5d7-ec83085f08cc}[columnlist]
  Oueries value:
HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{0b2baaeb-0042-4dca-aa4d-
3ee8648d03e5}\topviews\{82ba0782-5b7a-4569-b5d7-ec83085f08cc}[sortbylist]
  Oueries value:
HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{0b2baaeb-0042-4dca-aa4d-
3ee8648d03e5}\topviews\{82ba0782-5b7a-4569-b5d7-ec83085f08cc}[order]
  Oueries value:
HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{0b2baaeb-0042-4dca-aa4d-
3ee8648d03e5}\topviews\{a186c41c-a75c-44fb-aef2-77a36e0ec1b3}[name]
HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{0b2baaeb-0042-4dca-aa4d-
3ee8648d03e5}\topviews\{a186c41c-a75c-44fb-aef2-77a36e0ec1b3}[version]
  Oueries value:
HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{0b2baaeb-0042-4dca-aa4d-
3ee8648d03e5}\topviews\{a186c41c-a75c-44fb-aef2-77a36e0ec1b3}[logicalviewmode]
  Oueries value:
HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{0b2baaeb-0042-4dca-aa4d-
3ee8648d03e5}\topviews\{a186c41c-a75c-44fb-aef2-77a36e0ec1b3}[iconsize]
  Oueries value:
HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{0b2baaeb-0042-4dca-aa4d-
3ee8648d03e5}\topviews\{a186c41c-a75c-44fb-aef2-77a36e0ec1b3}[querytype]
  Oueries value:
HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{0b2baaeb-0042-4dca-aa4d-
3ee8648d03e5}\topviews\{a186c41c-a75c-44fb-aef2-77a36e0ec1b3}[hidefilenames]
HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{0b2baaeb-0042-4dca-aa4d-
3ee8648d03e5}\topviews\{a186c41c-a75c-44fb-aef2-77a36e0ec1b3}[datecategorizerinfo]
  Oueries value:
HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{0b2baaeb-0042-4dca-aa4d-
3ee8648d03e5}\topviews\{a186c41c-a75c-44fb-aef2-77a36e0ec1b3}[childviewid]
3ee8648d03e5}\topviews\{a186c41c-a75c-44fb-aef2-77a36e0ec1b3}[groupby]
```

HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{0b2baaeb-0042-4dca-aa4d-

HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{0b2baaeb-0042-4dca-aa4d-

3ee8648d03e5}\topviews\{a186c41c-a75c-44fb-aef2-77a36e0ec1b3}[groupascending]

3ee8648d03e5}\topviews\{a186c41c-a75c-44fb-aef2-77a36e0ec1b3}[stackby]

HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{0b2baaeb-0042-4dca-aa4d-3ee8648d03e5}\topviews\{a186c41c-a75c-44fb-aef2-77a36e0ec1b3}[primaryproperty]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{0b2baaeb-0042-4dca-aa4d-3ee8648d03e5}\topviews\{a186c41c-a75c-44fb-aef2-77a36e0ec1b3}[primarysettings]

Oueries value:

 $\label{lem:hklmsoftwaremicrosoft} HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{0b2baaeb-0042-4dca-aa4d-3ee8648d03e5\}\topviews\{a186c41c-a75c-44fb-aef2-77a36e0ec1b3\}[columnlist]}$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{0b2baaeb-0042-4dca-aa4d-3ee8648d03e5}\topviews\{a186c41c-a75c-44fb-aef2-77a36e0ec1b3}[sortbylist]

Oueries value:

 $\label{lem:ham} HKLM\software\microsoft\windows\currentversion\explorer\folder types \ a186c41c-a75c-44fb-aef2-77a36e0ec1b3\ [order]$ 

 $\label{local-equation} HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{0b2baaeb-0042-4dca-aa4d-3ee8648d03e5\}\topviews\fb7e74fd5-0a6a-476a-9da6-6009c74adf8d\}\[name]$ 

Oueries value:

 $\label{lem:hklmsoftwaremicrosoft} HKLM\software\microsoft\windows\currentversion\explorer\folder types\{0b2baaeb-0042-4dca-aa4d-3ee8648d03e5\}\topviews\fb7e74fd5-0a6a-476a-9da6-6009c74adf8d\}\[version]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{0b2baaeb-0042-4dca-aa4d-3ee8648d03e5}\topviews\{b7e74fd5-0a6a-476a-9da6-6009c74adf8d}[logicalviewmode]

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\foldertypes\{0b2baaeb-0042-4dca-aa4d-3ee8648d03e5\}\topviews\foldertybes\foldertypes\foldert$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{0b2baaeb-0042-4dca-aa4d-3ee8648d03e5\}\topviews\fb7e74fd5-0a6a-476a-9da6-6009c74adf8d\}\[querytype]$ 

 $HKLM \ software \ `microsoft \ `windows \ current version \ explorer \ folder types \ \{0b2baaeb-0042-4dca-aa4d-3ee8648d03e5\} \ topviews \ \{b7e74fd5-0a6a-476a-9da6-6009c74adf8d\} \ [hidefilenames]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ explorer \ folder types \ \{0b2baaeb-0042-4dca-aa4d-3ee8648d03e5\} \ topviews \ \{b7e74fd5-0a6a-476a-9da6-6009c74adf8d\} \ [datecategorizerinfo]$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{0b2baaeb-0042-4dca-aa4d-3ee8648d03e5}\topviews\{b7e74fd5-0a6a-476a-9da6-6009c74adf8d}[childviewid] Oueries value:

 $\label{lem:hklmsoftwaremicrosoftwindows\currentversion} Hklm\software\microsoft\windows\currentversion\explorer\foldertypes\{0b2baaeb-0042-4dca-aa4d-3ee8648d03e5\}\topviews\fb7e74fd5-0a6a-476a-9da6-6009c74adf8d\}\[groupby]$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{0b2baaeb-0042-4dca-aa4d-3ee8648d03e5}\topviews\{b7e74fd5-0a6a-476a-9da6-6009c74adf8d}[groupascending] Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ current version \ explorer \ folder types \ \{0b2baaeb-0042-4dca-aa4d-3ee8648d03e5\} \ topviews \ \{b7e74fd5-0a6a-476a-9da6-6009c74adf8d\}[stackby]$ 

Oueries value:

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{0b2baaeb-0042-4dca-aa4d-3ee8648d03e5}\topviews\{b7e74fd5-0a6a-476a-9da6-6009c74adf8d}[primaryproperty]

HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{0b2baaeb-0042-4dca-aa4d-3ee8648d03e5}\topviews\{b7e74fd5-0a6a-476a-9da6-6009c74adf8d}[primarysettings]
 Oueries value:

 $\label{thm:harmonic} HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{0b2baaeb-0042-4dca-aa4d-3ee8648d03e5\}\topviews\fb7e74fd5-0a6a-476a-9da6-6009c74adf8d\}\[columnlist]$ 

HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{0b2baaeb-0042-4dca-aa4d-3ee8648d03e5}\topviews\{b7e74fd5-0a6a-476a-9da6-6009c74adf8d}[sortbylist]

Queries value: HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{0b2baaeb-0042-4dca-aa4d-

3ee8648d03e5}\topviews\{b7e74fd5-0a6a-476a-9da6-6009c74adf8d}[order]
Oueries value:

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{0b2baaeb-0042-4dca-aa4d-3ee8648d03e5}\topviews\{c68292a3-bfe0-40d4-82d9-327a5d156771}[name]

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder types \colong{0b2baaeb-0042-4dca-aa4d-3ee8648d03e5} \topviews \colongarrows \colo$ 

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\foldertypes\{0b2baaeb-0042-4dca-aa4d-3ee8648d03e5\}\topviews\{c68292a3-bfe0-40d4-82d9-327a5d156771\}[logicalviewmode]}$ 

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{0b2baaeb-0042-4dca-aa4d-3ee8648d03e5\}\topviews\{c68292a3-bfe0-40d4-82d9-327a5d156771\}\[iconsize]\]$ 

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{0b2baaeb-0042-4dca-aa4d-3ee8648d03e5\}\topviews\{c68292a3-bfe0-40d4-82d9-327a5d156771\}\[querytype]\]$ 

```
HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{0b2baaeb-0042-4dca-aa4d-
3ee8648d03e5}\topviews\{c68292a3-bfe0-40d4-82d9-327a5d156771}[hidefilenames]
 Queries value:
3ee8648d03e5}\topviews\{c68292a3-bfe0-40d4-82d9-327a5d156771}[datecategorizerinfo]
 Queries value:
HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{0b2baaeb-0042-4dca-aa4d-
3ee8648d03e5}\topviews\{c68292a3-bfe0-40d4-82d9-327a5d156771}[childviewid]
 Oueries value:
HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{0b2baaeb-0042-4dca-aa4d-
3ee8648d03e5}\topviews\{c68292a3-bfe0-40d4-82d9-327a5d156771}[groupby]
3ee8648d03e5}\topviews\{c68292a3-bfe0-40d4-82d9-327a5d156771}[groupascending]
HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{0b2baaeb-0042-4dca-aa4d-
3ee8648d03e5}\topviews\{c68292a3-bfe0-40d4-82d9-327a5d156771}[stackby]
 Oueries value:
3ee8648d03e5}\topviews\{c68292a3-bfe0-40d4-82d9-327a5d156771}[primaryproperty]
 Oueries value:
HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{0b2baaeb-0042-4dca-aa4d-
3ee8648d03e5}\topviews\{c68292a3-bfe0-40d4-82d9-327a5d156771}[primarysettings]
 Oueries value:
```

HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{0b2baaeb-0042-4dca-aa4d-3ee8648d03e5}\topviews\{c68292a3-bfe0-40d4-82d9-327a5d156771}[columnlist] Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{0b2baaeb-0042-4dca-aa4d-3ee8648d03e5}\topviews\{c68292a3-bfe0-40d4-82d9-327a5d156771}[sortbylist]
Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{0b2baaeb-0042-4dca-aa4d-3ee8648d03e5}\topviews\{c68292a3-bfe0-40d4-82d9-327a5d156771}[order]

Queries value:

 $\label{lem:hamman} HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{0b2baaeb-0042-4dca-aa4d-3ee8648d03e5\}\topviews\{e5e2e7f6-7a4b-45ce-8b40-9a8e3dd8b9a7\}[name]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{0b2baaeb-0042-4dca-aa4d-3ee8648d03e5}\topviews\{e5e2e7f6-7a4b-45ce-8b40-9a8e3dd8b9a7}[version]
Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{0b2baaeb-0042-4dca-aa4d-3ee8648d03e5}\topviews\{e5e2e7f6-7a4b-45ce-8b40-9a8e3dd8b9a7}[logicalviewmode]

HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{0b2baaeb-0042-4dca-aa4d-3ee8648d03e5}\topviews\{e5e2e7f6-7a4b-45ce-8b40-9a8e3dd8b9a7}[iconsize]
Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder types \ \{0b2baaeb-0042-4dca-aa4d-3ee8648d03e5\} \ topviews \ \{e5e2e7f6-7a4b-45ce-8b40-9a8e3dd8b9a7\} \ [query type]$ 

Queries value:  $\label{lem:hklmsoftwaremicrosoftwindows\currentversion\explorer\foldertypes\{0b2baaeb-0042-4dca-aa4d-3ee8648d03e5\}\topviews\efe5e2e7f6-7a4b-45ce-8b40-9a8e3dd8b9a7\}[hidefilenames]$ 

Queries value:  $\label{lem:hklmsoftwaremicrosoftwindows\currentversion\explorer\foldertypes\{0b2baaeb-0042-4dca-aa4d-3ee8648d03e5\}\topviews\{e5e2e7f6-7a4b-45ce-8b40-9a8e3dd8b9a7\}[datecategorizerinfo] }$ 

HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{0b2baaeb-0042-4dca-aa4d-3ee8648d03e5}\topviews\{e5e2e7f6-7a4b-45ce-8b40-9a8e3dd8b9a7}[childviewid]
Oueries value:

 $\label{lem:hklmsoftwaremicrosoft} Windows \current version \explorer \folder types \current \current$ 

Queries value: HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{0b2baaeb-0042-4dca-aa4d-3ee8648d03e5}\topviews\{e5e2e7f6-7a4b-45ce-8b40-9a8e3dd8b9a7}[groupascending]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{0b2baaeb-0042-4dca-aa4d-3ee8648d03e5}\topviews\{e5e2e7f6-7a4b-45ce-8b40-9a8e3dd8b9a7}[stackby]
Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{0b2baaeb-0042-4dca-aa4d-3ee8648d03e5}\topviews\{e5e2e7f6-7a4b-45ce-8b40-9a8e3dd8b9a7}[primaryproperty]

HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{0b2baaeb-0042-4dca-aa4d-3ee8648d03e5}\topviews\{e5e2e7f6-7a4b-45ce-8b40-9a8e3dd8b9a7}[primarysettings]
Oueries value:

 $\label{thm:hammon} HKLM \software \microsoft \windows \current version \explorer \folder types \folder types \current \current$ 

HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{0b2baaeb-0042-4dca-aa4d-3ee8648d03e5}\topviews\{e5e2e7f6-7a4b-45ce-8b40-9a8e3dd8b9a7}[sortbylist] Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{0b2baaeb-0042-4dca-aa4d-

3ee8648d03e5}\topviews\{e5e2e7f6-7a4b-45ce-8b40-9a8e3dd8b9a7}[order]

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder types \ \ \{c1f8339f-f312-4c97-b1c6-ecdf5910c5c0\} \ [canonical name]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder types \ \ \{c1f8339f-f312-4c97-b1c6-ecdf5910c5c0\} [perceived type]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder types \ \{c1f8339f-f312-4c97-b1c6-ecdf5910c5c0\} \ [theme]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder types \ \ \{c1f8339f-f312-4c97-b1c6-ecdf5910c5c0\} \ [layout type]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder types \ \ \{c1f8339f-f312-4c97-b1c6-ecdf5910c5c0\} \ [topviewpersistence]$ 

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folder types\{c1f8339f-f312-4c97-b1c6-ecdf5910c5c0\}\[viewsettingspersistence]\]$ 

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folder types\{c1f8339f-f312-4c97-b1c6-ecdf5910c5c0\}[mode]}$ 

Oueries value:

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folder types\{c1f8339f-f312-4c97-b1c6-ecdf5910c5c0\}[class]}$ 

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folder types\c1f8339f-f312-4c97-b1c6-ecdf5910c5c0\mbox{\colorer} [mostrelevant]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder types \ \ \{c1f8339f-f312-4c97-b1c6-ecdf5910c5c0\} \ [default view]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder types \ \{c1f8339f-f312-4c97-b1c6-ecdf5910c5c0\} \ topviews \ [overrideparent topviews]$ 

Queries value:

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version' explorer \ 'folder types \ '\{631958a6-ad0f-4035-a745-28ac066dc6ed\}[parent]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder types \ '\{5fa96407-7e77-483c-ac93-691d05850de8\}[parent]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder types \ \{5fa96407-7e77-483c-ac93-691d05850de8\} \ [canonical name]$ 

Oueries value

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder types \ \{5fa96407-7e77-483c-ac93-691d05850de8\} \ [perceived type]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder types \ \{5fa96407-7e77-483c-ac93-691d05850de8\} \ [theme]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder types \ \{5fa96407-7e77-483c-ac93-691d05850de8\} \ [layout type]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder types \ \{5fa96407-7e77-483c-ac93-691d05850de8\} \ [top viewpersistence]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder types \ \{5fa96407-7e77-483c-ac93-691d05850de8\} \ [viewsetting spersistence]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder types \folder \folder$ 

Queries value:

 $\label{thm:microsoft} $$HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{5fa96407-7e77-483c-ac93-691d05850de8\}[helptopic]$$ 

Queries value:

 $\label{thm:local-condition} HKLM software \microsoft \windows \current version \explorer \folder types \folder \fold$ 

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version' \ explorer \ 'folder types \ 'fa96407-7e77-483c-ac93-691d05850de8 \ [mostrelevant]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder types \ \{5fa96407-7e77-483c-ac93-691d05850de8\} \ [default view]$ 

HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{5fa96407-7e77-483c-ac93-691d05850de8}\topviews[overrideparenttopviews]

Queries value:

 $\label{thm:microsoft} HKLM software \microsoft \windows \current version \explorer \folder types \folder \fo$ 

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version' explorer \ 'folder types \ '5fa96407-7e77-483c-ac93-691d05850de8 \ 'topviews \ '(00000000-0000-0000-000000000000) \ [version]$ 

Oueries value:

 $HKLM \software \microsoft \windows \current version \explorer \folder types \folder \folder$ 

Queries value:

 $\label{thm:local-condition} HKLM \software \microsoft \windows \current version \explorer \folder types \folder \fol$ 

Queries value:

Queries value:

 $\label{lem:hklmsoftwaremicrosoft} HKLM \software \microsoft \windows \current version \explorer \folder types \folder \folde$ 

Queries value:

 $\label{thm:local-continuous} HKLM software \mincrosoft \windows \current version \explorer \folder types \folder \folder \current \folder \fold$ 

Queries value:

 $\label{lem:hamman} HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{5fa96407-7e77-483c-ac93-691d05850de8\}\topviews\{00000000-0000-0000-00000000000000\}[groupascending]}$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ current version \ explorer \ folder types \ \{5fa96407-7e77-483c-ac93-691d05850de8\} \ topviews \ \{00000000-0000-0000-000000000000\} \ [stackby]$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{5fa96407-7e77-483c-ac93-691d05850de8}\topviews\{00000000-0000-0000-0000-000000000000}[primarysettings]
 Oueries value:

Queries value:

 $\label{thm:microsoft} $$HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{5fa96407-7e77-483c-ac93-691d05850de8\}\topviews\{00000000-0000-0000-0000000000000\}\[sortbylist]$$ 

Queries value: HKLM\software

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder types \eqref{631958a6-ad0f-4035-a745-28ac066dc6ed} \cite{Constraint} \cite{Constraint} \cite{Constraint} \space{2.2cm} \cite{Constraint} \space{2.2cm} \space$ 

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} current version \end{constraints} explorer \folder types \end{constraints} \{631958a6-ad0f-4035-a745-28ac066dc6ed\} [perceived type]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder types \ \{631958a6-ad0f-4035-a745-28ac066dc6ed\} \ [theme]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder types \ \{631958a6-ad0f-4035-a745-28ac066dc6ed\} [layout type]$ 

Queries value:

 $\label{thm:local-continuous} HKLM software \microsoft \windows \current version \explorer \folder types \cite{100} \mbox{ and } \mbox$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder types \ \{631958a6-ad0f-4035-a745-28ac066dc6ed\} \ [viewsetting spersistence]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder types \ \{631958a6-ad0f-4035-a745-28ac066dc6ed\} \ [mode]$ 

Queries value:

 $HKLM\software\mbox{$\sim$ion\explorer\foldertypes}{631958a6-ad0f-4035-a745-28ac066dc6ed}[helptopic]$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{631958a6-ad0f-4035-a745-28ac066dc6ed}[class]

```
HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{631958a6-ad0f-4035-a745-
28ac066dc6ed}[mostrelevant]
 Queries value:
HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{631958a6-ad0f-4035-a745-
28ac066dc6ed}[defaultview]
 Queries value:
HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{631958a6-ad0f-4035-a745-
28ac066dc6ed}\topviews[overrideparenttopviews]
 Oueries value:
HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{631958a6-ad0f-4035-a745-
28ac066dc6ed}\topviews\{2c0bc161-7181-49ba-8337-10584d53d8d0}[name]
 Queries value:
HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{631958a6-ad0f-4035-a745-
28ac066dc6ed}\topviews\{2c0bc161-7181-49ba-8337-10584d53d8d0}[version]
HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{631958a6-ad0f-4035-a745-
28ac066dc6ed}\topviews\{2c0bc161-7181-49ba-8337-10584d53d8d0}[logicalviewmode]
 Oueries value:
28ac066dc6ed}\topviews\{2c0bc161-7181-49ba-8337-10584d53d8d0}[iconsize]
 Oueries value:
HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{631958a6-ad0f-4035-a745-
28ac066dc6ed}\topviews\{2c0bc161-7181-49ba-8337-10584d53d8d0}[querytype]
 Oueries value:
HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{631958a6-ad0f-4035-a745-
28ac066dc6ed}\topviews\{2c0bc161-7181-49ba-8337-10584d53d8d0}[hidefilenames]
 Queries value:
HKLM\software\microsoft\windows\currentversion\explorer\foldertvpes\{631958a6-ad0f-4035-a745-
28ac066dc6ed}\topviews\{2c0bc161-7181-49ba-8337-10584d53d8d0}[datecategorizerinfo]
 Oueries value:
HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{631958a6-ad0f-4035-a745-
28ac066dc6ed}\topviews\{2c0bc161-7181-49ba-8337-10584d53d8d0}[childviewid]
HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{631958a6-ad0f-4035-a745-
28ac066dc6ed}\topviews\{2c0bc161-7181-49ba-8337-10584d53d8d0}[groupby]
 Oueries value:
HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{631958a6-ad0f-4035-a745-
28ac066dc6ed}\topviews\{2c0bc161-7181-49ba-8337-10584d53d8d0}[groupascending]
HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{631958a6-ad0f-4035-a745-
28ac066dc6ed}\topviews\{2c0bc161-7181-49ba-8337-10584d53d8d0}[stackby]
 Oueries value:
HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{631958a6-ad0f-4035-a745-
28ac066dc6ed}\topviews\{2c0bc161-7181-49ba-8337-10584d53d8d0}[primaryproperty]
 Oueries value:
HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{631958a6-ad0f-4035-a745-
28ac066dc6ed}\topviews\{2c0bc161-7181-49ba-8337-10584d53d8d0}[primarysettings]
 Queries value:
HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{631958a6-ad0f-4035-a745-
28ac066dc6ed}\topviews\{2c0bc161-7181-49ba-8337-10584d53d8d0}[columnlist]
 Oueries value:
HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{631958a6-ad0f-4035-a745-
28ac066dc6ed}\topviews\{2c0bc161-7181-49ba-8337-10584d53d8d0}[sortbylist]
HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{631958a6-ad0f-4035-a745-
28ac066dc6ed}\topviews\{2c0bc161-7181-49ba-8337-10584d53d8d0}[order]
 Oueries value:
HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{631958a6-ad0f-4035-a745-
28ac066dc6ed}\topviews\{34cbc45c-eb17-448d-ac3a-838eb3ecdcd0}[name]
 Queries value:
HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{631958a6-ad0f-4035-a745-
28ac066dc6ed}\topviews\{34cbc45c-eb17-448d-ac3a-838eb3ecdcd0}[version]
 Oueries value:
HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{631958a6-ad0f-4035-a745-
28ac066dc6ed}\topviews\{34cbc45c-eb17-448d-ac3a-838eb3ecdcd0}[logicalviewmode]
 Oueries value:
HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{631958a6-ad0f-4035-a745-
28ac066dc6ed}\topviews\{34cbc45c-eb17-448d-ac3a-838eb3ecdcd0}[iconsize]
28ac066dc6ed}\topviews\{34cbc45c-eb17-448d-ac3a-838eb3ecdcd0}[querytype]
 Oueries value:
HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{631958a6-ad0f-4035-a745-
28ac066dc6ed}\topviews\{34cbc45c-eb17-448d-ac3a-838eb3ecdcd0}[hidefilenames]
HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{631958a6-ad0f-4035-a745-
28ac066dc6ed}\topviews\{34cbc45c-eb17-448d-ac3a-838eb3ecdcd0}[datecategorizerinfo]
```

HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{631958a6-ad0f-4035-a745-

```
28ac066dc6ed}\topviews\{34cbc45c-eb17-448d-ac3a-838eb3ecdcd0}[childviewid]
 Oueries value:
HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{631958a6-ad0f-4035-a745-
28ac066dc6ed}\topviews\{34cbc45c-eb17-448d-ac3a-838eb3ecdcd0}[groupby]
 Oueries value:
HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{631958a6-ad0f-4035-a745-
28ac066dc6ed}\topviews\{34cbc45c-eb17-448d-ac3a-838eb3ecdcd0}[groupascending]
HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{631958a6-ad0f-4035-a745-
28ac066dc6ed}\topviews\{34cbc45c-eb17-448d-ac3a-838eb3ecdcd0}[stackby]
 Oueries value:
HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{631958a6-ad0f-4035-a745-
28ac066dc6ed}\topviews\{34cbc45c-eb17-448d-ac3a-838eb3ecdcd0}[primaryproperty]
HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{631958a6-ad0f-4035-a745-
28ac066dc6ed}\topviews\{34cbc45c-eb17-448d-ac3a-838eb3ecdcd0}[primarysettings]
 Queries value:
HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{631958a6-ad0f-4035-a745-
28ac066dc6ed}\topviews\{34cbc45c-eb17-448d-ac3a-838eb3ecdcd0}[columnlist]
 Queries value:
HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{631958a6-ad0f-4035-a745-
28ac066dc6ed}\topviews\{34cbc45c-eb17-448d-ac3a-838eb3ecdcd0}[sortbylist]
 Oueries value:
HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{631958a6-ad0f-4035-a745-
28ac066dc6ed}\topviews\{34cbc45c-eb17-448d-ac3a-838eb3ecdcd0}[order]
 Queries value:
HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{631958a6-ad0f-4035-a745-
28ac066dc6ed}\topviews\{62c0c838-9084-440e-a64e-acb34d6e9c82}[name]
HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{631958a6-ad0f-4035-a745-
28ac066dc6ed}\topviews\{62c0c838-9084-440e-a64e-acb34d6e9c82}[version]
 Oueries value:
HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{631958a6-ad0f-4035-a745-
28ac066dc6ed}\topviews\{62c0c838-9084-440e-a64e-acb34d6e9c82}[logicalviewmode]
 Oueries value:
HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{631958a6-ad0f-4035-a745-
28ac066dc6ed}\topviews\{62c0c838-9084-440e-a64e-acb34d6e9c82}[iconsize]
 Oueries value:
HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{631958a6-ad0f-4035-a745-
28ac066dc6ed}\topviews\{62c0c838-9084-440e-a64e-acb34d6e9c82}[querytype]
 Oueries value:
HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{631958a6-ad0f-4035-a745-
28ac066dc6ed}\topviews\{62c0c838-9084-440e-a64e-acb34d6e9c82}[hidefilenames]
 Oueries value:
HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{631958a6-ad0f-4035-a745-
28ac066dc6ed}\topviews\{62c0c838-9084-440e-a64e-acb34d6e9c82}[datecategorizerinfo]
 Oueries value:
HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{631958a6-ad0f-4035-a745-
28ac066dc6ed}\topviews\{62c0c838-9084-440e-a64e-acb34d6e9c82}[childviewid]
HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{631958a6-ad0f-4035-a745-
28ac066dc6ed}\topviews\{62c0c838-9084-440e-a64e-acb34d6e9c82}[groupby]
 Oueries value:
HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{631958a6-ad0f-4035-a745-
28ac066dc6ed}\topviews\{62c0c838-9084-440e-a64e-acb34d6e9c82}[groupascending]
 Oueries value:
HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{631958a6-ad0f-4035-a745-
28ac066dc6ed}\topviews\{62c0c838-9084-440e-a64e-acb34d6e9c82}[stackby]
 Queries value:
HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{631958a6-ad0f-4035-a745-
28ac066dc6ed}\topviews\{62c0c838-9084-440e-a64e-acb34d6e9c82}[primaryproperty]
 Oueries value:
HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{631958a6-ad0f-4035-a745-
28ac066dc6ed}\topviews\{62c0c838-9084-440e-a64e-acb34d6e9c82}[primarysettings]
HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{631958a6-ad0f-4035-a745-
28ac066dc6ed}\topviews\{62c0c838-9084-440e-a64e-acb34d6e9c82}[columnlist]
 Oueries value:
HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{631958a6-ad0f-4035-a745-
28ac066dc6ed}\topviews\{62c0c838-9084-440e-a64e-acb34d6e9c82}[sortbylist]
HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{631958a6-ad0f-4035-a745-
28ac066dc6ed}\topviews\{62c0c838-9084-440e-a64e-acb34d6e9c82}[order]
HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{631958a6-ad0f-4035-a745-
28ac066dc6ed}\topviews\{82ba0782-5b7a-4569-b5d7-ec83085f08cc}[name]
 Queries value:
28ac066dc6ed}\topviews\{82ba0782-5b7a-4569-b5d7-ec83085f08cc}[version]
```

```
Queries value:
HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{631958a6-ad0f-4035-a745-
28ac066dc6ed}\topviews\{82ba0782-5b7a-4569-b5d7-ec83085f08cc}[logicalviewmode]
HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{631958a6-ad0f-4035-a745-
28ac066dc6ed}\topviews\{82ba0782-5b7a-4569-b5d7-ec83085f08cc}[iconsize]
 Oueries value:
HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{631958a6-ad0f-4035-a745-
28ac066dc6ed}\topviews\{82ba0782-5b7a-4569-b5d7-ec83085f08cc}[querytype]
HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{631958a6-ad0f-4035-a745-
28ac066dc6ed}\topviews\{82ba0782-5b7a-4569-b5d7-ec83085f08cc}[hidefilenames]
 Queries value:
HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{631958a6-ad0f-4035-a745-
28ac066dc6ed}\topviews\{82ba0782-5b7a-4569-b5d7-ec83085f08cc}[datecategorizerinfo]
HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{631958a6-ad0f-4035-a745-
28ac066dc6ed}\topviews\{82ba0782-5b7a-4569-b5d7-ec83085f08cc}[childviewid]
 Oueries value:
HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{631958a6-ad0f-4035-a745-
28ac066dc6ed}\topviews\{82ba0782-5b7a-4569-b5d7-ec83085f08cc}[groupby]
 Oueries value:
HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{631958a6-ad0f-4035-a745-
28ac066dc6ed}\topviews\{82ba0782-5b7a-4569-b5d7-ec83085f08cc}[groupascending]
 Oueries value:
HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{631958a6-ad0f-4035-a745-
28ac066dc6ed}\topviews\{82ba0782-5b7a-4569-b5d7-ec83085f08cc}[stackby]
 Oueries value:
HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{631958a6-ad0f-4035-a745-
28ac066dc6ed}\topviews\{82ba0782-5b7a-4569-b5d7-ec83085f08cc}[primaryproperty]
HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{631958a6-ad0f-4035-a745-
28ac066dc6ed}\topviews\{82ba0782-5b7a-4569-b5d7-ec83085f08cc}[primarysettings]
 Oueries value:
HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{631958a6-ad0f-4035-a745-
28ac066dc6ed}\topviews\{82ba0782-5b7a-4569-b5d7-ec83085f08cc}[columnlist]
 Oueries value:
HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{631958a6-ad0f-4035-a745-
28ac066dc6ed}\topviews\{82ba0782-5b7a-4569-b5d7-ec83085f08cc}[sortbylist]
 Queries value:
HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{631958a6-ad0f-4035-a745-
28ac066dc6ed}\topviews\{82ba0782-5b7a-4569-b5d7-ec83085f08cc}[order]
 Oueries value:
HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{631958a6-ad0f-4035-a745-
28ac066dc6ed}\topviews\{83059b98-14a1-4d85-8edb-c46d915ace5a}[name]
 Oueries value:
HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{631958a6-ad0f-4035-a745-
28ac066dc6ed}\topviews\{83059b98-14a1-4d85-8edb-c46d915ace5a}[version]
 Oueries value:
HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{631958a6-ad0f-4035-a745-
28ac066dc6ed}\topviews\{83059b98-14a1-4d85-8edb-c46d915ace5a}[logicalviewmode]
28ac066dc6ed}\topviews\{83059b98-14a1-4d85-8edb-c46d915ace5a}[iconsize]
 Oueries value:
HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{631958a6-ad0f-4035-a745-
28ac066dc6ed}\topviews\{83059b98-14a1-4d85-8edb-c46d915ace5a}[querytype]
HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{631958a6-ad0f-4035-a745-
28ac066dc6ed}\topviews\{83059b98-14a1-4d85-8edb-c46d915ace5a}[hidefilenames]
 Queries value:
HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{631958a6-ad0f-4035-a745-
28ac066dc6ed}\topviews\{83059b98-14a1-4d85-8edb-c46d915ace5a}[datecategorizerinfo]
 Oueries value:
HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{631958a6-ad0f-4035-a745-
28ac066dc6ed}\topviews\{83059b98-14a1-4d85-8edb-c46d915ace5a}[childviewid]
HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{631958a6-ad0f-4035-a745-
28ac066dc6ed}\topviews\{83059b98-14a1-4d85-8edb-c46d915ace5a}[groupby]
 Oueries value:
```

 $28ac066dc6ed \} \verb|\topviews|| \{83059b98-14a1-4d85-8edb-c46d915ace5a\}[group ascending]|$ 

28ac066dc6ed}\topviews\{83059b98-14a1-4d85-8edb-c46d915ace5a}[primaryproperty]

28ac066dc6ed}\topviews\{83059b98-14a1-4d85-8edb-c46d915ace5a}[stackby]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{631958a6-ad0f-4035-a745-

HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{631958a6-ad0f-4035-a745-

 $\label{thm:local-bound} HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{631958a6-ad0f-4035-a745-28ac066dc6ed\topviews\{83059b98-14a1-4d85-8edb-c46d915ace5a\}[primarysettings]}$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ current version \ explorer \ folder types \ \{631958a6-ad0f-4035-a745-28ac066dc6ed\} \ topviews \ \{83059b98-14a1-4d85-8edb-c46d915ace5a\} \ [columnlist]$ 

Queries value:

 $\label{thm:microsoft} $HKLM\software\microsoft\windows\currentversion\explorer\folder types\{631958a6-ad0f-4035-a745-28ac066dc6ed\topviews\f83059b98-14a1-4d85-8edb-c46d915ace5a\}[sortbylist]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder types \ \{631958a6-ad0f-4035-a745-28ac066dc6ed\} \ topviews \ \{83059b98-14a1-4d85-8edb-c46d915ace5a\} \ [order]$ 

Oueries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder types \cal{lem:hklk} \current \c$ 

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder types \ \ \{292108be-88ab-4f33-9a26-7748e62e37ad\} \ [perceived type]$ 

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folder types\{292108be-88ab-4f33-9a26-7748e62e37ad\}[theme]}$ 

Queries value:

 $HKLM\software\mbox{\scurrent} version\explorer\folder types\{292108be-88ab-4f33-9a26-7748e62e37ad\}[layouttype]}$ 

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder types \ \ \{292108be-88ab-4f33-9a26-7748e62e37ad\} \ [top viewpersistence]$ 

Queries value:

 $\label{thm:local-prop} HKLM \software \microsoft \windows \current version \explorer \folder types \calebox{292108be-88ab-4f33-9a26-7748e62e37ad} \current \current$ 

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version' \ explorer \ 'folder types \ '{292108be-88ab-4f33-9a26-7748e62e37ad}[mode]$ 

Oueries value:

 $\label{lem:hklm} HKLM software \microsoft \windows \current version \explorer \folder types \current \current$ 

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folder types\{292108be-88ab-4f33-9a26-7748e62e37ad\}[class]}$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{292108be-88ab-4f33-9a26-7748e62e37ad}[mostrelevant]

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder types \ \{292108be-88ab-4f33-9a26-7748e62e37ad\} \ [default view]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ current version \ explorer \ folder types \ \{292108be-88ab-4f33-9a26-7748e62e37ad\} \ topviews \ [overrideparent topviews]$ 

Queries value:

 $\label{lem:hklmsoftware} Hklm \end{def} Hklm \end$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder types \ \{d674391b-52d9-4e07-834e-67c98610f39d\} \ [canonical name]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder types \ \{d674391b-52d9-4e07-834e-67c98610f39d\} \ [perceived type]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder types \ \{d674391b-52d9-4e07-834e-67c98610f39d\} \ [theme]$ 

Queries value:

 $\label{lem:hklmsoftware} Hklm \end{def} Hklm \end$ 

Queries value:

 $\label{lem:hklmsoftware} Hklm \end{def} Hklm \end$ 

Queries value:

 $HKLM software \verb|\microsoft| windows \verb|\currentversion| explorer \verb|\foldertypes| \{d674391b-52d9-4e07-834e-67c98610f39d\}[viewsetting spersistence]$ 

Queries value:

 $\label{lem:hklmsoftware} Hklm \end{def} Hklm \end$ 

Queries value:

 $HKLM software \verb|\microsoft| windows \verb|\currentversion| explorer \verb|\foldertypes| \{d674391b-52d9-4e07-834e-67c98610f39d\}[helptopic]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder types \ \{d674391b-52d9-4e07-834e-67c98610f39d\} \ [class]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder types \ \{d674391b-52d9-4e07-834e-4e07-84e-4e07-864e-4e07-8$ 

67c98610f39d}[mostrelevant]

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder types \ \{d674391b-52d9-4e07-834e-67c98610f39d\} \ [default view]$ 

Queries value:

 $\label{thm:local-basis} HKLM \software \microsoft \windows \current version \explorer \folder types \folder \folder\$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder types \ '\{91475 fe5-586 b-4 eba-8 d75-d17434 b8 cdf6\} [parent]$ 

Oueries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder types \ \{91475 fe5-586 b-4eba-8d75-d17434 b8cd f6\} \cite{Abbethe} \ [canonical name]$ 

Oueries value

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder types \ \{91475 fe5-586 b-4eba-8d75-d17434b8 cdf6\} [perceived type]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder types \ '\{91475 fe5-586 b-4 eba-8 d75-d17434 b8 cdf6\} [theme]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version' \ explorer \ 'folder types \ '\{91475 fe5-586 b-4eba-8d75-d17434b8 cdf6\} [layout type]$ 

Queries value:

 $HKLM\software\mbox{\mbox{$M$KLM}} incressft\sin\explorer\folder types\{91475fe5-586b-4eba-8d75-d17434b8cdf6\}[topviewpersistence]}$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder types \ '\{91475 fe5-586 b-4 eba-8 d75-d17434 b8 cdf6\} \ [viewsetting spersistence]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder types \ '\{91475 fe5-586 b-4eba-8d75-d17434b8 cdf6\} [mode]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder types \ \{91475 fe5-586 b-4eba-8d75-d17434b8 cdf6\} [helptopic]$ 

Queries value:

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder types \ \{91475 fe5-586 b-4eba-8d75-d17434b8 cdf6\} [most relevant]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder types \ \{91475 fe5-586 b-4eba-8d75-d17434b8 cdf6\} [default view]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder types \ \{503a4e73-1734-441a-8eab-01b3f3861156\} \ [canonical name]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder types \ \{503a4e73-1734-441a-8eab-01b3f3861156\} [perceived type]$ 

Queries value:

 $\label{thm:local-bound} HKLM \software \microsoft \windows \current version \explorer \folder types \folder types \folder \f$ 

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder types \ \{503a4e73-1734-441a-8eab-01b3f3861156\} \ [layout type]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder types \ \{503a4e73-1734-441a-8eab-01b3f3861156\} \ [top viewpersistence]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder types \ \{503a4e73-1734-441a-8eab-01b3f3861156\} \ [viewsetting spersistence]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder types \ \{503a4e73-1734-441a-8eab-01b3f3861156\} \ [mode]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{503a4e73-1734-441a-8eab-01b3f3861156}[helptopic]

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder types \ \{503a4e73-1734-441a-8eab-01b3f3861156\} \ [class]$ 

Queries value:

 $\label{thm:local-prop} HKLM \software \microsoft \windows \current version \explorer \folder types \folder types \folder \fo$ 

Oueries value:

 $HKLM\software\mbox{microsoft\windows\currentversion\explorer\foldertypes\f503a4e73-1734-441a-8eab-01b3f3861156} [defaultview]$ 

Oueries value:

 $\label{thm:local-prop} HKLM\software\microsoft\windows\currentversion\explorer\folder types\{503a4e73-1734-441a-8eab-01b3f3861156\}\topviews\[override parent topviews\]$ 

 $HKLM \ software \ `microsoft \ `windows \ current version \ explorer \ folder types \ \{503a4e73-1734-441a-8eab-01b3f3861156\} \ topviews \ \{82373c7e-af88-4d88-a330-a310a3d543ca\} \ [name]$ 

Oueries value

 $\label{thm:local-basis} $HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{503a4e73-1734-441a-8eab-01b3f3861156\}\topviews\{82373c7e-af88-4d88-a330-a310a3d543ca\}\[version]$$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder types \ \{503a4e73-1734-441a-8eab-01b3f3861156\} \ topviews \ \{82373c7e-af88-4d88-a330-a310a3d543ca\} \ [logical view mode]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ current version \ explorer \ folder types \ \{503a4e73-1734-441a-8eab-01b3f3861156\} \ topviews \ \{82373c7e-af88-4d88-a330-a310a3d543ca\} [iconsize]$ 

Queries value:

 $\label{thm:local-constrain} HKLM \software \microsoft \windows \current version \explorer \folder types \folder types \folder types \folder \folder$ 

HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{503a4e73-1734-441a-8eab01b3f3861156}\topviews\{82373c7e-af88-4d88-a330-a310a3d543ca}[hidefilenames]
Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{503a4e73-1734-441a-8eab01b3f3861156}\topviews\{82373c7e-af88-4d88-a330-a310a3d543ca}[datecategorizerinfo]
 Oueries value:

 $\label{thm:local-prop} HKLM \software \microsoft \windows \current version \explorer \folder types \folder \$ 

Queries value:

 $\label{thm:local-basis} HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\f503a4e73-1734-441a-8eab-01b3f3861156\topviews\f82373c7e-af88-4d88-a330-a310a3d543ca\f[groupby]$ 

Oueries value:

 $\label{thm:local-basis} HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\f503a4e73-1734-441a-8eab-01b3f3861156\topviews\f82373c7e-af88-4d88-a330-a310a3d543ca\fgroup ascending\fill a constant of the con$ 

Queries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folder types\folder types\folder 3-1734-441a-8eab-01b3f3861156\topviews\folder\folde$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ current version \ explorer \ folder types \ \{503a4e73-1734-441a-8eab-01b3f3861156\} \ topviews \ \{82373c7e-af88-4d88-a330-a310a3d543ca\} \ [primary property]$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{503a4e73-1734-441a-8eab-01b3f3861156}\topviews\{82373c7e-af88-4d88-a330-a310a3d543ca}[primarysettings] Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{503a4e73-1734-441a-8eab01b3f3861156}\topviews\{82373c7e-af88-4d88-a330-a310a3d543ca}[columnlist]
Oueries value:

 $\label{thm:microsoft} HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{503a4e73-1734-441a-8eab-01b3f3861156\}\topviews\{82373c7e-af88-4d88-a330-a310a3d543ca\}[sortbylist]}$ 

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\foldertypes\{503a4e73-1734-441a-8eab-01b3f3861156\}\topviews\{82373c7e-af88-4d88-a330-a310a3d543ca}\ [order]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{36011842-dccc-40fe-aa3d-6177ea401788}[parent]

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder types \ \{7d49d726-3c21-4f05-99aa-fdc2c9474656\} [parent]$ 

Queries value:

 $\label{thm:local-soft-windows} Label{thm:local-windows} In the software in t$ 

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder types \ \{7d49d726-3c21-4f05-99aa-fdc2c9474656\} [perceived type]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder types \ \{7d49d726-3c21-4f05-99aa-fdc2c9474656\} [theme]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{7d49d726-3c21-4f05-99aa-fdc2c9474656}[layouttype]

Queries value:

 $\label{thm:local-prop} $HKLM\software\microsoft\windows\currentversion\explorer\folder types\{7d49d726-3c21-4f05-99aa-fdc2c9474656\}[topviewpersistence]$$ 

Queries value:

 $\label{thm:microsoft} $$HKLM\software\microsoft\windows\currentversion\explorer\folder types\{7d49d726-3c21-4f05-99aa-fdc2c9474656\}[viewsettingspersistence]$$ 

Queries value:

 $\label{thm:local-soft-windows} Label{thm:local-windows} which is a software $$\operatorname{7d49d726-3c21-4f05-99aa-fdc2c9474656}[mode]$$ 

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder types \ \{7d49d726-3c21-4f05-99aa-fdc2c9474656\} [helptopic]$ 

```
HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{7d49d726-3c21-4f05-99aa-fdc2c9474656}[class]

Queries value:
```

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder types \ \{7d49d726-3c21-4f05-99aa-fdc2c9474656\} [default view]$ 

Queries value:

 $\label{thm:local-prop} HKLM\software\microsoft\windows\currentversion\explorer\folder types\folder \gray \$ 

Queries value:

Queries value:

 $\label{lem:hklmsoftwaremicrosoft} HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\f(7d49d726-3c21-4f05-99aa-fdc2c9474656)\topviews\f(0000000-0000-0000-0000-00000000000)\f(version)\f(0) Oueries\ value:$ 

HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{7d49d726-3c21-4f05-99aa-fdc2c9474656}\topviews\{00000000-0000-0000-00000000000}[datecategorizerinfo]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{7d49d726-3c21-4f05-99aa-fdc2c9474656}\topviews\{00000000-0000-0000-000000000000}[childviewid]

Oueries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\f(7d49d726-3c21-4f05-99aa-fdc2c9474656)\topviews\f(00000000-0000-0000-000000000000)\f(groupby)\f(gro$ 

 $\label{thm:local-section} HKLM \software \microsoft \windows \current version \explorer \folder types \folder types \folder \folder$ 

 $\label{thm:local-basis} HKLM \software \microsoft \windows \current version \explorer \folder types \folder \folder\$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{7d49d726-3c21-4f05-99aa-fdc2c9474656}\topviews\{00000000-0000-0000-000000000000}[sortbylist]

 $\label{thm:local-soft-windows} HKLM \software \end{array} $$HKLM \software \end{array} $$HKLM \software \end{array} $$1-4f05-99aa-fdc2c9474656 \topviews \colored{array} $$1-4f05-99aa-fdc2c9$ 

Queries value:

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{36011842-dccc-40fe-aa3d-6177ea401788}[canonicalname]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{36011842-dccc-40fe-aa3d-6177ea401788}[perceivedtype]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{36011842-dccc-40fe-aa3d-6177ea401788}[theme]

Queries value:

 $\label{thm:local-problem} HKLM \software \microsoft \windows \current version \explorer \folder types \cal{local-quantum} \footnote{177} a 401788 \cal{local-quantum$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder types \ \{36011842-dccc-40fe-aa3d-6177ea401788\} \ [top viewpersistence]$ 

Queries value:

 $\label{thm:local-condition} HKLM \software \microsoft \windows \current version \explorer \folder types \calebox{36011842-dccc-40fe-aa3d-6177ea401788} \current \cu$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder types \ \{36011842-dccc-40fe-aa3d-dcc-40fe-aa3d-dcc-40fe-aa3d-dcc-40fe-aa3d-dcc-40fe-aa3d-dcc-40fe-aa3d-dcc-4$ 

```
6177ea401788} [mode]
 Oueries value:
HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{36011842-dccc-40fe-aa3d-
6177ea401788}[helptopic]
 Queries value:
HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{36011842-dccc-40fe-aa3d-
6177ea401788}[class]
 Queries value:
HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{36011842-dccc-40fe-aa3d-
6177ea401788}[mostrelevant]
 Oueries value:
HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{36011842-dccc-40fe-aa3d-
6177ea401788}[defaultview]
 Oueries value:
HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{36011842-dccc-40fe-aa3d-
6177ea401788}\topviews[overrideparenttopviews]
 Oueries value:
HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{36011842-dccc-40fe-aa3d-
6177ea401788}\topviews\{424c81ab-7a7b-4fc1-a848-ddbadc10cdf5}[name]
 Queries value:
HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{36011842-dccc-40fe-aa3d-
6177ea401788}\topviews\{424c81ab-7a7b-4fc1-a848-ddbadc10cdf5}[version]
 Oueries value:
HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{36011842-dccc-40fe-aa3d-
6177ea401788}\topviews\{424c81ab-7a7b-4fc1-a848-ddbadc10cdf5}[logicalviewmode]
 Queries value:
```

HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{36011842-dccc-40fe-aa3d-6177ea401788}\topviews\{424c81ab-7a7b-4fc1-a848-ddbadc10cdf5}[iconsize]

 $HKLM \ software \ `microsoft \ 'windows \ 'current version' \ explorer \ 'folder types \ '36011842-dccc-40fe-aa3d-microsoft \ 'windows' \ 'current version' \ 'explorer' \ 'folder types' \ '36011842-dccc-40fe-aa3d-microsoft \ 'windows' \ 'current version' \ 'explorer' \ 'folder types' \ '36011842-dccc-40fe-aa3d-microsoft \ 'windows' \ 'current version' \ 'explorer' \ 'folder types' \ '36011842-dccc-40fe-aa3d-microsoft \ 'windows' \ 'current version' \ 'explorer' \ 'folder \ 'folde$ 6177ea401788}\topviews\{424c81ab-7a7b-4fc1-a848-ddbadc10cdf5}[querytype]

Oueries value: HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{36011842-dccc-40fe-aa3d-

6177ea401788}\topviews\{424c81ab-7a7b-4fc1-a848-ddbadc10cdf5}[hidefilenames] Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{36011842-dccc-40fe-aa3d-6177ea401788}\topviews\{424c81ab-7a7b-4fc1-a848-ddbadc10cdf5}[datecategorizerinfo] Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{36011842-dccc-40fe-aa3d-6177ea401788}\topviews\{424c81ab-7a7b-4fc1-a848-ddbadc10cdf5}[childviewid] Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{36011842-dccc-40fe-aa3d-6177ea401788}\topviews\{424c81ab-7a7b-4fc1-a848-ddbadc10cdf5}[groupby] Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{36011842-dccc-40fe-aa3d-6177ea401788\topviews\{424c81ab-7a7b-4fc1-a848-ddbadc10cdf5}[groupascending] Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{36011842-dccc-40fe-aa3d-6177ea401788}\topviews\{424c81ab-7a7b-4fc1-a848-ddbadc10cdf5}[stackby]

6177ea401788}\topviews\{424c81ab-7a7b-4fc1-a848-ddbadc10cdf5}[primaryproperty]

Oueries value: HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{36011842-dccc-40fe-aa3d-6177ea401788}\topviews\{424c81ab-7a7b-4fc1-a848-ddbadc10cdf5}[primarysettings]

HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{36011842-dccc-40fe-aa3d-6177ea401788}\topviews\{424c81ab-7a7b-4fc1-a848-ddbadc10cdf5}[columnlist] Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{36011842-dccc-40fe-aa3d-6177ea401788}\topviews\{424c81ab-7a7b-4fc1-a848-ddbadc10cdf5}[sortbylist]

HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{36011842-dccc-40fe-aa3d-6177ea401788}\topviews\{424c81ab-7a7b-4fc1-a848-ddbadc10cdf5}[order]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{36011842-dccc-40fe-aa3d-6177ea401788}\topviews\{4804caf0-de08-42ec-b811-52350e94c01e}[name] Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{36011842-dccc-40fe-aa3d-6177ea401788}\topviews\{4804caf0-de08-42ec-b811-52350e94c01e}[version] Queries value:

6177ea401788}\topviews\{4804caf0-de08-42ec-b811-52350e94c01e}[logicalviewmode]

HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{36011842-dccc-40fe-aa3d-6177ea401788}\topviews\{4804caf0-de08-42ec-b811-52350e94c01e}[iconsize]

Oueries value: HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{36011842-dccc-40fe-aa3d-

6177ea401788}\topviews\{4804caf0-de08-42ec-b811-52350e94c01e}[querytype]

```
Queries value:
HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{36011842-dccc-40fe-aa3d-
6177ea401788}\topviews\{4804caf0-de08-42ec-b811-52350e94c01e}[hidefilenames]
HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{36011842-dccc-40fe-aa3d-
6177ea401788}\topviews\{4804caf0-de08-42ec-b811-52350e94c01e}[datecategorizerinfo]
 Oueries value:
HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{36011842-dccc-40fe-aa3d-
6177ea401788}\topviews\{4804caf0-de08-42ec-b811-52350e94c01e}[childviewid]
HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{36011842-dccc-40fe-aa3d-
6177ea401788}\topviews\{4804caf0-de08-42ec-b811-52350e94c01e}[groupby]
 Queries value:
HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{36011842-dccc-40fe-aa3d-
6177ea401788}\topviews\{4804caf0-de08-42ec-b811-52350e94c01e}[groupascending]
6177ea401788}\topviews\{4804caf0-de08-42ec-b811-52350e94c01e}[stackby]
 Oueries value:
HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{36011842-dccc-40fe-aa3d-
6177ea401788}\topviews\{4804caf0-de08-42ec-b811-52350e94c01e}[primaryproperty]
 Oueries value:
HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{36011842-dccc-40fe-aa3d-
6177ea401788}\topviews\{4804caf0-de08-42ec-b811-52350e94c01e}[primarysettings]
HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{36011842-dccc-40fe-aa3d-
6177ea401788}\topviews\{4804caf0-de08-42ec-b811-52350e94c01e}[columnlist]
 Oueries value:
HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{36011842-dccc-40fe-aa3d-
6177ea401788}\topviews\{4804caf0-de08-42ec-b811-52350e94c01e}[sortbylist]
HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{36011842-dccc-40fe-aa3d-
6177ea401788}\topviews\{4804caf0-de08-42ec-b811-52350e94c01e}[order]
 Oueries value:
HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{36011842-dccc-40fe-aa3d-
6177ea401788}\topviews\{724cded7-242e-425c-b660-86af28ba1567}[name]
 Oueries value:
HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{36011842-dccc-40fe-aa3d-
6177ea401788}\topviews\{724cded7-242e-425c-b660-86af28ba1567}[version]
 Queries value:
HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{36011842-dccc-40fe-aa3d-
```

6177ea401788}\topviews\{724cded7-242e-425c-b660-86af28ba1567}[logicalviewmode]

HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{36011842-dccc-40fe-aa3d-6177ea401788}\topviews\{724cded7-242e-425c-b660-86af28ba1567}[iconsize]

Oueries value:

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{36011842-dccc-40fe-aa3d-6177ea401788}\topviews\{724cded7-242e-425c-b660-86af28ba1567}[querytype] Oueries value:

6177ea401788}\topviews\{724cded7-242e-425c-b660-86af28ba1567}[hidefilenames] Oueries value:

6177ea401788}\topviews\{724cded7-242e-425c-b660-86af28ba1567}[datecategorizerinfo] Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{36011842-dccc-40fe-aa3d-6177ea401788}\topviews\{724cded7-242e-425c-b660-86af28ba1567}[childviewid]

HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{36011842-dccc-40fe-aa3d-6177ea401788}\topviews\{724cded7-242e-425c-b660-86af28ba1567}[groupby] Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{36011842-dccc-40fe-aa3d-6177ea401788}\topviews\{724cded7-242e-425c-b660-86af28ba1567}[groupascending] Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{36011842-dccc-40fe-aa3d-6177ea401788}\topviews\{724cded7-242e-425c-b660-86af28ba1567}[stackby]

HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{36011842-dccc-40fe-aa3d-6177ea401788}\topviews\{724cded7-242e-425c-b660-86af28ba1567}[primaryproperty] Oueries value:

 $6177ea 401788 \} \verb|\topviews| \{724cded7-242e-425c-b660-86af28ba1567\} [primary settings]|$ 

HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{36011842-dccc-40fe-aa3d-6177ea401788}\topviews\{724cded7-242e-425c-b660-86af28ba1567}[columnlist]

HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{36011842-dccc-40fe-aa3d-6177ea401788}\topviews\{724cded7-242e-425c-b660-86af28ba1567}[sortbylist] Queries value:

```
HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{36011842-dccc-40fe-aa3d-
6177ea401788}\topviews\{724cded7-242e-425c-b660-86af28ba1567}[order]
 Queries value:
HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{36011842-dccc-40fe-aa3d-
6177ea401788}\topviews\{bb69f21e-3e71-466e-b8ec-db1a35410985}[name]
HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{36011842-dccc-40fe-aa3d-
6177ea401788}\topviews\{bb69f21e-3e71-466e-b8ec-db1a35410985}[version]
 Oueries value:
HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{36011842-dccc-40fe-aa3d-
6177ea401788}\topviews\{bb69f21e-3e71-466e-b8ec-db1a35410985}[logicalviewmode]
HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{36011842-dccc-40fe-aa3d-
6177ea401788}\topviews\{bb69f21e-3e71-466e-b8ec-db1a35410985}[iconsize]
HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{36011842-dccc-40fe-aa3d-
6177ea401788}\topviews\{bb69f21e-3e71-466e-b8ec-db1a35410985}[querytype]
 Oueries value:
HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{36011842-dccc-40fe-aa3d-
6177ea401788}\topviews\{bb69f21e-3e71-466e-b8ec-db1a35410985}[hidefilenames]
 Oueries value:
HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{36011842-dccc-40fe-aa3d-
6177ea401788}\topviews\{bb69f21e-3e71-466e-b8ec-db1a35410985}[datecategorizerinfo]
 Oueries value:
HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{36011842-dccc-40fe-aa3d-
6177ea401788}\topviews\{bb69f21e-3e71-466e-b8ec-db1a35410985}[childviewid]
 Queries value:
HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{36011842-dccc-40fe-aa3d-
6177ea401788}\topviews\{bb69f21e-3e71-466e-b8ec-db1a35410985}[groupby]
 Oueries value:
HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{36011842-dccc-40fe-aa3d-
6177ea401788}\topviews\{bb69f21e-3e71-466e-b8ec-db1a35410985}[groupascending]
HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{36011842-dccc-40fe-aa3d-
6177ea401788}\topviews\{bb69f21e-3e71-466e-b8ec-db1a35410985}[stackby]
 Oueries value:
HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{36011842-dccc-40fe-aa3d-
6177ea401788}\topviews\{bb69f21e-3e71-466e-b8ec-db1a35410985}[primaryproperty]
 Oueries value:
HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{36011842-dccc-40fe-aa3d-
6177ea401788}\topviews\{bb69f21e-3e71-466e-b8ec-db1a35410985}[primarysettings]
HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{36011842-dccc-40fe-aa3d-
6177ea401788}\topviews\{bb69f21e-3e71-466e-b8ec-db1a35410985}[columnlist]
 Oueries value:
HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{36011842-dccc-40fe-aa3d-
6177ea401788}\topviews\{bb69f21e-3e71-466e-b8ec-db1a35410985}[sortbylist]
 Queries value:
HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{36011842-dccc-40fe-aa3d-
6177ea401788}\topviews\{bb69f21e-3e71-466e-b8ec-db1a35410985}[order]
 Oueries value:
HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{36011842-dccc-40fe-aa3d-
6177ea401788}\topviews\{bd6ab8cf-c0fd-4d50-bc73-7aad9b067958}[name]
HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{36011842-dccc-40fe-aa3d-
6177ea401788}\topviews\{bd6ab8cf-c0fd-4d50-bc73-7aad9b067958}[version]
 Oueries value:
HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{36011842-dccc-40fe-aa3d-
6177ea401788}\topviews\{bd6ab8cf-c0fd-4d50-bc73-7aad9b067958}[logicalviewmode]
 Queries value:
HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{36011842-dccc-40fe-aa3d-
6177ea401788}\topviews\{bd6ab8cf-c0fd-4d50-bc73-7aad9b067958}[iconsize]
 Oueries value:
HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{36011842-dccc-40fe-aa3d-
6177ea401788}\topviews\{bd6ab8cf-c0fd-4d50-bc73-7aad9b067958}[querytype]
 Oueries value:
HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{36011842-dccc-40fe-aa3d-
6177ea401788}\topviews\{bd6ab8cf-c0fd-4d50-bc73-7aad9b067958}[hidefilenames]
6177 ea 401788 \\ \texttt{bd6ab8cf-c0fd-4d50-bc73-7} aad 9b067958 \\ \texttt{[datecategorizerinfo]}
 Oueries value:
HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{36011842-dccc-40fe-aa3d-
6177ea401788}\topviews\{bd6ab8cf-c0fd-4d50-bc73-7aad9b067958}[childviewid]
HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{36011842-dccc-40fe-aa3d-
6177ea401788}\topviews\{bd6ab8cf-c0fd-4d50-bc73-7aad9b067958}[groupby]
```

HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{36011842-dccc-40fe-aa3d-

```
6177ea401788}\topviews\{bd6ab8cf-c0fd-4d50-bc73-7aad9b067958}[groupascending]
 Oueries value:
HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{36011842-dccc-40fe-aa3d-
6177ea401788}\topviews\{bd6ab8cf-c0fd-4d50-bc73-7aad9b067958}[stackby]
 Oueries value:
HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{36011842-dccc-40fe-aa3d-
6177ea401788}\topviews\{bd6ab8cf-c0fd-4d50-bc73-7aad9b067958}[primaryproperty]
HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{36011842-dccc-40fe-aa3d-
6177ea401788}\topviews\{bd6ab8cf-c0fd-4d50-bc73-7aad9b067958}[primarysettings]
 Oueries value:
HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{36011842-dccc-40fe-aa3d-
6177ea401788}\topviews\{bd6ab8cf-c0fd-4d50-bc73-7aad9b067958}[columnlist]
HKLM\software\microsoft\windows\currentversion\explorer\foldertypes\{36011842-dccc-40fe-aa3d-
6177ea401788}\topviews\{bd6ab8cf-c0fd-4d50-bc73-7aad9b067958}[sortbylist]
 Oueries value:
6177 ea 401788 \} \\top views \\\{bd6ab8cf-c0fd-4d50-bc73-7aad9b067958\} [order]
 Queries value:
                         HKCR\clsid\{9cfc2df3-6ba3-46ef-a836-e519e81f0ec4}[]
 Oueries value:
                         HKCR\clsid\{9cfc2df3-6ba3-46ef-a836-
e519e81f0ec4}\inprocserver32[inprocserver32]
 Oueries value:
                         HKCR\clsid\{9cfc2df3-6ba3-46ef-a836-e519e81f0ec4}\inprocserver32[]
 Queries value:
                         HKCR\clsid\{9cfc2df3-6ba3-46ef-a836-
e519e81f0ec4}\inprocserver32[threadingmodel]
                         HKCR\clsid\{76765b11-3f95-4af2-ac9d-ea55d8994f1a}[]
 Queries value:
 Queries value:
                         HKCR\clsid\{76765b11-3f95-4af2-ac9d-
ea55d8994f1a}\inprocserver32[inprocserver32]
                         HKCR\clsid\{76765b11-3f95-4af2-ac9d-ea55d8994f1a}\inprocserver32[]
 Queries value:
                         HKCR\clsid\{76765b11-3f95-4af2-ac9d-
 Oueries value:
ea55d8994f1a}\inprocserver32[threadingmodel]
 Oueries value:
HKCU\software\microsoft\windows\currentversion\explorer\advanced[serveradminui]
                         HKCR\clsid\{b8967f85-58ae-4f46-9fb2-5d7904798f4b}[]
 Oueries value:
 Oueries value:
                         HKCR\clsid\{b8967f85-58ae-4f46-9fb2-
5d7904798f4b}\inprocserver32[inprocserver32]
                         HKCR\clsid\{b8967f85-58ae-4f46-9fb2-5d7904798f4b}\inprocserver32[]
 Queries value:
 Oueries value:
                         HKCR\clsid\{b8967f85-58ae-4f46-9fb2-
5d7904798f4b}\inprocserver32[threadingmodel]
 Queries value:
                         HKCU\software\classes\local
settings\software\microsoft\windows\shell\bags\40\shell[extshellfolderviews\default]
 Oueries value:
                         HKCU\software\classes\local
settings\software\microsoft\windows\shell\bags\allfolders\shell[extshellfolderviews\default]
 Oueries value:
                         HKCU\software\microsoft\windows\currentversion\explorer[iconunderline]
 Oueries value:
                         HKLM\software\microsoft\windows\currentversion\explorer[iconunderline]
 Queries value:
                         HKCR\clsid\{934d4698-6a59-48f8-9f29-9fb30670320e}[]
 Oueries value:
                         HKCR\clsid\{934d4698-6a59-48f8-9f29-
9fb30670320e}\inprocserver32[inprocserver32]
                         HKCR\clsid\{934d4698-6a59-48f8-9f29-9fb30670320e}\inprocserver32[]
 Oueries value:
                         HKCR\clsid\{934d4698-6a59-48f8-9f29-
 Queries value:
9fb30670320e}\inprocserver32[threadingmodel]
 Oueries value:
HKCU\software\microsoft\windows\currentversion\explorer\advanced[growpolicy]
HKLM \setminus software \setminus microsoft \setminus windows \setminus current version \setminus explorer \setminus advanced [growpolicy]
 Oueries value:
HKCU\software\microsoft\windows\currentversion\explorer\advanced[memorydivisor]
 Oueries value:
HKLM\software\microsoft\windows\currentversion\explorer\advanced[memorydivisor]
 Queries value:
HKCU\software\microsoft\windows\currentversion\explorer\advanced[maxthumbnailmemoryinscreenfulls]
 Oueries value:
HKLM\software\microsoft\windows\currentversion\explorer\advanced[maxthumbnailmemoryinscreenfulls]
 Oueries value:
HKCU\software\microsoft\windows\currentversion\explorer\advanced[maxmemory]
 Oueries value:
HKLM\software\microsoft\windows\currentversion\explorer\advanced[maxmemory]
 Oueries value:
HKCU\software\microsoft\windows\currentversion\explorer\advanced[initialpolicy]
 Oueries value:
HKLM\software\microsoft\windows\currentversion\explorer\advanced[initialpolicy]
 Oueries value:
HKLM\software\microsoft\windows\currentversion\explorer\search\preferences[writelog]
                         HKCR\interface\{000214e3-0000-0000-c000-00000000046}\proxystubclsid32[]
 Oueries value:
 Queries value:
                         HKCR\clsid\{c90250f3-4d7d-4991-9b69-a5c5bc1c2ae6}[]
 Oueries value:
                         HKCR\clsid\{c90250f3-4d7d-4991-9b69-
a5c5bc1c2ae6}\inprocserver32[inprocserver32]
                         HKCR\clsid\{c90250f3-4d7d-4991-9b69-a5c5bc1c2ae6}\\\\
 Oueries value:
 Queries value:
                         HKCR\clsid\{c90250f3-4d7d-4991-9b69-
```

```
a5c5bc1c2ae6}\inprocserver32[threadingmodel]
                                                               HKCR\interface\{00000114-0000-0000-c000-00000000046}\proxystubclsid32[]
    Oueries value:
    Queries value:
                                                                HKCR\interface\{6d5140c1-7436-11ce-8034-00aa006009fa}\proxystubclsid32[]
    Oueries value:
                                                               HKCR\clsid\{a4a1a128-768f-41e0-bf75-e4fddd701cba}[]
    Queries value:
                                                               HKCR\clsid\{a4a1a128-768f-41e0-bf75-
e4fddd701cba}\inprocserver32[inprocserver32]
    Queries value:
                                                               HKCR\clsid\{a4a1a128-768f-41e0-bf75-e4fddd701cba}\inprocserver32[]
    Queries value:
                                                               HKCR\clsid\{a4a1a128-768f-41e0-bf75-
e4fddd701cba}\inprocserver32[threadingmodel]
                                                               HKCR\clsid\{7efc002a-071f-4ce7-b265-f4b4263d2fd2}[]
    Queries value:
    Oueries value:
                                                               HKCR\clsid\{7efc002a-071f-4ce7-b265-
f4b4263d2fd2}\inprocserver32[inprocserver32]
                                                               HKCR\clsid\{7efc002a-071f-4ce7-b265-f4b4263d2fd2}\nprocserver32[]
    Oueries value:
                                                                HKCR \clsid \ensuremath{\{} 7efc002a-071f-4ce7-b265-
    Oueries value:
f4b4263d2fd2}\inprocserver32[threadingmodel]
                                                                HKCR\clsid\{d58960ba-2ef3-4910-9e34-c911b1710180}[]
    Queries value:
                                                               HKCR\clsid\{d58960ba-2ef3-4910-9e34-
    Queries value:
c911b1710180}\inprocserver32[inprocserver32]
                                                               HKCR\clsid\{d58960ba-2ef3-4910-9e34-c911b1710180}\inprocserver32[]
    Queries value:
    Queries value:
                                                               HKCR\clsid\{d58960ba-2ef3-4910-9e34-
c911b1710180}\inprocserver32[threadingmodel]
    Queries value:
                                                               HKCR\clsid\{59031a47-3f72-44a7-89c5-
5595fe6b30ee}\shellfolder[attributes]
    Oueries value:
                                                               HKCR\clsid\{59031a47-3f72-44a7-89c5-
5595fe6b30ee}\shellfolder[callforattributes]
                                                               HKCR\clsid\{59031a47-3f72-44a7-89c5-
    Queries value:
5595fe6b30ee}\shellfolder[restrictedattributes]
                                                               HKCR\clsid\{59031a47-3f72-44a7-89c5-
    Oueries value:
5595fe6b30ee}\shellfolder[wantsfordisplay]
    Oueries value:
                                                               HKCR\clsid\{59031a47-3f72-44a7-89c5-
5595fe6b30ee}\shellfolder[hidefolderverbs]
                                                               HKCR\clsid\{59031a47-3f72-44a7-89c5-
    Oueries value:
5595fe6b30ee}\shellfolder[usedrophandler]
                                                               HKCR\clsid\{59031a47-3f72-44a7-89c5-
    Oueries value:
5595fe6b30ee}\shellfolder[wantsforparsing]
                                                               HKCR\clsid\{59031a47-3f72-44a7-89c5-
    Oueries value:
5595fe6b30ee}\shellfolder[wantsparsedisplayname]
    Queries value:
                                                               HKCR\clsid\{59031a47-3f72-44a7-89c5-
5595fe6b30ee}\shellfolder[queryforoverlay]
    Queries value:
                                                               HKCR\clsid\{59031a47-3f72-44a7-89c5-
5595fe6b30ee}\shellfolder[mapnetdriveverbs]
    Queries value:
                                                               HKCR\clsid\{59031a47-3f72-44a7-89c5-
5595fe6b30ee}\shellfolder[queryforinfotip]
    Queries value:
                                                               HKCR\clsid\{59031a47-3f72-44a7-89c5-
5595fe6b30ee}\shellfolder[hideinwebview]
    Queries value:
                                                               HKCR\clsid\{59031a47-3f72-44a7-89c5-
5595fe6b30ee}\shellfolder[hideondesktopperuser]
                                                                HKCR\clsid\{59031a47-3f72-44a7-89c5-
    Queries value:
5595fe6b30ee}\shellfolder[wantsaliasednotifications]
                                                               HKCR\clsid\{59031a47-3f72-44a7-89c5-
    Queries value:
5595fe6b30ee}\shellfolder[wantsuniversaldelegate]
    Queries value:
                                                               HKCR\clsid\{59031a47-3f72-44a7-89c5-
5595fe6b30ee}\shellfolder[nofilefolderjunction]
                                                               HKCR\clsid\{59031a47-3f72-44a7-89c5-
    Oueries value:
5595fe6b30ee}\shellfolder[pintonamespacetree]
                                                                HKCR\clsid\{59031a47-3f72-44a7-89c5-
    Queries value:
5595fe6b30ee}\shellfolder[hasnavigationenum]
    Queries value:
HKLM\software\microsoft\windows\currentversion\policies\nonenum[{59031a47-3f72-44a7-89c5-
5595fe6b30ee}]
    Queries value:
HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{f3ce0f7c-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-490
8648-d5d44b04ef8f}[category]
    Oueries value:
HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f3ce0f7c-4901-4acc-
8648-d5d44b04ef8f}[name]
HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{f3ce0f7c-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-490
8648-d5d44b04ef8f}[parentfolder]
    Queries value:
HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ `folder descriptions \ `\{f3ce0 f7c-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4
8648-d5d44b04ef8f}[description]
    Oueries value:
HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f3ce0f7c-4901-4acc-
8648-d5d44b04ef8f}[relativepath]
    Oueries value:
HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f3ce0f7c-4901-4acc-
8648-d5d44b04ef8f}[parsingname]
    Queries value:
```

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f3ce0f7c-4901-4acc-8648-d5d44b04ef8f}[infotip] Queries value: HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f3ce0f7c-4901-4acc-8648-d5d44b04ef8f}[localizedname] Queries value:  $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{f3ce0f7c-4901-4acc-490$ 8648-d5d44b04ef8f}[icon] Oueries value: HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f3ce0f7c-4901-4acc-8648-d5d44b04ef8f}[security] Queries value: HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f3ce0f7c-4901-4acc-8648-d5d44b04ef8f}[streamresource] Oueries value: HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f3ce0f7c-4901-4acc-8648-d5d44b04ef8f}[streamresourcetype] Queries value:  $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{f3ce0f7c-4901-4acc-4901$ 8648-d5d44b04ef8f}[localredirectonly] Queries value: HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f3ce0f7c-4901-4acc-8648-d5d44b04ef8f}[roamable] Oueries value: HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f3ce0f7c-4901-4acc-8648-d5d44b04ef8f}[precreate] Queries value:  $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{f3ce0f7c-4901-4acc-490$ 8648-d5d44b04ef8f}[stream] Oueries value: HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f3ce0f7c-4901-4acc-8648-d5d44b04ef8f}[publishexpandedpath] HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f3ce0f7c-4901-4acc-8648-d5d44b04ef8f}[attributes] Oueries value: HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f3ce0f7c-4901-4acc-8648-d5d44b04ef8f}[foldertypeid] Oueries value: HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f3ce0f7c-4901-4acc-8648-d5d44b04ef8f}[initfolderhandler] HKCU\software\microsoft\windows\currentversion\explorer\clsid\{20d04fe0-Oueries value: 3aea-1069-a2d8-08002b30309d}\defaulticon[] Queries value: HKCU\software\microsoft\windows\currentversion\explorer\clsid\{20d04fe0-3aea-1069-a2d8-08002b30309d}\defaulticon[openicon]

 $\label{lem:lem:queries} Queries \ value: HKCU\software\microsoft\windows\currentversion\explorer\clsid\{20d04fe0-3aea-1069-a2d8-08002b30309d}[]$ 

aea-1069-a208-08002030303090}[]

Queries value: HKCR\clsid\{20d04fe0-3aea-1069-a2d8-08002b30309d}[localizedstring]

Queries value:

 $\label{lem:hkcu} HKCU \software \microsoft \windows \current version \explorer \mountpoints 2 \{69d250e4-6c18-11e3-b3bc-806e6f6e6963\} [\_label from reg]$ 

Queries value:

 $HKCU \ software \ microsoft \ windows \ current version \ explorer [showdrive letters first]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer [showdrive letters first]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \{fd228cb7-ae11-4ae3-864c-16f3910ab8fe\}[category]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \fd228 cb7-ae11-4ae3-864 c-16f3910 ab8 fe \finame\]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \{fd228cb7-ae11-4ae3-864c-16f3910ab8fe\} \ [parent folder]$ 

Queries value

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \{fd 228 cb7-ae 11-4 ae 3-864 c-16f 3910 ab 8 fe \} [description]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{fd228cb7-ae11-4ae3-864c-16f3910ab8fe}\[relative\path]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \{fd228cb7-ae11-4ae3-864c-16f3910ab8fe\}[parsing name]$ 

Queries value:

 $HKLM\software\mbox{microsoft\windows\currentversion\explorer\folderdescriptions\fd228cb7-ae11-4ae3-864c-16f3910ab8fe} [infotip]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \{fd228cb7-ae11-4ae3-864c-16f3910ab8fe\}[localized name]$ 

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \{fd228cb7-ae11-4ae3-864c-16f3910ab8fe\}[icon]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \{fd228cb7-ae11-4ae3-864c-16f3910ab8fe\}[security]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \{fd228cb7-ae11-4ae3-864c-16f3910ab8fe\} \ [stream resource]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \{fd228cb7-ae11-4ae3-864c-16f3910ab8fe\}[stream resource type]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{fd228cb7-ae11-4ae3-864c-16f3910ab8fe}[localredirectonly]

Queries value

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \{fd228cb7-ae11-4ae3-864c-16f3910ab8fe\} \ [roamable]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \{fd228cb7-ae11-4ae3-864c-16f3910ab8fe\}[precreate]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \{fd228cb7-ae11-4ae3-864c-16f3910ab8fe\}[stream]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \{fd228cb7-ae11-4ae3-864c-16f3910ab8fe\} [publish expanded path]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \{fd 228 cb7-ae 11-4 ae 3-864 c-16f 3910 ab 8 fe \} [attributes]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \{fd228cb7-ae11-4ae3-864c-16f3910ab8fe\}[folder typeid]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{fd228cb7-ae11-4ae3-864c-16f3910ab8fe\} \ [initfolder handler]$ 

Queries value:

 $\label{thm:current} \begin{tabular}{ll} HKCU \software \verb|\microsoft| windows \verb|\currentversion| explorer \verb|\cabinetstate[settings]| \\ \end{tabular}$ 

Queries value:

 $\label{local-operator} HKCU \ software \ microsoft \ windows \ current version \ explorer \ cabinet state [full path]$ 

Queries value:

HKCU\software\microsoft\windows\currentversion\explorer\comdlg32\cidsizemru[0]

Queries value:

HKCU\software\microsoft\windows\currentversion\explorer\comdlg32\cidsizemru[2]

Queries value:

 $HKCU \setminus software \setminus microsoft \setminus windows \setminus current version \setminus explorer \setminus comdlg 32 \setminus cidsizemru[1]$ 

Queries value: HKLM\software\microsoft\windows search[systemindexnormalization]

Queries value:

 $\label{lem:hkkm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \f$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \ \{d0384e7d-bac3-4797-8f14-cba229b392b5\} \ [name]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ '\{d0384e7d-bac3-4797-8f14-cba229b392b5\}[parent folder]$ 

Queries value:

Queries value:

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \ \{d0384e7d-bac3-4797-8f14-cba229b392b5\} \ [parsing name]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d0384e7d-bac3-4797-8f14-cba229b392b5}[infotip]

Queries value:

 $\label{lem:hkkm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \ \{d0384e7d-bac3-4797-8f14-cba229b392b5\} \ [icon]$ 

Queries value:

Queries value:

8f14-cba229b392b5}[streamresource]

Oueries value:

Queries value:

 $HKLM\software\mbox{$M$ icrosoft\windows\currentversion} explorer\folderdescriptions \dos 4797-8f14-cba 229b392b5\flocal redirectonly\floar\flo$ 

Oueries value:

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \ \{d0384e7d-bac3-4797-8f14-cba229b392b5\}[precreate]$ 

Oueries value

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \ \{d0384e7d-bac3-4797-8f14-cba229b392b5\} [stream]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \ \{d0384e7d-bac3-4797-8f14-cba229b392b5\} \ [publish expanded path]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d0384e7d-bac3-4797-8f14-cba229b392b5\}[attributes]$ 

Oueries value:

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ '\{d0384e7d-bac3-4797-8f14-cba229b392b5\}[init folder handler]$ 

Queries value: HKLM\software\microsoft\windows\currentversion\explorer\user shell

folders[common administrative tools]

Queries value:

 $\label{thm:local-continuous} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7b0db17d-9cd2-4a93-9733-46cc89022e7c\}\[category\]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{7b0db17d-9cd2-4a93-9733-46cc89022e7c\} \ [name]$ 

Queries value:

 $\label{thm:local-prop} $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7b0db17d-9cd2-4a93-9733-46cc89022e7c}\ [parentfolder]$ 

Queries value:

 $\label{thm:local-equation} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder$ 

Oueries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \descriptions \folder \folder \descriptions \folder \descriptions \folder \descriptions \folder \folde$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7b0db17d-9cd2-4a93-9733-46cc89022e7c}\ [parsing name]$ 

Queries value:

Queries value:

 $\label{thm:localized} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \fo$ 

Queries value:

 $\label{thm:local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \f$ 

Queries value:

Queries value:

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7b0db17d-9cd2-4a93-9733-46cc89022e7c}[streamresourcetype]

Queries value

Queries value:

Queries value:

Queries value:

 $\label{thm:local-equation} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folde$ 

 $\label{thm:local-problem} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7b0db17d-9cd2-4a93-9733-46cc89022e7c}\ [publishexpandedpath]$ 

Queries value:

Queries value:

 $\label{thm:local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \f$ 

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7b0db17d-9cd2-4a93-9733-46cc89022e7c}\[initfolderhandler]$ 

Queries value: HKCU\software\microsoft\windows\currentversion\explorer\user shell

folders[{7b0db17d-9cd2-4a93-9733-46cc89022e7c}]

Oueries value

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{9274bd8d-cfd1-41c3-b35e-b13f55a758f4\}[category]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{9274bd8d-cfd1-41c3-b35e-b13f55a758f4\}[name]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{9274bd8d-cfd1-41c3-b35e-b13f55a758f4\}[parent folder]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{9274bd8d-cfd1-41c3-b35e-b13f55a758f4\} [description]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ current version \ `explorer \ folder descriptions \ \{9274bd8d-cfd1-41c3-b35e-b13f55a758f4\} [relative path]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ current version \ `explorer \ folder descriptions \ \{9274bd8d-cfd1-41c3-b35e-b13f55a758f4\} \ [parsing name]$ 

Queries value:

 $\label{thm:local-continuous} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \fold$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{9274bd8d-cfd1-41c3-b35e-b13f55a758f4\}[localized name]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{9274bd8d-cfd1-41c3-b35e-b13f55a758f4\}[icon]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \ \{9274bd8d-cfd1-41c3-b35e-b13f55a758f4\} [security]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{9274bd8d-cfd1-41c3-b35e-b13f55a758f4\}[stream resource]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ current version \ `explorer \ folder descriptions \ \ \{9274bd8d-cfd1-41c3-b35e-b13f55a758f4\} [stream resource type]$ 

Queries value

 $HKLM \ software \ `microsoft \ `windows \ current version \ `explorer \ folder descriptions \ \ \{9274bd8d-cfd1-41c3-b35e-b13f55a758f4\} \ [local redirect only]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ current version \ `explorer \ folder descriptions \ \ \{9274bd8d-cfd1-41c3-b35e-b13f55a758f4\} \ [roamable]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{9274bd8d-cfd1-41c3-b35e-b13f55a758f4\}[precreate]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{9274bd8d-cfd1-41c3-b35e-b13f55a758f4\}[stream]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{9274bd8d-cfd1-41c3-b35e-b13f55a758f4\} \ [publish expanded path]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{9274bd8d-cfd1-41c3-b35e-b13f55a758f4\} \ [attributes]$ 

Queries value:

 $\label{thm:microsoft} $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{9274bd8d-cfd1-41c3-b35e-b13f55a758f4\}[foldertypeid]$$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{9274bd8d-cfd1-41c3-b35e-b13f55a758f4\}[initfolder handler]$ 

Queries value: HKCU\software\microsoft\windows\currentversion\explorer\user shell

folders[printhood]

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{69d2cf90-fc33-4fb7-9a0c-ebb0f0fcb43c\}\[category\]$ 

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{69d2cf90-fc33-4fb7-9a0c-ebb0f0fcb43c}\[name]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ current version \ explorer \ folder descriptions \ \{69d2cf90-fc33-4fb7-9a0c-ebb0f0fcb43c\} \ [parent folder]$ 

Queries value:

 $\label{thm:local-continuous} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \fold$ 

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{69d2cf90-fc33-4fb7-9a0c-ebb0f0fcb43c}\[relative\path]$ 

Queries value:

 $\label{thm:local-continuous} HKLM software \ensurements ion \ensurements folder descriptions \ensurements (69d2cf90-fc33-4fb7-9a0c-ebb0f0fcb43c) [parsing name]$ 

Oueries value:

Queries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{69d2cf90-fc33-4fb7-9a0c-ebb0f0fcb43c}\[localizedname]$ 

Queries value:

 $\label{thm:local-condition} HKLM software \ensurements ion \ensurements folder descriptions \ensurements (69d2cf90-fc33-4fb7-9a0c-ebb0f0fcb43c) [icon]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{69d2cf90-fc33-4fb7-9a0c-ebb0f0fcb43c}[security]

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{69d2cf90-fc33-4fb7-9a0c-ebb0f0fcb43c\}[streamresource]}$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ current version \ `explorer \ folder descriptions \ \{69d2cf90-fc33-4fb7-9a0c-ebb0f0fcb43c\} [stream resource type]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ current version \ `explorer \ folder descriptions \ \{69d2cf90-fc33-4fb7-9a0c-ebb0f0fcb43c\} \ [local redirectonly]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{69d2cf90-fc33-4fb7-9a0c-ebb0f0fcb43c\}\[roamable]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{69d2cf90-fc33-4fb7-9a0c-ebb0f0fcb43c\}[precreate]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ current version \ explorer \ folder descriptions \ \{69d2cf90-fc33-4fb7-9a0c-ebb0f0fcb43c\} \ [publish expanded path]$ 

Queries value

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{69d2cf90-fc33-4fb7-9a0c-ebb0f0fcb43c\} \ [attributes]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{69d2cf90-fc33-4fb7-9a0c-ebb0f0fcb43c} \[folder type id] \]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{69d2cf90-fc33-4fb7-9a0c-ebb0f0fcb43c\}[initfolder handler]$ 

Queries value: HKCU\software\microsoft\windows\currentversion\explorer\user shell folders[{69d2cf90-fc33-4fb7-9a0c-ebb0f0fcb43c}]

Queries value:

 $\label{thm:local-prop} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{374de290-123f-4565-9164-39c4925e467b}\[category\]$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{374de290-123f-4565-9164-39c4925e467b}fname1

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{374 de 290-123 f-4565-9164-39c4925e 467b\} \ [parent folder]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{374de290-123f-4565-9164-39c4925e467b\}[description]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{374 de 290-123 f-4565-9164-39c4925e 467b\} [relative path]$ 

Oueries value:

Queries value:

Oueries value:

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{374 de 290-123 f-4565-9164-39c4925e 467b\} [security]$ 

Queries value:

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{374 de 290-123 f-4565-9164-39c4925e 467b\} \ [stream resource type]$ 

Queries value

 $\label{thm:local} HKLM software \verb|\microsoft| windows \verb|\currentversion| explorer \verb|\folderdescriptions| (374de290-123f-4565-9164-39c4925e467b) [local redirectonly]$ 

Oueries value:

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cal{lem:hklmsoftware} and \cal{lem:hklmsoftwa$ 

Queries value:

Queries value:

 $\label{lem:hkkm} HKLM software \ensurements ion \explorer \folder descriptions \folder \fol$ 

Oueries value

Queries value:

 $\label{thm:local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \f$ 

Queries value:

Queries value:  $HKCU\software\microsoft\windows\currentversion\explorer\user shell folders[{374de290-123f-4565-9164-39c4925e467b}]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{859ead94-2e85-48ad-a71a-0969cb56a6cd\} \ [category]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{859ead94-2e85-48ad-a71a-0969cb56a6cd\} \ [name]$ 

Queries value:

 $\label{thm:local-equation} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ \ \{859ead94-2e85-48ad-a71a-0969cb56a6cd\} \cite{Months of the property of the$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{859ead94-2e85-48ad-a71a-0969cb56a6cd\} \ [description]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{859ead94-2e85-48ad-a71a-0969cb56a6cd\} [relative path]$ 

Queries value:

 $\label{thm:local-equation} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cal{local-eq} \cal{local-eq}$ 

Queries value:

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{859ead94-2e85-48ad-a71a-0969cb56a6cd\} \ [localized name]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{859ead94-2e85-48ada71a-0969cb56a6cd}[icon]

Queries value:

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{859ead94-2e85-48ad-a71a-0969cb56a6cd\} [stream resource]$ 

Queries value:

 $HKLM\software\mbox{$k$indows\currentversion\explorer\folderdescriptions\{859ead94-2e85-48ad-a71a-0969cb56a6cd}[streamresourcetype]}$ 

Queries value:

a71a-0969cb56a6cd}[localredirectonly]

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{859ead94-2e85-48ad-a71a-0969cb56a6cd\} \ 'roamable \ 'load \ 'load \ 'load \ 'roamable \ 'load \ 'lo$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{859ead94-2e85-48ad-a71a-0969cb56a6cd\} \ [precreate]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{859ead94-2e85-48ad-a71a-0969cb56a6cd\} [stream]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \ \{859ead94-2e85-48ad-a71a-0969cb56a6cd\} \ [publish expanded path]$ 

Oueries value

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{859ead94-2e85-48ad-a71a-0969cb56a6cd}\{attributes\}}$ 

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{859ead94-2e85-48ad-a71a-0969cb56a6cd\} \ [folder typeid]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{859ead94-2e85-48ad-a71a-0969cb56a6cd\} [init folder handler]$ 

Queries value: HKLM\software\microsoft\windows\currentversion\explorer\user shell folders[{859ead94-2e85-48ad-a71a-0969cb56a6cd}]

Queries value:

 $\label{lem:hklmsoftware} HKLM software \ensurements ion \explorer \folder descriptions \ensurements \folder descriptions \folder \f$ 

Oueries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a305ce99-f527-492b-8b1a-7e76fa98d6e4}\$ [name]

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \ \{a305ce99-f527-492b-8b1a-7e76fa98d6e4\} \ [parent folder]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{a305ce99-f527-492b-8b1a-7e76fa98d6e4\} \ [description]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{a305ce99-f527-492b-8b1a-7e76fa98d6e4\}[relative path]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{a305ce99-f527-492b-8b1a-7e76fa98d6e4\}[parsing name]$ 

Oueries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{a305ce99-f527-492b-8b1a-7e76fa98d6e4\}[localized name]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{a305ce99-f527-492b-8b1a-7e76fa98d6e4\} \ [icon]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{a305ce99-f527-492b-8b1a-7e76fa98d6e4\}[security]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{a305ce99-f527-492b-8b1a-7e76fa98d6e4\}[stream resource]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a305ce99-f527-492b-8b1a-7e76fa98d6e4}[streamresourcetype]

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ current version \ explorer \ folder descriptions \ \{a305ce99-f527-492b-8b1a-7e76fa98d6e4\} \ [local redirectonly]$ 

Queries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a305ce99-f527-492b-8b1a-7e76fa98d6e4\}\[roamable]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{a305ce99-f527-492b-8b1a-7e76fa98d6e4\}[precreate]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a305ce99-f527-492b-8b1a-7e76fa98d6e4}[stream]

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{a305ce99-f527-492b-8b1a-7e76fa98d6e4\} [publish expanded path]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{a305ce99-f527-492b-8b1a-7e76fa98d6e4\}[attributes]$ 

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \ \{a305ce99-f527-492b-8b1a-7e76fa98d6e4\} [folder typeid]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{a305ce99-f527-492b-8b1a-7e76fa98d6e4\} \ [init folder handler]$ 

Queries value:

 $\label{thm:local-positive} HKLM software \ensurements ion \ensurements folder descriptions \ensurements \en$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3d644c9b-1fb8-4f30-9b45-f670235f79c0\}[name]$ 

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3d644c9b-1fb8-4f30-9b45-f670235f79c0\}\cite{Continuous}\c$ 

Oueries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3d644c9b-1fb8-4f30-9b45-f670235f79c0\}[description]}$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \descriptions \folder \folder \folder \descriptions \folder \fol$ 

Queries value:

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3d644c9b-1fb8-4f30-9b45-f670235f79c0\}[infotip]}$ 

Queries value:

 $\label{thm:localized} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \fo$ 

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\folder$ 

Queries value:

Queries value:

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3d644c9b-1fb8-4f30-9b45-f670235f79c0}[streamresourcetype]

Oueries value:

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{3d644c9b-1fb8-4f30-9b45-f67023f79c0\} \ [roamable]$ 

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3d644c9b-1fb8-4f30-9b45-f670235f79c0\}[precreate]}$ 

Queries value:

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{3d644c9b-1fb8-4f30-9b45-f67023f79c0\} \ [publish expanded path]$ 

Queries value:

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3d644c9b-1fb8-4f30-9b45-f670235f79c0}[foldertypeid]

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{3d644c9b-1fb8-4f30-9b45-f670235f79c0\} [init folder handler]$ 

Queries value:  $HKLM\software\microsoft\windows\currentversion\explorer\user shell folders[{3d644c9b-1fb8-4f30-9b45-f670235f79c0}]$ 

Queries value:

 $\label{thm:local-prop} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a990ae9f-a03b-4e80-94bc-9912d7504104\}[category]$$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \ \{a990ae9f-a03b-4e80-94bc-9912d7504104\} \ [name]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a990ae9f-a03b-4e80-94bc-9912d7504104\} \ [parent folder]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{a990ae9f-a03b-4e80-94bc-9912d7504104\} [description]$ 

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a990ae9f-a03b-4e80-94bc-9912d7504104}[relativepath]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a990ae9f-a03b-4e80-94bc-9912d7504104}[parsingname]

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `a990ae9f-a03b-4e80-94bc-9912d7504104 \ [infotip]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `a990ae9f-a03b-4e80-94bc-9912d7504104 \ [localized name]$ 

Oueries value:

 $HKLM\software\mbox{microsoft\windows\currentversion\explorer\folderdescriptions\{a990ae9f-a03b-4e80-94bc-9912d7504104\}\cite{Configure}} \label{eq:hklm}$ 

Oueries value

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a990ae9f-a03b-4e80-94bc-9912d7504104\}[security]$ 

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a990ae9f-a03b-4e80-94bc-9912d7504104\}[streamresource]}$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ current version \ explorer \ folder descriptions \ \{a990ae9f-a03b-4e80-94bc-9912d7504104\} [stream resource type]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a990ae9f-a03b-4e80-94bc-9912d7504104}[localredirectonly]

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `a990 a e 9f-a 0 3b-4e 80-94bc-9912d 7504 104 \} [precreate]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a990ae9f-a03b-4e80-94bc-9912d7504104\} \ [stream]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `a990ae9f-a03b-4e80-94bc-9912d7504104 \ [publish expanded path]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a990ae9f-a03b-4e80-94bc-9912d7504104\}[attributes]}$ 

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `a990ae9f-a03b-4e80-94bc-9912d7504104 \ [folder typeid]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a990ae9f-a03b-4e80-94bc-9912d7504104\}[initfolderhandler]}$ 

Queries value: HKCU\software\microsoft\windows\currentversion\explorer\user shell

folders[{a990ae9f-a03b-4e80-94bc-9912d7504104}]

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{1a6fdba2-f42d-4358-a798-b74d745926c5\}[category]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{1a6fdba2-f42d-4358-a798-b74d745926c5\}[name]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{1a6fdba2-f42d-4358-a798-b74d745926c5\}[parent folder]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{1a6fdba2-f42d-4358-a798-b74d745926c5\} [description]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{1a6fdba2-f42d-4358-a798-b74d745926c5\}[relative path]$ 

Queries value:

 $\label{thm:local-prop} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1a6fdba2-f42d-4358-a798-b74d745926c5\}[parsingname]}$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{1a6fdba2-f42d-4358-a798-b74d745926c5\}[infotip]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{1a6fdba2-f42d-4358-a798-b74d745926c5\}[localized name]$ 

Queries value:

 $HKLM\software\mbox{$1a6fdba2-f42d-4358-a798-b74d745926c5}[icon] \\$ 

Queries value:

a798-b74d745926c5}[security]

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{1a6fdba2-f42d-4358-a798-b74d745926c5\}[stream resource]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{1a6fdba2-f42d-4358-a798-b74d745926c5\} \ [stream resource type]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ current version \ `explorer \ folder descriptions \ \{1a6fdba2-f42d-4358-a798-b74d745926c5\} \ [local redirect only]$ 

Oueries value:

Oueries value

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{1a6fdba2-f42d-4358-a798-b74d745926c5\}[stream]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{1a6fdba2-f42d-4358-a798-b74d745926c5\} [publish expanded path]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{1a6fdba2-f42d-4358-a798-b74d745926c5\}[attributes]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ current version \ `explorer \ folder descriptions \ \{1a6fdba2-f42d-4358-a798-b74d745926c5\} [folder type id]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ current version \ explorer \ folder descriptions \ \{1a6fdba2-f42d-4358-a798-b74d745926c5\} [initfolder handler]$ 

Queries value: HKLM\software\microsoft\windows\currentversion\explorer\user shell folders[{1a6fdba2-f42d-4358-a798-b74d745926c5}]

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a520a1a4-1780-4ff6-bd18-167343c5af16\}\cite{Category}\]$ 

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a520a1a4-1780-4ff6-bd18-167343c5af16\}[name]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{a520a1a4-1780-4ff6-bd18-167343c5af16\}' [parent folder]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{a520a1a4-1780-4ff6-bd18-167343c5af16\}' [description]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `a520a1a4-1780-4ff6-bd18-167343c5af16 \ [relative path]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{a520a1a4-1780-4ff6-bd18-167343c5af16\}' [parsing name]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \fast a 4-1780-4ff6-bd18-167343c5af16 \cite{lem:hklmsoftware} in \cite{lem:hklmsoftware} \mbox{ a 520a1a4-1780-4ff6-bd18-167343c5af16} \cite{lem:hklmsoftware} \mbox{ a 520a1a4-1780-4ff6-bd18-16734c5af16} \cite{lem:hklmsoftware} \mbox{ a 5$ 

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `a520a1a4-1780-4ff6-bd18-167343c5af16 \ [localized name]$ 

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a520a1a4-1780-4ff6-bd18-167343c5af16\}[icon]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{a520a1a4-1780-4ff6-bd18-167343c5af16\}' [security]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{a520a1a4-1780-4ff6-bd18-167343c5af16\} \ [stream resource]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `a520a1a4-1780-4ff6-bd18-167343c5af16 \ [stream resource type]$ 

Oueries value:

 $\label{thm:local} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \folder$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{a520a1a4-1780-4ff6-bd18-167343c5af16\} \ [roamable]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{a520a1a4-1780-4ff6-bd18-167343c5af16\}[precreate]$ 

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \ \{a520a1a4-1780-4ff6-bd18-167343c5af16\} \ [stream]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{a520a1a4-1780-4ff6-bd18-167343c5af16\} \ [publish expanded path]$ 

Queries value:

Oueries value:

 $\label{thm:local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder \folder$ 

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a520a1a4-1780-4ff6-bd18-167343c5af16\}[initfolderhandler]}$ 

Queries value:  $HKCU\software\microsoft\windows\currentversion\explorer\user shell folders[{a520a1a4-1780-4ff6-bd18-167343c5af16}]$ 

Queries value:

 $\label{thm:local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \f$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{b88f4daa-e7bd-49a9-b74d-02885a5dc765\} [name]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{b88f4daa-e7bd-49a9-b74d-02885a5dc765\} [parent folder]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{b88f4daa-e7bd-49a9-b74d-02885a5dc765\} [description]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \gamma 688f4 \folder \folder \folder \gamma 688f4 \gamm$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{b88f4daa-e7bd-49a9-b74d-02885a5dc765\} \ [parsing name]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{b88f4daa-e7bd-49a9-b74d-02885a5dc765\}[infotip]$ 

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b88f4daa-e7bd-49a9-b74d-02885a5dc765\}[localizedname]}$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{b88f4daa-e7bd-49a9-b74d-02885a5dc765\}[icon]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{b88f4daa-e7bd-49a9-b74d-02885a5dc765\}[security]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{b88f4daa-e7bd-49a9-b74d-02885a5dc765\}[stream resource]$ 

Queries value

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{b88f4daa-e7bd-49a9-b74d-02885a5dc765\} \ [stream resource type]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ current version \ explorer \ folder descriptions \ \{b88f4daa-e7bd-49a9-b74d-02885a5dc765\} \ [local redirectonly]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{b88f4daa-e7bd-49a9-b74d-02885a5dc765\} \ [roamable]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{b88f4daa-e7bd-49a9-b74d-02885a5dc765\}[precreate]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{b88f4daa-e7bd-49a9-b74d-02885a5dc765\} \ [stream]$ 

Queries value

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{b88f4daa-e7bd-49a9-b74d-02885a5dc765\} [publish expanded path]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ current version \ explorer \ folder descriptions \ \{b88f4daa-e7bd-49a9-b74d-02885a5dc765\} \ [attributes]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{b88f4daa-e7bd-49a9-b74d-02885a5dc765\}[folder typeid]$ 

Oueries value:

 $HKLM\software\mbox{b88f4daa-e7bd-49a9-b74d-02885a5dc765}[initfolderhandler]}$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \ \{2c36c0aa-5812-4b87-bfd0-4cd0dfb19b39\} \ [name]$ 

Oueries value:

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \ \{2c36c0aa-5812-4b87-bfd0-4cd0dfb19b39\} \ [description]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \ \{2c36c0aa-5812-4b87-bfd0-4cd0dfb19b39\} \ [relative path]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \ \{2c36c0aa-5812-4b87-bfd0-4cd0dfb19b39\} \ [parsing name]$ 

Queries value

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \ \{2c36c0aa-5812-4b87-bfd0-4cd0dfb19b39\} \ [localized name]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \folder descriptions \current \folder \$ 

Oueries value:

 $\label{lem:hklm} HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \ \{2c36c0aa-5812-4b87-bfd0-4cd0dfb19b39\} \ [security]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \ \{2c36c0aa-5812-4b87-bfd0-4cd0dfb19b39\} \ [stream resource]$ 

Queries value:

Queries value:

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \ \{2c36c0aa-5812-4b87-bfd0-4cd0dfb19b39\} \ [roamable]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \ \{2c36c0aa-5812-4b87-bfd0-4cd0dfb19b39\} \ [precreate]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \ \{2c36c0aa-5812-4b87-bfd0-4cd0dfb19b39\} \ [stream]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \ \{2c36c0aa-5812-4b87-bfd0-4cd0dfb19b39\} \ [publish expanded path]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \ \{2c36c0aa-5812-4b87-bfd0-4cd0dfb19b39\} \ [attributes]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \ \{2c36c0aa-5812-4b87-bfd0-4cd0dfb19b39\} \ [folder typeid]$ 

Oueries value:

 $\label{lem:ham} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2c36c0aa-5812-4b87-bfd0-4cd0dfb19b39\}[initfolderhandler]}$ 

Queries value: HKCU\software\microsoft\windows\currentversion\explorer\user shell folders[{2c36c0aa-5812-4b87-bfd0-4cd0dfb19b39}]

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder\folder \folder \folder \folder \folder \folder \folder \folder \$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \ \{df7266ac-9274-4867-8d55-3bd661de872d\} \ [name]$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{df7266ac-9274-4867-8d55-3bd661de872d}[parentfolder]

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cal{df7266} df7266 ac-9274-4867-8d55-3bd661 de872d \cdot{[description]}$ 

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \ \{df7266ac-9274-4867-8d55-3bd661de872d\} \ [relative path]$ 

Queries value:

 $HKLM\software\mbox{$M$ icrosoft\windows\currentversion} explorer\folderdescriptions \{df7266ac-9274-4867-8d55-3bd661de872d}\ [parsing name]$ 

Queries value:

8d55-3bd661de872d}[infotip]

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \ \{df7266ac-9274-4867-8d55-3bd661de872d\} \ [localized name]$ 

Queries value:

 $HKLM\software\mbox{\scale} windows\currentversion\explorer\folderdescriptions\folderdes$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder\folder \folder \folder \folder \folder \folder \folder \folder \$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{df7266ac-9274-4867-8d55-3bd661de872d}[streamresource]

Oueries value

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \ \{df7266ac-9274-4867-8d55-3bd661de872d\} [stream resource type]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \ \{df7266ac-9274-4867-8d55-3bd661de872d\} \ [local redirectonly]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{df7266ac-9274-4867-8d55-3bd661de872d\}\[roamable]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \ \{df7266ac-9274-4867-8d55-3bd661de872d\} \ [precreate]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \ \{df7266ac-9274-4867-8d55-3bd661de872d\} [stream]$ 

Queries value:

 $\label{lem:hkkm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder$ 

Queries value:

 $\label{thm:local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \f$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{df7266ac-9274-4867-8d55-3bd661de872d\}' [folder type id]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \ \{df7266ac-9274-4867-8d55-3bd661de872d\} [initfolder handler]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \ \{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27\} \ [category]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \ \{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27\} \ [name]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \ \{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27\} \ [parent folder]$ 

Queries value

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \ \{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27\} \ [description]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \ \{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27\} [relative path]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \ \{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27\} \ [parsing name]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \ \{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27\} [infotip]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \ \{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27\} \ [localized name]$ 

Queries value:

Oueries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27\}[security]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \ \{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27\} [stream resource]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ '\{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27\} [stream resource type]$ 

Queries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27\}\[localredirectonly\]$ 

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \ \{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27\} \ [roamable]$ 

Oueries value:

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \ \{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27\} \ [stream]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ '\{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27\} \ [publish expanded path]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27\} \ [attributes]$ 

Queries value

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27\}[foldertypeid]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \ \{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27\} [initfolder handler]$ 

Queries value:

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{15ca69b3-30ee-49c1-ace1-6b5ec372afb5\}[name]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{15ca69b3-30ee-49c1-ace1-6b5ec372afb5\}[parent folder]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{15ca69b3-30ee-49c1-ace1-6b5ec372afb5\} [description]$ 

Queries value:

 $HKLM\software\mbox{$15$ca69b3-30ee-49c1-ace1-6b5ec372afb5}[relative path] \\$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{15ca69b3-30ee-49c1-ace1-6b5ec372afb5\}[parsing name]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{15ca69b3-30ee-49c1-ace1-6b5ec372afb5\}[infotip]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{15ca69b3-30ee-49c1-ace1-6b5ec372afb5\}[localized name]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{15ca69b3-30ee-49c1-ace1-6b5ec372afb5\}[icon]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{15ca69b3-30ee-49c1-ace1-6b5ec372afb5\}[security]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{15ca69b3-30ee-49c1-ace1-6b5ec372afb5\}[stream resource]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{15ca69b3-30ee-49c1-ace1-6b5ec372afb5\}[stream resource type]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{15ca69b3-30ee-49c1-ace1-6b5ec372afb5\}[local redirect only]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{15ca69b3-30ee-49c1-ace1-6b5ec372afb5\}[roamable]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{15ca69b3-30ee-49c1-ace1-6b5ec372afb5}{precreate}

Queries value

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{15ca69b3-30ee-49c1-ace1-6b5ec372afb5\}[stream]$ 

Oueries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{15ca69b3-30ee-49c1-ace1-6b5ec372afb5\}\[publishexpandedpath]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{15ca69b3-30ee-49c1-ace1-6b5ec372afb5\}[attributes]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{15ca69b3-30ee-49c1-ace1-6b5ec372afb5\}[folder typeid]$ 

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{15ca69b3-30ee-49c1ace1-6b5ec372afb5}[initfolderhandler]

HKLM\software\microsoft\windows\currentversion\explorer\user shell Oueries value:

folders[{15ca69b3-30ee-49c1-ace1-6b5ec372afb5}]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b97d20bb-f46a-4c97ba10-5e3608430854}[category]

Queries value:

ba10-5e3608430854}[name]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b97d20bb-f46a-4c97ba10-5e3608430854}[parentfolder]

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \ \{b97d20bb-f46a-4c97-f6$ ba10-5e3608430854}[description]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b97d20bb-f46a-4c97ba10-5e3608430854}[relativepath]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b97d20bb-f46a-4c97ba10-5e3608430854}[parsingname]

Oueries value:

 $HKLM \setminus software \setminus microsoft \setminus windows \setminus current version \setminus explorer \setminus folder descriptions \setminus \{b97d20bb-f46a-4c97-microsoft \setminus windows \setminus current version \setminus explorer \setminus folder descriptions \setminus \{b97d20bb-f46a-4c97-microsoft \setminus b97d20bb-f46a-4c97-microsoft \setminus$ ba10-5e3608430854}[infotip]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b97d20bb-f46a-4c97ba10-5e3608430854}[localizedname]

ba10-5e3608430854}[icon]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b97d20bb-f46a-4c97ba10-5e3608430854}[security]

Queries value:

ba10-5e3608430854}[streamresource]

Queries value:

ba10-5e3608430854}[streamresourcetype]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b97d20bb-f46a-4c97ba10-5e3608430854}[localredirectonly]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b97d20bb-f46a-4c97ba10-5e3608430854}[roamable]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b97d20bb-f46a-4c97ba10-5e3608430854}[precreate]

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b97d20bb-f46a-4c97ba10-5e3608430854}[stream]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b97d20bb-f46a-4c97ba10-5e3608430854}[publishexpandedpath]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b97d20bb-f46a-4c97ba10-5e3608430854}[attributes]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b97d20bb-f46a-4c97ba10-5e3608430854}[foldertypeid]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b97d20bb-f46a-4c97ba10-5e3608430854}[initfolderhandler]

Queries value:

HKCU\software\microsoft\windows\currentversion\explorer\user shell

folders[startup]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{de92c1c7-837f-4f69a3bb-86e631204a23}[category]

Queries value:

a3bb-86e631204a23}[name]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{de92c1c7-837f-4f69a3bb-86e631204a23}[parentfolder]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{de92c1c7-837f-4f69a3bb-86e631204a23}[description]

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{de92c1c7-837f-4f69-a3bb-86e631204a23\} \ [parsing name]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{de92c1c7-837f-4f69-a3bb-86e631204a23} \ [infotip]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{de92c1c7-837f-4f69-a3bb-86e631204a23\}[localized name]$ 

Queries value

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{de92c1c7-837f-4f69-a3bb-86e631204a23\}\[icon]\]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{de92c1c7-837f-4f69-a3bb-86e631204a23\} \ [security]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{de 92c1c7-837f-4f69-a3bb-86e631204a23\} \ [stream resource]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{de92c1c7-837f-4f69-a3bb-86e631204a23\} \ [stream resource type]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ current version \ `explorer \ folder descriptions \ \ \{de92c1c7-837f-4f69-a3bb-86e631204a23\} \ [local redirect only]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{de92c1c7-837f-4f69-a3bb-86e631204a23\}[precreate]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{de92c1c7-837f-4f69-a3bb-86e631204a23\}[stream]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{de92c1c7-837f-4f69-a3bb-86e631204a23\} \ [publish expanded path]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{de92c1c7-837f-4f69-a3bb-86e631204a23\}[attributes]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{de92c1c7-837f-4f69-a3bb-86e631204a23\}[folder typeid]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$ 

Queries value:  $HKCU\software\microsoft\windows\currentversion\explorer\user shell folders[{de92c1c7-837f-4f69-a3bb-86e631204a23}]$ 

Oueries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \{10c07cd0-ef91-4567-b850-448b77cb37f9\} \ [name]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{10c07cd0-ef91-4567-b850-448b77cb37f9\}[parent folder]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{10c07cd0-ef91-4567-b850-448b77cb37f9\} [description]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{10c07cd0-ef91-4567-b850-448b77cb37f9\}[relative path]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM software \microsoft \windows \current version \explorer \folder descriptions \eqref 10c07cd0-ef91-4567-b850-448b77cb37f9 \cite{thm:hklmsoftware} [infotip]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{10c07cd0-ef91-4567-b850-448b77cb37f9\}[localized name]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{10c07cd0-ef91-4567-b850-448b77cb37f9\} \ [icon]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{10c07cd0-ef91-4567-b850-448b77cb37f9\}[security]$ 

Oueries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{10c07cd0-ef91-4567-b850-448b77cb37f9\}[streamresourcetype]$ 

Queries value:

 $\label{lem:hammon} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \folder$ 

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{10c07cd0-ef91-4567-b850-448b77cb37f9\} \ [roamable]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{10c07cd0-ef91-4567-b850-448b77cb37f9\} \ [precreate]$ 

Oueries value

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{10c07cd0-ef91-4567-b850-448b77cb37f9} [stream]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{10c07cd0-ef91-4567-b850-448b77cb37f9\} [publish expanded path]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{10c07cd0-ef91-4567-b850-448b77cb37f9\}[folder typeid]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{10c07cd0-ef91-4567-b850-448b77cb37f9\}[initfolder handler]$ 

Oueries value

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{c1bae2d0-10df-4334-bedd-7aa20b227a9d\} \ [name]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\currentfolder-4334-bedd-7aa20b227a9d\[parentfolder]\]$ 

Queries value:

Oueries value:

Queries value:

 $\label{lem:hklmsoftware} HKLM software \microsoft \windows \current version \explorer \folder descriptions \c1bae2d0-10df-4334-bedd-7aa20b227a9d \c1bae2d0-10df-7aa20b227a9d \c1bae2d0$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \c1bae2d0-10df-4334-bedd-7aa20b227a9d \c1bae2d0-10df-7aa20b227a9d \c1bae2d0-10df-7aa20b227a9d \c1bae2d0-10df-7aa$ 

Queries value:

Oueries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\e$ 

Queries value:

Queries value:

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{c1bae2d0-10df-4334-bedd-7aa20b227a9d\}[stream resource type]$ 

Queries value

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{c1bae2d0-10df-4334-bedd-7aa20b227a9d\} \ [roamable]$ 

Queries value:

Oueries value:

Queries value:

Queries value:

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{c1bae2d0-10df-4334-bedd-7aa20b227a9d\}[initfolder handler]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\user shell

folders[oem links]

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \ \{190337d1-b8ca-4121-a639-6d472d16972a\} \ [category]$ 

Queries value:

 $HKLM \setminus software \setminus icrosoft \setminus windows \setminus current version \setminus explorer \setminus folder descriptions \setminus \{190337d1-b8ca-4121-a639-6d472d16972a\} [name]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{190337d1-b8ca-4121-a639-6d472d16972a\} \ [parent folder]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version' \ explorer \ 'folder descriptions \ '\{190337d1-b8ca-4121-a639-6d472d16972a\} \ [description]$ 

Queries value:

 $HKLM\software\mbox{$190337d1-b8ca-4121-a639-6d472d16972a}[relative path] \\$ 

Queries value:

 $\label{thm:local-hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \fo$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \ \{190337d1-b8ca-4121-a639-6d472d16972a\} [infotip]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{190337d1-b8ca-4121-a639-6d472d16972a\} \ [localized name]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{190337d1-b8ca-4121-a639-6d472d16972a\} [icon]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{190337d1-b8ca-4121-a639-6d472d16972a\} [security]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{190337d1-b8ca-4121-a639-6d472d16972a\} [stream resource]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{190337d1-b8ca-4121-a639-6d472d16972a\} [stream resource type]$ 

Queries value

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{190337d1-b8ca-4121-a639-6d472d16972a\} \ [local redirectonly]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \ \{190337d1-b8ca-4121-a639-6d472d16972a\} \ [roamable]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version' \ explorer \ 'folder descriptions \ '\{190337d1-b8ca-4121-a639-6d472d16972a\}[precreate]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{190337d1-b8ca-4121-a639-6d472d16972a\} [stream]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \ \{190337d1-b8ca-4121-a639-6d472d16972a\} \ [publish expanded path]$ 

Queries value

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{190337d1-b8ca-4121-a639-6d472d16972a\} \ [attributes]$ 

Queries value:

 $\label{thm:local-state} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \f190337d1-b8ca-4121-a639-6d472d16972a \folder type id \fill \fil$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{190337d1-b8ca-4121-a639-6d472d16972a\}[init folder handler]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{54eed 2e0-e7ca-4fdb-9148-0f4247291cfa\} \ [category]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{54eed 2e0-e7ca-4fdb-9148-0f4247291cfa\} \ [name]$ 

 $HKLM \ software \ `microsoft \ `windows \ current version \ explorer \ folder descriptions \ \{54eed 2e0-e7ca-4fdb-9148-0f4247291cfa\} \ [parent folder]$ 

Oueries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{54eed2e0-e7ca-4fdb-9148-0f4247291cfa}\[description]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{54eed 2e0-e7ca-4fdb-9148-0f4247291cfa\} \ [relative path]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{54eed 2e0-e7ca-4fdb-9148-0f4247291cfa\} [parsing name]$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{54eed2e0-e7ca-4fdb-9148-0f4247291cfa}[infotip]

Queries value

 $HKLM \ software \ `microsoft \ `windows \ current version \ explorer \ folder descriptions \ \{54eed 2e0-e7ca-4fdb-9148-0f4247291cfa\} \ [localized name]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{54eed 2e0-e7ca-4fdb-9148-0f4247291cfa\}[icon]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{54eed 2e0-e7ca-4fdb-9148-0f4247291cfa\} [security]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{54eed2e0-e7ca-4fdb-9148-0f4247291cfa}[streamresource]

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ current version \ `explorer \ folder descriptions \ \ \{54eed 2e0-e7ca-4fdb-9148-0f4247291cfa\} \ [stream resource type]$ 

Oueries value:

 $\label{thm:local} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folderdescrip$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{54eed 2e0-e7ca-4fdb-9148-0f4247291cfa\} \ [roamable]$ 

Queries value:

 $\label{thm:local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \f$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{54eed 2e0-e7ca-4fdb-9148-0f4247291cfa\} [stream]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{54eed 2e0-e7ca-4fdb-9148-0f4247291cfa\} \ [publish expanded path]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{54eed 2e0-e7ca-4fdb-9148-0f4247291cfa\}[attributes]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{54eed2e0-e7ca-4fdb-9148-0f4247291cfa}[foldertypeid]

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{54eed 2e0-e7ca-4fdb-9148-0f4247291cfa\}[init folder handler]$ 

Oueries value:

 $\label{thm:local-condition} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{bfb9d5e0-c6a9-404c-b2b2-ae6db6af4968\} \ [name]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ current version \ explorer \ folder descriptions \ \{bfb9d5e0-c6a9-404c-b2b2-ae6db6af4968\} \ [parent folder]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folderdescriptions \currentversion\explorer\folderdescriptions\folderdescription\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\explorer\folderdescriptions\currentversion\explorer\expl$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{bfb9d5e0-c6a9-404c-b2b2-ae6db6af4968\} [relative path]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{bfb9d5e0-c6a9-404c-b2b2-ae6db6af4968\}[parsingname]}$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{bfb9d5e0-c6a9-404c-b2b2-ae6db6af4968\}[infotip]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{bfb9d5e0-c6a9-404c-b2b2-ae6db6af4968\} [localized name]$ 

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{bfb9d5e0-c6a9-404c-b2b2-ae6db6af4968}[icon]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{bfb9d5e0-c6a9-404c-b2b2-ae6db6af4968}[security]

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{bfb9d5e0-c6a9-404c-b2b2-ae6db6af4968\}[stream resource]$ 

Oueries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{bfb9d5e0-c6a9-404c-b2b2-ae6db6af4968\} \ [stream resource type]$ 

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{bfb9d5e0-c6a9-404c-b2b2-ae6db6af4968\}[localredirectonly]}$ 

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{bfb9d5e0-c6a9-404c-b2b2-ae6db6af4968\} \ [roamable]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM software \microsoft \windows \current version \explorer \folder descriptions \folder \folder descriptions \folder \fo$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{bfb9d5e0-c6a9-404c-b2b2-ae6db6af4968\}[stream]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{bfb9d5e0-c6a9-404c-b2b2-ae6db6af4968\} \ [publish expanded path]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{bfb9d5e0-c6a9-404c-b2b2-ae6db6af4968\}[attributes]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{bfb9d5e0-c6a9-404c-b2b2-ae6db6af4968\}[folder typeid]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{bfb9d5e0-c6a9-404c-b2b2-ae6db6af4968\}[initfolder handler]$ 

Queries value: HKCU\software\microsoft\windows\currentversion\explorer\user shell folders[{bfb9d5e0-c6a9-404c-b2b2-ae6db6af4968}]

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \gamma \folder \folder \gamma \g$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{b94237e7-57ac-4347-9151-b08c6c32d1f7\}[name]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{b94237e7-57ac-4347-9151-b08c6c32d1f7\}[parent folder]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{b94237e7-57ac-4347-9151-b08c6c32d1f7\} \ [description]$ 

Queries value

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{b94237e7-57ac-4347-9151-b08c6c32d1f7\}[relative path]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b94237e7-57ac-4347-9151-b08c6c32d1f7\}[parsingname]}$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{b94237e7-57ac-4347-9151-b08c6c32d1f7\}[infotip]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{b94237e7-57ac-4347-9151-b08c6c32d1f7\}[localized name]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{b94237e7-57ac-4347-9151-b08c6c32d1f7\} \ [icon]$ 

Queries value:

 $\label{lem:hklm} HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{b94237e7-57ac-4347-9151-b08c6c32d1f7\}[security]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{b94237e7-57ac-4347-9151-b08c6c32d1f7\}[stream resource]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{b94237e7-57ac-4347-9151-b08c6c32d1f7\}[stream resource type]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ current version \ `explorer \ folder descriptions \ `\{b94237e7-57ac-4347-9151-b08c6c32d1f7\}[local redirect only]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{b94237e7-57ac-4347-9151-b08c6c32d1f7\}[roamable]$ 

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{b94237e7-57ac-4347-9151-b08c6c32d1f7\}[precreate]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{b94237e7-57ac-4347-9151-b08c6c32d1f7\}[stream]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{b94237e7-57ac-4347-9151-b08c6c32d1f7\} \ [publish expanded path]$ 

Oueries value.

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{b94237e7-57ac-4347-9151-b08c6c32d1f7\}[attributes]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{b94237e7-57ac-4347-9151-b08c6c32d1f7\} \ [folder typeid]$ 

Queries value:

 $\label{thm:local-bound} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \gamma \folder \folder \folder \folder \folder \gamma \gamma$ 

Queries value: HKLM\software\microsoft\windows\currentversion\explorer\user shell

folders[common templates]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{a63293e8-664e-48db-a079-df759e0509f7\} \ [category]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a63293e8-664e-48db-a079-df759e0509f7\}[name]}$ 

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a63293e8-664e-48db-a079-df759e0509f7\}[parentfolder]}$ 

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a63293e8-664e-48db-a079-df759e0509f7\}[description]}$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{a63293e8-664e-48db-a079-df759e0509f7\}[relative path]$ 

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a63293e8-664e-48db-a079-df759e0509f7\}[parsingname]}$ 

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{a63293e8-664e-48db-a079-df759e0509f7\}[infotip]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{a63293e8-664e-48db-a079-df759e0509f7\}[localized name]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \ \{a63293e8-664e-48db-a079-df759e0509f7\} \ [icon]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{a63293e8-664e-48db-a079-df759e0509f7\}[security]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{a63293e8-664e-48db-a079-df759e0509f7\}[stream resource]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{a63293e8-664e-48db-a079-df759e0509f7\}[stream resource type]$ 

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a63293e8-664e-48db-a079-df759e0509f7\}[localredirectonly]}$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{a63293e8-664e-48db-a079-df759e0509f7\} \ [roamable]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{a63293e8-664e-48db-a079-df759e0509f7\}[precreate]$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a63293e8-664e-48dba079-df759e0509f7}[stream]

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{a63293e8-664e-48db-a079-df759e0509f7} \cite{A63293e8-664e-48db-a079-df759e0509f7} \cite{A63293e8-664e-48db-a079-df759e0509f7}$ 

Queries value:

 $HKLM\software\mbox{$a63293e8-664e-48db-a079-df759e0509f7}[attributes] \\$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a63293e8-664e-48db-a079-df759e0509f7\}[foldertypeid]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a63293e8-664e-48db-

a079-df759e0509f7}[initfolderhandler]

Queries value: HKCU\software\microsoft\windows\currentversion\explorer\user shell

folders[templates]

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{5ce 4a 5e9-e 4eb-479d-b89f-130c02886155\} \ [category]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{5ce4a5e9-e4eb-479d-b89f-130c02886155\} \ for amel$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ current version \ explorer \ folder descriptions \ \{5ce 4a 5e9-e 4eb-479d-b89f-130c02886155\} \ [parent folder]$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5ce4a5e9-e4eb-479d-b89f-130c02886155}[description]

Queries value

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{5ce4a5e9-e4eb-479d-b89f-130c02886155\} \ [relative path]$ 

Oueries value:

 $\label{thm:local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \f$ 

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\folder$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{5ce4a5e9-e4eb-479d-b89f-130c02886155\} [localized name]$ 

Queries value:

 $\label{thm:local-condition} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \fold$ 

Queries value:

 $\label{thm:local-equation} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folde$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{5ce4a5e9-e4eb-479d-b89f-130c02886155\} \ [stream resource]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ current version \ `explorer \ folder descriptions \ \ \{5ce 4a 5e9-e 4eb-479d-b89f-130c02886155\} [stream resource type]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{5ce4a5e9-e4eb-479d-b89f-130c02886155\} \ [local redirect only]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{5ce4a5e9-e4eb-479d-b89f-130c02886155\} \ [roamable]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{5ce 4a 5e9-e 4eb-479d-b89f-130c0 2886155\} [precreate]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{5ce 4a 5e9 - e 4eb - 479d - b 89f - 130c0 2886155\} [stream]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{5ce4a5e9-e4eb-479d-b89f-130c02886155\} \ [publish expanded path]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{5ce4a5e9-e4eb-479d-b89f-130c02886155\} \ [attributes]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{5ce4a5e9-e4eb-479d-b89f-130c02886155\}[folder typeid]$ 

Queries value:

 $\label{thm:local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \f$ 

Queries value: HKLM\software\microsoft\windows\currentversion\explorer\user shell folders[{5ce4a5e9-e4eb-479d-b89f-130c02886155}]

Oueries value:

 $\label{thm:local-problem} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{82a74aeb-aeb4-465c-a014-d097ee346d63\}\[category\]$ 

Queries value:

 $\label{thm:local-continuous} HKLM software \verb|\microsoft| windows \verb|\currentversion| explorer \verb|\folderdescriptions| {82a74aeb-aeb4-465c-a014-d097ee346d63} [name]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{82a74aeb-aeb4-465c-a014-d097ee346d63\} \ [parent folder]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{82a74aeb-aeb4-465c-a014-d097ee346d63}[description]

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ `folder descriptions \ `\{82a74aeb-aeb4-465c-aeb4-46$ 

a014-d097ee346d63}[relativepath]

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{82a74aeb-aeb4-465c-a014-d097ee346d63\} \ [parsing name]$ 

Queries value:

 $\label{thm:local-continuity} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \fold$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{82a74aeb-aeb4-465c-a014-d097ee346d63\} \ [localized name]$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{82a74aeb-aeb4-465c-a014-d097ee346d63}[icon]

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{82a74aeb-aeb4-465c-a014-d097ee346d63\} [security]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{82a74aeb-aeb4-465c-a014-d097ee346d63\} [stream resource]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{82a74aeb-aeb4-465c-a014-d097ee346d63\} [stream resource type]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{82a74aeb-aeb4-465c-a014-d097ee346d63\} [local redirectonly]$ 

Queries value:

 $\label{thm:local-continuous} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \explorer \folder descriptions \folder \folde$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{82a74aeb-aeb4-465c-a014-d097ee346d63\} \ [precreate]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{82a74aeb-aeb4-465c-a014-d097ee346d63}[stream]

Queries value:

 $\label{thm:local-continuous} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \fold$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{82a74aeb-aeb4-465c-a014-d097ee346d63\} [attributes]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{82a74aeb-aeb4-465c-a014-d097ee346d63}[foldertypeid]

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{82a74aeb-aeb4-465c-a014-d097ee346d63\}[init folder handler]$ 

Queries value:

 $\label{thm:local-problem} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder$ 

Queries value

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\footnote{10}{$7c5a40ef-a0fb-4bfc-874a-c0f2e0b9fa8e}[name]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7c5a40ef-a0fb-4bfc-874a-c0f2e0b9fa8e}\[parentfolder]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{7c5a40ef-a0fb-4bfc-874a-c0f2e0b9fa8e\}[description]$ 

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7c5a40ef-a0fb-4bfc-874a-c0f2e0b9fa8e\}[relativepath]}$ 

Queries value:

 $\label{thm:local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \f$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7c5a40ef-a0fb-4bfc-874a-c0f2e0b9fa8e}[infotip]

Queries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7c5a40ef-a0fb-4bfc-874a-c0f2e0b9fa8e}\[localizedname]$ 

Queries value:

 $\label{thm:local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \f$ 

Queries value:

 $HKLM\software\mbox{\currentversion}\explorer\folderdescriptions\fold$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7c5a40ef-a0fb-4bfc-874a-c0f2e0b9fa8e}[streamresourcetype]

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \ \{7c5a40ef-a0fb-4bfc-874a-c0f2e0b9fa8e\} \ [local redirectonly]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7c5a40ef-a0fb-4bfc-874a-c0f2e0b9fa8e}{roamable}

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \ \{7c5a40ef-a0fb-4bfc-874a-c0f2e0b9fa8e\} \ [precreate]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{7c5a40ef-a0fb-4bfc-874a-c0f2e0b9fa8e\} \ stream\}$ 

Queries value:

 $\label{thm:local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \current \folder \current \folder \current \current \folder \current \curren$ 

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{7c5a40ef-a0fb-4bfc-874a-c0f2e0b9fa8e\}[attributes]$ 

Queries value:

 $\label{thm:local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \f$ 

Queries value:

 $HKLM\software\mbox{\mbox{$M$ initfolderhandler}} a 0 fb-4bfc-874a-c0f2e0b9fa8e\[initfolderhandler\]}$ 

Queries value:

 $\label{thm:local-continuous} HKLM software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \folde$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{43668bf8-c14e-49b2-97c9-747784d784b7\} \ [name]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{43668bf8-c14e-49b2-97c9-747784d784b7\} \ [parent folder]$ 

Queries value:

 $\label{thm:local-prop} $HK\dot{M}\sim\ensuremath{\mathrm{MK}}\ensuremath{\mathrm{M$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \ \{43668bf8-c14e-49b2-97c9-747784d784b7\} \ [relative path]$ 

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{43668bf8-c14e-49b2-97c9-747784d784b7\}\[parsingname]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{43668bf8-c14e-49b2-97c9-747784d784b7\}[infotip]}$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{43668bf8-c14e-49b2-97c9-747784d784b7\}[localizedname]}$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \ \{43668bf8-c14e-49b2-97c9-747784d784b7\} \ [icon]$ 

Queries value:

 $HKLM\software\mbox{windows\currentversion}\explorer\folderdescriptions\{43668bf8-c14e-49b2-97c9-747784d784b7\}[security]}$ 

Queries value:

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{43668bf8-c14e-49b2-97c9-747784d784b7\} [stream resource type]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{43668bf8-c14e-49b2-97c9-747784d784b7}[localredirectonly]

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{43668bf8-c14e-49b2-97c9-747784d784b7\} \ [roamable]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \ \{43668bf8-c14e-49b2-97c9-747784d784b7\} \ [precreate]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \ \{43668bf8-c14e-49b2-97c9-747784d784b7\} [stream]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \ \{43668bf8-c14e-49b2-97c9-747784d784b7\} \ [publish expanded path]$ 

 $HKLM \ software \ `microsoft \ `windows \ current version \ explorer \ folder descriptions \ \{43668bf8-c14e-49b2-97c9-747784d784b7\} \ [attributes]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{43668bf8-c14e-49b2-97c9-747784d784b7\} \ [folder type id]$ 

Queries value:

 $\label{thm:local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \cu$ 

Oueries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{915221fb-9efe-4bda-8fd7-f78dca774f87} [category]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{915221fb-9efe-4bda-8fd7-f78dca774f87\}[name]$ 

Oueries value:

 $HKLM\software\mbox{$microsoft\windows\currentversion\explorer\folderdescriptions\{}915221fb-9efe-4bda-8fd7-f78dca774f87\}[parentfolder]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{915221fb-9efe-4bda-8fd7-f78dca774f87\} [description]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{915221fb-9efe-4bda-8fd7-f78dca774f87\}[relative path]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{915221fb-9efe-4bda-8fd7-f78dca774f87\}[parsing name]$ 

Queries value:

 $\label{thm:local-problem} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \gamma \folder \folder \folder \folder \folder \gamma \gamm$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{915221fb-9efe-4bda-8fd7-f78dca774f87\}[localized name]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{915221fb-9efe-4bda-8fd7-f78dca774f87\}[icon]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{915221fb-9efe-4bda-8fd7-f78dca774f87\}[security]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{915221fb-9efe-4bda-8fd7-f78dca774f87\}[stream resource]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ current version \ `explorer \ folder descriptions \ \{915221fb-9efe-4bda-8fd7-f78dca774f87\} [stream resource type]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{915221fb-9efe-4bda-8fd7-f78dca774f87\}[local redirectonly]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{915221fb-9efe-4bda-8fd7-f78dca774f87\}[roamable]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{915221fb-9efe-4bda-8fd7-f78dca774f87\}[precreate]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{915221fb-9efe-4bda-8fd7-f78dca774f87\}[stream]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{915221fb-9efe-4bda-8fd7-f78dca774f87\} \ [publish expanded path]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{915221fb-9efe-4bda-8fd7-f78dca774f87\}[attributes]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{915221fb-9efe-4bda-8fd7-f78dca774f87\}[folder typeid]$ 

Queries value:

 $HKLM \setminus software \setminus irros oft \land irros \land irros oft \land irros \land ir$ 

Queries value

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4c5c32ff-bb9d-43b0-b5b4-2d72e54eaaa4\}[category]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \ \{4c5c32ff-bb9d-43b0-b5b4-2d72e54eaaa4\} \ [name]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \ \{4c5c32ff-bb9d-43b0-b5b4-2d72e54eaaa4\}[parent folder]$ 

Queries value:

b5b4-2d72e54eaaa4}[description] Oueries value: HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4c5c32ff-bb9d-43b0b5b4-2d72e54eaaa4}[relativepath] Queries value:  $HKLM \setminus software \setminus irrosoft \setminus ir$ b5b4-2d72e54eaaa4}[parsingname] Oueries value:  $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \ \{4c5c32ff-bb9d-43b0-bq4dbd-43b0-bq4dbd-43bd-bq4dbd-43bd-bq4dbd-43bd-bq4dbd-43bd-bq4dbd-43bd-bq4dbd-43bd-bq4dbd$ b5b4-2d72e54eaaa4}[infotip] Oueries value:  $HKLM \setminus software \setminus irrosoft \setminus ir$ b5b4-2d72e54eaaa4}[localizedname]  $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{4c5c32ff-bb9d-43b0-bd4dbd-43bd-bd4dbd-43bd-bd4dbd-43bd-bd4dbd$ b5b4-2d72e54eaaa4}[icon] Oueries value: HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4c5c32ff-bb9d-43b0b5b4-2d72e54eaaa4}[security] Queries value: b5b4-2d72e54eaaa4}[streamresource] Oueries value: b5b4-2d72e54eaaa4}[streamresourcetype] Queries value: HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4c5c32ff-bb9d-43b0b5b4-2d72e54eaaa4}[localredirectonly]  $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{4c5c32ff-bb9d-43b0-bd4dbd-43bd-bd4dbd-43bd-bd4dbd-43bd-bd4dbd$ b5b4-2d72e54eaaa4}[roamable] Oueries value: HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4c5c32ff-bb9d-43b0b5b4-2d72e54eaaa4}[precreate] Oueries value:  $HKLM \setminus software \setminus irrosoft \setminus ir$ b5b4-2d72e54eaaa4}[stream] Queries value:  $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \ \{4c5c32ff-bb9d-43b0-bq4dbd-43b0-bq4dbd-43bd-bq4dbd-43bd-bq4dbd-43bd-bq4dbd-43bd-bq4dbd-43bd-bq4dbd-43bd-bq4dbd$ b5b4-2d72e54eaaa4}[publishexpandedpath] Oueries value: HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4c5c32ff-bb9d-43b0b5b4-2d72e54eaaa4}[attributes] Oueries value:  $HKLM \setminus software \setminus irrosoft \setminus ir$ b5b4-2d72e54eaaa4}[foldertypeid] Oueries value: HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4c5c32ff-bb9d-43b0b5b4-2d72e54eaaa4}[initfolderhandler] HKCU\software\microsoft\windows\currentversion\explorer\user shell folders[{4c5c32ff-bb9d-43b0-b5b4-2d72e54eaaa4}] Oueries value: HKCR\clsid\{18907f3b-9afb-4f87-b764-f9a4e16a21b8}[] Oueries value: HKCR\clsid\{18907f3b-9afb-4f87-b764f9a4e16a21b8}\inprocserver32[inprocserver32] HKCR\clsid\{18907f3b-9afb-4f87-b764-f9a4e16a21b8}\inprocserver32[] Oueries value: Oueries value: HKCR\clsid\{18907f3b-9afb-4f87-b764f9a4e16a21b8}\inprocserver32[threadingmodel] HKCR\clsid\{50ef4544-ac9f-4a8e-b21b-8a26180db13f}[] Queries value: Queries value: HKCR\clsid\{50ef4544-ac9f-4a8e-b21b-8a26180db13f}\inprocserver32[inprocserver32] Queries value: HKCR\clsid\{50ef4544-ac9f-4a8e-b21b-8a26180db13f}\inprocserver32[] Oueries value: HKCR\clsid\{50ef4544-ac9f-4a8e-b21b-8a26180db13f}\inprocserver32[threadingmodel] Oueries value: HKLM\software\microsoft\windows\currentversion\propertysystem[formatfordisplayhelper] Oueries value: HKCR\clsid\{82c588e7-e54b-408c-9f8c-6af9adf6f1e9}[] HKCR\clsid\{82c588e7-e54b-408c-9f8c-Oueries value: 6af9adf6f1e9}\inprocserver32[inprocserver32] HKCR\clsid\{82c588e7-e54b-408c-9f8c-6af9adf6f1e9}\inprocserver32[] Queries value: Oueries value: HKCR\clsid\{82c588e7-e54b-408c-9f8c-6af9adf6f1e9}\inprocserver32[threadingmodel]

HKLM\software\microsoft\windows\currentversion\propertysystem[formatfordisplayhelper]
Queries value: HKCR\clsid\{82c588e7-e54b-408c-9f8c-6af9adf6f1e9}[]
Queries value: HKCR\clsid\{82c588e7-e54b-408c-9f8c-6af9adf6f1e9}\inprocserver32[inprocserver32]
Queries value: HKCR\clsid\{82c588e7-e54b-408c-9f8c-6af9adf6f1e9}\inprocserver32[]
Queries value: HKCR\clsid\{82c588e7-e54b-408c-9f8c-6af9adf6f1e9}\inprocserver32[]
Queries value: HKCR\clsid\{82c588e7-e54b-408c-9f8c-6af9adf6f1e9}\inprocserver32[]
Queries value: HKCR\clsid\{edb5f444-cb8d-445a-a523-ec5ab6ea33c7}[]
Queries value: HKCR\clsid\{edb5f444-cb8d-445a-a523-ec5ab6ea33c7}\inprocserver32[inprocserver32]
Queries value: HKCR\clsid\{edb5f444-cb8d-445a-a523-ec5ab6ea33c7}\inprocserver32[]
Queries value: HKCR\unknown[docobject]
Queries value: HKCR\unknown[browseinplace]

Queries value: HKCR\unknown[isshortcut]
Queries value: HKCR\unknown[alwaysshowext]
Queries value: HKCR\unknown[nevershowext]

Queries value: HKCR\.dl1[]

Queries value: HKCR\.dll[perceivedtype]

Queries value: HKCR\systemfileassociations\.dll[perceivedtype]

Queries value: HKCR\dllfile[docobject]

 $\label{lem:condition} Queries \ value: \\ HKCR \ system file associations \ `.dll[docobject]$ 

Queries value: HKCR\dllfile[browseinplace]

Queries value: HKCR\systemfileassociations\.dll[browseinplace]

Queries value: HKCR\.dll[content type]
Queries value: HKCR\dllfile[isshortcut]

Queries value: HKCR\systemfileassociations\.dll[isshortcut]

Queries value: HKCR\dllfile[alwaysshowext]
Queries value: HKCR\dllfile[nevershowext]

Queries value: HKCR\systemfileassociations\.dll[nevershowext]

Queries value: HKCR\.tlb[]

Queries value: HKCR\.tlb[perceivedtype]
Queries value: HKCR\.tlb[docobject]
Queries value: HKCR\.tlb[browseinplace]
Queries value: HKCR\.tlb[content type]
Queries value: HKCR\.tlb[isshortcut]
Queries value: HKCR\.tlb[alwaysshowext]
Queries value: HKCR\.tlb[nevershowext]

Queries value: HKCR\.exe[]

Queries value: HKCR\exefile[docobject]

Queries value: HKCR\systemfileassociations\.exe[docobject]

Queries value: HKCR\exefile[browseinplace]

Queries value: HKCR\systemfileassociations\.exe[browseinplace]

Queries value: HKCR\.exe[content type]
Queries value: HKCR\exefile[isshortcut]

Queries value: HKCR\systemfileassociations\.exe[isshortcut]

Queries value: HKCR\exefile[alwaysshowext]

Queries value: HKCR\systemfileassociations\.exe[alwaysshowext]

Queries value: HKCR\exefile[nevershowext]

Queries value: HKCR\systemfileassociations\.exe[nevershowext]

Queries value: HKCR\.sys[]

Queries value: HKCR\.sys[perceivedtype]
Queries value: HKCR\sysfile[docobject]

Queries value: HKCR\systemfileassociations\.sys[docobject]
Queries value: HKCR\systemfileassociations\system[docobject]

Queries value: HKCR\sysfile[browseinplace]

Queries value: HKCR\systemfileassociations\.sys[browseinplace]
Queries value: HKCR\systemfileassociations\system[browseinplace]

Queries value: HKCR\.sys[content type]
Queries value: HKCR\sysfile[isshortcut]

Queries value: HKCR\systemfileassociations\.sys[isshortcut]
Queries value: HKCR\systemfileassociations\system[isshortcut]

Queries value: HKCR\sysfile[alwaysshowext]

Queries value: HKCR\systemfileassociations\.sys[alwaysshowext]
Queries value: HKCR\systemfileassociations\system[alwaysshowext]

Queries value: HKCR\sysfile[nevershowext]

Queries value: HKCR\systemfileassociations\.sys[nevershowext]
Queries value: HKCR\systemfileassociations\system[nevershowext]

Queries value: HKCR\.cpl[]

Queries value: HKCR\cplfile[docobject]
Queries value: HKCR\cplfile[browseinplace]
Queries value: HKCR\.cpl[content type]
Queries value: HKCR\cplfile[isshortcut]
Queries value: HKCR\cplfile[alwaysshowext]
Queries value: HKCR\cplfile[nevershowext]

Queries value: HKCR\.msc[]

Queries value: HKCR\mscfile\shellex\iconhandler[]

Queries value: HKCR\mscfile[docobject]
Queries value: HKCR\.msc[perceivedtype]
Queries value: HKCR\mscfile[browseinplace]
Queries value: HKCR\.msc[content type]
Queries value: HKCR\mscfile[isshortcut]
Queries value: HKCR\mscfile[alwaysshowext]
Queries value: HKCR\mscfile[nevershowext]

Queries value: HKCR\.scr[]

Queries value: HKCR\scrfile[docobject]
Queries value: HKCR\scrfile[browseinplace]
Queries value: HKCR\.scr[content type]
Queries value: HKCR\scrfile[isshortcut]
Queries value: HKCR\scrfile[alwaysshowext]
Queries value: HKCR\scrfile[nevershowext]

Queries value: HKCR\.com[]

Queries value: HKCR\comfile[docobject]

Queries value: HKCR\comfile[browseinplace] Oueries value: HKCR\.com[content type] Queries value: HKCR\comfile[isshortcut] Oueries value: HKCR\comfile[alwaysshowext] Queries value: HKCR\comfile[nevershowext]

Queries value: HKCR\.rll[]

Queries value: HKCR\.rll[perceivedtype] Queries value: HKCR\.rll[content type] Oueries value: HKCR\.drv[]

Queries value: HKCR\.drv[perceivedtype] Oueries value: HKCR\drvfile[docobject] Queries value: HKCR\drvfile[browseinplace] Oueries value: HKCR\.drv[content type] Oueries value: HKCR\drvfile[isshortcut] Oueries value: HKCR\drvfile[alwaysshowext] Queries value: HKCR\drvfile[nevershowext]

Queries value: HKCR\.nls[]

Oueries value: HKCR\.nls[perceivedtype] Oueries value: HKCR\.nls[docobject] Queries value: HKCR\.nls[browseinplace] Queries value: HKCR\.nls[content type] Queries value: HKCR\.nls[isshortcut] Oueries value: HKCR\.nls[alwaysshowext] Queries value: HKCR\.nls[nevershowext]

Queries value: HKCR\.ocx[]

Queries value: HKCR\.ocx[perceivedtype] Queries value: HKCR\ocxfile[docobject]

HKCR\systemfileassociations\.ocx[docobject] Oueries value:

Queries value: HKCR\ocxfile[browseinplace]

Oueries value: HKCR\systemfileassociations\.ocx[browseinplace]

Queries value: HKCR\.ocx[content type] HKCR\ocxfile[isshortcut] Oueries value:

HKCR\systemfileassociations\.ocx[isshortcut] Oueries value:

Oueries value: HKCR\ocxfile[alwaysshowext]

Oueries value: HKCR\systemfileassociations\.ocx[alwaysshowext]

Oueries value: HKCR\ocxfile[nevershowext]

Queries value: HKCR\systemfileassociations\.ocx[nevershowext]

Oueries value: HKCR\.dat[]

Queries value: HKCR\directory[friendlytypename]

Queries value: HKCR\.dat[perceivedtype] Queries value: HKCR\.dat[docobject] Queries value: HKCR\.dat[browseinplace] Queries value: HKCR\.dat[content type] Oueries value: HKCR\.dat[isshortcut] HKCR\.dat[alwaysshowext] Oueries value: Queries value: HKCR\.dat[nevershowext]

Oueries value: HKCR\.hlp[]

Queries value: HKCR\.hlp[perceivedtype] Oueries value: HKCR\hlpfile[docobject] HKCR\hlpfile[browseinplace] Queries value: Queries value: HKCR\.hlp[content type] Oueries value: HKCR\hlpfile[isshortcut] HKCR\hlpfile[alwaysshowext] Oueries value: Oueries value: HKCR\hlpfile[nevershowext]

Oueries value: HKCR\.xsl[]

Queries value: HKCR\.xsl[perceivedtype] Oueries value: HKCR\xslfile[docobject]

Queries value: HKCR\systemfileassociations\text[docobject]

Queries value: HKCR\xslfile[browseinplace] Queries value: HKCR\xslfile\browseinplace[]

Queries value: HKCR\systemfileassociations\text[browseinplace]

Oueries value: HKCR\.xsl[content type] Queries value: HKCR\xslfile\clsid[] Oueries value: HKCR\xslfile[isshortcut] HKCR\systemfileassociations\text[isshortcut] Queries value:

Oueries value: HKCR\xslfile[alwaysshowext]

Queries value: HKCR\systemfileassociations\text[alwaysshowext]

Oueries value: HKCR\xslfile[nevershowext] Queries value: HKCR\systemfileassociations\text[nevershowext]

Oueries value: HKCR\.vbs[]

Queries value: HKCR\.vbs[perceivedtype] Oueries value: HKCR\vbsfile[docobject] Oueries value: HKCR\vbsfile[browseinplace] Oueries value: HKCR\.vbs[content type] Queries value: HKCR\vbsfile[isshortcut] Queries value: HKCR\vbsfile[alwaysshowext] Queries value: HKCR\vbsfile[nevershowext]

Oueries value: HKCR\.tsp[]

Queries value: HKCR\.tsp[perceivedtype]

```
Queries value:
                                                         HKCR\.tsp[docobject]
    Oueries value:
                                                         HKCR\.tsp[browseinplace]
   Queries value:
                                                         HKCR\.tsp[content type]
   Oueries value:
                                                         HKCR\.tsp[isshortcut]
   Queries value:
                                                         HKCR\.tsp[alwaysshowext]
   Queries value:
                                                         HKCR\.tsp[nevershowext]
   Queries value:
                                                         HKCR\.rat[]
   Queries value:
                                                         HKCR\.rat[perceivedtype]
   Oueries value:
                                                         HKCR\ratfile[docobject]
    Queries value:
                                                         HKCR\ratfile[browseinplace]
   Oueries value:
                                                         HKCR\.rat[content type]
   Queries value:
                                                         HKCR\ratfile[isshortcut]
   Oueries value:
                                                         HKCR\ratfile[alwaysshowext]
   Queries value:
                                                         HKCR\ratfile[nevershowext]
   Oueries value:
                                                         HKCR\.inf[]
    Queries value:
                                                         HKCR\.inf[perceivedtype]
   Oueries value:
                                                         HKCR\inffile[docobject]
    Oueries value:
                                                         HKCR\inffile[browseinplace]
   Oueries value:
                                                         HKCR\.inf[content type]
   Queries value:
                                                         HKCR\inffile[isshortcut]
   Queries value:
                                                         HKCR\inffile[alwaysshowext]
    Queries value:
                                                         HKCR\inffile[nevershowext]
   Oueries value:
HKLM\software\microsoft\windows\currentversion\propertysystem\propertyhandlers\.dll[]
    Queries value:
                                                         HKCR\clsid\{66742402-f9b9-11d1-a202-
0000f81fedee}[disableprocessisolation]
   Queries value:
                                                         HKCR\clsid\{66742402-f9b9-11d1-a202-0000f81fedee}[nooplock]
                                                         HKCR\clsid\{66742402-f9b9-11d1-a202-0000f81fedee} [use in prochandler cache]
   Oueries value:
                                                         HKCR\clsid\{66742402-f9b9-11d1-a202-
   Queries value:
0000f81fedee}[useoutofprochandlercache]
    Queries value:
\label{thm:local_example} HKLM \label{thm:local_example} IKLM \label{thm:local_example} HKLM \label{thm:local_example} Simple \label{thm:local_example} Simple \label{thm:local_example} Simple \label{thm:local_example} HKLM \label{thm:local_example} Simple \label{thm:local_example
{\tt HKLM \ } software \verb|\ microsoft \ windows \verb|\ current \ version \ |\ property system \ |\ property \ handlers \verb|\ .sys[]|
    Oueries value:
\label{thm:local_ham} \parbox{$HKLM\software\microsoft\windows\currentversion\property} system \property handlers \property h
   Queries value:
                                                         HKCR\unknown\defaulticon[]
   Oueries value:
                                                         HKCR\unknown[friendlytypename]
    Queries value:
                                                         HKCR\unknown[]
   Queries value:
                                                         HKCR\dllfile\defaulticon[]
   Queries value:
                                                         HKCR\dllfile[friendlytypename]
   Oueries value:
                                                         HKCR\.log[]
   Queries value:
                                                         HKCR\.log[perceivedtype]
   Oueries value:
                                                         HKCR\txtfile[docobject]
   Oueries value:
                                                         HKCR\txtfile[browseinplace]
   Queries value:
                                                         HKCR\.log[content type]
   Oueries value:
                                                         HKCR\txtfile[isshortcut]
   Queries value:
                                                         HKCR\txtfile[alwaysshowext]
   Oueries value:
                                                         HKCR\txtfile[nevershowext]
    Queries value:
                                                         HKCR\.lex[]
   Oueries value:
                                                         HKCR\.lex[perceivedtype]
    Oueries value:
                                                         HKCR\lexfile[docobject]
   Oueries value:
                                                         HKCR\lexfile[browseinplace]
    Oueries value:
                                                         HKCR\.lex[content type]
    Oueries value:
                                                         HKCR\lexfile[isshortcut]
    Oueries value:
                                                         HKCR\lexfile[alwaysshowext]
   Oueries value:
                                                         HKCR\lexfile[nevershowext]
   Queries value:
                                                         HKCR\.rtf[]
   Queries value:
                                                         HKCR\.rtf[perceivedtype]
    Queries value:
                                                         HKCR\wordview.rtf.8[docobject]
   Queries value:
                                                         HKCR\systemfileassociations\.rtf[docobject]
   Oueries value:
                                                         HKCR\wordview.rtf.8[browseinplace]
   Queries value:
                                                         HKCR\systemfileassociations\.rtf[browseinplace]
                                                         HKCR\.rtf[content type]
   Oueries value:
   Queries value:
                                                         HKCR\wordview.rtf.8[isshortcut]
   Oueries value:
                                                         HKCR\systemfileassociations\.rtf[isshortcut]
    Queries value:
                                                         HKCR\wordview.rtf.8[alwaysshowext]
   Oueries value:
                                                         HKCR\systemfileassociations\.rtf[alwaysshowext]
   Queries value:
                                                         HKCR\wordview.rtf.8[nevershowext]
   Oueries value:
                                                         HKCR\systemfileassociations\.rtf[nevershowext]
    Queries value:
                                                         HKCR\.xml[]
                                                         HKCR\.xml[perceivedtype]
    Oueries value:
    Oueries value:
                                                         HKCR\xmlfile[docobject]
                                                         HKCR\systemfileassociations\.xml[docobject]
   Oueries value:
    Queries value:
                                                         HKCR\xmlfile[browseinplace]
    Queries value:
                                                         HKCR\xmlfile\browseinplace[]
   Queries value:
                                                         HKCR\systemfileassociations\.xml[browseinplace]
   Oueries value:
                                                         HKCR\.xml[content type]
   Queries value:
                                                         HKCR\xmlfile\clsid[]
```

Queries value: HKCR\xmlfile[isshortcut]

Oueries value: HKCR\systemfileassociations\.xml[isshortcut]

Queries value: HKCR\xmlfile[alwaysshowext]

Oueries value: HKCR\systemfileassociations\.xml[alwaysshowext]

Queries value: HKCR\xmlfile[nevershowext]

Queries value: HKCR\systemfileassociations\.xml[nevershowext]

Queries value: HKCR\.wsf[]

Queries value: HKCR\.wsf[perceivedtype] Oueries value: HKCR\wsffile[docobject] Queries value: HKCR\wsffile[browseinplace] Oueries value: HKCR\.wsf[content type] Queries value: HKCR\wsffile[isshortcut] Oueries value: HKCR\wsffile[alwaysshowext] Oueries value: HKCR\wsffile[nevershowext]

Oueries value: HKCR\.lnk[1

HKCR\lnkfile\shellex\iconhandler[] Queries value:

HKCR\lnkfile[docobject] Queries value:

Oueries value: HKCR\systemfileassociations\.lnk[docobject]

Oueries value: HKCR\lnkfile[browseinplace]

Queries value: HKCR\systemfileassociations\.lnk[browseinplace]

Queries value: HKCR\.lnk[content type] Queries value: HKCR\lnkfile\clsid[] Oueries value: HKCR\lnkfile[isshortcut] Queries value: HKCR\lnkfile[alwaysshowext]

Queries value: HKCR\systemfileassociations\.lnk[alwaysshowext]

Queries value: HKCR\lnkfile[nevershowext]

Queries value: HKCR\.rsp[]

HKCR\.rsp[perceivedtype] Oueries value: Queries value: HKCR\.rsp[docobject] Oueries value: HKCR\.rsp[browseinplace] HKCR\.rsp[content type] Queries value: Oueries value: HKCR\.rsp[isshortcut] Oueries value: HKCR\.rsp[alwaysshowext] HKCR\.rsp[nevershowext] Oueries value:

Oueries value: HKCR\.cmd[]

HKCR\cmdfile[docobject] Oueries value: Queries value: HKCR\cmdfile[browseinplace] Queries value: HKCR\.cmd[content type] Queries value: HKCR\cmdfile[isshortcut] Queries value: HKCR\cmdfile[alwaysshowext] Queries value: HKCR\cmdfile[nevershowext]

Queries value: HKCR\.ico[]

Queries value: HKCR\icofile[docobject]

Oueries value: HKCR\systemfileassociations\.ico[docobject] Oueries value: HKCR\systemfileassociations\image[docobject]

Queries value: HKCR\icofile[browseinplace]

Oueries value: HKCR\systemfileassociations\.ico[browseinplace] Queries value: HKCR\systemfileassociations\image[browseinplace]

Oueries value: HKCR\.ico[content type] Queries value: HKCR\icofile[isshortcut]

Queries value: HKCR\systemfileassociations\.ico[isshortcut] Oueries value: HKCR\systemfileassociations\image[isshortcut]

Oueries value: HKCR\icofile[alwaysshowext]

Oueries value: HKCR\systemfileassociations\.ico[alwaysshowext] Oueries value: HKCR\systemfileassociations\image[alwaysshowext]

Queries value: HKCR\icofile[nevershowext]

Oueries value: HKCR\systemfileassociations\.ico[nevershowext] Queries value: HKCR\systemfileassociations\image[nevershowext]

Queries value: HKCR\.ini[]

Queries value: HKCR\.ini[perceivedtype] Queries value: HKCR\inifile[docobject] Oueries value: HKCR\inifile[browseinplace] Queries value: HKCR\.ini[content type] Oueries value: HKCR\inifile[isshortcut] Queries value: HKCR\inifile[alwaysshowext] Oueries value: HKCR\inifile[nevershowext]

Queries value: HKCR\.h[]

Oueries value: HKCR\.h[perceivedtype] Queries value: HKCR\.h[docobject] Oueries value: HKCR\.h[browseinplace] Queries value: HKCR\.h[content type] Oueries value: HKCR\.h[isshortcut] Oueries value: HKCR\.h[alwaysshowext] Oueries value: HKCR\.h[nevershowext] Queries value: HKCR\.man[]

Queries value: HKCR\.man[perceivedtype] Queries value: HKCR\.man[docobject] Oueries value: HKCR\.man[browseinplace] Queries value: HKCR\.man[content type]

Queries value: HKCR\.man[isshortcut]
Queries value: HKCR\.man[alwaysshowext]
Queries value: HKCR\.man[nevershowext]

Queries value: HKCR\.lnk\shellex\{000214f9-0000-0000-000000000046}[]

Queries value: HKCR\clsid\{00021401-0000-0000-c000-

00000000046}[disableprocessisolation]

Queries value: HKCR\clsid\{00021401-0000-0000-c000-00000000046}[nooplock]

Queries value: HKCR\clsid\{00021401-0000-0000-c000-00000000046}[useinprochandlercache]

Queries value: HKCR\clsid\{00021401-0000-0000-c000-

00000000046} [useoutofprochandlercache]
Oueries value: HKCR\.mod[]

Queries value: HKCR\.mod[perceivedtype]

Queries value: HKCR\wmp11.assocfile.mpeg[docobject]
Queries value: HKCR\systemfileassociations\.mod[docobject]
Queries value: HKCR\systemfileassociations\video[docobject]
Queries value: HKCR\wmp11.assocfile.mpeg[browseinplace]
Queries value: HKCR\systemfileassociations\.mod[browseinplace]
Queries value: HKCR\systemfileassociations\video[browseinplace]

Queries value: HKCR\.mod[content type]

Queries value: HKCR\wmp11.assocfile.mpeg[isshortcut]
Queries value: HKCR\systemfileassociations\.mod[isshortcut]
Queries value: HKCR\systemfileassociations\video[isshortcut]
Queries value: HKCR\wmp11.assocfile.mpeg[alwaysshowext]
Queries value: HKCR\systemfileassociations\.mod[alwaysshowext]
Queries value: HKCR\systemfileassociations\video[alwaysshowext]

Queries value: HKCR\wmp11.assocfile.mpeg[nevershowext]
Queries value: HKCR\systemfileassociations\.mod[nevershowext]
Queries value: HKCR\systemfileassociations\video[nevershowext]

Queries value: HKCR\clsid\{20d04fe0-3aea-1069-a2d8-08002b30309d}[system.namespaceclsid] Queries value: HKCR\clsid\{20d04fe0-3aea-1069-a2d8-08002b30309d}[{28636aa6-953d-11d2-

b5d6-00c04fd918d0} 6] Sets/Creates value:

HKCU\software\microsoft\windows\currentversion\explorer\comdlg32\lastvisitedpidlmrulegacy[mrulistex]

Sets/Creates value: HKCU\software\classes\local settings\software\microsoft\windows\shell\bagmru\3\0\2[0]

Sets/Creates value: HKCU\software\classes\local

 $settings \verb|\software\microsoft\windows\shell\bagmru\3\0\2\0[nodeslot]|$ 

Sets/Creates value: HKCU\software\classes\local

 $settings \verb|\software\microsoft\windows\shell\bagmru\3\0\2\0[mrulistex]|$ 

Sets/Creates value: HKCU\software\classes\local

Sets/Creates value: HKCU\software\classes\local

 $settings \verb|\software\m| icrosoft \verb|\windows\shell| bags \verb|\40\shell| sniffed folder type]|$ 

Value changes: HKCU\software\classes\local settings\software\microsoft\windows\shell\bagmru[nodeslots] Value changes: HKCU\software\classes\local settings\software\microsoft\windows\shell\bagmru[mrulistex] Value changes: HKCU\software\classes\local

settings\software\microsoft\windows\shell\bagmru\3[mrulistex]

Value changes: HKCU\software\classes\local

 $settings \verb|\software\microsoft\windows\shell\bagmru\3\0\2[mrulistex]|$