Malware Analysis Appliance by Blue Coat Systems, Inc.

Task Details

Host: mag2, Sample ID: 132, Task ID: 528

Task ID:	528
Risk Level:	1
Date Processed:	2016-04-28 13:01:23 (UTC)
Processing Time:	61.22 seconds
Virtual Environment:	IntelliVM
Execution Arguments:	"c:\windows\temp\2a2824f06d8aa50626c0ce6d634603be.exe"

Sample ID:	132
Type:	basic
Owner:	admin
Label:	2a2824f06d8aa50626c0ce6d634603be
Date Added:	2016-04-28 12:45:03 (UTC)
File Type:	PE32:win32:gui
File Size:	414810 bytes
MD5:	2a2824f06d8aa50626c0ce6d634603be
SHA256:	499fb3cf2e5aa193e470b23a01ccde14d3414904419844fb2c7954ed0b1f45a6
Description:	None

Pattern Matching Results

Static Events

Anomaly:	PE: Contains a virtual section

Process/Thread Events

Creates process:	C:\windows\temp\2a2824f06d8aa50626c0ce6d634603be.exe ["C:\windows\temp\2a2824f06d8aa50626c0ce6d634603be.exe"]
Creates process:	C:\Users\Admin\AppData\Local\Temp\is-RHG8E.tmp\2a2824f06d8aa50626c0ce6d634603be.tmp ["C:\Users\Admin\AppData\Local\Temp\is-RHG8E.tmp\2a2824f06d8aa50626c0ce6d634603be.tmp" /SL5="$30136,168902,61952,C:\windows\temp\2a2824f06d8aa50626c0ce6d634603be.exe"]

Named Object Events

Creates mutex:	\Sessions\1\BaseNamedObjects\DBWinMutex
Creates mutex:	\Sessions\1\BaseNamedObjects\CicLoadWinStaWinSta0
Creates mutex:	\Sessions\1\BaseNamedObjects\MSCTF.CtfMonitorInstMutexDefault1
Creates event:	\Sessions\1\BaseNamedObjects\MSCTF.CtfActivated.Default1
Creates event:	\KernelObjects\MaximumCommitCondition

File System Events

Creates:	C:\Users\Admin\AppData\Local\Temp\is-RHG8E.tmp
Creates:	C:\Users\Admin\AppData\Local\Temp\is-RHG8E.tmp\2a2824f06d8aa50626c0ce6d634603be.tmp
Creates:	C:\Users\Admin\AppData\Local\Temp\is-BLI4G.tmp
Creates:	C:\Users\Admin\AppData\Local\Temp\is-BLI4G.tmp_isetup
Creates:	C:\Users\Admin\AppData\Local\Temp\is-BLI4G.tmp_isetup_RegDLL.tmp
Creates:	C:\Users\Admin\AppData\Local\Temp\is-BLI4G.tmp_isetup_shfoldr.dll
Opens:	C:\Windows\Prefetch\2A2824F06D8AA50626C0CE6D63460-9F80FD5E.pf
Opens:	C:\Windows\System32
Opens:	C:\Windows\System32\sechost.dll
Opens:	C:\windows\temp\2a2824f06d8aa50626c0ce6d634603be.exe.Local\
Opens:	C:\Windows\winsxs\x86_microsoft.windows.common-controls_6595b64144ccf1df_6.0.7601.17514_none_41e6975e2bd6f2b2
Opens:	C:\Windows\winsxs\x86_microsoft.windows.common-controls_6595b64144ccf1df_6.0.7601.17514_none_41e6975e2bd6f2b2\comctl32.dll
Opens:	C:\Windows\System32\imm32.dll
Opens:	C:\Windows\WindowsShell.Manifest
Opens:	C:\Windows\System32\en-US\KernelBase.dll.mui
Opens:	C:\windows\temp\netmsg.dll
Opens:	C:\Windows\System32\netmsg.dll
Opens:	C:\Windows\System32\en-US\netmsg.dll.mui
Opens:	C:\Windows\Temp\2a2824f06d8aa50626c0ce6d634603be.exe
Opens:	C:\Users\Admin\AppData\Local\Temp
Opens:	C:\Users\Admin\AppData\Local\Temp\is-RHG8E.tmp
Opens:	C:\Windows\Globalization\Sorting\SortDefault.nls
Opens:	C:\Windows\System32\uxtheme.dll

```
  Opens:                    C:\windows\temp\dwmapi.dll
  Opens:                    C:\Windows\System32\dwmapi.dll
  Opens:                    C:\Users\Admin\AppData\Local\Temp\is-
RHG8E.tmp\2a2824f06d8aa50626c0ce6d634603be.tmp
  Opens:                    C:\Windows\System32\apphelp.dll
  Opens:                    C:\Windows\AppPatch\sysmain.sdb
  Opens:                    C:\
  Opens:                    C:\Users
  Opens:                    C:\Users\Admin
  Opens:                    C:\Users\Admin\AppData
  Opens:                    C:\Users\Admin\AppData\Local
  Opens:                    C:\Windows\Prefetch\2A2824F06D8AA50626C0CE6D63460-E5E06AA5.pf
  Opens:                    C:\Users\Admin\AppData\Local\Temp\is-RHG8E.tmp\mpr.dll
  Opens:                    C:\Windows\System32\mpr.dll
  Opens:                    C:\Users\Admin\AppData\Local\Temp\is-RHG8E.tmp\version.dll
  Opens:                    C:\Windows\System32\version.dll
  Opens:                    C:\Users\Admin\AppData\Local\Temp\is-
RHG8E.tmp\2a2824f06d8aa50626c0ce6d634603be.tmp.Local\
  Opens:                    C:\Users\Admin\AppData\Local\Temp\is-RHG8E.tmp\dwmapi.dll
  Opens:                    C:\Windows\Fonts\StaticCache.dat
  Opens:                    C:\Windows\System32\en-US\user32.dll.mui
  Opens:                    C:\Windows\System32\rpcss.dll
  Opens:                    C:\Users\Admin\AppData\Local\Temp\is-RHG8E.tmp\CRYPTBASE.dll
  Opens:                    C:\Windows\System32\cryptbase.dll
  Opens:                    C:\Users\Admin\AppData\Local\Temp\is-RHG8E.tmp\netmsg.dll
  Opens:                    C:\Users\Admin\AppData\Local\Temp\is-BLI4G.tmp
  Opens:                    C:\Users\Admin\AppData\Local\Temp\is-BLI4G.tmp\_isetup\_shfoldr.dll
  Opens:                    C:\Users\Admin\AppData\Local\Temp\is-RHG8E.tmp\shfolder.dll
  Opens:                    C:\Windows\System32\shfolder.dll
  Opens:                    C:\Windows\system32\uxtheme.dll.Config
  Opens:                    C:\Windows\Fonts\sserife.fon
  Opens:                    C:\Windows\Fonts\tahoma.ttf
  Opens:                    C:\Windows\System32\shell32.dll
  Opens:                    C:\Windows\System32\imageres.dll
  Opens:                    C:\Windows\System32\en-US\imageres.dll.mui
  Opens:                    C:\Windows\System32\en-US\shell32.dll.mui
  Opens:                    C:\Windows\Fonts\verdanab.ttf
  Opens:                    C:\Program Files\Common Files\microsoft shared\ink\tiptsf.dll
  Opens:                    C:\Users\Admin\AppData\Local\Temp\is-RHG8E.tmp\RICHED20.DLL
  Opens:                    C:\Windows\System32\riched20.dll
  Opens:                    C:\Windows\win.ini
  Writes to:                C:\Users\Admin\AppData\Local\Temp\is-
RHG8E.tmp\2a2824f06d8aa50626c0ce6d634603be.tmp
  Writes to:                C:\Users\Admin\AppData\Local\Temp\is-BLI4G.tmp\_isetup\_RegDLL.tmp
  Writes to:                C:\Users\Admin\AppData\Local\Temp\is-BLI4G.tmp\_isetup\_shfoldr.dll
  Reads from:               C:\Windows\Temp\2a2824f06d8aa50626c0ce6d634603be.exe
  Reads from:               C:\Users\Admin\AppData\Local\Temp\is-
RHG8E.tmp\2a2824f06d8aa50626c0ce6d634603be.tmp
  Reads from:               C:\Windows\Fonts\StaticCache.dat
  Reads from:               C:\Windows\win.ini
```

Windows Registry Events

```
  Opens key:                HKLM\system\currentcontrolset\control\session manager
  Opens key:                HKLM\system\currentcontrolset\control\safeboot\option
  Opens key:                HKLM\system\currentcontrolset\control\srp\gp\dll
  Opens key:                HKLM\software\policies\microsoft\windows\safer\codeidentifiers
  Opens key:                HKCU\software\policies\microsoft\windows\safer\codeidentifiers
  Opens key:                HKCU\
  Opens key:                HKCU\control panel\desktop\muicached\machinelanguageconfiguration
  Opens key:                HKLM\software\policies\microsoft\mui\settings
  Opens key:                HKCU\software\policies\microsoft\control panel\desktop
  Opens key:                HKCU\control panel\desktop\languageconfiguration
  Opens key:                HKCU\control panel\desktop
  Opens key:                HKCU\control panel\desktop\muicached
  Opens key:                HKLM\software\microsoft\windows\currentversion\sidebyside
  Opens key:
HKLM\software\microsoft\windows\currentversion\sidebyside\assemblystorageroots
  Opens key:                HKLM\system\currentcontrolset\control\nls\sorting\versions
  Opens key:                HKLM\system\currentcontrolset\control\error message instrument\
  Opens key:                HKLM\system\currentcontrolset\control\error message instrument
  Opens key:                HKLM\software\microsoft\windows nt\currentversion\gre_initialize
  Opens key:                HKLM\software\microsoft\windows nt\currentversion\compatibility32
  Opens key:                HKLM\software\microsoft\windows nt\currentversion\ime compatibility
  Opens key:                HKLM\
  Opens key:                HKLM\software\microsoft\windows nt\currentversion\windows
  Opens key:                HKLM\software\microsoft\ole
  Opens key:                HKLM\software\microsoft\ole\tracing
  Opens key:                HKLM\software\microsoft\oleaut
  Opens key:                HKLM\software\microsoft\windows nt\currentversion\diagnostics
  Opens key:                HKLM\software\microsoft\windows\windows error reporting\wmr
  Opens key:                HKLM\system\currentcontrolset\control\nls\customlocale
  Opens key:                HKLM\system\currentcontrolset\control\nls\extendedlocale
  Opens key:                HKLM\system\currentcontrolset\control\cmf\config
  Opens key:                HKLM\software\microsoft\windows nt\currentversion\image file execution
options\2a2824f06d8aa50626c0ce6d634603be.tmp
  Opens key:                HKLM\system\currentcontrolset\control\session manager\appcertdlls
  Opens key:                HKLM\system\currentcontrolset\control\session manager\appcompatibility
  Opens key:                HKLM\software\policies\microsoft\windows\appcompat
  Opens key:                HKCU\software\microsoft\windows\currentversion\explorer\shell folders
  Opens key:                HKLM\software\microsoft\windows nt\currentversion\appcompatflags\layers
  Opens key:                HKCU\software\microsoft\windows nt\currentversion\appcompatflags\layers
  Opens key:                HKLM\software\microsoft\windows
nt\currentversion\appcompatflags\custom\2a2824f06d8aa50626c0ce6d634603be.tmp
  Opens key:                HKLM\software\microsoft\windows nt\currentversion\appcompatflags
  Opens key:                HKCU\software\microsoft\windows nt\currentversion\appcompatflags
  Opens key:                HKLM\software\microsoft\windows nt\currentversion\image file execution
options
  Opens key:                HKLM\system\currentcontrolset\control\networkprovider\hworder
  Opens key:                HKLM\system\currentcontrolset\control\nls\locale
  Opens key:                HKLM\system\currentcontrolset\control\nls\locale\alternate sorts
  Opens key:                HKLM\system\currentcontrolset\control\nls\language groups
  Opens key:                HKLM\software\microsoft\windows nt\currentversion\fontlink\systemlink
  Opens key:                HKLM\software\microsoft\windows
nt\currentversion\languagepack\datastore_v1.0
  Opens key:                HKLM\software\microsoft\windows
nt\currentversion\languagepack\surrogatefallback
  Opens key:                HKLM\software\microsoft\windows
nt\currentversion\languagepack\surrogatefallback\segoe ui
  Opens key:
HKLM\software\microsoft\ctf\compatibility\2a2824f06d8aa50626c0ce6d634603be.tmp
  Opens key:                HKLM\software\microsoft\ctf\tip\{0000897b-83df-4b96-be07-
0fb58b01c4a4}\languageprofile\0x00000000\{0001bea3-ed56-483d-a2e2-aeae25577436}
  Opens key:                HKLM\software\microsoft\ctf\
  Opens key:                HKLM\software\microsoft\ctf\knownclasses
  Opens key:                HKLM\software\microsoft\windows\currentversion
  Opens key:                HKLM\software\microsoft\windows nt\currentversion
  Opens key:                HKLM\software\microsoft\windows
nt\currentversion\languagepack\surrogatefallback\ms sans serif
  Opens key:                HKLM\software\microsoft\windows
nt\currentversion\languagepack\surrogatefallback\tahoma
  Opens key:                HKLM\software\microsoft\windows\currentversion\policies\explorer
  Opens key:                HKCU\software\microsoft\windows\currentversion\policies\explorer
  Opens key:
HKLM\software\microsoft\windows\currentversion\shellcompatibility\applications\2a2824f06d8aa50626c0ce6d634603be.tmp
  Opens key:                HKCU\software\classes\
  Opens key:                HKCU\software\classes\clsid\{20d04fe0-3aea-1069-a2d8-
08002b30309d}\shellfolder
  Opens key:                HKCR\clsid\{20d04fe0-3aea-1069-a2d8-08002b30309d}\shellfolder
  Opens key:                HKCU\software\microsoft\windows\currentversion\explorer\clsid\{20d04fe0-
3aea-1069-a2d8-08002b30309d}\shellfolder
  Opens key:                HKLM\software\microsoft\windows\currentversion\explorer\clsid\{20d04fe0-
3aea-1069-a2d8-08002b30309d}\shellfolder
  Opens key:                HKCU\software\microsoft\windows\currentversion\policies\nonenum
  Opens key:                HKLM\software\microsoft\windows\currentversion\policies\nonenum
  Opens key:                HKCU\software\classes\drive\shellex\folderextensions
  Opens key:                HKCR\drive\shellex\folderextensions
  Opens key:                HKCU\software\classes\drive\shellex\folderextensions\{fbeb8a05-beee-
4442-804e-409d6c4515e9}
  Opens key:                HKCR\drive\shellex\folderextensions\{fbeb8a05-beee-4442-804e-
409d6c4515e9}
  Opens key:                HKLM\software\microsoft\windows\currentversion\explorer\shell icons
  Opens key:                HKLM\software\microsoft\windows
nt\currentversion\languagepack\surrogatefallback\verdana
  Opens key:                HKLM\software\policies
  Opens key:                HKCU\software\policies
  Opens key:                HKCU\software
  Opens key:                HKLM\software
  Opens key:
HKCU\software\policies\microsoft\windows\currentversion\explorer\autocomplete
  Opens key:                HKCU\software\microsoft\windows\currentversion\explorer\autocomplete
  Opens key:
HKLM\software\policies\microsoft\windows\currentversion\explorer\autocomplete
  Opens key:                HKLM\software\microsoft\windows\currentversion\explorer\autocomplete
  Opens key:                HKLM\software\microsoft\com3
  Opens key:                HKCU\software\classes\clsid\{00bb2765-6a77-11d0-a535-00c04fd7d062}
  Opens key:                HKCR\clsid\{00bb2765-6a77-11d0-a535-00c04fd7d062}
  Opens key:                HKCU\software\classes\clsid\{00bb2765-6a77-11d0-a535-
00c04fd7d062}\treatas
  Opens key:                HKCR\clsid\{00bb2765-6a77-11d0-a535-00c04fd7d062}\treatas
  Opens key:                HKCU\software\classes\clsid\{00bb2765-6a77-11d0-a535-
00c04fd7d062}\progid
  Opens key:                HKCR\clsid\{00bb2765-6a77-11d0-a535-00c04fd7d062}\progid
  Opens key:                HKCU\software\classes\clsid\{00bb2765-6a77-11d0-a535-
00c04fd7d062}\inprocserver32
  Opens key:                HKCR\clsid\{00bb2765-6a77-11d0-a535-00c04fd7d062}\inprocserver32
  Opens key:                HKCU\software\classes\clsid\{00bb2765-6a77-11d0-a535-
00c04fd7d062}\inprochandler32
  Opens key:                HKCR\clsid\{00bb2765-6a77-11d0-a535-00c04fd7d062}\inprochandler32
  Opens key:                HKCU\software\classes\clsid\{00bb2765-6a77-11d0-a535-
00c04fd7d062}\inprochandler
  Opens key:                HKCR\clsid\{00bb2765-6a77-11d0-a535-00c04fd7d062}\inprochandler
  Opens key:                HKCU\software\classes\clsid\{03c036f1-a186-11d0-824a-00aa005b4383}
  Opens key:                HKCR\clsid\{03c036f1-a186-11d0-824a-00aa005b4383}
  Opens key:                HKCU\software\classes\clsid\{03c036f1-a186-11d0-824a-
00aa005b4383}\treatas
  Opens key:                HKCR\clsid\{03c036f1-a186-11d0-824a-00aa005b4383}\treatas
  Opens key:                HKCU\software\classes\clsid\{03c036f1-a186-11d0-824a-
00aa005b4383}\progid
  Opens key:                HKCR\clsid\{03c036f1-a186-11d0-824a-00aa005b4383}\progid
  Opens key:                HKCU\software\classes\clsid\{03c036f1-a186-11d0-824a-
00aa005b4383}\inprocserver32
  Opens key:                HKCR\clsid\{03c036f1-a186-11d0-824a-00aa005b4383}\inprocserver32
  Opens key:                HKCU\software\classes\clsid\{03c036f1-a186-11d0-824a-
00aa005b4383}\inprochandler32
  Opens key:                HKCR\clsid\{03c036f1-a186-11d0-824a-00aa005b4383}\inprochandler32
  Opens key:                HKCU\software\classes\clsid\{03c036f1-a186-11d0-824a-
00aa005b4383}\inprochandler
  Opens key:                HKCR\clsid\{03c036f1-a186-11d0-824a-00aa005b4383}\inprochandler
  Opens key:                HKCU\software\classes\clsid\{00bb2763-6a77-11d0-a535-00c04fd7d062}
  Opens key:                HKCR\clsid\{00bb2763-6a77-11d0-a535-00c04fd7d062}
  Opens key:                HKCU\software\classes\clsid\{00bb2763-6a77-11d0-a535-
00c04fd7d062}\treatas
  Opens key:                HKCR\clsid\{00bb2763-6a77-11d0-a535-00c04fd7d062}\treatas
  Opens key:                HKCU\software\classes\clsid\{00bb2763-6a77-11d0-a535-
00c04fd7d062}\progid
  Opens key:                HKCR\clsid\{00bb2763-6a77-11d0-a535-00c04fd7d062}\progid
  Opens key:                HKCU\software\classes\clsid\{00bb2763-6a77-11d0-a535-
00c04fd7d062}\inprocserver32
  Opens key:                HKCR\clsid\{00bb2763-6a77-11d0-a535-00c04fd7d062}\inprocserver32
  Opens key:                HKCU\software\classes\clsid\{00bb2763-6a77-11d0-a535-
00c04fd7d062}\inprochandler32
  Opens key:                HKCR\clsid\{00bb2763-6a77-11d0-a535-00c04fd7d062}\inprochandler32
  Opens key:                HKCU\software\classes\clsid\{00bb2763-6a77-11d0-a535-
00c04fd7d062}\inprochandler
  Opens key:                HKCR\clsid\{00bb2763-6a77-11d0-a535-00c04fd7d062}\inprochandler
  Opens key:
HKLM\software\microsoft\windows\currentversion\explorer\autocomplete\client\
  Opens key:                HKCU\software\classes\clsid\{807c1e6c-1d00-453f-b920-b61bb7cdd997}
  Opens key:                HKCR\clsid\{807c1e6c-1d00-453f-b920-b61bb7cdd997}
  Opens key:                HKCU\software\classes\clsid\{807c1e6c-1d00-453f-b920-
b61bb7cdd997}\treatas
  Opens key:                HKCR\clsid\{807c1e6c-1d00-453f-b920-b61bb7cdd997}\treatas
  Opens key:                HKCU\software\classes\clsid\{807c1e6c-1d00-453f-b920-
b61bb7cdd997}\progid
  Opens key:                HKCR\clsid\{807c1e6c-1d00-453f-b920-b61bb7cdd997}\progid
  Opens key:                HKCU\software\classes\clsid\{807c1e6c-1d00-453f-b920-
b61bb7cdd997}\inprocserver32
  Opens key:                HKCR\clsid\{807c1e6c-1d00-453f-b920-b61bb7cdd997}\inprocserver32
  Opens key:                HKCU\software\classes\clsid\{807c1e6c-1d00-453f-b920-
b61bb7cdd997}\inprochandler32
  Opens key:                HKCR\clsid\{807c1e6c-1d00-453f-b920-b61bb7cdd997}\inprochandler32
  Opens key:                HKCU\software\classes\clsid\{807c1e6c-1d00-453f-b920-
b61bb7cdd997}\inprochandler
  Opens key:                HKCR\clsid\{807c1e6c-1d00-453f-b920-b61bb7cdd997}\inprochandler
  Opens key:                HKLM\software\microsoft\rpc\extensions
  Opens key:                HKLM\software\microsoft\rpc
  Opens key:                HKLM\system\currentcontrolset\control\computername\activecomputername
  Opens key:                HKLM\system\setup
  Opens key:                HKLM\software\policies\microsoft\windows nt\rpc
  Opens key:                HKLM\software\policies\microsoft\sqmclient\windows
  Opens key:                HKLM\software\microsoft\sqmclient\windows
  Opens key:                HKCU\software\microsoft\windows\currentversion\explorer\advanced
  Opens key:                HKLM\software\microsoft\windows nt\currentversion\fontsubstitutes
  Opens key:                HKCU\software\microsoft\windows nt\currentversion\windows
  Opens key:                HKCU\software\microsoft\windows\currentversion\uninstall\{f5a6a617-1a5c-
46bd-b44d-5660e337507f}_is1
  Opens key:                HKLM\software\microsoft\windows\currentversion\uninstall\{f5a6a617-1a5c-
46bd-b44d-5660e337507f}_is1
  Queries value:            HKLM\system\currentcontrolset\control\session
manager[cwdillegalindllsearch]
  Queries value:
HKLM\software\policies\microsoft\windows\safer\codeidentifiers[transparentenabled]
  Queries value:            HKCU\control panel\desktop[preferreduilanguages]
  Queries value:            HKCU\control panel\desktop\muicached[machinepreferreduilanguages]
  Queries value:
HKLM\software\microsoft\windows\currentversion\sidebyside[preferexternalmanifest]
  Queries value:            HKLM\system\currentcontrolset\control\nls\sorting\versions[]
  Queries value:            HKLM\system\currentcontrolset\control\session manager[safedllsearchmode]
  Queries value:            HKLM\software\microsoft\windows
nt\currentversion\gre_initialize[disablemetafiles]
  Queries value:            HKLM\software\microsoft\windows
nt\currentversion\compatibility32[2a2824f06d8aa50626c0ce6d634603be]
  Queries value:            HKLM\software\microsoft\windows
nt\currentversion\windows[loadappinit_dlls]
  Queries value:            HKLM\software\microsoft\ole[pageallocatorusesystemheap]
  Queries value:            HKLM\software\microsoft\ole[pageallocatorsystemheapisprivate]
  Queries value:            HKLM\software\microsoft\windows\windows error reporting\wmr[disable]
  Queries value:            HKLM\system\currentcontrolset\control\nls\customlocale[en-us]
  Queries value:            HKLM\system\currentcontrolset\control\nls\extendedlocale[en-us]
  Queries value:            HKLM\system\currentcontrolset\control\cmf\config[system]
  Queries value:
HKLM\software\policies\microsoft\windows\safer\codeidentifiers[authenticodeenabled]
  Queries value:            HKCU\software\microsoft\windows\currentversion\explorer\shell
folders[cache]
  Queries value:            HKLM\software\microsoft\windows
nt\currentversion\appcompatflags\layers[c:\users\admin\appdata\local\temp\is-
rhg8e.tmp\2a2824f06d8aa50626c0ce6d634603be.tmp]
  Queries value:            HKLM\software\microsoft\windows
nt\currentversion\appcompatflags[{a9f603c2-b224-4a07-b6ea-a2bcc1a51297}]
  Queries value:            HKCU\software\microsoft\windows
nt\currentversion\appcompatflags[{a9f603c2-b224-4a07-b6ea-a2bcc1a51297}]
  Queries value:            HKLM\software\microsoft\windows
nt\currentversion\appcompatflags[{6b39d1b2-7883-4648-94bf-bd5109b4ac48}]
  Queries value:            HKCU\software\microsoft\windows
nt\currentversion\appcompatflags[{6b39d1b2-7883-4648-94bf-bd5109b4ac48}]
  Queries value:            HKLM\software\microsoft\windows
nt\currentversion\appcompatflags[{35bf919e-0495-48df-8e74-456384e34e74}]
  Queries value:            HKCU\software\microsoft\windows
nt\currentversion\appcompatflags[{35bf919e-0495-48df-8e74-456384e34e74}]
  Queries value:            HKLM\software\microsoft\windows nt\currentversion\image file execution
options[disablelocaloverride]
  Queries value:            HKLM\system\currentcontrolset\control\nls\locale[00000409]
  Queries value:            HKLM\system\currentcontrolset\control\nls\language groups[1]
  Queries value:            HKLM\software\microsoft\windows
nt\currentversion\languagepack\datastore_v1.0[disable]
  Queries value:            HKLM\software\microsoft\windows
nt\currentversion\languagepack\datastore_v1.0[datafilepath]
  Queries value:            HKLM\software\microsoft\windows
nt\currentversion\languagepack\surrogatefallback[plane1]
  Queries value:            HKLM\software\microsoft\windows
nt\currentversion\languagepack\surrogatefallback[plane2]
  Queries value:            HKLM\software\microsoft\windows
nt\currentversion\languagepack\surrogatefallback[plane3]
  Queries value:            HKLM\software\microsoft\windows
nt\currentversion\languagepack\surrogatefallback[plane4]
```

```
  Queries value:          HKLM\software\microsoft\windows
nt\currentversion\languagepack\surrogatefallback[plane5]
  Queries value:          HKLM\software\microsoft\windows
nt\currentversion\languagepack\surrogatefallback[plane6]
  Queries value:          HKLM\software\microsoft\windows
nt\currentversion\languagepack\surrogatefallback[plane7]
  Queries value:          HKLM\software\microsoft\windows
nt\currentversion\languagepack\surrogatefallback[plane8]
  Queries value:          HKLM\software\microsoft\windows
nt\currentversion\languagepack\surrogatefallback[plane9]
  Queries value:          HKLM\software\microsoft\windows
nt\currentversion\languagepack\surrogatefallback[plane10]
  Queries value:          HKLM\software\microsoft\windows
nt\currentversion\languagepack\surrogatefallback[plane11]
  Queries value:          HKLM\software\microsoft\windows
nt\currentversion\languagepack\surrogatefallback[plane12]
  Queries value:          HKLM\software\microsoft\windows
nt\currentversion\languagepack\surrogatefallback[plane13]
  Queries value:          HKLM\software\microsoft\windows
nt\currentversion\languagepack\surrogatefallback[plane14]
  Queries value:          HKLM\software\microsoft\windows
nt\currentversion\languagepack\surrogatefallback[plane15]
  Queries value:          HKLM\software\microsoft\windows
nt\currentversion\languagepack\surrogatefallback[plane16]
  Queries value:          HKLM\software\microsoft\ctf\tip\{0000897b-83df-4b96-be07-
0fb58b01c4a4}\languageprofile\0x00000000\{0001bea3-ed56-483d-a2e2-aeae25577436}[enable]
  Queries value:          HKLM\software\microsoft\ctf[enableanchorcontext]
  Queries value:          HKLM\software\microsoft\windows\currentversion[programfilesdir]
  Queries value:          HKLM\software\microsoft\windows\currentversion[commonfilesdir]
  Queries value:          HKLM\software\microsoft\windows nt\currentversion[registeredowner]
  Queries value:          HKLM\software\microsoft\windows
nt\currentversion[registeredorganization]
  Queries value:          HKCR\clsid\{20d04fe0-3aea-1069-a2d8-
08002b30309d}\shellfolder[attributes]
  Queries value:          HKCR\clsid\{20d04fe0-3aea-1069-a2d8-
08002b30309d}\shellfolder[callforattributes]
  Queries value:          HKCR\clsid\{20d04fe0-3aea-1069-a2d8-
08002b30309d}\shellfolder[restrictedattributes]
  Queries value:          HKCR\clsid\{20d04fe0-3aea-1069-a2d8-
08002b30309d}\shellfolder[wantsfordisplay]
  Queries value:          HKCR\clsid\{20d04fe0-3aea-1069-a2d8-
08002b30309d}\shellfolder[hidefolderverbs]
  Queries value:          HKCR\clsid\{20d04fe0-3aea-1069-a2d8-
08002b30309d}\shellfolder[usedrophandler]
  Queries value:          HKCR\clsid\{20d04fe0-3aea-1069-a2d8-
08002b30309d}\shellfolder[wantsforparsing]
  Queries value:          HKCR\clsid\{20d04fe0-3aea-1069-a2d8-
08002b30309d}\shellfolder[wantsparsedisplayname]
  Queries value:          HKCR\clsid\{20d04fe0-3aea-1069-a2d8-
08002b30309d}\shellfolder[queryforoverlay]
  Queries value:          HKCR\clsid\{20d04fe0-3aea-1069-a2d8-
08002b30309d}\shellfolder[mapnetdriveverbs]
  Queries value:          HKCR\clsid\{20d04fe0-3aea-1069-a2d8-
08002b30309d}\shellfolder[queryforinfotip]
  Queries value:          HKCR\clsid\{20d04fe0-3aea-1069-a2d8-
08002b30309d}\shellfolder[hideinwebview]
  Queries value:          HKCR\clsid\{20d04fe0-3aea-1069-a2d8-
08002b30309d}\shellfolder[hideondesktopperuser]
  Queries value:          HKCR\clsid\{20d04fe0-3aea-1069-a2d8-
08002b30309d}\shellfolder[wantsaliasednotifications]
  Queries value:          HKCR\clsid\{20d04fe0-3aea-1069-a2d8-
08002b30309d}\shellfolder[wantsuniversaldelegate]
  Queries value:          HKCR\clsid\{20d04fe0-3aea-1069-a2d8-
08002b30309d}\shellfolder[nofilefolderjunction]
  Queries value:          HKCR\clsid\{20d04fe0-3aea-1069-a2d8-
08002b30309d}\shellfolder[pintonamespacetree]
  Queries value:          HKCR\clsid\{20d04fe0-3aea-1069-a2d8-
08002b30309d}\shellfolder[hasnavigationenum]
  Queries value:
HKLM\software\microsoft\windows\currentversion\policies\nonenum[{20d04fe0-3aea-1069-a2d8-
08002b30309d}]
  Queries value:          HKCR\drive\shellex\folderextensions\{fbeb8a05-beee-4442-804e-
409d6c4515e9}[drivemask]
  Queries value:
```

```
HKCU\software\microsoft\windows\currentversion\explorer\autocomplete[append completion]
  Queries value:
HKCU\software\microsoft\windows\currentversion\explorer\autocomplete[autosuggest]
  Queries value:
HKLM\software\microsoft\windows\currentversion\explorer\autocomplete[autosuggest]
  Queries value:
HKCU\software\microsoft\windows\currentversion\explorer\autocomplete[always use tab]
  Queries value:
HKLM\software\microsoft\windows\currentversion\explorer\autocomplete[always use tab]
  Queries value:              HKLM\software\microsoft\com3[com+enabled]
  Queries value:              HKCR\clsid\{00bb2765-6a77-11d0-a535-00c04fd7d062}[]
  Queries value:              HKCR\clsid\{00bb2765-6a77-11d0-a535-
00c04fd7d062}\inprocserver32[inprocserver32]
  Queries value:              HKCR\clsid\{00bb2765-6a77-11d0-a535-00c04fd7d062}\inprocserver32[]
  Queries value:              HKCR\clsid\{00bb2765-6a77-11d0-a535-
00c04fd7d062}\inprocserver32[threadingmodel]
  Queries value:              HKLM\software\microsoft\ole[maxsxshashcount]
  Queries value:              HKCR\clsid\{03c036f1-a186-11d0-824a-00aa005b4383}[]
  Queries value:              HKCR\clsid\{03c036f1-a186-11d0-824a-
00aa005b4383}\inprocserver32[inprocserver32]
  Queries value:              HKCR\clsid\{03c036f1-a186-11d0-824a-00aa005b4383}\inprocserver32[]
  Queries value:              HKCR\clsid\{03c036f1-a186-11d0-824a-
00aa005b4383}\inprocserver32[threadingmodel]
  Queries value:              HKCR\clsid\{00bb2763-6a77-11d0-a535-00c04fd7d062}[]
  Queries value:              HKCR\clsid\{00bb2763-6a77-11d0-a535-
00c04fd7d062}\inprocserver32[inprocserver32]
  Queries value:              HKCR\clsid\{00bb2763-6a77-11d0-a535-00c04fd7d062}\inprocserver32[]
  Queries value:              HKCR\clsid\{00bb2763-6a77-11d0-a535-
00c04fd7d062}\inprocserver32[threadingmodel]
  Queries value:
HKLM\software\microsoft\windows\currentversion\explorer\autocomplete\client[]
  Queries value:              HKCR\clsid\{807c1e6c-1d00-453f-b920-b61bb7cdd997}\progid[]
  Queries value:              HKCR\clsid\{807c1e6c-1d00-453f-b920-b61bb7cdd997}[]
  Queries value:              HKCR\clsid\{807c1e6c-1d00-453f-b920-
b61bb7cdd997}\inprocserver32[inprocserver32]
  Queries value:              HKCR\clsid\{807c1e6c-1d00-453f-b920-b61bb7cdd997}\inprocserver32[]
  Queries value:              HKCR\clsid\{807c1e6c-1d00-453f-b920-
b61bb7cdd997}\inprocserver32[threadingmodel]
  Queries value:              HKLM\software\microsoft\rpc\extensions[ndroleextdll]
  Queries value:              HKLM\software\microsoft\rpc[maxrpcsize]
  Queries value:
HKLM\system\currentcontrolset\control\computername\activecomputername[computername]
  Queries value:              HKLM\system\setup[oobeinprogress]
  Queries value:              HKLM\system\setup[systemsetupinprogress]
  Queries value:              HKLM\software\microsoft\sqmclient\windows[ceipenable]
  Queries value:              HKCU\control panel\desktop[smoothscroll]
  Queries value:
HKCU\software\microsoft\windows\currentversion\explorer\advanced[enableballoontips]
  Queries value:
HKCU\software\microsoft\windows\currentversion\explorer\advanced[listviewalphaselect]
  Queries value:
HKCU\software\microsoft\windows\currentversion\explorer\advanced[listviewshadow]
  Queries value:
HKCU\software\microsoft\windows\currentversion\explorer\advanced[acclistviewv6]
  Queries value:
HKCU\software\microsoft\windows\currentversion\explorer\advanced[usedoubleclicktimer]
  Queries value:              HKLM\software\microsoft\windows nt\currentversion\fontsubstitutes[segoe
ui]
  Queries value:              HKCU\software\microsoft\windows nt\currentversion\windows[scrollinset]
  Queries value:              HKCU\software\microsoft\windows nt\currentversion\windows[dragdelay]
  Queries value:              HKCU\software\microsoft\windows nt\currentversion\windows[dragmindist]
  Queries value:              HKCU\software\microsoft\windows nt\currentversion\windows[scrolldelay]
  Queries value:              HKCU\software\microsoft\windows
nt\currentversion\windows[scrollinterval]
  Queries value:              HKLM\software\microsoft\windows nt\currentversion\fontsubstitutes[arabic
transparent]
  Queries value:              HKLM\software\microsoft\windows nt\currentversion\fontsubstitutes[arabic
transparent bold]
  Queries value:              HKLM\software\microsoft\windows nt\currentversion\fontsubstitutes[arabic
transparent,0]
  Queries value:              HKLM\software\microsoft\windows nt\currentversion\fontsubstitutes[arabic
transparent bold,0]
  Queries value:              HKLM\software\microsoft\windows
nt\currentversion\fontsubstitutes[helvetica]
```

```
  Queries value:            HKLM\software\microsoft\windows nt\currentversion\fontsubstitutes[arial
baltic,186]
  Queries value:            HKLM\software\microsoft\windows nt\currentversion\fontsubstitutes[arial
ce,238]
  Queries value:            HKLM\software\microsoft\windows nt\currentversion\fontsubstitutes[arial
cyr,204]
  Queries value:            HKLM\software\microsoft\windows nt\currentversion\fontsubstitutes[arial
greek,161]
  Queries value:            HKLM\software\microsoft\windows nt\currentversion\fontsubstitutes[arial
tur,162]
  Queries value:            HKLM\software\microsoft\windows
nt\currentversion\fontsubstitutes[courier new baltic,186]
  Queries value:            HKLM\software\microsoft\windows
nt\currentversion\fontsubstitutes[courier new ce,238]
  Queries value:            HKLM\software\microsoft\windows
nt\currentversion\fontsubstitutes[courier new cyr,204]
  Queries value:            HKLM\software\microsoft\windows
nt\currentversion\fontsubstitutes[courier new greek,161]
  Queries value:            HKLM\software\microsoft\windows
nt\currentversion\fontsubstitutes[courier new tur,162]
  Queries value:            HKLM\software\microsoft\windows nt\currentversion\fontsubstitutes[times]
  Queries value:            HKLM\software\microsoft\windows nt\currentversion\fontsubstitutes[times
new roman baltic,186]
  Queries value:            HKLM\software\microsoft\windows nt\currentversion\fontsubstitutes[times
new roman ce,238]
  Queries value:            HKLM\software\microsoft\windows nt\currentversion\fontsubstitutes[times
new roman cyr,204]
  Queries value:            HKLM\software\microsoft\windows nt\currentversion\fontsubstitutes[times
new roman greek,161]
  Queries value:            HKLM\software\microsoft\windows nt\currentversion\fontsubstitutes[times
new roman tur,162]
  Queries value:            HKLM\software\microsoft\windows nt\currentversion\fontsubstitutes[ms
shell dlg 2]
  Queries value:            HKLM\software\microsoft\windows nt\currentversion\fontsubstitutes[tahoma
armenian]
  Queries value:            HKLM\software\microsoft\windows nt\currentversion\fontsubstitutes[helv]
  Queries value:            HKLM\software\microsoft\windows nt\currentversion\fontsubstitutes[tms
rmn]
  Queries value:            HKLM\software\microsoft\windows nt\currentversion\fontsubstitutes[david
transparent]
  Queries value:            HKLM\software\microsoft\windows nt\currentversion\fontsubstitutes[miriam
transparent]
  Queries value:            HKLM\software\microsoft\windows nt\currentversion\fontsubstitutes[fixed
miriam transparent]
  Queries value:            HKLM\software\microsoft\windows nt\currentversion\fontsubstitutes[rod
transparent]
  Queries value:            HKLM\software\microsoft\windows
nt\currentversion\fontsubstitutes[fangsong_gb2312]
  Queries value:            HKLM\software\microsoft\windows
nt\currentversion\fontsubstitutes[kaiti_gb2312]
  Queries value:            HKLM\software\microsoft\windows nt\currentversion\fontsubstitutes[ms
shell dlg]
```