# Malware Analysis Appliance by Blue Coat Systems, Inc.

#### Task Details

Host: mag2, Sample ID: 188, Task ID: 752

Task ID: 752 Risk Level: 7

Date Processed: 2016-04-28 13:08:12 (UTC)

Processing Time: 61.25 seconds
Virtual Environment: IntelliVM

Execution Arguments: "c:\windows\temp\f4cade5dce24d5c9d966cb266c7c7346.exe"

Sample ID: 188
Type: basic
Owner: admin

Label: f4cade5dce24d5c9d966cb266c7c7346
Date Added: 2016-04-28 12:45:09 (UTC)

File Type: PE32:win32:gui File Size: 994648 bytes

MD5: f4cade5dce24d5c9d966cb266c7c7346

SHA256: cd219ea43a5ea45c6a471857bcf0344f7c50c5eed41b8323ce6e92f5a0ccee49

Description: None

# Pattern Matching Results

3 Long sleep detected

- 6 Renames file on boot
- 2 PE: Nonstandard section
- 3 HTTP connection response code 200 (success) [HTTP, POST, GET, web, network, response code]
- 1 YARA score 1
- Signed by adware producer [Adware, PUA]
- 3 Connects to local host
- 4 Packer: NSIS [Nullsoft Scriptable Install System]

#### Static Events

YARA rule hit:	OLE2
YARA rule hit:	Nonexecutable
Anomaly:	PE: Contains a virtual section
Anomaly:	PF: Contains one or more non-standard sections

#### Process/Thread Events

```
C:\windows\temp\f4cade5dce24d5c9d966cb266c7c7346.exe
 ["C:\windows\temp\f4cade5dce24d5c9d966cb266c7c7346.exe" ]
                                                                C: \verb|Vsers|Admin|AppData|Local|Temp|nssFOD2.tmp|BI.exe|
[C:\Users\Admin\AppData\Local\Temp\nssFOD2.tmp\BI.exe { "json_send_time" : "28/4/2016  
15:8:26:828" , "product_id_version" : "" , "product_type" : "" , "product_id" : "" , "offer_id" : "167312" , "user_type" : "NULL" , "result" : "Success" , "user_operating_system_bits" : "" , "current_default_search" : "" , "current_homepage" : "" , "current_toolbars" : "" ,
"attempt_number": "1", "is_silent": "", "user_ms_dotnet_framework_ver": "",
"user_acount_type": "", "user_ie_version": "", "user_default_browser_version": "",
"user_default_browser": "", "user_service_pack": "", "user_operating_system": "",
"revision_number": "0", "build_id": "00000000", "dm_version": "1.3.7.9_NoStatic.130521.01",
"bundle_id" : "8c319a0a-ba3c-4eb9-8259-f1009d9bf345" , "machine_user_id" : "{50A63F4A-F70F-4F24-
A720-492910B8B594}" , "send_attempt" : "0" , "channel_id" : "" , "installation_session_id" : "79D3A38F-A44C-4B0F-82CF-A3CACEB1CC89" , "publisher_internal_id" : "1" , "publisher_id" : "Brothersoft" , "publisher_account_id" : "Brothersoft" , "order" : "1.0" , "phase" : "Init" ,
 "Is_Test" : "0" }]
                                                                C:\Users\Admin\AppData\Local\Temp\nssF0D2.tmp\BI.exe
    Creates process:
 json_send_time" : "28/4/2016 15:15:34:918" , "internal_error_description" : "HttpPost to CMS"
result- try3: Error navigating (in GetNavigateError error code is -2146697211) to url:
http://cms.distributionengine.conduit-services.com//MainOffer/167253/?CurrentStep=1"
"internal_error_number": "3", "is_parallel": "0", "mrs_id": "-1", "vector_id": "581222", "rule_id": "580630", "product_id_version": "", "product_type": "", "product_id": "", "offer_id": "167312", "general_status_code": "6", "duration_details": "InitPluginsDir:0
initializeParams:871 load_BITool:181 send_BI_Init:20 load_DownloadACC:120 retrieveUISource:0
unpack webappfolder: 0 unpack icon: 0 RetrieveMainOfferKey: 10 unpack OpenCandyDll: 451
load\_we bapphost: 0 \ unpack\_ProxyInstaller: 30 \ navigate\_loading UI: 1101 \ navigateAsync\_const Main Offer: 0 \ navigateAsync\_const Ma
BuildUserProfile: 0 retrieve cid: 10 callService1: 423487 parse_ResponseXml: 2523
init_external_offer:0 DiscoverUserAgent:101 " , "phase_duration" : "" , "error_details" : "55
Failed to communicate with CMS for main offer" , "result" : "Error" ,
 "user_operating_system_bits" : "32" , "current_default_search" : "http://www.bing.com/search?
q={searchTerms}&src=IE-SearchBox&FORM=IE8SRC" , "current_homepage" : "about:blank" ,
"current_toolbars" : "" , "attempt_number" : "1" , "is_silent" : "0" ,
 "user_ms_dotnet_framework_ver" : "3.5" , "user_acount_type" : "" , "user_ie_version"
"8.0.7601.17514" , "user_default_browser_version" : "8.0.7601.17514" , "user_default_browser" : "IEXPLORE.EXE" , "user_service_pack" : "1.0" , "user_operating_system" : "Windows 7 Professional"
    "revision_number" : "0" , "build_id" : "000000000" , "dm_version" : "1.3.7.9_NoStatic.130521.01" 
"bundle_id" : "8c319a0a-ba3c-4eb9-8259-f1009d9bf345" , "machine_user_id" : "{50A63F4A-F70F-
4F24-A720-492910B8B594}" , "send_attempt" : "0" , "channel_id" : "" , "installation_session_id" : "79D3A38F-A44C-4B0F-82CF-A3CACEB1CC89" , "publisher_internal_id" : "1" , "publisher_id" : "Brothersoft" , "publisher_account_id" : "Brothersoft" , "order" : "2.0" , "phase" :
```

"InitComplete" , "Is\_Test" : "0" }]

C:\Users\Admin\AppData\Local\Temp\nssFOD2.tmp\BI.exe Terminates process:

## Named Object Events

\Sessions\1\BaseNamedObjects\DBWinMutex Creates mutex:  $\verb|\Sessions|1\BaseNamedObjects|\ActiveSetupMutexId|$ Creates mutex: \Sessions\1\BaseNamedObjects\\_!MSFTHISTORY!\_ Creates mutex:

Creates mutex:

\Sessions\1\BaseNamedObjects\c:!users!admin!appdata!local!microsoft!windows!temporary internet

files!content.ie5! Creates mutex:

\Sessions\1\BaseNamedObjects\c:!users!admin!appdata!roaming!microsoft!windows!cookies!

Creates mutex:

\Sessions\1\BaseNamedObjects\c:!users!admin!appdata!local!microsoft!windows!history!history.ie5!

\Sessions\1\BaseNamedObjects\\_!SHMSFTHISTORY!\_

Creates mutex: \Sessions\1\BaseNamedObjects\WininetStartupMutex \Sessions\1\BaseNamedObjects\WininetConnectionMutex Creates mutex: \Sessions\1\BaseNamedObjects\WininetProxyRegistryMutex Creates mutex: Creates mutex:  $\verb|\Sessions|1\BaseNamedObjects| CicLoadWinStaWinStaO|$ 

\Sessions\1\BaseNamedObjects\MSCTF.CtfMonitorInstMutexDefault1 Creates mutex:

\Sessions\1\BaseNamedObjects\RasPbFile Creates mutex:

Creates mutex: \Sessions\1\BaseNamedObjects\!PrivacIE!SharedMemory!Mutex

\Sessions\1\BaseNamedObjects\ZonesCounterMutex Creates mutex: \Sessions\1\BaseNamedObjects\ZoneAttributeCacheCounterMutex

Creates mutex: Creates mutex:  $\verb|\Sessions|1| Base Named Objects \\| Zones Cache Counter Mutex| \\$ 

Creates mutex:  $\verb|\Sessions|1\BaseNamedObjects|\ZonesLockedCacheCounterMutex|$ \Sessions\1\BaseNamedObjects\!IETld!Mutex Creates mutex: Creates mutex: \Sessions\1\BaseNamedObjects\IESQMMUTEX\_0\_208

Creates mutex: Creates mutex:

\Sessions\1\BaseNamedObjects\c:!users!admin!appdata!local!microsoft!windows!history!history.ie5!mshist012016042820160429!

Creates event: \KernelObjects\MaximumCommitCondition \Security\LSA\_AUTHENTICATION\_INITIALIZED Creates event:

Creates event: \Sessions\1\BaseNamedObjects\MSCTF.CtfActivated.Default1 Creates event: \Sessions\1\BaseNamedObjects\0leDfRootF44CB2544307CF5B

\BaseNamedObjects\SvcctrlStartEvent\_A3752DX Creates event:

Creates event: \BaseNamedObjects\BFE\_Notify\_Event\_{97d9d359-dabd-45a3-a28bd1c57396d6f1} \BaseNamedObjects\BFE\_Notify\_Event\_{1a033cb3-75bc-454b-b5e9-

Creates event: 540f5a228a6d}

\Sessions\1\BaseNamedObjects\DINPUTWINMM Creates event:

\BaseNamedObjects\BFE\_Notify\_Event\_{504cd941-4be6-44fd-9aa4-Creates event:

128475236914}

File System Events		
Creates:	C:\Users\Admin\AppData\Local\Microsoft\Windows\Caches	
Creates:	C:\Users\Admin\AppData\Local\Temp\	
Creates:	C:\Users\Admin\AppData\Local\Temp\nsoF030.tmp	
Creates:	<pre>C:\Users\Admin\AppData\Local\Temp\nsyFOBD.tmp</pre>	
Creates:	<pre>C:\Users\Admin\AppData\Local\Temp\nssF0D2.tmp</pre>	
Creates:	C:\Users	
Creates:	C:\Users\Admin	
Creates:	C:\Users\Admin\AppData	
Creates:	C:\Users\Admin\AppData\Local	
Creates:	C:\Users\Admin\AppData\Local\Temp	
Creates:	<pre>C:\Users\Admin\AppData\Local\Temp\nssFOD2.tmp\System.dll</pre>	
Creates:	<pre>C:\Users\Admin\AppData\Local\Temp\nssFOD2.tmp\webapphost.dll</pre>	
Creates:	<pre>C:\Users\Admin\AppData\Local\Temp\nssFOD2.tmp\BI.exe</pre>	
Creates:	<pre>C:\Users\Admin\AppData\Local\Temp\nssFOD2.tmp\DM_loader.gif</pre>	
Creates:	<pre>C:\Users\Admin\AppData\Local\Temp\nssFOD2.tmp\DownloadACC.exe</pre>	
Creates:	<pre>C:\Users\Admin\AppData\Local\Temp\nssFOD2.tmp\Failed.htm</pre>	
Creates:	<pre>C:\Users\Admin\AppData\Local\Temp\nssFOD2.tmp\icon.png</pre>	
Creates:	<pre>C:\Users\Admin\AppData\Local\Temp\nssFOD2.tmp\OCSetupHlp.dll</pre>	
Creates:	<pre>C:\Users\Admin\AppData\Local\Temp\nssFOD2.tmp\ProxyInstaller.exe</pre>	
Creates:	<pre>C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet Files</pre>	
Creates:	C:\Users\Admin\AppData\Roaming	
Creates:	<pre>C:\Users\Admin\AppData\Roaming\Microsoft\Windows\Cookies</pre>	
Creates:	<pre>C:\Users\Admin\AppData\Local\Microsoft\Windows\History</pre>	
Creates:	<pre>C:\Users\Admin\AppData\Local\Temp\~DF4ABBD51D868D3FA6.TMP</pre>	
Creates:	<pre>C:\Users\Admin\AppData\Local\Temp\nsvF975.tmp</pre>	
Creates:	<pre>C:\Users\Admin\AppData\Local\Temp\nsfF980.tmp</pre>	
Creates:	<pre>C:\Users\Admin\AppData\Local\Temp\nscFA68.tmp</pre>	
Creates:	<pre>C:\Users\Admin\AppData\Local\Temp\nscFA68.tmp\inetc.dll</pre>	
Creates:	<pre>C:\Users\Admin\AppData\Local\Temp\nssFOD2.tmp\inetc.dll</pre>	
Creates:	<pre>C:\Users\Admin\AppData\Local\Temp\nssFOD2.tmp\offer.xml</pre>	
Creates:	<pre>C:\Users\Admin\AppData\Local\Temp\nscFA68.tmp\a.txt</pre>	
Creates:	<pre>C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet</pre>	

Files\Content.IE5\BX3UL1G0\navcancl[1]

 $\verb|C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet| \\$ Files\Content.IE5\KQ5TVCON\navcancl[1]

 ${\tt C:\Windows\Temporary\ Internet}$ Creates:

Files\Content.IE5\BX3UL1G0\ErrorPageTemplate[1]

Creates: C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet

```
Files\Content.IE5\X3IPB3Z1\errorPageStrings[1]
                          {\tt C: \ Vars \ Admin \ App Data \ Local \ Microsoft \ Windows \ Temporary \ Internet}
 Creates
Files\Content.IE5\BX3UL1GO\ErrorPageTemplate[2]
                          C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
 Creates
Files\Content.IE5\BX3UL1G0\errorPageStrings[1]
 Creates:
                          C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
Files\Content.IE5\X3IPB3Z1\httpErrorPagesScripts[1]
                          C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
 Creates:
Files\Content.IE5\KQ5TVCON\background_gradient[1]
 Creates
                          C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
Files\Content.IE5\X3IPB3Z1\info 48[1]
 Creates:
                          C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
Files\Content.IE5\BX3UL1G0\bullet[1]
                          \verb|C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet| \\
 Creates:
Files\Content.IE5\KQ5TVCON\ErrorPageTemplate[1]
 Creates
                          C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
Files\Content.IE5\BX3UL1G0\errorPageStrings[2]
 Creates:
                          C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
Files\Content.IE5\BX3UL1G0\httpErrorPagesScripts[1]
                          C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
 Creates:
Files\Content.IE5\X3IPB3Z1\background_gradient[1]
 Creates:
                          C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
Files\Content.IE5\KQ5TVCON\info_48[1]
                          C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
 Creates:
Files\Content.IE5\X3IPB3Z1\bullet[1]
                          \verb|C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet| \\
 Creates:
Files\Content.IE5\KQ5TVCON\errorPageStrings[1]
                          C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
 Creates:
Files\Content.IE5\BX3UL1G0\httpErrorPagesScripts[2]
                          C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
 Creates:
Files\Content.IE5\BX3UL1G0\background_gradient[1]
                          C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
 Creates:
Files\Content.IE5\KQ5TVCON\bullet[1]
                          \verb|C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet| \\
 Creates:
Files\Content.IE5\BX3UL1G0\background_gradient[2]
                          C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
Files\Content.IE5\BX3UL1G0\info_48[1]
                          \verb|C:\USers\Admin\AppData\Local\Microsoft\Windows\Temporary\ Internet|\\
 Creates:
Files\Content.IE5\KQ5TVCON\dnserrordiagoff_web0C[1]
                          C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
 Creates:
Files\Content.IE5\WG2VLW5Y\dnserrordiagoff_web0C[1]
                          \verb|C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet| \\
Files\Content.IE5\WG2VLW5Y\ErrorPageTemplate[1]
                          \verb|C:\USers\Admin\AppData\Local\Microsoft\Windows\Temporary\ Internet|\\
 Creates
Files\Content.IE5\KQ5TVCON\httpErrorPagesScripts[1]
 Creates:
                          C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
Files\Content.IE5\BX3UL1G0\info_48[2]
                          C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
Files\Content.IE5\X3IPB3Z1\down[1]
 Creates:
                          C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
Files\Content.IE5\X3IPB3Z1\ErrorPageTemplate[1]
                          C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
 Creates:
Files\Content.IE5\WG2VLW5Y\errorPageStrings[1]
                          \verb|C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet| \\
Files\Content.IE5\BX3UL1G0\bullet[2]
 Creates
                          C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
Files\Content.IE5\BX3UL1G0\down[1]
                          C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
 Creates:
Files\Content.IE5\X3IPB3Z1\ErrorPageTemplate[2]
                          C:\Users\Admin\AppData\Local\Temp\nssFOD2.tmp\xml.dll
 Creates:
 Creates:
                          C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
Files\Content.IE5\WG2VLW5Y\httpErrorPagesScripts[1]
                          C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
 Creates:
Files\Content.IE5\BX3UL1G0\down[2]
                          \verb|C:\USers\Admin\AppData\Local\Microsoft\Windows\Temporary\ Internet|\\
 Creates
Files\Content.IE5\BX3UL1G0\dnserrordiagoff_web0C[1]
                          C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
 Creates:
Files\Content.IE5\X3IPB3Z1\errorPageStrings[2]
 Creates:
                          C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
Files\Content.IE5\WG2VLW5Y\background gradient[1]
 Creates:
                          C:\Users\Admin\AppData\Local\Temp\nssFOD2.tmp\nsArray.dll
                          C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
Files\Content.IE5\BX3UL1G0\dnserrordiagoff web0C[2]
 Creates
                          C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
Files\Content.IE5\X3IPB3Z1\httpErrorPagesScripts[2]
 Creates:
                          C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
Files\Content.IE5\WG2VLW5Y\info_48[1]
                          C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
Files\Content.IE5\KQ5TVCON\down[1]
 Creates
                          C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
Files\Content.IE5\X3IPB3Z1\dnserrordiagoff_web0C[1]
                          C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
 Creates:
Files\Content.IE5\X3IPB3Z1\background_gradient[2]
```

```
Creates:
                        C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
Files\Content.IE5\WG2VLW5Y\bullet[1]
 Creates:
                        C:\Users\Admin\AppData\Local\Temp\nsg1BBA.tmp
                        C:\Users\Admin\AppData\Local\Temp\nsq1BC5.tmp
                        C:\Users\Admin\AppData\Local\Temp\nsa1BD0.tmp
 Creates:
 Creates:
                        C:\Users\Admin\AppData\Local\Temp\nsa1BD0.tmp\inetc.dll
                        C:\Users\Admin\AppData\Local\Temp\nsa1BD0.tmp\a.txt
 Creates:
 Creates:
C:\Users\Admin\AppData\Local\Microsoft\Windows\History\History.IE5\MSHist012016042820160429
C:\Users\Admin\AppData\Local\Microsoft\Windows\History\History.IE5\MSHist012016042820160429\index.dat
 Creates:
                        C:\Users\Admin\Favorites
 Opens:
                        C:\Windows\Prefetch\F4CADE5DCE24D5C9D966CB266C7C7-92606AB4.pf
 Opens:
                        C:\Windows\System32
 Opens:
                        C:\Windows\System32\sechost.dll
 Opens:
                        C:\windows\temp\f4cade5dce24d5c9d966cb266c7c7346.exe.Local\
                        C:\Windows\winsxs\x86_microsoft.windows.common-
 Opens:
controls_6595b64144ccf1df_5.82.7601.17514_none_ec83dffa859149af
 Opens:
                        C:\Windows\winsxs\x86_microsoft.windows.common-
controls_6595b64144ccf1df_5.82.7601.17514_none_ec83dffa859149af\comctl32.dll
 Opens:
                        C:\windows\temp\VERSION.dll
 Opens:
                        C:\Windows\System32\version.dll
                        C:\Windows\System32\imm32.dll
 Opens:
 Opens:
                        C:\Windows\System32\rpcss.dll
 Opens:
                        C:\windows\temp\CRYPTBASE.dll
 Opens:
                        C:\Windows\System32\cryptbase.dll
 Opens:
                        C:\Windows\System32\uxtheme.dll
 Opens:
                        C:\windows\temp\SHFOLDER.DLL
 Opens:
                        C:\Windows\System32\shfolder.dll
 Opens:
                        C:\Windows\Globalization\Sorting\SortDefault.nls
 Opens:
                        C:\Windows\System32\shell32.dll
 Opens:
                        C:\Windows\winsxs\x86_microsoft.windows.common-
controls_6595b64144ccf1df_6.0.7601.17514_none_41e6975e2bd6f2b2
 Opens:
                        C:\Windows\winsxs\x86_microsoft.windows.common-
controls_6595b64144ccf1df_6.0.7601.17514_none_41e6975e2bd6f2b2\comctl32.dll
                        C:\Windows\WindowsShell.Manifest
 Opens:
 Opens:
                       C:\
                        C:\Windows
 Opens:
 Opens:
                        C:\Windows\System32\propsys.dll
 Opens:
                        C:\Users\Admin\AppData\Local\Microsoft\Windows\Caches\cversions.1.db
 Opens:
                        C:\windows\temp\ntmarta.dll
 Opens:
                        C:\Windows\System32\ntmarta.dll
                        C:\Users\Admin\AppData\Local\Microsoft\Windows\Caches\{AFBF9F1A-8EE8-
 Opens:
4C77-AF34-C647E37CA0D9}.1.ver0x0000000000000006.db
                        C:\Users\Admin\Desktop\desktop.ini
 Opens:
 Opens:
                        C:\windows\temp\profapi.dll
                        C:\Windows\System32\profapi.dll
 Opens:
 Opens:
                        C:\Windows\System32\en-US\setupapi.dll.mui
                        C:\Users\Admin\AppData\Local\Temp
 Opens:
                        C: \verb|\Users\Admin\AppData\Local\Temp\nsoF030.tmp| \\
 Opens:
 Opens:
                        C:\Windows\Temp\f4cade5dce24d5c9d966cb266c7c7346.exe
 Opens:
                        C:\Users\Admin\AppData\Local\Temp\nssF0D2.tmp
                        C:\Users
 Opens:
 Opens:
                        C:\Users\Admin
 Opens:
                        C:\Users\Admin\AppData
                        C:\Users\Admin\AppData\Local
 Opens:
 Opens:
                        C:\Users\Admin\AppData\Local\Temp\nssFOD2.tmp\System.dll
 Opens:
                        C:\Users\Admin\AppData\Local\Temp\nssFOD2.tmp\webapphost.dll
                        Opens:
 Opens:
                        C:\Windows\System32\winspool.drv
 Opens:
                        C:\Users\Admin\AppData\Local\Temp\nssF0D2.tmp\oledlg.dll
 Opens:
                        C:\Windows\System32\oledlg.dll
 Opens:
                        C:\Users\Admin\AppData\Local\Temp\nssFOD2.tmp\OLEACC.dll
 Opens:
                        C:\Windows\System32\oleacc.dll
                        C:\windows\temp\OLEACCRC.DLL
 Opens:
 Opens:
                        C:\Windows\System32\oleaccrc.dll
 Opens:
Opens:
                        C: \verb|\USers\Admin\AppData\Local\Temp\nssFOD2.tmp\webapphostENU.dll| \\
 Opens:
                        Opens:
                        C:\Users\Admin\AppData\Local\Temp\nssF0D2.tmp\BI.exe
 Opens:
                        C:\Windows\System32\apphelp.dll
 Opens:
                        C:\Windows\AppPatch\sysmain.sdb
                        C:\Users\Admin\AppData\Local\Temp\nssFOD2.tmp\ui\SwDRM.dll
 Opens:
 Opens:
                        C:\Users\Admin\AppData\Local\Temp\nssF0D2.tmp\DownloadACC.exe
 Opens:
 Opens:
                        C:\Windows\Prefetch\BI.EXE-5ACB5DF4.pf
 Opens:
                        C:\Users\Admin\AppData\Local\Temp\nssFOD2.tmp\BI.exe.Local\
 Opens:
                        C:\Users\Admin\AppData\Local\Temp\nssFOD2.tmp\VERSION.dll
 Opens:
                        C:\Users\Admin\AppData\Local\Temp\nssFOD2.tmp\CRYPTBASE.dll
 Opens:
                        C:\Users\Admin\AppData\Local\Temp\nssFOD2.tmp\SHFOLDER.DLL
                        C: \verb|\USers\Admin\AppData\Local\Temp\nssFOD2.tmp\ntmarta.dll|
 Opens:
 Opens:
                        C:\Users\desktop.ini
```

```
C:\Users\Admin\AppData\Local\Temp\nssFOD2.tmp\profapi.dll
  Opens:
                                        C:\Users\Admin\AppData\Local\Temp\nssFOD2.tmp\Failed.htm
  Opens:
  Opens:
                                        C:\Users\Admin\AppData\Local\Temp\nssF0D2.tmp\icon.png
                                        C:\Users\Admin\AppData\Local\Temp\nssF0D2.tmp\0CSetupHlp.dll
  Opens:
  Opens:
                                        C:\Users\Admin\AppData\Local\Temp\nssFOD2.tmp\ProxyInstaller.exe
  Opens:
                                        C:\Windows\System32\wininet.dll
  Opens:
                                        C:\windows\temp\SspiCli.dll
  Opens:
                                        C:\Windows\System32\sspicli.dll
  Opens:
                                        C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet Files
  Opens:
                                        C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
Files\desktop.ini
  Opens:
                                        C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
Files\Content.IE5
                                        C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
  Opens:
Files\Content.IE5\desktop.ini
  Opens:
                                        C:\Users\Admin\AppData\Roaming
                                        C:\Users\Admin\AppData\Roaming\Microsoft\Windows\Cookies
  Opens:
  Opens:
                                        C:\Users\Admin\AppData\Local\Microsoft\Windows\History
  Opens:
                                        C:\Users\Admin\AppData\Local\Microsoft\Windows\History\desktop.ini
  Opens:
                                        C:\Users\Admin\AppData\Local\Microsoft\Windows\History\History.IE5
  Opens:
C:\Users\Admin\AppData\Local\Microsoft\Windows\History\History.IE5\desktop.ini
                                        C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
  Opens:
Files\Content.IE5\index.dat
  Opens:
                                       C:\Users\Admin\AppData\Roaming\Microsoft\Windows\Cookies\index.dat
  Opens:
C: \verb|\down| AppData App
  Opens:
                                        C:\Users\Admin\Searches\desktop.ini
  Opens:
                                        C:\Users\Admin\Videos\desktop.ini
  Opens:
                                        C:\Users\Admin\Pictures\desktop.ini
  Opens:
                                        C:\Users\Admin\Contacts\desktop.ini
                                        C:\windows\temp\dnsapi.DLL
  Opens:
  Opens:
                                        C:\Windows\System32\dnsapi.dll
  Opens:
                                        C:\windows\temp\iphlpapi.DLL
  Opens:
                                        C:\Windows\System32\IPHLPAPI.DLL
  Opens:
                                        C:\windows\temp\WINNSI.DLL
  Opens:
                                        C:\Windows\System32\winnsi.dll
  Opens:
                                        C:\Users\Admin\Favorites\desktop.ini
  Opens:
                                        C:\Users\Admin\Music\desktop.ini
  Opens:
                                        C:\Users\Admin\Downloads\desktop.ini
  Opens:
                                        C:\Users\Admin\Documents\desktop.ini
  Opens:
                                        C:\Users\Admin\Links\desktop.ini
  Opens:
                                        C:\Windows\Fonts\sserife.fon
  Opens:
                                        C:\windows\temp\dwmapi.dll
  Opens:
                                        C:\Windows\System32\dwmapi.dll
  Opens:
                                        C:\windows\temp\CRYPTSP.dll
  Opens:
                                        C:\Windows\System32\cryptsp.dll
  Opens:
                                        C:\Windows\System32\rsaenh.dll
  Opens:
                                        C:\Users\Admin\Saved Games\desktop.ini
  Opens:
                                        C:\Windows\System32\asycfilt.dll
  Opens:
                                        C:\Users\Admin\AppData\Local\Temp\nssFOD2.tmp\apphelp.dll
  Opens:
                                        C:\Windows\System32\shdocvw.dll
  Opens:
                                        C:\Users\Admin\AppData\Local\Temp\nsvF975.tmp
  Opens:
                                        C:\Users\Admin\AppData\Local\Temp\nscFA68.tmp
  Opens:
                                        C:\Users\Admin\AppData\Local\Temp\nscFA68.tmp\inetc.dll
  Opens:
                                        C:\Users\Admin\AppData\Local\Temp\nssFOD2.tmp\inetc.dll
  Opens:
                                        C:\Windows\System32\ieframe.dll
  Opens:
                                        C:\Windows\Fonts\StaticCache.dat
                                        C:\Users\Admin\AppData\Local\Temp\nssFOD2.tmp\dwmapi.dll
  Opens:
  Opens:
                                        C:\windows\temp\icon.png
  Opens:
                                        C:\windows\temp\RASAPI32.dll
                                        C:\Windows\System32\rasapi32.dll
  Opens:
  Opens:
                                        C:\windows\temp\rasman.dll
  Opens:
                                        C:\Windows\System32\rasman.dll
  Opens:
                                        C:\windows\temp\rtutils.dll
                                        C:\Windows\System32\rtutils.dll
  Opens:
  Opens:
                                        C:\ProgramData\Microsoft\Network\Connections\Pbk\
  Opens:
                                        C: \verb|\windows\System32| ras|
  Opens:
                                        C: \verb|\USers\Admin\AppData\Roaming\Microsoft\Network\Connections\Pbk| \\
  Opens:
                                        C:\windows\temp\sensapi.dll
                                        C:\Windows\System32\SensApi.dll
  Opens:
  Opens:
                                        C:\Users\Admin\AppData\Local\Temp\nssFOD2.tmp\SspiCli.dll
  Opens:
                                        C:\Users\Admin\AppData\Local\Temp\nssFOD2.tmp\dnsapi.DLL
  Opens:
                                        C:\Users\Admin\AppData\Local\Temp\nssFOD2.tmp\iphlpapi.DLL
  Opens:
                                        C:\Users\Admin\AppData\Local\Temp\nssFOD2.tmp\WINNSI.DLL
  Opens:
                                        C:\Windows\Svstem32\nlaapi.dll
                                        Opens:
  Opens:
                                        C:\Users\Admin\AppData\Local\Temp\nssF0D2.tmp\rasman.dll
  Opens:
                                        C:\Users\Admin\AppData\Local\Temp\nssFOD2.tmp\rtutils.dll
  Opens:
                                        C:\windows\temp\rasadhlp.dll
  Opens:
                                        C:\Windows\System32\rasadhlp.dll
                                        C:\Users\Admin\AppData\Local\Temp\nssF0D2.tmp\sensapi.dll
  Opens:
```

C:\Windows\System32\en-US\ieframe.dll.mui

Opens:

```
Opens:
                         C:\Windows\System32\NapiNSP.dll
 Opens:
                         C:\Windows\System32\pnrpnsp.dll
 Opens:
                         C:\Windows\System32\mshtml.dll
 Opens:
                         C:\Windows\System32\msls31.dll
                         C:\Users\Admin\AppData\Local\Temp\nssF0D2.tmp\rasadhlp.dll
 Opens:
 Opens:
                         C:\Windows\System32\mswsock.dll
 Opens:
                         C:\Windows\System32\winrnr.dll
 Opens:
                         C:\Windows\System32\WSHTCPIP.DLL
 Opens:
                         C:\Windows\System32\wship6.dll
 Opens:
                         C:\Users\Admin\AppData\Local\Temp\nssF0D2.tmp\dhcpcsvc6.DLL
 Opens:
                         C:\Windows\System32\dhcpcsvc6.dll
 Opens:
                         C:\Users\Admin\AppData\Local\Temp\nssF0D2.tmp\dhcpcsvc.DLL
 Opens:
                         C:\Windows\System32\dhcpcsvc.dll
 Opens:
                         C:\windows\temp\dhcpcsvc6.DLL
 Opens:
                         C:\windows\temp\dhcpcsvc.DLL
 Opens:
                         C:\windows\temp\ieframe.dll
 Opens:
                         C:ieframe.dll
 Opens:
                         C:\Windows\System32\drivers\etc\hosts
 Opens:
                         C:\Windows\System32\FWPUCLNT.DLL
                         C:\Windows\System32\netprofm.dll
 Opens:
 Opens:
                         C:\Users\Admin\AppData\Local\Temp\nssFOD2.tmp\CRYPTSP.dll
 Opens:
                         C:\Users\Admin\AppData\Local\Temp\nssFOD2.tmp\RpcRtRemote.dll
                         C:\Windows\System32\RpcRtRemote.dll
 Opens:
 Opens:
                         C:\Windows\system32\ieframe.dll:Zone.Identifier
                         C:\windows\temp\RpcRtRemote.dll
 Opens:
 Opens:
                         C:\Windows\System32\npmproxy.dll
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
 Opens:
Files\Content.IE5\BX3UL1G0\navcancl[1]
                         C:\Windows\System32\en-US\urlmon.dll.mui
 Opens:
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
 Opens:
Files\Content.IE5\KQ5TVCON\navcancl[1]
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
 Opens:
Files\Content.IE5\BX3UL1GO\ErrorPageTemplate[1]
 Opens:
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
Files\Content.IE5\X3IPB3Z1\errorPageStrings[1]
                         C:\Windows\System32\msimtf.dll
 Opens:
                         C:\windows\temp\MLANG.dll
 Opens:
 Opens:
                         C:\Windows\System32\mlang.dll
                         C:\Windows\System32\jscript.dll
 Opens:
 Opens:
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
Files\Content.IE5\BX3UL1G0\ErrorPageTemplate[2]
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
Files\Content.IE5\BX3UL1G0\errorPageStrings[1]
 Opens:
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
Files\Content.IE5\X3IPB3Z1\httpErrorPagesScripts[1]
 Opens:
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
Files\Content.IE5\KQ5TVCON\background_gradient[1]
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
Files\Content.IE5\X3IPB3Z1\info_48[1]
 Opens:
                         C:\windows\temp\ImgUtil.dll
 Opens:
                         C:\Windows\System32\imgutil.dll
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
 Opens:
Files\Content.IE5\BX3UL1G0\bullet[1]
                         C:\Windows\System32\pngfilt.dll
 Opens:
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
Files\Content.IE5\KQ5TVCON\ErrorPageTemplate[1]
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
 Opens:
Files\Content.IE5\BX3UL1G0\errorPageStrings[2]
 Opens:
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
Files\Content.IE5\BX3UL1G0\httpErrorPagesScripts[1]
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
 Opens:
Files\Content.IE5\X3IPB3Z1\background_gradient[1]
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
 Opens:
Files\Content.IE5\KO5TVCON\info 48[1]
 Opens:
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
Files\Content.IE5\X3IPB3Z1\bullet[1]
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
 Opens:
Files\Content.IE5\KQ5TVCON\errorPageStrings[1]
 Opens:
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
Files\Content.IE5\BX3UL1G0\httpErrorPagesScripts[2]
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
 Opens:
Files\Content.IE5\BX3UL1G0\background_gradient[1]
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
 Opens:
Files\Content.IE5\KQ5TVCON\bullet[1]
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
 Opens:
Files\Content.IE5\BX3UL1G0\background_gradient[2]
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
Files\Content.IE5\BX3UL1G0\info_48[1]
                         C:\Users\Admin\AppData\Local\Temp\nscFA68.tmp\a.txt
 Opens:
 Opens:
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
Files\Content.IE5\KQ5TVCON\dnserrordiagoff_web0C[1]
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
 Opens:
Files\Content.IE5\WG2VLW5Y\dnserrordiagoff_webOC[1]
```

```
C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
 Opens:
Files\Content.IE5\WG2VLW5Y\ErrorPageTemplate[1]
 Opens:
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
Files\Content.IE5\KQ5TVCON\httpErrorPagesScripts[1]
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
 Opens:
Files\Content.IE5\BX3UL1G0\info_48[2]
 Opens:
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
Files\Content.IE5\X3IPB3Z1\down[1]
 Opens:
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
Files\Content.IE5\X3IPB3Z1\ErrorPageTemplate[1]
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
 Opens:
Files\Content.IE5\WG2VLW5Y\errorPageStrings[1]
 Opens:
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
Files\Content.IE5\BX3UL1G0\bullet[2]
 Opens:
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
Files\Content.IE5\BX3UL1G0\down[1]
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
 Opens:
Files\Content.IE5\X3IPB3Z1\ErrorPageTemplate[2]
 Opens:
                         C:\Users\Admin\AppData\Local\Temp\nssF0D2.tmp\xml.dll
 Opens:
                         C:\Users\Admin\AppData\Local\Temp\nssF0D2.tmp\offer.xml
 Opens:
                         C:\Windows\Fonts\wingding.ttf
 Opens:
                         C:\Users\Admin\AppData\Local\Temp\nscFA68.tmp\
                         C:\Windows\System32\en-US\mshtml.dll.mui
 Opens:
 Opens:
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
Files\Content.IE5\WG2VLW5Y\httpErrorPagesScripts[1]
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
 Opens:
Files\Content.IE5\BX3UL1G0\down[2]
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
 Opens:
Files\Content.IE5\BX3UL1G0\dnserrordiagoff_web0C[1]
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
 Opens:
Files\Content.IE5\X3IPB3Z1\errorPageStrings[2]
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
 Opens:
Files\Content.IE5\WG2VLW5Y\background_gradient[1]
 Opens:
                         C:\Users\Admin\AppData\Local\Temp\nssF0D2.tmp\nsArray.dll
                         {\tt C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary\ Internet}
 Opens:
Files\Content.IE5\BX3UL1G0\dnserrordiagoff_web0C[2]
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
 Opens:
Files\Content.IE5\X3IPB3Z1\httpErrorPagesScripts[2]
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
Files\Content.IE5\WG2VLW5Y\info 48[1]
                         {\tt C:\Windows\Temporary\ Internet}
 Opens:
Files\Content.IE5\KQ5TVCON\down[1]
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
 Opens:
Files\Content.IE5\X3IPB3Z1\dnserrordiagoff_web0C[1]
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
Files\Content.IE5\X3IPB3Z1\background_gradient[2]
 Opens:
                         {\tt C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary\ Internet}
Files\Content.IE5\WG2VLW5Y\bullet[1]
 Opens:
                         C:
                         C:\Users\Admin\AppData\Local\Microsoft
 Opens:
 Opens:
                         C:\Users\Admin\AppData\Local\Microsoft\Windows
 Opens:
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\Caches
 Opens:
                         C:\Users\Admin\AppData\Roaming\Microsoft
 Opens:
                         C:\Users\Admin\AppData\Roaming\Microsoft\Windows
 Opens:
                         C:\Users\Admin\Contacts
                         C:\Users\Admin\Desktop
 Opens:
 Opens:
                         C:\Users\Admin\Documents
 Opens:
                         C:\Users\Admin\Links
                         C:\Users\Admin\Music
 Opens:
 Opens:
                         C:\Users\Admin\Pictures
 Opens:
                         C:\Users\Admin\Searches
 Opens:
                         C:\Users\Admin\Videos
 Opens:
                         C:\Windows\Fonts
 Opens:
                         C:\Windows\Globalization
                         C:\Windows\Globalization\Sorting
 Opens:
 Opens:
                         C:\Windows\Microsoft.NET
 Opens:
                         C:\Windows\Microsoft.NET\Framework
                         C:\Windows\Microsoft.NET\Framework\v2.0.50727
 Opens:
 Opens:
                         C:\windows\temp\WINMM.dll
                         C:\Windows\System32\winmm.dll
 Opens:
 Opens:
                         C:\Windows\System32\en-US\winmm.dll.mui
                         C:\Windows\Media\Windows Navigation Start.wav
 Opens:
 Opens:
                         C:\windows\temp\MMDevAPI.DLL
 Opens:
                         C:\Windows\System32\MMDevAPI.dll
 Opens:
                         C: \verb|\windows\microsoft.NET\mbox| Framework \verb|\v2.0.50727\mbox| ASP. NETWebAdminFiles
 Opens:
\label{lem:c:windows} $$C: \Windows\Microsoft.NET\Framework\v2.0.50727\ASP.NET\WebAdminFiles\Providers $$
                         C:\Windows\System32\drivers
 Opens:
 Opens:
                         C:\Windows\System32\drivers\etc
 Opens:
                         C:\Windows\System32\en-US
 Opens:
                         C:\Windows\winsxs\FileMaps
                         C:\Windows\Svstem32\ntdll.dll
 Opens:
 Opens:
                         C:\Windows\System32\kernel32.dll
```

```
C:\Windows\System32\KernelBase.dll
 Opens:
 Opens:
                          C:\Windows\System32\locale.nls
 Opens:
                          C:\Windows\System32\user32.dll
 Opens:
                          C:\Windows\System32\gdi32.dll
 Opens:
                          C:\Windows\System32\lpk.dll
                          C:\Windows\System32\usp10.dll
 Opens:
 Opens:
                          C:\Windows\System32\msvcrt.dll
 Opens:
                          C:\Windows\System32\shlwapi.dll
                          C:\Windows\System32\advapi32.dll
 Opens:
 Opens:
                          C:\Windows\System32\rpcrt4.dll
 Opens:
                          C:\Windows\System32\ole32.dll
 Opens:
                          C:\Windows\System32\msctf.dll
 Opens:
                          C:\Windows\System32\oleaut32.dll
 Opens:
                          C:\Windows\System32\clbcatq.dll
 Opens:
                          C:\Windows\System32\Wldap32.dll
 Opens:
                          C:\Windows\System32\setupapi.dll
 Opens:
                          C:\Windows\System32\cfgmgr32.dll
 Opens:
                          C:\Windows\System32\devobj.dll
 Opens:
C:\Windows\winsxs\FileMaps\program_files_common_files_microsoft_shared_ink_sk-
sk_a4b08eb1f225243d.cdf-ms
 Opens:
C:\Windows\winsxs\FileMaps\program_files_common_files_microsoft_shared_stationery_3f6c21eb4ac66a56.cdf-
ms
 Opens:
                          C:\Windows\winsxs\FileMaps\$$_system32_sk-sk_5d374dfc5cf4b5c5.cdf-ms
 Opens:
                          C:\USERS\ADMIN\APPDATA\LOCAL\TEMP\NSFF980.TMP
 Opens:
                          C:\USERS\ADMIN\APPDATA\LOCAL\TEMP\NSCFA68.TMP\INETC.DLL
 Opens:
                          C:\Windows\System32\urlmon.dll
 Opens:
                          C:\Windows\System32\crypt32.dll
 Opens:
                          C:\Windows\System32\msasn1.dll
 Opens:
                          C:\Windows\System32\iertutil.dll
 Opens:
                          C:\Windows\System32\ws2_32.dll
 Opens:
                          C:\Windows\System32\nsi.dll
 Opens:
                          C:\Windows\System32\normaliz.dll
 Opens:
                          Opens:
                          C:\Windows\Fonts\arial.ttf
 Opens:
                          C:\Windows\Fonts\arialbd.ttf
 Opens:
                          C:\Windows\System32\en-US\mlang.dll.mui
 Opens:
                          C:\Windows\System32\C_1250.NLS
                          C:\Windows\System32\C_1251.NLS
 Opens:
 Opens:
                          C:\Windows\System32\C_1253.NLS
                         C:\Windows\System32\C_1254.NLS
C:\Windows\System32\C_1255.NLS
 Opens:
 Opens:
 Opens:
                          C:\Windows\System32\C_1256.NLS
                         C:\Windows\System32\C_1257.NLS
C:\Windows\System32\C_1258.NLS
 Opens:
 Opens:
 Opens:
                          C:\Windows\System32\C_874.NLS
 Opens:
                          C:\Windows\System32\C_932.NLS
                          C: \verb|\windows\System32\C_936.NLS| \\
 Opens:
 Opens:
                          C:\Windows\System32\C_949.NLS
 Opens:
                          C:\Windows\System32\C_950.NLS
 Opens:
                          C:\Windows\System32\C_1361.NLS
 Opens:
                          C:\Users\Admin\AppData\Local\Temp\nsg1BBA.tmp
 Opens:
                          C:\Users\Admin\AppData\Local\Temp\nsa1BD0.tmp
 Opens:
                          C:\Windows\Fonts\verdana.ttf
                          C:\Users\Admin\AppData\Local\Temp\nsa1BD0.tmp\inetc.dll
 Opens:
 Opens:
C:\Users\Admin\AppData\Local\Microsoft\Windows\History\History.IE5\MSHist012016042820160429\
 Opens:
C:\Users\Admin\AppData\Local\Microsoft\Windows\History\History.IE5\MSHist012016042820160429
 Opens:
                          C: \label{local} $$C: \label{local} Temp\nsa1BD0.tmp\a.txt $$
 Opens:
C:\Users\Admin\AppData\Local\Microsoft\Windows\History\History.IE5\MSHist012016042820160429\index.dat
 Opens:
                          C:\Windows\System32\en-US\shell32.dll.mui
 Opens:
                          C:\Users\Admin\Favorites
 Opens:
                          C:\Users\Admin\AppData\Local\Temp\nsa1BD0.tmp\
 Writes to:
                          C: \verb|\Users\Admin\AppData\Local\Temp\nsyFOBD.tmp|
 Writes to:
                          C:\Users\Admin\AppData\Local\Temp\nssFOD2.tmp\System.dll
 Writes to:
                          C:\Users\Admin\AppData\Local\Temp\nssFOD2.tmp\webapphost.dll
                          C:\Users\Admin\AppData\Local\Temp\nssFOD2.tmp\BI.exe
 Writes to:
                          C:\Users\Admin\AppData\Local\Temp\nssFOD2.tmp\DM_loader.gif
 Writes to:
 Writes to:
                          C:\Users\Admin\AppData\Local\Temp\nssF0D2.tmp\DownloadACC.exe
 Writes to:
                          C:\Users\Admin\AppData\Local\Temp\nssFOD2.tmp\Failed.htm
 Writes to:
                          C:\Users\Admin\AppData\Local\Temp\nssF0D2.tmp\icon.png
                          C:\Users\Admin\AppData\Local\Temp\nssFOD2.tmp\OCSetupHlp.dll
 Writes to:
 Writes to:
                          C:\Users\Admin\AppData\Local\Temp\nssFOD2.tmp\ProxyInstaller.exe
                          C:\Users\Admin\AppData\Local\Temp\nsfF980.tmp
 Writes to:
 Writes to:
                          C:\Users\Admin\AppData\Local\Temp\nssFOD2.tmp\inetc.dll
 Writes to:
                          C:\Users\Admin\AppData\Local\Temp\nscFA68.tmp\inetc.dll
                          C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
Files\Content.IE5\BX3UL1G0\navcancl[1]
 Writes to:
                          C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
```

C:\Windows\System32\apisetschema.dll

Opens:

```
Files\Content.IE5\KQ5TVCON\navcancl[1]
                          \verb|C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet| \\
 Writes to:
Files\Content.IE5\BX3UL1G0\ErrorPageTemplate[1]
                          \verb|C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet| \\
 Writes to:
Files\Content.IE5\X3IPB3Z1\errorPageStrings[1]
 Writes to:
                          C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
Files\Content.IE5\BX3UL1G0\ErrorPageTemplate[2]
                          \hbox{\tt C:\backslash Users\backslash Admin\backslash AppData\backslash Local\backslash Microsoft\backslash Windows\backslash Temporary\ Internet}
 Writes to:
Files\Content.IE5\BX3UL1G0\errorPageStrings[1]
 Writes to:
                          C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
Files\Content.IE5\X3IPB3Z1\httpErrorPagesScripts[1]
 Writes to:
                          C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
Files\Content.IE5\KQ5TVCON\background_gradient[1]
                          C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
 Writes to:
Files\Content.IE5\X3IPB3Z1\info_48[1]
 Writes to:
                          C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
Files\Content.IE5\BX3UL1G0\bullet[1]
 Writes to:
                          C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
Files\Content.IE5\KQ5TVCON\ErrorPageTemplate[1]
                          \verb|C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet| \\
 Writes to:
Files\Content.IE5\BX3UL1G0\errorPageStrings[2]
 Writes to:
                          C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
Files\Content.IE5\BX3UL1G0\httpErrorPagesScripts[1]
                          C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
 Writes to:
Files\Content.IE5\X3IPB3Z1\background_gradient[1]
                          C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
 Writes to:
Files\Content.IE5\KQ5TVCON\info_48[1]
                          C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
 Writes to:
Files\Content.IE5\X3IPB3Z1\bullet[1]
                          C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
 Writes to:
Files\Content.IE5\KQ5TVCON\errorPageStrings[1]
                          C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
 Writes to:
Files\Content.IE5\BX3UL1GO\httpErrorPagesScripts[2]
 Writes to:
                          C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
Files\Content.IE5\BX3UL1G0\background_gradient[1]
                          C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
Files\Content.IE5\KQ5TVCON\bullet[1]
                          C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
 Writes to:
Files\Content.IE5\BX3UL1G0\background_gradient[2]
 Writes to:
                          C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
Files\Content.IE5\BX3UL1G0\info_48[1]
                          C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
Files\Content.IE5\KQ5TVCON\dnserrordiagoff_web0C[1]
                          \verb|C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet| \\
 Writes to:
Files\Content.IE5\WG2VLW5Y\dnserrordiagoff_webOC[1]
                          C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
 Writes to:
Files\Content.IE5\WG2VLW5Y\ErrorPageTemplate[1]
                          C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
Files\Content.IE5\KQ5TVCON\httpErrorPagesScripts[1]
 Writes to:
                          C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
Files\Content.IE5\BX3UL1G0\info_48[2]
                          C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
 Writes to:
Files\Content.IE5\X3IPB3Z1\down[1]
                          C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
Files\Content.IE5\X3IPB3Z1\ErrorPageTemplate[1]
 Writes to:
                          C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
Files\Content.IE5\WG2VLW5Y\errorPageStrings[1]
 Writes to:
                          C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
Files\Content.IE5\BX3UL1G0\bullet[2]
                          C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
Files\Content.IE5\BX3UL1G0\down[1]
 Writes to:
                          C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
Files\Content.IE5\X3IPB3Z1\ErrorPageTemplate[2]
                          C:\Users\Admin\AppData\Local\Temp\nssFOD2.tmp\offer.xml
 Writes to:
                          C:\Users\Admin\AppData\Local\Temp\nssF0D2.tmp\xml.dll
 Writes to:
                          C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
 Writes to:
Files\Content.IE5\WG2VLW5Y\httpErrorPagesScripts[1]
                          \verb|C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet| \\
 Writes to:
Files\Content.IE5\BX3UL1G0\down[2]
                          \verb|C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet| \\
 Writes to:
Files\Content.IE5\BX3UL1G0\dnserrordiagoff_web0C[1]
                          C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
Files\Content.IE5\X3IPB3Z1\errorPageStrings[2]
 Writes to:
                          C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
Files\Content.IE5\WG2VLW5Y\background_gradient[1]
                          C:\Users\Admin\AppData\Local\Temp\nssFOD2.tmp\nsArray.dll
 Writes to:
 Writes to:
                          C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
Files\Content.IE5\BX3UL1G0\dnserrordiagoff_web0C[2]
                          C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
 Writes to:
Files\Content.IE5\X3IPB3Z1\httpErrorPagesScripts[2]
 Writes to:
                          C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
Files\Content.IE5\WG2VLW5Y\info 48[1]
 Writes to:
                          C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
```

```
Files\Content.IE5\KQ5TVCON\down[1]
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
 Writes to:
Files\Content.IE5\X3IPB3Z1\dnserrordiagoff_web0C[1]
 Writes to:
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
Files\Content.IE5\X3IPB3Z1\background_gradient[2]
 Writes to:
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
Files\Content.IE5\WG2VLW5Y\bullet[1]
 Writes to:
                         C:\Users\Admin\AppData\Local\Temp\nsq1BC5.tmp
 Writes to:
                         C:\Users\Admin\AppData\Local\Temp\nsa1BD0.tmp\inetc.dll
 Writes to:
Reads from:
                         C:\Users\Admin\Desktop\desktop.ini
 Reads from:
                         C:\Windows\Temp\f4cade5dce24d5c9d966cb266c7c7346.exe
 Reads from:
                         C:\Users\Admin\AppData\Local\Temp\nsyFOBD.tmp
 Reads from:
                         C:\Users\Admin\AppData\Local\Temp\nssFOD2.tmp\BI.exe
 Reads from:
                         C:\Users\desktop.ini
 Reads from:
                         C:\Users\Admin\Searches\desktop.ini
 Reads from:
                         C:\Users\Admin\Videos\desktop.ini
 Reads from:
                         C:\Users\Admin\Pictures\desktop.ini
 Reads from:
                         C:\Users\Admin\Contacts\desktop.ini
 Reads from:
                         C:\Users\Admin\Favorites\desktop.ini
 Reads from:
                         C:\Users\Admin\Music\desktop.ini
 Reads from:
                         C:\Users\Admin\Downloads\desktop.ini
 Reads from:
                         C:\Users\Admin\Documents\desktop.ini
 Reads from:
                         C:\Users\Admin\Links\desktop.ini
 Reads from:
                         C:\Users\Admin\Saved Games\desktop.ini
 Reads from:
                         C:\Users\Admin\AppData\Local\Temp\nsfF980.tmp
 Reads from:
                         C:\Windows\Fonts\StaticCache.dat
 Reads from:
                         C:\Windows\Svstem32\drivers\etc\hosts
 Reads from:
                         C:\Users\Admin\AppData\Local\Temp\nssFOD2.tmp\offer.xml
 Reads from:
                         C:\Windows\Prefetch\BI.EXE-5ACB5DF4.pf
 Reads from:
                         C:\Windows\Media\Windows Navigation Start.wav
 Reads from:
                         C:\Users\Admin\AppData\Local\Temp\nssFOD2.tmp\Failed.htm
 Reads from:
                         C:\Users\Admin\AppData\Local\Temp\nsq1BC5.tmp
 Reads from:
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\History\desktop.ini
 Deletes:
                         C:\Users\Admin\AppData\Local\Temp\nsoF030.tmp
 Deletes:
                         C:\Users\Admin\AppData\Local\Temp\nssF0D2.tmp
                         C:\Users\Admin\AppData\Local\Temp\nsvF975.tmp
 Deletes:
 Deletes:
                         C:\Users\Admin\AppData\Local\Temp\nscFA68.tmp
 Deletes:
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
Files\Content.IE5\BX3UL1G0\navcancl[11
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
 Deletes:
Files\Content.IE5\KQ5TVCON\navcancl[1]
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
 Deletes:
Files\Content.IE5\BX3UL1G0\ErrorPageTemplate[1]
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
 Deletes:
Files\Content.IE5\X3IPB3Z1\errorPageStrings[1]
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
Files\Content.IE5\BX3UL1G0\ErrorPageTemplate[2]
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
 Deletes:
Files\Content.IE5\BX3UL1G0\errorPageStrings[1]
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
 Deletes:
Files\Content.IE5\X3IPB3Z1\httpErrorPagesScripts[1]
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
Files\Content.IE5\KQ5TVCON\background_gradient[1]
 Deletes:
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
Files\Content.IE5\X3IPB3Z1\info_48[1]
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
 Deletes:
Files\Content.IE5\BX3UL1G0\bullet[1]
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
 Deletes:
Files\Content.IE5\KQ5TVCON\ErrorPageTemplate[1]
 Deletes:
                         {\tt C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary\ Internet}
Files\Content.IE5\BX3UL1G0\errorPageStrings[2]
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
 Deletes:
Files\Content.IE5\BX3UL1G0\httpErrorPagesScripts[1]
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
 Deletes:
Files\Content.IE5\X3IPB3Z1\background_gradient[1]
                         {\tt C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary\ Internet}
 Deletes:
Files\Content.IE5\KQ5TVCON\info_48[1]
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
 Deletes:
Files\Content.IE5\X3IPB3Z1\bullet[1]
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
Files\Content.IE5\BX3UL1G0\httpErrorPagesScripts[2]
 Deletes:
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
Files\Content.IE5\BX3UL1G0\background_gradient[1]
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
 Deletes:
Files\Content.IE5\KQ5TVCON\bullet[1]
                         C:\Users\Admin\AppData\Local\Temp\nscFA68.tmp\a.txt
 Deletes:
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
Files\Content.IE5\KQ5TVCON\dnserrordiagoff_web0C[1]
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
Files\Content.IE5\WG2VLW5Y\dnserrordiagoff_web0C[1]
```

C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet

Deletes:

```
Files\Content.IE5\KQ5TVCON\errorPageStrings[1]
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
 Deletes:
Files\Content.IE5\BX3UL1G0\background_gradient[2]
 Deletes:
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
Files\Content.IE5\BX3UL1G0\info_48[1]
 Deletes:
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
Files\Content.IE5\WG2VLW5Y\ErrorPageTemplate[1]
                         \verb|C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet| \\
 Deletes:
Files\Content.IE5\KQ5TVCON\httpErrorPagesScripts[1]
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
Files\Content.IE5\BX3UL1G0\info 48[2]
 Deletes:
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
Files\Content.IE5\X3IPB3Z1\down[1]
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
 Deletes:
Files\Content.IE5\X3IPB3Z1\ErrorPageTemplate[1]
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
 Deletes:
Files\Content.IE5\WG2VLW5Y\errorPageStrings[1]
 Deletes:
                         C:\Users\Admin\AppData\Local\Temp\nscFA68.tmp\inetc.dll
 Deletes:
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
Files\Content.IE5\BX3UL1G0\bullet[2]
 Deletes:
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
Files\Content.IE5\BX3UL1G0\down[1]
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
 Deletes:
Files\Content.IE5\X3IPB3Z1\ErrorPageTemplate[2]
 Deletes:
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
Files\Content.IE5\WG2VLW5Y\httpErrorPagesScripts[1]
 Deletes:
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
Files\Content.IE5\BX3UL1G0\down[2]
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
 Deletes:
Files\Content.IE5\BX3UL1G0\dnserrordiagoff_web0C[1]
 Deletes:
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
Files\Content.IE5\X3IPB3Z1\errorPageStrings[2]
 Deletes:
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
Files\Content.IE5\WG2VLW5Y\background_gradient[1]
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
 Deletes:
Files\Content.IE5\BX3UL1G0\dnserrordiagoff_web0C[2]
 Deletes:
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
Files\Content.IE5\X3IPB3Z1\httpErrorPagesScripts[2]
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
 Deletes:
Files\Content.IE5\WG2VLW5Y\info_48[1]
                         {\tt C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary\ Internet}
 Deletes:
Files\Content.IE5\KQ5TVCON\down[1]
 Deletes:
                         C:\Users\Admin\AppData\Local\Temp\nsg1BBA.tmp
                         C:\Users\Admin\AppData\Local\Temp\nsa1BD0.tmp
 Deletes:
 Deletes:
                         C:\Users\Admin\AppData\Local\Temp\nsa1BD0.tmp\a.txt
 Deletes:
                         C:\Users\Admin\AppData\Local\Temp\nsa1BD0.tmp\inetc.dll
```

### **Network Events**

DNS query:	wpad
DNS query:	ude.conduit-data.com
DNS query:	offering.service.distributionengine.conduit-services.com
DNS query:	cms.distributionengine.conduit-services.com
DNS response:	offering.service.distributionengine.ams.conduit-services.com ⇒
195.78.120.173	
Connects to:	127.0.0.1:52086
Connects to:	195.78.120.173:80
Sends data to:	0.0.0.0:5355
Sends data to:	224.0.0.252:5355
Sends data to:	8.8.8.8:53
Sends data to:	offering.service.distributionengine.ams.conduit-services.com:80
(195.78.120.173)	
Receives data from:	8.8.8.8:53
Receives data from:	offering.service.distributionengine.ams.conduit-services.com:80
(195.78.120.173)	

Windows Registry Events		
Creates key:	HKCU\software\appdatalow\software\smartbar	
Creates key:	<pre>HKCU\software\microsoft\windows\currentversion\internet settings</pre>	
Creates key:	HKLM\software\microsoft\tracing	
Creates key:		
<pre>HKLM\software\microsoft\</pre>	tracing\f4cade5dce24d5c9d966cb266c7c7346_rasapi32	
Creates key:		
<pre>HKLM\software\microsoft\</pre>	tracing\f4cade5dce24d5c9d966cb266c7c7346_rasmancs	
Creates key:	<pre>HKCU\software\microsoft\windows\currentversion\internet</pre>	
settings\connections		
Creates key:	<pre>HKLM\software\microsoft\tracing\bi_rasapi32</pre>	
Creates key:	<pre>HKCU\software\microsoft\windows nt\currentversion\network\location</pre>	
awareness		
Creates key:	<pre>HKLM\system\currentcontrolset\services\tcpip\parameters</pre>	
Creates key:	HKLM\software\microsoft\tracing\bi_rasmancs	

HKCU\software\microsoft\windows\currentversion\internet

settings\wpad\{bcc0c918-0174-4b2e-9d54-e700c8d1e3d5}

```
HKCU\software\microsoft\windows\currentversion\internet
    Creates key:
settings\wpad\{bcc0c918-0174-4b2e-9d54-e700c8d1e3d5}\ae-07-4d-8e-13-3f
                                                                        HKCU\software\microsoft\windows\currentversion\internet
    Creates key:
settings\wpad\ae-07-4d-8e-13-3f
    Creates kev:
                                                                        HKLM\system\currentcontrolset\control\session manager
    Creates key:
                                                                        HKCU \setminus software \setminus conduit \setminus distribution engine \setminus 1 \setminus offerhistory \setminus 755131
    Creates key:
                                                                        HKCU\software
                                                                        HKCU\software\conduit
    Creates key:
                                                                        HKCU\software\conduit\distributionengine
    Creates key:
                                                                        HKCU\software\conduit\distributionengine\1
    Creates key:
    Creates key:
                                                                        HKCU\software\conduit\distributionengine\1\offerhistory
    Creates key:
                                                                        \label{lem:hkcu} \verb+KKCU \software \microsoft \windows \current version \current \end{tensor}
settings\5.0\cache\extensible cache\mshist012016042820160429
                                                                        \label{lem:hkcu} \verb+KKCU\+ software\+ microsoft\+ internet\ explorer\+ main\+ windows search
    Creates kev:
    Deletes value:
                                                                        HKCU\software\microsoft\windows\currentversion\internet
settings[proxyserver]
                                                                        HKCU\software\microsoft\windows\currentversion\internet
    Deletes value:
settings[proxyoverride]
    Deletes value:
                                                                        HKCU\software\microsoft\windows\currentversion\internet
settings[autoconfigurl]
    Deletes value:
                                                                        \label{lem:hkcu} \verb+KKCU \software \verb+microsoft \verb+windows \verb+current version \verb+\internet+
settings\zonemap[proxybypass]
                                                                        HKLM\software\microsoft\windows\currentversion\internet
    Deletes value:
settings\zonemap[proxybypass]
    Deletes value:
                                                                        HKCU\software\microsoft\windows\currentversion\internet
settings\zonemap[intranetname]
    Deletes value:
                                                                        HKLM \setminus software \setminus microsoft \setminus windows \setminus current version \setminus internet
settings\zonemap[intranetname]
                                                                        HKLM\system\currentcontrolset\control\session manager
    Opens kev:
    Opens key:
                                                                        HKLM\system\currentcontrolset\control\safeboot\option
    Opens key:
                                                                        HKLM\system\currentcontrolset\control\srp\gp\dll
    Opens key:
                                                                        HKLM\software\policies\microsoft\windows\safer\codeidentifiers
    Opens key:
                                                                        HKCU\software\policies\microsoft\windows\safer\codeidentifiers
    Opens key:
                                                                        HKCU\
                                                                        HKCU\control panel\desktop\muicached\machinelanguageconfiguration
    Opens key:
    Opens key:
                                                                        HKLM\software\policies\microsoft\mui\settings
    Opens key:
                                                                        HKCU\software\policies\microsoft\control panel\desktop
                                                                        HKCU\control panel\desktop\languageconfiguration
    Opens key:
    Opens key:
                                                                        HKCU\control panel\desktop
    Opens key:
                                                                        HKCU\control panel\desktop\muicached
    Opens key:
                                                                        HKLM\software\microsoft\windows\currentversion\sidebyside
    Opens key:
HKLM\software\microsoft\windows\currentversion\sidebyside\assemblystorageroots
                                                                        HKLM\system\currentcontrolset\control\nls\sorting\versions
    Opens key:
    Opens key:
                                                                        HKLM\system\currentcontrolset\control\error message instrument\
    Opens key:
                                                                        HKLM\system\currentcontrolset\control\error message instrument
                                                                        \label{lem:hklm} \verb+Kklm\+ software\+ microsoft\+ windows nt\+ current version\+ gre\_initialize
    Opens key:
    Opens key:
                                                                        \label{lem:hklm} \verb+Kklm\+ software\+ microsoft\+ windows nt\+ current version\+ compatibility 32
    Opens key:
                                                                        HKLM\software\microsoft\windows nt\currentversion\ime compatibility
                                                                        HKLM\
    Opens key:
    Opens key:
                                                                        HKLM\software\microsoft\windows nt\currentversion\windows
    Opens key:
                                                                        HKLM\software\microsoft\windows nt\currentversion\diagnostics
                                                                        HKLM\software\microsoft\ole
    Opens key:
    Opens key:
                                                                        HKLM\software\microsoft\ole\tracing
    Opens kev:
                                                                        HKLM\software\microsoft\windows\currentversion\policies\explorer
    Opens key:
                                                                        HKCU\software\microsoft\windows\currentversion\policies\explorer
    Opens key:
                                                                        HKLM\system\currentcontrolset\control\nls\customlocale
    Opens key:
                                                                        HKLM\system\currentcontrolset\control\nls\extendedlocale
    Opens key:
HKLM \ software \ icrosoft \ windows \ current version \ shell compatibility \ applications \ f4 cade 5 dce 24d5 c9d966 cb 266 c7c7346. exemple the shell compatibility \ applications \ f4 cade 5 dce 24d5 c9d966 cb 266 c7c7346. exemple the shell compatibility \ applications \ f4 cade 5 dce 24d5 c9d966 cb 266 c7c7346. exemple the shell compatibility \ applications \ applications
    Opens key:
                                                                        HKLM\software\microsoft\oleaut
    Opens key:
                                                                        HKCU\software\classes\
    Opens key:
                                                                        HKCU\software\classes\clsid\{20d04fe0-3aea-1069-a2d8-
08002b30309d}\shellfolder
                                                                        HKCR\clsid\{20d04fe0-3aea-1069-a2d8-08002b30309d}\shellfolder
    Opens key:
    Opens key:
                                                                        HKCU \setminus software \setminus microsoft \setminus windows \setminus current version \setminus explorer \setminus clsid \setminus \{20d04fe0-microsoft \setminus windows \setminus current version \setminus explorer \setminus clsid \setminus \{20d04fe0-microsoft \setminus windows \setminus current version \setminus explorer \setminus clsid \setminus \{20d04fe0-microsoft \setminus windows \setminus current version \setminus explorer \setminus clsid \setminus \{20d04fe0-microsoft \setminus windows \setminus current version \setminus explorer \setminus clsid \setminus \{20d04fe0-microsoft \setminus windows \setminus current version \setminus explorer \setminus clsid \setminus \{20d04fe0-microsoft \setminus windows \setminus current version \setminus explorer \setminus clsid \setminus \{20d04fe0-microsoft \setminus windows \setminus current version \setminus explorer \setminus clsid \setminus \{20d04fe0-microsoft \setminus windows \setminus current version \setminus explorer \setminus clsid \setminus \{20d04fe0-microsoft \setminus windows \setminus current version \setminus explorer \setminus clsid \setminus \{20d04fe0-microsoft \setminus windows \setminus current version \setminus explorer \setminus clsid \setminus \{20d04fe0-microsoft \setminus windows \setminus current version \setminus explorer \setminus clsid \setminus \{20d04fe0-microsoft \setminus explorer \setminus clsid \setminus clsid \setminus clsid \setminus explorer \setminus clsid \setminus explorer \setminus clsid \setminus explorer \setminus 
3aea-1069-a2d8-08002b30309d}\shellfolder
                                                                        HKLM \setminus software \setminus microsoft \setminus windows \setminus current version \setminus explorer \setminus clsid \setminus \{20d04fe0-delta \} + \{20d04f
    Opens key:
3aea-1069-a2d8-08002b30309d}\shellfolder
    Opens key:
                                                                        HKCU\software\microsoft\windows\currentversion\policies\nonenum
                                                                        HKLM\software\microsoft\windows\currentversion\policies\nonenum
    Opens key:
    Opens key:
HKCU\software\microsoft\windows\currentversion\explorer\mountpoints2\cpc\volume
    Opens key:
```

Opens key: HKCR\drive\shellex\folderextensions Opens key: 4442-804e-409d6c4515e9}

HKCU\software\classes\drive\shellex\folderextensions\{fbeb8a05-beee-

HKCU\software\classes\drive\shellex\folderextensions

11e3-b3bc-806e6f6e6963}\

Opens key: HKCR\drive\shellex\folderextensions\{fbeb8a05-beee-4442-804e-

409d6c4515e9}

Opens key:

Opens key: HKLM\software\policies\microsoft\windows\explorer

```
Opens key: HKCU\software\policies\microsoft\windows\explorer
Opens key: HKCU\software\microsoft\windows\currentversion\explorer
Opens key: HKCU\software\microsoft\windows\currentversion\explorer\
Opens key: HKCU\software\microsoft\windows\currentversion\explorer\advanced
```

Opens key:

 $HKLM \label{lem:hklm} Software \verb|\microsoft| windows \verb|\shell| registered applications \verb|\urlassociations| directory \verb|\open| with progids | lem and the lem and$ 

Opens key:

 $\label{thm:local_hammon_hammon} \begin{tabular}{l} HKCU \software \microsoft \windows \shell \associations \urlassociations \directory \end{tabular}$ 

Opens key: HKCU\software\classes\directory

Opens key: HKCR\directory

Opens key: HKCU\software\classes\directory\curver

Opens key: HKCR\directory\curver Opens key: HKCR\directory\

Opens key: HKCU\software\classes\directory\shellex\iconhandler

Opens key: HKCR\directory\shellex\iconhandler
Opens key: HKCU\software\classes\folder

Opens key: HKCR\folder

Opens key: HKCU\software\classes\folder\shellex\iconhandler

Opens key: HKCR\folder\shellex\iconhandler

Opens key: HKCU\software\classes\allfilesystemobjects

Opens key: HKCR\allfilesystemobjects

Opens key: HKCU\software\classes\allfilesystemobjects\shellex\iconhandler

 $\begin{tabular}{ll} Opens~key: & HKCR\allfilesystemobjects\shellex\iconhandler \\ Opens~key: & HKCU\software\classes\directory\docobject \\ \end{tabular}$ 

Opens key: HKCR\directory\docobject

Opens key: HKCU\software\classes\folder\docobject

Opens key: HKCR\folder\docobject

Opens key: HKCU\software\classes\allfilesystemobjects\docobject

Opens key: HKCR\allfilesystemobjects\docobject

Opens key: HKCU\software\classes\directory\browseinplace

Opens key: HKCR\directory\browseinplace

Opens key: HKCU\software\classes\folder\browseinplace

Opens key: HKCR\folder\browseinplace

Opens key: HKCU\software\classes\allfilesystemobjects\browseinplace

Opens key: HKCR\allfilesystemobjects\browseinplace
Opens key: HKCU\software\classes\directory\clsid

Opens key: HKCR\directory\clsid

Opens key: HKCU\software\classes\folder\clsid

Opens key: HKCR\folder\clsid

Opens key: HKCU\software\classes\allfilesystemobjects\clsid

Opens key:  ${\sf HKCR\ lifilesystemobjects\ lid}$ 

Opens key:

 $\label{thm:local_hammon} \begin{tabular}{ll} HKLM \end{tabular} software \end{tabular} in the constraint \end{tabular} in th$ 

Opens key:

b029-7fe99a87c641}

Opens key:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b4bfcc3a-db2c-424c-

b029-7fe99a87c641}\propertybag

Opens key: HKCU\software\microsoft\windows\currentversion\explorer\sessioninfo\1

Opens key:

HKCU\software\microsoft\windows\currentversion\explorer\sessioninfo\1\knownfolders

Opens key: HKCU\software\microsoft\windows\currentversion\explorer\user shell

folders

Opens key: HKLM\software\microsoft\com3

Opens key: HKCU\software\classes\clsid\{1f486a52-3cb1-48fd-8f50-b8dc300d9f9d}

Opens key: HKCR\clsid\{1f486a52-3cb1-48fd-8f50-b8dc300d9f9d}
Opens key: HKCU\software\classes\clsid\{1f486a52-3cb1-48fd-8f50-

b8dc300d9f9d}\treatas

Opens key:  $\label{lem:hkcrlsid} \begin{tabular}{ll} HKCR\clsid\{1f486a52-3cb1-48fd-8f50-b8dc300d9f9d}\treatas \\ Opens key: \\ HKCU\software\classes\clsid\{1f486a52-3cb1-48fd-8f50-b8dc300d9f9d}\treatas \\ \begin{tabular}{ll} HKCU\software\classes\clsid\{1f486a52-3cb1-48fd-8f50-b8dc300d9f9d}\treatas \\ \begin{tabular}{ll} HKCU\software\classes\clsid\{1f486a52-3cb1-48fd-8f50-b8dc300d9f9d}\treatas \\ \begin{tabular}{ll} HKCU\software\classes\clsid\{1f486a52-3cb1-48fd-8f50-b8dc300d9f9d}\treatas \\ \begin{tabular}{ll} HKCU\software\classes\clsid\classes\clsid\$ 

Opens key: HKCU\software\classes\clsid\{1f486a52-3cb1-48fd-8f50-

b8dc300d9f9d}\inprocserver32

Opens key: HKCR\clsid\{1f486a52-3cb1-48fd-8f50-b8dc300d9f9d}\inprocserver32

HKCR\clsid\{1f486a52-3cb1-48fd-8f50-b8dc300d9f9d}\progid

Opens key: HKCU\software\classes\clsid\{1f486a52-3cb1-48fd-8f50-

b8dc300d9f9d}\inprochandler32

Opens key:  $\label{eq:hkcr} \mbox{HKCR\clsid} \mbox{1f486a52-3cb1-48fd-8f50-b8dc300d9f9d} \mbox{inprochandler32}$ 

Opens key: HKCR\clsid\{1f486a52-3cb1-48fd-8f50-b8dc300d9f9d}\inprochandler Opens key: HKLM\system\currentcontrol\set\control\lsa\accessproviders

Opens key: HKLM\system\currentcontrolset\services\ldap

Opens key:

Opens key:

 ${\tt HKLM \setminus software \setminus microsoft \setminus windows \setminus current version \setminus explorer \setminus known folders ettings}$ 

Opens kev

b4ef-bd1dc332aeae}

Opens key:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1b3ea5dc-b587-4786-

b4ef-bd1dc332aeae}\propertybag

Opens key:

```
\label{lem:hklmsoftwaremicrosoftwindows} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\}}$$ Opens key:
```

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3eb685db-65f9-4cf6-a03a-e3ef65729f3d}\propertybag

Opens key

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5e6c858f-0e22-4760-9afe-ea3317b67173}

Opens key:

 $\label{thm:local-property} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5e6c858f-0e22-4760-9afe-ea3317b67173}\property\bag$ 

Opens key: HKLM\system\currentcontrolset\control\cmf\config

Opens key: HKLM\software\microsoft\windows\error reporting\wmr
Opens key: HKLM\software\microsoft\windows\currentversion\setup

Opens key: HKLM\software\microsoft\windows\currentversion

Opens key: HKLM\software\microsoft\rpc

Opens key: HKLM\system\currentcontrolset\control\computername\activecomputername

Opens key: HKLM\system\setup

Opens key: HKLM\software\policies\microsoft\windows nt\rpc
Opens key: HKLM\software\policies\microsoft\sqmclient\windows

Opens key: HKLM\software\microsoft\sqmclient\windows

Opens key: HKLM\software\microsoft\windows nt\currentversion\profilelist\s-1-5-21-

2160590473-689474908-1361669368-1002

Opens key:

 $HKCU \software \microsoft \windows \current version \explorer \mountpoints 2 \cpc \volume \ \{69d250e3-6c18-11e3-b3bc-806e6f6e6963\} \label{eq:hkcu}$ 

Opens key: HKCU\software\appdatalow\software\smartbar
Opens key: HKCU\software\clients\startmenuinternet
Opens key: HKLM\software\clients\startmenuinternet

Opens key: HKCU\software\classes\clsid

Opens key: HKCR\clsid

Opens key: HKLM\system\currentcontrolset\services\crypt32

Opens key: HKLM\software\microsoft\windows\currentversion\internet settings Opens key: HKLM\software\policies\microsoft\windows\currentversion\internet

settings

Opens key: HKLM\software\microsoft\windows nt\currentversion\image file execution

options\bi.exe

Opens key: HKLM\system\currentcontrolset\control\session manager\appcertdlls
Opens key: HKLM\system\currentcontrolset\control\session manager\appcompatibility
Opens key: HKLM\software\policies\microsoft\windows\appcompat

Opens key: HKCU\software\microsoft\windows\currentversion\explorer\shell folders
Opens key: HKLM\software\microsoft\windows nt\currentversion\appcompatflags\layers
Opens key: HKCU\software\microsoft\windows nt\currentversion\appcompatflags\layers

Opens key: HKLM\software\microsoft\windows

nt\currentversion\appcompatflags\custom\bi.exe

Opens key: HKLM\software\microsoft\windows nt\currentversion\image file execution

options Opens key:

HKLM\software\microsoft\windows\currentversion\shellcompatibility\applications\bi.exe

Opens key:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\f3ce0f7c-4901-4acc-8648-d5d44b04ef8f\}$ 

Opens key:

 $\label{thm:local-property} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\f(f3ce0f7c-4901-4acc-8648-d5d44b04ef8f)\property\bag$ 

Opens key: HKCU\software\classes\clsid\{59031a47-3f72-44a7-89c5-

5595fe6b30ee}\shellfolder

Opens key: HKCU\software\microsoft\windows\currentversion\explorer\clsid\{59031a47-

3f72-44a7-89c5-5595fe6b30ee}\shellfolder

Opens key: HKLM\software\microsoft\windows\currentversion\explorer\clsid\{59031a47-

3f72-44a7-89c5-5595fe6b30ee}\shellfolder

Opens key:

Opens key

 $\label{thm:local-continuous} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\fo$ 

Opens key:

Opens key

 $\label{thm:local-property} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \f38bf404-1d43-42f2-9305-67de0b28fc23 \property bag$ 

Opens key:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{f7f1ed05-9f6d-47a2-aaae-29d317c6f066\}$ 

Opens key

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{f7f1ed05-9f6d-47a2-aaae-29d317c6f066\} \ property bag$ 

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{2112ab0a-c86a-4ffe-a368-0de96e47012e\}$ 

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{2112ab0a-c86a-4ffe-a368-0de96e47012e\} \ property bag$ 

Opens key:

 $\label{thm:local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \explorer \folder descriptions \current \current$ 

Opens key:

 $\label{thm:local-property} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{48daf80b-e6cf-4f4e-b800-0e69d84ee384\}\property\bag}$ 

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{c4aa340d-f20f-4863-afef-f87ef2e6ba25\}$ 

Opens key:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{c4aa340d-f20f-4863-afef-f87ef2e6ba25\}\ property bag$ 

Opens key:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$ 

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ (9e52ab10-f80d-49df-acb8-4330f5687855) \ property bag$ 

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{98ec0e18-2098-4d44-8644-66979315a281\}$ 

Opens key:

 $HKLM \label{lem:hklm} HKLM \label{lem:hklm} HKLM \label{lem:hklm} HKLM \label{lem:hklm} HKLM \label{lem:hklm} HKLM \label{lem:hklm} Software \label{lem:hklm} \label{lem:hklm} HKLM \label{lem:hklm} Software \label{lem:hklm} HKLM \label{lem:hklm} Software \label{lem:hklm} HKLM \label{lem:hklm} Software \label{lem:hklm} HKLM \label{lem:hklm} Software \label{lem:hklm} \label{lem:hklm} HKLM \label{lem:hklm} HKLM \label{lem:hklm} HKLM \label{lem:hklm} HKLM \label{lem:hklm} Software \label{lem:hklm} \label{lem:hklm} HKLM \label{lem:hklm} Software \label{lem:hklm} \label{lem:hklm} Software \label{lem:hklm} \label{lem:hklm} Software \label{lem:hklm} \label{lem:hklm} Software \label{lem:hklm} \label{lem:hklm} HKLM \label{lem:hklm} Software \label{lem:hklm} \label{lem:hklm} \label{lem:hklm} HKLM \label{lem:hklm} Software \label{lem:hklm} \label{lem:hklm} \label{lem:hklm} Software \label{lem:hklm} \label{lem:hklm} Software \label{lem:hklm} \label{lem:hklm} \label{lem:hklm} Software \label{lem:hklm} \label{lem:hklm} Software \label{lem:hklm} \label{lem:hklm} Software \label{lem:hklm} \label{lem:hklm} \label{lem:hklm} \label{lem:hklm} \label{lem:hklm} Software \label{lem:hklm} \label{lem:hklm} Software \label{lem:hklm} \label{lklm} \label{lklm} \label{lklm} \label{lklm} \label{lklm} \label{lklm} \label{lklm} \label{lklm} \label{lklm} \labe$ 

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{a4115719-d62e-491d-aa7c-e74b8be3b067\}$ 

Opens kev:

 $\label{thm:local-equality} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a4115719-d62e-491d-aa7c-e74b8be3b067\}\propertybag}$ 

Opens key:

Opens kev:

 $\label{lem:hklmsoftwaremicrosoftwindows} current version \end{cac52c1a-b53d-4edc-92d7-6b2e8ac19434} \property bag$ 

Opens key:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{18989b1d-99b5-455b-841c-ab7c74e4ddfc\}}$ 

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{18989b1d-99b5-455b-841c-ab7c74e4ddfc\} \ property bag$ 

Opens key:

 $\label{thm:local-problem} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder$ 

Opens key:

 $\label{thm:local-bound} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{52a4f021-7b75-48a9-9f6b-4b87a210bc8f}\propertybag$ 

Opens key:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{de974d24-d9c6-4d3e-bf91-f4455120b917\}}$ 

Opens key:

Opens kev:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{6f0cd92b-2e97-45d1-88ff-b0d186b8dedd\}$ 

Opens key:

 $\label{thm:local-bound} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\eqned{folderdescriptions} \eqned{folderdescriptions}.$ 

Opens kev:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{76fc4e2d-d6ad-4519-a663-37bd56068185\}$ 

Opens key:

 $\label{thm:local-property} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folde$ 

Opens key:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a75d362e-50fc-4fb7-ac2c-a8beaa314493}$ 

Opens key:

 $\label{thm:local-property} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{a75d362e-50fc-4fb7-ac2c-a8beaa314493} \property bag$ 

Opens key:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\eq 491e922f-5643-4af4-a7eb-4e7a138d8174\}$ 

Opens key:

 $\label{lem:hklmsoftwaremicrosoftwindows} Current version \explorer \folder descriptions \folder \$ 

Opens key:

835a-98395c3bc3bb}

Opens key:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$ 

Opens kev:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{8ad10c31-2adb-4296-a8f7-e4701232c972\}$ 

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{8ad10c31-2adb-4296-a8f7-e4701232c972\} \ property bag$ 

Opens kev:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{82a5ea35-d9cd-47c5-9629-e15d2f714e6e\}$ 

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{82a5ea35-d9cd-47c5-9629-e15d2f714e6e\} \ property bag$ 

Opens key:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{debf2536-e1a8-4c59-b6a2-414586476aea\}$ 

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \ debf 2536-e1a8-4c59-b6a2-414586476 aea\} \ property bag$ 

Opens key:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$ 

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{0f214138-b1d3-4a90-bba9-27cbc0c5389a\} \ property bag$ 

Opens key:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \$ 

Opens key:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2400183a-6185-49fb-a2d8-4a392a602ba3\}\propertybag}$ 

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ (d9dc8a3b-b784-432e-a781-5a1130a75963)$ 

Opens key:

 $\label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicroso$ 

Opens key:

Opens key:

 $\label{lem:hammon} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \c4900540-2379-4c75-844b-64e6 \footnote{afa} \partial \partia$ 

Opens key:

 $\label{lem:hklmsoftwaremicrosoftwindows\currentversion} Hklm\software\mbox{289a9a43-be44-4057-a41b-587a76d7e7f9}$ 

Opens key:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '{289a9a43-be44-4057-a41b-587a76d7e7f9} \ \ 'property bag$ 

Opens key:

 $\label{lem:hklmsoftwaremicrosoftwindows\currentversion\explorer\folderdescriptions\{4bfefb45-347d-4006-a5be-ac0cb0567192\}}$ 

Opens key:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{4bfefb45-347d-4006-a5be-ac0cb0567192\} \ property bag$ 

Opens key:

Opens key:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b7534046-3ecb-4c18-be4e-64cd4cb7d6ac}\propertybag

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{ee32e446-31ca-4aba-814f-a5ebd2fd6d5e\}$ 

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{ee32e446-31ca-4aba-814f-a5ebd2fd6d5e\} \ property bag$ 

Opens key:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c870044b-f49e-4126-a9c3-b52a1ff411e8}

Opens key:

Opens key:

 $\label{lem:hklmsoftwaremicrosoftwindows\currentversion\explorer\folderdescriptions\{0139d44e-6afe-49f2-8690-3dafcae6ffb8\}}$ 

Opens key:

 $\label{thm:local-property} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{0139d44e-6afe-49f2-8690-3dafcae6ffb8} \property bag$ 

Opens key:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c5abbf53-e17f-4121-8900-86626fc2c973}

Opens key:

Opens key

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{56784854-c6cb-462b-8169-88e350acb882\}$ 

Opens key:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{56784854-c6cb-462b-8169-88e350acb882\} \ property bag$ 

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{7b396e54-9ec5-4300-be0a-2482ebae1a26\}$ 

Opens key:

Opens key

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{bcbd3057-ca5c-4622-b42d-bc56db0ae516\}$ 

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{bcbd3057-ca5c-4622-b42d-bc56db0ae516\}\ property bag$ 

Opens key

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{a302545d-deff-464b-abe8-61c8648d939b\}$ 

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ a 302545 d-deff-464 b-abe8-61c8648d939b \ property bag$ 

Onens key

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{2b0f765d-c0e9-4171-908e-08a611b84ff6\}$ 

Opens key:

 $\label{thm:local-power} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2b0f765d-c0e9-4171-908e-08a611b84ff6}\property\bag$ 

Opens key

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{2a00375e-224c-49de-b8d1-440df7ef3ddc\}$ 

Opens key:

 $\label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwaremic$ 

Opens key:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'ess \ 'ess \ 'ab-4d17-9f04-as \ 'fes \ 'gs \ 'ess \ 'ess \ 'ess \ 'ab-4d17-9f04-as \ 'fes \ 'gs \ 'ess \ 'gs \ 'ess \ 'e$ 

Opens kev:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{e555ab60-153b-4d17-9f04-a5fe99fc15ec}\property\proper$ 

Opens key

 $HKLM \software \mbox{$microsoft\windows\currentversion} \explorer \folder descriptions \currentversion \explorer \folder descriptions \currentversion \explorer \folder descriptions \currentversion \explorer \folder descriptions \currentversion \explorer \explorer \currentversion \explorer \explo$ 

Opens key: KLM\softwa

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folder$ 

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{1777f761-68ad-4d8a-87bd-30b759fa33dd\}$ 

Opens key:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1777f761-68ad-4d8a-87bd-30b759fa33dd}\propertybag$ 

Opens key

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{b250c668-f57d-4ee1-a63c-290ee7d1aa1f\}$ 

Opens key:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b250c668-f57d-4ee1-a63c-290ee7d1aa1f}\propertybag$ 

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ \ folder descriptions \ \ \{52528a6b-b9e3-4add-b60d-588c2dba842d\}$ 

Opens key:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folder$ 

Opens key

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{8983036c-27c0-404b-8608-102d10dcfd74\}$ 

Opens key:

 $\label{thm:local-bound} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{8983036c-27c0-404b-8f08-102d10dcfd74\}\propertybag}$ 

Opens key:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder\folder \folder \folder \folder \folder \folder \folder \folder \$ 

Opens key:

 $\label{lem:hklmsoftwaremicrosoftwindows} Learnest version \explorer \folder descriptions \folder \$ 

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{724ef170-a42d-4fef-9f26-b60e846fba4f\}$ 

Opens key:

Opens key:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{4bd8d571-6d19-48d3-be97-422220080e43\}$ 

Opens key:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{4bd8d571-6d19-48d3-be97-422220080e43\} \ 'property bag$ 

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{de61d971-5ebc-4f02-a3a9-6c82895e5c04\}$ 

Opens key:

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{0762d272-c50a-4bb0-a382-697dcd729b80\}$ 

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{0762d272-c50a-4bb0-a382-697dcd729b80\} \ property bag$ 

Opens key:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4d9f7874-4e0c-4904-967b-40b0d20c3e4b\}}$ 

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{4d9f7874-4e0c-4904-967b-40b0d20c3e4b\} \ property bag$ 

Opens kev:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{1ac14e77-02e7-4e5d-b744-2eb1ae5198b7\}$ 

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{1ac14e77-02e7-4e5d-b744-2eb1ae5198b7\} \ property bag$ 

Opens kev:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{a77f5d77-2e2b-44c3-a6a2-aba601054a51\}$ 

Opens key:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a77f5d77-2e2b-44c3-a6a2-aba601054a51\}\propertybag$ 

Opens key:

 $\label{thm:local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{0ac0837c-bbf8-452a-850d-79d08e667ca7}$ 

Opens key:

 $\label{lem:hklmsoftwaremicrosoftwindows} In the constant of the constant of$ 

Opens key:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{d0384e7d-bac3-4797-8f14-cba229b392b5}$ 

Opens kev:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d0384e7d-bac3-4797-8f14-cba229b392b5\}\property\bag}$ 

Opens key:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7b0db17d-9cd2-4a93-9733-46cc89022e7c}

Opens key:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7b0db17d-9cd2-4a93-9733-46cc89022e7c}\propertybag

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{ae50c081-ebd2-438a-8655-8a092e34987a\}$ 

Opens kev:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{ae 50c 081-ebd 2-438a-8655-8a092e 34987a\} \ property bag$ 

Opens key:

 $\label{thm:local-bound} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\}}$ 

Opens key:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\}\propertybag}$ 

Opens key:

 $\label{thm:local-prop} $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f1b32785-6fba-4fcf-9d55-7b8e7f157091\}$}$ 

Opens kev:

 $\label{thm:local-operator} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\fifth{1}b32785-6fba-4fcf-9d55-7b8e7f157091\}\property\propert$ 

Opens key:

 $\label{lem:hklmsoftwaremicrosoftwindows\currentversion\explorer\folderdescriptions\below{b6ebfb86-6907-413c-9af7-4fc2abf07cc5}$ 

Opens key:

9af7-4fc2abf07cc5}\propertybag

Opens key:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{9274bd8d-cfd1-41c3-b35e-b13f55a758f4\}$ 

Opens kev:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$ 

Opens key:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{69d2cf90-fc33-4fb7-9a0c-ebb0f0fcb43c\}}$ 

Opens kev:

 $\label{lem:hklmsoftwaremicrosoftwindows} In the label of the label o$ 

Opens key:

 $\label{lem:hkklmsoftwaremicrosoftwindows} Label{lem:hkklmsoftwaremicrosoftwindows} Label{lem:hkklmsoftwaremicrosoftwa$ 

Opens kev:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ 374 de 290-123 f-4565-9164-39c4925e 467b \ property bag$ 

Opens key:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{859ead94-2e85-48ad-a71a-0969cb56a6cd\}$ 

Opens key:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{859ead94-2e85-48ad-a71a-0969cb56a6cd}\property\bag\end{microsoft}$ 

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{a305ce99-f527-492b-8b1a-7e76fa98d6e4\}$ 

Opens kev:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ a 305ce 99-f527-492b-8b1a-7e76fa98d6e4 \ property bag$ 

Opens key:

Opens key:

 $\label{thm:local-property} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folde$ 

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a990ae9f-a03b-4e80-94bc-9912d7504104\}$ 

Opens key:

 $\label{thm:local-property} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a990ae9f-a03b-4e80-94bc-9912d7504104\}\propertybag}$ 

Opens key:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{dfdf76a2-c82a-4d63-906a-5644ac457385\}$ 

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{dfdf76a2-c82a-4d63-906a-5644ac457385\} \ property bag$ 

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{1a6fdba2-f42d-4358-a798-b74d745926c5\}$ 

Opens key:

 $\label{thm:local-property} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1a6fdba2-f42d-4358-a798-b74d745926c5\}\property\bag\end{microsoft}$ 

Opens key:

Opens key:

 $\label{thm:local-property} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \fast a 520 a 1 a 4 - 1780 - 4ff 6-bd 18 - 1673 4 3 c 5 a f 16 \property bag$ 

Opens key:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b88f4daa-e7bd-49a9-b74d-02885a5dc765}

Opens key:

 $\label{thm:local-property} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \gamma=67bd-49a9-b74d-02885a5dc765 \property bag$ 

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{2c36c0aa-5812-4b87-bfd0-4cd0dfb19b39\}$ 

Opens key:

 $\label{lem:hklmsoftwaremicrosoftwindows} Current version \end{color=1.000cm} $$HklM\software\microsoft\windows\current version\end{color=1.000cm} $$HklM\software\microsoft\windows\current version\end{color=1.000cm} $$HklM\software\microsoft\mic$ 

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{9e3995ab-1f9c-4f13-b827-48b24b6c7174\}$ 

Opens key:

 $\label{lem:hamilton} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{9e3995ab-1f9c-4f13-b827-48b24b6c7174\}\propertybag$ 

Opens key:

Opens key:

```
\label{thm:local-continuous} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{df7266ac-9274-4867-8d55-3bd661de872d}\propertybag Opens key:
```

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \equal 4824 af-dce 4-45a 8-81e2-fc 79650 83634 \equal 4824 af-dce 4-45a 8-81e2-fc 79650 \equal 4824 af-dce$ 

Opens key:

Opens key:

 $\label{lem:hklmsoftware} HKLM \software \mbox{$d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27} \\$ 

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27\}\ property bag$ 

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{15ca69b3-30ee-49c1-ace1-6b5ec372afb5\}$ 

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{15 ca 69 b3 - 30 ee - 49 c1 - ace 1 - 6 b5 ec 372 af b5\} \ property bag$ 

Opens key

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{3214 fab 5-9757-4298-bb61-92a9 deaa 44ff\}$ 

Opens key

 $\label{thm:local-substance} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \color= 13214 fab 5-9757-4298-bb 61-92 a 9 dea a 44 ff \property bag$ 

Opens kev:

 $HKLM \ software \ microsoft \ windows \ current version \ (905e63b6-c1bf-494e-b29c-65b732d3d21a)$ 

Opens kev:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folder$ 

Opens key

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{fd 228 cb 7-ae 11-4ae 3-864 c-16f 3910 ab 8 fe\}$ 

Opens key

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{fd 228 cb 7-ae 11-4ae 3-864 c-16f 3910 ab 8 fe\} \ property bag$ 

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{b97d20bb-f46a-4c97-ba10-5e3608430854\}$ 

Opens key:

 $\label{thm:local-property} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\fold$ 

Opens kev:

Opens key: HKCU\software\policies\microsoft\windows\currentversion\internet

settings

 $Opens\ key: \\ HKCU \ software \ microsoft \ windows \ current version \ internet\ settings$ 

Opens key: HKLM\software\policies
Opens key: HKCU\software\policies
Opens key: HKCU\software
Opens key: HKLM\software

Opens key: HKLM\software\policies\microsoft\internet explorer
Opens key: HKLM\software\policies\microsoft\internet explorer\main

Opens key:

 $\label{thm:local-ham} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{625b53c3-ab48-4ec1-ba1f-a1ef4146fc19} \property bag$ 

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \ \ d20 beec 4-5 ca 8-4905-ae 3b-bf 251 ea 09 b 53 \}$ 

Opens key: HKCU\software\policies\microsoft\internet explorer\main\featurecontrol
Opens key: HKCU\software\policies\microsoft\internet explorer\main\featurecontrol

Opens key: HKCU\software\microsoft\internet explorer\main\featurecontrol
Opens key: HKLM\software\microsoft\internet explorer\main\featurecontrol
Opens key: HKLM\software\microsoft\windows\currentversion\internet

settings\5.0\cache

Opens key: HKCU\software\microsoft\windows\currentversion\internet

settings\5.0\cache

Opens key:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d20beec4-5ca8-4905-ae3b-bf251ea09b53\}\property\bag}$ 

Opens key:

HKLMM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{de92c1c7-837f-4f69-a3bb-86e631204a23}

Opens key: HKCU\software\microsoft\windows\currentversion\internet

settings\5.0\cache\content

Opens key: HKLM\software\microsoft\windows\currentversion\internet

settings\5.0\cache\content

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{352481e8-33be-4251-ba85-6007 \ caedcf9d\}$ 

Opens key: HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{352481e8-33be-4251ba85-6007caedcf9d}\propertybag Opens key: a3bb-86e631204a23}\propertybag Opens kev: HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{10c07cd0-ef91-4567b850-448b77cb37f9} Opens key: HKCU\software\microsoft\windows\currentversion\internet settings\5.0\cache\cookies Opens key: HKLM\software\microsoft\windows\currentversion\internet settings\5.0\cache\cookies Opens key:  $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ \ folder descriptions \ \ \{10c07cd0-ef91-4567-ef91-45$ b850-448b77cb37f9}\propertybag Opens key:  $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ \ folder descriptions \ \ \ \ \ fdd 39 ad 0-238 f-46 af-46 af-46$ adb4-6c85480369c7} HKCU\software\microsoft\windows\currentversion\internet Opens key: settings\5.0\cache\history HKLM\software\microsoft\windows\currentversion\internet Opens key: settings\5.0\cache\history Opens key: adb4-6c85480369c7}\propertybag HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c1bae2d0-10df-4334bedd-7aa20b227a9d} HKCU\software\microsoft\windows\currentversion\internet Opens key: settings\5.0\cache\extensible cache HKCU\software\microsoft\windows\currentversion\internet Opens key: settings\5.0\cache\extensible cache\domstore HKCU\software\microsoft\windows\currentversion\internet Opens key: settings\5.0\cache\extensible cache\feedplat HKCU\software\microsoft\windows\currentversion\internet Opens key: settings\5.0\cache\extensible cache\iecompat Opens key: bedd-7aa20b227a9d}\propertybag Opens kev: HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{190337d1-b8ca-4121a639-6d472d16972a} Opens key: HKCU\software\microsoft\windows\currentversion\internet settings\5.0\cache\extensible cache\ietld HKCU\software\microsoft\windows\currentversion\internet Opens key: settings\5.0\cache\extensible cache\privacie: HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{190337d1-b8ca-4121a639-6d472d16972a}\propertybag Opens key:  $HKLM \setminus software \setminus microsoft \setminus windows \setminus current version \setminus explorer \setminus folder descriptions \setminus \{54eed 2e0 - e7ca - 4fdb - e7ca - e$ 

9148-0f4247291cfa}

HKCU\software\microsoft\internet Opens key:

explorer\main\featurecontrol\retry headeronlypost onconnectionreset

Opens key: HKLM\software\microsoft\internet

explorer\main\featurecontrol\retry\_headeronlypost\_onconnectionreset

HKCU\software\microsoft\internet Opens kev: explorer\main\featurecontrol\feature\_bufferbreaking\_818408 HKLM\software\microsoft\internet Opens key: explorer\main\featurecontrol\feature\_bufferbreaking\_818408 Opens key: HKCU\software\microsoft\internet

explorer\main\featurecontrol\feature\_skip\_post\_retry\_on\_internetwritefile\_kb895954

HKLM\software\microsoft\internet Opens kev:

explorer\main\featurecontrol\feature\_skip\_post\_retry\_on\_internetwritefile\_kb895954

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{54eed 2e0-e7ca-4fdb-e7ca-4$ 9148-0f4247291cfa}\propertybag

Opens key:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{bfb9d5e0-c6a9-404cb2b2-ae6db6af4968}

Opens kev:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{bfb9d5e0-c6a9-404cb2b2-ae6db6af4968}\propertybag

Opens key:  $\label{lem:hklm} \verb+Kklm\+ software\+ policies\+ microsoft\+ windows\+ current version\+ internet$ 

settings\5.0\cache

Opens key: HKCU\software\policies\microsoft\windows\currentversion\internet

settings\5.0\cache

Opens key:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5cd7aee2-2219-4a67b85d-6c9ce15660cb}

HKCU\software\microsoft\internet Opens key:

explorer\main\featurecontrol\feature\_fix\_chunked\_proxy\_script\_download\_kb843289

```
Opens key:
                                                         HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_fix_chunked_proxy_script_download_kb843289
    Opens key:
                                                         HKCU\software\microsoft\internet
explorer\main\featurecontrol\feature_use_cname_for_spn_kb911149
                                                        HKLM\software\microsoft\internet
   Opens kev:
explorer\main\featurecontrol\feature_use_cname_for_spn_kb911149
    Opens key:
                                                        HKCU\software\microsoft\internet
explorer\main\featurecontrol\feature_disable_notify_unverified_spn_kb2385266
    Opens key:
                                                         HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_disable_notify_unverified_spn_kb2385266
   Opens kev:
                                                        HKCU\software\microsoft\internet
explorer\main\featurecontrol\feature_compat_use_connection_based_negotiate_auth_kb2151543
    Opens key:
                                                        HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_compat_use_connection_based_negotiate_auth_kb2151543
    Opens key:
HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5cd7aee2-2219-4a67-
b85d-6c9ce15660cb}\propertybag
    Opens key:
9151-b08c6c32d1f7}
    Opens key:
                                                         HKCU\software\microsoft\internet
explorer\main\featurecontrol\feature_allow_long_international_filenames
                                                        HKLM\software\microsoft\internet
    Opens kev:
explorer\main\featurecontrol\feature_allow_long_international_filenames
                                                        HKCU\software\microsoft\internet
    Opens key:
explorer\main\featurecontrol\feature_permit_cache_for_authenticated_ftp_kb910274
                                                         HKLM\software\microsoft\internet
    Opens key:
explorer\main\featurecontrol\feature_permit_cache_for_authenticated_ftp_kb910274
                                                        HKCU\software\microsoft\internet
    Opens kev:
explorer\main\featurecontrol\feature_disable_unicode_handle_closing_callback
                                                        HKLM\software\microsoft\internet
   Opens kev:
explorer\main\featurecontrol\feature_disable_unicode_handle_closing_callback
                                                         HKCU\software\microsoft\internet
    Opens key:
explorer\main\featurecontrol\feature_disallow_null_in_response_headers
                                                        HKLM\software\microsoft\internet
    Opens key:
explorer\main\featurecontrol\feature_disallow_null_in_response_headers
   Opens key:
9151-b08c6c32d1f7}\propertybag
                                                        HKCU\software\microsoft\internet
    Opens key:
explorer\main\featurecontrol\feature_digest_no_extras_in_uri
                                                        HKLM\software\microsoft\internet
    Opens key:
explorer\main\featurecontrol\feature digest no extras in uri
   Opens key:
                                                        HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_enable_passport_session_store_kb948608
                                                        HKCU\software\microsoft\internet
    Opens key:
explorer\main\featurecontrol\feature_exclude_invalid_client_cert_kb929477
    Opens key:
                                                        HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature exclude invalid client cert kb929477
   Opens key:
                                                        HKCU\software\microsoft\internet
explorer\main\featurecontrol\feature_use_utf8_for_basic_auth_kb967545
    Opens key:
                                                        HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_use_utf8_for_basic_auth_kb967545
    Opens key:
a079-df759e0509f7}
    Opens key:
                                                         HKCU\software\microsoft\internet
explorer\main\featurecontrol\feature_release_keys_on_unload_kb975619
    Opens key:
                                                        HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_release_keys_on_unload_kb975619
   Opens key:
                                                        HKCU\software\microsoft\internet
explorer\main\featurecontrol\feature_security_flag_ignore_revocation_kb2275828
                                                        HKLM\software\microsoft\internet
    Opens key:
explorer \verb|\main| featurecontrol| feature\_security\_flag\_ignore\_revocation\_kb2275828
    Opens key:
a079-df759e0509f7}\propertybag
    Opens key:
HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \ \{5ce 4a 5e9-e 4eb-479d-eab-479d-eab-479d-eab-479d-eab-479d-eab-479d-eab-479d-eab-479d-eab-479d-eab-479d-eab-479d-eab-479d-eab-479d-eab-479d-eab-479d-eab-479d-eab-479d-eab-479d-eab-479d-eab-479d-eab-479d-eab-479d-eab-479d-eab-479d-eab-479d-eab-479d-eab-479d-eab-479d-eab-479d-eab-479d-eab-479d-eab-479d-eab-479d-eab-479d-eab-479d-eab-479d-eab-479d-eab-479d-eab-479d-eab-479d-eab-479d-eab-479d-eab-479d-eab-479d-eab-479d-eab-479d-eab-479d-eab-479d-eab-479d-eab-479d-eab-479d-eab-479d-eab-479d-eab-479d-eab-479d-eab-479d-eab-479d-eab-479d-eab-479d-eab-479d-eab-479d-eab-479d-eab-479d-eab-479d-eab-479d-eab-479d-eab-479d-eab-479d-eab-479d-eab-479d-eab-479d-eab-479d-eab-479d-eab-479d-eab-479d-eab-479d-eab-479d-eab-479d-eab-479d-eab-479d-eab-479d-eab-479d-eab-479d-eab-479d-eab-479d-eab-479d-eab-479d-eab-479d-eab-479d-eab-479d-eab-479d-eab-479d-eab-479d-eab-479d-eab-479d-eab-479d-eab-479d-eab-479d-eab-479d-eab-479d-eab-479d-eab-479d-eab-479d-eab-479d-eab-479d-eab-479d-eab-479d-eab-479d-eab-479d-eab-479d-eab-479d-eab-479d-eab-479d-eab-479d-eab-479d-eab-479d-eab-479d-eab-479d-eab-479d-eab-479d-eab-479d-eab-479d-eab-479d-eab-479d-eab-479d-eab-479d-eab-479d-eab-479d-eab-479d-eab-479d-eab-479d-eab-479d-eab-479d-eab-479d-eab-479d-eab-479d-eab-479d-eab-479d-eab-479d-eab-479d-eab-479d-eab-479d-eab-479d-eab-479d-eab-479d-eab-479d-eab-479d-eab-479d-eab-479d-eab-479d-eab-479d-eab-479d-eab-479d-eab-479d-eab-479d-eab-479d-eab-479d-eab-479d-eab-479d-eab-479d-eab-479d-eab-479d-eab-479d-eab-479d-eab-479d-eab-479d-eab-479d-eab-479d-eab-479d-eab-479d-eab-479d-eab-479d-eab-479d-eab-479d-eab-479d-eab-479d-eab-479d-eab-479d-eab-479d-eab-479d-eab-479d-eab-479d-eab-479d-eab-479d-eab-479d-eab-479d-eab-479d-eab-479d-eab-479d-eab-479d-eab-479d-eab-479d-eab-479d-eab-479d-eab-479d-eab-479d-eab-479d-eab-479d-eab-479d-eab-479d-eab-479d-eab-479d-eab-479d-eab-479d-eab-479d-eab-479d-eab-479d-eab-479d-eab-479d-eab-479d-eab-479d-eab-479d-eab-479d-eab-479d-eab-479d-eab
b89f-130c02886155}
    Opens key:
HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{5ce4a5e9-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-479d-e4eb-47
b89f-130c02886155}\propertybag
    Opens key:
HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{82a74aeb-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb4-465c-aeb
a014-d097ee346d63}
    Opens key:
                                                         HKLM\system\currentcontrolset\services\winsock2\parameters
    Opens kev:
                                                         HKLM\system\currentcontrolset\services\winsock2\parameters\appid_catalog
    Opens key:
HKLM\system\currentcontrolset\services\winsock2\parameters\appid_catalog\1b8a4d03
    Opens key:
HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9
    Opens key:
```

HKLM\system\currentcontrolset\services\winsock2\parameters\protocol\_catalog9\00000019 Opens kev:  $HKLM \setminus system \setminus current control set \setminus services \setminus winsock 2 \cap col_catalog 9 \setminus catalog\_entries$ Opens key:

 $HKLM \ system \ (current control set \ services \ winsock 2 \ parameters \ protocol\_catalog \ (catalog\_entries \ 0000000000001) \ (catalog\_entries \ (catalog \ (catalog\_entries \ (catalog \ (cata$ Opens key:

HKLM\system\currentcontrolset\services\winsock2\parameters\protocol\_catalog9\catalog\_entries\00000000000 Opens key:

a014-d097ee346d63}\propertybag

Opens kev:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ `folder descriptions \ `\{7c5a40ef-a0fb-4bfc-a0fb-4b$ 

874a-c0f2e0b9fa8e}

Opens key:

HKLM\system\currentcontrolset\services\winsock2\parameters\protocol\_catalog9\catalog\_entries\000000000003 Opens key:

Opens key:

Opens key:

HKLM\system\currentcontrolset\services\winsock2\parameters\protocol\_catalog9\catalog\_entries\000000000006 Opens key:

HKLM\system\currentcontrolset\services\winsock2\parameters\protocol\_catalog9\catalog\_entries\000000000007

HKLM\system\currentcontrolset\services\winsock2\parameters\protocol\_catalog9\catalog\_entries\0000000000000 Opens key:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ `folder descriptions \ `\{7c5a40ef-a0fb-4bfc-a0fb-4b$ 

874a-c0f2e0b9fa8e}\propertybag

Opens kev:

HKLM\system\currentcontrolset\services\winsock2\parameters\protocol\_catalog9\catalog\_entries\000000000000 Opens kev:

Opens key:

 $HKLM \ system \ current control set \ services \ winsock 2 \ parameters \ protocol\_catalog9 \ (catalog\_entries \ 0000000000011) \ (catalog \ parameters) \ (catalog \ par$ Opens key:

Opens kev:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{43668bf8-c14e-49b2-

97c9-747784d784b7}

Opens key:

Opens key:

HKLM\svstem\currentcontrolset\services\winsock2\parameters\protocol catalog9\catalog entries\00000000014 Opens key:

HKLM\system\currentcontrolset\services\winsock2\parameters\protocol\_catalog9\catalog\_entries\00000000015 Opens key:

 $HKLM \ system \ (current control set \ services \ winsock 2 \ parameters \ protocol\_catalog \ parameters \ protocol\_catalog\_entries \ protocol\_catalog\_ent$ Opens key:

HKLM\system\currentcontrolset\services\winsock2\parameters\protocol\_catalog9\catalog\_entries\00000000017 Opens key:

HKLM\system\currentcontrolset\services\winsock2\parameters\protocol\_catalog9\catalog\_entries\00000000018 Opens kev:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ \ folder descriptions \ \ \ \{43668bf8-c14e-49b2-f14e-$ 

97c9-747784d784b7}\propertybag

Opens kev:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ \ folder descriptions \ \ \{915221fb-9efe-4bda-1644, 1944, 1$ 

8fd7-f78dca774f87}

Opens key:

HKLM\system\currentcontrolset\services\winsock2\parameters\namespace\_catalog5

HKLM\system\currentcontrolset\services\winsock2\parameters\namespace catalog5\0000000c Opens key:

HKLM\system\currentcontrolset\services\winsock2\parameters\namespace\_catalog5\catalog\_entries Opens kev:

 $HKLM \ system \ current control set \ services \ winsock 2 \ parameters \ names pace\_catalog 5 \ catalog\_entries \ 0000000000001$ Opens kev:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{915221fb-9efe-4bda-

8fd7-f78dca774f87}\propertybag

Opens key:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4c5c32ff-bb9d-43b0-

b5b4-2d72e54eaaa4}

Opens kev:

Opens key:

HKLM\system\currentcontrolset\services\winsock2\parameters\namespace\_catalog5\catalog\_entries\0000000000003 Opens kev:

b5b4-2d72e54eaaa4}\propertybag

Opens kev:

HKLM\system\currentcontrolset\services\winsock2\parameters\namespace\_catalog5\catalog\_entries\000000000004 Opens key:

Opens key:

```
HKCU\software\microsoft\windows\currentversion\internet settings\wpad
     Opens key:
     Opens key:
                                                                            HKCU\software\microsoft\internet
 explorer\main\featurecontrol\feature_return_failed_connect_content_kb942615
     Opens kev:
                                                                           HKLM\software\microsoft\internet
 explorer\main\featurecontrol\feature_return_failed_connect_content_kb942615
     Opens key:
                                                                            HKLM\system\currentcontrolset\control\nls\locale
                                                                            HKLM\system\currentcontrolset\control\nls\locale\alternate sorts
     Opens key:
     Opens key:
                                                                            HKLM\system\currentcontrolset\control\nls\language groups
     Opens key:
Opens key:
                                                                            HKLM \setminus software \setminus microsoft \setminus tip \setminus \{0000897b - 83df - 4b96 - be07 - be07 - be07 - be18 - b
 Ofb58b01c4a4}\languageprofile\0x00000000\{0001bea3-ed56-483d-a2e2-aeae25577436}
     Opens key:
                                                                           HKLM\software\microsoft\ctf\
     Opens key:
                                                                             HKLM\software\microsoft\ctf\knownclasses
                                                                             HKLM\software\microsoft\cryptography\defaults\provider\microsoft strong
     Opens key:
 cryptographic provider
     Opens key:
                                                                             HKLM\system\currentcontrolset\control\lsa\fipsalgorithmpolicy
     Opens key:
                                                                             HKLM\system\currentcontrolset\control\lsa
     Opens key:
Opens key:
                                                                             HKLM\software\policies\microsoft\cryptography
                                                                            HKLM\software\microsoft\cryptography
     Opens kev:
     Opens key:
                                                                            HKLM\software\microsoft\cryptography\offload
     Opens key:
\label{thm:local_thm} \begin{tabular}{ll} HKLM \end{tabular} which is a function of the constraint o
HKLM\software\microsoft\windows\currentversion\explorer\usersfiles\namespace\delegatefolders
     Opens kev:
HKCU\software\microsoft\windows\currentversion\explorer\usersfiles\namespace
     Opens key:
HKLM\software\microsoft\windows\currentversion\explorer\usersfiles\namespace\delegatefolders\{dffacdc5-
679f-4156-8947-c5c76bc0b67f}
     Opens key:
```

 $HKCU \ software \ microsoft \ windows \ current version \ versfiles \ names pace \ delegate folders$ 

HKCU\software\microsoft\windows\currentversion\explorer\sessioninfo\1\usersfiles\namespace

Opens key:

 $HKCU \ software \ microsoft \ windows \ current version \ explorer \ session in followers files \ names pace \ delegate folders$ HKCU\software\classes\clsid\{dffacdc5-679f-4156-8947-Opens key:

c5c76bc0b67f}\shellfolder

 $HKCR\clsid\{dffacdc5-679f-4156-8947-c5c76bc0b67f}\\\\$ Opens key:

HKCU\software\microsoft\windows\currentversion\explorer\clsid\{dffacdc5-Opens kev:

679f-4156-8947-c5c76bc0b67f}\shellfolder

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ clsid \ \{dffacdc5-microsoft \ windows \ current \ version \ explorer \ clsid \ \{dffacdc5-microsoft \ windows \ current \ version \ explorer \ clsid \ \{dffacdc5-microsoft \ windows \ current \ version \ explorer \ clsid \ version \ explorer \ explorer \ version \ explorer \$ Opens key:

679f-4156-8947-c5c76bc0b67f}\shellfolder

Opens key:

c5c76bc0b67f}\inprocserver32

HKCR\clsid\{dffacdc5-679f-4156-8947-c5c76bc0b67f}\inprocserver32 Opens kev: HKLM\software\microsoft\windows\currentversion\shell extensions\blocked Opens key: Opens key: HKCU\software\microsoft\windows\currentversion\shell extensions\blocked

Opens key: HKCU\software\microsoft\windows nt\currentversion

Opens key: HKLM\software\microsoft\windows nt\currentversion\appcompatflags

HKLM\software\microsoft\windows Opens key: nt\currentversion\appcompatflags\custom\shdocvw.dll

Opens key: HKCU\software\microsoft\windows\currentversion\shell extensions\cached Opens key: HKCU\software\classes\clsid\{dffacdc5-679f-4156-8947-c5c76bc0b67f}

Opens key: HKCR\clsid\{dffacdc5-679f-4156-8947-c5c76bc0b67f} Opens key: HKCU\software\classes\clsid\{dffacdc5-679f-4156-8947-

c5c76bc0b67f}\treatas

Opens key: HKCR\clsid\{dffacdc5-679f-4156-8947-c5c76bc0b67f}\treatas Opens key: HKCU\software\classes\clsid\{dffacdc5-679f-4156-8947-

c5c76bc0b67f}\progid

HKCR\clsid\{dffacdc5-679f-4156-8947-c5c76bc0b67f}\progid Opens kev: HKCU\software\classes\clsid\{dffacdc5-679f-4156-8947-Opens key:

c5c76bc0b67f}\inprochandler32

Opens key:  $HKCR\clsid\{dffacdc5-679f-4156-8947-c5c76bc0b67f}\\\\$ 

Opens key:

c5c76bc0b67f}\inprochandler

HKCR\clsid\{dffacdc5-679f-4156-8947-c5c76bc0b67f}\inprochandler Opens kev:

Opens key: HKCU\software\classes\clsid\{dffacdc5-679f-4156-8947-

c5c76bc0b67f}\instance

Opens key: HKCR\clsid\{dffacdc5-679f-4156-8947-c5c76bc0b67f}\instance Opens key: HKCU\software\classes\clsid\{0e5aae11-a475-4c5b-ab00-

c66de400274e}\inprocserver32

Opens kev: HKCR\clsid\{0e5aae11-a475-4c5b-ab00-c66de400274e}\inprocserver32 Opens key: HKCU\software\classes\clsid\{0e5aae11-a475-4c5b-ab00-c66de400274e}

Opens key: HKCR\clsid\{0e5aae11-a475-4c5b-ab00-c66de400274e} Opens key: HKCU\software\classes\clsid\{0e5aae11-a475-4c5b-ab00-

c66de400274e}\treatas

Opens key:  $\label{lem:hkcrclsid} $$ HKCR\clsid_{0e5aae11-a475-4c5b-ab00-c66de400274e} \le ae11-a475-4c5b-ab00-c66de400274e} $$ Teach $$ (a. 1.5) $$ Opens key: HKCU\software\classes\clsid\{0e5aae11-a475-4c5b-ab00-

c66de400274e}\progid

Opens key: HKCR\clsid\{0e5aae11-a475-4c5b-ab00-c66de400274e}\progid Opens key: HKCU\software\classes\clsid\{0e5aae11-a475-4c5b-ab00-

c66de400274e}\inprochandler32

Opens key: HKCR\clsid\{0e5aae11-a475-4c5b-ab00-c66de400274e}\inprochandler32

Opens key: HKCU\software\classes\clsid\{0e5aae11-a475-4c5b-ab00-

c66de400274e}\inprochandler

Opens key: HKCR\clsid\{0e5aae11-a475-4c5b-ab00-c66de400274e}\inprochandler

Opens key: HKCU\software\classes\clsid\{dffacdc5-679f-4156-8947-

c5c76bc0b67f}\instance\initpropertybag

Opens key: HKCR\clsid\{dffacdc5-679f-4156-8947-

c5c76bc0b67f}\instance\initpropertybag

Opens key:

HKLM\software\microsoft\windows\currentversion\shellcompatibility\objects\{dffacdc5-679f-4156-

8947-c5c76bc0b67f}

Opens key: HKCU\software\microsoft\internet explorer\main

Opens key: HKCU\software\microsoft\internet explorer\searchscopes

Opens key: HKCU\software\microsoft\internet explorer\searchscopes\{0633ee93-d776-

472f-a0ff-e1416b8b2e3a}

Opens key: HKLM\system\currentcontrolset\control\session manager\environment

Opens key: HKLM\software\microsoft\internet explorer\toolbar Opens key: HKLM\software\microsoft\net framework setup\ndp

Opens key: HKLM\software\microsoft\net framework setup\ndp\v2.0.50727

Opens key: HKLM\software\microsoft\net framework setup\ndp\v3.0

Opens key: HKLM\software\microsoft\net framework setup\ndp\v3.5

Opens key: HKLM\software\microsoft\windows nt\currentversion

Opens key: HKCU\software\conduit\distributionengine\1\offerhistory

 $Opens~key: \\ HKCU \setminus software \\ \\ classes \\ \\ clsid \\ \\ 8856f961-340a-11d0-a96b-00c04fd705a2 \\ \\ \\$ 

00c04fd705a2}\treatas

Opens key:  $\label{eq:hccn} \begin{tabular}{ll} HKCR\clsid\{8856f961-340a-11d0-a96b-00c04fd705a2}\treat as Opens key: \\ HKCU\software\classes\clsid\{8856f961-340a-11d0-a96b-00c04fd705a2}\treat as Opens key: \\ \begin{tabular}{ll} HKCU\software\classes\clsid\{8856f961-340a-11d0-a96b-00c04fd705a2}\treat as Opens key: \\ \begin{tabular}{ll} HKCU\software\classes\clsid$ 

00c04fd705a2}\progid

Opens key: HKCR\clsid\{8856f961-340a-11d0-a96b-00c04fd705a2}\progid Opens key: HKCU\software\classes\clsid\{8856f961-340a-11d0-a96b-

00c04fd705a2}\inprocserver32

Opens key: HKCR\clsid\{8856f961-340a-11d0-a96b-00c04fd705a2}\inprocserver32

Opens key: HKCU\software\classes\clsid\{8856f961-340a-11d0-a96b-

00c04fd705a2}\inprochandler32

Opens key: HKCR\clsid\{8856f961-340a-11d0-a96b-00c04fd705a2}\inprochandler32

Opens key: HKCU\software\classes\clsid\{8856f961-340a-11d0-a96b-

00c04fd705a2}\inprochandler

Opens key: HKCR\clsid\{8856f961-340a-11d0-a96b-00c04fd705a2}\inprochandler
Opens key: HKLM\software\microsoft\windows nt\currentversion\fontlink\systemlink

Opens key: HKLM\software\microsoft\windows

 $\verb|nt\currentversion\languagepack\datastore\_v1.0|$ 

Opens key: HKLM\software\microsoft\windows

nt\currentversion\languagepack\surrogatefallback

Opens key: HKLM\software\microsoft\windows nt\currentversion\languagepack\surrogatefallback\segoe ui Opens key: HKCU\software\microsoft\internet

Opens key: HKLM\software\microsoft\internet

explorer\main\featurecontrol\feature\_http\_username\_password\_disable

Opens key: HKCU\software\microsoft\internet

explorer\main\featurecontrol\feature\_include\_port\_in\_spn\_kb908209
 Opens key: HKLM\software\microsoft\internet

explorer\main\featurecontrol\feature\_include\_port\_in\_spn\_kb908209

Opens key: HKCU\software\microsoft\internet explorer\main\featurecontrol\feature\_mime\_handling
Opens key: HKLM\software\microsoft\internet

explorer\main\featurecontrol\feature\_mime\_handling

Opens key:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\tracing\f4cade5dce24d5c9d966cb266c7c7346\_rasapi32\\ Opens key: HKLM\software\microsoft\ctf\compatibility\bi.exe$ 

Opens key:

HKLM\software\microsoft\tracing\f4cade5dce24d5c9d966cb266c7c7346\_rasmancs

Opens key: HKLM\software\microsoft\windows nt\currentversion\profilelist
Opens key: HKLM\software\microsoft\sqmclient\windows\disabledprocesses\
Opens key: HKLM\software\microsoft\sqmclient\windows\disabledsessions\

Opens key: HKU\

Opens key: HKLM\system\currentcontrolset\control\sqmservicelist

Opens key:

HKLM\system\currentcontrolset\services\winsock2\parameters\appid\_catalog\3651ce95-33c61a52

Opens key:

HKLM\svstem\currentcontrolset\services\winsock2\parameters\appid catalog\3651ce95

Opens key: HKCU\software\microsoft\internet

 $explorer \verb|\main| featurecontrol| feature\_allow\_reverse\_solidus\_in\_userinfo\_kb932562$ 

Opens key: HKLM\software\microsoft\internet

explorer\main\featurecontrol\feature\_allow\_reverse\_solidus\_in\_userinfo\_kb932562

Opens key: HKLM\software\microsoft\internet explorer\main

Opens key: HKCU\software\classes\autoproxytypes

Opens key: HKCR\autoproxytypes

Opens key: HKCU\software\classes\autoproxytypes\application/x-internet-signup Opens key: HKCR\autoproxytypes\application/x-internet-signup HKCU\software\policies\microsoft\internet explorer\main Opens kev: Opens key: HKCU\software\classes\clsid\{871c5380-42a0-1069-a2ea-08002b30309d}\shellfolder Opens key:  $\label{local-eq:hkcr} $$HKCR\clsid_{871c5380-42a0-1069-a2ea-08002b30309d}\shellfolder$ HKCU\software\classes\autoproxytypes\application/x-ns-proxy-autoconfig Opens key: HKCR\autoproxytypes\application/x-ns-proxy-autoconfig Opens key: HKLM\software\microsoft\tracing\bi\_rasapi32 Opens key: Opens key: HKCU\software\microsoft\windows\currentversion\explorer\clsid\{871c5380-42a0-1069-a2ea-08002b30309d}\shellfolder HKCU\software\classes\clsid\{871c5380-42a0-1069-a2ea-Opens key: 08002b30309d}\inprocserver32 HKCR\clsid\{871c5380-42a0-1069-a2ea-08002b30309d}\inprocserver32 Opens key: Opens key: HKCU\software\classes\clsid\{871c5380-42a0-1069-a2ea-08002b30309d} HKCR\clsid\{871c5380-42a0-1069-a2ea-08002b30309d} Opens key: HKCU\software\classes\clsid\{871c5380-42a0-1069-a2ea-Opens key: 08002b30309d}\treatas Opens key: HKCR\clsid\{871c5380-42a0-1069-a2ea-08002b30309d}\treatas Opens key: HKLM\system\currentcontrolset\services\dnscache\parameters Opens key: HKLM\software\policies\microsoft\windows nt\dnsclient Opens key: HKLM\system\currentcontrolset\services\dns HKLM\software\microsoft\tracing\bi\_rasmancs Opens kev: Opens key: HKCU\software\classes\clsid\{871c5380-42a0-1069-a2ea-08002b30309d}\progid HKCR\clsid\{871c5380-42a0-1069-a2ea-08002b30309d}\progid Opens key: Opens key: HKCU\software\classes\clsid\{871c5380-42a0-1069-a2ea-08002b30309d}\inprochandler32 HKCR\clsid\{871c5380-42a0-1069-a2ea-08002b30309d}\inprochandler32 Opens kev: Opens key: HKCU\software\classes\clsid\{871c5380-42a0-1069-a2ea-08002b30309d}\inprochandler HKCR\clsid\{871c5380-42a0-1069-a2ea-08002b30309d}\inprochandler Opens key: Opens key: HKLM\software\microsoft\windows\currentversion\shellcompatibility\objects\{871c5380-42a0-1069a2ea-08002b30309d} Opens key: HKCU\software\microsoft\internet explorer\main\featurecontrol\feature\_iedde\_register\_protocol HKLM\software\microsoft\internet Opens key: explorer\main\featurecontrol\feature\_iedde\_register\_protocol Opens key: HKLM\software\policies\microsoft\internet explorer\browseremulation Opens key: HKCU\software\policies\microsoft\internet explorer\browseremulation Opens key: HKLM\software\policies\microsoft\windows nt\dnsclient\dnspolicyconfig Opens key: HKLM\system\currentcontrolset\services\dnscache\parameters\dnspolicyconfig Opens key: HKCU\software\classes\protocols\name-space handler\ Opens key: HKCR\protocols\name-space handler  $\label{lem:hkcu} \begin{tabular}{ll} HKCU \software \classes \protocols \name-space handler \res \end{tabular}$ Opens key: Opens key: HKCR\protocols\name-space handler\res HKCU\software\classes\protocols\name-space handler\\*\ Opens kev: HKCR\protocols\name-space handler\\* Opens key: Opens key: HKCU\software\classes\protocols\handler\res Opens key: HKCR\protocols\handler\res HKCU\software\classes\clsid\{3050f3bc-98b5-11cf-bb82-00aa00bdce0b} Opens key: Opens key: HKCR\clsid\{3050f3bc-98b5-11cf-bb82-00aa00bdce0b}

Opens key: HKCU\software\classes\clsid\{3050f3bc-98b5-11cf-bb82-

00aa00bdce0b}\treatas

HKCR\clsid\{3050f3bc-98b5-11cf-bb82-00aa00bdce0b}\treatas Opens key: Opens key: HKCU\software\classes\clsid\{3050f3bc-98b5-11cf-bb82-

00aa00bdce0b}\progid

Opens key:  $HKCR\clsid\{3050f3bc-98b5-11cf-bb82-00aa00bdce0b}\progid$ Opens key: HKCU\software\classes\clsid\{3050f3bc-98b5-11cf-bb82-

00aa00bdce0b}\inprocserver32

HKCR\clsid\{3050f3bc-98b5-11cf-bb82-00aa00bdce0b}\inprocserver32 Opens key:

Opens key: HKCU\software\classes\clsid\{3050f3bc-98b5-11cf-bb82-

00aa00bdce0b}\inprochandler32

Opens key: HKCR\clsid\{3050f3bc-98b5-11cf-bb82-00aa00bdce0b}\inprochandler32

Opens key: HKCU\software\classes\clsid\{3050f3bc-98b5-11cf-bb82-

00aa00bdce0b}\inprochandler

Opens key: HKCR\clsid\{3050f3bc-98b5-11cf-bb82-00aa00bdce0b}\inprochandler

Opens key: HKCU\software\microsoft\internet

explorer\main\featurecontrol\feature\_css\_data\_respects\_xss\_zone\_setting\_kb912120

Opens key: HKLM\software\microsoft\internet

explorer\main\featurecontrol\feature\_css\_data\_respects\_xss\_zone\_setting\_kb912120 Opens key: HKCU\software\microsoft\internet

explorer\main\featurecontrol\feature\_external\_style\_sheet\_fix\_for\_smartnavigation\_kb926131

Opens key: HKLM\software\microsoft\internet

explorer\main\featurecontrol\feature\_external\_style\_sheet\_fix\_for\_smartnavigation\_kb926131

Opens kev: HKCU\software\microsoft\internet

explorer\main\featurecontrol\feature\_aria\_support

Opens key: HKLM\software\microsoft\internet

explorer\main\featurecontrol\feature\_aria\_support

Opens key: HKCU\software\microsoft\internet explorer\main\featurecontrol\feature\_legacy\_dispparams

```
HKLM\software\microsoft\internet
 Opens key:
explorer\main\featurecontrol\feature_legacy_dispparams
 Opens kev:
                         HKCU\software\microsoft\internet
explorer\main\featurecontrol\feature_private_font_setting
 Opens kev:
                         HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_private_font_setting
 Opens key:
                         HKCU\software\microsoft\internet
explorer\main\featurecontrol\feature_css_show_hide_events
 Opens key:
                         HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_css_show_hide_events
 Opens kev:
                         HKCU\software\microsoft\internet
explorer\main\featurecontrol\feature_display_node_advise_kb833311
 Opens key:
                         HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_display_node_advise_kb833311
 Opens key:
                         HKCU\software\microsoft\internet
explorer\main\featurecontrol\feature_allow_expanduri_bypass
                         HKLM\software\microsoft\internet
 Opens key:
explorer\main\featurecontrol\feature_allow_expanduri_bypass
 Opens key:
                         HKCU\software\microsoft\internet
explorer\main\featurecontrol\feature_body_size_in_editable_iframe_kb943245
 Opens key:
                         HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_body_size_in_editable_iframe_kb943245
 Opens kev:
                         HKCU\software\microsoft\internet
explorer\main\featurecontrol\feature_databinding_support
 Opens key:
                         HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_databinding_support
 Opens key:
                         HKCU\software\microsoft\internet
explorer\main\featurecontrol\feature_enforce_bstr
                         HKLM\software\microsoft\internet
 Opens kev:
explorer\main\featurecontrol\feature_enforce_bstr
 Opens key:
                         HKCU\software\microsoft\internet
explorer\main\featurecontrol\feature_enable_dynamic_object_caching
                         HKLM\software\microsoft\internet
 Opens key:
explorer\main\featurecontrol\feature_enable_dynamic_object_caching
                         HKCU\software\microsoft\internet
 Opens kev:
explorer\main\featurecontrol\feature_object_caching
 Opens key:
                         HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_object_caching
                         HKCU\software\microsoft\internet
 Opens key:
explorer\main\featurecontrol\feature_legacy_tostring_in_compatview
 Opens key:
                         HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_legacy_tostring_in_compatview
                         HKCU\software\microsoft\internet
 Opens kev:
explorer\main\featurecontrol\feature_enable_om_screen_origin_display_pixels
                         HKLM\software\microsoft\internet
 Opens kev:
explorer\main\featurecontrol\feature_enable_om_screen_origin_display_pixels
 Opens key:
                         HKCU\software\microsoft\internet
explorer\main\featurecontrol\feature_restrict_crash_recovery_save_kb978454
 Opens kev:
                         HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_restrict_crash_recovery_save_kb978454
                         HKCU\software\microsoft\windows nt\currentversion\windows
 Opens kev:
 Opens key:
                         HKCU\software\microsoft\internet
explorer\main\featurecontrol\feature_cleanup_at_fls
 Opens key:
                         HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature cleanup at fls
                         \label{lem:hklm} \verb+Kklm\+ software\+ microsoft\+ windows\+ current version\+ app\ paths\+ outlook\+ . exe
 Opens key:
                         HKLM\software\microsoft\internet explorer\application compatibility
 Opens key:
 Opens key:
                         HKLM\software\policies\microsoft\internet explorer\domstorage
                         HKCU\software\policies\microsoft\internet explorer\domstorage
 Opens kev:
 Opens key:
                         HKCU\software\microsoft\internet explorer\domstorage
 Opens key:
                         HKLM\software\microsoft\internet explorer\domstorage
                         HKLM\software\policies\microsoft\internet explorer\safety\privacie
 Opens key:
 Opens key:
                         HKCU\software\policies\microsoft\internet explorer\safety\privacie
 Opens key:
                         HKCU\software\microsoft\internet explorer\safety\privacie
                         HKLM\software\microsoft\internet explorer\safety\privacie
 Opens key:
 Opens key:
                         HKLM\software\policies\microsoft\system\dnsclient
 Opens key:
                         HKLM\software\microsoft\internet explorer\mediatypeclass
                         HKLM\software\microsoft\windows\currentversion\internet
 Opens key:
settings\accepted documents
                         HKLM\software\microsoft\windows\currentversion\policies\ratings
 Opens kev:
 Opens key:
                         HKLM\system\currentcontrolset\services\winsock\parameters
 Opens key:
                         HKLM\system\currentcontrolset\services\tcpip6\parameters\winsock
 Opens key:
                         HKCU\software\microsoft\internet
explorer\main\featurecontrol\feature_show_failed_connect_content_kb942615
 Opens key:
                         HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_show_failed_connect_content_kb942615
 Opens key:
                         HKLM\system\currentcontrolset\services\psched\parameters\winsock
 Opens key:
                         HKLM\system\currentcontrolset\services\winsock\setup migration\providers
 Opens key:
                         HKLM\system\currentcontrolset\services\winsock\setup
migration\providers\psched
 Opens key:
                         \label{lem:hklm} \verb+Kklm \system \current control set \services \tcpip \parameters \winsock
 Opens key:
                         HKLM\software\policies\microsoft\windows\currentversion\internet
```

settings\

```
Opens key:
                                                      HKCU\software\microsoft\internet
explorer\main\featurecontrol\feature_ignore_policies_zonemap_if_esc_enabled_kb918915
   Opens key:
                                                      HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_ignore_policies_zonemap_if_esc_enabled_kb918915
   Opens kev:
                                                      HKLM\software\policies\microsoft\windows\currentversion\internet
settings\zonemap\domains\
   Opens key:
                                                      HKCU\software\policies\microsoft\windows\currentversion\internet
settings\zonemap\domains\
                                                      HKLM\system\currentcontrolset\services\winsock\setup
   Opens key:
migration\providers\tcpip
                                                      HKLM\software\policies\microsoft\windows\currentversion\internet
   Opens kev:
settings\zonemap\ranges\
   Opens key:
                                                      HKCU\software\policies\microsoft\windows\currentversion\internet
settings\zonemap\ranges\
   Opens key:
                                                      HKCU\software\microsoft\internet
explorer\main\featurecontrol\feature_unc_savedfilecheck
                                                     HKLM\software\microsoft\internet
   Opens key:
explorer\main\featurecontrol\feature_unc_savedfilecheck
   Opens key:
                                                      HKCU\software\microsoft\windows\currentversion\internet
settings\zonemap\
   Opens key:
                                                      HKCU\software\microsoft\internet
explorer\main\featurecontrol\feature_zones_check_zonemap_policy_kb941001
                                                     HKLM\software\microsoft\internet
   Opens kev:
explorer\main\featurecontrol\feature_zones_check_zonemap_policy_kb941001
   Opens key:
                                                      HKLM\software\policies\microsoft\windows\currentversion\internet
settings\zonemap
   Opens key:
                                                      HKCU\software\policies\microsoft\windows\currentversion\internet
settings\zonemap
                                                      HKCU\software\microsoft\windows\currentversion\internet
   Opens key:
settings\zonemap\ranges\
                                                      HKCU\software\microsoft\windows\currentversion\internet
   Opens kev:
settings\zonemap\protocoldefaults\
                                                      HKCU\software\microsoft\windows\currentversion\internet
   Opens key:
settings\zonemap\domains\
                                                     \label{lem:hklm} \verb+ HKLM \+ software \+ microsoft \+ windows \+ current version \+ internet
   Opens key:
settings\zonemap\domains\
   Opens key:
                                                     HKLM\system\currentcontrolset\services\winsock\setup
migration\providers\tcpip6
   Opens key:
                                                      HKLM\software\policies\microsoft\internet explorer\security
   Opens key:
                                                      HKCU\software\microsoft\windows\currentversion\internet settings\zones\
   Opens key:
                                                      HKCU\software\microsoft\windows\currentversion\internet settings\zones\0
   Opens key:
                                                      HKCU\software\microsoft\windows\currentversion\internet settings\zones\1
   Opens key:
                                                      HKCU\software\microsoft\windows\currentversion\internet settings\zones\2
                                                      HKCU\software\microsoft\windows\currentversion\internet settings\zones\3
   Opens key:
   Opens key:
                                                      HKCU\software\microsoft\windows\currentversion\internet settings\zones\4
   Opens key:
                                                      HKLM\software\policies\microsoft\windows\currentversion\internet
settings\zones\
   Opens key:
                                                      \label{lem:hkcu} \begin{tabular}{ll} HKCU \software \policies \microsoft \windows \current version \end{tabular} in termet \end{tabular}
settings\zones\
                                                      \label{lem:hklm} \verb+Kklm \ system \ current control set \ \verb+services \ \verb+dnscache \ \verb+parameters \ \verb+dnscache \ \verb+services \ \verb+dnscache \ \verb+services \ \verb+dnscache \ \verb+parameters \ \verb+dnscache \ \verb+services \ \verb+dnscache \ \verb+services \ \verb+dnscache \ \verb+dnscache \ \verb+services \ \verb+services \ \verb+dnscache \ \verb+services \ \verb+dnscache \ \verb+services \ \verb+servi
   Opens key:
   Opens key:
                                                      HKLM\software\policies\microsoft\windows\currentversion\internet
settings\zones\0
   Opens key:
                                                      HKCU\software\policies\microsoft\windows\currentversion\internet
settings\zones\0
                                                      HKLM\software\policies\microsoft\windows\currentversion\internet
   Opens key:
settings\zones\1
   Opens key:
                                                      HKCU\software\policies\microsoft\windows\currentversion\internet
settings\zones\1
   Opens key:
                                                      HKI M\software\microsoft\windows\currentversion\internet
settings\zonemap\
   Opens key:
                                                      HKLM\software\policies\microsoft\windows\currentversion\internet
settings\zones\2
                                                      \label{lem:hkcu} \begin{tabular}{ll} HKCU \software \policies \microsoft \windows \current version \end{tabular} in termet \end{tabular}
   Opens key:
settings\zones\2
   Opens key:
                                                      HKLM\software\policies\microsoft\windows\currentversion\internet
settings\zones\3
   Opens key:
                                                      HKCU\software\policies\microsoft\windows\currentversion\internet
settings\zones\3
   Opens key:
                                                      \label{lem:hklm} \verb+Kklm\+ software\+ policies\+ microsoft\+ windows\+ current version\+ internet
settings\zones\4
   Opens key:
                                                      HKCU\software\policies\microsoft\windows\currentversion\internet
settings\zones\4
   Opens key:
                                                      HKCU\software\microsoft\internet
explorer\main\featurecontrol\feature_localmachine_lockdown
   Opens key:
                                                      HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature localmachine lockdown
   Opens key:
                                                      HKLM\software\policies\microsoft\windows\currentversion\internet
settings\lockdown_zones\
                                                      HKCU\software\policies\microsoft\windows\currentversion\internet
   Opens kev:
settings\lockdown_zones\
   Opens key:
                                                      \label{lem:hkcu} \verb+KKCU \software \microsoft \windows \current version \cite{thm:lem:hkcu} in terms to the lemma soft \cite{thm:lem:hkcu} and \cite{thm:lem:hkcu} in the lemma soft \cite{thm:lem:hkcu} and \cite{thm:lem:hkcu
settings\lockdown_zones\
   Opens key:
                                                      HKCU\software\microsoft\windows\currentversion\internet
```

```
settings\lockdown_zones\0
                                   HKLM\software\policies\microsoft\windows\currentversion\internet
  Opens kev:
settings\lockdown_zones\0
  Opens key:
                                   HKCU\software\policies\microsoft\windows\currentversion\internet
settings\lockdown_zones\0
  Opens key:
                                   HKCU\software\microsoft\windows\currentversion\internet
settings\lockdown_zones\1
                                   HKLM\software\policies\microsoft\windows\currentversion\internet
  Opens key:
settings\lockdown_zones\1
  Opens key:
                                   HKCU\software\policies\microsoft\windows\currentversion\internet
settings\lockdown_zones\1
  Opens key:
HKLM\system\currentcontrolset\services\tcpip6\parameters\interfaces\{128919e8-8a5e-41d1-ac17-
c19ce8a73253}
  Opens key:
                                   HKLM\system\currentcontrolset\services\tcpip\parameters\interfaces
  Opens key:
c19ce8a73253}
  Opens key:
                                   HKCU\software\microsoft\windows\currentversion\internet
settings\lockdown_zones\2
  Opens key:
                                   HKLM\software\policies\microsoft\windows\currentversion\internet
settings\lockdown_zones\2
                                   HKCU\software\policies\microsoft\windows\currentversion\internet
  Opens kev:
settings\lockdown_zones\2
                                   HKCU\software\microsoft\windows\currentversion\internet
  Opens key:
settings\lockdown_zones\3
                                   HKLM\software\policies\microsoft\windows\currentversion\internet
  Opens key:
settings\lockdown zones\3
                                   \label{lem:hkcu} \verb+KKCU \software \policies \microsoft \windows \current version \normalisation \cite{thm:hkcu}. The third \cite{thm:hkcu} is the third \cite{thm:hkcu} is the third \cite{thm:hkcu} is the third \cite{thm:hkcu}. The third \cite{thm:hkcu} is the third \cite{thm
  Opens key:
settings\lockdown_zones\3
                                   HKCU\software\microsoft\windows\currentversion\internet
  Opens kev:
settings\lockdown_zones\4
                                   HKLM\software\policies\microsoft\windows\currentversion\internet
  Opens key:
settings\lockdown zones\4
  Opens key:
                                   HKCU\software\policies\microsoft\windows\currentversion\internet
settings\lockdown_zones\4
  Opens kev:
806e6f6e6963}
  Opens key:
806e6f6e6963}
  Opens kev:
1709a0196aed}
  Opens key:
a68f334c8d34}
                                   HKLM\system\currentcontrolset\services\tcpip\linkage
  Opens kev:
  Opens key:
                                   HKCU\software\classes\clsid\{dcb00c01-570f-4a9b-8d69-199fdba5723b}
  Opens key:
                                   HKCR\clsid\{dcb00c01-570f-4a9b-8d69-199fdba5723b}
                                   HKCU\software\classes\clsid\{dcb00c01-570f-4a9b-8d69-
  Opens key:
199fdba5723b}\treatas
                                   HKCR\clsid\{dcb00c01-570f-4a9b-8d69-199fdba5723b}\treatas
  Opens key:
  Opens key:
                                   HKCU\software\classes\clsid\{dcb00c01-570f-4a9b-8d69-
199fdba5723b}\progid
                                   HKCR\clsid\{dcb00c01-570f-4a9b-8d69-199fdba5723b}\progid
  Opens key:
                                   HKCU\software\classes\clsid\{dcb00c01-570f-4a9b-8d69-
  Opens key:
199fdba5723b}\inprocserver32
  Opens key:
                                   HKCR\clsid\\\{dcb00c01-570f-4a9b-8d69-199fdba5723b\\\}\inprocserver32
  Opens key:
                                   HKCU\software\classes\clsid\{dcb00c01-570f-4a9b-8d69-
199fdba5723b}\inprochandler32
                                   HKCR\clsid\dcb00c01-570f-4a9b-8d69-199fdba5723b\\\inprochandler32
  Opens key:
  Opens key:
                                   HKCU\software\classes\clsid\{dcb00c01-570f-4a9b-8d69-
199fdba5723b}\inprochandler
  Opens key:
                                   HKCR\clsid\dcb00c01-570f-4a9b-8d69-199fdba5723b\\\inprochandler
  Opens key:
                                   HKLM\software\microsoft\rpc\extensions
                                   HKCU \setminus software \setminus classes \setminus clsid \setminus \{a47979d2 - c419 - 11d9 - a5b4 - 001185ad2b89\}
  Opens key:
  Opens key:
                                   HKCR\clsid\{a47979d2-c419-11d9-a5b4-001185ad2b89}
  Opens key:
                                   HKCU\software\classes\clsid\{a47979d2-c419-11d9-a5b4-
001185ad2b89}\treatas
                                   HKCR\clsid\{a47979d2-c419-11d9-a5b4-001185ad2b89}\treatas
  Opens kev:
  Opens key:
                                   HKCU\software\classes\clsid\{a47979d2-c419-11d9-a5b4-
001185ad2b89}\progid
  Opens key:
                                   HKCR\clsid\{a47979d2-c419-11d9-a5b4-001185ad2b89}\progid
                                   HKCU\software\classes\clsid\{a47979d2-c419-11d9-a5b4-
  Opens kev:
001185ad2b89}\inprocserver32
                                   HKCR\clsid\{a47979d2-c419-11d9-a5b4-001185ad2b89}\inprocserver32
  Opens kev:
  Opens key:
                                   HKCU\software\classes\clsid\{a47979d2-c419-11d9-a5b4-
001185ad2b89}\inprochandler32
  Opens key:
                                   HKCR\clsid\{a47979d2-c419-11d9-a5b4-001185ad2b89}\inprochandler32
                                   HKCU\software\classes\clsid\{a47979d2-c419-11d9-a5b4-
  Opens kev:
001185ad2b89}\inprochandler
```

```
HKCR \ clsid \ \{a47979d2-c419-11d9-a5b4-001185ad2b89\} \ in prochandler
  Opens key:
  Opens key:
                                     HKCU\software\classes\appid\bi.exe
                                     HKCR\appid\bi.exe
  Opens kev:
                                     HKLM\software\microsoft\ole\appcompat
  Opens key:
  Opens kev:
                                     HKCU\software\microsoft\internet
explorer\main\featurecontrol\feature_zones_default_drive_intranet_kb941000
                                     HKLM\software\microsoft\internet
  Opens key:
explorer\main\featurecontrol\feature_zones_default_drive_intranet_kb941000
                                     \label{local-cond} \mbox{HKCU\software\classes\interface} \mbox{\{00000134-0000-0000-c000-000000000046\}} \mbox{\columnwidth} 
  Opens key:
  Opens key:
                                     HKCR\interface\{00000134-0000-0000-c000-00000000046}
  Opens kev:
                                     HKCU\software\classes\interface\{00000134-0000-0000-c000-
000000000046}\proxystubclsid32
  Opens key:
                                     HKLM\system\currentcontrolset\services\bfe
  Opens key:
  Opens key:
                                     HKCU\software\microsoft\internet explorer
                                     HKLM\software\microsoft\internet explorer
  Opens key:
  Opens key:
                                     HKCU\software\classes\appid\f4cade5dce24d5c9d966cb266c7c7346.exe
  Opens key:
                                     HKCR\appid\f4cade5dce24d5c9d966cb266c7c7346.exe
  Opens key:
                                     HKCU\software\classes\interface\{d0074ffd-570f-4a9b-8d69-199fdba5723b}
  Opens key:
                                     HKCR\interface\{d0074ffd-570f-4a9b-8d69-199fdba5723b}
  Opens key:
                                     HKCU\software\classes\interface\{d0074ffd-570f-4a9b-8d69-
199fdba5723b}\proxystubclsid32
                                     HKCR\interface\{d0074ffd-570f-4a9b-8d69-199fdba5723b}\proxystubclsid32
  Opens kev:
  Opens key:
                                     HKCU\software\classes\clsid\{1299cf18-c4f5-4b6a-bb0f-2299f0398e27}
  Opens key:
                                     HKCR\clsid\{1299cf18-c4f5-4b6a-bb0f-2299f0398e27}
                                     HKCU\software\classes\clsid\{1299cf18-c4f5-4b6a-bb0f-
  Opens key:
2299f0398e27}\treatas
  Opens key:
                                     HKCR\clsid\{1299cf18-c4f5-4b6a-bb0f-2299f0398e27}\treatas
                                     HKCU\software\classes\clsid\{1299cf18-c4f5-4b6a-bb0f-
  Opens kev:
2299f0398e27}\progid
  Opens key:
                                     HKCR\clsid\{1299cf18-c4f5-4b6a-bb0f-2299f0398e27}\progid
  Opens key:
                                     HKCU\software\classes\clsid\{1299cf18-c4f5-4b6a-bb0f-
2299f0398e27}\inprocserver32
  Opens key:
                                     HKCR\clsid\{1299cf18-c4f5-4b6a-bb0f-2299f0398e27}\inprocserver32
                                     HKCU\software\classes\clsid\{1299cf18-c4f5-4b6a-bb0f-
  Opens key:
2299f0398e27}\inprochandler32
  Opens key:
                                     HKCR\clsid\{1299cf18-c4f5-4b6a-bb0f-2299f0398e27}\inprochandler32
                                     HKCU\software\classes\clsid\{1299cf18-c4f5-4b6a-bb0f-
  Opens key:
2299f0398e27}\inprochandler
  Opens key:
                                     HKCR\clsid\{1299cf18-c4f5-4b6a-bb0f-2299f0398e27}\inprochandler
                                     HKCU \setminus software \setminus classes \setminus interface \setminus \{26656eaa - 54eb - 4e6f - 8f85 - 4f0ef901a406\}
  Opens key:
  Opens key:
                                     HKCR\interface\{26656eaa-54eb-4e6f-8f85-4f0ef901a406}
  Opens key:
                                     HKCU\software\classes\interface\{26656eaa-54eb-4e6f-8f85-
4f0ef901a406}\proxystubclsid32
  Opens key:
                                     HKCR\interface\{26656eaa-54eb-4e6f-8f85-4f0ef901a406}\proxystubclsid32
  Opens key:
                                     HKCU\software\classes\interface\{8a40a45d-055c-4b62-abd7-6d613e2ceaec}
                                     HKCR\interface\{8a40a45d-055c-4b62-abd7-6d613e2ceaec}
  Opens key:
  Opens key:
                                     HKCU\software\classes\interface\{8a40a45d-055c-4b62-abd7-
6d613e2ceaec}\proxystubclsid32
                                     HKCR \setminus \{8a40a45d-055c-4b62-abd7-6d613e2ceaec\} \setminus proxystubclsid32
  Opens key:
  Opens key:
                                     HKCU \setminus software \setminus classes \setminus interface \setminus \{55272a00-42cb-11ce-8135-00aa004bb851\}
  Opens key:
                                     HKCR\interface\{55272a00-42cb-11ce-8135-00aa004bb851}
                                     HKCU\software\classes\interface\{55272a00-42cb-11ce-8135-
  Opens key:
00aa004bb851}\proxystubclsid32
  Opens kev:
                                     HKCR\interface\{55272a00-42cb-11ce-8135-00aa004bb851}\proxystubclsid32
                                     HKCU \setminus software \setminus classes \setminus clsid \setminus \{b196b286 - bab4 - 101a - b69c - 00aa00341d07\}
  Opens key:
  Opens key:
                                     HKCR\clsid\{b196b286-bab4-101a-b69c-00aa00341d07}
  Opens key:
                                     HKCU\software\classes\clsid\{b196b286-bab4-101a-b69c-
00aa00341d07}\treatas
  Opens key:
                                     HKCR\clsid\b196b286-bab4-101a-b69c-00aa00341d07\treatas
  Opens key:
                                     HKCU\software\classes\clsid\{b196b286-bab4-101a-b69c-
00aa00341d07}\progid
  Opens key:
                                     HKCR\clsid\{b196b286-bab4-101a-b69c-00aa00341d07}\progid
  Opens key:
                                     HKCU\software\classes\clsid\{b196b286-bab4-101a-b69c-
00aa00341d07}\inprocserver32
  Opens key:
                                     HKCR\clsid\{b196b286-bab4-101a-b69c-00aa00341d07}\inprocserver32
  Opens key:
                                     HKCU\software\classes\clsid\{b196b286-bab4-101a-b69c-
Opens key:
                                     HKCR\clsid\{b196b286-bab4-101a-b69c-00aa00341d07}\\\\
  Opens key:
                                     HKCU\software\classes\clsid\{b196b286-bab4-101a-b69c-
00aa00341d07}\inprochandler
  Opens key:
                                     HKCR\clsid\{b196b286-bab4-101a-b69c-00aa00341d07}\inprochandler
  Opens key:
                                     HKCU\software\classes\interface\{bcd1de7e-2db1-418b-b047-4a74e101f8c1}
                                     HKCR\interface\{bcd1de7e-2db1-418b-b047-4a74e101f8c1}
  Opens key:
  Opens key:
                                     HKCU\software\classes\interface\{bcd1de7e-2db1-418b-b047-
```

4a74e101f8c1}\proxystubclsid32

 $HKCR \land terface \land \{bcd1de7e-2db1-418b-b047-4a74e101f8c1\} \land proxystubclsid32$ Opens key: Opens key:  $HKCU \setminus software \setminus classes \setminus interface \setminus \{2a1c9eb2-df62-4154-b800-63278fcb8037\}$ 

Opens key: HKCR\interface\{2a1c9eb2-df62-4154-b800-63278fcb8037} Opens key: HKCU\software\classes\interface\{2a1c9eb2-df62-4154-b800-

63278fcb8037}\proxystubclsid32

HKCR\interface\{2a1c9eb2-df62-4154-b800-63278fcb8037}\proxystubclsid32 Opens kev:

Opens key: HKCU\software\microsoft\windows\currentversion\internet

```
settings\wpad\{bcc0c918-0174-4b2e-9d54-e700c8d1e3d5}
 Opens key:
                         HKCU\software\microsoft\internet
explorer\main\featurecontrol\feature_restrict_res_to_lmz
                         HKLM\software\microsoft\internet
 Opens key:
explorer\main\featurecontrol\feature_restrict_res_to_lmz
 Opens key:
                         HKCU\software\microsoft\internet
explorer\main\featurecontrol\feature_load_shdoclc_resources
                         HKLM\software\microsoft\internet
 Opens key:
explorer\main\featurecontrol\feature_load_shdoclc_resources
                         HKCU\software\classes\.htm
 Opens key:
 Opens key:
                         HKCR\.htm
 Opens key:
                         HKCU\software\classes\protocols\filter\text/html
 Opens key:
                         HKCR\protocols\filter\text/html
                         HKCU\software\microsoft\internet
 Opens key:
explorer\main\featurecontrol\feature_mime_sniffing
 Opens key:
                         HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_mime_sniffing
 Opens key:
                         HKCU\software\microsoft\internet
explorer\main\featurecontrol\feature_safe_bindtoobject
 Opens key:
                         HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_safe_bindtoobject
                         HKCU\software\classes\clsid\{25336920-03f9-11cf-8fd0-00aa00686f13}
 Opens key:
 Opens key:
                         HKCR\clsid\{25336920-03f9-11cf-8fd0-00aa00686f13}
 Opens key:
                         HKCU\software\classes\clsid\{25336920-03f9-11cf-8fd0-
00aa00686f13}\treatas
                         HKCR\clsid\{25336920-03f9-11cf-8fd0-00aa00686f13}\treatas
 Opens key:
 Opens key:
                         HKCU\software\classes\clsid\{25336920-03f9-11cf-8fd0-
00aa00686f13}\progid
                         HKCR\clsid\{25336920-03f9-11cf-8fd0-00aa00686f13}\progid
 Opens key:
 Opens key:
                         HKCU\software\classes\clsid\{25336920-03f9-11cf-8fd0-
00aa00686f13}\inprocserver32
                         HKCR\clsid\{25336920-03f9-11cf-8fd0-00aa00686f13}\inprocserver32
 Opens key:
 Opens key:
                         HKCU\software\classes\clsid\{25336920-03f9-11cf-8fd0-
00aa00686f13}\inprochandler32
                         HKCR\clsid\{25336920-03f9-11cf-8fd0-00aa00686f13}\inprochandler32
 Opens kev:
 Opens key:
                         HKCU\software\classes\clsid\{25336920-03f9-11cf-8fd0-
00aa00686f13}\inprochandler
                         HKCR\clsid\{25336920-03f9-11cf-8fd0-00aa00686f13}\inprochandler
 Opens key:
 Opens key:
                         HKCU\software\microsoft\internet
explorer\main\featurecontrol\feature_manage_script_circular_refs
                         HKLM\software\microsoft\internet
 Opens key:
explorer\main\featurecontrol\feature_manage_script_circular_refs
                         HKCU\software\microsoft\internet
 Opens kev:
explorer\main\featurecontrol\feature_restrict_filedownload
                         HKLM\software\microsoft\internet
 Opens kev:
explorer\main\featurecontrol\feature_restrict_filedownload
                         HKLM\software\microsoft\internet explorer\security\floppy access
 Opens key:
 Opens key:
                         HKCU\software\microsoft\internet explorer\security\adv addrbar spoof
detection
                         HKLM\software\microsoft\internet explorer\security\adv addrbar spoof
 Opens key:
detection
                         HKCU\software\classes\protocols\name-space handler\about\
 Opens key:
 Opens key:
                         HKCR\protocols\name-space handler\about
 Opens key:
                         HKCU\software\classes\protocols\handler\about
 Opens kev:
                         HKCR\protocols\handler\about
                         HKCU\software\classes\clsid\{3050f406-98b5-11cf-bb82-00aa00bdce0b}
 Opens key:
 Opens key:
                         HKCR\clsid\{3050f406-98b5-11cf-bb82-00aa00bdce0b}
 Opens key:
                         HKCU\software\classes\clsid\{3050f406-98b5-11cf-bb82-
00aa00bdce0b}\treatas
 Opens key:
                         HKCR \clsid \ \{3050f406-98b5-11cf-bb82-00aa00bdce0b\} \treatas
 Opens key:
                         HKCU\software\classes\clsid\{3050f406-98b5-11cf-bb82-
00aa00bdce0b}\progid
 Opens key:
                         HKCR\clsid\{3050f406-98b5-11cf-bb82-00aa00bdce0b}\progid
 Opens key:
                         HKCU\software\classes\clsid\{3050f406-98b5-11cf-bb82-
00aa00bdce0b}\inprocserver32
 Opens key:
                         HKCR\clsid\{3050f406-98b5-11cf-bb82-00aa00bdce0b}\inprocserver32
 Opens key:
                         HKCU\software\classes\clsid\{3050f406-98b5-11cf-bb82-
00aa00bdce0b}\inprochandler32
 Opens key:
                         HKCR\clsid\{3050f406-98b5-11cf-bb82-00aa00bdce0b}\inprochandler32
 Opens key:
                         HKCU\software\classes\clsid\{3050f406-98b5-11cf-bb82-
00aa00bdce0b}\inprochandler
 Opens key:
                         HKCR\clsid\{3050f406-98b5-11cf-bb82-00aa00bdce0b}\inprochandler
 Opens key:
                         HKCU\software\microsoft\internet
explorer\main\featurecontrol\feature_document_compatible_mode
 Opens key:
                         HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_document_compatible_mode
 Opens key:
                         HKCU\software\microsoft\internet
explorer\main\featurecontrol\feature_protocol_lockdown
 Opens key:
                         HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_protocol_lockdown
 Opens key:
                         HKLM\software\policies\microsoft\internet explorer\zoom
                         HKCU\software\policies\microsoft\internet explorer\zoom
 Opens kev:
 Opens key:
                         HKCU\software\microsoft\internet explorer\zoom
```

```
Opens key: HKLM\software\microsoft\internet explorer\zoom
Opens key: HKCU\software\microsoft\internet
explorer\main\featurecontrol\feature_weboc_document_zoom
Opens key: HKLM\software\microsoft\internet
```

Opens key: HKCU\software\microsoft\internet explorer\main\featurecontrol\feature\_ipersistmoniker\_load\_redirected\_url\_kb976425

Opens key: HKLM\software\microsoft\internet

explorer\main\featurecontrol\feature weboc document zoom

explorer\main\featurecontrol\feature\_ipersistmoniker\_load\_redirected\_url\_kb976425

Opens key: HKCU\software\policies\microsoft\internet explorer

Opens key: HKCU\software\microsoft\internet explorer\international

Opens key: HKLM\software\policies\microsoft\internet explorer\international\scripts

Opens key: HKCU\software\microsoft\internet explorer\international\scripts
Opens key: HKLM\software\microsoft\internet explorer\international\scripts
Opens key: HKLM\software\policies\microsoft\internet explorer\settings

Opens key: HKCU\software\microsoft\internet explorer\settings
Opens key: HKLM\software\microsoft\internet explorer\settings
Opens key: HKCU\software\microsoft\internet explorer\styles

 $Opens\ key: \\ HKCU\software\microsoft\windows\currentversion\policies\active desktop$ 

Opens key: HKCU\software\microsoft\windows\currentversion\policies
Opens key: HKCU\software\microsoft\internet explorer\pagesetup
Opens key: HKCU\software\microsoft\internet explorer\menuext
Opens key: HKCU\software\microsoft\internet explorer\menuext\%s
Opens key: HKLM\system\currentcontrol\set\control\nls\codepage

Opens key: HKCU\software\microsoft\internet explorer\international\scripts\3
Opens key: HKCU\software\microsoft\windows\currentversion\explorer\travellog
Opens key: HKLM\software\microsoft\windows\currentversion\explorer\travellog

Opens key: HKLM\software\microsoft\internet explorer\version vector

Opens key: HKCU\software\microsoft\internet explorer\main\featurecontrol\feature\_zone\_elevation
Opens key: HKLM\software\microsoft\internet explorer\main\featurecontrol\feature\_zone\_elevation
Opens key: HKCU\software\microsoft\internet

explorer\main\featurecontrol\feature\_sslux

Opens key: HKLM\software\microsoft\internet

explorer\main\featurecontrol\feature\_sslux

Opens key: HKCU\software\microsoft\internet explorer\main\featurecontrol\feature\_browser\_emulation Opens key: HKLM\software\microsoft\internet explorer\main\featurecontrol\feature\_browser\_emulation

Opens key: HKLM\software\microsoft\windows\currentversion\internet settings\zones\0

Opens key: HKCU\software\microsoft\internet

explorer\main\featurecontrol\feature\_xssfilter

Opens key: HKLM\software\microsoft\internet

 $\verb|explorer\main\featurecontrol\feature\_xssfilter| \\$ 

Opens key: HKCU\software\microsoft\windows\currentversion\internet settings\zones

Opens key: HKCU\software\microsoft\internet

explorer\main\featurecontrol\feature\_use\_ietldlist\_for\_domain\_determination

Opens key: HKLM\software\microsoft\internet

Opens key: HKCU\software\microsoft\internet explorer\main\featurecontrol\feature\_mshtml\_autoload\_ieframe Opens key: HKLM\software\microsoft\internet explorer\main\featurecontrol\feature\_mshtml\_autoload\_ieframe HKCU\software\microsoft\internet Opens key: explorer\main\featurecontrol\feature\_enable\_compat\_logging Opens kev: HKLM\software\microsoft\internet explorer\main\featurecontrol\feature\_enable\_compat\_logging Opens key: HKCU\software\microsoft\internet explorer\main\featurecontrol\feature\_shim\_mshelp\_combine HKLM\software\microsoft\internet Opens key:

explorer\main\featurecontrol\feature\_shim\_mshelp\_combine
Opens key: HKCU\software\microsoft\internet
explorer\main\featurecontrol\feature\_subdownload\_lockdown
Opens key: HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature\_subdownload\_lockdown

Opens key: HKCU\software\classes\.css

Opens key: HKCR\.css

Opens key:  ${\tt HKCU \setminus software \setminus classes \setminus protocols \setminus filter \setminus text/css}$ 

Opens key: HKCR\protocols\filter\text/css
Opens key: HKCU\software\microsoft\internet

explorer\main\featurecontrol\feature\_custom\_image\_mime\_types\_kb910561

Opens key: HKLM\software\microsoft\internet

explorer\main\featurecontrol\feature\_custom\_image\_mime\_types\_kb910561

Opens key: HKCU\software\microsoft\internet

explorer\main\featurecontrol\feature\_cross\_domain\_redirect\_mitigation
Opens kev: HKLM\software\microsoft\internet

Opens key: HKLM\software\microsoft\internet explorer\main\featurecontrol\feature\_cross\_domain\_redirect\_mitigation

Opens key: HKLM\software\policies\microsoft\internet explorer\dxtrans

Opens key: HKCU\software\microsoft\internet explorer\dxtrans
Opens key: HKLM\software\microsoft\internet explorer\dxtrans

HKCU\software\classes\.js Opens key:

Opens key: HKCR\.is

HKCU\software\microsoft\internet Opens key:

explorer\main\featurecontrol\feature\_feeds

Opens kev: HKLM\software\microsoft\internet

explorer\main\featurecontrol\feature\_feeds

Opens key: HKCU\software\microsoft\internet explorer\main\featurecontrol\feature\_block\_lmz\_script Opens key: HKLM\software\microsoft\internet explorer\main\featurecontrol\feature\_block\_lmz\_script

Opens kev: HKCU\software\policies\microsoft\windows\currentversion\internet

settings\

Opens key: HKCU\software\microsoft\windows\currentversion\internet settings\  $HKLM \setminus software \setminus policies \setminus microsoft \setminus windows \setminus current version \setminus internet$ Opens key:

settings\zonemap\

Opens key: HKCU\software\policies\microsoft\windows\currentversion\internet

settings\zonemap\

Opens key: HKLM\software\policies\microsoft\internet explorer\restrictions Opens key: HKCU\software\policies\microsoft\internet explorer\restrictions Opens key: HKCU\software\classes\clsid\{50d5107a-d278-4871-8989-f4ceaaf59cfc}

Opens key: HKCR\clsid\{50d5107a-d278-4871-8989-f4ceaaf59cfc} Opens key: HKCU\software\classes\clsid\{50d5107a-d278-4871-8989-

f4ceaaf59cfc}\treatas

 $HKCR\clsid\{50d5107a-d278-4871-8989-f4ceaaf59cfc}\treatas$ Opens key: Opens key: HKCU\software\classes\clsid\{50d5107a-d278-4871-8989-

f4ceaaf59cfc}\progid

Opens key: HKCR\clsid\{50d5107a-d278-4871-8989-f4ceaaf59cfc}\progid Opens key: HKCU\software\classes\clsid\{50d5107a-d278-4871-8989-

f4ceaaf59cfc}\inprocserver32

Opens key: HKCR\clsid\{50d5107a-d278-4871-8989-f4ceaaf59cfc}\inprocserver32

Opens key: HKCU\software\classes\clsid\{50d5107a-d278-4871-8989-

f4ceaaf59cfc}\inprochandler32

Opens key:  $HKCR\clsid\{50d5107a-d278-4871-8989-f4ceaaf59cfc}\tinprochandler 32$ 

Opens key: HKCU\software\classes\clsid\{50d5107a-d278-4871-8989-

f4ceaaf59cfc}\inprochandler

Opens key:  $HKCR\clsid\{50d5107a-d278-4871-8989-f4ceaaf59cfc}\tinprochandler$ Opens key: HKCU\software\policies\microsoft\internet explorer\control panel HKLM\software\policies\microsoft\windows\currentversion\internet Opens key: settings\url history

Opens key:

HKCU\software\policies\microsoft\windows\currentversion\internet

settings\url history Opens key:

history HKLM\software\microsoft\windows\currentversion\internet settings\url

HKCU\software\microsoft\windows\currentversion\internet settings\url

Opens key:

history Opens key: HKCU\software\microsoft\internet explorer\main\featurecontrol\feature\_iedde\_register\_urlecho

Opens key: HKLM\software\microsoft\internet explorer\main\featurecontrol\feature\_iedde\_register\_urlecho

 $HKCU \setminus software \setminus classes \setminus clsid \setminus \{f414c260-6ac0-11cf-b6d1-00aa00bbbb58\}$ Opens key:

Opens key: HKCR\clsid\{f414c260-6ac0-11cf-b6d1-00aa00bbbb58} Opens key: HKCU\software\classes\clsid\{f414c260-6ac0-11cf-b6d1-

00aa00bbbb58}\treatas

Opens key: HKCR\clsid\{f414c260-6ac0-11cf-b6d1-00aa00bbbb58}\treatas Opens key: HKCU\software\classes\clsid\{f414c260-6ac0-11cf-b6d1-

00aa00bbbb58}\progid

 $HKCR \clsid \f414c260-6ac0-11cf-b6d1-00aa00bbbb58 \progid$ Opens key: Opens key: HKCU\software\classes\clsid\{f414c260-6ac0-11cf-b6d1-

00aa00bbbb58}\inprocserver32

Opens key:  $HKCR\clsid\f414c260-6ac0-11cf-b6d1-00aa00bbb58\\\inprocserver32$ 

Opens key: HKCU\software\classes\clsid\{f414c260-6ac0-11cf-b6d1-

00aa00bbbb58}\inprochandler32

 $HKCR\clsid\f414c260-6ac0-11cf-b6d1-00aa00bbbb58\\\inprochandler32$ Opens key:

Opens key: HKCU\software\classes\clsid\{f414c260-6ac0-11cf-b6d1-

00aa00bbbb58}\inprochandler

Opens key: HKCR\clsid\{f414c260-6ac0-11cf-b6d1-00aa00bbbb58}\inprochandler

Opens key: HKLM\software\microsoft\windows script\features

HKCU\software\microsoft\internet Opens key:

explorer\main\featurecontrol\feature\_respect\_objectsafety\_policy\_kb905547

Opens key: HKLM\software\microsoft\internet

explorer\main\featurecontrol\feature\_respect\_objectsafety\_policy\_kb905547

Opens key: HKLM\software\microsoft\internet explorer\activex compatibility

Opens key: HKLM\software\microsoft\internet explorer\activex

compatibility\{f414c260-6ac0-11cf-b6d1-00aa00bbbb58} Opens key: HKCU\software\microsoft\internet explorer\main\featurecontrol\feature\_scripturl\_mitigation Opens key: HKLM\software\microsoft\internet explorer\main\featurecontrol\feature\_scripturl\_mitigation Opens key: HKCU\software\classes\.jpg

Opens key: HKCR\.jpg

Opens key: HKCU\software\classes\protocols\filter\image/jpeg

HKCR\protocols\filter\image/jpeg Opens kev: Opens key: HKCU\software\classes\.png

HKCR\.png Opens key:

Opens key: HKCU\software\classes\protocols\filter\image/png

Opens kev: HKCR\protocols\filter\image/png Opens key: HKCU\software\microsoft\internet explorer\main\featurecontrol\feature\_block\_lmz\_img

Opens key: HKLM\software\microsoft\internet

explorer\main\featurecontrol\feature\_block\_lmz\_img HKCU\software\classes\clsid\{30c3b080-30fb-11d0-b724-00aa006c1a01} Opens key:

HKCR\clsid\{30c3b080-30fb-11d0-b724-00aa006c1a01} Opens key: HKCU\software\classes\clsid\{30c3b080-30fb-11d0-b724-Opens key:

00aa006c1a01}\treatas

HKCR\clsid\{30c3b080-30fb-11d0-b724-00aa006c1a01}\treatas Opens key: Opens key: HKCU\software\classes\clsid\{30c3b080-30fb-11d0-b724-

00aa006c1a01}\progid

 $HKCR\clsid\{30c3b080-30fb-11d0-b724-00aa006c1a01\}\progid$ Opens key: HKCU\software\classes\clsid\{30c3b080-30fb-11d0-b724-Opens key:

00aa006c1a01}\inprocserver32

HKCR\clsid\{30c3b080-30fb-11d0-b724-00aa006c1a01}\inprocserver32 Opens key:

Opens key: HKCU\software\classes\clsid\{30c3b080-30fb-11d0-b724-

00aa006c1a01}\inprochandler32

Opens key: 

HKCU\software\classes\clsid\{30c3b080-30fb-11d0-b724-Opens key:

00aa006c1a01}\inprochandler

Opens key:  $HKCR\clsid\{30c3b080-30fb-11d0-b724-00aa006c1a01\}\inprochandler$ Opens key: HKCU\software\classes\clsid\{6a01fda0-30df-11d0-b724-00aa006c1a01}

HKCR\clsid\{6a01fda0-30df-11d0-b724-00aa006c1a01} Opens key: Opens key: HKCU\software\classes\clsid\{6a01fda0-30df-11d0-b724-

00aa006c1a01}\treatas

HKCR\clsid\{6a01fda0-30df-11d0-b724-00aa006c1a01}\treatas Opens kev: Opens key: HKCU\software\classes\clsid\{6a01fda0-30df-11d0-b724-

00aa006c1a01}\progid

 $HKCR\clsid\{6a01fda0-30df-11d0-b724-00aa006c1a01\}\progid$ Opens key: Opens key: HKCU\software\classes\clsid\{6a01fda0-30df-11d0-b724-

00aa006c1a01}\inprocserver32

Opens key: HKCR\clsid\{6a01fda0-30df-11d0-b724-00aa006c1a01}\inprocserver32

Opens key: HKCU\software\classes\clsid\{6a01fda0-30df-11d0-b724-

00aa006c1a01}\inprochandler32

HKCR\clsid\{6a01fda0-30df-11d0-b724-00aa006c1a01}\inprochandler32 Opens key:

Opens key: HKCU\software\classes\clsid\{6a01fda0-30df-11d0-b724-

00aa006c1a01}\inprochandler

 $HKCR \clsid \end{da0-30} df-11d0-b724-00aa006c1a01 \hrightarrow in prochamble results and the second statement of the second$ Opens key:

Opens key: HKCU\software\classes\mime\database\content type

Opens key: HKCR\mime\database\content type

HKCU\software\classes\mime\database\content type\image/bmp\bits Opens key:

Opens key: HKCR\mime\database\content type\image/bmp\bits

HKCU\software\classes\mime\database\content type\image/gif\bits Opens key:

Opens key: HKCR\mime\database\content type\image/gif\bits

Opens key: HKCU\software\classes\mime\database\content type\image/jpeg\bits

HKCR\mime\database\content type\image/jpeg\bits Opens kev: Opens key:

HKCU\software\classes\mime\database\content type\image/pjpeg\bits Opens key: HKCR\mime\database\content type\image/pjpeg\bits HKCU\software\classes\mime\database\content type\image/png\bits Opens key: Opens key: HKCR\mime\database\content type\image/png\bits

Opens key: HKCU\software\classes\mime\database\content type\image/tiff\bits

Opens kev: HKCR\mime\database\content type\image/tiff\bits

Opens key: HKCU\software\classes\mime\database\content type\image/x-icon\bits

Opens key: HKCR\mime\database\content type\image/x-icon\bits

HKCU\software\classes\mime\database\content type\image/x-jg\bits Opens key:

Opens key: HKCR\mime\database\content type\image/x-jg\bits

Opens key: HKCU\software\classes\mime\database\content type\image/x-png\bits

Opens key: HKCR\mime\database\content type\image/x-png\bits

Opens key: HKCU\software\classes\mime\database\content type\image/x-wmf\bits

Opens key: HKCR\mime\database\content type\image/x-wmf\bits HKCU\software\classes\mime\database\content type\image/x-png Opens key:

 ${\it HKCR} \verb|\mime| database \verb|\content| type \verb|\image/x-png| }$ Opens key:

Opens key:  $HKCU \setminus software \setminus classes \setminus clsid \setminus \{a3ccedf7-2de2-11d0-86f4-00a0c913f750\}$ 

Opens key: HKCR\clsid\{a3ccedf7-2de2-11d0-86f4-00a0c913f750} HKCU\software\classes\clsid\{a3ccedf7-2de2-11d0-86f4-Opens key:

00a0c913f750}\treatas

HKCR\clsid\{a3ccedf7-2de2-11d0-86f4-00a0c913f750}\treatas Opens kev: HKCU\software\classes\clsid\{a3ccedf7-2de2-11d0-86f4-Opens key:

00a0c913f750}\progid

Opens key: HKCR\clsid\{a3ccedf7-2de2-11d0-86f4-00a0c913f750}\progid HKCU\software\classes\clsid\{a3ccedf7-2de2-11d0-86f4-Opens key:

00a0c913f750}\inprocserver32

HKCR\clsid\{a3ccedf7-2de2-11d0-86f4-00a0c913f750}\inprocserver32 Opens kev:

Opens key: HKCU\software\classes\clsid\{a3ccedf7-2de2-11d0-86f4-

00a0c913f750}\inprochandler32

Opens key: HKCR\clsid\{a3ccedf7-2de2-11d0-86f4-00a0c913f750}\inprochandler32

Opens key: HKCU\software\classes\clsid\{a3ccedf7-2de2-11d0-86f4-

00a0c913f750}\inprochandler

 $HKCR\clsid\{a3ccedf7-2de2-11d0-86f4-00a0c913f750}\$ Opens key: Opens key: HKLM\software\policies\microsoft\internet explorer\recovery

HKCU\software\microsoft\internet explorer\recovery Opens key: Opens key: HKCU\software\microsoft\ftp HKLM\software\policies\microsoft\internet explorer\services Opens kev: Opens key: HKCU\software\microsoft\internet explorer\services Opens kev: HKLM\software\policies\microsoft\internet explorer\activities Opens key: HKCU\software\microsoft\internet explorer\activities HKLM\software\microsoft\internet explorer\activities Opens key: HKLM\software\policies\microsoft\internet Opens key: explorer\infodelivery\restrictions HKCU\software\policies\microsoft\internet Opens key: explorer\infodelivery\restrictions HKLM\software\policies\microsoft\internet explorer\suggested sites Opens key: Opens key: HKCU\software\microsoft\internet explorer\suggested sites HKCU\software\microsoft\internet explorer\feed discovery Opens key: Opens key: HKLM\software\microsoft\internet explorer\feed discovery HKCU\software\microsoft\internet Opens key: explorer\main\featurecontrol\feature\_isolate\_named\_windows Opens key: HKLM\software\microsoft\internet explorer\main\featurecontrol\feature\_isolate\_named\_windows Opens key: HKCU\software\classes\protocols\name-space handler\http\ Opens key: HKCR\protocols\name-space handler\http Opens key: HKCU\software\microsoft\windows\currentversion\internet settings\user agent Opens key: HKLM\software\microsoft\windows\currentversion\internet settings\user agent Opens key: HKCU\software\microsoft\windows\currentversion\internet settings\5.0\user agent Opens key: HKLM\software\microsoft\windows\currentversion\internet settings\5.0\user agent Opens key: HKLM\software\policies\microsoft\windows\currentversion\internet settings\user agent Opens key: HKCU\software\policies\microsoft\windows\currentversion\internet settings\user agent Opens key: HKLM\software\microsoft\windows\currentversion\internet settings\user agent\ua tokens Opens key: HKLM\software\microsoft\windows\currentversion\internet settings\user agent\pre platform HKLM\software\microsoft\windows\currentversion\internet Opens key: settings\5.0\user agent\pre platform HKCU\software\microsoft\windows\currentversion\internet Opens key: settings\5.0\user agent\pre platform Opens key: HKLM\software\microsoft\windows\currentversion\internet settings\user agent\post platform HKLM\software\microsoft\windows\currentversion\internet Opens key: settings\5.0\user agent\post platform HKCU\software\microsoft\windows\currentversion\internet Opens key: settings\5.0\user agent\post platform Opens key: HKCU\software\microsoft\internet explorer\main\featurecontrol\feature\_maxconnectionsperserver HKLM\software\microsoft\internet Opens key: explorer\main\featurecontrol\feature\_maxconnectionsperserver HKCU\software\microsoft\internet Opens key:  $explorer \verb|\main\featurecontrol\feature\_| max connection sper 1\_0 server$ HKLM\software\microsoft\internet Opens key: explorer\main\featurecontrol\feature maxconnectionsper1 Oserver Opens key: HKCU\software\microsoft\windows\currentversion\urlmon settings HKCU\software\microsoft\internet Opens kev: explorer\main\featurecontrol\feature\_disable\_legacy\_compression Opens kev: HKLM\software\microsoft\internet explorer\main\featurecontrol\feature\_disable\_legacy\_compression Opens key: HKCU\software\classes\clsid\{e569bde7-a8dc-47f3-893f-fd2b31b3eefd} Opens key: HKCR\clsid\{e569bde7-a8dc-47f3-893f-fd2b31b3eefd} Opens key: HKCU\software\classes\clsid\{e569bde7-a8dc-47f3-893ffd2b31b3eefd}\treatas Opens key: HKCR\clsid\{e569bde7-a8dc-47f3-893f-fd2b31b3eefd}\treatas Opens key: HKCU\software\classes\clsid\{e569bde7-a8dc-47f3-893ffd2b31b3eefd}\progid  $HKCR\clsid\\{e569bde7-a8dc-47f3-893f-fd2b31b3eefd}\\{progid}$ Opens key: Opens key: HKCU\software\classes\clsid\{e569bde7-a8dc-47f3-893ffd2b31b3eefd}\inprocserver32 HKCR\clsid\{e569bde7-a8dc-47f3-893f-fd2b31b3eefd}\inprocserver32 Opens key: Opens key: HKCU\software\classes\clsid\{e569bde7-a8dc-47f3-893ffd2b31b3eefd}\inprochandler32  $HKCR \ clsid \ \{e569bde7-a8dc-47f3-893f-fd2b31b3eefd\} \ \ in prochandler 32$ Opens key: Opens key: HKCU\software\classes\clsid\{e569bde7-a8dc-47f3-893ffd2b31b3eefd}\inprochandler HKCR\clsid\{e569bde7-a8dc-47f3-893f-fd2b31b3eefd}\inprochandler Opens key:

Opens key: HKCU\software\classes\protocols\name-space handler
Opens key: HKLM\software\microsoft\windows
nt\currentversion\languagepack\surrogatefallback\ms sans serif
Opens key: HKCU\software\microsoft\internet
explorer\main\featurecontrol\feature\_additional\_ie8\_memory\_cleanup
Opens key: HKLM\software\microsoft\internet

```
explorer\main\featurecontrol\feature_additional_ie8_memory_cleanup
                                                           HKCU\software\microsoft\internet
    Opens key:
explorer\main\featurecontrol\feature_disable_navigation_sounds
                                                           HKLM\software\microsoft\internet
    Opens key:
explorer\main\featurecontrol\feature_disable_navigation_sounds
    Opens key:
                                                           HKCU\appevents\schemes\apps\explorer\activatingdocument\.current
                                                            HKCU\software\microsoft\internet explorer\searchproviders\
    Opens kev:
    Opens key:
                                                           HKCU\software\microsoft\internet
explorer\main\featurecontrol\feature_activex_inactivate_mode_removal_revert
                                                           HKLM\software\microsoft\internet
    Opens key:
explorer\main\featurecontrol\feature_activex_inactivate_mode_removal_revert
    Opens key:
                                                           HKCU\software\microsoft\internet
explorer\main\featurecontrol\feature_binary_caller_service_provider
                                                          HKLM\software\microsoft\internet
   Opens key:
explorer\main\featurecontrol\feature_binary_caller_service_provider
                                                           HKLM\system\currentcontrolset\control\windows
    Opens key:
    Opens key:
                                                           HKCU\appevents\schemes\apps\explorer\navigating\.current
    Opens key:
                                                            HKCU\appevents\schemes\
    Opens key:
                                                            HKCU\appevents\schemes\apps\explorer\navigating\.current\active
    Opens key:
                                                            HKCU\software\classes\.htm\openwithprogids
    Opens key:
                                                            HKCR\.htm\openwithprogids
    Opens key:
Opens key:
                                                            HKLM\software\microsoft\windows nt\currentversion\drivers32
    Opens key:
                                                            HKCU\software\microsoft\windows\currentversion\explorer\fileexts
                                                            HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.htm
    Opens key:
    Opens key:
                                                            HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.htm\
    Opens key:
HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.htm\userchoice
    Opens key:
                                                           HKCU\software\classes\htmlfile
    Opens key:
                                                            HKCR\htmlfile
    Opens key:
                                                           HKCU\software\classes\htmlfile\curver
    Opens key:
                                                            HKCR\htmlfile\curver
    Opens key:
Opens key:
                                                            HKCR\htmlfile\
    Opens key:
                                                            HKCU\software\classes\htmlfile\shellex\iconhandler
                                                            HKCR\htmlfile\shellex\iconhandler
    Opens key:
    Opens key:
                                                            HKCU\software\classes\htmlfile\docobject
    Opens key:
                                                            HKCR\htmlfile\docobject
    Opens key:
                                                            HKCU\software\classes\systemfileassociations\.htm
    Opens key:
                                                            HKCR\systemfileassociations\.htm
    Opens key:
                                                            HKCU\software\microsoft\windows\currentversion\multimedia\midimap
                                                            HKCU\software\classes\systemfileassociations\.htm\docobject
    Opens key:
    Opens key:
                                                            HKCR\systemfileassociations\.htm\docobject
    Opens key:
                                                            HKCU\software\classes\systemfileassociations\document
                                                            HKCR\systemfileassociations\document
    Opens key:
    Opens key:
                                                            HKCU\software\classes\htmlfile\browseinplace
    Opens key:
                                                            HKCR\htmlfile\browseinplace
                                                            HKCU \ software \ classes \ system file associations \ . \ htm \ browsein place
    Opens key:
    Opens key:
                                                            HKCR\systemfileassociations\.htm\browseinplace
    Opens key:
                                                            HKCU\software\classes\htmlfile\clsid
                                                            HKCR\htmlfile\clsid
    Opens key:
    Opens key:
                                                            HKCU \setminus software \setminus classes \setminus clsid \setminus \{25336920-03f9-11cf-8fd0-11cf-8fd0-11cf-8fd0-11cf-8fd0-11cf-8fd0-11cf-8fd0-11cf-8fd0-11cf-8fd0-11cf-8fd0-11cf-8fd0-11cf-8fd0-11cf-8fd0-11cf-8fd0-11cf-8fd0-11cf-8fd0-11cf-8fd0-11cf-8fd0-11cf-8fd0-11cf-8fd0-11cf-8fd0-11cf-8fd0-11cf-8fd0-11cf-8fd0-11cf-8fd0-11cf-8fd0-11cf-8fd0-11cf-8fd0-11cf-8fd0-11cf-8fd0-11cf-8fd0-11cf-8fd0-11cf-8fd0-11cf-8fd0-11cf-8fd0-11cf-8fd0-11cf-8fd0-11cf-8fd0-11cf-8fd0-11cf-8fd0-11cf-8fd0-11cf-8fd0-11cf-8fd0-11cf-8fd0-11cf-8fd0-11cf-8fd0-11cf-8fd0-11cf-8fd0-11cf-8fd0-11cf-8fd0-11cf-8fd0-11cf-8fd0-11cf-8fd0-11cf-8fd0-11cf-8fd0-11cf-8fd0-11cf-8fd0-11cf-8fd0-11cf-8fd0-11cf-8fd0-11cf-8fd0-11cf-8fd0-11cf-8fd0-11cf-8fd0-11cf-8fd0-11cf-8fd0-11cf-8fd0-11cf-8fd0-11cf-8fd0-11cf-8fd0-11cf-8fd0-11cf-8fd0-11cf-8fd0-11cf-8fd0-11cf-8fd0-11cf-8fd0-11cf-8fd0-11cf-8fd0-11cf-8fd0-11cf-8fd0-11cf-8fd0-11cf-8fd0-11cf-8fd0-11cf-8fd0-11cf-8fd0-11cf-8fd0-11cf-8fd0-11cf-8fd0-11cf-8fd0-11cf-8fd0-11cf-8fd0-11cf-8fd0-11cf-8fd0-11cf-8fd0-11cf-8fd0-11cf-8fd0-11cf-8fd0-11cf-8fd0-11cf-8fd0-11cf-8fd0-11cf-8fd0-11cf-8fd0-11cf-8fd0-11cf-8fd0-11cf-8fd0-11cf-8fd0-11cf-8fd0-11cf-8fd0-11cf-8fd0-11cf-8fd0-11cf-8fd0-11cf-8fd0-11cf-8fd0-11cf-8fd0-11cf-8fd0-11cf-8fd0-11cf-8fd0-11cf-8fd0-11cf-8fd0-11cf-8fd0-11cf-8fd0-11cf-8fd0-11cf-8fd0-11cf-8fd0-11cf-8fd0-11cf-8fd0-11cf-8fd0-11cf-8fd0-11cf-8fd0-11cf-8fd0-11cf-8fd0-11cf-8fd0-11cf-8fd0-11cf-8fd0-11cf-8fd0-11cf-8fd0-11cf-8fd0-11cf-8fd0-11cf-8fd0-11cf-8fd0-11cf-8fd0-11cf-8fd0-11cf-8fd0-11cf-8fd0-11cf-8fd0-11cf-8fd0-11cf-8fd0-11cf-8fd0-11cf-8fd0-11cf-8fd0-11cf-8fd0-11cf-8fd0-11cf-8fd0-11cf-8fd0-11cf-8fd0-11cf-8fd0-11cf-8fd0-11cf-8fd0-11cf-8fd0-11cf-8fd0-11cf-8fd0-11cf-8fd0-11cf-8fd0-11cf-8fd0-11cf-8fd0-11cf-8fd0-11cf-8fd0-11cf-8fd0-11cf-8fd0-11cf-8fd0-11cf-8fd0-11cf-8fd0-11cf-8fd0-11cf-8fd0-11cf-8fd0-11cf-8fd0-11cf-8fd0-11cf-8fd0-11cf-8fd0-11cf-8fd0-11cf-8fd0-11cf-8fd0-11cf-8fd0-11cf-8fd0-11cf-8fd0-11cf-8fd0-11cf-8fd0-11cf-8fd0-11cf-8fd0-11cf-8fd0-11cf-8fd0-11cf-8fd0-11cf-8fd0-11cf-8fd0-11cf-8fd0-11cf-8fd0-11cf-8fd0-11cf-8fd0-11cf-8fd0-11cf-8fd0-11c
00aa00686f13}\implemented categories\{00021490-0000-0000-c000-00000000046}
                                                           \label{local-eq:hkcr} $HKCR \clsid {25336920-03f9-11cf-8fd0-00aa00686f13} \in \cline{25336920-03f9-11cf-8fd0-00aa00686f13} implemented $A_{A} = A_{A} + A_{A} 
    Opens key:
categories\{00021490-0000-0000-c000-00000000046}
                                                           HKCU\software\classes\clsid\{e7e4bc40-e76a-11ce-a9bb-
    Opens key:
00aa004ae837}\inprocserver32
    Opens key:
                                                            HKCR\clsid\erealered - e76a-11ce-a9bb-00aa004ae837\\\label{e7e4bc40} Lind - e76a-11ce-a9bb-00aa004ae837\\\label{e7e4bc40}
    Opens key:
                                                           HKCU\software\classes\clsid\{e7e4bc40-e76a-11ce-a9bb-
00aa004ae837}\shellfolder
    Opens key:
                                                            HKCR\clsid\{e7e4bc40-e76a-11ce-a9bb-00aa004ae837}\\\\
    Opens key:
                                                            HKCU\software\classes\clsid\{e7e4bc40-e76a-11ce-a9bb-00aa004ae837}
    Opens key:
                                                            HKCR\clsid\{e7e4bc40-e76a-11ce-a9bb-00aa004ae837}
    Opens key:
                                                            HKCU\software\classes\clsid\{e7e4bc40-e76a-11ce-a9bb-
00aa004ae837}\treatas
                                                            HKCR\clsid\\e7e4bc40-e76a-11ce-a9bb-00aa004ae837\\treatas
    Opens key:
    Opens key:
                                                            HKCU\software\classes\clsid\{e7e4bc40-e76a-11ce-a9bb-
00aa004ae837}\progid
                                                            HKCR\clsid\{e7e4bc40-e76a-11ce-a9bb-00aa004ae837}\progid
    Opens key:
    Opens key:
                                                            HKCU\software\classes\clsid\{e7e4bc40-e76a-11ce-a9bb-
00aa004ae837}\inprochandler32
                                                           \label{lem:hkcrclsid} $$HKCR\clsid\\{e7e4bc40-e76a-11ce-a9bb-00aa004ae837}\in All (e7e4bc40-e76a-11ce-a9bb-00aa004ae837).$$
    Opens key:
    Opens key:
                                                            HKCU\software\classes\clsid\{e7e4bc40-e76a-11ce-a9bb-
00aa004ae837}\inprochandler
                                                           \label{local-equality} HKCR\clsid\{e7e4bc40-e76a-11ce-a9bb-00aa004ae837}\\\ \\\ linprochandler
    Opens key:
    Opens key:
```

Opens key: HKCU\software\classes\protocols\name-space handler\file\
Opens key: HKCR\protocols\name-space handler\file
Opens key: HKCU\software\microsoft\internet

a9bb-00aa004ae837}

```
explorer\main\featurecontrol\feature_ignore_leading_file_separator_in_uri_kb933105
                                   HKLM\software\microsoft\internet
  Opens kev:
explorer\main\featurecontrol\feature_ignore_leading_file_separator_in_uri_kb933105
                                    HKCU\software\microsoft\internet
  Opens key:
explorer\main\featurecontrol\feature_crossdomain_fix_kb867801
  Opens key:
                                   HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_crossdomain_fix_kb867801
                                   HKCU\software\classes\clsid\{275c23e2-3747-11d0-9fea-00aa003f8646}
  Opens key:
                                    HKCR\clsid\{275c23e2-3747-11d0-9fea-00aa003f8646}
  Opens key:
  Opens key:
                                    HKCU\software\classes\clsid\{275c23e2-3747-11d0-9fea-
00aa003f8646}\treatas
                                    HKCR\clsid\{275c23e2-3747-11d0-9fea-00aa003f8646}\treatas
  Opens key:
  Opens key:
                                    HKCU\software\classes\clsid\{275c23e2-3747-11d0-9fea-
00aa003f8646}\progid
  Opens key:
                                    HKCR\clsid\{275c23e2-3747-11d0-9fea-00aa003f8646}\progid
                                    HKCU\software\classes\clsid\{275c23e2-3747-11d0-9fea-
  Opens key:
00aa003f8646}\inprocserver32
                                    HKCR\clsid\{275c23e2-3747-11d0-9fea-00aa003f8646}\inprocserver32
  Opens key:
  Opens key:
                                    HKCU\software\classes\clsid\{275c23e2-3747-11d0-9fea-
00aa003f8646}\inprochandler32
  Opens key:
                                    HKCR\clsid\{275c23e2-3747-11d0-9fea-00aa003f8646}\inprochandler32
  Opens key:
                                    HKCU\software\classes\clsid\{275c23e2-3747-11d0-9fea-
.
00aa003f8646}\inprochandler
  Opens key:
                                    HKCR\clsid\{275c23e2-3747-11d0-9fea-00aa003f8646}\inprochandler
  Opens key:
                                    HKCU\software\classes\clsid\{ff393560-c2a7-11cf-bff4-444553540000}
                                    HKCR\clsid\{ff393560-c2a7-11cf-bff4-444553540000}
  Opens key:
  Opens key:
                                    HKCU\software\classes\clsid\{ff393560-c2a7-11cf-bff4-
444553540000}\inprocserver32
                                    HKCR\clsid\{ff393560-c2a7-11cf-bff4-444553540000}\inprocserver32
  Opens kev:
  Opens key:
                                    HKCU\software\classes\clsid\{ff393560-c2a7-11cf-bff4-
444553540000}\shellfolder
                                   HKCR\clsid\{ff393560-c2a7-11cf-bff4-444553540000}\shellfolder
  Opens key:
  Opens key:
                                    HKCU\software\classes\clsid\{ff393560-c2a7-11cf-bff4-
444553540000}\treatas
                                    HKCR\clsid\{ff393560-c2a7-11cf-bff4-444553540000}\treatas
  Opens key:
  Opens key:
                                    HKCU\software\classes\clsid\{ff393560-c2a7-11cf-bff4-
444553540000}\progid
                                    HKCR\clsid\{ff393560-c2a7-11cf-bff4-444553540000}\progid
  Opens key:
  Opens key:
                                    HKCU\software\classes\clsid\{ff393560-c2a7-11cf-bff4-
444553540000}\inprochandler32
  Opens key:
                                    HKCR\clsid\{ff393560-c2a7-11cf-bff4-444553540000}\inprochandler32
  Opens key:
                                    HKCU\software\classes\clsid\{ff393560-c2a7-11cf-bff4-
444553540000}\inprochandler
                                    HKCR\clsid\{ff393560-c2a7-11cf-bff4-444553540000}\
  Opens key:
  Opens key:
bff4-444553540000}
  Opens key:
                                    HKCU\software\microsoft\windows\currentversion\internet
settings\5.0\cache\extensible cache\mshist012016042820160429
                                    HKCU\software\microsoft\windows\currentversion\app
  Opens key:
paths\f4cade5dce24d5c9d966cb266c7c7346.exe
                                    HKLM\software\microsoft\windows\currentversion\app
  Opens key:
paths\f4cade5dce24d5c9d966cb266c7c7346.exe
  Opens key:
HKLM\system\currentcontrolset\services\winsock2\parameters\appid_catalog\3651ce95-2a8f97b5
  Opens key:
                                    HKCU \ software \ microsoft \ windows \ current version \ explorer \ clsid \ \{20d04feo-down \ clsid \ and \ and \ clsid \ and 
3aea-1069-a2d8-08002b30309d}
  Opens key:
HKCU \ software \ microsoft \ windows \ current version \ explorer \ session info \ 1 \ desktop \ names pace \ name \ customizations
  Opens key:
                                    HKCU\software\classes\clsid\{20d04fe0-3aea-1069-a2d8-08002b30309d}
  Opens key:
                                    HKCR\clsid\{20d04fe0-3aea-1069-a2d8-08002b30309d}
  Opens key:
                                    HKCU\software\microsoft\internet explorer\main\windowssearch
  Opens key:
                                    HKLM\software\policies\microsoft\internet explorer\feeds
  Opens key:
                                    HKCU\software\microsoft\internet explorer\feeds
                                    HKLM\software\microsoft\internet explorer\feeds
  Opens key:
  Opens key:
                                    HKLM\software\microsoft\windows search
  Queries value:
                                    HKLM\system\currentcontrolset\control\session
manager[cwdillegalindllsearch]
  Queries value:
HKLM\software\policies\microsoft\windows\safer\codeidentifiers[transparentenabled]
                                    HKCU\control panel\desktop[preferreduilanguages]
  Queries value:
  Queries value:
                                    HKCU\control panel\desktop\muicached[machinepreferreduilanguages]
  Oueries value:
HKLM \verb|\software\microsoft\windows \verb|\currentversion\side| preferexternal manifest| \\
  Queries value:
                                    HKLM\system\currentcontrolset\control\nls\sorting\versions[]
                                    HKLM\system\currentcontrolset\control\session manager[safedllsearchmode]
  Oueries value:
                                    HKLM\software\microsoft\windows
  Queries value:
nt\currentversion\gre_initialize[disablemetafiles]
                                   HKLM\software\microsoft\windows
  Oueries value:
nt\currentversion\compatibility32[f4cade5dce24d5c9d966cb266c7c7346]
  Queries value:
                                   HKLM\software\microsoft\windows
nt\currentversion\windows[loadappinit_dlls]
  Queries value:
                                    HKLM\software\microsoft\ole[pageallocatorusesystemheap]
```

```
Oueries value:
                        HKLM\software\microsoft\ole[pageallocatorsystemheapisprivate]
                        HKLM\system\currentcontrolset\control\nls\customlocale[en-us]
 Oueries value:
 Oueries value:
                        HKLM\system\currentcontrolset\control\nls\extendedlocale[en-us]
 Queries value:
                        HKCR\clsid\{20d04fe0-3aea-1069-a2d8-
08002b30309d}\shellfolder[attributes]
 Queries value:
                        HKCR\clsid\{20d04fe0-3aea-1069-a2d8-
08002b30309d}\shellfolder[callforattributes]
                       HKCR\clsid\{20d04fe0-3aea-1069-a2d8-
 Oueries value:
08002b30309d}\shellfolder[restrictedattributes]
 Oueries value:
                        HKCR\clsid\{20d04fe0-3aea-1069-a2d8-
08002b30309d}\shellfolder[wantsfordisplay]
 Queries value:
                        HKCR\clsid\{20d04fe0-3aea-1069-a2d8-
08002b30309d}\shellfolder[hidefolderverbs]
 Oueries value:
                       HKCR\clsid\{20d04fe0-3aea-1069-a2d8-
08002b30309d}\shellfolder[usedrophandler]
 Queries value:
                        HKCR\clsid\{20d04fe0-3aea-1069-a2d8-
08002b30309d}\shellfolder[wantsforparsing]
                        HKCR\clsid\{20d04fe0-3aea-1069-a2d8-
 Queries value:
08002b30309d}\shellfolder[wantsparsedisplayname]
                       HKCR\clsid\{20d04fe0-3aea-1069-a2d8-
 Oueries value:
08002b30309d}\shellfolder[queryforoverlay]
                        HKCR\clsid\{20d04fe0-3aea-1069-a2d8-
 Queries value:
08002b30309d}\shellfolder[mapnetdriveverbs]
                        HKCR\clsid\{20d04fe0-3aea-1069-a2d8-
 Queries value:
08002b30309d}\shellfolder[queryforinfotip]
                       HKCR\clsid\{20d04fe0-3aea-1069-a2d8-
 Queries value:
08002b30309d}\shellfolder[hideinwebview]
                        HKCR\clsid\{20d04fe0-3aea-1069-a2d8-
 Queries value:
08002b30309d \} \verb|\shellfolder[hideondesktopperuser]|
                        HKCR\clsid\{20d04fe0-3aea-1069-a2d8-
 Queries value:
08002b30309d}\shellfolder[wantsaliasednotifications]
                       HKCR\clsid\{20d04fe0-3aea-1069-a2d8-
 Queries value:
08002b30309d}\shellfolder[wantsuniversaldelegate]
 Queries value:
                        HKCR\clsid\{20d04fe0-3aea-1069-a2d8-
08002b30309d}\shellfolder[nofilefolderjunction]
                        HKCR\clsid\{20d04fe0-3aea-1069-a2d8-
 Queries value:
08002b30309d}\shellfolder[pintonamespacetree]
 Oueries value:
                        HKCR\clsid\{20d04fe0-3aea-1069-a2d8-
08002b30309d}\shellfolder[hasnavigationenum]
 Queries value:
Oueries value:
11e3-b3bc-806e6f6e6963}[data]
 Queries value:
11e3-b3bc-806e6f6e6963}[generation]
                        HKCR\drive\shellex\folderextensions\{fbeb8a05-beee-4442-804e-
 Oueries value:
409d6c4515e9}[drivemask]
 Queries value:
                        HKCU\software\microsoft\windows\currentversion\explorer[shellstate]
                        HKCU\software\microsoft\windows\currentversion\explorer\advanced[hidden]
 Oueries value:
 Queries value:
Oueries value:
HKCU\software\microsoft\windows\currentversion\explorer\advanced[hidefileext]
 Oueries value:
HKCU\software\microsoft\windows\currentversion\explorer\advanced[dontprettypath]
 Oueries value:
HKCU\software\microsoft\windows\currentversion\explorer\advanced[showinfotip]
 Queries value:
\label{lem:hkcu} \begin{tabular}{ll} HKCU \software \verb|\microsoft| windows \current version \explorer \advanced [hideicons] \end{tabular}
HKCU\software\microsoft\windows\currentversion\explorer\advanced[mapnetdrvbtn]
 Oueries value:
HKCU\software\microsoft\windows\currentversion\explorer\advanced[webview]
                        HKCU\software\microsoft\windows\currentversion\explorer\advanced[filter]
 Queries value:
 Oueries value:
HKCU\software\microsoft\windows\currentversion\explorer\advanced[showsuperhidden]
 Oueries value:
HKCU\software\microsoft\windows\currentversion\explorer\advanced[separateprocess]
HKCU\software\microsoft\windows\currentversion\explorer\advanced[nonetcrawling]
 Queries value:
HKCU \ software \ microsoft \ windows \ current version \ explorer \ advanced [autocheck select]
 Oueries value:
HKCU\software\microsoft\windows\currentversion\explorer\advanced[iconsonly]
 Oueries value:
HKCU\software\microsoft\windows\currentversion\explorer\advanced[showtypeoverlay]
 Oueries value:
                        HKCR\directory[docobject]
 Queries value:
                        HKCR\folder[docobject]
                        HKCR\allfilesystemobjects[docobject]
 Oueries value:
 Queries value:
                        HKCR\directory[browseinplace]
```

Queries value: HKCR\folder[browseinplace]

Queries value: HKCR\allfilesystemobjects[browseinplace]

Queries value: HKCR\directory[isshortcut]
Queries value: HKCR\folder[isshortcut]

Queries value: HKCR\allfilesystemobjects[isshortcut]

Queries value: HKCR\directory[alwaysshowext]
Queries value: HKCR\directory[nevershowext]
Queries value: HKCR\folder[nevershowext]

Queries value: HKCR\allfilesystemobjects[nevershowext]

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\folder$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b4bfcc3a-db2c-424c-b029-7fe99a87c641\} [name]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b4bfcc3a-db2c-424c-b029-7fe99a87c641\}[parent folder]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b4bfcc3a-db2c-424c-b029-7fe99a87c641\} [description]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{b4bfcc3a-db2c-424c-b029-7fe99a87c641\} \ [relative path]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{b4bfcc3a-db2c-424c-b029-7fe99a87c641\} \ [parsing name]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{b4bfcc3a-db2c-424c-b029-7fe99a87c641\} \ [infotip]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{b4bfcc3a-db2c-424c-b029-7fe99a87c641\} \ [localized name]$ 

Queries value:

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{b4bfcc3a-db2c-424c-b029-7fe99a87c641\} [security]$ 

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b4bfcc3a-db2c-424c-b029-7fe99a87c641\}[streamresource]}$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b4bfcc3a-db2c-424c-b029-7fe99a87c641\}[stream resource type]$ 

Queries value:

 $\label{local-equation} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b4bfcc3a-db2c-424c-b029-7fe99a87c641\}\[local\cute{local\cutebox}\]$ 

Oueries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \gamma \folder \folder \folder \folder \folder \gamma \gamma \gamma \folder \gamma \gamm$ 

Oueries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Lab$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{b4bfcc3a-db2c-424c-b029-7fe99a87c641\}[stream]$ 

Queries value:

 $\label{lem:hkk} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b4bfcc3a-db2c-424c-b029-7fe99a87c641\}\[publishexpandedpath]}$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{b4bfcc3a-db2c-424c-b029-7fe99a87c641\}[attributes]$ 

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows\currentversion\explorer\folderdescriptions\below{bbfcc3a-db2c-424c-b029-7fe99a87c641}[foldertypeid]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder\folder \folder \folder \folder \folder \folder \folder \folder \$ 

Oueries value: HKCU\software\microsoft\windows\currentversion\explorer\user shell

folders[desktop]

Queries value: HKLM\software\microsoft\com3[com+enabled]

Queries value: HKCR\clsid\{1f486a52-3cb1-48fd-8f50-b8dc300d9f9d}[]

Queries value: HKCR\clsid\{1f486a52-3cb1-48fd-8f50-

b8dc300d9f9d}\inprocserver32[inprocserver32]

Oueries value: HKCR\clsid\{1f486a52-3cb1-48fd-8f50-b8dc300d9f9d}\inprocserver32[]

Queries value: HKCR\clsid\{1f486a52-3cb1-48fd-8f50-

b8dc300d9f9d}\inprocserver32[threadingmodel]

Queries value: HKLM\software\microsoft\ole[maxsxshashcount]

Queries value:

 $HKLM \setminus system \setminus current control \setminus lsa \setminus access providers [martaextension]$ 

Queries value: HKLM\system\currentcontrolset\services\ldap[ldapclientintegrity]
Queries value: HKLM\system\currentcontrolset\services\ldap[useoldhostresolutionorder]

Queries value: HKLM\system\currentcontrolset\services\ldap[usehostnameasalias]

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\} \ [category]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\} [name]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\}[parent folder]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\} [description]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\} [relative path]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'unindows \ 'current version \ 'explorer \ 'folder descriptions \ '\{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\} [parsing name]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\} \ 'infotip' \ 'explorer' \ 'explorer'' \ 'explorer' \ 'explore$ 

Oueries value:

 $HKLM \ software \ `microsoft \ 'unidows \ 'current version \ 'explorer \ 'folder descriptions \ '\{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\} [localized name]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\}[icon]$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae}[security]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\} \ [stream resource]$ 

Queries value:

Queries value:

 $HKLM\software\mbox{$1b3ea5dc-b587-4786-b4ef-bd1dc332aeae} [localredirectonly] \\$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae}[roamable]

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\}[precreate]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae}[stream]

Queries value:

 $HKLM \ software \ `microsoft \ 'current version \ 'explorer \ 'folder descriptions \ '\{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\} [publish expanded path]$ 

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} current version \end{albeller:} Which is a software $$ has a software $$ has$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae}[foldertypeid]

Queries value:

 $\label{thm:local-basis} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ \{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\} \ [initfolder \handler]$ 

Queries value:  $\label{local-bsa-def-bd1} \begin{tabular}{ll} HKCU \software \microsoft \windows \current version \explorer \user shell folders \cite{local-bsa-def-bd1} dc332aeae \cite{local-bsa-def-bd1} \end{tabular}$ 

Oueries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\}\category\cite{Acf6-a03a-e3ef65729f3d}\cite{Acf6-a$ 

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\}[name]}$ 

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\}[parentfolder]$ 

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\}[description]$ 

Oueries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\}[relativepath]}$ 

Queries value:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\}[parsingname]}$ 

Queries value:

a03a-e3ef65729f3d}[infotip]

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\}[localized name]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\}[icon]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\} \ [security]$ 

Oueries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\}[streamresource]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\} \ [stream resource type]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ 'abb685 db-65 f9-4 cf6-a03a-e3 ef 65 72 9 f 3 d \ '[local redirect only]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\} \ [roamable]$ 

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\}[precreate]}$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\}[stream]$ 

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\}[publishexpandedpath]}$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\} \ [attributes]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\} \ [folder type id]$ 

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\}[initfolderhandler]}$ 

Queries value:

 $\label{lem:hkcu} \mbox{\tt HKCU\software\mbox{\tt microsoft\windows\currentversion\explorer\user\ shell}$ 

folders[appdata]

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5e6c858f-0e22-4760-9afe-ea3317b67173\}[category]}$ 

Queries value:

 $\label{thm:local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \cu$ 

Queries value:

 $\label{thm:local-prop} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5e6c858f-0e22-4760-9afe-ea3317b67173\}[parentfolder]$$ 

Oueries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} In the constant of the constant of$ 

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5e6c858f-0e22-4760-9afe-ea3317b67173\}[relativepath]}$ 

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5e6c858f-0e22-4760-9afe-ea3317b67173\}[parsingname]}$ 

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5e6c858f-0e22-4760-9afe-ea3317b67173\}[infotip]}$ 

Oueries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5e6c858f-0e22-4760-9afe-ea3317b67173}\ \cite{1.0calizedname}\ \ci$ 

Queries value:

 $\label{thm:local-prop} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5e6c858f-0e22-4760-9afe-ea3317b67173\}[icon]$$ 

Queries value:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5e6c858f-0e22-4760-9afe-ea3317b67173\}[security]}$ 

Queries value:

 $\label{local-HKLM-software-microsoft-windows-current-version-explorer-folder-descriptions \ \{5e6c858f-0e22-4760-9afe-ea3317b67173\} [stream-resource]$ 

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5e6c858f-0e22-4760-9afe-ea3317b67173\}[streamresourcetype]}$ 

Queries value:

 $\label{local-continuous} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5e6c858f-0e22-4760-9afe-ea3317b67173\}[local\redirectonly]}$ 

Queries value:

 $\label{thm:local_thm} \parbox{$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\footnote{1.5} \parbox{$4.500$} \pa$ 

9afe-ea3317b67173}[roamable]

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{5e6c858f-0e22-4760-9afe-ea3317b67173\} [precreate]$ 

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5e6c858f-0e22-4760-9afe-ea3317b67173\}[stream]}$ 

Oueries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$ 

Oueries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5e6c858f-0e22-4760-9afe-ea3317b67173\}[attributes]}$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{5e6c858f-0e22-4760-9afe-ea3317b67173\} \ [initfolder \ handler]$ 

Queries value: HKLM\system\currentcontrolset\config[system]

Queries value: HKLM\software\microsoft\rpc[maxrpcsize]

Queries value:

Queries value: HKLM\system\setup[oobeinprogress]
Queries value: HKLM\system\setup[systemsetupinprogress]

Queries value: HKLM\software\microsoft\sqmclient\windows[ceipenable]

Queries value: HKLM\software\microsoft\windows nt\currentversion\profilelist\s-1-5-21-

2160590473-689474908-1361669368-1002[profileimagepath]

Queries value:

 $HKCU \software \microsoft \windows \current version \explorer \mountpoints 2 \cpc \volume \ \{69d250e3-6c18-11e3-b3bc-806e6f6e6963\} \ [data]$ 

Oueries value:

 $HKCU software \verb|\microsoft| windows \verb|\currentversion| explorer \verb|\mountpoints2| cpc \verb|\currentversion| 11e3-b3bc-806e6f6e6963 [generation]$ 

Queries value: HKLM\software\clients\startmenuinternet[]

Queries value: HKLM\system\currentcontrolset\services\crypt32[debugheapflags]

Queries value: HKLM\software\microsoft\windows\currentversion\internet

settings[disableimprovedzonecheck]

Queries value: HKLM\software\policies\microsoft\windows\currentversion\internet

settings[security\_hklm\_only]

Queries value: HKLM\system\currentcontrol\set\control\nls\customlocale[en]
Queries value: HKLM\system\currentcontrol\set\control\nls\extendedlocale[en]

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \policies \microsoft \windows \safer \code identifiers [authenticode enabled] \\ Queries \value: HKCU \software \microsoft \windows \current \version \explorer \shell$ 

folders[cache]

Queries value: HKLM\software\microsoft\windows

Queries value: HKLM\software\microsoft\windows nt\currentversion\compatibility32[bi]

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{f3ce0f7c-4901-4acc-8648-d5d44b04ef8f\} \ [category]$ 

Oueries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\f(f3ce0f7c-4901-4acc-8648-d5d44b04ef8f)\cite{label{lem:hklmsoftware}}.$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folder descriptions \face0 f7c-4901-4 acc-8648-d5d44b04ef8f\[parentfolder\]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{f3ce0f7c-4901-4acc-8648-d5d44b04ef8f\}[description]$ 

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\f(f3ce0f7c-4901-4acc-8648-d5d44b04ef8f)\f(relative\path)\f(relati$ 

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\f(f3ce0f7c-4901-4acc-8648-d5d44b04ef8f)\cite{hklmsoftware}\cite$ 

Queries value:

 $\label{thm:local-bound} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \f3ce0 f7c-4901-4 acc-8648-d5d44b04ef8f \cite{thm:local-bound} [infotip]$ 

Oueries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\f(f3ce0f7c-4901-4acc-8648-d5d44b04ef8f)\f(localizedname)\$ 

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows\currentversion\explorer\folderdescriptions \eqref{f3ce0f7c-4901-4acc-8648-d5d44b04ef8f} [icon]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \ \{f3ce0 f7c-4901-4acc-$ 

```
8648-d5d44b04ef8f}[security]
        Oueries value:
HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ \ folder descriptions \ \ \ \{f3ce0f7c-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-
 8648-d5d44b04ef8f}[streamresource]
        Oueries value:
HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ `folder descriptions \ `\{f3ce0f7c-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4a
 8648-d5d44b04ef8f}[streamresourcetype]
        Oueries value:
HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ \ folder descriptions \ \ \ \{f3ce0f7c-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-
8648-d5d44b04ef8f}[localredirectonly]
        Oueries value:
HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{f3ce0f7c-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901
8648-d5d44b04ef8f}[roamable]
        Oueries value:
HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ \ folder descriptions \ \ \ \{f3ce0f7c-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-
8648-d5d44b04ef8f}[precreate]
        Oueries value:
HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f3ce0f7c-4901-4acc-
8648-d5d44b04ef8f}[stream]
        Queries value:
HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ \ folder descriptions \ \ \{f3ce0f7c-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4a
8648-d5d44b04ef8f}[publishexpandedpath]
        Oueries value:
HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f3ce0f7c-4901-4acc-
8648-d5d44b04ef8f}[attributes]
        Queries value:
HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ `folder descriptions \ `\{f3ce0f7c-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4acc-4901-4a
8648-d5d44b04ef8f}[foldertypeid]
        Oueries value:
8648-d5d44b04ef8f}[initfolderhandler]
                                                                                                                   HKCR\clsid\{59031a47-3f72-44a7-89c5-
        Queries value:
5595fe6b30ee}\shellfolder[attributes]
        Queries value:
                                                                                                                    HKCR\clsid\{59031a47-3f72-44a7-89c5-
5595fe6b30ee}\shellfolder[callforattributes]
                                                                                                                    HKCR\clsid\{59031a47-3f72-44a7-89c5-
        Queries value:
 5595fe6b30ee}\shellfolder[restrictedattributes]
        Queries value:
                                                                                                                   HKCR\clsid\{59031a47-3f72-44a7-89c5-
 5595fe6b30ee}\shellfolder[wantsfordisplay]
                                                                                                                   HKCR\clsid\{59031a47-3f72-44a7-89c5-
        Queries value:
5595fe6b30ee}\shellfolder[hidefolderverbs]
                                                                                                                   HKCR\clsid\{59031a47-3f72-44a7-89c5-
        Queries value:
 5595fe6b30ee}\shellfolder[usedrophandler]
        Queries value:
                                                                                                                   HKCR\clsid\{59031a47-3f72-44a7-89c5-
 5595fe6b30ee}\shellfolder[wantsforparsing]
                                                                                                                    HKCR\clsid\{59031a47-3f72-44a7-89c5-
        Queries value:
5595fe6b30ee}\shellfolder[wantsparsedisplayname]
                                                                                                                   HKCR\clsid\{59031a47-3f72-44a7-89c5-
        Queries value:
5595fe6b30ee}\shellfolder[queryforoverlay]
        Queries value:
                                                                                                                   HKCR\clsid\{59031a47-3f72-44a7-89c5-
 5595fe6b30ee}\shellfolder[mapnetdriveverbs]
                                                                                                                   HKCR\clsid\{59031a47-3f72-44a7-89c5-
        Oueries value:
5595fe6b30ee}\shellfolder[queryforinfotip]
        Queries value:
                                                                                                                   HKCR\clsid\{59031a47-3f72-44a7-89c5-
5595fe6b30ee}\shellfolder[hideinwebview]
        Queries value:
                                                                                                                   HKCR\clsid\{59031a47-3f72-44a7-89c5-
 5595fe6b30ee}\shellfolder[hideondesktopperuser]
                                                                                                                    HKCR\clsid\{59031a47-3f72-44a7-89c5-
        Oueries value:
 5595fe6b30ee}\shellfolder[wantsaliasednotifications]
                                                                                                                    HKCR\clsid\{59031a47-3f72-44a7-89c5-
        Queries value:
 5595fe6b30ee}\shellfolder[wantsuniversaldelegate]
        Oueries value:
                                                                                                                   HKCR\clsid\{59031a47-3f72-44a7-89c5-
 5595fe6b30ee}\shellfolder[nofilefolderjunction]
                                                                                                                    HKCR\clsid\{59031a47-3f72-44a7-89c5-
        Oueries value:
 5595fe6b30ee}\shellfolder[pintonamespacetree]
                                                                                                                    HKCR\clsid\{59031a47-3f72-44a7-89c5-
        Oueries value:
 5595fe6b30ee}\shellfolder[hasnavigationenum]
        Queries value:
HKLM\software\microsoft\windows\currentversion\policies\nonenum[{59031a47-3f72-44a7-89c5-
5595fe6b30ee}1
        Queries value:
HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7d1d3a04-debb-4115-
95cf-2f29da2920da}[category]
        Queries value:
HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7d1d3a04-debb-4115-
95cf-2f29da2920da}[name]
        Queries value:
HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7d1d3a04-debb-4115-
95cf-2f29da2920da}[parentfolder]
        Oueries value:
HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7d1d3a04-debb-4115-
```

95cf-2f29da2920da}[description]
Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folder$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7d1d3a04-debb-4115-95cf-2f29da2920da}[parsingname]

Queries value:

 $HKLM \ software \ `microsoft \ 'current version \ 'explorer \ 'folder descriptions \ '\{7d1d3a04-debb-4115-95cf-2f29da2920da\}[infotip]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ 'and 3a04-debb-4115-95cf-2f29 \ da2920 \ das \ [localized name]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{7d1d3a04-debb-4115-95cf-2f29da2920da\}[icon]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{7d1d3a04-debb-4115-95cf-2f29da2920da\} \ [security]$ 

Queries value

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{7d1d3a04-debb-4115-95cf-2f29da2920da\} [stream resource]$ 

Oueries value

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{7d1d3a04-debb-4115-95cf-2f29da2920da\} \ [stream resource type]$ 

Queries value

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{7d1d3a04-debb-4115-95cf-2f29da2920da\} \ [local redirectonly]$ 

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7d1d3a04-debb-4115-95cf-2f29da2920da}\[roamable]$ 

Oueries value

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{7d1d3a04-debb-4115-95cf-2f29da2920da\}[precreate]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{7d1d3a04-debb-4115-95cf-2f29da2920da\}[stream]$ 

Oueries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} In the label of the label o$ 

Oueries value:

 $\label{lem:hklmsoftware} HKLM \software \end{area} in \end{area} Td1d3a04-debb-4115-95cf-2f29da2920da} [attributes]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ 'and 3a04-debb-4115-95cf-2f29 \ da2920 \ da_{folder type id}' \ |$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{7d1d3a04-debb-4115-95cf-2f29da2920da\} \ [initfolder \ handler]$ 

Queries value:  $HKCU\software\microsoft\windows\currentversion\explorer\user shell folders[{7d1d3a04-debb-4115-95cf-2f29da2920da}]$ 

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\fi38bf404-1d43-42f2-9305-67de0b28fc23\ficategory\cite{Abstraction}.$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{f38bf404-1d43-42f2-9305-67de0b28fc23\} [name]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{f38bf404-1d43-42f2-9305-67de0b28fc23\}[parent folder]$ 

Queries value:

 $\label{thm:local-equation} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \fi38bf404-1d43-42f2-9305-67de0b28fc23 \[description]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\fi38bf404-1d43-42f2-9305-67de0b28fc23\[relative\path]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{f38bf404-1d43-42f2-9305-67de0b28fc23\} \ [parsing name]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{f38bf404-1d43-42f2-9305-67de0b28fc23\}[infotip]$ 

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} In the label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindo$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{f38bf404-1d43-42f2-9305-67de0b28fc23\}[icon]$ 

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosof$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{f38bf404-1d43-42f2-9305-67de0b28fc23\} \ [stream resource]$ 

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f38bf404-1d43-42f2-9305-67de0b28fc23\}[streamresourcetype]}$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f38bf404-1d43-42f2-9305-67de0b28fc23}[localredirectonly]

Queries value:

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{f38bf404-1d43-42f2-9305-67de0b28fc23\}[precreate]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{f38bf404-1d43-42f2-9305-67de0b28fc23\}[stream]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{f38bf404-1d43-42f2-9305-67de0b28fc23\} \ [publish \ expanded path]$ 

Queries value

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\f(f38bf404-1d43-42f2-9305-67de0b28fc23)\[attributes\]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{f38bf404-1d43-42f2-9305-67de0b28fc23\} \ [folder type id]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{f38bf404-1d43-42f2-9305-67de0b28fc23\} \ [initfolder \ handler]$ 

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folder$ 

Oueries value

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{f7f1ed05-9f6d-47a2-aaae-29d317c6f066\} [name]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{f7f1ed05-9f6d-47a2-aaae-29d317c6f066\} \ [parent folder]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folderdescriptions\folderdescriptions\folderdescription\folderdescriptio$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{f7f1ed05-9f6d-47a2-aaae-29d317c6f066\} [relative path]$ 

Queries value:

 $\label{thm:local-problem} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\f(f7f1ed05-9f6d-47a2-aaae-29d317c6f066)\cite{parsingname}\)$ 

Oueries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder\folder \folder \folder \folder \folder \folder \folder \folder \$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{f7f1ed05-9f6d-47a2-aaae-29d317c6f066\} \ [localized name]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{f7f1ed05-9f6d-47a2-aaae-29d317c6f066\}[icon]$ 

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} In the constant of the constant of$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{f7f1ed05-9f6d-47a2-aaae-29d317c6f066\} [stream resource]$ 

Queries value

 $\label{thm:microsoft} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\ff7f1ed05-9f6d-47a2-aaae-29d317c6f066\}[streamresourcetype]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\f(f7f1ed05-9f6d-47a2-aaae-29d317c6f066)\f(localredirectonly)\f(localredirec$ 

Queries value

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folderdescript$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{f7f1ed05-9f6d-47a2-aaae-29d317c6f066\}[precreate]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{f7f1ed05-9f6d-47a2-aaae-29d317c6f066\} [stream]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{f7f1ed05-9f6d-47a2-aaae-29d317c6f066\} \ [publish expanded path]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{f7f1ed05-9f6d-47a2-aaae-29d317c6f066\} [attributes]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{f7f1ed05-9f6d-47a2-aaae-29d317c6f066\} [folder type id]$ 

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{f7f1ed05-9f6d-47a2-aaae-29d317c6f066\}[initfolder \ handler]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{2112ab0a-c86a-4ffe-a368-0de96e47012e\} \ [category]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{2112ab0a-c86a-4ffe-a368-0de96e47012e\} \ [name]$ 

Oueries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} current version \end{assign} explorer \folder descriptions \end{assign} \{2112ab0a-c86a-4ffe-a368-0de96e47012e\} \cite{Assign} parent folder \end{assign} explorer \folder \folder \end{assign} explorer \folder \fol$ 

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{2112ab0a-c86a-4ffe-a368-0de96e47012e\} \ [description]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{2112ab0a-c86a-4ffe-a368-0de96e47012e\} [relative path]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{2112ab0a-c86a-4ffe-a368-0de96e47012e\} \ [parsing name]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{2112ab0a-c86a-4ffe-a368-0de96e47012e\}[infotip]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{2112ab0a-c86a-4ffe-a368-0de96e47012e\} \ [localized name]$ 

Queries value:

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{2112ab0a-c86a-4ffe-a368-0de96e47012e\} [security]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2112ab0a-c86a-4ffe-a368-0de96e47012e}[streamresource]

Oueries value:

 $\label{lem:hkk} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2112ab0a-c86a-4ffe-a368-0de96e47012e}\[streamresourcetype]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folder$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{2112ab0a-c86a-4ffe-a368-0de96e47012e\} \ [roamable]$ 

Queries value:

 $HKLM \label{lem:hklm} HKLM \label{lem:hklm} HKLM \label{lem:hklm} Software \mbox{\currentversion} \explorer \folder descriptions \folder \fo$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{2112ab0a-c86a-4ffe-a368-0de96e47012e\}[stream]$ 

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2112ab0a-c86a-4ffe-a368-0de96e47012e\}[publishexpandedpath]}$ 

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows\currentversion\explorer\folderdescriptions\{2112ab0a-c86a-4ffe-a368-0de96e47012e\}[attributes]}$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{2112ab0a-c86a-4ffe-a368-0de96e47012e\}[folder type id]$ 

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows\currentversion\explorer\folderdescriptions\{2112ab0a-c86a-4ffe-a368-0de96e47012e\}[initfolderhandler]}$ 

Oueries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} Lemma terms on explorer folder descriptions \ \{48 daf80 b-e6 cf-4f4 e-b800-0e69 d84 ee384\} [category]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{48 daf 80 b-e6 cf-4f4 e-b800-0e69 d84 ee384\} \ [name]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{48daf80b-e6cf-4f4e-b800-0e69d84ee384\}[parentfolder]}$ 

Queries value:

 $\label{lem:hklmsoftwaremicrosoft} Windows \verb|\currentversion| explorer folder descriptions \verb|\family| 48 daf 80 b-e 6 cf-4 f 4 e-b 80 0-0 e 6 9 d 8 4 e e 3 8 4 f [description] \\$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{48daf80b-e6cf-4f4e-b800-0e69d84ee384\}[relativepath]}$ 

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} current version \end{align* lem:hklmsoftwaremicrosoftwindows \end{al$ 

Queries value:

 $\label{thm:hammon} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \curren$ 

b800-0e69d84ee384}[infotip]

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{48 daf 80 b-e 6 cf-4 f 4 e-b 80 0-0 e 6 9 d 8 4 e e 3 8 4\} [localized name]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{48daf80b-e6cf-4f4e-b800-0e69d84ee384\}[icon]}$ 

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{48 daf 80 b-e 6 cf-4 f 4 e-b 80 0-0 e 6 9 d 8 4 e e 3 8 4\} [security]$ 

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{48daf80b-e6cf-4f4e-b800-0e69d84ee384\}[streamresource]}$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{48 daf 80 b-e6 cf-4f 4e-b800-0e69 d84 ee384\} \ [stream resource type]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{48 daf 80 b-e 6 cf-4 f 4 e-b 80 0-0 e 6 9 d 8 4 e e 3 8 4\} \ [local redirect only]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{48 daf 80 b-e6 cf-4f 4e-b800-0e69 d84 ee 384\} \ [roamable]$ 

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{48daf80b-e6cf-4f4e-b800-0e69d84ee384\}[precreate]}$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{48 daf 80 b-e6 cf-4f 4e-b800-0e69 d84 ee384\} [stream]$ 

Oueries value:

 $\label{lem:hkklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{48daf80b-e6cf-4f4e-b800-0e69d84ee384\}[publishexpandedpath]}$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{48 daf 80 b-e6 cf-4f4 e-b800-0e69 d84 ee384\} \ [attributes]$ 

Queries value:

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{48 daf 80 b-e6 cf-4f4 e-b800-0e69 d84 ee384\} [init folder handler]$ 

Oueries value:

 $\label{lem:hamman} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c4aa340d-f20f-4863-afef-f87ef2e6ba25\}[category]}$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{c4aa340d-f20f-4863-afef-f87ef2e6ba25\} \ [name]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{c4aa340d-f20f-4863-afef-f87ef2e6ba25\} \ [parent folder]$ 

Queries value:

Queries value:

 $HKLM \ software \ `microsoft \ 'c4aa340d-f20f-4863-afef-f87ef2e6ba25\} [relative path] \\$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{c4aa340d-f20f-4863-afef-f87ef2e6ba25\} \ [parsing name]$ 

Queries value:

 $HKLM \label{lem:hkkm} HKLM \label{lem:hkkm} HKLM \label{lem:hkkm} Software \mbox{$c4$aa340d-f20f-4863-afef-f87ef2e6ba25} [infotip]$ 

Queries value:

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c4aa340d-f20f-4863-afef-f87ef2e6ba25\}[icon]}$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ (c4aa340d-f20f-4863-afef-f87ef2e6ba25) \ [security]$ 

Queries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \ \{c4aa340d-f20f-4863-afef-f87ef2e6ba25\} \ [stream resource]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{c4aa340d-f20f-4863-afef-f87ef2e6ba25\} \ [stream resource type]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \ \{c4aa340d-f20f-4863-afef-f87ef2e6ba25\} \ [local redirectonly]$ 

Queries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{c4aa340d-f20f-4863-afef-f87ef2e6ba25\} \ [roamable]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{c4aa340d-f20f-4863-afef-f87ef2e6ba25\}[stream]$ 

Queries value:

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{c4aa340d-f20f-4863-afef-f87ef2e6ba25\}[attributes]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{c4aa340d-f20f-4863-afef-f87ef2e6ba25\}[folder type id]$ 

Queries value:

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{9e52ab10-f80d-49df-acb8-4330f5687855\} \ [category]$ 

Oueries value

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{9e52ab10-f80d-49df-acb8-4330f5687855\} \ frame 1$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{9e52ab10-f80d-49df-acb8-4330f5687855\} \ [parent folder]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{9e52ab10-f80d-49df-acb8-4330f5687855\} \ [description]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{9e52ab10-f80d-49df-acb8-4330f5687855\} \ [relative path]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{9e52ab10-f80d-49df-acb8-4330f5687855\} \ [infotip]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{9e52ab10-f80d-49df-acb8-4330f5687855\}[icon]$ 

Oueries value:

 $\label{thm:local-condition} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{9e52ab10-f80d-49df-acb8-4330f5687855} [security]$ 

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{9e52ab10-f80d-49df-acb8-4330f5687855\}[streamresource]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{9e52ab10-f80d-49df-acb8-4330f5687855\} \ [stream resource type]$ 

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{9e52ab10-f80d-49df-acb8-4330f5687855\}[localredirectonly]$ 

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{9e52ab10-f80d-49df-acb8-4330f5687855\}[roamable]$ 

Queries value

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{9e52ab10-f80d-49df-acb8-4330f5687855\}[precreate]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{9e52ab10-f80d-49df-acb8-4330f5687855\}[stream]$ 

Queries value:

 $\label{thm:microsoft} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{9e52ab10-f80d-49df-acb8-4330f5687855\}[publishexpandedpath]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{9e52ab10-f80d-49df-acb8-4330f5687855\} \ [attributes]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{9e52ab10-f80d-49df-acb8-4330f5687855\} \ [folder type id]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{9e52ab10-f80d-49df-acb8-4330f5687855\}[initfolderhandler]}$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{98ec0e18-2098-4d44-8644-66979315a281\}\category\cite{Additional Control of Control of$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ 'folder descriptions \ '\{98ec0e18-2098-4d44-8644-66979315a281\} \ [name]$ 

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folder descriptions \eqref{98ec0e18-2098-4d44-8644-66979315a281} [parentfolder]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{98ec0e18-2098-4d44-8644-66979315a281\}\[parsingname]\]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '{98ec0e18-2098-4d44-8644-66979315a281} \ [localized name]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{98ec0e18-2098-4d44-8644-66979315a281\} \ [icon]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$ 

Oueries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{98ec0e18-2098-4d44-8644-66979315a281\} \ [local redirectonly]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{98ec0e18-2098-4d44-8644-66979315a281\} \ [roamable]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \end{arrange} HKLM \software \end{arrange} in \end{arrange} HklLM \software \end{arrange} \footnote{\colored} HklLM \software \end{arrange} \footnote{\col$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ (98ec0e18-2098-4d44-8644-66979315a281) \ [attributes]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{98ec0e18-2098-4d44-8644-66979315a281\} [folder type id]$ 

Queries value:

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a4115719-d62e-491d-aa7c-e74b8be3b067\} \ [category]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a4115719-d62e-491d-aa7c-e74b8be3b067\} \ [name]$ 

Queries value:

 $\label{local-equ$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a4115719-d62e-491d-aa7c-e74b8be3b067}[description]

Queries value:

 $\label{local-equ$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a4115719-d62e-491d-aa7c-e74b8be3b067\}[parsingname]}$ 

Queries value:

 $\label{local-operator} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{a4115719-d62e-491d-aa7c-e74b8be3b067} [infotip]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a4115719-d62e-491d-aa7c-e74b8be3b067\}[localizedname]}$ 

Queries value:

 $\label{local-equal-equal-equal-equal-equal} HKLM \software \mbox{$a4115719-d62e-491d-aa7c-e74b8be3b067} [icon]$ 

Queries value:

 $\label{thm:local_thm:loc$ 

aa7c-e74b8be3b067}[security]

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a4115719-d62e-491d-aa7c-e74b8be3b067\} [stream resource]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a4115719-d62e-491d-aa7c-e74b8be3b067\} [stream resource type]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ 'a4115719-d62e-491d-aa7c-e74b8be3b067 \ [local redirectonly]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{a4115719-d62e-491d-aa7c-e74b8be3b067\} \ [roamable]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ (a4115719-d62e-491d-aa7c-e74b8be3b067) \ [precreate]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a4115719-d62e-491d-aa7c-e74b8be3b067\}[stream]}$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a4115719-d62e-491d-aa7c-e74b8be3b067\} [publish expanded path]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a4115719-d62e-491d-aa7c-e74b8be3b067\}[attributes]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a4115719-d62e-491d-aa7c-e74b8be3b067\} [folder type id]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a4115719-d62e-491d-aa7c-e74b8be3b067\} [initfolder \ handler]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{cac52c1a-b53d-4edc-92d7-6b2e8ac19434\} \ [category]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{cac52c1a-b53d-4edc-92d7-6b2e8ac19434\} \ \Gamma name \ label{eq:hklm}$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{cac52c1a-b53d-4edc-92d7-6b2e8ac19434\} \ [parent folder]$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{cac52c1a-b53d-4edc-92d7-6b2e8ac19434}[description]

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows\currentversion\explorer\folderdescriptions\{cac52c1a-b53d-4edc-92d7-6b2e8ac19434\}[relativepath]} \\$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{cac52c1a-b53d-4edc-92d7-6b2e8ac19434\} \ [parsing name]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{cac52c1a-b53d-4edc-92d7-6b2e8ac19434\}[infotip]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{cac52c1a-b53d-4edc-92d7-6b2e8ac19434}[localizedname]

Queries value:

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{cac52c1a-b53d-4edc-92d7-6b2e8ac19434\}[security]}$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{cac52c1a-b53d-4edc-92d7-6b2e8ac19434\} \ [stream resource]$ 

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{cac52c1a-b53d-4edc-92d7-6b2e8ac19434\}[streamresourcetype]}$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'cac52c1a-b53d-4edc-92d7-6b2e8ac19434 \} [local redirector \ ]$ 

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} In the constant of the constant of$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{cac52c1a-b53d-4edc-92d7-6b2e8ac19434}[precreate]

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{cac52c1a-b53d-4edc-92d7-6b2e8ac19434\}[stream]}$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{cac52c1a-b53d-4edc-92d7-6b2e8ac19434}[publishexpandedpath]

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{cac52c1a-b53d-4edc-92d7-6b2e8ac19434\}[attributes]}$ 

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{cac52c1a-b53d-4edc-92d7-6b2e8ac19434\}[foldertypeid]}$ 

Queries value:

Oueries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{18989b1d-99b5-455b-841c-ab7c74e4ddfc\} \ [name]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{18989b1d-99b5-455b-841c-ab7c74e4ddfc\}[parent folder]$ 

Queries value

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{18989b1d-99b5-455b-841c-ab7c74e4ddfc\} [description]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{18989b1d-99b5-455b-841c-ab7c74e4ddfc\} \ [relative path]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{18989b1d-99b5-455b-841c-ab7c74e4ddfc\} \ [parsing name]$ 

 $HKLM \ software \ `microsoft \ 'current version \ 'explorer \ 'folder descriptions \ '\{18989b1d-99b5-455b-841c-ab7c74e4ddfc\} [infotip]$ 

Oueries value

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{18989b1d-99b5-455b-841c-ab7c74e4ddfc\}[localized name]$ 

Oueries value

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{18989b1d-99b5-455b-841c-ab7c74e4ddfc\}[icon]$ 

Queries value

 $\label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosof$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{18989b1d-99b5-455b-841c-ab7c74e4ddfc} [stream resource]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \end{align* in the label} HKLM \software \software \end{align* in the label} HKLM \software \softwa$ 

Oueries value:

 $\label{thm:local-condition} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{18989b1d-99b5-455b-841c-ab7c74e4ddfc\}[local\redirectonly]}$ 

Queries value:

 $\label{thm:local-bound} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\fill\\ H8989b1d-99b5-455b-841c-ab7c74e4ddfc\fill\\ [roamable]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'unidows \ 'current version \ 'explorer \ 'folder descriptions \ '\{18989b1d-99b5-455b-841c-ab7c74e4ddfc\}[precreate]$ 

Queries value:

 $\label{thm:local-bound} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\fill\\ H8989b1d-99b5-455b-841c-ab7c74e4ddfc\fill\\ [stream]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ 'current version \ 'explorer \ 'folder descriptions \ '\{18989b1d-99b5-455b-841c-ab7c74e4ddfc\} \ [publish expanded path]$ 

Queries value:

 $\label{thm:local-prop} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{18989b1d-99b5-455b-841c-ab7c74e4ddfc}[attributes]$ 

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosof$ 

Queries value

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{18989b1d-99b5-455b-841c-ab7c74e4ddfc}\[initfolderhandler]$ 

Queries value:

 $\label{lem:hkcu} \verb+KKCU\+ software\+ microsoft\+ windows\+ current version\+ explorer\+ user shell$ 

folders[my video]

Queries value:

 $\label{local-ham} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folds \fol$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{52a4f021-7b75-48a9-9f6b-4b87a210bc8f}[name]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{52a4f021-7b75-48a9-9f6b-4b87a210bc8f\} \ [parent folder]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{52a4f021-7b75-48a9-9f6b-4b87a210bc8f}[description]

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{52a4f021-7b75-48a9-9f6b-4b87a210bc8f}[relativepath]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{52a4f021-7b75-48a9-9f6b-4b87a210bc8f}[parsingname]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{52a4f021-7b75-48a9-9f6b-4b87a210bc8f}[infotip]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{52a4f021-7b75-48a9-9f6b-4b87a210bc8f}[localizedname]

Queries value:

9f6b-4b87a210bc8f}[icon]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{52a4f021-7b75-48a9-9f6b-4b87a210bc8f}[security]

Queries value:

9f6b-4b87a210bc8f}[streamresource]

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{52a4f021-7b75-48a9-9f6b-4b87a210bc8f}[streamresourcetype]

9f6b-4b87a210bc8f}[localredirectonly]

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{52a4f021-7b75-48a9-9f6b-4b87a210bc8f}[roamable]

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{52a4f021-7b75-48a9-9f6b-4b87a210bc8f}[precreate]

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{52a4f021-7b75-48a9-9f6b-4b87a210bc8f}[stream]

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{52a4f021-7b75-48a9-9f6b-4b87a210bc8f}[publishexpandedpath]

Queries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \ \{52a4f021-7b75-48a9-19484a9-1948a9-1948a9-1948a9-1948a9-1948a9-1948a9-1948a9-1948a9-1948a9-1948a9-1948a9-1948a9-19484a$ 9f6b-4b87a210bc8f}[attributes]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{52a4f021-7b75-48a9-9f6b-4b87a210bc8f}[foldertypeid]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{52a4f021-7b75-48a9-9f6b-4b87a210bc8f}[initfolderhandler]

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version' \ explorer \ 'folder descriptions \ '\{de974d24-d9c6-4d3e-d9c6-4d3e-d9c6-4d3e-d9c6-d9c6-d9c4d24-d9c4d24-d9c6-d9c4$ bf91-f4455120b917}[category] Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{de974d24-d9c6-4d3ebf91-f4455120b917}[name]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{de974d24-d9c6-4d3ebf91-f4455120b917}[parentfolder]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{de974d24-d9c6-4d3ebf91-f4455120b917}[description]

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \ \{de974d24-d9c6-4d3e-d9c6-4d3e-d9c6-d9c4d24-d9c4d24-d9c6-d9c4d24-d9c$ bf91-f4455120b917}[relativepath]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{ de 974d 24-d 9c 6-4d 3e-d 9c 6-d 9c$ bf91-f4455120b917}[parsingname]

 $HKLM \ software \ microsoft \ windows \ current version \ (de 974d24-d9c6-4d3e-d9c6-d9c4d24-d9c6-d9c4d24-d9c6-d9c4d24-d9c6-d9c4d24-d9c6-d9c4d24-d9c6-d9c4d24$ bf91-f4455120b917}[infotip]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{de974d24-d9c6-4d3ebf91-f4455120b917}[localizedname]

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{de974d24-d9c6-4d3ebf91-f4455120b917}[icon]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{de974d24-d9c6-4d3ebf91-f4455120b917}[security]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{de974d24-d9c6-4d3ebf91-f4455120b917}[streamresource]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{de974d24-d9c6-4d3ebf91-f4455120b917}[streamresourcetype]

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{de974d24-d9c6-4d3e-bf91-f4455120b917\}[localredirectonly]}$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\mbox{de974d24-d9c6-4d3e-bf91-f4455120b917} [roamable]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{de974d24-d9c6-4d3e-bf91-f4455120b917\} [precreate]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{de974d24-d9c6-4d3e-bf91-f4455120b917} [stream]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{de 974d 24-d 9c6-4d 3e-bf 91-f 4455120b 917\} \ [publish expanded path]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{de974d24-d9c6-4d3e-bf91-f4455120b917\}[attributes]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{de 974d 24-d 9c6-4d 3e-bf 91-f 4455120b 917\} \ [folder type id]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{de 974d 24-d 9c6-4d 3e-bf 91-f 4455120b 917\} \ [init folder handler]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{6f0cd92b-2e97-45d1-88ff-b0d186b8dedd\} \ [category]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{6f0cd92b-2e97-45d1-88ff-b0d186b8dedd\} \ [name]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ 'current version \ 'explorer \ 'folder descriptions \ '\{6f0cd92b-2e97-45d1-88ff-b0d186b8dedd\} \ [parent folder]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{6f0cd92b-2e97-45d1-88ff-b0d186b8dedd\} \ [description]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ 'current version \ 'explorer \ 'folder descriptions \ '\{6f0cd92b-2e97-45d1-88ff-b0d186b8dedd\}[relative path]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{6f0cd92b-2e97-45d1-88ff-b0d186b8dedd\}\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\explorer\folderdescriptions\currentversion\explorer\explore$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{6f0cd92b-2e97-45d1-88ff-b0d186b8dedd\}[infotip]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{6f0cd92b-2e97-45d1-88ff-b0d186b8dedd\} \ [localized name]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ '\{6f0cd92b-2e97-45d1-88ff-b0d186b8dedd\}[icon]$ 

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{6f0cd92b-2e97-45d1-88ff-b0d186b8dedd\}[security]}$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{6f0cd92b-2e97-45d1-88ff-b0d186b8dedd\} \ [stream resource]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{6f0cd92b-2e97-45d1-88ff-b0d186b8dedd\} \ [stream resource type]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{6f0cd92b-2e97-45d1-88ff-b0d186b8dedd\} \ [local redirectonly]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{6f0cd92b-2e97-45d1-88ff-b0d186b8dedd\} \ [roamable]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'current version \ 'explorer \ 'folder descriptions \ '\{6f0cd92b-2e97-45d1-88ff-b0d186b8dedd\} \ [stream]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{6f0cd92b-2e97-45d1-88ff-b0d186b8dedd} [publish expanded path]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{6f0cd92b-2e97-45d1-88ff-b0d186b8dedd\} \ [attributes]$ 

Queries value:

Queries value:

88ff-b0d186b8dedd}[initfolderhandler]

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{76fc4e2d-d6ad-4519-a663-37bd56068185\} \ [category]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{76fc4e2d-d6ad-4519-a663-37bd56068185\} \ [name]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{76fc4e2d-d6ad-4519-a663-37bd56068185\} \ [parent folder]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{76fc4e2d-d6ad-4519-a663-37bd56068185\} \ [description]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{76fc4e2d-d6ad-4519-a663-37bd56068185\} \ [relative path]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{76fc4e2d-d6ad-4519-a663-37bd56068185\} \ [parsing name]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{76fc4e2d-d6ad-4519-a663-37bd56068185\} \ [infotip]$ 

Oueries value:

 $HKLM \software \mbox{$76fc4e2d-d6ad-4519-a663-37bd56068185} \ [localized name] \label{eq:hklm}$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{76fc4e2d-d6ad-4519-a663-37bd56068185\}[icon]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ (76fc4e2d-d6ad-4519-a663-37bd56068185) \ frecurity \ left \ for the software \ microsoft \ for the software \ for the softwa$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{76fc4e2d-d6ad-4519-a663-37bd56068185\} \ [stream resource]$ 

Queries value:

 $HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \$ 

Queries value:

 $\label{local-continuous} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folder$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{76fc4e2d-d6ad-4519-a663-37bd56068185\} \ [roamable]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{76fc4e2d-d6ad-4519-a663-37bd56068185\} [precreate]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{76fc4e2d-d6ad-4519-a663-37bd56068185\} \ folder \ begin{picture}(20,0) \put(0,0) \put$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'current version \ 'explorer \ 'folder descriptions \ '{76fc4e2d-d6ad-4519-a663-37bd56068185} \ [publish expanded path]$ 

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} current version \end{absolute} $$Hklm\software\microsoft\windows\current version\end{absolute} $$a63-37bd56068185\[attributes]$$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{76fc4e2d-d6ad-4519-a663-37bd56068185\} \ [folder type id]$ 

Queries value:

 $\label{lem:hkk} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{76fc4e2d-d6ad-4519-a663-37bd56068185\}\ [initfolderhandler]}$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a75d362e-50fc-4fb7-ac2c-a8beaa314493}[category]

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a75d362e-50fc-4fb7-ac2c-a8beaa314493}\ [name]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a75d362e-50fc-4fb7-ac2c-a8beaa314493\} \ [parent folder]$ 

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a75d362e-50fc-4fb7-ac2c-a8beaa314493\}[description]}$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a75d362e-50fc-4fb7-ac2c-a8beaa314493}[relativepath]

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a75d362e-50fc-4fb7-ac2c-a8beaa314493\}[parsingname]}$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a75d362e-50fc-4fb7-ac2c-a8beaa314493}[infotip]

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a75d362e-50fc-4fb7-ac2c-a8beaa314493\}[localizedname]}$ 

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a75d362e-50fc-4fb7-ac2c-a8beaa314493\} \ 'icon' \ 'explorer' \ 'folder descriptions \ 'a75d362e-50fc-4fb7-ac2c-a8beaa314493 \ 'icon' \ 'explorer' \ 'explorer'' \ 'explorer' \ 'explorer' \ 'explorer' \ 'explorer' \ 'explorer'' \ 'explorer' \ 'explorer'' \ 'expl$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a75d362e-50fc-4fb7-ac2c-a8beaa314493\}[security]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{a75d362e-50fc-4fb7-ac2c-a8beaa314493\} [stream resource]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a75d362e-50fc-4fb7-ac2c-a8beaa314493\} \ [stream resource type]$ 

Oueries value

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a75d362e-50fc-4fb7-ac2c-a8beaa314493\} \ [local redirectonly]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{a75d362e-50fc-4fb7-ac2c-a8beaa314493\} \ [roamable]$ 

Oueries value

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{a75d362e-50fc-4fb7-ac2c-a8beaa314493\} \ [precreate]$ 

Oueries value

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a75d362e-50fc-4fb7-ac2c-a8beaa314493\} \ [stream]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a75d362e-50fc-4fb7-ac2c-a8beaa314493\}[publishexpandedpath]}$ 

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a75d362e-50fc-4fb7-ac2c-a8beaa314493\}[attributes]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a75d362e-50fc-4fb7-ac2c-a8beaa314493\} \ [folder type id]$ 

Queries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{a75d362e-50fc-4fb7-ac2c-a8beaa314493\} \ [initfolder \ handler]$ 

Oueries value

 $\label{lem:hklmsoftware} HKLM\software\mbox{491e922f-5643-4af4-a7eb-4e7a138d8174} [category]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{491e922f-5643-4af4-a7eb-4e7a138d8174\} \ [name]$ 

Oueries value:

Queries value:

 $\label{local-equation} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\eqdef 491e922f-5643-4af4-a7eb-4e7a138d8174\}\[description]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{491e922f-5643-4af4-a7eb-4e7a138d8174\} \ [relative path]$ 

Queries value:

Oueries value:

 $\label{thm:condition} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder \$ 

Queries value

 $\label{thm:lmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{491e922f-5643-4af4-a7eb-4e7a138d8174\}[localized name]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{491e922f-5643-4af4-a7eb-4e7a138d8174\}[icon]$ 

Queries value:

 $\label{thm:microsoft} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{491e922f-5643-4af4-a7eb-4e7a138d8174\}[security]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{491e922f-5643-4af4-a7eb-4e7a138d8174\} [stream resource]$ 

Queries value

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{491e922f-5643-4af4-a7eb-4e7a138d8174\} \ [stream resource type]$ 

Queries value:

 $\label{local-continuous} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{491e922f-5643-4af4-a7eb-4e7a138d8174\}\[local\cutrectonly\]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{491e922f-5643-4af4-a7eb-4e7a138d8174\}[roamable]}$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '{491e922f-5643-4af4-a7eb-4e7a138d8174}[precreate]$ 

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{491e922f-5643-4af4-a7eb-4e7a138d8174\} [stream]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{491e922f-5643-4af4-a7eb-4e7a138d8174\} [publish expanded path]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{491e922f-5643-4af4-a7eb-4e7a138d8174\} \ [attributes]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{491e922f-5643-4af4-a7eb-4e7a138d8174\} \ [folder type id]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{491e922f-5643-4af4-a7eb-4e7a138d8174\} [initfolder handler]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{33e28130-4e1e-4676-835a-98395c3bc3bb}[category]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{33e28130-4e1e-4676-835a-98395c3bc3bb\} \ [name]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '{33e28130-4e1e-4676-835a-98395c3bc3bb} \ [parent folder]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '{33e28130-4e1e-4676-835a-98395c3bc3bb} \ [description]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{33e28130-4e1e-4676-835a-98395c3bc3bb\} \ [relative path]$ 

Oueries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{33e28130-4e1e-4676-835a-98395c3bc3bb\}\[parsingname]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{33e28130-4e1e-4676-835a-98395c3bc3bb\} \ [infotip]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{33e28130-4e1e-4676-835a-98395c3bc3bb\} \ [localized name]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '{33e28130-4e1e-4676-835a-98395c3bc3bb}[icon]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{33e28130-4e1e-4676-835a-98395c3bc3bb\}[security]$ 

Queries value:

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '{33e28130-4e1e-4676-835a-98395c3bc3bb} [stream resource type]$ 

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{33e28130-4e1e-4676-835a-98395c3bc3bb\}[localredirectonly]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{33e28130-4e1e-4676-835a-98395c3bc3bb\} \ [roamable]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{33e28130-4e1e-4676-835a-98395c3bc3bb}[precreate]

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{33e28130-4e1e-4676-835a-98395c3bc3bb\}[stream]$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{33e28130-4e1e-4676-835a-98395c3bc3bb}[publishexpandedpath]

Queries value:

 $\label{thm:local-problem} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{33e28130-4e1e-4676-835a-98395c3bc3bb} [attributes]$ 

Queries value:

 $\label{thm:local-prop} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{33e28130-4e1e-4676-835a-98395c3bc3bb\}[foldertypeid]$$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{33e28130-4e1e-4676-835a-98395c3bc3bb\}[initfolderhandler]$ 

Queries value: HKCU\software\microsoft\windows\currentversion\explorer\user shell

folders[my pictures]

Queries value:

 $HKLM \ software \ `microsoft \ windows \ `current version \ explorer \ folder descriptions \ \{8ad10c31-2adb-4296-a8f7-e4701232c972\} \ [category]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{8ad10c31-2adb-4296-a8f7-e4701232c972\} \ [name]$ 

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folder descriptions\{8ad10c31-2adb-4296-a8f7-e4701232c972\}[parentfolder]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{8ad10c31-2adb-4296-a8f7-e4701232c972\} \ [description]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{8ad10c31-2adb-4296-a8f7-e4701232c972\} \ [relative path]$ 

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} In the label of the label o$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{8ad10c31-2adb-4296-a8f7-e4701232c972\} [infotip]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{8ad 10c 31-2ad b-4296-a8f7-e4701232c972\} \ [localized name]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{8ad10c31-2adb-4296-a8f7-e4701232c972\} \ [icon]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{8ad10c31-2adb-4296-a8f7-e4701232c972\} [security]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{8ad10c31-2adb-4296-a8f7-e4701232c972\} \ [stream resource]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{8ad10c31-2adb-4296-a8f7-e4701232c972}[streamresourcetype]

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{8ad10c31-2adb-4296-a8f7-e4701232c972\} \ [local redirectonly]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{8ad10c31-2adb-4296-a8f7-e4701232c972\} \ [roamable]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{8ad10c31-2adb-4296-a8f7-e4701232c972\} \ [precreate]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{8ad10c31-2adb-4296-a8f7-e4701232c972\} [stream]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{8ad10c31-2adb-4296-a8f7-e4701232c972\} [publish expanded path]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{8ad10c31-2adb-4296-a8f7-e4701232c972\} \ [attributes]$ 

Queries value:

 $\label{thm:local-equation} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder \fol$ 

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{8ad10c31-2adb-4296-a8f7-e4701232c972\}[initfolderhandler]}$ 

Queries value:

 $\label{local-hamiltonian} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \explorer \folder descriptions \explorer \folder \folder$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{82a5ea35-d9cd-47c5-9629-e15d2f714e6e}[name]

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folder descriptions \eqref{82a5ea35-d9cd-47c5-9629-e15d2f714e6e} [parentfolder]$ 

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions \eqref{82a5ea35-d9cd-47c5-9629-e15d2f714e6e} [description]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \explorer \folder descriptions \explorer \folder descriptions \explorer \folder \$ 

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosof$ 

Queries value:

 $\label{local-ham} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \explorer \folder \folde$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{82a5ea35-d9cd-47c5-9629-e15d2f714e6e\} \ [localized name]$ 

Queries value:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{82a5ea35-d9cd-47c5-9629-e15d2f714e6e\}[icon]}$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ (82a5ea35-d9cd-47c5-d9cd-4$ 

9629-e15d2f714e6e}[security]

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{82a5ea35-d9cd-47c5-9629-e15d2f714e6e\}[stream resource]$ 

Oueries value:

 $\label{lem:hklmsoftware} HKLM \software \end{align*} HKLM \software \end{align*} Mklm \software \end{align*} HKLM \software \end{align*} HKLM \software \end{align*} Since \end{align*} HKLM \software \software \end{align*} HKLM \software \software \end{align*} HKLM \software \software$ 

Oueries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{82a5ea35-d9cd-47c5-9629-e15d2f714e6e\} [local redirectonly]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{82a5ea35-d9cd-47c5-9629-e15d2f714e6e\} [precreate]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{82a5ea35-d9cd-47c5-9629-e15d2f714e6e\} [stream]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{82a5ea35-d9cd-47c5-9629-e15d2f714e6e\} [publish expanded path]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{82a5ea35-d9cd-47c5-9629-e15d2f714e6e\} [attributes]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{82a5ea35-d9cd-47c5-9629-e15d2f714e6e\} [folder type id]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{82a5ea35-d9cd-47c5-9629-e15d2f714e6e\} [initfolder \ handler]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{debf2536-e1a8-4c59-b6a2-414586476aea\} \ [category]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{debf2536-e1a8-4c59-b6a2-414586476aea\} \ [name]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{debf2536-e1a8-4c59-b6a2-414586476aea\}[parent folder]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{debf2536-e1a8-4c59-b6a2-414586476aea}[description]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{debf2536-e1a8-4c59-b6a2-414586476aea\} \ [relative path]$ 

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows\currentversion\explorer\folderdescriptions\{debf2536-e1a8-4c59-b6a2-414586476aea\}[parsing name]} \\$ 

Queries value:

 $HKLM \ software \ icrosoft \ indows \ current version \ explorer \ folder descriptions \ \{debf2536-e1a8-4c59-b6a2-414586476aea\} [infotip]$ 

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows\currentversion\explorer\folderdescriptions\{debf2536-e1a8-4c59-b6a2-414586476aea\}[localizedname]} \\$ 

Queries value:

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{debf2536-e1a8-4c59-b6a2-414586476aea\} \ [security]$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{debf2536-e1a8-4c59-b6a2-414586476aea}[streamresource]

Queries value:

 $\label{lem:hkk} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{debf2536-e1a8-4c59-b6a2-414586476aea\}[streamresourcetype]}$ 

Queries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{debf2536-e1a8-4c59-b6a2-414586476aea\}[localredirectonly]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$ 

Queries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{debf2536-e1a8-4c59-b6a2-414586476aea\}\[precreate]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{debf2536-e1a8-4c59-b6a2-414586476aea\} [stream]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{debf2536-e1a8-4c59-b6a2-414586476aea\} \ [publish expanded path]$ 

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{debf2536-e1a8-4c59-b6a2-414586476aea\} [attributes]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{debf2536-e1a8-4c59-b6a2-414586476aea\}[folder type id]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{debf2536-e1a8-4c59-b6a2-414586476aea\} \ [initfolder \ handler]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'unidows \ 'current version \ 'explorer \ 'folder descriptions \ '\{0f214138-b1d3-4a90-bba9-27cbc0c5389a\} \ [category]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{0f214138-b1d3-4a90-bba9-27cbc0c5389a\} \ [name]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{0f214138-b1d3-4a90-bba9-27cbc0c5389a\} \ [parent folder]$ 

Queries value

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{0f214138-b1d3-4a90-bba9-27cbc0c5389a\} \ [description]$ 

Oueries value

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{0f214138-b1d3-4a90-bba9-27cbc0c5389a\}\[relativepath]$ 

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{0f214138-b1d3-4a90-bba9-27cbc0c5389a\}[parsingname]}$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folder$ 

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{0f214138-b1d3-4a90-bba9-27cbc0c5389a\}[localized name]$ 

Queries value:

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \folder descriptions \current \folder \$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$ 

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows\currentversion\explorer\folderdescriptions\{0f214138-b1d3-4a90-bba9-27cbc0c5389a\}[streamresourcetype]}$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{0f214138-b1d3-4a90-bba9-27cbc0c5389a\}[localredirectonly]}$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{0f214138-b1d3-4a90-bba9-27cbc0c5389a\} \ [roamable]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'unidows \ 'current version \ 'explorer \ 'folder descriptions \ '\{0f214138-b1d3-4a90-bba9-27cbc0c5389a\}[precreate]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{0f214138-b1d3-4a90-bba9-27cbc0c5389a\}[stream]}$ 

Oueries value:

 $HKLM \ software \ `microsoft \ 'current version \ 'explorer \ 'folder descriptions \ '\{0f214138-b1d3-4a90-bba9-27cbc0c5389a\} [publish expanded path]$ 

Queries value

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{0f214138-b1d3-4a90-bba9-27cbc0c5389a\}[attributes]$ 

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} If the properties of th$ 

Queries value

 $\label{thm:microsoft} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{0f214138-b1d3-4a90-bba9-27cbc0c5389a\}[initfolderhandler]}$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2400183a-6185-49fb-a2d8-4a392a602ba3\}[category]}$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{2400183a-6185-49fb-a2d8-4a392a602ba3\} \ [name]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{2400183a-6185-49fb-a2d8-4a392a602ba3\} \ [parent folder]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{2400183a-6185-49fb-a2d8-4a392a602ba3\} \ [description]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \$ 

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{2400183a-6185-49fb-a2d8-4a392a602ba3\}[parsing name]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{2400183a-6185-49fb-a2d8-4a392a602ba3\}[infotip]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{2400183a-6185-49fb-a2d8-4a392a602ba3\} \ [localized name]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2400183a-6185-49fb-a2d8-4a392a602ba3\}[icon]}$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{2400183a-6185-49fb-a2d8-4a392a602ba3\}[security]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{2400183a-6185-49fb-a2d8-4a392a602ba3\} \ [stream resource]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{2400183a-6185-49fb-a2d8-4a392a602ba3\} \ [stream resource type]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2400183a-6185-49fb-a2d8-4a392a602ba3\}[localredirectonly]}$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{2400183a-6185-49fb-a2d8-4a392a602ba3\} \ [roamable]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{2400183a-6185-49fb-a2d8-4a392a602ba3\} \ [precreate]$ 

Oueries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2400183a-6185-49fb-a2d8-4a392a602ba3\}\[stream]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2400183a-6185-49fb-a2d8-4a392a602ba3}[publishexpandedpath]

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{2400183a-6185-49fb-a2d8-4a392a602ba3\}[attributes]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\\{2400183a-6185-49fb-a2d8-4a392a602ba3\}\[foldertypeid]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{2400183a-6185-49fb-a2d8-4a392a602ba3\}[init folder handler]$ 

Queries value:

 $HKLM \label{lem:hklm} HKLM \label{lem:hklm} HKLM \label{lem:hklm} Software \mbox{$microsoft} \windows \current version \explorer \folder descriptions \folder \folde$ 

Queries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{d9dc8a3b-b784-432e-a781-5a1130a75963\} \ [name]$ 

Oueries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d9dc8a3b-b784-432e-a781-5a1130a75963\}[parentfolder]}$ 

Queries value:

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{d9dc8a3b-b784-432e-a781-5a1130a75963\} \ [relative path]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{d9dc8a3b-b784-432e-a781-5a1130a75963\} \ [parsing name]$ 

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d9dc8a3b-b784-432e-a781-5a1130a75963\}[infotip]}$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{d9dc8a3b-b784-432e-a781-5a1130a75963} \[localized name]$ 

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows\currentversion\explorer\folderdescriptions\{d9dc8a3b-b784-432e-a781-5a1130a75963\}[icon]} \\$ 

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d9dc8a3b-b784-432e-a781-5a1130a75963\}[security]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{d9dc8a3b-b784-432e-a781-5a1130a75963\} \ [stream resource]$ 

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} Large that the software in the soft$ 

Queries value:

 $\label{thm:local_explorer_folder} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder$ 

a781-5a1130a75963}[localredirectonly]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ (d9dc8a3b-b784-432e-a781-5a1130a75963) \ [roamable]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ (d9dc8a3b-b784-432e-a781-5a1130a75963) \ [precreate]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{d9dc8a3b-b784-432e-a781-5a1130a75963\} \ [stream]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{d9dc8a3b-b784-432e-a781-5a1130a75963\} \ [publish expanded path]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{d9dc8a3b-b784-432e-a781-5a1130a75963\} [attributes]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{d9dc8a3b-b784-432e-a781-5a1130a75963\} \ [folder type id]$ 

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} current version \verb| version \verb| explorer | folder descriptions | \{d9dc8a3b-b784-432e-a781-5a1130a75963\}[initfolder handler]|$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c4900540-2379-4c75-844b-64e6faf8716b\}[category]}$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{c4900540-2379-4c75-844b-64e6faf8716b\} [name]$ 

Oueries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cupred \current \c$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c4900540-2379-4c75-844b-64e6faf8716b}[description]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{c4900540-2379-4c75-844b-64e6faf8716b\} \ [relative path]$ 

Queries value:

Oueries value:

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{c4900540-2379-4c75-844b-64e6faf8716b\}[localized name]$ 

Queries value:

 $\label{lem:hklm} HKLM software \microsoft \windows \current version \explorer \folder descriptions \c4900540-2379-4c75-844b-64e6 \cfu af 16b \cfu af$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \end{area} Hklm \software \end{area} in \end{area} Hklm \software \end{area} in \end{area} Hklm \software \end{area} in \end{area} in \end{area} Hklm \software \end{area} in \end{area} Hkllm \software \end{area} in \end{area} in \end{area} Hkllm \software \end{area} in \end{area} i$ 

Queries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c4900540-2379-4c75-844b-64e6faf8716b}\[streamresource]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c4900540-2379-4c75-844b-64e6faf8716b}[streamresourcetype]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c4900540-2379-4c75-844b-64e6faf8716b}[localredirectonly]

Oueries value:

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\explorer\folderdescriptions\currentversion\explorer\exp$ 

Queries value:

Queries value:

 $\label{lem:hklmsoftwaremicrosoft} HKLM \software \end{area} in \software \end{area} in \software \end{area} are lemma \software \software \end{area} are lemma \software \softwa$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c4900540-2379-4c75-844b-64e6faf8716b}[attributes]

Queries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{c4900540-2379-4c75-844b-64e6faf8716b\} \ [folder type id]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{c4900540-2379-4c75-844b-64e6faf8716b\} [initfolder handler]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{289a9a43-be44-4057-a41b-587a76d7e7f9\} \ [name]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{289a9a43-be44-4057-a41b-587a76d7e7f9\} \ [parent folder]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{289a9a43-be44-4057-a41b-587a76d7e7f9\} \ [description]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{289a9a43-be44-4057-a41b-587a76d7e7f9\} [relative path]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{289a9a43-be44-4057-a41b-587a76d7e7f9\} \ [parsing name]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{289a9a43-be44-4057-a41b-587a76d7e7f9\} [infotip]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{289a9a43-be44-4057-a41b-587a76d7e7f9\} \ [localized name]$ 

Oueries value

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{289a9a43-be44-4057-a41b-587a76d7e7f9\} [icon]$ 

Queries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{289a9a43-be44-4057-a41b-587a76d7e7f9}\[security]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{289a9a43-be44-4057-a41b-587a76d7e7f9\} \ [stream resource]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{289a9a43-be44-4057-a41b-587a76d7e7f9}\[ \] is tream resource type \]$ 

Queries value:

 $\label{lem:hkklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{289a9a43-be44-4057-a41b-587a76d7e7f9}\ [localredirectonly]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{289a9a43-be44-4057-a41b-587a76d7e7f9\} [precreate]$ 

Oueries value:

 $\label{thm:local-basis} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{289a9a43-be44-4057-a41b-587a76d7e7f9}[stream]$ 

Queries value:

 $HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \current$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{289a9a43-be44-4057-a41b-587a76d7e7f9\}[attributes]$ 

Queries value:

 $\label{lem:hamilton} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{289a9a43-be44-4057-a41b-587a76d7e7f9\}[foldertypeid]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{289a9a43-be44-4057-a41b-587a76d7e7f9\} [initfolder \ handler]$ 

Queries value:

 $\label{thm:microsoft} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4bfefb45-347d-4006-a5be-ac0cb0567192\}\cite{Control of the control of th$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{4bfefb45-347d-4006-a5be-ac0cb0567192\} \ [name]$ 

Queries value

 $\label{thm:microsoft} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4bfefb45-347d-4006-a5be-ac0cb0567192\}\ [parentfolder]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{4bfefb45-347d-4006-a5be-ac0cb0567192\} \ [description]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{4bfefb45-347d-4006-a5be-ac0cb0567192\} \ [relative path]$ 

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4bfefb45-347d-4006-a5be-ac0cb0567192\}\[parsingname]$ 

Queries value:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4bfefb45-347d-4006-a5be-ac0cb0567192\}[infotip]}$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{4bfefb45-347d-4006-a5be-ac0cb0567192\} \ [localized name]$ 

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{4bfefb45-347d-4006-a5be-ac0cb0567192\} [icon]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{4bfefb45-347d-4006-a5be-ac0cb0567192\} [security]$ 

Queries value:

 $HKLM\software\mbox{$m$icrosoft\windows\currentversion} explorer\folderdescriptions \arrows \$ 

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4bfefb45-347d-4006-a5be-ac0cb0567192\}[streamresourcetype]}$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '{4bfefb45-347d-4006-a5be-ac0cb0567192} \ [local redirectonly]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{4bfefb45-347d-4006-a5be-ac0cb0567192\} \ [roamable]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{4bfefb45-347d-4006-a5be-ac0cb0567192\} [precreate]$ 

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4bfefb45-347d-4006-a5be-ac0cb0567192\}[stream]}$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{4bfefb45-347d-4006-a5be-ac0cb0567192\} \ [publish expanded path]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{4bfefb45-347d-4006-a5be-ac0cb0567192\}[attributes]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{4bfefb45-347d-4006-a5be-ac0cb0567192\} \ [folder type id]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{4bfefb45-347d-4006-a5be-ac0cb0567192\} [initfolder \ handler]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{b7534046-3ecb-4c18-be4e-64cd4cb7d6ac\} \ [category]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b7534046-3ecb-4c18-be4e-64cd4cb7d6ac\}[name]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b7534046-3ecb-4c18-be4e-64cd4cb7d6ac\}[parent folder]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\footnote{18-be4e-64cd4cb7d6ac}[description]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder\folder \folder \folder \folder \folder \folder \folder \folder \$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \gamma \folder \folder \folder \folder \folder \gamma \gamma \folder \folder \gamma \folder \gamma \ga$ 

Queries value:

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b7534046-3ecb-4c18-be4e-64cd4cb7d6ac\}[localized name]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{b7534046-3ecb-4c18-be4e-64cd4cb7d6ac\} [icon]$ 

Queries value:

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{b7534046-3ecb-4c18-be4e-64cd4cb7d6ac\} \ [stream resource]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{b7534046-3ecb-4c18-be4e-64cd4cb7d6ac\} [stream resource type]$ 

Queries value:

 $\label{local-condition} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \gamma \folder \folder \folder \folder \gamma \$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{b7534046-3ecb-4c18-be4e-64cd4cb7d6ac\} \ [roamable]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{b7534046-3ecb-4c18-be4e-64cd4cb7d6ac\}[precreate]$ 

Queries value:

be4e-64cd4cb7d6ac}[stream]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{b7534046-3ecb-4c18-be4e-64cd4cb7d6ac\} \ [publish \ expanded path]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b7534046-3ecb-4c18-be4e-64cd4cb7d6ac\}[attributes]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{b7534046-3ecb-4c18-be4e-64cd4cb7d6ac\} \ [folder type id]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b7534046-3ecb-4c18-be4e-64cd4cb7d6ac\}[initfolder \ handler]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ 'ee 32e 446-31 ca-4aba-814f-a 5eb d 2f d 6d 5e \} [category]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{ee 32e 446-31 ca-4aba-814f-a 5eb d 2fd 6d 5e\} [name]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{ee32e446-31ca-4aba-814f-a5ebd2fd6d5e\} \ [parent folder]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ 'ee 32e 446-31 ca-4aba-814f-a 5eb d 2f d 6d 5e \} [description]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'ee 32e 446-31 ca-4aba-814f-a 5eb d 2f d 6d 5e \} [relative path]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{ee 32e 446-31ca-4aba-814f-a 5eb d 2f d 6d 5e\} \ [par sing name]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{ee 32e 446-31ca-4aba-814f-a 5eb d 2fd 6d 5e \} [info tip]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{ee32e446-31ca-4aba-814f-a5ebd2fd6d5e\} \ flocalized name \ label{fig:balance}$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{ee 32e 446-31 ca-4aba-814f-a 5eb d 2f d 6d 5e \} \ [icon]$ 

Queries value:

Queries value:

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{ee32e446-31ca-4aba-814f-a5ebd2fd6d5e}[streamresourcetype]

Queries value:

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows\currentversion\explorer\folderdescriptions\eq ee 32e 446-31 ca-4 aba-814f-a5ebd2fd6d5e\\[-2pt] [roamable]$ 

Queries value:

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\eqref{ee32e446-31ca-4aba-814f-a5ebd2fd6d5e}\ [stream]$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{ee32e446-31ca-4aba-814f-a5ebd2fd6d5e}[publishexpandedpath]

Queries value:

 $\label{local-equation} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\earself{local-equation} \\ \{ee32e446-31ca-4aba-814f-a5ebd2fd6d5e\}\footnote{\currentversion} \\ \{ee32e446-31ca-4aba-814f-a5ebd2fd6d5e\}\footn$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ equal to the software \ boundaries and \ defined a software \ boundaries \ defined a software \ boundaries \ defined \ boundaries \ defined \ defined\ defined \ defined \ defined \ defined \ defined \ defined \ def$ 

Queries value:

 $\label{lem:hklmsoftwaremicrosoft} HKLM \software \end{arguments} $$14f-a5ebd2fd6d5e \[ initfolder \end{arguments} $$14f-a5ebd2fd6d5e \[ initfolder \end{arguments} $$14f-a5ebd2fd6d5e \[ initfolder \end{arguments} $$14f-a5ebd2fd6d5e \] $$14f-a5ebd2fd6d5e \[ initfolder \end{arguments} $$16f-a5ebd2fd6d5e \] $$ 

Queries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c870044b-f49e-4126-a9c3-b52a1ff411e8\}\[category\]$ 

Queries value:

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{c870044b-f49e-4126-a9c3-b52a1ff411e8\} \ [parent folder]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{c870044b-f49e-4126-a9c3-b52a1ff411e8\} [relative path]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{c870044b-f49e-4126-a9c3-b52a1ff411e8\} [parsing name]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{c870044b-f49e-4126-a9c3-b52a1ff411e8\}[infotip]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{c870044b-f49e-4126-a9c3-b52a1ff411e8\}[localized name]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{c870044b-f49e-4126-a9c3-b52a1ff411e8\} \ ficon \ 1$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{c870044b-f49e-4126-a9c3-b52a1ff411e8\} [security]$ 

Oueries value

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{c870044b-f49e-4126-a9c3-b52a1ff411e8\} [stream resource]$ 

Oueries value

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{c870044b-f49e-4126-a9c3-b52a1ff411e8\} [stream resource type]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{c870044b-f49e-4126-a9c3-b52a1ff411e8\} [local redirect only]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{c870044b-f49e-4126-a9c3-b52a1ff411e8\}[roamable]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{c870044b-f49e-4126-a9c3-b52a1ff411e8\} \ [precreate]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{c870044b-f49e-4126-a9c3-b52a1ff411e8\} [stream]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c870044b-f49e-4126-a9c3-b52a1ff411e8}\ [publishexpanded path]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{c870044b-f49e-4126-a9c3-b52a1ff411e8\} [attributes]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{c870044b-f49e-4126-a9c3-b52a1ff411e8\}[folder type id]$ 

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c870044b-f49e-4126-a9c3-b52a1ff411e8}[initfolderhandler]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{0139d44e-6afe-49f2-8690-3dafcae6ffb8\}[category]}$ 

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folderdescript$ 

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folder descriptions \currentversion\explorer\folder descriptions \currentversion\explorer\folder \currentversion\explorer\folder\currentversion\explorer\folder\currentversion\explorer\folder\currentversion\explorer\folder\currentversion\explorer\folder\currentversion\explorer\folder\currentversion\explorer\folder\currentversion\explorer\folder\currentversion\explorer\folder\currentversion\explorer\explo$ 

Queries value

 $\label{lem:hklmsoftwaremicrosoftwindows\currentversion\explorer\folderdescriptions\{0139d44e-6afe-49f2-8690-3dafcae6ffb8\}[description]} \\$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folder$ 

Queries value:

 $\label{thm:microsoft} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{0139d44e-6afe-49f2-8690-3dafcae6ffb8\}[parsingname]}$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folder$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{0139d44e-6afe-49f2-8690-3dafcae6ffb8\} \ [localized name]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folder$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folder$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folder$ 

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folder$ 

Queries value:

 $\label{local-continuous} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folder$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folder$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folder$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folder$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{0139d44e-6afe-49f2-8690-3daf \ cae 6ffb8\} [publish \ expanded path]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folder$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$ 

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folderdescript$ 

Queries value:

Oueries value:

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{c5abbf53-e17f-4121-8900-86626fc2c973\} \ [parentfolder]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \ \{c5abbf53-e17f-4121-8900-86626fc2c973\} \ [description]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c5abbf53-e17f-4121-8900-86626fc2c973\}[relativepath]}$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cal{lem:hklk} a software \microsoft \microsoft \microso$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{c5abbf53-e17f-4121-8900-86626fc2c973\} \ [infotip]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'c5abbf53-e17f-4121-8900-86626fc2c973 \ [localized name]$ 

Oueries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\currentversion\explorer\currentversion\explorer\currentversion\explorer\currentversion\explorer\currentversion\explorer\currentversion\explorer\explorer\currentversion\explorer\explore$ 

Queries value:

 $\label{local-HKLM-software-microsoft-windows-current-version-explorer-folder-descriptions-folder-descrip$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{c5abbf53-e17f-4121-8900-86626fc2c973\} \ [stream resource]$ 

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c5abbf53-e17f-4121-8900-86626fc2c973\}[streamresourcetype]}$ 

Oueries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{c5abbf53-e17f-4121-8900-86626fc2c973\} \ [local redirectonly]$ 

Queries value:

 $\label{thm:local-ham} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c5abbf53-e17f-4121-8900-86626fc2c973\}[roamable]$$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{c5abbf53-e17f-4121-8900-86626fc2c973\} \ [precreate]$ 

Queries value:

 $\label{thm:local-bound} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \colored \c$ 

Oueries value:

 $HKLM \software \microsoft \windows \current version \explorer \folder descriptions \c 5abbf53-e17f-4121-8900-86626fc2c973 \[ publish \explorer \folder \fold$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{c5abbf53-e17f-4121-8900-86626fc2c973\} \ [attributes]$ 

Queries value:

 $\label{thm:local_hamiltonian} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \colored \colo$ 

8900-86626fc2c973}[foldertypeid]

Queries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{56784854-c6cb-462b-8169-88e350 \ acb 882\} \ [category]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{56784854-c6cb-462b-8169-88e350acb882\} \ [name]$ 

Oueries value:

 $\label{local-bound} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folderdescr$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{56784854-c6cb-462b-8169-88e350acb882\} \ [description]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{56784854-c6cb-462b-8169-88e350 \ acb 882\} \ [relative path]$ 

Queries value:

 $\label{thm:local-bound} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{56784854-c6cb-462b-8169-88e350acb882\}\ [parsing name]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'current version \ 'explorer \ 'folder descriptions \ '\{56784854-c6cb-462b-8169-88e350 \ acb 882\} [infotip]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{56784854-c6cb-462b-8169-88e350acb882\} \ [localized name]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cite{100} \forer \folder \cite{100} \forer \folder \cite{100} \forer \folder \cite{100} \forer \cit$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{56784854-c6cb-462b-8169-88e350 \ acb 882\} [security]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{56784854-c6cb-462b-8169-88e350 \ acb882\} \ for \ explorer \ folder \ descriptions \ explorer \ folder \ folder$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{56784854-c6cb-462b-8169-88e350acb882\} \ [stream resource type]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{56784854-c6cb-462b-8169-88e350acb882}[localredirectonly]

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{56784854-c6cb-462b-8169-88e350 \ acb 882\} \ [roamable]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{56784854-c6cb-462b-8169-88e350acb882\} \ [precreate]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'current version \ 'explorer \ 'folder descriptions \ '\{56784854-c6cb-462b-8169-88e350 \ acb 882\} \ [stream]$ 

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} current version \endowners folder descriptions \endowners \fill the second of the second sec$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{56784854-c6cb-462b-8169-88e350acb882}[attributes]

Queries value:

Queries value:

 $HKLM \ software \ `microsoft \ 'current version \ 'explorer \ 'folder descriptions \ '\{56784854-c6cb-462b-8169-88e350acb882\} \ [initfolder \ handler]$ 

Queries value: HKCU\software\microsoft\windows\currentversion\explorer\user shell folders[{56784854-c6cb-462b-8169-88e350acb882}]

Queries value:

 $\label{local-equation} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folderde$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{7b396e54-9ec5-4300-be0a-2482ebae1a26\} \ [name]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{7b396e54-9ec5-4300-be0a-2482ebae1a26} \cite{Parent folder} \]$ 

Oueries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\folderdescriptions\folderdescriptions\folderdescription\folderdescriptio$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{7b396e54-9ec5-4300-be0a-2482ebae1a26\} \ [relative path]$ 

Queries value:

 $\label{thm:hammon} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folde$ 

be0a-2482ebae1a26}[parsingname]

Oueries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre \ 'folder descriptions \ 'folder descriptions' \ 'fol$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{7b396e54-9ec5-4300-be0a-2482ebae1a26\} \ [localized name]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{7b396e54-9ec5-4300-be0a-2482ebae1a26\} \ [icon]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{7b396e54-9ec5-4300-be0a-2482ebae1a26\} [security]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{7b396e54-9ec5-4300-be0a-2482ebae1a26\} [stream resource]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{7b396e54-9ec5-4300-be0a-2482ebae1a26\} [stream resource type]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{7b396e54-9ec5-4300-be0a-2482ebae1a26\} \ [local redirectonly]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{7b396e54-9ec5-4300-be0a-2482ebae1a26\} \ [roamable]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{7b396e54-9ec5-4300-be0a-2482ebae1a26\} \ [precreate]$ 

Oueries value:

 $\label{thm:local-prop} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7b396e54-9ec5-4300-be0a-2482ebae1a26\}[stream]$$$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{7b396e54-9ec5-4300-be0a-2482ebae1a26\} \ [publish \ expanded path]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{7b396e54-9ec5-4300-be0a-2482ebae1a26\} \ fattributes \ label{eq:helmonoper}$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{7b396e54-9ec5-4300-be0a-2482ebae1a26\} \ folder \ typeid \ label{eq:hklm}$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{7b396e54-9ec5-4300-be0a-2482ebae1a26\} \ finitfolder \ handler \ label{eq:finitfolder}$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \mbox{bcbd3057-ca5c-4622-b42d-bc56db0ae516} [category]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{bcbd3057-ca5c-4622-b42d-bc56db0ae516\} \ \Gamma name \ label{eq:hklm}$ 

Queries value:

 $\label{thm:local-basis} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{bcbd3057-ca5c-4622-b42d-bc56db0ae516\}[parentfolder]}$ 

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsof$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'current version \ 'explorer \ 'folder descriptions \ '\{bcbd 3057-ca5c-4622-b42d-bc56db0ae516\} [relative path]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{bcbd3057-ca5c-4622-b42d-bc56db0ae516\}[parsingname]}$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{bcbd3057-ca5c-4622-b42d-bc56db0ae516}[infotip]

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{bcbd3057-ca5c-4622-b42d-bc56db0ae516\}[localizedname]}$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{bcbd3057-ca5c-4622-b42d-bc56db0ae516\} \ [icon]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folds \fol$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{bcbd 3057-ca5c-4622-b42d-bc56db0ae516\} \ [stream resource]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{bcbd3057-ca5c-4622-b42d-bc56db0ae516\}[streamresourcetype]}$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{bcbd3057-ca5c-4622-b42d-bc56db0ae516}[localredirectonly]

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{bcbd 3057-ca5c-4622-b42d-bc56db0ae516\}[precreate]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{bcbd 3057-ca5c-4622-b42d-bc56db0ae516\}[stream]$ 

Queries value:

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{bcbd 3057-ca5c-4622-b42d-bc56db0ae516\}[attributes]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{bcbd3057-ca5c-4622-b42d-bc56db0ae516\} \ [folder type id]$ 

Queries value

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{bcbd3057-ca5c-4622-b42d-bc56db0ae516\} \ [initfolder \ handler]$ 

Oueries value

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{a302545d-deff-464b-abe8-61c8648d939b\} \ [category]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{a302545d-deff-464b-abe8-61c8648d939b\} [name]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a302545d-deff-464b-abe8-61c8648d939b\} [parent folder]$ 

Oueries value

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a302545d-deff-464b-abe8-61c8648d939b\} [description]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a302545d-deff-464b-abe8-61c8648d939b\} [relative path]$ 

Queries value

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a302545d-deff-464b-abe8-61c8648d939b\}[parsingname]}$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{a302545d-deff-464b-abe8-61c8648d939b\}[infotip]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a302545d-deff-464b-abe8-61c8648d939b\} [localized name]$ 

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a302545d-deff-464b-abe8-61c8648d939b\}[icon]}$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{a302545d-deff-464b-abe8-61c8648d939b\} [security]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a302545d-deff-464b-abe8-61c8648d939b\} [stream resource]$ 

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a302545d-deff-464b-abe8-61c8648d939b\}[streamresourcetype]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a302545d-deff-464b-abe8-61c8648d939b\} [local redirectonly]$ 

Queries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a302545d-deff-464b-abe8-61c8648d939b\}[roamable]}$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a302545d-deff-464b-abe8-61c8648d939b\}[precreate]$ 

Queries value

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a302545d-deff-464b-abe8-61c8648d939b\}[stream]}$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a302545d-deff-464b-abe8-61c8648d939b\} [publish expanded path]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ \ folder descriptions \ \ \{a302545d-deff-464b-abe8-61c8648d939b\} \ [attributes]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a302545d-deff-464b-abe8-61c8648d939b\}[folder type id]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{a302545d-deff-464b-abe8-61c8648d939b\} \ [initfolder \ handler]$ 

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2b0f765d-c0e9-4171-908e-08a611b84ff6\}[category]}$ 

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{2b0f765d-c0e9-4171-908e-08a611b84ff6\} \ 'lname1$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{2b0f765d-c0e9-4171-908e-08a611b84ff6\} [parent folder]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{2b0f765d-c0e9-4171-908e-08a611b84ff6\} \ [description]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'endows \ 'en$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{2b0f765d-c0e9-4171-908e-08a611b84ff6\} [parsing name]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{2b0f765d-c0e9-4171-908e-08a611b84ff6\}[infotip]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{2b0f765d-c0e9-4171-908e-08a611b84ff6\} [localized name]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{2b0f765d-c0e9-4171-908e-08a611b84ff6\} [icon]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'current version \ 'explorer \ 'folder descriptions \ '\{2b0f765d-c0e9-4171-908e-08a611b84ff6\} [security]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{2b0f765d-c0e9-4171-908e-08a611b84ff6\} \ [stream resource]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{2b0f765d-c0e9-4171-908e-08a611b84ff6\} \ [stream resource type]$ 

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosof$ 

Oueries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{2b0f765d-c0e9-4171-908e-08a611b84ff6\}[precreate]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \end{arrange} Windows \current version \explorer \folder descriptions \end{arrange} $$ 4171-908e-08a611b84ff6 \stream \]$ 

Queries value:

 $\label{lem:hkk} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2b0f765d-c0e9-4171-908e-08a611b84ff6\}[publishexpandedpath]}$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \end{array} Windows \current version \explorer \folder descriptions \end{array} $$4771-908e-08a611b84ff6 \end{array} In the label{lem:hklmsoftware} $$4771-908e-08a611b84ff6 \end{array} $$4771$ 

Oueries value:

 $\label{local-observation} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{2b0f765d-c0e9-4171-908e-08a611b84ff6} [folder type id]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{2b0f765d-c0e9-4171-908e-08a611b84ff6\} [initfolder \ handler]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{2a00375e-224c-49de-b8d1-440df7ef3ddc\} \ [category]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{2a00375e-224c-49de-b8d1-440df7ef3ddc\} \ [name]$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2a00375e-224c-49de-b8d1-440df7ef3ddc}[parentfolder]

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cal{lem:hklk} $\{2a00375e-224c-49de-b8d1-440df7ef3ddc\} [description] $\{2a00375e-224c-49de-b8d1-440df7ef3ddc] $\{2a00375e-240df7ef3ddc] $\{2a00375e-240df7ef3ddc] $\{2a00375e-240df7ef3ddc] $\{2a00375e-240df7ef3ddc]$ 

Oueries value:

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2a00375e-224c-49de-b8d1-440df7ef3ddc\}\[parsingname]\]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{2a00375e-224c-49de-b8d1-440df7ef3ddc\} [infotip]$ 

Queries value:

 $\label{localized-hamman} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \folder descriptions \current \folder \current \folder \current \folder \folder \current \folder \current \folder \current \folder \fol$ 

Queries value:

 $\label{thm:local_thm} \parbox{$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\explo$ 

b8d1-440df7ef3ddc}[icon]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{2a00375e-224c-49de-b8d1-440df7ef3ddc\}[security]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{2a00375e-224c-49de-b8d1-440df7ef3ddc\}[stream resource]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{2a00375e-224c-49de-b8d1-440df7ef3ddc\}[stream resource type]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{2a00375e-224c-49de-b8d1-440df7ef3ddc\} \ [local redirectonly]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{2a00375e-224c-49de-b8d1-440df7ef3ddc\} \ [roamable]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{2a00375e-224c-49de-b8d1-440df7ef3ddc\}[precreate]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{2a00375e-224c-49de-b8d1-440df7ef3ddc\}[stream]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{2a00375e-224c-49de-b8d1-440df7ef3ddc\} \ [publish \ expanded path]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ (2a00375e-224c-49de-b8d1-440df7ef3ddc) \ [attributes]$ 

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} current version \end{allower} $$ Hklm\software\microsoft\windows\current version\end{allower} $$ b8d1-440df7ef3ddc\[foldertypeid\] $$ is $$ b8d1-440df7ef3$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{2a00375e-224c-49de-b8d1-440df7ef3ddc\} [initfolder \ handler]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ esplorer \ folder descriptions \ \{e555ab60-153b-4d17-9f04-a5fe99fc15ec\} \ [category]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{e555ab60-153b-4d17-9f04-a5fe99fc15ec\} \ [name]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'e555ab60-153b-4d17-9f04-a5fe99fc15ec \ [parent folder]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'e555ab60-153b-4d17-9f04-a5fe99fc15ec \ [description]$ 

Queries value:

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{e555ab60-153b-4d17-9f04-a5fe99fc15ec}[parsingname]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{e555ab60-153b-4d17-9f04-a5fe99fc15ec}[infotip]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{e555ab60-153b-4d17-9f04-a5fe99fc15ec}[localizedname]

Queries value:

 $\label{lem:hkk} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{e555ab60-153b-4d17-9f04-a5fe99fc15ec}\ [icon]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{e555ab60-153b-4d17-9f04-a5fe99fc15ec}[security]

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{e555ab60-153b-4d17-9f04-a5fe99fc15ec}\ [streamresource]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'e555ab60-153b-4d17-9f04-a5fe99fc15ec \ [stream resource type]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{e555ab60-153b-4d17-9f04-a5fe99fc15ec}[localredirectonly]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{e555ab60-153b-4d17-9f04-a5fe99fc15ec}[roamable]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{e555ab60-153b-4d17-9f04-a5fe99fc15ec\}[precreate]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{e555ab60-153b-4d17-9f04-a5fe99fc15ec\}[stream]$ 

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{e555ab60-153b-4d17-9f04-a5fe99fc15ec}\ [publishexpanded path]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ 'e555ab60-153b-4d17-9f04-a5fe99fc15ec \ [attributes]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'e555ab60-153b-4d17-9f04-a5fe99fc15ec \ [folder type id]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{e555ab60-153b-4d17-9f04-a5fe99fc15ec\} [initfolder \ handler]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{054 fae 61-4 dd 8-4787-80 b6-090220 c4 b700\} \ [category]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{054 fae 61-4 dd 8-4787-80 b6-090220 c4 b700\} [name]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{054 fae 61-4 dd 8-4787-80 b6-090220 c4 b700\} \ [parent folder]$ 

Oueries value

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{054 fae 61-4 dd 8-4787-80 b6-090220 c4 b700\} \ [description]$ 

Oueries value

 $\label{lem:hamilton} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\gamma\gamm$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \mbox{$054$ fae} -4dd8-4787-80b6-090220c4b700} [parsing name]$ 

Ounring value

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folder$ 

Queries value

 $HKLM \ software \ `microsoft \ 'current version \ 'explorer \ 'folder descriptions \ '\{054 fae 61-4 dd 8-4787-80 b6-090220 c4 b700\} [localized name]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{054 fae 61-4 dd 8-4787-80 b6-090220 c4 b700\} [icon]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{054fae61-4dd8-4787-80b6-090220c4b700\}[security]}$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{054 fae 61-4 dd 8-4787-80 b6-090220 c4 b700\} [stream resource]$ 

Oueries value:

 $\label{thm:local-continuous} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \curre$ 

Queries value:

 $\label{local-equation} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\gamma\folderdescriptions\gamma\folderdescriptions\gamma\gamma\folderdescriptions\gamma$ 

Queries value:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folderdescript$ 

Queries value:

 $\label{local-substitution} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{0.54} fae 61-4 dd 8-4787-80 b6-090220 c4 b700 \eqref{0.54} [precreate]$ 

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{054fae61-4dd8-4787-80b6-090220c4b700\}[stream]}$ 

Queries value

 $\label{lem:hamman} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{054fae61-4dd8-4787-80b6-090220c4b700\}[publishexpandedpath]}$ 

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} In the label of the label o$ 

Queries value

 $\label{thm:microsoft} HKL^M\software\microsoft\windows\currentversion\explorer\folderdescriptions\{0.54fae61-4dd8-4787-80b6-090220c4b700\}[foldertypeid]}$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{054 fae 61-4 dd 8-4787-80 b6-090220 c4 b700\} [init folder handler]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{1777f761-68ad-4d8a-87bd-30b759fa33dd\} \ [category]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{1777f761-68ad-4d8a-87bd-30b759fa33dd\} [name]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1777f761-68ad-4d8a-87bd-30b759fa33dd}\ [parentfolder]$ 

Queries value:

 $HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \folder descriptions \current \folder \f$ 

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{1777f761-68ad-4d8a-87bd-30b759fa33dd\} [relative path]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{1777f761-68ad-4d8a-87bd-30b759fa33dd\} [parsing name]$ 

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows\currentversion\explorer\folderdescriptions\{1777f761-68ad-4d8a-87bd-30b759fa33dd}[infotip]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1777f761-68ad-4d8a-87bd-30b759fa33dd}\[localized\name]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1777f761-68ad-4d8a-87bd-30b759fa33dd}\[icon]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'current version \ 'explorer \ 'folder descriptions \ '\{1777f761-68ad-4d8a-87bd-30b759fa33dd\} [security]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{1777f761-68ad-4d8a-87bd-30b759fa33dd\}[stream resource]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1777f761-68ad-4d8a-87bd-30b759fa33dd}\[streamresourcetype]$ 

Queries value:

 $HKLM\software\mbox{1777f761-68ad-4d8a-87bd-30b759fa33dd}[localredirectonly] \\$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1777f761-68ad-4d8a-87bd-30b759fa33dd}[roamable]

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{1777f761-68ad-4d8a-87bd-30b759fa33dd\} [precreate]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version' \ explorer \ 'folder descriptions \ '\{1777f761-68ad-4d8a-87bd-30b759fa33dd\} \ [stream]$ 

Oueries value:

 $HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \$ 

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} In the constant of the constant of$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$ 

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1777f761-68ad-4d8a-87bd-30b759fa33dd}\[initfolderhandler]$ 

Queries value:

HKCU\software\microsoft\windows\currentversion\explorer\user shell

folders[favorites]

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b250c668-f57d-4ee1-a63c-290ee7d1aa1f\} \ [category]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b250c668-f57d-4ee1-a63c-290ee7d1aa1f\}[name]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{b250c668-f57d-4ee1-a63c-290ee7d1aa1f\} \ [parent folder]$ 

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folderdescriptions\folderdescriptions\folderdescriptions\folderdescription\folde$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b250c668-f57d-4ee1-a63c-290ee7d1aa1f\} [relative path]$ 

Queries value

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b250c668-f57d-4ee1-a63c-290ee7d1aa1f\}[parsingname]}$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b250c668-f57d-4ee1-a63c-290ee7d1aa1f\}[infotip]}$ 

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} current version \verb| explorer folder descriptions $$\{b250c668-f57d-4ee1-a63c-290ee7d1aa1f\}[localized name]$$$ 

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\folder$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{b250c668-f57d-4ee1-a63c-290ee7d1aa1f\} [security]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b250c668-f57d-4ee1-a63c-290ee7d1aa1f\}[stream resource]$ 

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{b250c668-f57d-4ee1-a63c-290ee7d1aa1f\} [stream resource type]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b250c668-f57d-4ee1-a63c-290ee7d1aa1f\}[local redirect only]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b250c668-f57d-4ee1-a63c-290ee7d1aa1f\} \ [roamable]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b250c668-f57d-4ee1-a63c-290ee7d1aa1f\}[precreate]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{b250c668-f57d-4ee1-a63c-290ee7d1aa1f\}[stream]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{b250c668-f57d-4ee1-a63c-290ee7d1aa1f\} [publish expanded path]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b250c668-f57d-4ee1-a63c-290ee7d1aa1f\}[attributes]$ 

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} If the properties of th$ 

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b250c668-f57d-4ee1-a63c-290ee7d1aa1f\}[initfolderhandler]}$ 

Queries value:

 $\label{local-bound} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folderdescr$ 

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{52528a6b-b9e3-4add-b60d-588c2dba842d\} [name]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{52528a6b-b9e3-4add-b60d-588c2dba842d\} \ [parentfolder]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{52528a6b-b9e3-4add-b60d-588c2dba842d\} \ [description]$ 

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Lab$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder\folder \folder \folder \folder \folder \folder \folder \folder \$ 

Queries value:

 $HKLM \label{lem:hklm} HKLM \label{lem:hklm} HKLM \label{lem:hklm} Software \mbox{$^{52528a6b-b9e3-4add-b60d-588c2dba842d}[infotip]} \\$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'current version \ 'explorer \ 'folder descriptions \ '\{52528a6b-b9e3-4add-b60d-588c2dba842d\} [localized name]$ 

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows\currentversion\explorer\folderdescriptions \eqref{52528a6b-b9e3-4add-b60d-588c2dba842d}[icon]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 's current version \ 'explorer \ 'folder descriptions \ '\{52528a6b-b9e3-4add-b60d-588c2dba842d\} [security]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{52528a6b-b9e3-4add-b60d-588c2dba842d\} \ [stream resource]$ 

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folderdescript$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{52528a6b-b9e3-4add-b60d-588c2dba842d\} \ [local redirectonly]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{52528a6b-b9e3-4add-b60d-588c2dba842d\} \ [roamable]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{52528a6b-b9e3-4add-b60d-588c2dba842d\} \ [precreate]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \mbox{$152528a6b-b9e3-4add-b60d-588c2dba842d} [stream]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ \ \{52528a6b-b9e3-4add-b60d-588c2dba842d\} \ [publish \expanded path]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{52528a6b-b9e3-4add-b60d-588c2dba842d\} \ [attributes]$ 

Queries value:

 $\label{thm:local_thm} \parbox{$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\footnote{1.52528a6b-b9e3-4add-beta.pdf}} \parbox{$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\footnote{1.52528a6b-b9e3-4add-beta.pdf}} \parbox{$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\footnote{1.52528a6b-b9e3-4add-beta.pdf}} \parbox{$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\footnote{1.52528a6b-b9e3-4add-beta.pdf}} \parbox{$HKLM\software\microsoft\windows\currentversion\explorer\footnote{1.52528a6b-b9e3-4add-beta.pdf}} \parbox{$HKLM\soft\ware\microsoft\explorer\explo$ 

b60d-588c2dba842d}[foldertypeid]

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{52528a6b-b9e3-4add-b60d-588c2dba842d\}[initfolder \ handler]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{8983036c-27c0-404b-8f08-102d10dcfd74\} \ [category]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{8983036c-27c0-404b-8f08-102d10dcfd74\} \ [name]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{8983036c-27c0-404b-8f08-102d10dcfd74\} \ [parentfolder]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{8983036c-27c0-404b-8f08-102d10dcfd74\} \ [description]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{8983036c-27c0-404b-8f08-102d10dcfd74\} \ [parsing name]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{8983036c-27c0-404b-8f08-102d10dcfd74\}[infotip]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{8983036c-27c0-404b-8f08-102d10dcfd74\} [localized name]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$ 

Queries value:

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{8983036c-27c0-404b-8f08-102d10dcfd74\} \ [stream resource type]$ 

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows\currentversion\explorer\folderdescriptions\{8983036c-27c0-404b-8f08-102d10dcfd74\}[localredirectonly]}$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$ 

Queries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{8983036c-27c0-404b-8608-102d10dcfd74\} [precreate]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \end{area} In the label{lem:hklmsoftware} Without \end{area} In the label{lem:hklmsoftware} Without \end{area} In the label{lem:hklmsoftware} Without \end{area} Without \end{area} Without \end{area} In the label{lem:hklmsoftware} Without \end{area} Without$ 

Queries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{8983036c-27c0-404b-8f08-102d10dcfd74\}[publishexpandedpath]}$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{8983036c-27c0-404b-8f08-102d10dcfd74\} [attributes]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{8983036c-27c0-404b-8f08-102d10dcfd74}[foldertypeid]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{8983036c-27c0-404b-8f08-102d10dcfd74}\initfolderhandlerl

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{bcb5256f-79f6-4cee-b725-dc34e402fd46\}\cutegory\cite{Action}. The property of th$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{bcb5256f-79f6-4cee-b725-dc34e402fd46\} \ [name]$ 

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} In the constant of the constant of$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{bcb5256f-79f6-4cee-b725-dc34e402fd46\} \ [description]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{bcb5256f-79f6-4cee-b725-dc34e402fd46\} \ [relative path]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{bcb5256f-79f6-4cee-b725-dc34e402fd46\} \ [parsing name]$ 

 $\label{lem:hklmsoftwaremicrosoftwindows\currentversion\explorer\folderdescriptions\{bcb5256f-79f6-4cee-b725-dc34e402fd46\}[infotip]} In the property of the p$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{bcb5256f-79f6-4cee-b725-dc34e402fd46\} \ [localized name]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{bcb5256f-79f6-4cee-b725-dc34e402fd46\}\[icon]\]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{bcb5256f-79f6-4cee-b725-dc34e402fd46\} [security]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{bcb5256f-79f6-4cee-b725-dc34e402fd46\} \ [stream resource]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{bcb5256f-79f6-4cee-b725-dc34e402fd46\} \ [stream resource type]$ 

Queries value

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{bcb5256f-79f6-4cee-b725-dc34e402fd46\} \ [local redirectonly]$ 

Oueries value

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{bcb5256f-79f6-4cee-b725-dc34e402fd46\} \ [roamable]$ 

Oueries value

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{bcb5256f-79f6-4cee-b725-dc34e402fd46\} \ [precreate]$ 

Oueries value

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{bcb5256f-79f6-4cee-b725-dc34e402fd46\}[stream]}$ 

Oueries value

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{bcb5256f-79f6-4cee-b725-dc34e402fd46\}\[publishexpandedpath]}$ 

Queries value

 $HKLM \ software \ microsoft \ windows \ current version \ (bcb5256f-79f6-4cee-b725-dc34e402fd46) \ [attributes]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{bcb5256f-79f6-4cee-b725-dc34e402fd46\}\[foldertypeid]\]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder\folder \folder \folder \folder \folder \folder \folder \folder \$ 

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\folder$ 

Oueries value:

 $HKLM\software\mbox{\currentversion}\explorer\folderdescriptions\fold$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{724ef170-a42d-4fef-9f26-b60e846fba4f\} \ [parent folder]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folderdescriptions\folderdescriptions\folderdescription\folderdescriptio$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder\folder \folder \folder \folder \folder \folder \folder \folder \$ 

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folder$ 

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folderdescript$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folder$ 

Queries value

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folderdescript$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folder$ 

Queries value:

 $HKLM \label{lem:hklm} HKLM \label{lem:hklm} HKLM \label{lem:hklm} Software \mbox{$microsoft\windows\currentversion} \end{substitute} explorer \begin{substitute} folder descriptions \end{substitute} \end{substitute} for explorer \begin{substitute} folder descriptions \end{substitute} for explorer \begin{substitute} folder \end{substitute} for explorer \begin{substitut$ 

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\folder$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{724ef170-a42d-4fef-9f26-b60e846fba4f\} \ [local redirectonly]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$ 

 $HKLM \ software \ `microsoft \ 'windows \ 'current version' \ explorer \ 'folder descriptions \ '\{724ef170-a42d-4fef-9f26-b60e846fba4f\}[precreate]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{724ef170-a42d-4fef-9f26-b60e846fba4f\}[stream]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{724ef170-a42d-4fef-9f26-b60e846fba4f\} \ [publish \ expanded path]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder\folder \folder \folder \folder \folder \folder \folder \folder \$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{724ef170-a42d-4fef-9f26-b60e846fba4f\}[folder type id]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{724ef170-a42d-4fef-9f26-b60e846fba4f\}[initfolder \ handler]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{4bd8d571-6d19-48d3-be97-422220080e43\} \ [category]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{4bd8d571-6d19-48d3-be97-422220080e43\} \ [name]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{4bd8d571-6d19-48d3-be97-422220080e43\} \ [parent folder]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{4bd8d571-6d19-48d3-be97-422220080e43\} \ [description]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{4bd8d571-6d19-48d3-be97-422220080e43\} \ [relative path]$ 

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} In the constant of the constant of$ 

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{4bd8d571-6d19-48d3-be97-422220080e43\} [infotip]$ 

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows\currentversion\explorer\folderdescriptions\{4bd8d571-6d19-48d3-be97-422220080e43\}[localized name]} \\$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{4bd8d571-6d19-48d3-be97-422220080e43\}[icon]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{4bd8d571-6d19-48d3-be97-422220080e43\} \ [security]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{4bd8d571-6d19-48d3-be97-422220080e43\} \ [stream resource]$ 

Queries value:

 $\label{lem:hkkm} $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4bd8d571-6d19-48d3-be97-422220080e43\}[streamresourcetype]$$ 

Queries value:

 $\label{lem:hammon} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4bd8d571-6d19-48d3-be97-422220080e43\}[localredirectonly]$ 

Queries value:

 $\label{lem:hammon} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4bd8d571-6d19-48d3-be97-422220080e43\}[roamable]}$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ (4bd8d571-6d19-48d3-be97-422220080e43) \ [precreate]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{4bd8d571-6d19-48d3-be97-422220080e43\} \ for \ explorer \ folder \ folde$ 

Queries value:

 $\label{thm:local-prop} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4bd8d571-6d19-48d3-be97-422220080e43\}[publishexpandedpath]}$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \mbox{$4bd8d571-6d19-48d3-be97-422220080e43} [attributes]$ 

Queries value:

 $\label{lem:hammon} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4bd8d571-6d19-48d3-be97-422220080e43\}[foldertypeid]}$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{4bd8d571-6d19-48d3-be97-422220080e43\} [initfolder \ 'handler]$ 

Queries value: HKCU\software\microsoft\windows\currentversion\explorer\user shell

folders[my music]

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{de61d971-5ebc-4f02-a3a9-6c82895e5c04\}\cite{Category}\]$ 

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{de61d971-5ebc-4f02-a3a9-6c82895e5c04\} \ [name]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{de61d971-5ebc-4f02-a3a9-6c82895e5c04\}[parent folder]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{de61d971-5ebc-4f02-a3a9-6c82895e5c04\} \ [description]$ 

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} In the constant of the constant of$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{de61d971-5ebc-4f02-a3a9-6c82895e5c04\} \ [parsing name]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{de61d971-5ebc-4f02-a3a9-6c82895e5c04\} [infotip]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{de61d971-5ebc-4f02-a3a9-6c82895e5c04\}[localized name]$ 

Queries value:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{de61d971-5ebc-4f02-a3a9-6c82895e5c04\}[icon]}$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{de61d971-5ebc-4f02-a3a9-6c82895e5c04\}[security]}$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{de61d971-5ebc-4f02-a3a9-6c82895e5c04\} [stream resource]$ 

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{de61d971-5ebc-4f02-a3a9-6c82895e5c04\}[streamresourcetype]}$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{de61d971-5ebc-4f02-a3a9-6c82895e5c04\} \ [local redirectonly]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{de61d971-5ebc-4f02-a3a9-6c82895e5c04\} \ [roamable]$ 

Queries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{de61d971-5ebc-4f02-a3a9-6c82895e5c04\} [precreate]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{de61d971-5ebc-4f02-a3a9-6c82895e5c04\}[stream]$ 

Queries value:

 $\label{thm:local-problem} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{de61d971-5ebc-4f02-a3a9-6c82895e5c04\}\[publishexpandedpath]\]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{de61d971-5ebc-4f02-a3a9-6c82895e5c04\}[attributes]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{de61d971-5ebc-4f02-a3a9-6c82895e5c04\}[foldertypeid]}$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{de61d971-5ebc-4f02-a3a9-6c82895e5c04\}[initfolder \ handler]$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{0762d272-c50a-4bb0-a382-697dcd729b80}[category]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{0762d272-c50a-4bb0-a382-697dcd729b80\} \ [name]$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{0762d272-c50a-4bb0-a382-697dcd729b80}[parentfolder]

Queries value:

 $\label{thm:local-prop} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{0.762d272-c50a-4bb0-a382-697dcd729b80\}[description]}$ 

Queries value:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folderdescript$ 

Queries value:

 $\label{thm:local-prop} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{0.762d272-c50a-4bb0-a382-697dcd729b80\}[parsingname]}$ 

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows\currentversion\explorer\folderdescriptions\{0.762d272-c50a-4bb0-a382-697dcd729b80\}[infotip]} Infotip \[ \] $$ (a. 1.5) $$ 

Queries value:

 $\label{localized-hamma} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \folder descriptions \folder \fo$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ (explorer) folder descriptions \ (or 62d 272-c 50a-4bb0-d 27a-c 5$ 

a382-697dcd729b80}[icon]

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{0762d272-c50a-4bb0-a382-697dcd729b80\} [security]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{0762d272-c50a-4bb0-a382-697dcd729b80\} \ [stream resource]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{0762d272-c50a-4bb0-a382-697dcd729b80\} \ [stream resource type]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ 'current version \ 'explorer \ 'folder descriptions \ '\{0762d272-c50a-4bb0-a382-697dcd729b80\} \ [local redirect only]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{0762d272-c50a-4bb0-a382-697dcd729b80\} \ [roamable]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{0762d272-c50a-4bb0-a382-697dcd729b80\}[precreate]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{0762d272-c50a-4bb0-a382-697dcd729b80\} \ [stream]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{0762d272-c50a-4bb0-a382-697dcd729b80\} \ [publish \ expanded path]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{0762d272-c50a-4bb0-a382-697dcd729b80\}[attributes]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{0762d272-c50a-4bb0-a382-697dcd729b80\}[folder type id]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{0762d272-c50a-4bb0-a382-697dcd729b80\} \ [init folder \ handler]$ 

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4d9f7874-4e0c-4904-967b-40b0d20c3e4b\}[category]}$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{4d9f7874-4e0c-4904-967b-40b0d20c3e4b\} \ [name]$ 

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} current version \end{error} $$ 4d9f7874-4e0c-4904-967b-40b0d20c3e4b [parentfolder] $$$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4d9f7874-4e0c-4904-967b-40b0d20c3e4b\}[description]}$ 

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} current version \explorer $$ folder descriptions $$ 4d9f7874-4e0c-4904-967b-40b0d20c3e4b $$ [relative path] $$$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \equiv 4d9 f7874-4e0c-4904-967b-40b0d20c3e4b \cite{lem:hklmsoftware} \equ$ 

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows\currentversion\explorer\folderdescriptions\{4d9f7874-4e0c-4904-967b-40b0d20c3e4b\}[infotip]} \\$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'current version \ 'explorer \ 'folder descriptions \ '\{4d9f7874-4e0c-4904-967b-40b0d20c3e4b\} [localized name]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4d9f7874-4e0c-4904-967b-40b0d20c3e4b}[icon]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4d9f7874-4e0c-4904-967b-40b0d20c3e4b}[security]

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4d9f7874-4e0c-4904-967b-40b0d20c3e4b\}[streamresource]}$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{4d9f7874-4e0c-4904-967b-40b0d20c3e4b\} \ [stream resource type]$ 

Queries value:

 $\label{local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \equal 4d9f7874-4e0c-4904-967b-40b0d20c3e4b \cite{local-redirectonly} \end{subarrange}$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{4d9f7874-4e0c-4904-967b-40b0d20c3e4b\} \ [roamable]$ 

Queries value:

 $\label{local-equation} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4d9f7874-4e0c-4904-967b-40b0d20c3e4b\}[precreate]}$ 

Queries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4d9f7874-4e0c-4904-967b-40b0d20c3e4b\}\footnote{20c3e4b}\foot$ 

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4d9f7874-4e0c-4904-967b-40b0d20c3e4b\}[publishexpandedpath]}$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4d9f7874-4e0c-4904-967b-40b0d20c3e4b}[attributes]

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{4d9f7874-4e0c-4904-967b-40b0d20c3e4b\} [folder type id]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{4d9f7874-4e0c-4904-967b-40b0d20c3e4b\} [initfolder \ handler]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{1ac14e77-02e7-4e5d-b744-2eb1ae5198b7\} \ [category]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{1ac14e77-02e7-4e5d-b744-2eb1ae5198b7\} \ forme1$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{1ac14e77-02e7-4e5d-b744-2eb1ae5198b7\} \ [parent folder]$ 

Oueries value

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{1ac14e77-02e7-4e5d-b744-2eb1ae5198b7\} \ [description]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{1ac14e77-02e7-4e5d-b744-2eb1ae5198b7\} \ [relative path]$ 

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1ac14e77-02e7-4e5d-b744-2eb1ae5198b7\}[parsingname]}$ 

Oueries value

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{1ac14e77-02e7-4e5d-b744-2eb1ae5198b7\}[infotip]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{1ac14e77-02e7-4e5d-b744-2eb1ae5198b7\} \ [localized name]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ 'folder descriptions \ '\{1ac14e77-02e7-4e5d-b744-2eb1ae5198b7\}[icon]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ 'ac14e77-02e7-4e5d-b744-2eb1ae5198b7 \ [stream resource]$ 

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1ac14e77-02e7-4e5d-b744-2eb1ae5198b7\}[streamresourcetype]}$ 

Queries value:

 $\label{local-equality} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1ac14e77-02e7-4e5d-b744-2eb1ae5198b7\}[local\cute{local}]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{1ac14e77-02e7-4e5d-b744-2eb1ae5198b7\} \ [roamable]$ 

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1ac14e77-02e7-4e5d-b744-2eb1ae5198b7\}[precreate]}$ 

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{1ac14e77-02e7-4e5d-b744-2eb1ae5198b7\} [stream]$ 

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1ac14e77-02e7-4e5d-b744-2eb1ae5198b7\}[publishexpandedpath]}$ 

Queries value:

 $\label{thm:hammon} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \factor 13e14e77-02e7-4e5d-b744-2eb1ae5198b7 \[attributes]$ 

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1ac14e77-02e7-4e5d-b744-2eb1ae5198b7\}[foldertypeid]}$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{1ac14e77-02e7-4e5d-b744-2eb1ae5198b7\} [initfolder handler]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a77f5d77-2e2b-44c3-a6a2-aba601054a51\} \ [category]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ 'folder descriptions \ '\{a77f5d77-2e2b-44c3-a6a2-aba601054a51\} [name]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{a77f5d77-2e2b-44c3-a6a2-aba601054a51\} \ [parent folder]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a77f5d77-2e2b-44c3-a6a2-aba601054a51\}[description]$ 

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a77f5d77-2e2b-44c3-a6a2-aba601054a51\} [relative path]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a77f5d77-2e2b-44c3-a6a2-aba601054a51\} [parsing name]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$ 

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a77f5d77-2e2b-44c3-a6a2-aba601054a51\}[localized name]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a77f5d77-2e2b-44c3-a6a2-aba601054a51\} [security]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{a77f5d77-2e2b-44c3-a6a2-aba601054a51\} [stream resource]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ 'a77f5d77-2e2b-44c3-a6a2-aba601054a51 \ [stream resource type]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a77f5d77-2e2b-44c3-a6a2-aba601054a51\}[localredirectonly]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ 'a77f5d77-2e2b-44c3-a6a2-aba601054a51 \ [roamable]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{a77f5d77-2e2b-44c3-a6a2-aba601054a51\} [precreate]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a77f5d77-2e2b-44c3-a6a2-aba601054a51\} \ [stream]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{a77f5d77-2e2b-44c3-a6a2-aba601054a51\} \ [publish \ expanded path]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a77f5d77-2e2b-44c3-a6a2-aba601054a51\}[attributes]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{a77f5d77-2e2b-44c3-a6a2-aba601054a51\} \ [folder type id]$ 

Queries value:

 $HKLM \label{lem:hkkm} HKLM \label{lem:hkkm} HKLM \label{lem:hkkm} Software \mbox{`microsoft`windows\currentversion`explorer\folderdescriptions\{a77f5d77-2e2b-44c3-a6a2-aba601054a51\}[initfolderhandler]}$ 

Queries value:

 $\label{thm:local-problem} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{0ac0837c-bbf8-452a-850d-79d08e667ca7} \cite{Category} \end{substitute}$ 

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{0ac0837c-bbf8-452a-850d-79d08e667ca7\}[name]}$ 

Queries value:

 $\label{thm:local-bound} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{0ac0837c-bbf8-452a-850d-79d08e667ca7} \ [parent folder]$ 

Queries value:

 $\label{local-problem} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \folder \current \folder \current \folder \current \folder \folder \current \folder \folde$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{0ac0837c-bbf8-452a-850d-79d08e667ca7} [relative path]$ 

Oueries value:

 $\label{local-problem} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{0ac0837c-bbf8-452a-850d-79d08e667ca7\}[parsingname]}$ 

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{0ac0837c-bbf8-452a-850d-79d08e667ca7\}[infotip]}$ 

Queries value:

 $HKLM \\ software \\ | microsoft \\ windows \\ current \\ version \\ explorer \\ folder \\ descriptions \\ \{0ac 0837c-bbf8-452a-850d-79d \\ 08e 667ca7 \\ [localized name]$ 

Queries value:

 $\label{thm:local-bound} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{0ac0837c-bbf8-452a-850d-79d08e667ca7} \[ icon \]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{0ac 0837 c-bbf8-452 a-850 d-79 d08667 ca7\} [security]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{0ac 0837 c-bbf8-452 a-850 d-79 d08667 ca7\} [stream resource]$ 

Queries value:

 $\label{thm:local_thm} \parbox{$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\$ 

850d-79d08e667ca7}[streamresourcetype]

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{0ac 0837 c-bbf8-452 a-850 d-79 d 08 e 667 ca7\}[local redirect only]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{0ac0837c-bbf8-452a-850d-79d08e667ca7\}[roamable]}$ 

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{0ac 0837 c-bbf8-452 a-850 d-79 d 08 e 667 ca7\}[precreate]$ 

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{0ac0837c-bbf8-452a-850d-79d08e667ca7\}[stream]}$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{0ac 0837 c-bbf8-452 a-850 d-79 d08e 667 ca7\} \ [publish expanded path]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{0ac 0837 c-bbf8-452 a-850 d-79 d 08667 ca7\}[attributes]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{0ac 0837 c-bbf8-452 a-850 d-79 d 08 e 667 ca7\}[folder type id]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{0ac 0837 c-bbf8-452 a-850 d-79 d 08667 ca7\} [init folder handler]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{d0384e7d-bac3-4797-8f14-cba229b392b5\}[category]$ 

Oueries value:

 $\label{lem:hklmsoftware} HKLM \software \mbox{d0384e7d-bac3-4797-8f14-cba229b392b5} [name]$ 

Queries value:

Oueries value:

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{d0384e7d-bac3-4797-8f14-cba229b392b5\}[relative path]$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d0384e7d-bac3-4797-8f14-cba229b392b5}[parsingname]

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d0384e7d-bac3-4797-8f14-cba229b392b5\}[infotip]}$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{d0384e7d-bac3-4797-8f14-cba229b392b5\} \ flocalized name \ label{eq:helpfine}$ 

Queries value:

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} In the constant of the constant of$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d0384e7d-bac3-4797-8f14-cba229b392b5}[streamresource]

Queries value:

 $\label{local-equation} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \descriptions \folder \folde$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d0384e7d-bac3-4797-8f14-cba229b392b5\}[localredirectonly]}$ 

Queries value:

 $\label{lem:hkk} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d0384e7d-bac3-4797-8f14-cba229b392b5\}[roamable]} \\$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d0384e7d-bac3-4797-8f14-cba229b392b5}[precreate]

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \mbox{do384e7d-bac3-4797-8f14-cba229b392b5} [stream]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d0384e7d-bac3-4797-8f14-cba229b392b5}[publishexpandedpath]

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{d0384e7d-bac3-4797-8f14-cba229b392b5\}[attributes]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d0384e7d-bac3-4797-8f14-cba229b392b5}[foldertypeid]

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folder$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folder$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{7b0db17d-9cd2-4a93-9733-46cc89022e7c\} \ [parent folder]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{7b0db17d-9cd2-4a93-9733-46cc89022e7c\} \ [description]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{7b0db17d-9cd2-4a93-9733-46cc89022e7c\} \ [relative path]$ 

Queries value

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{7b0db 17d - 9cd 2 - 4a93 - 9733 - 46cc 89022e7c\} [parsing name]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{7b0db17d-9cd2-4a93-9733-46cc89022e7c\} \ [infotip]$ 

Queries value

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{7b0db17d-9cd2-4a93-9733-46cc89022e7c\} \ [localized name]$ 

 $\label{thm:local-prop} $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7b0db17d-9cd2-4a93-9733-46cc89022e7c\}[icon]$$ 

Oueries value

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folder$ 

Queries value:

 $\label{thm:local-equation} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folds \f$ 

Queries value

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folderdescript$ 

Queries value:

 $\label{thm:local-equation} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\fold$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folder$ 

Oueries value:

 $\label{thm:local-condition} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \fold$ 

Queries value:

 $\label{thm:microsoftwindows} Label{thm:microsoftwindows} The definition of the content of the$ 

Queries value:

 $\label{lem:hkkm} $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7b0db17d-9cd2-4a93-9733-46cc89022e7c}\ [publishexpanded path]$ 

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} A single properties and the statement of the statemen$ 

Oueries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7b0db17d-9cd2-4a93-9733-46cc89022e7c\}[foldertypeid]}$ 

Queries value

 $\label{thm:local-prop} $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7b0db17d-9cd2-4a93-9733-46cc89022e7c\}[initfolderhandler]}$ 

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} In the constant of the constant of$ 

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{ae50c081-ebd2-438a-8655-8a092e34987a\}[name]} In the substitution of the$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'endows \ 'en$ 

Queries value:

 $\label{local-bound} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{ae50c081-ebd2-438a-8655-8a092e34987a\}[description]}$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'endows \ 'endows' \ explorer \ 'folder descriptions \ 'ae 50 c 0 81 - ebd 2 - 438 a - 8655 - 8a 0 92 e 34 987 a \} [relative path]$ 

Queries value:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{ae50c081-ebd2-438a-8655-8a092e34987a\}[parsingname]}$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'endows \ 'en$ 

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ 'ae 50c081-ebd2-438a-8655-8a092e 34987a \ [localized name]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'endows \ 'en$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'endows \ 'en$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ 'ae 50 c 0 81 - ebd 2 - 438 a - 8655 - 8a 0 92 e 34 987 a \} [stream resource]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{ae50c081-ebd2-438a-8655-8a092e34987a\} [stream resource type]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'endows \ 'endows' \ explorer \ 'folder descriptions \ 'ae 50 c 0 81 - ebd 2 - 438 a - 8655 - 8a 0 92 e 34 987 a \ [local redirector \ ]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ 'ae 50 c 0 81 - ebd 2 - 438 a-8655 - 8a 0 92 e 34 987 a \} [roamable]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ ae 50c081-ebd2-438a-8655-8a092e34987a \ [precreate]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ 'ae 50c081-ebd2-438a-8655-8a092e34987a \ [stream]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{ae50c081-ebd2-438a-8655-8a092e34987a\} \ [publish \ explorer \ folder \ explorer \ explorer$ 

Oueries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{ae50c081-ebd2-438a-8655-8a092e34987a\}[attributes]}$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$ 

Oueries value:

 $\label{lem:hklmsoftware} HKLM \software \mbox{$ae50c081-ebd2-438a-8655-8a092e34987a} [initfolder \mbox{$ae50c081-ebd2-438a-8655-8a092e34987a}] in the substitution of the substitution o$ 

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} In the constant of the constant of$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\} \ [name]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\} \ [parent folder]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\} \ [description]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\}[relativepath]}$ 

Queries value:

 $\label{lem:hammon} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\}[parsingname]}$ 

Queries value:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\}[infotip]}$ 

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\}[localizedname]}$ 

Oueries value:

 $\label{lem:hklmsoftwaremicrosoftwindows\currentversion\explorer\folderdescriptions \eqref{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97}[icon]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\} [security]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\}[streamresource]}$ 

Queries value:

 $\label{lem:hammon} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\}[streamresourcetype]}$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\} [local redirectonly]$ 

Queries value:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\}[roamable]}$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{62ab5d82-fdc1-4dc3-

a9dd-070d1d495d97}[precreate]

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\}[stream]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\} \ [publish \ expanded path]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\}[attributes]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\}[folder type id]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\}[initfolder \ handler]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{f1b32785-6fba-4fcf-9d55-7b8e7f157091\} \ [category]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{f1b32785-6fba-4fcf-9d55-7b8e7f157091\} [name]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{f1b32785-6fba-4fcf-9d55-7b8e7f157091\} \ [parent folder]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{f1b32785-6fba-4fcf-9d55-7b8e7f157091\} \ [description]$ 

Oueries value:

 $\label{lem:hklmsoftware} HKLM \software \mbox{f1b32785-6fba-4fcf-9d55-7b8e7f157091} [relative path]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{f1b32785-6fba-4fcf-9d55-7b8e7f157091\} \ [parsing name]$ 

Queries value:

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{f1b32785-6fba-4fcf-9d55-7b8e7f157091\} [localized name]$ 

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows\currentversion} It is a finite similar to the sum of the second state of the second$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \mbox{f1b32785-6fba-4fcf-9d55-7b8e7f157091} [stream resource]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \sion \explorer \folder descriptions \fib 32785-6 fba-4 fcf-9 d55-7 b8e7 f157091 \footnote{1}{1} [stream resource type]$ 

Queries value:

 $\label{thm:local-condition} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \fill 157091 \fill 157$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{f1b32785-6fba-4fcf-9d55-7b8e7f157091\} \ [roamable]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f1b32785-6fba-4fcf-9d55-7b8e7f157091}[precreate]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f1b32785-6fba-4fcf-9d55-7b8e7f157091}[stream]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f1b32785-6fba-4fcf-9d55-7b8e7f157091}[publishexpandedpath]

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{f1b32785-6fba-4fcf-9d55-7b8e7f157091\} [attributes]$ 

Queries value:

 $\label{thm:local-prop} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f1b32785-6fba-4fcf-9d55-7b8e7f157091\}[foldertypeid]}$ 

Queries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{f1b32785-6fba-4fcf-9d55-7b8e7f157091\} [initfolder \ handler]$ 

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} In the label of the label o$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{b6ebfb86-6907-413c-9af7-4fc2abf07cc5\} \ [name]$ 

 $\label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Algorithms \end{arguments} Algorithms Label{lem:hklmsoftwaremicrosoftwindows} Algorithms \end{arguments} Algorithms Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Algorithms \end{arguments} Algorithms Label{lem:hklmsoftwaremicrosoftwindows} Algorithms \end{arguments} Algorithms Label{lem:hklmsoftwaremicrosoftwindows} Algorithms \end{arguments} Algor$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b6ebfb86-6907-413c-9af7-4fc2abf07cc5}[description]

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b6ebfb86-6907-413c-9af7-4fc2abf07cc5\} [relative path]$ 

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} In the constant of the constant of$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{b6ebfb86-6907-413c-9af7-4fc2abf07cc5\}[infotip]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{b6ebfb86-6907-413c-9af7-4fc2abf07cc5\} \ [localized name]$ 

Queries value

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b6ebfb86-6907-413c-9af7-4fc2abf07cc5\}[icon]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b6ebfb86-6907-413c-9af7-4fc2abf07cc5\} [security]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b6ebfb86-6907-413c-9af7-4fc2abf07cc5\}[stream resource]$ 

0..........

 $\label{lem:hklmsoftware} HKLM \software \end{array} In the label{lem:hklmsoftware} In the label{lem:hklmsoftware} In the label{lem:hklmsoftware} HKLM \software \end{array} In the label{lem:hklmsoftware} HKLM \software \end{array} In the label{lem:hklmsoftware} HKLM \software \end{array} In the label{lem:hklmsoftware} In the label{lem:hklmsoftware} HKLM \software \end{array} In the label{lem:hkklmsoftware} HKLM \software \software \end{array} HKLM \software \software$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{b6ebfb86-6907-413c-9af7-4fc2abf07cc5\} \ [local redirectonly]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b6ebfb86-6907-413c-9af7-4fc2abf07cc5}[roamable]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{b6ebfb86-6907-413c-9af7-4fc2abf07cc5\} \ [precreate]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \end{area} in \end{area} Albert \software \end{area} are lemma \software \end{area} are lemma \software \end{area} Albert \software \end{area} are lemma \software \end{area} Albert \so$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b6ebfb86-6907-413c-9af7-4fc2abf07cc5\}[publishexpandedpath]}$ 

Oueries value:

 $\label{thm:local-basis} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b6ebfb86-6907-413c-9af7-4fc2abf07cc5\}[attributes]}$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{b6ebfb86-6907-413c-9af7-4fc2abf07cc5\} \ [folder type id]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b6ebfb86-6907-413c-9af7-4fc2abf07cc5\}[initfolder \ handler]$ 

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} In the constant of the constant of$ 

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{9274bd8d-cfd1-41c3-b35e-b13f55a758f4\} [name]$ 

Queries value:

 $\label{thm:local-basis} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\currentfolder-description-description$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{9274bd8d-cfd1-41c3-b35e-b13f55a758f4\} [description]$ 

Queries value:

 $\label{lem:hkk} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{9274bd8d-cfd1-41c3-b35e-b13f55a758f4\}\ [relative path]$ 

Queries value:

 $HKLM \ software \ `microsoft \ windows \ `current version \ explorer \ folder descriptions \ \{9274bd8d-cfd1-41c3-b35e-b13f55a758f4\} \ [parsing name]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{9274bd8d-cfd1-41c3-b35e-b13f55a758f4\} \ [infotip]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{9274bd8d-cfd1-41c3-b35e-b13f55a758f4\} \ [localized name]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\grays\$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{9274bd8d-cfd1-41c3-b35e-b13f55a758f4\} [security]$ 

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{9274bd8d-cfd1-41c3-b35e-b13f55a758f4\}[stream resource]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{9274bd8d-cfd1-41c3-b35e-b13f55a758f4\}[stream resource type]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{9274bd8d-cfd1-41c3-b35e-b13f55a758f4\} \ [local redirectonly]$ 

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsof$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{9274bd8d-cfd1-41c3-b35e-b13f55a758f4\}[precreate]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{9274bd8d-cfd1-41c3-b35e-b13f55a758f4\}[stream]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{9274bd8d-cfd1-41c3-b35e-b13f55a758f4\} \ [publish \ expanded \ path]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{9274bd8d-cfd1-41c3-b35e-b13f55a758f4\}[attributes]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{9274bd8d-cfd1-41c3-b35e-b13f55a758f4\} [folder type id]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$ 

Oueries value:

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{69d2cf90-fc33-4fb7-9a0c-ebb0f0fcb43c}[name]

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{69d2cf90-fc33-4fb7-9a0c-ebb0f0fcb43c\} \ [parentfolder]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{69d2cf90-fc33-4fb7-9a0c-ebb0f0fcb43c\}[description]}$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{69d2cf90-fc33-4fb7-9a0c-ebb0f0fcb43c} [relative path]$ 

Queries value:

 $\label{lem:hklm} $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{69d2cf90-fc33-4fb7-9a0c-ebb0f0fcb43c\}[parsingname]}$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{69d2cf90-fc33-4fb7-9a0c-ebb0f0fcb43c} [infotip]$ 

Queries value:

 $\label{localized} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{69d2cf90-fc33-4fb7-9a0c-ebb0f0fcb43c\}[localizedname]}$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{69d2cf90-fc33-4fb7-9a0c-ebb0f0fcb43c}[icon]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{69d2cf90-fc33-4fb7-9a0c-ebb0f0fcb43c}[security]

Queries value:

 $\label{thm:hk.mass} $$HK.M\software\microsoft\windows\currentversion\explorer\folderdescriptions\{69d2cf90-fc33-4fb7-9a0c-ebb0f0fcb43c}\[streamresource]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{69d2cf90-fc33-4fb7-9a0c-ebb0f0fcb43c\}[stream resource type]$ 

Queries value:

 $\label{thm:local-condition} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{69d2cf90-fc33-4fb7-9a0c-ebb0f0fcb43c} \[ \cline{10cm} \cline{10cm}$ 

Oueries value:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{69d2cf90-fc33-4fb7-9a0c-ebb0f0fcb43c}\ [roamable]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{69d2cf90-fc33-4fb7-9a0c-ebb0f0fcb43c} [precreate]$ 

Oueries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{69d2cf90-fc33-4fb7-9a0c-ebb0f0fcb43c\}[stream]}$ 

Queries value:

 $\label{lem:hammon} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{69d2cf90-fc33-4fb7-9a0c-ebb0f0fcb43c}\[publishexpandedpath]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \ \{69d2cf90-fc33-4fb7-f$ 

9a0c-ebb0f0fcb43c}[attributes]

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{69d2cf90-fc33-4fb7-9a0c-ebb0f0fcb43c\}[folder type id]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{69d2cf90-fc33-4fb7-9a0c-ebb0f0fcb43c} [initfolder \mbox{handler}]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '{374 de 290-123 f-4565-9164-39c4925e 467b} \ [category]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{374 de 290-123 f-4565-9164-39 c 492 5 e 467 b \} \ 'lname \ 'lname$ 

Oueries value:

 $HKLM \ software \ `microsoft \ 'current version \ 'explorer \ 'folder descriptions \ '\{374 de 290-123 f-4565-9164-39c4925e 467b\} \ [parent folder]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{374 de 290-123 f-4565-9164-39c4925e 467b\} [description]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{374 de 290-123 f-4565-9164-39c4925e 467b\} [relative path]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{374 de 290-123 f-4565-9164-39c4925e 467b\} [parsing name]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{374de290-123f-4565-9164-39c4925e467b}[infotip]

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{374 de 290-123 f-4565-9164-39c4925e 467b\}[localized name]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{374 de 290-123 f-4565-9164-39c4925e467b\} \ [icon]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{374 de 290-123 f-4565-9164-39c4925e 467b\} \ \lceil security \rceil$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{374 de 290-123 f-4565-9164-39c4925e 467b\} \ [stream resource]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{374 de 290-123 f-4565-9164-39c4925e 467b\} \ for \ stream resource type \ label{eq:figure}$ 

Queries value:

 $\label{local-continuous} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\footnote{1}{374de290-123f-4565-9164-39c4925e467b}\ [local redirectonly]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{374 de 290-123 f-4565-9164-39c4925e 467b\} \ [roamable]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'current version \ 'explorer \ 'folder descriptions \ '\{374 de 290-123 f-4565-9164-39c4925e 467b\} [precreate]$ 

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows\currentversion\explorer\folderdescriptions\{374de290-123f-4565-9164-39c4925e467b\}[stream]}$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{374de290-123f-4565-9164-39c4925e467b}[publishexpandedpath]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{374de290-123f-4565-9164-39c4925e467b}[attributes]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{374de290-123f-4565-9164-39c4925e467b}[foldertypeid]

Queries value:

 $\label{lem:hkk} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{374de290-123f-4565-9164-39c4925e467b\}[initfolderhandler]}$ 

Queries value:  $HKCU \setminus software \setminus irrosoft \setminus irrosoft$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{859ead94-2e85-48ad-a71a-0969cb56a6cd}[category]

71a-0969cb56a Oueries value:

 $\label{thm:local-prop} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{859ead94-2e85-48ad-a71a-0969cb56a6cd}\ [name]$ 

Oueries value:

 $HKLM\software\mbox{$M$ irrentversion} explorer\folderdescriptions \folderdescriptions \folderdescriptions. \folderdescriptions \folderdescriptio$ 

Queries value:

 $\label{thm:local-equation} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \folder$ 

Oueries value:

a71a-0969cb56a6cd}[relativepath]

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{859 ead 94-2e85-48 ad a71a-0969 cb56 a 6 cd\} [parsing name]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{859 ead 94-2e85-48 ad a71a-0969 cb56 a 6 cd\} [infotip]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{859 ead 94-2e85-48 ad a71a-0969 cb56 a 6 cd\} [localized name]$ 

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{859ead94-2e85-48ad-a71a-0969cb56a6cd}\[icon]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{859 ead 94-2e85-48 ad a71a-0969 cb56 a 6 cd\} [security]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{859ead94-2e85-48ad-a71a-0969cb56a6cd\} \ [stream resource]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{859 ead 94-2e85-48 ad a71a-0969 cb56 a 6 cd\} [stream resource type]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{859 ead 94-2e85-48 ad a71a-0969 cb56 a 6 cd\} [local redirect only]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ (859 ead 94-2e85-48 ad a71a-0969 cb56 a 6 cd) \ [roamable]$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{859ead94-2e85-48ad-a71a-0969cb56a6cd}[precreate]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{859ead94-2e85-48ad-a71a-0969cb56a6cd}[stream]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{859ead94-2e85-48ad-a71a-0969cb56a6cd\rpublishexpandedpath1

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{859 ead 94-2e85-48 ad a71a-0969 cb56a6 cd\} \ [attributes]$ 

Queries value:

 $\label{thm:local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \explorer \folder \$ 

Queries value:

 $\label{thm:local-equation} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{859ead94-2e85-48ad-a71a-0969cb56a6cd}\[initfolderhandler]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a305ce99-f527-492b-8b1a-7e76fa98d6e4}[category]

Queries value:

 $HKLM \ software \ `microsoft \ 'current version \ 'explorer \ 'folder descriptions \ 'a 305 ce 99-f527-492b-8b1a-7e76 fa 98 d6 e 4 \ [name]$ 

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} In the label{lem:hklmsoftwaremicrosoftwindows} In the label{lem:hklmsoftwaremicrosoftwindows}. The label{lem:hklmsoftwaremicrosoftwindows} In the label{lem:hklmsoftwaremicrosoftwaremicrosoftwindows} In the label{lem:hklmsoftwaremicrosoftwaremicrosoftwaremicrosoftwindows} In the label{lem:hklmsoftwaremicrosoftwaremicrosoftwindows} In the label{lem:hklmsoftwaremicro$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{a305ce99-f527-492b-8b1a-7e76fa98d6e4\} \ [description]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{a305ce99-f527-492b-8b1a-7e76fa98d6e4\} [relative path]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a305ce99-f527-492b-8b1a-7e76fa98d6e4\} [parsing name]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a305ce99-f527-492b-8b1a-7e76fa98d6e4}[localizedname]

Queries value:

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a305ce99-f527-492b-8b1a-7e76fa98d6e4}[security]

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a305ce99-f527-492b-8b1a-7e76fa98d6e4\}[stream resource]$ 

Queries value:

 $HKLM\software\mbox{$m$icrosoft\windows\currentversion}\explorer\folderdescriptions\{a305ce99-f527-492b-8b1a-7e76fa98d6e4}\[streamresourcetype]$ 

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a305ce99-f527-492b-8b1a-7e76fa98d6e4}[localredirectonly]

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a305ce99-f527-492b-8b1a-7e76fa98d6e4\} \ [roamable]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{a305ce99-f527-492b-8b1a-7e76fa98d6e4\}[precreate]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a305ce99-f527-492b-8b1a-7e76fa98d6e4\}[stream]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{a305ce99-f527-492b-8b1a-7e76fa98d6e4\} \ [publish \ expanded path]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{a305ce99-f527-492b-8b1a-7e76fa98d6e4\}[attributes]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{a305ce99-f527-492b-8b1a-7e76fa98d6e4\} \ [folder type id]$ 

Oueries value

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a305ce99-f527-492b-8b1a-7e76fa98d6e4\} [initfolder \ handler]$ 

Oueries value:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3d644c9b-1fb8-4f30-9b45-f670235f79c0\}[category]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$ 

Oueries value

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folder descriptions \eqref{3d644c9b-1fb8-4f30-9b45-f670235f79c0} [parentfolder]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{3d644c9b-1fb8-4f30-9b45-f67023f79c0\} \ [description]$ 

Queries value

 $\label{lem:hklmsoftwaremicrosoftwindows} In the constant of the constant of$ 

Queries value:

 $\label{thm:local-ham} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3d644c9b-1fb8-4f30-9b45-f670235f79c0\}[parsingname]$$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{3d644c9b-1fb8-4f30-9b45-f670235f79c0\}[infotip]$ 

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3d644c9b-1fb8-4f30-9b45-f670235f79c0\}[localized name]$ 

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3d644c9b-1fb8-4f30-9b45-f670235f79c0\}[icon]}$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3d644c9b-1fb8-4f30-9b45-f670235f79c0\}[security]$ 

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3d644c9b-1fb8-4f30-9b45-f670235f79c0\}[streamresource]$ 

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3d644c9b-1fb8-4f30-9b45-f670235f79c0\}[streamresourcetype]}$ 

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3d644c9b-1fb8-4f30-9b45-f670235f79c0\}[localredirectonly]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3d644c9b-1fb8-4f30-9b45-f670235f79c0\}[roamable]$ 

Queries value:

 $\label{lem:hk.mass} $$HKL^M\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3d644c9b-1fb8-4f30-9b45-f670235f79c0\}[precreate]}$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3d644c9b-1fb8-4f30-9b45-f670235f79c0\}[stream]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{3d644c9b-1fb8-4f30-9b45-f670235f79c0\} \ [publish expanded path]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{3d644c9b-1fb8-4f30-9b45-f670235f79c0\}[attributes]$ 

Queries value:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3d644c9b-1fb8-4f30-9b45-f670235f79c0\}[foldertypeid]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3d644c9b-1fb8-4f30-9b45-f670235f79c0\}[initfolderhandler]}$ 

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a990ae9f-a03b-4e80-94bc-9912d7504104\}[category]}$ 

Queries value:

 $HKLM\software\mbox{\scalebase} HKLM\software\mbox{\scalebase} a990ae9f-a03b-4e80-94bc-9912d7504104} [name]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder \folde$ 

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} In the label of the label o$ 

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwaremicrosoftwaremicrosoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwaremi$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a990ae9f-a03b-4e80-94bc-9912d7504104}[parsingname]

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{a990ae9f-a03b-4e80-94bc-9912d7504104\} [infotip]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a990ae9f-a03b-4e80-94bc-9912d7504104\}[localized name]}$ 

Queries value:

 $HKLM\software\mbox{\sc} explorer\folderdescriptions\{a990ae9f-a03b-4e80-94bc-9912d7504104\}[icon]}$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a990ae9f-a03b-4e80-94bc-9912d7504104\} \ [security]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a990ae9f-a03b-4e80-94bc-9912d7504104\} \ [stream resource]$ 

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a990ae9f-a03b-4e80-94bc-9912d7504104\}[streamresourcetype]}$ 

Oueries value:

 $\label{localred} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a990ae9f-a03b-4e80-94bc-9912d7504104\}[localredirectonly]}$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ 'a990ae9f-a03b-4e80-94bc-9912d7504104 \ [roamable]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ 'a990ae9f-a03b-4e80-94bc-9912d7504104 \ [precreate]$ 

Queries value:

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{a990ae9f-a03b-4e80-94bc-9912d7504104} [publish expanded path]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a990ae9f-a03b-4e80-94bc-9912d7504104\}[attributes]}$ 

Queries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{a990ae9f-a03b-4e80-94bc-9912d7504104\} \ [folder type id]$ 

Queries value:

 $\label{local-problem} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{a990ae9f-a03b-4e80-94bc-9912d7504104} \[initfolder \handler\]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder \f$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{dfdf76a2-c82a-4d63-906a-5644ac457385}[name]

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{dfdf76a2-c82a-4d63-906a-5644ac457385\}[parentfolder]$ 

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} In the label of the label o$ 

Queries value:

 $\label{local-operator} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \f$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{dfdf76a2-c82a-4d63-906a-5644ac457385\} \ [parsing name]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ '\{dfdf76a2-c82a-4d63-906a-5644ac457385\} [infotip]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{dfdf76a2-c82a-4d63-c82$ 

906a-5644ac457385}[localizedname]

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{dfdf76a2-c82a-4d63-906a-5644ac457385\}[icon]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder\folder \folder \folder \folder \folder \folder \folder \folder \$ 

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{dfdf76a2-c82a-4d63-906a-5644ac457385\} \ [stream resource]$ 

Oueries value:

 $HKLM\software\mbox{microsoft\windows\currentversion\explorer\folderdescriptions\folderd$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{dfdf76a2-c82a-4d63-906a-5644ac457385\} \ [local redirector \ ]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{dfdf76a2-c82a-4d63-906a-5644ac457385\} \ [roamable]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{dfdf76a2-c82a-4d63-906a-5644ac457385}[precreate]

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{dfdf76a2-c82a-4d63-906a-5644ac457385\} \ [stream]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{dfdf76a2-c82a-4d63-906a-5644ac457385\} \ [publish \ expanded path]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{dfdf76a2-c82a-4d63-906a-5644ac457385\} \ fattributes \ label{eq:helmonormal}$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{dfdf76a2-c82a-4d63-906a-5644ac457385\} \ folder type id \ like \ folder \ folder$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{dfdf76a2-c82a-4d63-906a-5644ac457385\} \ finitfolder \ handler \ label{eq:finitfolder}$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{1a6fdba2-f42d-4358-a798-b74d745926c5\} \ [category]$ 

Queries value:

 $\label{local-hamma} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ \{1a6fdba2-f42d-4358-a798-b74d745926c5\} [name]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{1a6fdba2-f42d-4358-a798-b74d745926c5\}[parent folder]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{1a6fdba2-f42d-4358-a798-b74d745926c5\} \ [description]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'unidows \ 'current version \ 'explorer \ 'folder descriptions \ '\{1a6fdba2-f42d-4358-a798-b74d745926c5\} [relative path]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1a6fdba2-f42d-4358-a798-b74d745926c5}[parsingname]

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{1a6fdba2-f42d-4358-a798-b74d745926c5\}[infotip]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{1a6fdba2-f42d-4358-a798-b74d745926c5\} \ [localized name]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{1a6fdba2-f42d-4358-a798-b74d745926c5\} [icon]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1a6fdba2-f42d-4358-a798-b74d745926c5\}[security]}$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{1a6fdba2-f42d-4358-a798-b74d745926c5\}[stream resource]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1a6fdba2-f42d-4358-a798-b74d745926c5\}[streamresourcetype]}$ 

Queries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1a6fdba2-f42d-4358-a798-b74d745926c5\}[localredirectonly]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{1a6fdba2-f42d-4358-a798-b74d745926c5\} \ [roamable]$ 

Queries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1a6fdba2-f42d-4358-a798-b74d745926c5\}[precreate]$ 

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{1a6fdba2-f42d-4358-a798-b74d745926c5\}[stream]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{1a6fdba2-f42d-4358-a798-b74d745926c5\}[publish expanded path]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{1a6fdba2-f42d-4358-a798-b74d745926c5\}[attributes]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{1a6fdba2-f42d-4358-a798-b74d745926c5\} \ [folder type id]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{1a6fdba2-f42d-4358-a798-b74d745926c5\} \ [initfolder \ handler]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{a520a1a4-1780-4ff6-bd18-167343c5af16\} \ [category]$ 

Queries value

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a520a1a4-1780-4ff6-bd18-167343c5af16\} \ [name]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{a520a1a4-1780-4ff6-bd18-167343c5af16\} \ [parent folder]$ 

Oueries value

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{a520a1a4-1780-4ff6-bd18-167343c5af16\} \ [description]$ 

Queries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a520a1a4-1780-4ff6-bd18-167343c5af16\}\[relativepath]$ 

Ounring value

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a520a1a4-1780-4ff6-bd18-167343c5af16\}[parsingname]}$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ 'folder descriptions \ '\{a520a1a4-1780-4ff6-bd18-167343c5af16\} [infotip]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a520a1a4-1780-4ff6-bd18-167343c5af16\} [localized name]$ 

Queries value:

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a520a1a4-1780-4ff6-bd18-167343c5af16\} [security]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ 'a 520a 1a 4-1780-4ff 6-bd 18-167343 c 5af 16 \ [stream resource]$ 

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a520a1a4-1780-4ff6-bd18-167343c5af16\}[streamresourcetype]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a520a1a4-1780-4ff6-bd18-167343c5af16\} \ [local redirect only]$ 

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} current version \end{a} 1780-4ff6-bd18-167343c5af16 \end{a} [roamable]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ 'a 520a1a4-1780-4ff6-bd18-167343c5af16 \ [precreate]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a520a1a4-1780-4ff6-bd18-167343c5af16\}[publishexpandedpath]}$ 

Queries value

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{a520a1a4-1780-4ff6-bd18-167343c5af16\} \ [folder type id]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a520a1a4-1780-4ff6-bd18-167343c5af16\} [initfolder \ handler]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder\folder \folder \folder \folder \folder \folder \folder \folder \$ 

Queries value:

 $\label{local-prop} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b88f4daa-e7bd-49a9-b74d-02885a5dc765\}[name]}$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'current version \ 'explorer \ 'folder descriptions \ '\{b88f4daa-e7bd-49a9-b74d-02885a5dc765\} \ [parent folder]$ 

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folderdescriptions\folderdescriptions\folderdescription\folderdescriptio$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b88f4daa-e7bd-49a9-b74d-02885a5dc765\} [relative path]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{b88f4daa-e7bd-49a9-b74d-02885a5dc765\} \ [parsing name]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{b88f4daa-e7bd-49a9-b74d-02885a5dc765\} [infotip]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder\folder \folder \folder \folder \folder \folder \folder \folder \$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{b88f4daa-e7bd-49a9-b74d-02885a5dc765\} [icon]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ (b88f4daa-e7bd-49a9-b74d-02885a5dc765) \ [security]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{b88f4daa-e7bd-49a9-b74d-02885a5dc765\} \ [stream resource]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{b88f4daa-e7bd-49a9-b74d-02885a5dc765\} \ [stream resource type]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{b88f4daa-e7bd-49a9-b74d-02885a5dc765\} \ [local redirectonly]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{b88f4daa-e7bd-49a9-b74d-02885a5dc765\} \ [roamable]$ 

Queries value:

 $\label{local-equal-equal-equal-equal-equal} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b88f4daa-e7bd-49a9-b74d-02885a5dc765\}[precreate]}$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{b88f4daa-e7bd-49a9-b74d-02885a5dc765\} [stream]$ 

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} In the label of the label o$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b88f4daa-e7bd-49a9-b74d-02885a5dc765\}[attributes]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{b88f4daa-e7bd-49a9-b74d-02885a5dc765\} \ [folder type id]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{b88f4daa-e7bd-49a9-b74d-02885a5dc765\}[initfolder \ handler]$ 

Oueries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} In the constant of the constant of$ 

Queries value:

 $\label{local-holosoft} HKLM \software \mbox{\currentversion} explorer \folder descriptions \currentversion \end{\current} explorer \folder descriptions \currentversion \end{\current} explorer \folder descriptions \currentversion \end{\current} explorer \folder \currentversion \end{\current} explorer \folder \currentversion \end{\current} explorer \currentversion \end{\currentversion} explorer \currentversion \end{\currentversion}$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ (2c36c0aa-5812-4b87-bfd0-4cd0dfb19b39) \ [parentfolder]$ 

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescription\explorer\folderdescription\explorer\folderdescription\explorer\folderdescription\explorer\folderdescription\explorer\folderdescription\explorer\e$ 

Oueries value:

 $\label{local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \folder \current \folder \fol$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$ 

Oueries value:

 $HKLM \coftware \mbox{$\mid$ infotip]} \\ HKLM \cof$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \folder \folder$ 

Oueries value:

 $\label{lem:hamilton} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2c36c0aa-5812-4b87-bfd0-4cd0dfb19b39\}[icon]}$ 

Queries value:

 $\label{lem:hamilton} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2c36c0aa-5812-4b87-bfd0-4cd0dfb19b39\}[security]}$ 

Queries value:

bfd0-4cd0dfb19b39}[streamresource]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{2c36c0aa-5812-4b87-bfd0-4cd0dfb19b39\} \ [stream resource type]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{2c36c0aa-5812-4b87-bfd0-4cd0dfb19b39\} \ [local redirectonly]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{2c36c0aa-5812-4b87-bfd0-4cd0dfb19b39\} \ [roamable]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{2c36c0aa-5812-4b87-bfd0-4cd0dfb19b39\}[precreate]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{2c36c0aa-5812-4b87-bfd0-4cd0dfb19b39\} \ [stream]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{2c36c0aa-5812-4b87-bfd0-4cd0dfb19b39\} [publish expanded path]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{2c36c0aa-5812-4b87-bfd0-4cd0dfb19b39\}[attributes]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{2c36c0aa-5812-4b87-bfd0-4cd0dfb19b39\} \ [folder type id]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{2c36c0aa-5812-4b87-bfd0-4cd0dfb19b39\}[initfolder \ handler]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{9e3995ab-1f9c-4f13-b827-48b24b6c7174\} \ [category]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{9e3995ab-1f9c-4f13-b827-48b24b6c7174\} \ [name]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{9e3995ab-1f9c-4f13-b827-48b24b6c7174\} \ Four \ folder \ label{eq:helpfine}$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{9e3995ab-1f9c-4f13-b827-48b24b6c7174\} \ [description]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{9e3995ab-1f9c-4f13-b827-48b24b6c7174}[relativepath]

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{9e3995ab-1f9c-4f13-b827-48b24b6c7174\}[parsingname]}$ 

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows\currentversion} Hklm\software\mbox{9e3995ab-1f9c-4f13-b827-48b24b6c7174} [infotip]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'endows \ 'en$ 

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows current version explorer folder descriptions \end{9e3995ab-1f9c-4f13-b827-48b24b6c7174} [icon]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{9e3995ab-1f9c-4f13-b827-48b24b6c7174\} [security]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{9e3995ab-1f9c-4f13-b827-48b24b6c7174\} \ [stream resource]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{9e3995ab-1f9c-4f13-b827-48b24b6c7174\} [stream resource type]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ \{9e3995ab-1f9c-4f13-b827-48b24b6c7174\} \ [local redirectonly]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{9e3995ab-1f9c-4f13-b827-48b24b6c7174\} \ [roamable]$ 

Queries value:

 $\label{local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ \ \{9e3995ab-1f9c-4f13-b827-48b24b6c7174\} [precreate]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'especial on \ 'explorer' folder descriptions \ 'especial on \$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{9e3995ab-1f9c-4f13-b827-48b24b6c7174\} \ [publish \ explorer\ \ \ ]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{9e3995ab-1f9c-4f13-b827-48b24b6c7174\} [attributes]$ 

 $HKLM \ software \ `microsoft \ 'endows \ 'en$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{9e3995ab-1f9c-4f13-b827-48b24b6c7174\} [initfolder \ 'handler]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{df7266ac-9274-4867-8d55-3bd661de872d\}\cite{Category}\]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{df7266ac-9274-4867-8d55-3bd661de872d\} \ [name]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{df7266ac-9274-4867-8d55-3bd661de872d\} \ [parent folder]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{df7266ac-9274-4867-8d55-3bd661de872d\} \ [description]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{df7266ac-9274-4867-8d55-3bd661de872d\}[relative path]$ 

Oueries value

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{df7266ac-9274-4867-8d55-3bd661de872d\}\ [parsing name]$ 

Oueries value

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{df7266ac-9274-4867-8d55-3bd661de872d\} [infotip]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'current version \ 'explorer \ 'folder descriptions \ '\{df7266ac-9274-4867-8d55-3bd661de872d\} [localized name]$ 

Oueries value

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{df7266ac-9274-4867-8d55-3bd661de872d\}[icon]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '{df7266ac-9274-4867-8d55-3bd661de872d} [security]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{df7266ac-9274-4867-8d55-3bd661de872d\} \ [stream resource]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{df7266ac-9274-4867-8d55-3bd661de872d\}\[streamresourcetype]\]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{df7266ac-9274-4867-8d55-3bd661de872d\}\[local\ rection\]$ 

Oueries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} In the label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindo$ 

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{df7266ac-9274-4867-8d55-3bd661de872d\}\ [precreate]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{df7266ac-9274-4867-8d55-3bd661de872d\}[stream]$ 

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows\currentversion\explorer\folderdescriptions\{df7266ac-9274-4867-8d55-3bd661de872d\}[publishexpandedpath]} \\$ 

Oueries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} In the latest one of th$ 

Queries value:

 $\label{thm:hklm} $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{df7266ac-9274-4867-8d55-3bd661de872d\}\[foldertypeid]\]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{df7266ac-9274-4867-8d55-3bd661de872d\}[initfolderhandler]}$ 

Queries value

 $\label{lem:hklmsoftwaremicrosoftwindows} In the constant of the constant of$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{ed4824af-dce4-45a8-81e2-fc7965083634\}[name]}$ 

Queries value:

 $\label{local-equation} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\eqd4824af-dce4-45a8-81e2-fc7965083634\}\ [parentfolder]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ 'folder descriptions \ '\{ed4824 af-dce4-45 a8-81 e2-fc7965083634\} [description]$ 

Queries value:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\eq ed 4824 af-dce 4-45 a 81 e 2-fc 7965083634\[relative path]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'ed4824 af-dce4-45 a8-81 e2-fc7965083634 \ [parsing name]$ 

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\eq 4824 af-dce 4-45 a 8-81 e2-fc 7965083634\[infotip]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'ed4824 af-dce4-45 a8-81 e2-fc7965083634 \} [localized name]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{ed4824af-dce4-45a8-81e2-fc7965083634\}[icon]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ 'folder descriptions \ '\{ed4824 af-dce4-45 a8-81 e2-fc7965083634\} [security]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'ed4824 af-dce4-45 a8-81 e2-fc7965083634 \} [stream resource]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'ed4824 af-dce4-45 a8-81 e2-fc7965083634 \ [stream resource type]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{ed 4824 af-dce 4-45a8-81e2-fc7965083634\} \ [local redirector \ ]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'ed4824 af-dce4-45 a8-81 e2-fc7965083634 \ [roamable]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{ed 4824 af-dce 4-45a8-81e2-fc7965083634\} \ [precreate]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'ed4824 af-dce4-45 a8-81 e2-fc7965083634 \} [stream] \\$ 

Oueries value:

 $HKLM \ software \ `microsoft \ 'ed4824 af-dce4-45 a8-81 e2-fc7965083634 \ [publish expanded path]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'ed4824 af-dce4-45 a8-81 e2-fc7965083634 \ [attributes]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{ed 4824 af-dce 4-45 a8-81 e2-fc 79650 83634\} \ [folder type id]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'ed4824 af-dce4-45 a8-81 e2-fc7965083634 \ [init folder handler]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27\} \ [category]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27\}[name]}$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27\} \ [parent folder]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27\}[description]}$ 

Queries value:

 $\label{lem:hammon} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27\}[relativepath]}$ 

Queries value:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27\}[parsingname]}$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27\}[infotip]}$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27\} \ flocalized name \ label{eq:hklm}$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27\}[icon]}$ 

Queries value:

 $HKLM \coftware \mbox{$\mid$ microsoft\windows\currentversion\explorer\folderdescriptions\f$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27\}[streamresource]}$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27\} \ [stream resource type]$ 

Queries value:

 $\label{lem:hammon} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27\}[localredirectonly]}$ 

Queries value:

 $\label{thm:local_explorer_folder} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder$ 

a4ce-a8e7c6ea7d27}[roamable]

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27\}[precreate]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27\} [stream]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27\} \ [publish \ expanded path]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27\}[attributes]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27\} \ [folder type id]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27\} \ [initfolder \ handler]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{15 ca 69 b 3 - 30 e e - 49 c 1 - a c e 1 - 6 b 5 e c 372 a f b 5\} \ [category]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{15ca69b3-30ee-49c1-ace1-6b5ec372afb5\} \ [name]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{15ca69b3-30ee-49c1-ace1-6b5ec372afb5\} \ [parent folder]$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{15ca69b3-30ee-49c1-ace1-6b5ec372afb5}[description]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{15ca69b3-30ee-49c1-ace1-6b5ec372afb5}[relativepath]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{15ca69b3-30ee-49c1-ace1-6b5ec372afb5}\parsingnamel

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{15ca69b3-30ee-49c1-ace1-6b5ec372afb5\} \ [infotip]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{15ca69b3-30ee-49c1-ace1-6b5ec372afb5\} \ flocalized name \ label{eq:helpfine}$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{15ca69b3-30ee-49c1-ace1-6b5ec372afb5\}[icon]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{15ca69b3-30ee-49c1-ace1-6b5ec372afb5}[security]

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '{15ca69b3-30ee-49c1-ace1-6b5ec372afb5} [stream resource]$ 

Queries value:

 $\label{thm:local-prop} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{15ca69b3-30ee-49c1-ace1-6b5ec372afb5\}[streamresourcetype]$$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{15ca69b3-30ee-49c1-ace1-6b5ec372afb5}[localredirectonly]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{15ca69b3-30ee-49c1-ace1-6b5ec372afb5\} \ [roamable]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{15ca69b3-30ee-49c1-ace1-6b5ec372afb5}[precreate]

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{15ca69b3-30ee-49c1-ace1-6b5ec372afb5\}[stream]}$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{15ca69b3-30ee-49c1-ace1-6b5ec372afb5}[publishexpandedpath]

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{15ca69b3-30ee-49c1-ace1-6b5ec372afb5\}[attributes]}$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{15ca69b3-30ee-49c1-ace1-6b5ec372afb5\} \ [folder type id]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{15ca69b3-30ee-49c1-ace1-6b5ec372afb5\} \ [initfolder \ handler]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{3214 fab 5-9757-4298-bb61-92a9 deaa 44ff\} \ [name]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '{3214 fab5-9757-4298-bb61-92a9 deaa} \ 'folder' \ 'fold$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '{3214 fab5-9757-4298-bb61-92a9 deaa} \ 'folder description' \ 'explorer' \ 'explorer'' \ 'explorer' \ 'explorer$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{3214 fab 5-9757-4298-bb61-92a9 deaa 44ff\} [relative path]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '{3214 fab5-9757-4298-bb61-92a9 deaa} \ 'folder descriptions' \ 'all and 'explorer' \ 'folder descriptions' \ 'all and 'explorer' \ 'all and 'ex$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{3214 fab 5-9757-4298-bb61-92a9 dea a 44ff\} [infotip]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{3214 fab 5-9757-4298-bb61-92a9 deaa 44ff\} [localized name]$ 

Oueries value

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{3214 fab 5-9757-4298-bb61-92a 9 dea a 44 ff \} [icon]$ 

Oueries value

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{3214 fab 5-9757-4298-bb61-92a9 deaa 44ff\} [security]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '{3214 fab5-9757-4298-bb61-92a9 deaa} \ 'folder descriptions' \ 'explorer' \ 'explorer' \ 'explorer' \ 'folder descriptions' \ 'explorer' \ 'explorer'' \ 'explorer' \ 'explorer'' \$ 

Oueries value

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{3214 fab 5-9757-4298-bb61-92a9 deaa 44ff\} [stream resource type]$ 

Queries value

 $\label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosof$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \folder descriptions \current \folder \$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cal{lem:hklmsoftware} a 4214 fab 5-9757-4298-bb 61-92a 9 dea a 44ff \cal{lem:hklmsoftware} [precreate]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '{3214 fab5-9757-4298-bb61-92a9 deaa} \ 'folder descriptions' \ 'explorer' \ 'explorer' \ 'folder descriptions' \$ 

Oueries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Lab$ 

Queries value:

 $\label{lem:hamman} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3214fab5-9757-4298-bb61-92a9deaa44ff\}[attributes]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{3214 fab 5-9757-4298-bb61-92a9 dea a 44ff\} [folder type id]$ 

Queries value:

 $\label{lem:hamilton} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3214fab5-9757-4298-bb61-92a9deaa44ff\}[initfolderhandler]$ 

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} Leaves the substitution of the substitution$ 

Queries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{905e63b6-c1bf-494e-b29c-65b732d3d21a\}\[name]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{905e63b6-c1bf-494e-b29c-65b732d3d21a\}[parentfolder]}$ 

Queries value

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\gray \eqref{lem:hklm} 905e63b6-c1bf-494e-b29c-65b732d3d21a\gray \eqref{lem:hklm} [description]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ \ folder descriptions \ \ \{905e63b6-c1bf-494e-b29c-65b732d3d21a\} \ [parsing name]$ 

Queries value:

 $\label{lem:hkkm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ \{905e63b6-c1bf-494e-b29c-65b732d3d21a\} [infotip]$ 

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{905e63b6-c1bf-494e-b29c-65b732d3d21a\}[localizedname]}$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{905e63b6-c1bf-494e-b29c-65b732d3d21a} [icon]$ 

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{905e63b6-c1bf-494e-b29c-65b732d3d21a\} \ [stream resource type]$ 

Oueries value:

 $\label{lem:hklmsoftwaremicrosoftwindows\currentversion\explorer\folderdescriptions\{905e63b6-c1bf-494e-b29c-65b732d3d21a\}[localredirectonly]}$ 

Queries value:

 $\label{thm:local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{90.563b6-c1bf-494e-b29c-65b732d3d21a} \[ roamable \]$ 

Queries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{905e63b6-c1bf-494e-b29c-65b732d3d21a\}\[precreate]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{905e63b6-c1bf-494e-b29c-65b732d3d21a\} [stream]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{905e63b6-c1bf-494e-b29c-65b732d3d21a\} \ [publish \ expanded path]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{905e63b6-c1bf-494e-b29c-65b732d3d21a\} [initfolder \ handler]$ 

Queries value:

 $HKLM\software\mbox{microsoft\windows\currentversion\explorer\folderdescriptions\fd228cb7-ae11-4ae3-864c-16f3910ab8fe} [category]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{fd 228 cb 7-ae 11-4ae 3-864 c-16f 3910 ab 8 fe\} [name]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{fd228cb7-ae11-4ae3-864c-16f3910ab8fe\}[parent folder]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'current version \ 'explorer \ 'folder descriptions \ '\{fd 228 cb 7-ae 11-4ae 3-864c-16f 3910ab 8fe\}[description]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{fd 228 cb 7-ae 11-4ae 3-864 c-16f 3910 ab 8 fe\}[relative path]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \fd228 cb7-ae11-4ae3-864c-16f3910ab8 fe \cite{lem:hklmsoftware} \cite{lem:hklmsoftware}$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \mbox{fd228cb7-ae11-4ae3-864c-16f3910ab8fe} [infotip]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'current version \ 'explorer \ 'folder descriptions \ '\{fd 228 cb 7-ae 11-4ae 3-864 c-16f 3910 ab 8fe \} [localized name]$ 

Queries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{fd228cb7-ae11-4ae3-864c-16f3910ab8fe}\[icon]$ 

Queries value:

 $\label{thm:local-prop} $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{fd228cb7-ae11-4ae3-864c-16f3910ab8fe}\[security]$$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{fd 228 cb 7-ae 11-4ae 3-864 c-16f 3910 ab 8 fe \} \ for real resource \ folder \ for real resource \ for real res$ 

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\fid228cb7-ae11-4ae3-864c-16f3910ab8fe\fistreamresourcetype\cite{Control of the control of th$ 

Queries value:

 $HKLM\software\mbox{microsoft\windows\currentversion\explorer\folderdescriptions} \ \{fd228cb7-ae11-4ae3-864c-16f3910ab8fe\}\[localredirectonly]$ 

Queries value:

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{fd 228 cb7-ae 11-4ae 3-864 c-16f 3910 ab 8 fe\}[precreate]$ 

Queries value:

 $HKLM\software\mbox{microsoft\windows\currentversion\explorer\folderdescriptions\fd228cb7-ae11-4ae3-864c-16f3910ab8fe}[stream]$ 

Queries value:

864c-16f3910ab8fe}[publishexpandedpath]

Queries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$ 

Oueries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'folder descriptions \ 'fd 228 cb7-ae 11-4ae 3-864c-16f 3910 ab 8fe \ [folder type id]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{fd228cb7-ae11-4ae3-864c-16f3910ab8fe\} [initfolder \ handler]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ (b97d20bb-f46a-4c97-ba10-5e3608430854) \ [category]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b97d20bb-f46a-4c97-ba10-5e3608430854\} \ [name]$ 

Oueries value:

 $\label{lem:hamilton} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b97d20bb-f46a-4c97-ba10-5e3608430854\}[parentfolder]}$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b97d20bb-f46a-4c97-ba10-5e3608430854\} [description]$ 

Queries value:

 $\label{lem:hamilton} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b97d20bb-f46a-4c97-ba10-5e3608430854\}\[relative\path]\]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b97d20bb-f46a-4c97-ba10-5e3608430854\} \ [parsing name]$ 

Queries value:

 $\label{lem:hamilton} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b97d20bb-f46a-4c97-ba10-5e3608430854\}[infotip]}$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{b97d20bb-f46a-4c97-ba10-5e3608430854\} \ [localized name]$ 

Queries value:

 $\label{lem:hamilton} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folderdesc$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b97d20bb-f46a-4c97-ba10-5e3608430854\} [security]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{b97d20bb-f46a-4c97-ba10-5e3608430854\} \ for the surrent version \ explorer \ folder descriptions \ for the surrent version \ explorer \ folder descriptions \ for the surrent version \$ 

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folderdescript$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{b97d20bb-f46a-4c97-ba10-5e3608430854\} \ flocal redirect \ folder \ fold$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\fib97d20bb-f46a-4c97-ba10-5e3608430854\firstarrows\fiberarro$ 

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} In the constant of the constant of$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b97d20bb-f46a-4c97-ba10-5e3608430854\} [stream]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b97d20bb-f46a-4c97-ba10-5e3608430854}[publishexpandedpath]

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b97d20bb-f46a-4c97-ba10-5e3608430854\}[attributes]$ 

Queries value:

 $\label{lem:hamman} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \gamma \folder \folder \folder \folder \folder \gamma \gamm$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{b97d20bb-f46a-4c97-ba10-5e3608430854\} \ [initfolder \ handler]$ 

Queries value:

 $\label{thm:local-ham} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{625b53c3-ab48-4ec1-ba1f-a1ef4146fc19} [category]$ 

Queries value:

Queries value: HKLM\system\currentcontrolset\control\wmi\security[0cfe0455-93ba-440d-

a3fe-553973d0b7231

Queries value: HKLM\system\currentcontrolset\control\wmi\security[797fabac-7b58-4796-

b924-d51178a59ce4]

Queries value: HKCU\software\microsoft\windows\currentversion\internet

settings[fromcachetimeout]

Queries value: HKLM\software\policies\microsoft\windows\currentversion\internet

settings[secureprotocols] Oueries value: ba1f-a1ef4146fc19}[parentfolder] Oueries value: ba1f-a1ef4146fc19}[description] Oueries value: ba1f-a1ef4146fc19}[relativepath] Oueries value: ba1f-a1ef4146fc19}[parsingname] Oueries value: ba1f-a1ef4146fc19}[infotip] Oueries value: ba1f-a1ef4146fc19}[localizedname] Queries value: ba1f-a1ef4146fc19}[icon] Oueries value: ba1f-a1ef4146fc19}[security] Queries value: ba1f-a1ef4146fc19}[streamresource] Oueries value: ba1f-a1ef4146fc19}[streamresourcetype] Queries value: HKCU\software\policies\microsoft\windows\currentversion\internet settings[secureprotocols] HKCU\software\microsoft\windows\currentversion\internet Queries value: settings[secureprotocols] Queries value:  $HKLM \setminus software \setminus (625b53c3-ab48-4ec1-bc) + (625b53c3-ab48-4ec1-bc)$ ba1f-a1ef4146fc19}[localredirectonly] HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{625b53c3-ab48-4ec1ba1f-a1ef4146fc19}[roamable] HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{625b53c3-ab48-4ec1ba1f-a1ef4146fc19}[precreate] Oueries value: HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{625b53c3-ab48-4ec1ba1f-a1ef4146fc19}[stream] Queries value: HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{625b53c3-ab48-4ec1ba1f-a1ef4146fc19}[publishexpandedpath] Oueries value: ba1f-a1ef4146fc19}[attributes] Queries value: ba1f-a1ef4146fc19}[foldertypeid] Oueries value:  $HKLM \setminus software \setminus (625b53c3-ab48-4ec1-bc) + (625b53c3-ab48-4ec1-bc)$ ba1f-a1ef4146fc19}[initfolderhandler] HKCU\software\microsoft\windows\currentversion\internet Queries value: settings[certificaterevocation] Queries value: HKCU\software\microsoft\windows\currentversion\internet settings[disablekeepalive] HKCU\software\microsoft\windows\currentversion\internet Oueries value: settings[disablepassport] Oueries value: HKCU\software\microsoft\windows\currentversion\internet settings[idnenabled] Queries value: HKCU\software\microsoft\windows\currentversion\internet settings[cachemode] Oueries value: HKLM\software\policies\microsoft\windows\currentversion\internet settings[enablehttp1\_1] Oueries value: HKCU\software\policies\microsoft\windows\currentversion\internet settings[enablehttp1\_1]

Queries value: HKCU\software\microsoft\windows\currentversion\internet

settings[enablehttp1\_1] Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d20beec4-5ca8-4905ae3b-bf251ea09b53}[category] Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d20beec4-5ca8-4905ae3b-bf251ea09b53}[name]

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ `folder descriptions \ `\{d20 beec 4-5 ca 8-490 5-49$ 

ae3b-bf251ea09b53}[parentfolder] Oueries value: ae3b-bf251ea09b53}[description] Oueries value:  $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ `folder descriptions \ `\{d20 beec 4-5 ca 8-490 5-49$ ae3b-bf251ea09b53}[relativepath] Oueries value: ae3b-bf251ea09b53}[parsingname] Oueries value:  $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ `folder descriptions \ `\{d20 beec 4-5 ca 8-490 5-49$ ae3b-bf251ea09b53}[infotip] Oueries value: ae3b-bf251ea09b53}[localizedname] Oueries value: ae3b-bf251ea09b53}[icon]  $\label{lem:hklm} \verb+Kklm\+ software\+ policies\+ microsoft\+ windows\+ current version\+ internet$ Queries value: settings[proxyhttp1.1] Queries value: HKCU\software\policies\microsoft\windows\currentversion\internet settings[proxyhttp1.1] HKCU\software\microsoft\windows\currentversion\internet Queries value: settings[proxyhttp1.1]  $\label{lem:hkcu} \verb+KKCU \software \microsoft \windows \current version \cite{thm:lem:hkcu} in terms to the lemma substitution \cite{thm:lem:hkcu} and \cite{thm:lem:hkcu} are \cite{thm:lem:hkcu}.$ Queries value: settings[enablenegotiate] HKCU\software\microsoft\windows\currentversion\internet Queries value: settings[disablebasicoverclearchannel] HKCU\software\microsoft\internet Queries value: explorer\main\featurecontrol[feature clientauthcertfilter] Queries value:  $HKLM \ software \ microsoft \ windows \ current version \ (d20 beec 4-5 ca 8-490 5-490 5-490 6$ ae3b-bf251ea09b53}[security] Oueries value: ae3b-bf251ea09b53}[streamresource] Oueries value: ae3b-bf251ea09b53}[streamresourcetype] Queries value: HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d20beec4-5ca8-4905ae3b-bf251ea09b53}[localredirectonlv] Queries value: ae3b-bf251ea09b53}[roamable] Queries value: ae3b-bf251ea09b53}[precreate] Queries value: HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d20beec4-5ca8-4905ae3b-bf251ea09b53}[stream] Queries value: ae3b-bf251ea09b53}[publishexpandedpath] Oueries value: ae3b-bf251ea09b53}[attributes] Oueries value: ae3b-bf251ea09b53}[foldertypeid] Queries value: HKLM\software\microsoft\internet explorer\main\featurecontrol[feature\_clientauthcertfilter] Oueries value: HKCU\software\microsoft\windows\currentversion\internet settings[clientauthbuiltinui] HKCU\software\microsoft\windows\currentversion\internet Oueries value: settings[syncmode5] Queries value: HKLM\software\microsoft\windows\currentversion\internet settings\5.0\cache[sessionstarttimedefaultdeltasecs] HKCU\software\microsoft\windows\currentversion\internet Oueries value: settings\5.0\cache[signature] Oueries value: ae3b-bf251ea09b53}[initfolderhandler] Queries value: HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{de92c1c7-837f-4f69a3bb-86e631204a23}[category]

 $a3bb-86e631204a23\} [name] \\ Queries value: \\ HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{de92c1c7-837f-4f69-a3bb-86e631204a23\}[parentfolder]}$ 

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{de92c1c7-837f-4f69-a3bb-86e631204a23\} \ [description]$ 

Oueries value

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{de92c1c7-837f-4f69-a3bb-86e631204a23\}\ [relative path]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{de 92c1c7-837f-4f69-a3bb-86e631204a23\} \ [parsing name]$ 

Queries value: HKCU\software\microsoft\windows\currentversion\internet

settings\5.0\cache\content[peruseritem]

Queries value: HKLM\software\microsoft\windows\currentversion\internet

settings\5.0\cache\content[peruseritem]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{352481e8-33be-4251-ba85-6007 \ caedcf9d\} \ [category]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{352481e8-33be-4251-ba85-6007 caed \ folder \ 'folder \ 'folder \ 'explorer' \ 'folder \ 'explorer' \ 'folder \ 'fold$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '{352481e8-33be-4251-ba85-6007} caed \ 'folder' \ 'folde$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{de92c1c7-837f-4f69-a3bb-86e631204a23} \[\infotip]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{de92c1c7-837f-4f69-a3bb-86e631204a23\} \ [localized name]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{de92c1c7-837f-4f69-a3bb-86e631204a23} \[icon]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{de92c1c7-837f-4f69-a3bb-86e631204a23\} \ [security]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{de 92c1c7-837f-4f69-a3bb-86e631204a23\} \ for \ explorer \ folder \ descriptions \ for \ explorer \ folder \ descriptions \ for \ explorer \ folder \ descriptions \ for \ explorer \ folder \ for \ for \ explorer \ folder \ for \ explorer \$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{de 92c1c7-837f-4f69-a3bb-86e631204a23\} \ [stream resource type]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{de92c1c7-837f-4f69-a3bb-86e631204a23\}[localredirectonly]}$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{de92c1c7-837f-4f69-a3bb-86e631204a23} \[ roamable \]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{de92c1c7-837f-4f69-a3bb-86e631204a23}[precreate]

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{de92c1c7-837f-4f69-a3bb-86e631204a23\} \ [stream]$ 

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsof$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '{352481e8-33be-4251-ba85-6007} (explorer \ 'folder descriptions') \ 'explorer' \ 'folder descriptions' \ 'explorer' \ 'folder descriptions' \ 'explorer' \ 'explorer'' \ 'expl$ 

Queries value:

 $\label{thm:local-problem} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{352481e8-33be-4251-ba85-6007caedcf9d\}[parsingname]}$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{352481e8-33be-4251-ba85-6007caedcf9d}[infotip]

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '{352481e8-33be-4251-ba85-6007} caed \ 'folder \$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{352481e8-33be-4251-ba85-6007caedcf9d}[icon]

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \mbox{$352481e8-33be-4251-ba85-6007} (security) \\$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{352481e8-33be-4251-ba85-6007 \ caedcf9d\} \ [stream resource]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{352481e8-33be-4251-ba85-6007 \ caedcf9d\} \ [stream resource type]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{352481e8-33be-4251-ba85-6007 \ caedcf9d\} \ [local redirectonly]$ 

ba85-6007caedcf9d}[roamable]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{352481e8-33be-4251ba85-6007caedcf9d}[precreate]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{352481e8-33be-4251ba85-6007caedcf9d}[stream]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{352481e8-33be-4251ba85-6007caedcf9d}[publishexpandedpath]

Queries value:

ba85-6007caedcf9d}[attributes]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{352481e8-33be-4251ba85-6007caedcf9d}[foldertypeid]

Queries value:

ba85-6007caedcf9d}[initfolderhandler]

a3bb-86e631204a23}[publishexpandedpath]

a3bb-86e631204a23}[attributes]

Queries value:

a3bb-86e631204a23}[foldertypeid]

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{de92c1c7-837f-4f69a3bb-86e631204a23}[initfolderhandler]

b850-448b77cb37f9}[category]

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{10c07cd0-ef91-4567b850-448b77cb37f9}[name]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{10c07cd0-ef91-4567b850-448b77cb37f9}[parentfolder]

Queries value:

HKCU\software\microsoft\windows\currentversion\explorer\user shell

folders[cache]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{10c07cd0-ef91-4567b850-448b77cb37f9}[description]

Queries value:

b850-448b77cb37f9}[relativepath]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{10c07cd0-ef91-4567b850-448b77cb37f9}[parsingname]

Queries value:

b850-448b77cb37f9}[infotip]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{10c07cd0-ef91-4567b850-448b77cb37f9}[localizedname]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{10c07cd0-ef91-4567b850-448b77cb37f9}[icon]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{10c07cd0-ef91-4567b850-448b77cb37f9}[security]

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{10c07cd0-ef91-4567-ef91-45$ b850-448b77cb37f9}[streamresource]

Queries value:

b850-448b77cb37f9}[streamresourcetype]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{10c07cd0-ef91-4567b850-448b77cb37f9}[localredirectonly]

Queries value: folders[local appdata] HKCU\software\microsoft\windows\currentversion\explorer\user shell

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{10c07cd0-ef91-4567b850-448b77cb37f9}[roamable]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{10c07cd0-ef91-4567b850-448b77cb37f9}[precreate]

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ `folder descriptions \ `\{10c07cd0-ef91-4567-ef91-45$ 

b850-448b77cb37f9}[stream]

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{10c07cd0-ef91-4567-b850-448b77cb37f9\} [publish expanded path]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{10c07cd0-ef91-4567-b850-448b77cb37f9\}[attributes]$ 

Queries value: HKCU\software\microsoft\windows\currentversion\internet

settings\5.0\cache\content[cacheprefix]

Queries value: HKCU\software\microsoft\windows\currentversion\internet

settings\5.0\cache\content[cachelimit]

 $\label{thm:condition} Queries \ value: \\ HKCU \ software \ microsoft \ windows \ current version \ internet$ 

settings\5.0\cache\cookies[peruseritem]

 $\label{thm:linear} Queries \ value: \\ HKLM\ software\ microsoft\ windows\ current version\ internet$ 

settings\5.0\cache\cookies[peruseritem]

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{10c07cd0-ef91-4567-b850-448b77cb37f9\}[folder type id]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'unidows \ 'current version \ 'explorer \ 'folder descriptions \ '\{10c07cd0-ef91-4567-b850-448b77cb37f9\} [initfolder \ handler]$ 

Queries value: HKCU\software\microsoft\windows\currentversion\explorer\user shell

folders[cookies]

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{fdd39ad0-238f-46af-adb4-6c85480369c7\}[category]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{fdd39ad0-238f-46af-adb4-6c85480369c7\} [name]$ 

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folder descriptions\f(fdd39ad0-238f-46af-adb4-6c85480369c7)\cite{Abstraction} folder and the second s$ 

Queries value: HKCU\software\microsoft\windows\currentversion\internet

settings\5.0\cache\cookies[cacheprefix]

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{fdd39ad0-238f-46af-adb4-6c85480369c7\}[description]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{fdd39ad0-238f-46af-adb4-6c85480369c7\} \ [relative path]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{fdd39ad0-238f-46af-adb4-6c85480369c7\} \ parsing name \ label{eq:helmonop}$ 

Queries value:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\fdd39ad0-238f-46af-adb4-6c85480369c7\\ [infotip]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{fdd39ad0-238f-46af-adb4-6c85480369c7\} \ flocalized name \ label{eq:helmosoftware}$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\f(fdd39ad0-238f-46af-adb4-6c85480369c7)\[icon]$ 

Queries value:

 $\label{thm:local-equation} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \fdd 39 ad 0-238 f-46 af-ad b4-6c85480369 c7 \[security]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{fdd39ad0-238f-46af-adb4-6c85480369c7\}[stream resource]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{fdd39ad0-238f-46af-adb4-6c85480369c7\} \ [stream resource type]$ 

Queries value: HKCU\software\microsoft\windows\currentversion\internet

settings\5.0\cache\cookies[cachelimit]

 $\label{thm:condition} Queries \ value: \\ HKCU \ software \ microsoft \ windows \ current version \ internet$ 

settings\5.0\cache\history[peruseritem]

Queries value: HKLM\software\microsoft\windows\currentversion\internet

settings\5.0\cache\history[peruseritem]

Queries value:

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{fdd39ad0-238f-46af-adb4-6c85480369c7}[roamable]

Queries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{fdd39ad0-238f-46af-adb4-6c85480369c7\}[precreate]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{fdd39ad0-238f-46af-adb4-6c85480369c7\}[stream]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{fdd39ad0-238f-46afadb4-6c85480369c7}[publishexpandedpath]

 $HKLM \ software \ microsoft \ windows \ current version \ (fdd 39 ad 0-238 f-46 af-ad b4-6c85480369 c7) \ [attributes]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{fdd39ad0-238f-46af-adb4-6c85480369c7\}[folder type id]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\fdd39ad0-238f-46af-adb4-6c85480369c7\[initfolderhandler]$ 

Queries value: HKCU\software\microsoft\windows\currentversion\explorer\user shell

folders[history]

Queries value: HKCU\software\microsoft\windows\currentversion\internet

settings\5.0\cache\history[cacheprefix]

Queries value: HKCU\software\microsoft\windows\currentversion\internet

settings\5.0\cache\history[cachelimit]

Queries value: HKCU\software\microsoft\windows\currentversion\explorer\user shell

folders[personal]

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{c1bae2d0-10df-4334-bedd-7aa20b227a9d\} \ [category]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{c1bae2d0-10df-4334-bedd-7aa20b227a9d\} [name]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{c1bae2d0-10df-4334-bedd-7aa20b227a9d\}[parent folder]$ 

Queries value:

Oueries value:

Queries value:

 $\label{local-prop} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c1bae2d0-10df-4334-bedd-7aa20b227a9d\}[parsingname]}$ 

Queries value: HKCU\software\microsoft\windows\currentversion\internet

settings\5.0\cache\extensible cache\domstore[cacherepair]

Oueries value: HKCU\software\microsoft\windows\currentversion\internet

settings\5.0\cache\extensible cache\domstore[cachepath]

Queries value: HKCU\software\microsoft\windows\currentversion\internet

settings\5.0\cache\extensible cache\domstore[cacheprefix]

 $\label{thm:cosoftware} Queries \ value: \\ HKCU \ software \ microsoft \ windows \ current version \ internet$ 

settings\5.0\cache\extensible cache\domstore[cachelimit]

Queries value: HKCU\software\microsoft\windows\currentversion\internet

settings\5.0\cache\extensible cache\domstore[cacheoptions]

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows\currentversion} Hklm\software\mbox{c1bae2d0-10df-4334-bedd-7aa20b227a9d}[infotip]$ 

Queries value:

 $\label{lem:hammon} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c1bae2d0-10df-4334-bedd-7aa20b227a9d\}[localizedname]}$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{c1bae2d0-10df-4334-bedd-7aa20b227a9d\} [icon]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{c1bae2d0-10df-4334-bedd-7aa20b227a9d\}[security]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{c1bae2d0-10df-4334-bedd-7aa20b227a9d\}[stream resource]$ 

Queries value

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\explorer\folderdescriptions\currentversion\explorer\ex$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'c1bae2d0-10df-4334-bedd-7aa20b227a9d \ [local redirectonly]$ 

Queries value

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c1bae2d0-10df-4334-bedd-7aa20b227a9d}\[roamable]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{c1bae2d0-10df-4334-bedd-7aa20b227a9d\}[precreate]$ 

Queries value:

 $\label{lem:hkl} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c1bae2d0-10df-4334-bedd-7aa20b227a9d\}[stream]}$ 

Queries value: HKCU\software\microsoft\windows\currentversion\internet

settings\5.0\cache\extensible cache\feedplat[cacherepair]

Queries value: HKCU\software\microsoft\windows\currentversion\internet

settings\5.0\cache\extensible cache\feedplat[cachepath]

Queries value: HKCU\software\microsoft\windows\currentversion\internet

settings\5.0\cache\extensible cache\feedplat[cacheprefix]

Queries value: HKCU\software\microsoft\windows\currentversion\internet

settings\5.0\cache\extensible cache\feedplat[cachelimit]

 $\label{thm:consoftware} Queries \ value: \\ HKCU \ software \ microsoft \ windows \ current version \ internet$ 

settings\5.0\cache\extensible cache\feedplat[cacheoptions] HKCU\software\microsoft\windows\currentversion\internet Oueries value: settings\5.0\cache\extensible cache\iecompat[cacherepair] Queries value: bedd-7aa20b227a9d}[publishexpandedpath] Oueries value: HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c1bae2d0-10df-4334bedd-7aa20b227a9d}[attributes] Oueries value: bedd-7aa20b227a9d}[foldertypeid] Queries value: HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c1bae2d0-10df-4334bedd-7aa20b227a9d}[initfolderhandler] Oueries value: HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{190337d1-b8ca-4121a639-6d472d16972a}[category] Queries value:  $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{190337d1-b8ca-412-b8ca-412-b8c$ a639-6d472d16972a}[name] Queries value:  $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{190337d1-b8ca-412-b8ca-412-b8ca-41$ a639-6d472d16972a}[parentfolder] HKCU\software\microsoft\windows\currentversion\internet Queries value: settings\5.0\cache\extensible cache\iecompat[cachepath] HKCU\software\microsoft\windows\currentversion\internet Queries value: settings\5.0\cache\extensible cache\iecompat[cacheprefix]  $\label{lem:hkcu} \verb+KCU \software \verb+microsoft \verb+windows \verb+current version \verb+\internet+ \\$ Oueries value: settings\5.0\cache\extensible cache\iecompat[cachelimit] HKCU\software\microsoft\windows\currentversion\internet Oueries value: settings\5.0\cache\extensible cache\iecompat[cacheoptions] HKCU\software\microsoft\windows\currentversion\internet Queries value: settings\5.0\cache\extensible cache\ietld[cacherepair]  $\label{lem:hkcu} \verb+KCU \software \verb+microsoft \verb+windows \verb+current version \verb+\internet+ \\$ Queries value: settings\5.0\cache\extensible cache\ietld[cachepath] Oueries value: HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{190337d1-b8ca-4121a639-6d472d16972a}[description] Queries value:  $HKLM \ software \ `microsoft \ 'windows \ 'current version' \ explorer \ 'folder descriptions \ '\{190337d1-b8ca-412-b8ca-4121-b8ca-412-b8c$ a639-6d472d16972a}[relativepath] Oueries value: HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{190337d1-b8ca-4121a639-6d472d16972a}[parsingname] Queries value:  $HKLM \ software \ `microsoft \ 'windows \ 'current version' \ explorer \ 'folder descriptions \ '\{190337d1-b8ca-412-b8ca-412-b8c$ a639-6d472d16972a}[infotip] Oueries value: HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{190337d1-b8ca-4121a639-6d472d16972a}[localizedname] Oueries value: a639-6d472d16972a}[icon] Oueries value: HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{190337d1-b8ca-4121a639-6d472d16972a}[security] Oueries value: HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{190337d1-b8ca-4121a639-6d472d16972a}[streamresource] Queries value: HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{190337d1-b8ca-4121a639-6d472d16972a}[streamresourcetype] Oueries value:  $HKLM \ software \ `microsoft \ 'unidows \ 'current version \ 'explorer \ 'folder descriptions \ '\{190337d1-b8ca-412-b8ca-412-b8ca$ a639-6d472d16972a}[localredirectonly] HKCU\software\microsoft\windows\currentversion\internet Queries value: settings\5.0\cache\extensible cache\ietld[cacheprefix] Queries value: HKCU\software\microsoft\windows\currentversion\internet settings\5.0\cache\extensible cache\ietld[cachelimit] Queries value: HKCU\software\microsoft\windows\currentversion\internet settings\5.0\cache\extensible cache\ietld[cacheoptions] HKCU\software\microsoft\windows\currentversion\internet Oueries value: settings\5.0\cache\extensible cache\privacie:[cacherepair]

 a639-6d472d16972a}[precreate]

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ \ folder descriptions \ \ \{190337d1-b8ca-412-b8ca-4121-b8ca-4121-b8ca-412-b8$ a639-6d472d16972a}[stream]

Oueries value:

a639-6d472d16972a}[publishexpandedpath]

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ \ folder descriptions \ \ \{190337d1-b8ca-412-b8ca-4121-b8ca-4121-b8ca-412-b8$ a639-6d472d16972a}[attributes]

Oueries value:

a639-6d472d16972a}[foldertypeid]

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ \ folder descriptions \ \ \{190337d1-b8ca-412-b8ca-4121-b8ca-4121-b8ca-412-b8$ a639-6d472d16972a}[initfolderhandler]

HKCU\software\microsoft\windows\currentversion\internet Oueries value:

settings\5.0\cache\extensible cache\privacie:[cachelimit]

HKCU\software\microsoft\windows\currentversion\internet Queries value:

settings\5.0\cache\extensible cache\privacie:[cacheoptions]

HKCU\software\policies\microsoft\windows\currentversion\internet Queries value:

settings[enableautoproxyresultcache]

 $\label{lem:hkcu} \verb+KKCU \software \policies \microsoft \windows \current version \normalisation \cite{thm:hkcu}. The third \cite{thm:hkcu} is the third \cite{t$ Oueries value: settings[displayscriptdownloadfailureui]

Queries value:

HKCU\software\policies\microsoft\windows\currentversion\internet settings[mbcsservername]

HKCU\software\policies\microsoft\windows\currentversion\internet Queries value:

settings[mbcsapiforcrack]

Oueries value:

9148-0f4247291cfa}[categorv]

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ 'folder descriptions \ `\{54eed 2e0-e7ca-4fdb-e7ca-4$ 9148-0f4247291cfa}[name]

Oueries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \ \{54eed 2e0-e7ca-4fdb-e$ 9148-0f4247291cfa}[parentfolder]

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ 'folder descriptions \ `\{54eed 2e0-e7ca-4fdb-e7ca-4$ 9148-0f4247291cfa}[description]

Oueries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \ \{54eed 2e0-e7ca-4fdb-e$ 9148-0f4247291cfa}[relativepath]

Queries value:

9148-0f4247291cfa}[parsingname]

Queries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \ \{54eed 2e0-e7ca-4fdb-e$ 9148-0f4247291cfa}[infotip]

Queries value:

9148-0f4247291cfa}[localizedname]

Queries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \ \{54eed 2e0-e7ca-4fdb-e$ 9148-0f4247291cfa}[icon]

Queries value:

9148-0f4247291cfa}[security]

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{54eed 2e0-e7ca-4fdb-e7ca-4$ 9148-0f4247291cfa}[streamresource]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{54eed2e0-e7ca-4fdb-9148-0f4247291cfa}[streamresourcetype]

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \ \{54eed 2e0-e7ca-4fdb-$ 9148-0f4247291cfa}[localredirectonly]

Queries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \ \{54eed 2e0-e7ca-4fdb-e$ 9148-0f4247291cfa}[roamable]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{54eed2e0-e7ca-4fdb-9148-0f4247291cfa}[precreate]

Queries value:

9148-0f4247291cfa}[stream]

Queries value:

9148-0f4247291cfa}[publishexpandedpath]

Oueries value:

9148-0f4247291cfa}[attributes]

9148-0f4247291cfa}[foldertypeid] Queries value: 9148-0f4247291cfa}[initfolderhandler] Queries value: HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{bfb9d5e0-c6a9-404cb2b2-ae6db6af4968}[category] Queries value: HKCU\software\policies\microsoft\windows\currentversion\internet settings[utf8servernameres] HKCU\software\microsoft\windows\currentversion\internet Oueries value: settings[disableworkerthreadhibernation] HKLM\software\microsoft\windows\currentversion\internet Queries value: settings[disableworkerthreadhibernation] HKCU\software\microsoft\windows\currentversion\internet Queries value: settings[disablereadrange]  $\label{lem:hkcu} \verb+KKCU\+ software\+ microsoft\+ windows\+ current version\+ internet$ Oueries value: settings[socketsendbufferlength] HKCU\software\microsoft\windows\currentversion\internet Queries value: settings[socketreceivebufferlength] HKCU\software\microsoft\windows\currentversion\internet Queries value: settings[keepalivetimeout] HKCU\software\microsoft\windows\currentversion\internet Oueries value: settings[maxhttpredirects] Queries value: HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{bfb9d5e0-c6a9-404cb2b2-ae6db6af4968}[name] Queries value: b2b2-ae6db6af4968}[parentfolder] Oueries value: HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{bfb9d5e0-c6a9-404cb2b2-ae6db6af4968}[description] Queries value: b2b2-ae6db6af4968}[relativepath] Oueries value: HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{bfb9d5e0-c6a9-404cb2b2-ae6db6af4968}[parsingname] Queries value: b2b2-ae6db6af4968}[infotip] Oueries value: HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{bfb9d5e0-c6a9-404cb2b2-ae6db6af4968}[localizedname] Queries value: b2b2-ae6db6af4968}[icon] Oueries value: HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{bfb9d5e0-c6a9-404cb2b2-ae6db6af4968}[security] HKCU\software\microsoft\windows\currentversion\internet Oueries value: settings[maxconnectionsperserver] Queries value:  $\label{lem:hklm} \verb+ HKLM \software \microsoft \windows \current version \cite{thmosoft} internet$ settings[maxconnectionsperserver] Queries value: HKCU\software\microsoft\windows\currentversion\internet settings[maxconnectionsper1\_0server] Oueries value: HKLM\software\microsoft\windows\currentversion\internet settings[maxconnectionsper1\_0server] Queries value: HKCU\software\microsoft\windows\currentversion\internet settings[maxconnectionsperproxy] Queries value:  $\label{lem:hkcu} \verb+KCU \software \verb+microsoft \verb+windows \verb+current version \verb+\internet+ \\$ settings[serverinfotimeout] HKCU\software\microsoft\windows\currentversion\internet Oueries value: settings[connecttimeout] Oueries value: HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{bfb9d5e0-c6a9-404cb2b2-ae6db6af4968}[streamresource] Queries value: b2b2-ae6db6af4968}[streamresourcetype] b2b2-ae6db6af4968}[localredirectonly] Queries value: HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{bfb9d5e0-c6a9-404c-

Oueries value: HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{bfb9d5e0-c6a9-404c-

b2b2-ae6db6af4968}[roamable]

b2b2-ae6db6af4968}[precreate]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{bfb9d5e0-c6a9-404cb2b2-ae6db6af4968}[stream]

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{bfb9d5e0-c6a9-404c-b2b2-ae6db6af4968\}[publishexpandedpath]}$ 

Oueries value

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{bfb9d5e0-c6a9-404c-b2b2-ae6db6af4968\}[attributes]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{bfb9d5e0-c6a9-404c-b2b2-ae6db6af4968\} \ [folder type id]$ 

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{bfb9d5e0-c6a9-404c-b2b2-ae6db6af4968\}[initfolderhandler]}$ 

Queries value: HKLM\software\microsoft\windows\currentversion\internet

settings[connecttimeout]

Queries value: HKCU\software\microsoft\windows\currentversion\internet

settings[connectretries]

Oueries value: HKLM\software\microsoft\windows\currentversion\internet

settings[connectretries]

Queries value: HKCU\software\microsoft\windows\currentversion\internet

settings[sendtimeout]

Queries value: HKLM\software\microsoft\windows\currentversion\internet

settings[sendtimeout]

 $\label{thm:consoft} Queries \ value: \\ HKCU \ software \ microsoft \ windows \ current version \ internet$ 

settings[receivetimeout]

Queries value: HKLM\software\microsoft\windows\currentversion\internet

settings[receivetimeout]

 $\label{thm:condition} Queries \ value: \\ HKCU \ software \ \ microsoft \ \ windows \ \ current version \ \ explorer \ \ shell$ 

folders[{bfb9d5e0-c6a9-404c-b2b2-ae6db6af4968}]

 $\label{lem:lem:queries} Queries \ value: \\ HKCU \ software \ microsoft \ windows \ current version \ internet$ 

settings[disablentlmpreauth]

Queries value: HKCU\software\microsoft\windows\currentversion\internet

settings[scavengecachelowerbound]

Queries value: HKCU\software\microsoft\windows\currentversion\internet

settings[certcachenovalidate]

Queries value: HKCU\software\microsoft\windows\currentversion\internet

settings\5.0\cache[scavengecachefilelifetime]

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder\folder \folder \folder \folder \folder \folder \folder \folder \$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{5cd7aee2-2219-4a67-b85d-6c9ce15660cb\} \ [name]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{5cd7 a e e 2-2219-4a67-b85 d -6c9 c e 15660 c b\} \ [parent folder]$ 

Queries value:

 $\label{lem:hkk} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5cd7aee2-2219-4a67-b85d-6c9ce15660cb\}[description]}$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{5cd7aee2-2219-4a67-b85d-6c9ce15660cb\} [relative path]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5cd7aee2-2219-4a67-b85d-6c9ce15660cb\}[parsingname]}$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \mbox{$5cd7aee2-2219-4a67-b85d-6c9ce15660cb} [infotip]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{5cd7aee2-2219-4a67-b85d-6c9ce15660cb\}[localized name]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \mbox{$19-4a67-b85d-6c9ce15660cb} [icon]$ 

 $\label{thm:condition} Queries \ value: \\ HKCU \ software \ policies \ microsoft \ windows \ current version \ internet \ description \ descr$ 

settings\5.0\cache[scavengecachefilelimit]

 $\label{thm:constraint} Queries \ value: \\ HKCU \ software \ microsoft \ windows \ current version \ internet$ 

settings\5.0\cache[scavengecachefilelimit]

Queries value: HKLM\software\microsoft\windows\currentversion\internet

settings\5.0\cache[scavengecachefilelimit]

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5cd7aee2-2219-4a67-b85d-6c9ce15660cb\}[security]}$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{5cd7aee2-2219-4a67-b85d-6c9ce15660cb\}[stream resource]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{5cd7aee2-2219-4a67-b85d-6c9ce15660cb\} [stream resource type]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{5cd7aee2-2219-4a67-b85d-6c9ce15660cb\} \ [local redirectonly]$ 

Queries value:

b85d-6c9ce15660cb}[roamable] Oueries value: b85d-6c9ce15660cb}[precreate] Oueries value: b85d-6c9ce15660cb}[stream] Oueries value: b85d-6c9ce15660cb}[publishexpandedpath] Oueries value: b85d-6c9ce15660cb}[attributes] Oueries value: b85d-6c9ce15660cb}[foldertypeid] Oueries value: b85d-6c9ce15660cb}[initfolderhandler] Queries value: 9151-b08c6c32d1f7}[category] Oueries value: 9151-b08c6c32d1f7}[name] Queries value: 9151-b08c6c32d1f7}[parentfolder] Oueries value: 9151-b08c6c32d1f7}[description] Queries value: 9151-b08c6c32d1f7}[relativepath] Oueries value: 9151-b08c6c32d1f7}[parsingname]  $\label{lem:hkcu} \verb+KKCU \software \verb+microsoft \verb+windows \verb+current version \verb+\internet+ \\$ Queries value: settings[httpdefaultexpirytimesecs] HKCU\software\microsoft\windows\currentversion\internet Queries value: settings[ftpdefaultexpirytimesecs] Queries value: HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b94237e7-57ac-4347-9151-b08c6c32d1f7}[infotip] Oueries value: HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b94237e7-57ac-4347-9151-b08c6c32d1f7}[localizedname] HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b94237e7-57ac-4347-9151-b08c6c32d1f7}[icon] Oueries value: 9151-b08c6c32d1f7}[security] 9151-b08c6c32d1f7}[streamresource] Oueries value: 9151-b08c6c32d1f7}[streamresourcetype] 9151-b08c6c32d1f7}[localredirectonly] Queries value: HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b94237e7-57ac-4347-9151-b08c6c32d1f7}[roamable] 9151-b08c6c32d1f7}[precreate] Queries value: HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b94237e7-57ac-4347-9151-b08c6c32d1f7}[stream] Oueries value: HKLM\software\microsoft\internet explorer\main\featurecontrol\feature\_disable\_unicode\_handle\_closing\_callback[f4cade5dce24d5c9d966cb266c7c7346.exe] HKLM\software\microsoft\internet Queries value: explorer\main\featurecontrol\feature\_disable\_unicode\_handle\_closing\_callback[\*] Oueries value: HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b94237e7-57ac-4347-9151-b08c6c32d1f7}[publishexpandedpath] Oueries value: HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b94237e7-57ac-4347-9151-b08c6c32d1f7}[attributes] Oueries value:

9151-b08c6c32d1f7}[foldertypeid] Oueries value: 9151-b08c6c32d1f7}[initfolderhandler]  $\label{lem:hkcu} \verb+KKCU\+ software\+ microsoft\+ windows\+ current version\+ internet$ Oueries value: settings[disablecachingofsslpages] HKCU\software\microsoft\windows\currentversion\internet Queries value: settings[perusercookies] HKCU\software\microsoft\windows\currentversion\internet Queries value: settings[leashlegacycookies] HKCU\software\microsoft\windows\currentversion\internet Oueries value: settings[dialupuselansettings] HKLM\software\microsoft\windows\currentversion\internet Queries value: settings[dialupuselansettings] HKCU\software\microsoft\windows\currentversion\internet Queries value: settings[sendextracrlf] HKCU\software\microsoft\windows\currentversion\internet Oueries value: settings[wpadsearchalldomains]

HKCU\software\microsoft\windows\currentversion\internet Queries value: settings[bypasshttpnocachecheck]

HKLM\software\microsoft\windows\currentversion\internet Queries value: settings[bypasshttpnocachecheck]

Oueries value: HKCU\software\microsoft\windows\currentversion\internet

settings[bypasssslnocachecheck]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a63293e8-664e-48dba079-df759e0509f7}[category]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a63293e8-664e-48dba079-df759e0509f7}[name]

Oueries value:

a079-df759e0509f7}[parentfolder]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a63293e8-664e-48dba079-df759e0509f7}[description]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a63293e8-664e-48dba079-df759e0509f7}[relativepath]

Queries value:

a079-df759e0509f7}[parsingname]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a63293e8-664e-48dba079-df759e0509f7}[infotip]

Queries value:

a079-df759e0509f7}[localizedname]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a63293e8-664e-48dba079-df759e0509f7}[icon]

Oueries value:

a079-df759e0509f7}[security]

HKLM\software\microsoft\windows\currentversion\internet Oueries value: settings[bypasssslnocachecheck]

Oueries value: HKLM\software\microsoft\windows\currentversion\internet

settings[enablehttptrace]

Oueries value: HKCU\software\microsoft\windows\currentversion\internet

settings[nocheckautodialoverride]

HKLM\software\microsoft\windows\currentversion\internet Queries value:

settings[nocheckautodialoverride]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a63293e8-664e-48dba079-df759e0509f7}[streamresource]

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a63293e8-664e-48dba079-df759e0509f7}[streamresourcetype]

Queries value:

a079-df759e0509f7}[localredirectonly]

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a63293e8-664e-48dba079-df759e0509f7}[roamable]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a63293e8-664e-48dba079-df759e0509f7}[precreate]

Oueries value:

a079-df759e0509f7}[stream]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a63293e8-664e-48dba079-df759e0509f7}[publishexpandedpath]

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer' folder descriptions \ 'a63293e8-664e-48db-a079-df759e0509f7 \ [attributes]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a63293e8-664e-48db-a079-df759e0509f7\}[folder type id]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{a63293e8-664e-48db-a079-df759e0509f7\} \ [initfolder \ handler]$ 

Queries value: HKCU\software\microsoft\windows\currentversion\internet

settings[dontusednsloadbalancing]

Queries value: HKLM\software\microsoft\windows\currentversion\internet

settings[dontusednsloadbalancing]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{5ce4a5e9-e4eb-479d-b89f-130c02886155\} \ [category]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{5ce 4a 5e 9-e 4eb-479d-b 89f-130c0 2886155\} \ [name]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{5ce4a5e9-e4eb-479d-b89f-130c02886155\} \ [parent folder]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{5ce 4a 5e9-e 4eb-479d-b 89f-130c0 2886155\} \ [description]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'endows \ 'en$ 

Oueries value:

 $\label{lem:hkklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folde$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder\folder \folder \folder \folder \folder \folder \folder \folder \$ 

Queries value: HKLM\software\microsoft\windows\currentversion\internet

settings[sharecredswithwinhttp]

Queries value: HKCU\software\microsoft\windows\currentversion\internet

settings[mimeexclusionlistforcache]

Queries value: HKCU\software\microsoft\windows\currentversion\internet
settings[headerexclusionlistforcache]

Queries value: HKCU\software\microsoft\windows\currentversion\internet

settings[dnscacheenabled]

Queries value: HKCU\software\microsoft\windows\currentversion\internet

settings[dnscacheentries]

 $\label{thm:constraint} Queries \ value: \\ HKCU\ software\ microsoft\ windows\ current version\ internet$ 

settings[dnscachetimeout]

Queries value: HKCU\software\microsoft\windows\currentversion\internet

settings[warnonpost]

Queries value:

 $\label{localized} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \{5ce 4a 5e9-e 4eb-479d-b89f-130c0 2886155\} [localized name]$ 

Queries value:

 $\label{local-equation} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5ce4a5e9-e4eb-479d-b89f-130c02886155\}[icon]}$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{5ce 4a 5e9 - e 4eb - 479d - b 89f - 130c0 2886155\} [security]$ 

Oueries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5ce4a5e9-e4eb-479d-b89f-130c02886155\}\[streamresource]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{5ce4a5e9-e4eb-479d-b89f-130c02886155\} \ [stream resource type]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{5ce4a5e9-e4eb-479d-b89f-130c02886155\} \ [local redirectonly]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{5ce 4a 5e 9-e 4eb-479d-b 89f-130c0 2886155\} \ [roamable]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{5ce4a5e9-e4eb-479d-b89f-130c02886155\} \ [precreate]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{5ce4a5e9-e4eb-479d-b89f-130c02886155\} [stream]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{5ce4a5e9-e4eb-479d-b89f-130c02886155\} \ [publish \ expanded path]$ 

Queries value: HKCU\software\microsoft\windows\currentversion\internet

settings[warnalwaysonpost]

Queries value: HKCU\software\microsoft\windows\currentversion\internet

settings[warnonzonecrossing]

 $\label{thm:cosoftware} Queries \ value: \\ HKCU \ software \ microsoft \ windows \ current version \ internet$ 

settings[warnonbadcertrecving] Oueries value: HKCU\software\microsoft\windows\currentversion\internet settings[warnonpostredirect] Queries value: HKCU\software\microsoft\windows\currentversion\internet settings[alwaysdrainonredirect] Queries value:  $\label{lem:hkcu} \verb+KKCU \software \microsoft \windows \current version \cite{thm:lem:hkcu} in terms to the lemma substitution \cite{thm:lem:hkcu} and \cite{thm:lem:hkcu} are \cite{thm:lem:hkcu}.$ settings[warnonhttpstohttpredirect] Oueries value: HKLM\software\microsoft\windows\currentversion\internet settings[tcpautotuning] Queries value: HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5ce4a5e9-e4eb-479db89f-130c02886155}[attributes] Oueries value: HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5ce4a5e9-e4eb-479db89f-130c02886155}[foldertypeid] Queries value: HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5ce4a5e9-e4eb-479db89f-130c02886155}[initfolderhandler] Queries value: a014-d097ee346d63}[category] Queries value: a014-d097ee346d63}[name] Queries value: a014-d097ee346d63}[parentfolder] Queries value: a014-d097ee346d63}[description] Oueries value: HKLM\system\currentcontrolset\services\winsock2\parameters[winsock\_registry\_version] Queries value: HKLM\system\currentcontrolset\services\winsock2\parameters[namespace callout] Oueries value:  $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ `folder descriptions \ `\{82a74aeb-aeb4-465c-aeb4-46$ a014-d097ee346d63}[relativepath] Queries value: a014-d097ee346d63}[parsingname] Queries value: HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{82a74aeb-aeb4-465ca014-d097ee346d63}[infotip] Queries value: a014-d097ee346d63}[localizedname] Queries value: HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{82a74aeb-aeb4-465ca014-d097ee346d63}[icon] Queries value: a014-d097ee346d63}[security] Queries value: HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{82a74aeb-aeb4-465ca014-d097ee346d63}[streamresource] Queries value: HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{82a74aeb-aeb4-465ca014-d097ee346d63}[streamresourcetype] Oueries value:  $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ 'folder descriptions \ '\{82a74aeb-aeb4-465c-aeb4-46$ a014-d097ee346d63}[localredirectonly] Oueries value: HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{82a74aeb-aeb4-465ca014-d097ee346d63}[roamable] Queries value: HKLM\system\currentcontrolset\services\winsock2\parameters\protocol\_catalog9[serial\_access\_num] Queries value: Queries value: HKLM\system\currentcontrolset\services\winsock2\parameters\protocol\_catalog9[num\_catalog\_entries] Queries value: HKLM\system\currentcontrolset\services\winsock2\parameters\protocol\_catalog9\catalog\_entries\000000000001[packedcatalogitem] Oueries value: HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{82a74aeb-aeb4-465ca014-d097ee346d63}[precreate] Oueries value: a014-d097ee346d63}[stream] Oueries value: HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{82a74aeb-aeb4-465ca014-d097ee346d63}[publishexpandedpath] Oueries value:

a014-d097ee346d63}[attributes] Oueries value: a014-d097ee346d63}[foldertypeid] Oueries value: a014-d097ee346d63}[initfolderhandler] Oueries value: 874a-c0f2e0b9fa8e}[category] Oueries value: HKLM\system\currentcontrolset\services\winsock2\parameters\protocol\_catalog9\catalog\_entries\000000000002[packedcatalogitem] Queries value:  $HKLM \ system \ current control set \ services \ winsock 2 \ parameters \ protocol\_catalog 9 \ catalog\_entries \ 0000000000003 \ [packed catalog item]$ Queries value: HKLM\system\currentcontrolset\services\winsock2\parameters\protocol\_catalog9\catalog\_entries\000000000004[packedcatalogitem] Oueries value: HKLM\system\currentcontrolset\services\winsock2\parameters\protocol\_catalog9\catalog\_entries\00000000005[packedcatalogitem] Queries value:  $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{7c5a40ef-a0fb-4bfc-a0fb$ 874a-c0f2e0b9fa8e}[name] Queries value: 874a-c0f2e0b9fa8e}[parentfolder] Queries value:  $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{7c5a40ef-a0fb-4bfc-a0fb$ 874a-c0f2e0b9fa8e}[description] Queries value: 874a-c0f2e0b9fa8e}[relativepath] Oueries value: HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7c5a40ef-a0fb-4bfc-874a-c0f2e0b9fa8e}[parsingname] Queries value: HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7c5a40ef-a0fb-4bfc-874a-c0f2e0b9fa8e}[infotip] Oueries value: HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7c5a40ef-a0fb-4bfc-874a-c0f2e0b9fa8e}[localizedname] Queries value:  $HKLM \ software \ `microsoft \ 'windows \ 'current version' \ explorer \ 'folder descriptions \ '\{7c5a40ef-a0fb-4bfc-a0fb-4b$ 874a-c0f2e0b9fa8e}[icon] Oueries value: HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7c5a40ef-a0fb-4bfc-874a-c0f2e0b9fa8e}[security] Queries value:  $HKLM \ software \ `microsoft \ 'windows \ 'current version' \ explorer \ 'folder descriptions \ '{7c5a40ef-a0fb-4bfc-a0fb-4b$ 874a-c0f2e0b9fa8e}[streamresource] Oueries value: HKLM\system\currentcontrolset\services\winsock2\parameters\protocol\_catalog9\catalog\_entries\000000000006[packedcatalogitem] Oueries value: HKLM\system\currentcontrolset\services\winsock2\parameters\protocol\_catalog9\catalog\_entries\00000000007[packedcatalogitem] Queries value: HKLM\system\currentcontrolset\services\winsock2\parameters\protocol\_catalog9\catalog\_entries\000000000008[packedcatalogitem] Oueries value: HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7c5a40ef-a0fb-4bfc-874a-c0f2e0b9fa8e}[streamresourcetype] Oueries value: 874a-c0f2e0b9fa8e}[localredirectonly] Queries value:  $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{7c5a40ef-a0fb-4bfc-a0fb$ 874a-c0f2e0b9fa8e}[roamable] Oueries value: 874a-c0f2e0b9fa8e}[precreate] Queries value:  $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{7c5a40ef-a0fb-4bfc-a0fb$ 874a-c0f2e0b9fa8e}[stream] Oueries value: 874a-c0f2e0b9fa8e}[publishexpandedpath] Oueries value: HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7c5a40ef-a0fb-4bfc-874a-c0f2e0b9fa8e}[attributes] Oueries value: 874a-c0f2e0b9fa8e}[foldertypeid]

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7c5a40ef-a0fb-4bfc-

Oueries value:

Oueries value:

874a-c0f2e0b9fa8e}[initfolderhandler]

Oueries value:

Oueries value:

HKLM\system\currentcontrolset\services\winsock2\parameters\protocol\_catalog9\catalog\_entries\000000000011[packedcatalogitem] Oueries value:

 $HKLM \setminus software \\ \mbox{43668bf8-c14e-49b2-th} \\ \mbox{4368bf8-c14e-49b2-th} \\ \mbox{4368bf8-c14e-49b2-th} \\ \mbox{4368bf8$ 

97c9-747784d784b7}[category]

Oueries value:

 $HKLM \setminus software \setminus microsoft \setminus windows \setminus current version \setminus explorer \setminus folder descriptions \setminus \{43668bf8-c14e-49b2-folder descriptions \setminus \{43668bf8-c14e-49b4-folder descriptions \setminus \{4366bf8-folder descriptions \setminus \{4366bf8-folder descriptions \setminus \{$ 

97c9-747784d784b7}[name]

Queries value:

97c9-747784d784b7}[parentfolder]

Oueries value:

97c9-747784d784b7}[description]

Oueries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{43668bf8-c14e-49b2-e14e$ 

97c9-747784d784b7}[relativepath]

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ `folder descriptions \ `\{43668bf8-c14e-49b2-d14e-49$ 

97c9-747784d784b7}[parsingname]

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \ \{43668bf8-c14e-49b2-five \ folder \ folder$ 

97c9-747784d784b7}[infotip]

Queries value:

 $HKLM \ system \ current control set \ services \ winsock 2 \ parameters \ protocol\_catalog9 \ catalog\_entries \ 0000000000012 \ [packed catalog item] \ Oueries \ value:$ 

HKLM\system\currentcontrolset\services\winsock2\parameters\protocol\_catalog9\catalog\_entries\000000000014[packedcatalogitem]
 Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{43668bf8-c14e-49b2-e14e-49$ 

97c9-747784d784b7}[localizedname]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{43668bf8-c14e-49b2-e14$ 

97c9-747784d784b7}[icon]

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{43668bf8-c14e-49b2-e14e-49$ 

97c9-747784d784b7}[security]

Queries value:

97c9-747784d784b7}[streamresource]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \ \{43668bf8-c14e-49b2-e$ 

97c9-747784d784b7}[streamresourcetype]

Queries value:

 $\label{thm:condition} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cdot \$ 

97c9-747784d784b7}[localredirectonly]

Queries value:

97c9-747784d784b7}[roamable]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{43668bf8-c14e-49b2-

97c9-747784d784b7}[precreate]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{43668bf8-c14e-49b2-

97c9-747784d784b7}[stream]

Queries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{43668bf8-c14e-49b2-e14e$ 

97c9-747784d784b7}[publishexpandedpath]

Oueries value:

HKLM\system\currentcontrolset\services\winsock2\parameters\protocol\_catalog9\catalog\_entries\000000000016[packedcatalogitem]

 $HKLM \ system \ current control set \ services \ winsock 2 \ parameters \ protocol\_catalog9 \ catalog\_entries \ 000000000017 \ [packed catalog item] \ Queries \ value:$ 

HKLM\system\currentcontrolset\services\winsock2\parameters\protocol\_catalog9\catalog\_entries\000000000018[packedcatalogitem]
 Oueries value:

 $\label{thm:local_ham} \begin{tabular}{ll} HKLM \end{tabular} $$ HKLM \end{tabular} $$ HKLM \end{tabular} $$ exclusion \end{tabu$ 

97c9-747784d784b7}[attributes]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{43668bf8-c14e-49b2-

97c9-747784d784b7}[foldertypeid]

Queries value:

 $\label{lem:hamman} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ext{$\langle 43668bf8-c14e-49b2-e14e-$ 

97c9-747784d784b7}[initfolderhandler]

Queries value:

8fd7-f78dca774f87}[category]

Queries value:

 $\label{thm:local_thm} \parbox{$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\$ 

8fd7-f78dca774f87}[name] Oueries value:  $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ \ folder descriptions \ \ \{915221fb-9efe-4bda-1644, 1944, 1$ 8fd7-f78dca774f87}[parentfolder] Oueries value:  $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ `folder descriptions \ `\{915221fb-9efe-4bda-16416, 16$ 8fd7-f78dca774f87}[description] Oueries value: HKLM\system\currentcontrolset\services\winsock2\parameters\namespace\_catalog5[serial\_access\_num] Queries value: HKLM\system\currentcontrolset\services\winsock2\parameters\namespace\_catalog5[num\_catalog\_entries] Queries value: HKLM\system\currentcontrolset\services\winsock2\parameters\namespace\_catalog5\catalog\_entries\00000000001[librarypath] Queries value: HKLM\system\currentcontrolset\services\winsock2\parameters\namespace\_catalog5\catalog\_entries\00000000001[displaystring] Queries value:  $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ \ folder descriptions \ \ \{915221fb-9efe-4bda-1644, 1944, 1$ 8fd7-f78dca774f87}[relativepath] Queries value:  $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ `folder descriptions \ `\{915221fb-9efe-4bda-16416, 16$ 8fd7-f78dca774f87}[parsingname] Queries value:  $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ \ folder descriptions \ \ \{915221fb-9efe-4bda-1644, 1944, 1$ 8fd7-f78dca774f87}[infotip] Queries value:  $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ `folder descriptions \ `\{915221fb-9efe-4bda-16416, 16$ 8fd7-f78dca774f87}[localizedname] Queries value: HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{915221fb-9efe-4bda-8fd7-f78dca774f87}[icon] Oueries value: HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{915221fb-9efe-4bda-8fd7-f78dca774f87}[security] Queries value: HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{915221fb-9efe-4bda-8fd7-f78dca774f87}[streamresource] Oueries value: HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{915221fb-9efe-4bda-8fd7-f78dca774f87}[streamresourcetype] Queries value: 8fd7-f78dca774f87}[localredirectonly] Oueries value: HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{915221fb-9efe-4bda-8fd7-f78dca774f87}[roamable] Queries value: Queries value: HKLM\system\currentcontrolset\services\winsock2\parameters\namespace\_catalog5\catalog\_entries\00000000001[addressfamily] Queries value: HKLM\system\currentcontrolset\services\winsock2\parameters\namespace\_catalog5\catalog\_entries\00000000001[supportednamespace] Oueries value: HKLM\system\currentcontrolset\services\winsock2\parameters\namespace\_catalog5\catalog\_entries\00000000001[enabled] Queries value: Queries value: HKLM\system\currentcontrolset\services\winsock2\parameters\namespace\_catalog5\catalog\_entries\00000000001[storesserviceclassinfo] Oueries value: HKLM\system\currentcontrolset\services\winsock2\parameters\namespace\_catalog5\catalog\_entries\00000000001[providerinfo] 8fd7-f78dca774f87}[precreate] Queries value: HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{915221fb-9efe-4bda-8fd7-f78dca774f87}[stream] HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{915221fb-9efe-4bda-8fd7-f78dca774f87}[publishexpandedpath] Queries value: HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{915221fb-9efe-4bda-8fd7-f78dca774f87}[attributes] Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ \ folder descriptions \ \ \{915221fb-9efe-4bda-1641ff, 1641ff, 1641ff,$ 

8fd7-f78dca774f87}[foldertypeid]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ (explorer) folder descriptions \ (explo$ 

8fd7-f78dca774f87}[initfolderhandler]

Oueries value:

b5b4-2d72e54eaaa4}[category]

Queries value:

HKLM\system\currentcontrolset\services\winsock2\parameters\namespace\_catalog5\catalog\_entries\00000000002[librarypath] Queries value:

```
HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000002[displaystring]
Oueries value:
Queries value:
HKLM \setminus system \setminus current control set \setminus services \setminus winsock 2 \cap ameters \setminus name space\_catalog 5 \setminus catalog\_entries \setminus 00000000000002 [address family]
Queries value:
b5b4-2d72e54eaaa4}[name]
Queries value:
b5b4-2d72e54eaaa4}[parentfolder]
Queries value:
b5b4-2d72e54eaaa4}[description]
Queries value:
b5b4-2d72e54eaaa4}[relativepath]
Queries value:
b5b4-2d72e54eaaa4}[parsingname]
Queries value:
b5b4-2d72e54eaaa4}[infotip]
b5b4-2d72e54eaaa4}[localizedname]
b5b4-2d72e54eaaa4}[icon]
b5b4-2d72e54eaaa4}[security]
HKLM\system\currentcontrolset\services\winsock2\parameters\namespace catalog5\catalog entries\0000000000002[supportednamespace]
Queries value:
HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000002[enabled]
Oueries value:
Queries value:
Queries value:
HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000002[providerinfo]
Oueries value:
HKLM \ system \ current control set \ services \ winsock 2 \ parameters \ names pace \_catalog5 \ catalog\_entries \ 000000000003 [library path]
Oueries value:
HKLM \ system \ (current control set \ services \ winsock 2 \ parameters \ name space\_catalog 5 \ (catalog\_entries \ 0000000000003 \ [displaystring]
Queries value:
b5b4-2d72e54eaaa4}[streamresource]
Queries value:
b5b4-2d72e54eaaa4}[streamresourcetype]
Queries value:
b5b4-2d72e54eaaa4}[localredirectonly]
Queries value:
b5b4-2d72e54eaaa4}[roamable]
Oueries value:
b5b4-2d72e54eaaa4}[precreate]
Oueries value:
HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4c5c32ff-bb9d-43b0-
b5b4-2d72e54eaaa4}[stream]
Queries value:
b5b4-2d72e54eaaa4}[publishexpandedpath]
Queries value:
b5b4-2d72e54eaaa4}[attributes]
Queries value:
b5b4-2d72e54eaaa4}[foldertypeid]
Queries value:
b5b4-2d72e54eaaa4}[initfolderhandler]
Queries value:
HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000003[providerid]
Oueries value:
HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000003[addressfamily]
Queries value:
```

```
HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000003[enabled]
   Oueries value:
HKLM \setminus system \setminus current control set \setminus services \setminus winsock 2 \cap services \setminus mame space\_catalog \\ \setminus catalog\_entries \setminus 00000000000003 [version]
   Queries value:
HKLM \ system \ (current control set \ services \ winsock 2 \ parameters \ namespace\_catalog\_entries \ (00000000003[storesserviceclass info]) \ (catalog\_entries) \ 
   Queries value:
HKCU\software\microsoft\windows\currentversion\explorer\user shell
   Oueries value:
folders[{4c5c32ff-bb9d-43b0-b5b4-2d72e54eaaa4}]
   Queries value:
HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\00000000004[librarypath]
   Queries value:
HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000004[displaystring]
   Oueries value:
HKLM \setminus system \setminus current control set \setminus services \setminus winsock 2 \cap ameters \setminus namespace\_catalog S \setminus catalog\_entries \setminus 0000000000004 [providerid]
   Queries value:
HKLM \setminus system \setminus current control set \setminus services \setminus winsock 2 \cap ameters \setminus name space\_catalog 5 \setminus catalog\_entries \setminus 00000000000004 [address family]
   Queries value:
Queries value:
HKLM \setminus system \setminus current control set \setminus services \setminus winsock 2 \cap ameters \setminus namespace\_catalog 5 \setminus catalog\_entries \setminus 0000000000004 [enabled]
   Queries value:
HKLM \setminus system \setminus current control set \setminus services \setminus winsock 2 \cap ameters \setminus namespace\_catalog 5 \setminus catalog\_entries \setminus 0000000000004 [version]
   Queries value:
HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\00000000004[storesserviceclassinfo]
   Queries value:
HKLM \setminus system \setminus current control set \setminus services \setminus winsock 2 \cap ameters \setminus namespace\_catalog \\ \setminus catalog\_entries \setminus 0000000000004 [provider info]
   Queries value:
HKLM \ system \ (current control set \ services \ winsock 2 \ parameters \ name space\_catalog5 \ (catalog\_entries \ 00000000005 \ [library path]
HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\00000000005[displaystring]
   Queries value:
HKLM \ system \ (current control set \ services \ winsock 2 \ parameters \ name space\_catalog \ services \ winsock 2 \ parameters \ name space\_catalog \ services \ winsock 2 \ parameters \ name space\_catalog \ services \ winsock 2 \ parameters \ name space\_catalog \ services \ winsock 2 \ parameters \ name space\_catalog \ services \ winsock 2 \ parameters \ name space\_catalog \ services \ winsock 2 \ parameters \ name space\_catalog \ services \ winsock 2 \ parameters \ name space\_catalog \ services \ winsock 2 \ parameters \ name space\_catalog \ services \ name space\_catalog \ name space\_cat
   Queries value:
HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000005[supportednamespace]
   Queries value:
HKLM \setminus system \setminus current control set \setminus services \setminus winsock 2 \cap ameters \setminus namespace\_catalog \\ \setminus catalog\_entries \setminus 0000000000005 [enabled]
   Queries value:
HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\00000000005[storesserviceclassinfo]
   Queries value:
HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\00000000005[providerinfo]
   Queries value:
HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000006[displaystring]
   Queries value:
HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000006[providerid]
   Oueries value:
HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\00000000006[addressfamily]
   Queries value:
Oueries value:
HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\00000000006[enabled]
   Oueries value:
HKLM \ system \ current control set \ services \ winsock 2 \ parameters \ namespace\_catalog5 \ catalog\_entries \ 000000000006 \ [storesserviceclassinfo]
   Oueries value:
Oueries value:
HKLM\system\currentcontrolset\services\winsock2\parameters[ws2_32numhandlebuckets]
HKLM\system\currentcontrolset\services\winsock2\parameters[ws2 32spincount]
   Queries value:
                                            HKCU\software\microsoft\windows\currentversion\internet
settings\wpad[wpadoverride]
                                            HKCU\software\microsoft\windows\currentversion\internet
  Oueries value:
settings[enableautodial]
   Oueries value:
                                            HKCU\software\microsoft\windows\currentversion\internet
settings[nonetautodial]
                                            HKCU\software\microsoft\windows\currentversion\internet
   Queries value:
settings[globaluseroffline]
  Oueries value:
                                            HKCU\software\microsoft\windows\currentversion\internet
settings[badproxyexpirestime]
   Oueries value:
                                            HKLM\software\microsoft\windows\currentversion\internet
```

HKLM\system\currentcontrolset\control\nls\locale[00000409]

Ofb58b01c4a4}\languageprofile\0x00000000\{0001bea3-ed56-483d-a2e2-aeae25577436}[enable]

HKLM\system\currentcontrolset\control\nls\language groups[1]
HKLM\software\microsoft\ctf\tip\{0000897b-83df-4b96-be07-

settings[disablebranchcache]

Queries value:

Queries value:

```
Queries value:
                                     HKLM\software\microsoft\ctf[enableanchorcontext]
                                     HKLM\software\microsoft\cryptography\defaults\provider\microsoft strong
  Oueries value:
cryptographic provider[type]
                                     HKLM\software\microsoft\cryptography\defaults\provider\microsoft strong
  Queries value:
cryptographic provider[image path]
  Queries value:
                                     HKLM\system\currentcontrolset\control\session
manager[safeprocesssearchmode]
                                     HKLM\system\currentcontrolset\control\lsa\fipsalgorithmpolicy[enabled]
  Oueries value:
  Oueries value:
                                     HKLM\system\currentcontrolset\control\lsa[fipsalgorithmpolicy]
  Oueries value:
                                     HKLM\software\policies\microsoft\cryptography[privkeycachemaxitems]
  Oueries value:
HKLM\software\policies\microsoft\cryptography[privkeycachepurgeintervalseconds]
                                     HKLM\software\policies\microsoft\cryptography[privatekeylifetimeseconds]
  Oueries value:
                                     HKLM\software\microsoft\cryptography[machineguid]
  Oueries value:
  Queries value:
HKLM\software\microsoft\windows\currentversion\explorer\usersfiles\namespace\delegatefolders[suppressionpolicy]
  Queries value:
HKLM\software\microsoft\windows\currentversion\explorer\usersfiles\namespace\delegatefolders[]
  Oueries value:
HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'usersfiles \ 'namespace \ 'delegate folders \ 'deffact \ 's and 'explorer' \ 'explorer'' \ 'explorer
679f-4156-8947-c5c76bc0b67f}[suppressionpolicy]
  Queries value:
                                     HKCR\clsid\{dffacdc5-679f-4156-8947-
c5c76bc0b67f}\shellfolder[attributes]
                                     HKCR\clsid\{dffacdc5-679f-4156-8947-
  Queries value:
c5c76bc0b67f}\shellfolder[callforattributes]
                                    HKCR\clsid\{dffacdc5-679f-4156-8947-
  Queries value:
c5c76bc0b67f}\shellfolder[restrictedattributes]
                                     HKCR\clsid\{dffacdc5-679f-4156-8947-
  Queries value:
c5c76bc0b67f}\shellfolder[wantsfordisplay]
                                     HKCR\clsid\{dffacdc5-679f-4156-8947-
  Queries value:
c5c76bc0b67f}\shellfolder[hidefolderverbs]
                                     HKCR\clsid\{dffacdc5-679f-4156-8947-
  Queries value:
c5c76bc0b67f}\shellfolder[usedrophandler]
  Queries value:
                                     HKCR\clsid\{dffacdc5-679f-4156-8947-
c5c76bc0b67f}\shellfolder[wantsforparsing]
                                     HKCR\clsid\{dffacdc5-679f-4156-8947-
c5c76bc0b67f}\shellfolder[wantsparsedisplayname]
                                     HKCR\clsid\{dffacdc5-679f-4156-8947-
  Oueries value:
c5c76bc0b67f}\shellfolder[queryforoverlay]
                                     HKCR\clsid\{dffacdc5-679f-4156-8947-
  Queries value:
c5c76bc0b67f}\shellfolder[mapnetdriveverbs]
                                     HKCR\clsid\{dffacdc5-679f-4156-8947-
  Queries value:
c5c76bc0b67f}\shellfolder[queryforinfotip]
                                     HKCR\clsid\{dffacdc5-679f-4156-8947-
  Queries value:
c5c76bc0b67f}\shellfolder[hideinwebview]
                                     HKCR\clsid\{dffacdc5-679f-4156-8947-
  Queries value:
c5c76bc0b67f}\shellfolder[hideondesktopperuser]
  Queries value:
                                     HKCR\clsid\{dffacdc5-679f-4156-8947-
c5c76bc0b67f}\shellfolder[wantsaliasednotifications]
  Queries value:
                                     HKCR\clsid\{dffacdc5-679f-4156-8947-
c5c76bc0b67f}\shellfolder[wantsuniversaldelegate]
                                     HKCR\clsid\{dffacdc5-679f-4156-8947-
  Oueries value:
c5c76bc0b67f}\shellfolder[nofilefolderjunction]
                                     HKCR\clsid\{dffacdc5-679f-4156-8947-
  Queries value:
c5c76bc0b67f}\shellfolder[pintonamespacetree]
  Queries value:
                                     HKCR\clsid\{dffacdc5-679f-4156-8947-
c5c76bc0b67f}\shellfolder[hasnavigationenum]
  Oueries value:
HKLM\software\microsoft\windows\currentversion\policies\nonenum[{dffacdc5-679f-4156-8947-
c5c76bc0b67f}]
  Queries value:
                                     HKCR\clsid\{dffacdc5-679f-4156-8947-c5c76bc0b67f}\inprocserver32[]
  Oueries value:
                                     HKCR\clsid\{dffacdc5-679f-4156-8947-
c5c76bc0b67f}\inprocserver32[loadwithoutcom]
  Oueries value:
                                     HKCU\software\microsoft\windows\currentversion\shell
extensions\cached[{dffacdc5-679f-4156-8947-c5c76bc0b67f} {add8ba80-002b-11d0-8f0f-00c04fd7d062}
0xffff1
  Queries value:
                                     HKCR\clsid\{dffacdc5-679f-4156-8947-c5c76bc0b67f}[]
  Queries value:
                                     HKCR\clsid\{dffacdc5-679f-4156-8947-
c5c76bc0b67f}\inprocserver32[inprocserver32]
                                     HKCR\clsid\{dffacdc5-679f-4156-8947-
  Oueries value:
c5c76bc0b67f}\inprocserver32[threadingmodel]
                                     \label{lem:hkcr} $HKCR\clsid\\{dffacdc5-679f-4156-8947-c5c76bc0b67f}\\\nstance[clsid]
  Oueries value:
  Oueries value:
                                     HKCR\clsid\{0e5aae11-a475-4c5b-ab00-c66de400274e}\inprocserver32[]
  Queries value:
                                     HKCR\clsid\{0e5aae11-a475-4c5b-ab00-
c66de400274e}\inprocserver32[loadwithoutcom]
                                     HKCR\clsid\{0e5aae11-a475-4c5b-ab00-c66de400274e}[]
  Oueries value:
  Queries value:
                                     HKCR\clsid\{0e5aae11-a475-4c5b-ab00-
c66de400274e}\inprocserver32[inprocserver32]
                                     HKCR\clsid\{0e5aae11-a475-4c5b-ab00-
  Oueries value:
c66de400274e}\inprocserver32[threadingmodel]
  Queries value:
                                     HKCR\clsid\{dffacdc5-679f-4156-8947-
c5c76bc0b67f}\instance\initpropertybag[attributes]
```

HKCR\clsid\{dffacdc5-679f-4156-8947-

```
c5c76bc0b67f}\instance\initpropertybag[descriptionid]
                                           HKCR\clsid\{dffacdc5-679f-4156-8947-
   Oueries value:
c5c76bc0b67f}\instance\initpropertybag[helptopic]
                                           HKCR\clsid\{dffacdc5-679f-4156-8947-
   Queries value:
c5c76bc0b67f}\instance\initpropertybag[recursivesearch]
   Queries value:
                                           HKCR\clsid\{dffacdc5-679f-4156-8947-
c5c76bc0b67f}\instance\initpropertybag[targetknownfolder]
   Oueries value:
                                           HKCU\software\microsoft\windows\currentversion\explorer\shell
folders[local appdata]
   Queries value:
                                            HKCU\software\microsoft\internet explorer\main[start page]
                                            HKCU\software\microsoft\internet explorer\searchscopes[defaultscope]
   Oueries value:
   Queries value:
                                            HKCU \setminus software \setminus microsoft \setminus internet explorer \setminus search scopes \setminus \{0633ee93-d776-microsoft \setminus microsoft \setminus microso
472f-a0ff-e1416b8b2e3a}[url]
   Oueries value:
                                           HKLM\system\currentcontrolset\control\session
manager\environment[processor_architecture]
   Queries value:
                                            HKLM\software\microsoft\net framework setup\ndp\v2.0.50727[install]
                                           HKLM\software\microsoft\net framework setup\ndp\v2.0.50727[sp]
   Oueries value:
   Queries value:
                                            HKLM\software\microsoft\net framework setup\ndp\v3.0[install]
   Queries value:
                                            HKLM\software\microsoft\net framework setup\ndp\v3.0[sp]
                                            HKLM\software\microsoft\net framework setup\ndp\v3.5[install]
   Oueries value:
   Queries value:
                                            HKLM\software\microsoft\net framework setup\ndp\v3.5[sp]
   Queries value:
                                            HKLM\software\microsoft\windows\currentversion[currentversion]
   Oueries value:
                                            HKLM\software\microsoft\windows nt\currentversion[currentversion]
   Queries value:
                                            HKCR\clsid\{8856f961-340a-11d0-a96b-00c04fd705a2}\progid[]
                                            HKCR\clsid\{8856f961-340a-11d0-a96b-00c04fd705a2}[]
   Queries value:
                                           HKCR\clsid\{8856f961-340a-11d0-a96b-
   Oueries value:
00c04fd705a2}\inprocserver32[inprocserver32]
                                           HKCR\clsid\{8856f961-340a-11d0-a96b-00c04fd705a2}\inprocserver32[]
   Queries value:
                                           HKCR\clsid\{8856f961-340a-11d0-a96b-
   Oueries value:
00c04fd705a2}\inprocserver32[threadingmodel]
                                           HKLM\software\microsoft\windows
   Oueries value:
nt\currentversion\languagepack\datastore_v1.0[disable]
                                           HKLM\software\microsoft\windows
nt\currentversion\languagepack\datastore_v1.0[datafilepath]
   Oueries value:
                                           HKLM\software\microsoft\windows
nt\currentversion\languagepack\surrogatefallback[plane1]
                                           HKLM\software\microsoft\windows
   Oueries value:
nt\currentversion\languagepack\surrogatefallback[plane2]
                                            HKLM\software\microsoft\windows
   Queries value:
nt\currentversion\languagepack\surrogatefallback[plane3]
   Queries value:
                                           HKLM\software\microsoft\windows
nt\currentversion\languagepack\surrogatefallback[plane4]
                                           HKLM\software\microsoft\windows
   Oueries value:
nt\currentversion\languagepack\surrogatefallback[plane5]
   Oueries value:
                                           HKLM\software\microsoft\windows
nt\currentversion\languagepack\surrogatefallback[plane6]
   Queries value:
                                           HKLM\software\microsoft\windows
nt\currentversion\languagepack\surrogatefallback[plane7]
   Oueries value:
                                           HKLM\software\microsoft\windows
nt\currentversion\languagepack\surrogatefallback[plane8]
   Oueries value:
                                           HKLM\software\microsoft\windows
nt\currentversion\languagepack\surrogatefallback[plane9]
   Queries value:
                                           HKLM\software\microsoft\windows
nt\currentversion\languagepack\surrogatefallback[plane10]
                                           HKLM\software\microsoft\windows
   Oueries value:
nt\currentversion\languagepack\surrogatefallback[plane11]
   Oueries value:
                                           HKLM\software\microsoft\windows
\verb|nt\currentversion\language| pack\surrogatefallback[plane12]|
   Oueries value:
                                           HKLM\software\microsoft\windows
nt\currentversion\languagepack\surrogatefallback[plane13]
                                           HKLM\software\microsoft\windows
   Queries value:
\verb|nt\currentversion\languagepack\surrogatefallback[plane14]|
                                           HKLM\software\microsoft\windows
   Queries value:
nt\currentversion\languagepack\surrogatefallback[plane15]
   Queries value:
                                           HKLM\software\microsoft\windows
nt\currentversion\languagepack\surrogatefallback[plane16]
   Queries value:
                                           HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_http_username_password_disable[f4cade5dce24d5c9d966cb266c7c7346.exe]
   Queries value:
                                           HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_http_username_password_disable[*]
   Queries value:
                                           HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_mime_handling[f4cade5dce24d5c9d966cb266c7c7346.exe]
   Oueries value:
                                           HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_mime_handling[*]
   Queries value:
                                           HKLM\software\microsoft\tracing[enableconsoletracing]
   Oueries value:
HKLM\software\microsoft\tracing\f4cade5dce24d5c9d966cb266c7c7346_rasapi32[enablefiletracing]
   Oueries value:
HKLM\software\microsoft\tracing\f4cade5dce24d5c9d966cb266c7c7346_rasapi32[filetracingmask]
   Oueries value:
HKLM\software\microsoft\tracing\f4cade5dce24d5c9d966cb266c7c7346_rasapi32[enableconsoletracing]
   Oueries value:
HKLM \ software \ microsoft \ tracing \ f4cade5dce24d5c9d966cb266c7c7346\_rasapi32[consoletracingmask]
```

```
Oueries value:
HKLM\software\microsoft\tracing\f4cade5dce24d5c9d966cb266c7c7346_rasapi32[maxfilesize]
 Oueries value:
HKLM\software\microsoft\tracing\f4cade5dce24d5c9d966cb266c7c7346_rasapi32[filedirectory]
 Oueries value:
Oueries value:
HKLM\software\microsoft\tracing\f4cade5dce24d5c9d966cb266c7c7346_rasmancs[filetracingmask]
 Oueries value:
HKLM\software\microsoft\tracing\f4cade5dce24d5c9d966cb266c7c7346_rasmancs[enableconsoletracing]
 Oueries value:
HKLM\software\microsoft\tracing\f4cade5dce24d5c9d966cb266c7c7346_rasmancs[consoletracingmask]
 Oueries value:
HKLM \ software \ microsoft \ tracing \ f4cade5dce24d5c9d966cb266c7c7346\_rasmancs \ [maxfilesize]
 Queries value:
HKLM\software\microsoft\tracing\f4cade5dce24d5c9d966cb266c7c7346_rasmancs[filedirectory]
                         HKLM\software\microsoft\windows
 Oueries value:
nt\currentversion\profilelist[programdata]
 Oueries value:
                         HKLM\software\microsoft\sqmclient\windows\disabledprocesses[44592000]
 Oueries value:
HKLM\software\microsoft\sqmclient\windows\disabledsessions[machinethrottling]
 Oueries value:
HKLM\software\microsoft\sqmclient\windows\disabledsessions[globalsession]
                         HKLM\system\currentcontrolset\control\sqmservicelist[sqmservicelist]
 Queries value:
                         HKLM\software\microsoft\internet
 Queries value:
explorer\main\featurecontrol\feature_disable_unicode_handle_closing_callback[bi.exe]
                         HKLM\software\policies\microsoft\windows\currentversion\internet
 Queries value:
settings[createuricachesize]
                         HKCU\software\policies\microsoft\windows\currentversion\internet
 Oueries value:
settings[createuricachesize]
                         HKCU\software\microsoft\windows\currentversion\internet
 Oueries value:
settings[createuricachesize]
                         HKLM\software\microsoft\windows\currentversion\internet
 Queries value:
settings[createuricachesize]
 Queries value:
                         HKLM\software\policies\microsoft\windows\currentversion\internet
settings[enablepunycode]
                         HKCU\software\policies\microsoft\windows\currentversion\internet
 Oueries value:
settings[enablepunycode]
                         HKCU\software\microsoft\windows\currentversion\internet
 Queries value:
settings[enablepunycode]
                         HKLM\software\microsoft\internet
 Queries value:
explorer\main\featurecontrol\feature_http_username_password_disable[bi.exe]
                         HKLM\software\policies\microsoft\windows\currentversion\internet
 Oueries value:
settings[proxysettingsperuser]
                         HKCU\software\microsoft\windows\currentversion\internet
 Queries value:
settings[migrateproxy]
 Queries value:
                         HKCU\software\microsoft\windows\currentversion\internet
settings[proxyenable]
                         HKLM\software\microsoft\internet
 Oueries value:
explorer\main\featurecontrol\feature_mime_handling[bi.exe]
                         HKCU\software\microsoft\windows\currentversion\internet
 Oueries value:
settings[proxyserver]
 Queries value:
                         HKCU\software\microsoft\windows\currentversion\internet
settings[proxyoverride]
                         HKCU\software\microsoft\windows\currentversion\internet
 Oueries value:
settings[autoconfigurl]
 Queries value:
                         HKLM\software\microsoft\internet explorer\main[navigationdelay]
                         HKCU\software\microsoft\windows\currentversion\internet
 Oueries value:
settings\connections[savedlegacysettings]
 Queries value:
                         HKCU\software\microsoft\windows\currentversion\internet
settings\connections[defaultconnectionsettings]
```

Queries value:  $\label{lem:hkcu} \verb+KKCU \software \microsoft \windows \current version \cite{thm:lem:hkcu} in terms to the lemma substitution \cite{thm:lem:hkcu} and \cite{thm:lem:hkcu} are \cite{thm:lem:hkcu}.$ 

settings[autoconfigcustomua]

HKCU\software\microsoft\internet explorer\main[frametabwindow] Oueries value: Queries value: HKLM\software\microsoft\internet explorer\main[frametabwindow] HKCU\software\microsoft\internet explorer\main[framemerging] Oueries value: Queries value: HKLM\software\microsoft\internet explorer\main[framemerging] Oueries value: HKCU\software\microsoft\internet explorer\main[sessionmerging] Queries value: HKLM\software\microsoft\internet explorer\main[sessionmerging] HKCU\software\microsoft\internet explorer\main[admintabprocs] Oueries value: Queries value: HKLM\software\microsoft\internet explorer\main[admintabprocs] HKCR\autoproxytypes\application/x-internet-signup[dllfile] Oueries value: Oueries value: HKCU\software\microsoft\internet explorer\main[tabprocgrowth] Queries value: HKLM\software\microsoft\internet explorer\main[tabprocgrowth]

Queries value: HKCR\clsid\{871c5380-42a0-1069-a2ea-

08002b30309d}\shellfolder[attributes]

Queries value: HKCR\autoproxytypes\application/x-internet-signup[fileextensions] HKCR\autoproxytypes\application/x-internet-signup[default] Queries value: Oueries value: HKCR\autoproxytypes\application/x-internet-signup[flags]

Oueries value: HKCR\clsid\{871c5380-42a0-1069-a2ea-

08002b30309d}\shellfolder[callforattributes]

HKCR\clsid\{871c5380-42a0-1069-a2ea-Oueries value:

08002b30309d}\shellfolder[restrictedattributes]

```
HKCR\clsid\{871c5380-42a0-1069-a2ea-
  Queries value:
08002b30309d}\shellfolder[wantsfordisplay]
  Oueries value:
                                    HKCR\clsid\{871c5380-42a0-1069-a2ea-
08002b30309d}\shellfolder[hidefolderverbs]
                                    HKCR\clsid\{871c5380-42a0-1069-a2ea-
  Oueries value:
08002b30309d}\shellfolder[usedrophandler]
  Queries value:
                                    HKCR\autoproxytypes\application/x-ns-proxy-autoconfig[dllfile]
                                    HKCR\autoproxytypes\application/x-ns-proxy-autoconfig[fileextensions]
  Oueries value:
  Queries value:
                                    HKCR\autoproxytypes\application/x-ns-proxy-autoconfig[default]
                                    HKCR\clsid\{871c5380-42a0-1069-a2ea-
  Oueries value:
08002b30309d}\shellfolder[wantsforparsing]
  Queries value:
                                    HKCR\clsid\{871c5380-42a0-1069-a2ea-
08002b30309d}\shellfolder[wantsparsedisplayname]
                                    HKCR\clsid\{871c5380-42a0-1069-a2ea-
  Oueries value:
08002b30309d}\shellfolder[queryforoverlay]
  Queries value:
                                    HKCR\clsid\{871c5380-42a0-1069-a2ea-
08002b30309d}\shellfolder[mapnetdriveverbs]
  Queries value:
                                    HKCR\clsid\{871c5380-42a0-1069-a2ea-
08002b30309d}\shellfolder[queryforinfotip]
                                    HKCR \verb| autoproxytypes \verb| application/x-ns-proxy-autoconfig[flags]|
  Oueries value:
  Oueries value:
                                    HKCR\clsid\{871c5380-42a0-1069-a2ea-
08002b30309d}\shellfolder[hideinwebview]
                                    HKCR\clsid\{871c5380-42a0-1069-a2ea-
  Queries value:
08002b30309d}\shellfolder[hideondesktopperuser]
  Queries value:
                                    HKCR\clsid\{871c5380-42a0-1069-a2ea-
08002b30309d}\shellfolder[wantsaliasednotifications]
                                    HKCR\clsid\{871c5380-42a0-1069-a2ea-
  Queries value:
08002b30309d}\shellfolder[wantsuniversaldelegate]
                                    HKCR\clsid\{871c5380-42a0-1069-a2ea-
  Oueries value:
08002b30309d}\shellfolder[nofilefolderjunction]
                                    HKCR\clsid\{871c5380-42a0-1069-a2ea-
  Oueries value:
08002b30309d}\shellfolder[pintonamespacetree]
                                    HKCR\clsid\{871c5380-42a0-1069-a2ea-
  Queries value:
08002b30309d}\shellfolder[hasnavigationenum]
                                    HKCU \ software \ `microsoft\ `windows \ `current version \ `explorer\ `clsid\ `\{871c5380-microsoft\ `windows\ `current version\ `explorer\ `clsid\ `\{871c5380-microsoft\ `windows\ `current version\ `explorer\ `clsid\ `and `and `explorer\ `clsid\ `clsid\ `and `explorer\ `clsid\ `clsi
  Oueries value:
42a0-1069-a2ea-08002b30309d}\shellfolder[attributes]
  Oueries value:
HKLM\software\microsoft\windows\currentversion\policies\nonenum[{871c5380-42a0-1069-a2ea-
08002b30309d}]
                                    HKLM\software\microsoft\tracing\bi_rasapi32[enablefiletracing]
  Queries value:
  Oueries value:
                                    HKLM\software\microsoft\tracing\bi_rasapi32[filetracingmask]
                                    HKLM\software\microsoft\tracing\bi_rasapi32[enableconsoletracing]
  Queries value:
                                    HKLM\software\microsoft\tracing\bi_rasapi32[consoletracingmask]
  Oueries value:
  Queries value:
                                    HKLM\software\microsoft\tracing\bi_rasapi32[maxfilesize]
                                    HKLM\software\microsoft\tracing\bi_rasapi32[filedirectory]
  Oueries value:
                                    HKCR\clsid\{871c5380-42a0-1069-a2ea-08002b30309d}\inprocserver32[]
  Queries value:
  Oueries value:
                                    HKCR\clsid\{871c5380-42a0-1069-a2ea-
08002b30309d}\inprocserver32[loadwithoutcom]
                                    HKLM\system\currentcontrolset\services\winsock2\parameters[autodialdll]
  Oueries value:
  Queries value:
                                    HKCU\software\microsoft\windows\currentversion\shell
extensions\cached[{871c5380-42a0-1069-a2ea-08002b30309d} {000214e6-0000-0000-c000-000000000046}
0xffff1
  Queries value:
HKLM\system\currentcontrolset\services\dnscache\parameters[queryadaptername]
  Oueries value:
HKLM\system\currentcontrolset\services\tcpip\parameters[disableadapterdomainname]
  Oueries value:
HKLM\system\currentcontrolset\services\dnscache\parameters[usedomainnamedevolution]
  Oueries value:
                                    HKLM\software\microsoft\tracing\bi_rasmancs[enablefiletracing]
                                    HKCR\clsid\{871c5380-42a0-1069-a2ea-08002b30309d}[]
  Queries value:
  Queries value:
                                    HKCR\clsid\{871c5380-42a0-1069-a2ea-
08002b30309d}\inprocserver32[inprocserver32]
HKLM\system\currentcontrolset\services\tcpip\parameters[usedomainnamedevolution]
  Queries value:
Queries value:
Queries value:
HKLM\system\currentcontrolset\services\tcpip\parameters[prioritizerecorddata]
  Queries value:
HKLM\system\currentcontrolset\services\dnscache\parameters[allowunqualifiedquery]
  Oueries value:
HKLM\system\currentcontrolset\services\tcpip\parameters[allowunqualifiedquery]
  Queries value:
HKLM \setminus system \setminus current control set \setminus services \setminus dnscache \setminus parameters [append to multilabel name]
  Queries value:
HKLM\system\currentcontrolset\services\dnscache\parameters[screenbadtlds]
  Oueries value:
HKLM\system\currentcontrolset\services\dnscache\parameters[screenunreachableservers]
  Queries value:
HKLM\system\currentcontrolset\services\dnscache\parameters[screendefaultservers]
  Queries value:
                                    HKLM\software\microsoft\sqmclient\windows\disabledprocesses[959385cd]
```

Oueries value: HKLM\software\microsoft\tracing\bi\_rasmancs[filetracingmask] HKLM\software\microsoft\tracing\bi\_rasmancs[enableconsoletracing] Oueries value: Oueries value: HKLM\software\microsoft\tracing\bi\_rasmancs[consoletracingmask] HKLM\software\microsoft\tracing\bi\_rasmancs[maxfilesize] Queries value: HKLM\software\microsoft\tracing\bi\_rasmancs[filedirectory] Oueries value: Queries value: HKCR\clsid\{871c5380-42a0-1069-a2ea-08002b30309d}\inprocserver32[threadingmodel] Oueries value: HKLM\system\currentcontrolset\services\dnscache\parameters[dynamicserverqueryorder] Oueries value: HKLM\system\currentcontrolset\services\dnscache\parameters[filterclusterip] Queries value: HKLM\system\currentcontrolset\services\dnscache\parameters[waitfornameerroronall] Oueries value: HKLM\system\currentcontrolset\services\dnscache\parameters[useedns] Queries value: HKLM\system\currentcontrolset\services\dnscache\parameters[dnssecurenamequeryfallback] Oueries value: HKLM\system\currentcontrolset\services\dnscache\parameters[enabledaforallnetworks] Queries value: HKLM\system\currentcontrolset\services\dnscache\parameters[directaccessqueryorder] Queries value: HKLM\system\currentcontrolset\services\dnscache\parameters[queryipmatching] HKLM\system\currentcontrolset\services\dnscache\parameters[usehostsfile] Oueries value: Queries value: HKLM\system\currentcontrolset\services\dnscache\parameters[addrconfigcontrol] Queries value:  $HKLM \setminus system \setminus current control set \setminus services \setminus dns cache \setminus parameters [registration enabled]$ Queries value:  $HKLM \setminus system \setminus current control set \setminus services \setminus tcpip \setminus parameters [disable dynamic update]$ Queries value: HKLM\system\currentcontrolset\services\dnscache\parameters[registerprimaryname] Queries value: HKLM\system\currentcontrolset\services\dnscache\parameters[registeradaptername] Queries value: HKLM\system\currentcontrolset\services\dnscache\parameters[registerreverselookup] Queries value: HKLM\system\currentcontrolset\services\tcpip\parameters[disablereverseaddressregistrations] Queries value: HKLM\svstem\currentcontrolset\services\tcpip\parameters[disablewandvnamicupdate] Queries value: HKLM\system\currentcontrolset\services\dnscache\parameters[registrationttl] Queries value:  $HKLM \setminus system \setminus current control set \setminus services \setminus tcpip \setminus parameters [default registration ttl]$ HKLM\system\currentcontrolset\services\dnscache\parameters[registrationrefreshinterval] Queries value: HKLM\system\currentcontrolset\services\tcpip\parameters[defaultregistrationrefreshinterval] Oueries value: HKLM\system\currentcontrolset\services\dnscache\parameters[registrationmaxaddresscount] Queries value: HKLM\system\currentcontrolset\services\tcpip\parameters[maxnumberofaddressestoregister] Queries value: HKLM\system\currentcontrolset\services\dnscache\parameters[updatesecuritylevel] Oueries value: HKLM\system\currentcontrolset\services\tcpip\parameters[updatesecuritylevel] HKLM\system\currentcontrolset\services\dnscache\parameters[updatetopleveldomainzones] Oueries value: HKLM\system\currentcontrolset\services\dnscache\parameters[downcasespncauseapiowneristoolazy] Oueries value: HKLM\system\currentcontrolset\services\dnscache\parameters[registrationoverwrite] HKLM\system\currentcontrolset\services\dnscache\parameters[maxcachesize] Oueries value: Queries value: HKLM\system\currentcontrolset\services\dnscache\parameters[maxcachettl] Queries value: Oueries value: HKLM\system\currentcontrolset\services\dnscache\parameters[adaptertimeoutlimit] Oueries value: HKLM\system\currentcontrolset\services\dnscache\parameters[serverprioritytimelimit] Queries value: HKLM\system\currentcontrolset\services\dnscache\parameters[maxcachedsockets] Oueries value: HKLM\system\currentcontrolset\services\dnscache\parameters[enablemulticast] Oueries value: HKLM\system\currentcontrolset\services\dnscache\parameters[multicastresponderflags] Oueries value: Oueries value:  $HKLM \setminus system \setminus current control set \setminus services \setminus dns cache \setminus parameters [multicasts endermax time out]$ 

```
Oueries value:
                          HKLM\system\currentcontrolset\services\dnscache\parameters[dnstest]
 Oueries value:
HKLM\system\currentcontrolset\services\dnscache\parameters[usecompartments]
 Queries value:
HKLM\system\currentcontrolset\services\dnscache\parameters[cacheallcompartments]
 Queries value:
HKLM\system\currentcontrolset\services\dnscache\parameters[usenewregistration]
 Oueries value:
HKLM\system\currentcontrolset\services\dnscache\parameters[resolverregistration]
 Oueries value:
HKLM\system\currentcontrolset\services\dnscache\parameters[resolverregistrationonly]
 Queries value:
HKLM\system\currentcontrolset\services\dnscache\parameters[dnsquerytimeouts]
 Oueries value:
HKLM\system\currentcontrolset\services\tcpip\parameters[dnsquerytimeouts]
 Queries value:
\label{lem:hklm} \verb+Kklm \ system \ current control set \ \verb+services \ \verb+dns \ cache \ \verb+parameters \ [dnsquick query time outs]
 Queries value:
HKLM\system\currentcontrolset\services\tcpip\parameters[dnsquickquerytimeouts]
                          HKCR\protocols\handler\res[clsid]
 Queries value:
 Queries value:
                          HKCR\clsid\{3050f3bc-98b5-11cf-bb82-00aa00bdce0b}[]
 Queries value:
                          HKCR\clsid\{3050f3bc-98b5-11cf-bb82-
00aa00bdce0b}\inprocserver32[inprocserver32]
 Queries value:
                          HKCR\clsid\{3050f3bc-98b5-11cf-bb82-00aa00bdce0b}\inprocserver32[]
 Queries value:
                          HKCR\clsid\{3050f3bc-98b5-11cf-bb82-
00aa00bdce0b}\inprocserver32[threadingmodel]
                          HKLM\software\microsoft\internet
 Queries value:
explorer\main\featurecontrol\feature_legacy_dispparams[f4cade5dce24d5c9d966cb266c7c7346.exe]
                          HKLM\software\microsoft\internet
 Oueries value:
explorer\main\featurecontrol\feature_legacy_dispparams[*]
                          HKLM\software\microsoft\internet
 Oueries value:
explorer\main\featurecontrol\feature_object_caching[f4cade5dce24d5c9d966cb266c7c7346.exe]
                          HKLM\software\microsoft\internet
 Queries value:
explorer\main\featurecontrol\feature_object_caching[*]
                          HKCU\software\microsoft\windows nt\currentversion\windows[dragdelay]
 Oueries value:
                          HKLM\system\currentcontrolset\control\wmi\security[9e3b3947-ca5d-4614-
 Queries value:
91a2-7b624e0e7244]
                          {\tt HKLM \setminus software \setminus microsoft \setminus internet \ explorer \setminus application}
 Oueries value:
compatibility[f4cade5dce24d5c9d966cb266c7c7346.exe]
                          HKCU\software\microsoft\internet explorer\domstorage[totallimit]
 Queries value:
 Queries value:
                          HKCU\software\microsoft\internet explorer\domstorage[domainlimit]
 Queries value:
                          HKLM\system\currentcontrolset\services\tcpip\parameters[hostname]
 Oueries value:
                          HKLM\svstem\currentcontrolset\services\tcpip\parameters[domain]
 Queries value:
                          HKLM\software\microsoft\windows\currentversion\policies\ratings[key]
                          HKLM\system\currentcontrolset\services\winsock\parameters[transports]
 Oueries value:
 Queries value:
HKLM\system\currentcontrolset\services\tcpip6\parameters\winsock[mapping]
 Queries value:
HKLM\system\currentcontrolset\services\psched\parameters\winsock[mapping]
 Queries value:
                          HKLM\system\currentcontrolset\services\winsock\setup
migration\providers\psched[winsock 2.0 provider id]
                          HKCU\software\microsoft\windows\currentversion\internet
 Oueries value:
settings[urlencoding]
 Queries value:
                          HKLM\system\currentcontrolset\services\tcpip\parameters\winsock[mapping]
                          HKLM\system\currentcontrolset\services\winsock\setup
 Oueries value:
migration\providers\tcpip[winsock 2.0 provider id]
 Oueries value:
HKLM\system\currentcontrolset\services\tcpip\parameters\winsock[minsockaddrlength]
 Oueries value:
                          HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_unc_savedfilecheck[f4cade5dce24d5c9d966cb266c7c7346.exe]
 Queries value:
                          HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_unc_savedfilecheck[*]
 Queries value:
HKLM\svstem\currentcontrolset\services\tcpip\parameters\winsock[maxsockaddrlength]
 Queries value:
HKLM\system\currentcontrolset\services\tcpip\parameters\winsock[usedelayedacceptance]
 Queries value:
HKLM \setminus system \setminus current control set \setminus services \setminus tcpip \setminus parameters \setminus winsock [helperdllname]
 Queries value:
                          HKLM\system\currentcontrolset\services\winsock\setup
migration\providers\tcpip6[winsock 2.0 provider id]
 Queries value:
                          HKLM\software\policies\microsoft\internet
explorer\security[disablesecuritysettingscheck]
 Oueries value:
HKLM\system\currentcontrolset\services\tcpip6\parameters\winsock[minsockaddrlength]
 Queries value:
HKLM\system\currentcontrolset\services\tcpip6\parameters\winsock[maxsockaddrlength]
 Queries value:
HKLM\system\currentcontrolset\services\tcpip6\parameters\winsock[usedelayedacceptance]
 Oueries value:
HKLM\system\currentcontrolset\services\tcpip6\parameters\winsock[helperdllname]
 Queries value:
HKLM\system\currentcontrolset\services\dnscache\parameters\dnscache[shutdownonidle]
```

 $\label{lem:hkcu} \verb+KKCU \software \verb+ microsoft \verb+ windows \verb+ current version \verb+ internet+ \\$ 

```
settings\zones\0[flags]
                 HKCU\software\microsoft\windows\currentversion\internet
 Oueries value:
settings\zones\1[flags]
 Queries value:
                 HKCU\software\microsoft\windows\currentversion\internet
settings\zones\2[flags]
 Queries value:
                 HKCU\software\microsoft\windows\currentversion\internet
settings\zones\3[flags]
 Oueries value:
                 HKCU\software\microsoft\windows\currentversion\internet
settings\zones\4[flags]
 Queries value:
                 HKCU\software\microsoft\internet
explorer\main\featurecontrol\feature_localmachine_lockdown[f4cade5dce24d5c9d966cb266c7c7346.exe]
 Queries value:
                HKCU\software\microsoft\internet
explorer\main\featurecontrol\feature_localmachine_lockdown[*]
                HKLM\software\microsoft\internet
 Queries value:
explorer\main\featurecontrol\feature_localmachine_lockdown[f4cade5dce24d5c9d966cb266c7c7346.exe]
                HKLM\software\microsoft\internet
 Queries value:
explorer\main\featurecontrol\feature_localmachine_lockdown[*]
 Queries value:
HKLM\system\currentcontrolset\services\tcpip6\parameters\interfaces\{128919e8-8a5e-41d1-ac17-
c19ce8a73253}[searchlist]
 Queries value:
c19ce8a73253}[enabledhcp]
 Queries value:
HKLM\system\currentcontrolset\services\tcpip\parameters\interfaces\{128919e8-8a5e-41d1-ac17-
c19ce8a73253}[registrationenabled]
 Queries value:
c19ce8a73253}[registeradaptername]
 Queries value:
HKLM\system\currentcontrolset\services\tcpip\parameters\interfaces\{128919e8-8a5e-41d1-ac17-
c19ce8a73253}[domain]
c19ce8a73253}[dhcpdomain]
 Queries value:
c19ce8a73253}[dhcpv6domain]
c19ce8a73253}[nameserver]
c19ce8a73253}[nameserver]
 Oueries value:
c19ce8a73253}[dhcpnameserver]
HKLM\system\currentcontrolset\services\tcpip\parameters\interfaces\{e29ac6c2-7037-11de-816d-
806e6f6e6963}[enabledhcp]
 Oueries value:
806e6f6e6963}[registrationenabled]
806e6f6e6963}[registeradaptername]
 Oueries value:
806e6f6e6963}[domain]
 Queries value:
HKLM\system\currentcontrolset\services\tcpip\parameters\interfaces\{e29ac6c2-7037-11de-816d-
806e6f6e6963}[dhcpdomain]
 Queries value:
806e6f6e6963}[nameserver]
806e6f6e6963}[dhcpnameserver]
 Queries value:
                 HKLM\system\currentcontrolset\services\tcpip\linkage[bind]
 Oueries value:
c19ce8a73253}[queryadaptername]
 Oueries value:
c19ce8a73253}[disableadapterdomainname]
 Oueries value:
HKLM\system\currentcontrolset\services\tcpip\parameters\interfaces\{128919e8-8a5e-41d1-ac17-
c19ce8a73253}[registrationmaxaddresscount]
 Oueries value:
HKLM\system\currentcontrolset\services\tcpip\parameters\interfaces\{128919e8-8a5e-41d1-ac17-
c19ce8a73253}[maxnumberofaddressestoregister]
 Oueries value:
HKLM\system\currentcontrolset\services\tcpip\parameters\interfaces\{128919e8-8a5e-41d1-ac17-
```

```
c19ce8a73253}[enablemulticast]
  Oueries value:
HKLM\system\currentcontrolset\services\tcpip\parameters\interfaces\{e29ac6c2-7037-11de-816d-
806e6f6e6963}[queryadaptername]
  Oueries value:
806e6f6e6963}[disableadapterdomainname]
  Oueries value:
HKLM\system\currentcontrolset\services\tcpip\parameters\interfaces\{e29ac6c2-7037-11de-816d-
806e6f6e6963}[disabledynamicupdate]
  Oueries value:
806e6f6e6963}[enableadapterdomainnameregistration]
  Oueries value:
HKLM\system\currentcontrolset\services\tcpip\parameters\interfaces\{e29ac6c2-7037-11de-816d-
806e6f6e6963}[registrationmaxaddresscount]
  Queries value:
HKLM\system\currentcontrolset\services\tcpip\parameters\interfaces\{e29ac6c2-7037-11de-816d-
806e6f6e6963}[maxnumberofaddressestoregister]
  Oueries value:
HKLM\system\currentcontrolset\services\tcpip\parameters\interfaces\{e29ac6c2-7037-11de-816d-
806e6f6e6963}[enablemulticast]
                                      HKLM\system\currentcontrolset\services\tcpip\parameters[searchlist]
  Oueries value:
  Queries value:
                                       HKCR\clsid\{dcb00c01-570f-4a9b-8d69-199fdba5723b}[]
  Queries value:
                                      HKCR\clsid\{dcb00c01-570f-4a9b-8d69-
199fdba5723b}\inprocserver32[inprocserver32]
  Queries value:
                                      HKCR\clsid\{dcb00c01-570f-4a9b-8d69-199fdba5723b}\inprocserver32[]
  Queries value:
                                      HKCR\clsid\{dcb00c01-570f-4a9b-8d69-
199fdba5723b}\inprocserver32[threadingmodel]
                                      HKLM\software\microsoft\rpc\extensions[ndroleextdll]
  Queries value:
  Queries value:
                                       HKCR\clsid\{a47979d2-c419-11d9-a5b4-001185ad2b89}[]
  Queries value:
                                      HKLM\software\microsoft\ole\appcompat[raisedefaultauthnlevel]
  Queries value:
                                       HKLM\software\microsoft\ole[defaultaccesspermission]
  Queries value:
                                       HKLM\system\currentcontrolset\control\lsa[everyoneincludesanonymous]
  Oueries value:
                                      HKLM\software\policies\microsoft\windows\currentversion\internet
settings[specialfolderscachesize]
                                      HKCU\software\policies\microsoft\windows\currentversion\internet
  Oueries value:
settings[specialfolderscachesize]
                                      HKCU\software\microsoft\windows\currentversion\internet
  Queries value:
settings[specialfolderscachesize]
  Queries value:
                                      HKLM\software\microsoft\windows\currentversion\internet
settings[specialfolderscachesize]
                                      HKCR\interface\{00000134-0000-0000-c000-00000000046}\proxystubclsid32[]
  Oueries value:
                                      HKLM\software\microsoft\rpc\extensions[remoterpcdll]
  Queries value:
                                       HKCU\software\microsoft\internet explorer[no3dborder]
  Oueries value:
  Queries value:
                                       HKLM\software\microsoft\internet explorer[no3dborder]
  Queries value:
                                      \label{lem:hklm} \verb+Kklm/software/policies/microsoft/windows/currentversion/internet \\
settings[urlencoding]
  Oueries value:
                                      HKCU\software\policies\microsoft\windows\currentversion\internet
settings[urlencoding]
                                       HKLM\software\microsoft\ole[maximumallowedallocationsize]
  Queries value:
                                       HKCR \setminus \{d0074ffd-570f-4a9b-8d69-199fdba5723b\} \setminus \{d0074ffd-570f-4a9b-8d69-199fdba572ab] \setminus \{d0074ffd-640ffdba572ab] \setminus \{d0074ffd-640ffdba572ab] \setminus \{d0074ffdba572ab] \setminus \{d007
  Oueries value:
  Queries value:
                                       HKCR\clsid\{1299cf18-c4f5-4b6a-bb0f-2299f0398e27}[]
                                      HKCR\clsid\{1299cf18-c4f5-4b6a-bb0f-
  Queries value:
2299f0398e27}\inprocserver32[inprocserver32]
                                      HKCR\clsid\{1299cf18-c4f5-4b6a-bb0f-2299f0398e27}\inprocserver32[]
  Oueries value:
                                      HKCR\clsid\{1299cf18-c4f5-4b6a-bb0f-
  Oueries value:
2299f0398e27}\inprocserver32[threadingmodel]
                                      HKCR\interface\{26656eaa-54eb-4e6f-8f85-4f0ef901a406}\proxystubclsid32[]
  Oueries value:
  Queries value:
                                       HKCR \ interface \ \{8a40a45d-055c-4b62-abd7-6d613e2ceaec\} \ proxystubclsid32[]
  Queries value:
                                      HKCR\interface\{55272a00-42cb-11ce-8135-00aa004bb851}\proxystubclsid32[]
  Oueries value:
                                      HKCR\clsid\{b196b286-bab4-101a-b69c-00aa00341d07}[]
                                      HKCR\clsid\{b196b286-bab4-101a-b69c-
  Queries value:
00aa00341d07}\inprocserver32[inprocserver32]
                                      HKCR\clsid\{b196b286-bab4-101a-b69c-00aa00341d07}\inprocserver32[]
  Oueries value:
                                      HKCR\clsid\{b196b286-bab4-101a-b69c-
  Oueries value:
00aa00341d07}\inprocserver32[threadingmodel]
                                      HKCR \ interface \ \{bcd1de7e-2db1-418b-b047-4a74e101f8c1\} \ \ proxystubclsid32[]
  Queries value:
  Queries value:
                                       Oueries value:
                                      HKCU\software\microsoft\windows\currentversion\internet
settings\wpad[wpadlastnetwork]
                                      HKCU\software\microsoft\windows\currentversion\internet
  Oueries value:
settings[autoproxydetecttype]
  Queries value:
                                      HKLM\system\currentcontrolset\control\wmi\security[1540ff4c-3fd7-4bba-
9938-1d1bf31573a7]
  Oueries value:
                                      HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_restrict_res_to_lmz[f4cade5dce24d5c9d966cb266c7c7346.exe]
                                      HKLM\software\microsoft\internet
  Oueries value:
explorer\main\featurecontrol\feature_restrict_res_to_lmz[*]
  Oueries value:
                                      HKCR\.htm[content type]
```

HKLM\software\microsoft\internet 

HKLM\software\microsoft\internet

Queries value:

```
explorer\main\featurecontrol\feature_mime_sniffing[*]
                         HKCU\software\microsoft\windows\currentversion\internet
 Oueries value:
settings[istextplainhonored]
 Queries value:
                         HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_safe_bindtoobject[f4cade5dce24d5c9d966cb266c7c7346.exe]
 Queries value:
                         HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_safe_bindtoobject[*]
                         HKCR\clsid\{25336920-03f9-11cf-8fd0-00aa00686f13}\progid[]
 Oueries value:
                         HKCR\clsid\{25336920-03f9-11cf-8fd0-00aa00686f13}[]
 Oueries value:
                         HKCR\clsid\{25336920-03f9-11cf-8fd0-
 Oueries value:
00aa00686f13}\inprocserver32[inprocserver32]
                         HKCR\clsid\{25336920-03f9-11cf-8fd0-00aa00686f13}\inprocserver32[]
 Queries value:
 Oueries value:
                         HKCR\clsid\{25336920-03f9-11cf-8fd0-
00aa00686f13}\inprocserver32[threadingmodel]
 Queries value:
                         HKCU\software\microsoft\windows
nt\currentversion\windows[dragscrollinset]
                         HKCU\software\microsoft\windows
 Oueries value:
nt\currentversion\windows[dragscrolldelay]
 Queries value:
                         HKCU\software\microsoft\windows
nt\currentversion\windows[dragscrollinterval]
                         HKLM\software\microsoft\internet
 Queries value:
explorer\main\featurecontrol\feature_restrict_filedownload[f4cade5dce24d5c9d966cb266c7c7346.exe]
 Oueries value:
                         HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_restrict_filedownload[*]
 Queries value:
                         HKCR\protocols\handler\about[clsid]
                         HKCR\clsid\{3050f406-98b5-11cf-bb82-00aa00bdce0b}[]
 Oueries value:
 Queries value:
                         HKCR\clsid\{3050f406-98b5-11cf-bb82-
00aa00bdce0b}\inprocserver32[inprocserver32]
                         HKCR\clsid\{3050f406-98b5-11cf-bb82-00aa00bdce0b}\inprocserver32[]
 Oueries value:
 Queries value:
                         HKCR\clsid\{3050f406-98b5-11cf-bb82-
00aa00bdce0b}\inprocserver32[threadingmodel]
                         HKLM\software\microsoft\internet
 Queries value:
explorer\main\featurecontrol\feature_protocol_lockdown[f4cade5dce24d5c9d966cb266c7c7346.exe]
 Queries value:
                         HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_protocol_lockdown[*]
 Queries value:
                         HKCU\software\microsoft\windows\currentversion\internet
settings\zones\3[2106]
                         HKCU\software\microsoft\internet explorer\zoom[zoomdisabled]
 Oueries value:
 Queries value:
                         HKLM\software\policies\microsoft\internet explorer[smartdithering]
 Queries value:
                         HKCU\software\microsoft\internet explorer[smartdithering]
 Oueries value:
                         HKCU\software\microsoft\internet explorer[rtfconverterflags]
 Queries value:
                         HKCU\software\microsoft\internet explorer\main[usecleartype]
 Queries value:
                         HKCU\software\microsoft\internet explorer\main[page_transitions]
                         HKCU\software\microsoft\internet explorer\main[use_dlgbox_colors]
 Oueries value:
                         HKCU\software\microsoft\internet explorer\main[anchor underline]
 Oueries value:
 Queries value:
                         HKCU\software\microsoft\internet explorer\main[css_compat]
 Oueries value:
                         HKCU\software\microsoft\internet explorer\main[expand alt text]
 Queries value:
                         HKCU\software\microsoft\internet explorer\main[display inline images]
                         HKCU\software\microsoft\internet explorer\main[display inline videos]
 Oueries value:
                         HKLM\software\microsoft\internet explorer\main[display inline videos]
 Oueries value:
                         HKCU\software\microsoft\internet explorer\main[play_background_sounds]
 Oueries value:
                         HKCU\software\microsoft\internet explorer\main[play_animations]
 Queries value:
 Oueries value:
                         HKCU\software\microsoft\internet explorer\main[print_background]
                         HKCU\software\microsoft\internet explorer\main[use stylesheets]
 Queries value:
 Oueries value:
                         HKCU\software\microsoft\internet explorer\main[smoothscroll]
 Queries value:
                         HKCU\software\microsoft\internet explorer\main[xmlhttp]
                         HKCU\software\microsoft\internet explorer\main[show image placeholders]
 Oueries value:
 Queries value:
                         HKCU\software\microsoft\internet explorer\main[disable script debugger]
                         HKCU\software\microsoft\internet explorer\main[disablescriptdebuggerie]
 Oueries value:
 Queries value:
                         HKCU\software\microsoft\internet explorer\main[move system caret]
 Queries value:
                         HKCU\software\microsoft\internet explorer\main[force offscreen
composition]
                         HKCU\software\microsoft\internet explorer\main[enable autoimageresize]
 Queries value:
 Queries value:
                         HKCU\software\microsoft\internet explorer\main[usethemes]
                         HKCU\software\microsoft\internet explorer\main[usehr]
 Oueries value:
 Queries value:
                         HKCU\software\microsoft\internet explorer\main[q300829]
 Queries value:
                         HKCU\software\microsoft\internet explorer\main[cleanup htcs]
 Oueries value:
                         HKCU\software\microsoft\internet explorer\main[xdomainrequest]
 Queries value:
                         HKLM\software\microsoft\internet explorer\main[xdomainrequest]
 Queries value:
                         HKCU\software\microsoft\internet explorer\main[domstorage]
 Queries value:
                         HKCU\software\microsoft\internet
explorer\international[default_codepage]
 Oueries value:
                         HKCU\software\microsoft\internet explorer\international[autodetect]
 Oueries value:
                         HKCU\software\microsoft\internet
explorer\international\scripts[default_iefontsizeprivate]
                         HKCU\software\microsoft\internet explorer\settings[anchor color]
 Oueries value:
 Queries value:
                         HKCU\software\microsoft\internet explorer\settings[anchor color visited]
                         HKCU\software\microsoft\internet explorer\settings[anchor color hover]
 Oueries value:
 Oueries value:
                         HKCU\software\microsoft\internet explorer\settings[always use my colors]
 Oueries value:
                         HKCU\software\microsoft\internet explorer\settings[always use my font
size]
 Oueries value:
                         HKCU\software\microsoft\internet explorer\settings[always use my font
face]
```

Queries value: HKCU\software\microsoft\internet explorer\settings[disable visited

hyperlinks]

Queries value: HKCU\software\microsoft\internet explorer\settings[use anchor hover

color]

Queries value: HKCU\software\microsoft\internet explorer\settings[miscflags]
Queries value: HKCU\software\microsoft\windows\currentversion\policies[allow]

programmatic cut\_copy\_paste]

Queries value: HKLM\software\policies\microsoft\windows\currentversion\internet

settings[disablecachingofsslpages]

Queries value: HKCU\software\policies\microsoft\windows\currentversion\internet

settings[disablecachingofsslpages]

Queries value: HKCU\software\microsoft\internet explorer\pagesetup[print\_background]

Queries value: HKLM\system\currentcontrolset\control\nls\codepage[950]

Queries value: HKCU\software\microsoft\internet

explorer\international\scripts\3[iefontsize]

Queries value: HKCU\software\microsoft\internet explorer\international\scripts\3[iefontsizeprivate] Queries value: HKCU\software\microsoft\internet

explorer\international\scripts\3[iepropfontname]

Queries value: HKCU\software\microsoft\internet

explorer\international\scripts\3[iefixedfontname]

Queries value: HKCU\software\microsoft\internet explorer\international[acceptlanguage]

Queries value: HKLM\software\microsoft\internet explorer\version vector[ie]
Queries value: HKLM\software\microsoft\internet explorer\version vector[vml]

Queries value: HKLM\software\microsoft\internet explorer\version vector[windowsedition]

Queries value: HKLM\software\microsoft\internet

 $explorer \verb|\main| featurecontrol| feature_zone_elevation[f4cade5dce24d5c9d966cb266c7c7346.exe]|$ 

Queries value: HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature\_zone\_elevation[\*]
Queries value: HKLM\software\microsoft\internet

explorer\main\featurecontrol\feature\_sslux[f4cade5dce24d5c9d966cb266c7c7346.exe]

Queries value: HKLM\software\microsoft\internet

explorer\main\featurecontrol\feature\_sslux[\*]

Queries value: HKLM\software\microsoft\internet

explorer\main\featurecontrol\feature\_browser\_emulation[f4cade5dce24d5c9d966cb266c7c7346.exe]

Queries value: HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature\_browser\_emulation[\*]

 $\label{thm:constraint} Queries \ value: \\ HKCU \ software \ microsoft \ windows \ current version \ internet$ 

settings\zones\0[2700]

Queries value: HKLM\software\microsoft\windows\currentversion\internet

settings\zones\0[2700]

Queries value: HKLM\software\microsoft\internet

 $explorer \verb|\main| featurecontrol| feature\_xssfilter[f4cade5dce24d5c9d966cb266c7c7346.exe]|$ 

Queries value: HKLM\software\microsoft\internet

explorer\main\featurecontrol\feature\_xssfilter[\*]

Queries value: HKCU\software\microsoft\windows\currentversion\internet

settings\zones[securitysafe]

Queries value: HKCU\software\microsoft\internet explorer\main[noprotectedmodebanner]
Queries value: HKCU\software\microsoft\internet explorer\ietld[ietlddllversionlow]
Queries value: HKCU\software\microsoft\internet explorer\ietld[ietlddllversionhigh]
Queries value: HKCU\software\microsoft\internet explorer\ietld[ietldversionlow]
Queries value: HKCU\software\microsoft\internet explorer\ietld[ietldversionhigh]
Queries value: HKCU\software\microsoft\internet explorer\ietld[ietldversionhigh]
HKLM\system\currentcontrolset\services\netbt\linkage[export]

Queries value: HKLM\software\microsoft\internet

Queries value: HKLM\software\microsoft\internet explorer\main\featurecontrol\feature\_mshtml\_autoload\_ieframe[\*]

Queries value: HKCU\software\microsoft\windows\currentversion\internet

settings\zones\0[2106]

Queries value: HKLM\software\microsoft\windows\currentversion\internet

settings\zones\0[2106]

Queries value: HKLM\software\policies\microsoft\windows\currentversion\internet

settings[cointernetcombineiuricachesize]

Queries value: HKCU\software\policies\microsoft\windows\currentversion\internet

settings[cointernetcombineiuricachesize]

Oueries value: HKLM\software\microsoft\internet

explorer\main\featurecontrol\feature\_shim\_mshelp\_combine[f4cade5dce24d5c9d966cb266c7c7346.exe]

Queries value: HKLM\software\microsoft\internet

explorer\main\featurecontrol\feature\_subdownload\_lockdown[f4cade5dce24d5c9d966cb266c7c7346.exe]

Queries value: HKLM\software\microsoft\internet explorer\main\featurecontrol\feature\_subdownload\_lockdown[\*]

Queries value: HKCR\.css[content type]

Queries value: HKCU\software\microsoft\windows\currentversion\internet

settings\zones\0[1400]

Queries value: HKCR\.js[content type]

Queries value: HKLM\software\microsoft\internet

explorer\main\featurecontrol\feature\_feeds[f4cade5dce24d5c9d966cb266c7c7346.exe]

```
HKLM\software\microsoft\internet
 Queries value:
explorer\main\featurecontrol\feature_feeds[*]
 Oueries value:
                         HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_block_lmz_script[f4cade5dce24d5c9d966cb266c7c7346.exe]
 Oueries value:
                         HKLM\software\microsoft\internet
```

explorer\main\featurecontrol\feature\_block\_lmz\_script[\*]

Oueries value: HKLM\software\policies\microsoft\windows\currentversion\internet

settings[warnonintranet]

 $\label{lem:hkcu} \mbox{\tt HKCU\software\policies\mbox{\tt microsoft\windows\currentversion\linearing}} \mbox{\tt linearing\color=lem:hkcu} \mbox{\tt hkcu\software\policies\mbox{\tt microsoft\windows\currentversion\linearing}} \mbox{\tt linearing\color=lem:hkcu\soft\windows\currentversion\linearing}} \mbox{\tt linearing\color=lem:hkcu\soft\windows\currentversion\linearing}} \mbox{\tt linearing\color=lem:hkcu\soft\windows\currentversion\color=lem:hkcu\soft\windows\currentversion\color=lem:hkcu\soft\windows\currentversion\color=lem:hkcu\soft\color=lem:hkcu$ Queries value:

settings[warnonintranet]

HKCU\software\microsoft\windows\currentversion\internet Oueries value:

settings[warnonintranet]

Queries value: HKCU\software\microsoft\windows\currentversion\internet

settings\zonemap[autodetect]

HKCR\clsid\{50d5107a-d278-4871-8989-f4ceaaf59cfc}[] Queries value:

HKCR\clsid\{50d5107a-d278-4871-8989-Queries value:

f4ceaaf59cfc}\inprocserver32[inprocserver32]

Queries value: HKCR\clsid\{50d5107a-d278-4871-8989-f4ceaaf59cfc}\inprocserver32[]

Queries value: HKCR\clsid\{50d5107a-d278-4871-8989-

f4ceaaf59cfc}\inprocserver32[threadingmodel]

Queries value: HKLM\software\microsoft\windows\currentversion\internet settings\url

history[daystokeep]

HKCR\clsid\{f414c260-6ac0-11cf-b6d1-00aa00bbb58}\progid[] Oueries value: Queries value: HKCR\clsid\{f414c260-6ac0-11cf-b6d1-00aa00bbbb58}[]

Queries value: HKCR\clsid\{f414c260-6ac0-11cf-b6d1-

00aa00bbbb58}\inprocserver32[inprocserver32]

Queries value:  $HKCR\clsid\f414c260-6ac0-11cf-b6d1-00aa00bbb58\\\inprocserver32[]$ 

Queries value: HKCR\clsid\{f414c260-6ac0-11cf-b6d1-

00aa00bbbb58}\inprocserver32[threadingmodel]

Queries value: HKCU\software\microsoft\windows\currentversion\internet

settings\zones\0[1201]

HKLM\software\microsoft\windows\currentversion\internet Queries value:

settings\zones\0[1201]

HKCR\.jpg[content type] Queries value: HKCR\.png[content type] Oueries value:

Queries value: HKLM\software\microsoft\internet

explorer\main\featurecontrol\feature\_block\_lmz\_img[f4cade5dce24d5c9d966cb266c7c7346.exe]

HKLM\software\microsoft\internet Oueries value: explorer\main\featurecontrol\feature\_block\_lmz\_img[\*]

Queries value: HKCR\clsid\{30c3b080-30fb-11d0-b724-00aa006c1a01}\progid[] HKCR\clsid\{30c3b080-30fb-11d0-b724-00aa006c1a01}[] Oueries value:

Queries value: HKCR\clsid\{30c3b080-30fb-11d0-b724-

00aa006c1a01}\inprocserver32[inprocserver32]

HKCR\clsid\{30c3b080-30fb-11d0-b724-00aa006c1a01}\inprocserver32[] Queries value:

Queries value: HKCR\clsid\{30c3b080-30fb-11d0-b724-

00aa006c1a01}\inprocserver32[threadingmodel]

HKCR\clsid\{6a01fda0-30df-11d0-b724-00aa006c1a01}\progid[] Oueries value: Queries value: HKCR\clsid\{6a01fda0-30df-11d0-b724-00aa006c1a01}[]

Queries value: HKCR\clsid\{6a01fda0-30df-11d0-b724-

00aa006c1a01}\inprocserver32[inprocserver32]

HKCR\clsid\{6a01fda0-30df-11d0-b724-00aa006c1a01}\inprocserver32[] Oueries value:

Queries value: HKCR\clsid\{6a01fda0-30df-11d0-b724-

00aa006c1a01}\inprocserver32[threadingmodel]

HKCR\mime\database\content type\image/bmp\bits[0] Queries value: Oueries value: HKCR\mime\database\content type\image/gif\bits[0] HKCR\mime\database\content type\image/jpeg\bits[0] Queries value: HKCR\mime\database\content type\image/pjpeg\bits[0] Oueries value: HKCR\mime\database\content type\image/png\bits[0] Oueries value: HKCR\mime\database\content type\image/x-png\bits[0] Oueries value: Queries value: HKCR\mime\database\content type\image/x-wmf\bits[0]

Queries value: HKCR\mime\database\content type\image/x-png[image filter clsid] HKCR\clsid\{a3ccedf7-2de2-11d0-86f4-00a0c913f750}\progid[] Oueries value:

Queries value: HKCR\clsid\{a3ccedf7-2de2-11d0-86f4-00a0c913f750}[] Queries value: HKCR\clsid\{a3ccedf7-2de2-11d0-86f4-

00a0c913f750}\inprocserver32[inprocserver32]

Queries value: HKCR\clsid\{a3ccedf7-2de2-11d0-86f4-00a0c913f750}\inprocserver32[]

Queries value: HKCR\clsid\{a3ccedf7-2de2-11d0-86f4-

00a0c913f750}\inprocserver32[threadingmodel]

Queries value: HKCU\software\microsoft\internet explorer\recovery[autorecover]

HKCU\software\microsoft\windows\currentversion\internet Oueries value:

settings\zones\0[2000]

HKLM\software\microsoft\windows\currentversion\internet Oueries value:

settings\zones\0[2000]

HKCU\software\microsoft\ftp[use web based ftp] Queries value:

Queries value: HKCU\software\microsoft\internet explorer\services[selectionactivitybuttondisable]

HKCU\software\microsoft\internet explorer\suggested sites[enabled] Queries value: HKLM\software\microsoft\internet explorer\feed discovery[sound] Oueries value:

Oueries value: HKCU\software\microsoft\windows\currentversion\internet

settings\zones\3[2700]

Queries value: HKCU\software\microsoft\windows\currentversion\internet

settings\5.0\user agent[]

Queries value: HKLM\software\microsoft\windows\currentversion\internet

```
settings\5.0\user agent[]
                           HKCU\software\microsoft\windows\currentversion\internet
 Oueries value:
settings\5.0\user agent[compatible]
  Queries value:
                           HKLM\software\microsoft\windows\currentversion\internet
settings\5.0\user agent[compatible]
  Queries value:
                           \label{lem:hkcu} \verb+KKCU \software \verb+ microsoft \verb+ windows \verb+ current version \verb+ internet+ \\
settings\5.0\user agent[version]
                           HKLM\software\microsoft\windows\currentversion\internet
  Oueries value:
settings\5.0\user agent[version]
  Queries value:
                           HKCU\software\microsoft\windows\currentversion\internet settings[user
agent]
  Queries value:
                           \label{lem:hkcu} \verb+KKCU \software \verb+ microsoft \verb+ windows \verb+ current version \verb+ internet+ \\
settings\5.0\user agent[platform]
                           HKLM\software\microsoft\windows\currentversion\internet
 Oueries value:
settings\5.0\user agent[platform]
  Queries value:
                           HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_maxconnectionsperserver[f4cade5dce24d5c9d966cb266c7c7346.exe]
  Queries value:
                           HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_maxconnectionsperserver[*]
                           HKLM\software\microsoft\internet
  Queries value:
explorer\main\featurecontrol\feature_maxconnectionsper1_0server[f4cade5dce24d5c9d966cb266c7c7346.exe]
                           HKLM\software\microsoft\internet
  Queries value:
explorer\main\featurecontrol\feature maxconnectionsper1 0server[*]
  Queries value:
                           HKCU\software\policies\microsoft\windows\currentversion\internet
settings[enableutf8]
                           HKLM\software\microsoft\internet
  Queries value:
explorer\main\featurecontrol\feature_disable_legacy_compression[f4cade5dce24d5c9d966cb266c7c7346.exe]
                           HKLM\software\microsoft\internet
  Queries value:
explorer\main\featurecontrol\feature_disable_legacy_compression[*]
                           HKCR\clsid\{e569bde7-a8dc-47f3-893f-fd2b31b3eefd}[]
  Queries value:
                           HKCR\clsid\{e569bde7-a8dc-47f3-893f-
  Oueries value:
fd2b31b3eefd}\inprocserver32[inprocserver32]
                           HKCR\clsid\ensuremath{\texttt{HKCR}}\clsid\ensuremath{\texttt{HKCR}}\arrowserver32[]
  Queries value:
  Queries value:
                           HKCR\clsid\{e569bde7-a8dc-47f3-893f-
fd2b31b3eefd}\inprocserver32[threadingmodel]
                           HKCU\software\microsoft\windows\currentversion\internet
settings\wpad\{bcc0c918-0174-4b2e-9d54-e700c8d1e3d5}[wpaddecision]
  Queries value:
                           HKCU\software\microsoft\windows\currentversion\internet
settings\wpad\{bcc0c918-0174-4b2e-9d54-e700c8d1e3d5}[wpaddecisiontime]
                           HKCU\software\microsoft\windows\currentversion\internet
  Queries value:
settings\wpad[wpadexpirationdays]
                           \label{lem:hkcu} \verb+KKCU \software \microsoft \windows \current version \cite{thm:lem:hkcu} in terms to the lemma substitution \cite{thm:lem:hkcu} and \cite{thm:lem:hkcu} are \cite{thm:lem:hkcu}.
  Queries value:
settings\wpad\{bcc0c918-0174-4b2e-9d54-e700c8d1e3d5}[wpaddecisionreason]
  Queries value:
                           HKCU\software\microsoft\windows\currentversion\internet
settings\zones\3[1a10]
  Queries value:
                           HKCU\software\microsoft\internet explorer\main[autosearch]
  Queries value:
                           HKCU\software\microsoft\internet explorer\main[friendly http errors]
  Queries value:
                           HKCU\appevents\schemes\apps\explorer\activatingdocument\.current[]
  Oueries value:
                           HKLM\svstem\currentcontrolset\control\session
manager[pendingfilerenameoperations2]
                           HKLM\system\currentcontrolset\control\session
  Oueries value:
manager[pendingfilerenameoperations]
  Queries value:
                           HKLM\software\microsoft\internet explorer[version]
                           HKLM\software\microsoft\windows\currentversion[productname]
  Queries value:
  Oueries value:
                           HKLM\software\microsoft\windows nt\currentversion[productname]
  Oueries value:
                           HKLM\system\currentcontrolset\control\windows[csdversion]
                           HKCU\software\microsoft\windows\currentversion\internet
  Queries value:
settings\zones\3[currentlevel]
                           \label{lem:hkcu-appevents-schemes-apps-explorer-navigating}. current[]
  Oueries value:
  Queries value:
                           HKCU\appevents\schemes[]
  Queries value:
                           HKCU\appevents\schemes\apps\explorer\navigating\.current[default flags]
  Oueries value:
                           HKCR\.htm[]
                           HKLM\software\microsoft\windows nt\currentversion\drivers32[wave]
  Queries value:
  Queries value:
                           HKLM\software\microsoft\windows nt\currentversion\drivers32[wave1]
  Oueries value:
                           HKLM\software\microsoft\windows nt\currentversion\drivers32[wave2]
                           HKLM\software\microsoft\windows nt\currentversion\drivers32[wave3]
  Oueries value:
  Queries value:
                           HKLM\software\microsoft\windows nt\currentversion\drivers32[wave4]
  Oueries value:
                           HKLM \setminus software \setminus microsoft \setminus windows \ nt \setminus current version \setminus drivers 32 [wave 5]
  Queries value:
                           HKLM\software\microsoft\windows nt\currentversion\drivers32[wave6]
  Oueries value:
                           HKLM\software\microsoft\windows nt\currentversion\drivers32[wave7]
  Queries value:
                           HKLM\software\microsoft\windows nt\currentversion\drivers32[wave8]
  Oueries value:
                           HKLM\software\microsoft\windows nt\currentversion\drivers32[wave9]
  Oueries value:
                           HKLM\software\microsoft\windows nt\currentversion\drivers32[midil
  Oueries value:
                           HKLM\software\microsoft\windows nt\currentversion\drivers32[midi1]
  Queries value:
                           HKLM\software\microsoft\windows nt\currentversion\drivers32[midi2]
  Oueries value:
                           HKLM\software\microsoft\windows nt\currentversion\drivers32[midi3]
  Queries value:
                           HKLM\software\microsoft\windows nt\currentversion\drivers32[midi4]
  Oueries value:
                           HKLM\software\microsoft\windows nt\currentversion\drivers32[midi5]
  Oueries value:
                           HKLM\software\microsoft\windows nt\currentversion\drivers32[midi61
  Oueries value:
                           HKLM\software\microsoft\windows nt\currentversion\drivers32[midi7]
  Queries value:
                           HKLM\software\microsoft\windows nt\currentversion\drivers32[midi8]
  Oueries value:
                           HKLM\software\microsoft\windows nt\currentversion\drivers32[midi9]
```

```
HKCU\system\currentcontrolset\control\mediaproperties\privateproperties\joystick\winmm[wheel]
                                              HKCR\htmlfile\shellex\iconhandler[]
   Oueries value:
   Oueries value:
                                              HKCR\htmlfile[docobject]
   Queries value:
                                              HKCR\systemfileassociations\.htm[docobject]
   Oueries value:
                                              HKCR\htmlfile[browseinplace]
   Queries value:
                                              HKCR\systemfileassociations\.htm[browseinplace]
   Oueries value:
                                              HKCR\htmlfile\clsid[]
                                              HKCR\htmlfile[isshortcut]
   Oueries value:
   Oueries value:
                                              HKCR\systemfileassociations\.htm[isshortcut]
   Oueries value:
                                              HKCR\htmlfile[alwaysshowext]
                                              HKCR\systemfileassociations\.htm[alwaysshowext]
   Oueries value:
   Queries value:
                                              HKCR\htmlfile[nevershowext]
   Queries value:
                                              HKCR\systemfileassociations\.htm[nevershowext]
                                              Oueries value:
   Queries value:
                                              HKCR\clsid\{e7e4bc40-e76a-11ce-a9bb-
00aa004ae837}\inprocserver32[loadwithoutcom]
                                              HKCU\software\microsoft\windows\currentversion\shell
   Oueries value:
extensions\cached[{e7e4bc40-e76a-11ce-a9bb-00aa004ae837} {000214e6-0000-0000-c000-000000000046}}
0xffff]
   Queries value:
                                              HKCR\clsid\{e7e4bc40-e76a-11ce-a9bb-00aa004ae837}[]
   Queries value:
                                              HKCR\clsid\{e7e4bc40-e76a-11ce-a9bb-
00aa004ae837}\inprocserver32[inprocserver32]
   Queries value:
                                             HKCR\clsid\{e7e4bc40-e76a-11ce-a9bb-
00aa004ae837}\inprocserver32[threadingmodel]
   Queries value:
                                              HKCR\clsid\{275c23e2-3747-11d0-9fea-00aa003f8646}[]
   Oueries value:
                                             HKCR\clsid\{275c23e2-3747-11d0-9fea-
00aa003f8646}\inprocserver32[inprocserver32]
   Queries value:
                                              HKCR\clsid\{275c23e2-3747-11d0-9fea-00aa003f8646}\inprocserver32[]
                                             HKCR\clsid\{275c23e2-3747-11d0-9fea-
   Oueries value:
00aa003f8646}\inprocserver32[threadingmodel]
   Queries value:
                                              HKLM\system\currentcontrolset\control\nls\codepage[1250]
   Queries value:
                                              HKLM\system\currentcontrolset\control\nls\codepage[1251]
   Queries value:
                                              HKLM\system\currentcontrolset\control\nls\codepage[1253]
   Queries value:
                                              HKLM\system\currentcontrolset\control\nls\codepage[1254]
   Oueries value:
                                              HKLM\system\currentcontrolset\control\nls\codepage[1255]
   Queries value:
                                              HKLM\system\currentcontrolset\control\nls\codepage[1256]
   Queries value:
                                              HKLM\system\currentcontrolset\control\nls\codepage[1257]
   Oueries value:
                                              HKLM\system\currentcontrolset\control\nls\codepage[1258]
                                              HKLM\system\currentcontrolset\control\nls\codepage[874]
   Queries value:
                                              HKLM\system\currentcontrolset\control\nls\codepage[932]
   Queries value:
   Oueries value:
                                              HKLM \setminus system \setminus current control \setminus nls \setminus codepage \cite{Managements} 
                                              HKLM\system\currentcontrolset\control\nls\codepage[949]
   Queries value:
                                              HKLM\system\currentcontrolset\control\nls\codepage[1361]
   Oueries value:
                                              HKCR\clsid\{ff393560-c2a7-11cf-bff4-444553540000}\inprocserver32[]
   Oueries value:
                                              HKCR\clsid\{ff393560-c2a7-11cf-bff4-
   Oueries value:
444553540000}\inprocserver32[loadwithoutcom]
   Queries value:
                                              HKCU\software\microsoft\windows\currentversion\shell
extensions\cached[{ff393560-c2a7-11cf-bff4-444553540000} {000214e6-0000-0000-c000-000000000046}
0xffff1
                                              HKCR \ clsid \ \{ff393560-c2a7-11cf-bff4-444553540000\}[]
   Queries value:
                                              HKCR\clsid\{ff393560-c2a7-11cf-bff4-
   Queries value:
444553540000}\inprocserver32[inprocserver32]
   Queries value:
                                              HKCR\clsid\{ff393560-c2a7-11cf-bff4-
444553540000}\inprocserver32[threadingmodel]
                                             HKCU\software\microsoft\windows\currentversion\internet
   Oueries value:
settings\5.0\cache\extensible cache\mshist012016042820160429[cacherepair]
                                             HKCU\software\microsoft\windows\currentversion\internet
   Oueries value:
settings\5.0\cache\extensible cache\mshist012016042820160429[cachepath]
                                             HKCU\software\microsoft\windows\currentversion\internet
   Oueries value:
settings\5.0\cache\extensible cache\mshist012016042820160429[cacheprefix]
                                             HKCU\software\microsoft\windows\currentversion\internet
   Queries value:
settings\5.0\cache\extensible cache\mshist012016042820160429[cachelimit]
                                              HKCU\software\microsoft\windows\currentversion\internet
   Queries value:
settings\5.0\cache\extensible cache\mshist012016042820160429[cacheoptions]
                                              \label{lem:hkcu} \begin{tabular}{ll} HKCU \software \microsoft \windows \current version \explorer \clsid \closer{lem:hkcu} \end{tabular} $$ -20d04fe0-explorer \clsid \clsi
   Queries value:
3aea-1069-a2d8-08002b30309d}[]
   Queries value:
                                              HKCR\clsid\{20d04fe0-3aea-1069-a2d8-08002b30309d}[localizedstring]
   Oueries value:
                                             HKCU\software\microsoft\internet
explorer\main\windowssearch[enabledscopes]
   Oueries value:
                                              HKLM\software\microsoft\windows search[currentversion]
   Queries value:
                                              HKLM\software\microsoft\internet explorer\main[maxrenderline]
                                              HKCU\software\appdatalow\software\smartbar[globaluserid]
   Sets/Creates value:
   Sets/Creates value:
HKLM\software\microsoft\tracing\f4cade5dce24d5c9d966cb266c7c7346_rasapi32[enablefiletracing]
   Sets/Creates value:
HKLM\software\microsoft\tracing\f4cade5dce24d5c9d966cb266c7c7346_rasapi32[enableconsoletracing]
   Sets/Creates value:
HKLM\software\microsoft\tracing\f4cade5dce24d5c9d966cb266c7c7346_rasapi32[filetracingmask]
   Sets/Creates value:
HKLM\software\microsoft\tracing\f4cade5dce24d5c9d966cb266c7c7346_rasapi32[consoletracingmask]
   Sets/Creates value:
HKLM\software\microsoft\tracing\f4cade5dce24d5c9d966cb266c7c7346_rasapi32[maxfilesize]
   Sets/Creates value:
```

```
HKLM\software\microsoft\tracing\f4cade5dce24d5c9d966cb266c7c7346_rasapi32[filedirectory]
  Sets/Creates value:
HKLM\software\microsoft\tracing\f4cade5dce24d5c9d966cb266c7c7346_rasmancs[enablefiletracing]
  Sets/Creates value:
HKLM \ software \ microsoft \ tracing \ f4cade5dce24d5c9d966cb266c7c7346\_rasmancs \ [enableconsoletracing]
  Sets/Creates value:
HKLM\software\microsoft\tracing\f4cade5dce24d5c9d966cb266c7c7346_rasmancs[filetracingmask]
  Sets/Creates value:
HKLM\software\microsoft\tracing\f4cade5dce24d5c9d966cb266c7c7346_rasmancs[consoletracingmask]
  Sets/Creates value:
HKLM\software\microsoft\tracing\f4cade5dce24d5c9d966cb266c7c7346_rasmancs[maxfilesize]
  Sets/Creates value:
HKLM\software\microsoft\tracing\f4cade5dce24d5c9d966cb266c7c7346_rasmancs[filedirectory]
  Sets/Creates value:
                           HKLM\software\microsoft\tracing\bi_rasapi32[enablefiletracing]
  Sets/Creates value:
                           HKLM\software\microsoft\tracing\bi_rasapi32[enableconsoletracing]
  Sets/Creates value:
                           HKLM\software\microsoft\tracing\bi_rasapi32[filetracingmask]
  Sets/Creates value:
                           HKLM\software\microsoft\tracing\bi_rasapi32[consoletracingmask]
  Sets/Creates value:
                           HKLM\software\microsoft\tracing\bi_rasapi32[maxfilesize]
  Sets/Creates value:
                           HKLM\software\microsoft\tracing\bi_rasapi32[filedirectory]
  Sets/Creates value:
                           HKLM\software\microsoft\tracing\bi_rasmancs[enablefiletracing]
  Sets/Creates value:
                           HKLM\software\microsoft\tracing\bi_rasmancs[enableconsoletracing]
  Sets/Creates value:
                           HKLM\software\microsoft\tracing\bi_rasmancs[filetracingmask]
  Sets/Creates value:
                           HKLM\software\microsoft\tracing\bi_rasmancs[consoletracingmask]
  Sets/Creates value:
                           HKLM\software\microsoft\tracing\bi_rasmancs[maxfilesize]
  Sets/Creates value:
                           HKLM\software\microsoft\tracing\bi_rasmancs[filedirectory]
  Sets/Creates value:
                           HKCU\software\microsoft\windows\currentversion\internet
settings\wpad\{bcc0c918-0174-4b2e-9d54-e700c8d1e3d5}[wpaddecisionreason]
                           HKCU\software\microsoft\windows\currentversion\internet
  Sets/Creates value:
settings\wpad\{bcc0c918-0174-4b2e-9d54-e700c8d1e3d5}[wpaddecisiontime]
                           HKCU\software\microsoft\windows\currentversion\internet
  Sets/Creates value:
settings\wpad\{bcc0c918-0174-4b2e-9d54-e700c8d1e3d5}[wpaddecision]
 Sets/Creates value:
                           HKCU\software\microsoft\windows\currentversion\internet
settings\wpad\{bcc0c918-0174-4b2e-9d54-e700c8d1e3d5}[wpadnetworkname]
 Sets/Creates value:
                           HKCU\software\microsoft\windows\currentversion\internet
settings\wpad\ae-07-4d-8e-13-3f[wpaddecisionreason]
                           \label{lem:hkcu} \verb+KKCU \software \verb+microsoft + windows + current version + internet \\
  Sets/Creates value:
settings\wpad\ae-07-4d-8e-13-3f[wpaddecisiontime]
 Sets/Creates value:
                           HKCU\software\microsoft\windows\currentversion\internet
settings\wpad\ae-07-4d-8e-13-3f[wpaddecision]
                           HKLM\system\currentcontrolset\control\session
 Sets/Creates value:
manager[pendingfilerenameoperations]
                           HKCU \setminus software \setminus conduit \setminus distribution engine \setminus 1 \setminus offerhistory \setminus 755131[offerid]
  Sets/Creates value:
                           HKCU\software\conduit\distributionengine\1\offerhistory\755131[offerurl]
  Sets/Creates value:
  Sets/Creates value:
                           HKCU\software\conduit\distributionengine\1\offerhistory\755131[homapage]
  Sets/Creates value:
HKCU\software\conduit\distributionengine\1\offerhistory\755131[defaultsearch]
  Sets/Creates value:
HKCU \setminus software \setminus conduit \setminus distribution engine \setminus 1 \setminus offerhistory \setminus 755131 [offer description]
                           HKCU\software\conduit\distributionengine\1\offerhistory\755131[ruleid]
  Sets/Creates value:
  Sets/Creates value:
HKCU \setminus software \setminus conduit \setminus distribution engine \setminus 1 \setminus offerhistory \setminus 755131 [root offerid]
                           HKCU\software\microsoft\windows\currentversion\internet
  Sets/Creates value:
settings\5.0\cache\extensible cache\mshist012016042820160429[cachepath]
 Sets/Creates value:
                           \label{lem:hkcu} \verb+KKCU \software \microsoft \windows \current version \current \end{tensor}
settings\5.0\cache\extensible cache\mshist012016042820160429[cacheprefix]
 Sets/Creates value:
                           HKCU\software\microsoft\windows\currentversion\internet
settings\5.0\cache\extensible cache\mshist012016042820160429[cachelimit]
                           HKCU\software\microsoft\windows\currentversion\internet
 Sets/Creates value:
settings\5.0\cache\extensible cache\mshist012016042820160429[cacheoptions]
                           \label{lem:hkcu} \verb+KKCU\+ software\+ microsoft\+ windows\+ current version\+ internet
  Sets/Creates value:
settings\5.0\cache\extensible cache\mshist012016042820160429[cacherepair]
  Value changes:
                           HKCU\software\microsoft\windows\currentversion\internet
settings[proxyenable]
                           HKCU\software\microsoft\windows\currentversion\internet
  Value changes:
settings\connections[savedlegacysettings]
                           HKCU\software\microsoft\windows\currentversion\internet
  Value changes:
settings\zonemap[uncasintranet]
  Value changes:
                           HKCU\software\microsoft\windows\currentversion\internet
settings\zonemap[autodetect]
                           HKCU\software\microsoft\windows\currentversion\internet
  Value changes:
settings\connections[defaultconnectionsettings]
  Value changes:
                           HKCU\software\microsoft\windows\currentversion\internet
settings\wpad[wpadlastnetwork]
  Value changes:
                           HKCU\software\microsoft\windows\currentversion\internet
settings\wpad\{bcc0c918-0174-4b2e-9d54-e700c8d1e3d5}[wpaddecisionreason]
  Value changes:
                           HKCU\software\microsoft\windows\currentversion\internet
settings\wpad\{bcc0c918-0174-4b2e-9d54-e700c8d1e3d5}[wpaddecisiontime]
  Value changes:
                           HKCU\software\microsoft\windows\currentversion\internet
settings\wpad\{bcc0c918-0174-4b2e-9d54-e700c8d1e3d5}[wpaddecision]
 Value changes:
                           HKCU\software\microsoft\windows\currentversion\internet
settings\wpad\{bcc0c918-0174-4b2e-9d54-e700c8d1e3d5}[wpadnetworkname]
  Value changes:
                           HKCU\software\microsoft\windows\currentversion\internet
settings\wpad\ae-07-4d-8e-13-3f[wpaddecisionreason]
```

Value changes: HKCU\software\microsoft\windows\currentversion\internet

settings\wpad\ae-07-4d-8e-13-3f[wpaddecisiontime]

Value changes: HKCU\software\microsoft\windows\currentversion\internet

settings\wpad\ae-07-4d-8e-13-3f[wpaddecision]

Value changes: HKCU\software\microsoft\windows\currentversion\internet

 $settings \verb|\|5.0| cache \verb|\|extensible| cache \verb|\|mshist012016042820160429[cachepath]|$ 

Value changes: HKCU\software\microsoft\internet explorer\main\windowssearch[version]

Value changes: HKLM\system\currentcontrolset\control\session

manager[pendingfilerenameoperations]