Malware Analysis Appliance by Blue Coat Systems, Inc.

Task Details

Host: mag2, Sample ID: 123, Task ID: 492

Task ID: 492 Risk Level: 6

Date Processed: 2016-04-28 13:00:27 (UTC)

Processing Time: 61.38 seconds
Virtual Environment: IntelliVM

Execution Arguments: "c:\windows\temp\681fac5ea50ff652c30ed7e51b42e6b2.exe"

Sample ID: 123 Type: basic Owner: admin

Label: 681fac5ea50ff652c30ed7e51b42e6b2

Date Added: 2016-04-28 12:45:02 (UTC)

File Type: PE32:win32:gui File Size: 90715 bytes

MD5: 681fac5ea50ff652c30ed7e51b42e6b2

SHA256: d203ef8603a7b0cdd1fcb2e8c94a2d4f75f34cc7eed9e632cd28b10e27062137

Description: None

Pattern Matching Results

2 PE: Nonstandard section

6 Renames file on boot

4 Packer: NSIS [Nullsoft Scriptable Install System]

Static Events

Anomaly: PE: Contains a virtual section

Anomaly: PE: Contains one or more non-standard sections

Process/Thread Events

Creates process: C:\windows\temp\681fac5ea50ff652c30ed7e51b42e6b2.exe

["C:\windows\temp\681fac5ea50ff652c30ed7e51b42e6b2.exe"]

Creates process: C:\Users\Admin\AppData\Local\Temp\~nsu.tmp\Au_.exe ["C:\Users\Admin\AppData\Local\Temp\~nsu.tmp\Au_.exe" _?=C:\windows\temp\]
Terminates process: C:\Windows\Temp\681fac5ea50ff652c30ed7e51b42e6b2.exe

Named Object Events

Creates mutex: \Sessions\1\BaseNamedObjects\DBWinMutex

Creates mutex: \Sessions\1\BaseNamedObjects\CicLoadWinStaWinStaO

 $\label{lem:constraint} Creates\ mutex: $$ \Sessions\1\BaseNamedObjects\MSCTF.CtfMonitorInstMutexDefault1 $$$

 $\label{lem:condition} {\it Creates event:} \qquad {\it KernelObjects\MaximumCommitCondition}$

Creates event: \Sessions\1\BaseNamedObjects\MSCTF.CtfActivated.Default1

File System Events

Creates: C:\Users\Admin\AppData\Local\Microsoft\Windows\Caches

Creates: C:\Users\Admin\AppData\Local\Temp\

Creates: C:\Users\Admin\AppData\Local\Temp\nseC5E6.tmp
Creates: C:\Users\Admin\AppData\Local\Temp\~nsu.tmp
Creates: C:\Users\Admin\AppData\Local\Temp\~nsu.tmp\Au_.exe
Creates: C:\Users\Admin\AppData\Local\Temp\nsjC80D.tmp

Opens: C:\Windows\Prefetch\681FAC5EA50FF652C30ED7E51B42E-69C03996.pf

Opens: C:\Windows\System32

Opens: C:\Windows\System32\sechost.dll

Opens: C:\windows\temp\681fac5ea50ff652c30ed7e51b42e6b2.exe.Local\

Opens: C:\Windows\winsxs\x86_microsoft.windows.common-

controls_6595b64144ccf1df_6.0.7601.17514_none_41e6975e2bd6f2b2

Opens: C:\Windows\winsxs\x86_microsoft.windows.common-controls_6595b64144ccf1df_6.0.7601.17514_none_41e6975e2bd6f2b2\comctl32.dll

Opens: C:\windows\temp\VERSION.dll
Opens: C:\Windows\System32\version.dll
Opens: C:\Windows\System32\apphelp.dll
Opens: C:\Windows\AppPatch\sysmain.sdb

Opens: C:\Windows\Temp\681fac5ea50ff652c30ed7e51b42e6b2.exe

```
C:\Windows\System32\uxtheme.dll
  Opens:
  Opens:
                                        C:\windows\temp\WINMM.dll
  Opens:
                                        C:\Windows\System32\winmm.dll
  Opens:
                                        C:\windows\temp\samcli.dll
  Opens:
                                        C:\Windows\System32\samcli.dll
  Opens:
                                        C:\windows\temp\MSACM32.dll
  Opens:
                                        C:\Windows\System32\msacm32.dll
  Opens:
                                        C:\windows\temp\sfc.dll
  Opens:
                                        C:\Windows\System32\sfc.dll
  Opens:
                                        C:\windows\temp\sfc_os.DLL
                                        C:\Windows\System32\sfc_os.dll
  Opens:
  Opens:
                                        C:\windows\temp\USERENV.dll
  Opens:
                                        C:\Windows\System32\userenv.dll
  Opens:
                                        C:\windows\temp\profapi.dll
  Opens:
                                        C:\Windows\System32\profapi.dll
  Opens:
                                        C:\windows\temp\dwmapi.dll
  Opens:
                                        C:\Windows\System32\dwmapi.dll
  Opens:
                                        C:\windows\temp\MPR.dll
  Opens:
                                        C:\Windows\System32\mpr.dll
  Opens:
                                        C:\windows\temp\681fac5ea50ff652c30ed7e51b42e6b2.exe.Config
  Opens:
                                        C:\Windows\System32\imm32.dll
                                        C:\Windows\WindowsShell.Manifest
  Opens:
  Opens:
                                        C:\Windows\System32\en-US\setupapi.dll.mui
                                        C:\Windows\System32\rpcss.dll
  Opens:
  Opens:
                                        C:\windows\temp\CRYPTBASE.dll
  Opens:
                                        C:\Windows\System32\cryptbase.dll
  Opens:
                                        C:\Windows\Globalization\Sorting\SortDefault.nls
  Opens:
                                        C:\Windows\System32\shell32.dll
  Opens:
  Opens:
                                        C:\Windows
  Opens:
                                        C:\Windows\System32\propsys.dll
  Opens:
                                        C:\Users\Admin\AppData\Local\Microsoft\Windows\Caches\cversions.1.db
  Opens:
                                        C:\windows\temp\ntmarta.dll
  Opens:
                                        C:\Windows\System32\ntmarta.dll
  Opens:
                                        C:\Users\Admin\AppData\Local\Microsoft\Windows\Caches\{AFBF9F1A-8EE8-
4C77-AF34-C647E37CA0D9}.1.ver0x0000000000000006.db
  Opens:
                                        C:\Users\Admin\Desktop\desktop.ini
  Opens:
                                        C:\Users\Admin\AppData\Local\Temp
  Opens:
                                        C:\Users\Admin\AppData\Local\Temp\nseC5E6.tmp
  Opens:
                                        C:\Users
                                        C:\Users\Admin
  Opens:
  Opens:
                                        C:\Users\Admin\AppData
  Opens:
                                        C:\Users\Admin\AppData\Local
  Opens:
                                        C:\Users\Admin\AppData\Local\Temp\~nsu.tmp\Au_.exe
  Opens:
                                        C:\Users\Admin\AppData\Local\Temp\~nsu.tmp
  Opens:
                                        C:\Users\Admin\AppData\Local\Temp\~nsu.tmp\ui\SwDRM.dll
  Opens:
                                        C:\Program Files\speedfan\speedfan.exe
  Opens:
                                        C:\Users\Admin\AppData\Local\Temp\~nsu.tmp\Bu_.exe
  Opens:
                                        C:\Users\Admin\AppData\Local\Temp\~nsu.tmp\Cu_.exe
  Opens:
                                        C:\Users\Admin\AppData\Local\Temp\~nsu.tmp\Du_.exe
  Opens:
                                        C:\Users\Admin\AppData\Local\Temp\~nsu.tmp\Eu_.exe
  Opens:
                                        C:\Users\Admin\AppData\Local\Temp\~nsu.tmp\Fu_.exe
  Opens:
                                        C: \label{local-Temp} $$C: \Users \Admin \App Data \Local \Temp \-nsu.tmp \Gu_. exe
  Opens:
                                        C:\Users\Admin\AppData\Local\Temp\~nsu.tmp\Hu_.exe
  Opens:
                                        C:\Users\Admin\AppData\Local\Temp\~nsu.tmp\Iu_.exe
  Opens:
                                        \label{local-temp-nsu.tmp-Ju} C: \label{local-temp-nsu.tmp-Ju} Local-temp-nsu.tmp-Ju\_.exe
  Opens:
                                        C:\Users\Admin\AppData\Local\Temp\~nsu.tmp\Ku_.exe
  Opens:
                                        C:\Users\Admin\AppData\Local\Temp\~nsu.tmp\Lu_.exe
  Opens:
                                        C:\Users\Admin\AppData\Local\Temp\~nsu.tmp\Mu_.exe
  Opens:
                                        C:\Users\Admin\AppData\Local\Temp\~nsu.tmp\Nu_.exe
  Opens:
                                        C:\Users\Admin\AppData\Local\Temp\~nsu.tmp\Ou_.exe
  Opens:
                                        C: \label{local-Temp-Pu_exe} C: \label{local-Temp-Pu_exe} C: \label{local-Temp-Pu_exe} C: \label{local-Temp-Pu_exe} Admin \label{local-Temp-Pu_exe} C: \label{l
  Opens:
                                        C:\Users\Admin\AppData\Local\Temp\~nsu.tmp\Qu_.exe
  Opens:
                                        C:\Users\Admin\AppData\Local\Temp\~nsu.tmp\Ru_.exe
  Opens:
                                        Opens:
                                        C:\Users\Admin\AppData\Local\Temp\~nsu.tmp\Tu_.exe
  Opens:
                                        C:\Users\Admin\AppData\Local\Temp\~nsu.tmp\Uu_.exe
  Opens:
                                        C:\Users\Admin\AppData\Local\Temp\~nsu.tmp\Vu_.exe
  Opens:
                                        C:\Users\Admin\AppData\Local\Temp\~nsu.tmp\Wu_.exe
  Opens:
                                        C:\Users\Admin\AppData\Local\Temp\~nsu.tmp\Xu_.exe
  Opens:
                                        C:\Users\Admin\AppData\Local\Temp\~nsu.tmp\Yu_.exe
                                        \label{local-temp-nsu.tmp} $$C:\Users\Admin\AppData\Local\Temp\-nsu.tmp\Zu\_.exe$
  Opens:
                                        C:\Windows\Prefetch\AU_.EXE-54EA8F2A.pf
  Opens:
```

Opens: C:\Users\Admin\AppData\Local\Temp\~nsu.tmp\Au_.exe.Local\

C:\Users\Admin\AppData\Local\Temp\~nsu.tmp\VERSION.dll Opens: Opens: C:\Users\Admin\AppData\Local\Temp\~nsu.tmp\SspiCli.dll Opens: C:\Users\Admin\AppData\Local\Temp\~nsu.tmp\UxTheme.dll C:\Users\Admin\AppData\Local\Temp\~nsu.tmp\WINMM.dll Opens: Opens: C:\Users\Admin\AppData\Local\Temp\~nsu.tmp\samcli.dll C:\Users\Admin\AppData\Local\Temp\~nsu.tmp\MSACM32.dll Opens: Opens: C:\Users\Admin\AppData\Local\Temp\~nsu.tmp\sfc.dll Opens: C:\Users\Admin\AppData\Local\Temp\~nsu.tmp\sfc_os.DLL Opens: C:\Users\Admin\AppData\Local\Temp\~nsu.tmp\USERENV.dll Opens: C:\Users\Admin\AppData\Local\Temp\~nsu.tmp\profapi.dll Opens: C:\Users\Admin\AppData\Local\Temp\~nsu.tmp\dwmapi.dll Opens: C:\Users\Admin\AppData\Local\Temp\~nsu.tmp\MPR.dll Opens: C:\Users\Admin\AppData\Local\Temp\~nsu.tmp\Au_.exe.Config Opens: C:\Users\Admin\AppData\Local\Temp\~nsu.tmp\CRYPTBASE.dll Opens: C:\Users\Admin\AppData\Local\Temp\~nsu.tmp\ntmarta.dll

Opens: C:\Users\desktop.ini

Opens: C:\Users\Admin\Searches\desktop.ini Opens: C:\Users\Admin\Videos\desktop.ini Opens: C:\Users\Admin\Pictures\desktop.ini Opens: C:\Users\Admin\Contacts\desktop.ini C:\Users\Admin\Favorites\desktop.ini Opens: C:\Users\Admin\Music\desktop.ini Opens: Opens: C:\Users\Admin\Downloads\desktop.ini Opens: C:\Users\Admin\Documents\desktop.ini Opens: C:\Users\Admin\Links\desktop.ini Opens: C:\Users\Admin\Saved Games\desktop.ini Opens: C:\Windows\System32\shdocvw.dll

Opens: C:\Windows\System32\en-US\shdocvw.dll.mui Opens: C:\Users\Admin\AppData\Local\Temp\nsjC80D.tmp

Opens: C:\Windows\Fonts\StaticCache.dat

Opens: C:\Users\Admin\AppData\Local\Temp\~nsu.tmp\imageres.dll

Opens: C:\Windows\System32\imageres.dll

Opens: C:\Windows\System32\en-US\imageres.dll.mui Opens: C:\Windows\System32\en-US\user32.dll.mui

Writes to: C:\Users\Admin\AppData\Local\Temp\~nsu.tmp\Au_.exe

Reads from: C:\Users\Admin\Desktop\desktop.ini

Reads from: C:\Windows\Temp\681fac5ea50ff652c30ed7e51b42e6b2.exe Reads from: C:\Users\Admin\AppData\Local\Temp\~nsu.tmp\Au_.exe

C:\Users\desktop.ini Reads from:

Reads from: C:\Users\Admin\Searches\desktop.ini C:\Users\Admin\Videos\desktop.ini Reads from: Reads from: C:\Users\Admin\Pictures\desktop.ini Reads from: C:\Users\Admin\Contacts\desktop.ini Reads from: C:\Users\Admin\Favorites\desktop.ini Reads from: C:\Users\Admin\Music\desktop.ini Reads from: C:\Users\Admin\Downloads\desktop.ini Reads from: C:\Users\Admin\Documents\desktop.ini Reads from: C:\Users\Admin\Links\desktop.ini Reads from: C:\Users\Admin\Saved Games\desktop.ini Reads from: C:\Windows\System32\shdocvw.dll Reads from: C:\Windows\Fonts\StaticCache.dat

Deletes: C:\Users\Admin\AppData\Local\Temp\nseC5E6.tmp Deletes: C:\Users\Admin\AppData\Local\Temp\nsjC80D.tmp

Windows Registry Events

······	
Creates key:	HKLM\system\currentcontrolset\control\session manager
Opens key:	HKLM\system\currentcontrolset\control\session manager
Opens key:	<pre>HKLM\system\currentcontrolset\control\terminal server</pre>
Opens key:	<pre>HKLM\system\currentcontrolset\control\safeboot\option</pre>
Opens key:	<pre>HKLM\system\currentcontrolset\control\srp\gp\dll</pre>
Opens key:	<pre>HKLM\software\policies\microsoft\windows\safer\codeidentifiers</pre>
Opens key:	<pre>HKCU\software\policies\microsoft\windows\safer\codeidentifiers</pre>
Opens key:	HKCU\
Opens key:	<pre>HKCU\control panel\desktop\muicached\machinelanguageconfigurati</pre>

Opens key: HKLM\software\policies\microsoft\mui\settings

Opens key: HKCU\software\policies\microsoft\control panel\desktop Opens key: HKCU\control panel\desktop\languageconfiguration

HKCU\control panel\desktop Opens key:

Opens key: HKCU\control panel\desktop\muicached

 $\label{lem:hklm} \verb+Kklm \+ software + microsoft + windows + current version + side by side$ Opens key:

Opens key:

HKLM\software\microsoft\windows\currentversion\sidebyside\assemblystorageroots

Opens key: HKCU\software\microsoft\windows nt\currentversion\appcompatflags Opens key: HKLM\system\currentcontrolset\control\nls\sorting\versions

Opens key: HKLM\software\policies\microsoft\windows nt\windows file protection
Opens key: HKLM\system\currentcontrolset\control\error message instrument\
Opens key: HKLM\system\currentcontrolset\control\error message instrument
Opens key: HKLM\software\microsoft\windows nt\currentversion\gre_initialize
Opens key: HKLM\software\microsoft\windows nt\currentversion\compatibility32
Opens key: HKLM\software\microsoft\windows nt\currentversion\ime compatibility

Opens key: HKLM\

Opens key: HKLM\software\microsoft\windows nt\currentversion\windows
Opens key: HKLM\software\microsoft\windows nt\currentversion\diagnostics

Opens key: HKLM\software\microsoft\ole

Opens key: HKLM\software\microsoft\ole\tracing
Opens key: HKLM\software\microsoft\oleaut

Opens key: HKLM\system\currentcontrolset\control\cmf\config

Opens key: HKLM\software\microsoft\windows\error reporting\wmr
Opens key: HKLM\software\microsoft\windows\currentversion\setup
Opens key: HKLM\software\microsoft\windows\currentversion

Opens key: HKLM\system\currentcontrolset\control\nls\customlocale
Opens key: HKLM\system\currentcontrolset\control\nls\extendedlocale

Opens key: HKLM\system\currentcontrolset\services\crypt32

Opens key: HKLM\software\microsoft\windows\currentversion\internet settings Opens key: HKLM\software\policies\microsoft\windows\currentversion\internet

settings

Opens key: HKLM\system\currentcontrolset\control\networkprovider\hworder
Opens key: HKLM\software\microsoft\windows\currentversion\policies\explorer
Opens key: HKCU\software\microsoft\windows\currentversion\policies\explorer

Opens key:

 $HKLM \ software \verb|\microsoft| windows \verb|\currentversion| shell compatibility \verb|\applications| 681 fac 5ea 50 ff 652 c 30 ed 7e 51 b 42 e 6b2. execute the software \verb|\microsoft| for the$

Opens key: HKCU\software\classes\

Opens key: HKCU\software\classes\clsid\{20d04fe0-3aea-1069-a2d8-

08002b30309d}\shellfolder

Opens key: HKCR\clsid\{20d04fe0-3aea-1069-a2d8-08002b30309d}\shellfolder

Opens key: HKCU\software\microsoft\windows\currentversion\explorer\clsid\{20d04fe0-

3aea-1069-a2d8-08002b30309d}\shellfolder

Opens key: HKLM\software\microsoft\windows\currentversion\explorer\clsid\{20d04fe0-

3aea-1069-a2d8-08002b30309d}\shellfolder

Opens key: HKCU\software\microsoft\windows\currentversion\policies\nonenum
Opens key: HKLM\software\microsoft\windows\currentversion\policies\nonenum

Opens key:

 $HKCU \ software \ microsoft \ windows \ current version \ \ explorer \ \ mountpoints \ 2 \ cpc \ \ \ volume$

Opens key

 $HKCU \setminus software \setminus microsoft \setminus windows \setminus current version \setminus explorer \setminus mountpoints 2 \setminus cpc \setminus volume \setminus \{69d250e4-6c18-explorer\} \setminus (69d250e4-6c18-explorer) \setminus (69d260e4-6c18-explorer) \setminus (69d260e4-6c18-explorer) \setminus (69d260e4-6c18-explorer) \setminus (69d260e4-6c18-explorer) \setminus$

11e3-b3bc-806e6f6e6963}\

Opens key: HKCU\software\classes\drive\shellex\folderextensions

Opens key: HKCR\drive\shellex\folderextensions

Opens key: HKCU\software\classes\drive\shellex\folderextensions\{fbeb8a05-beee-

4442-804e-409d6c4515e9}

Opens key: HKCR\drive\shellex\folderextensions\{fbeb8a05-beee-4442-804e-

409d6c4515e9}

Opens key: HKLM\software\policies\microsoft\windows\explorer

Opens key: HKCU\software\policies\microsoft\windows\explorer

Opens key: HKCU\software\microsoft\windows\currentversion\explorer

Opens key: HKCU\software\microsoft\windows\currentversion\explorer

Opens key: HKCU\software\microsoft\windows\currentversion\explorer\advanced

Opens key:

 $HKLM \verb|\software\microsoft| windows \verb|\shell| registered applications \verb|\urlassociations| directory \verb|\openwith| progids | leaves a substitution of the property of the prop$

Opens key:

HKCU\software\microsoft\windows\shell\associations\urlassociations\directory

Opens key: HKCU\software\classes\directory

Opens key: HKCR\directory

Opens key: HKCU\software\classes\directory\curver

Opens key: HKCR\directory\curver
Opens key: HKCR\directory\

Opens key: HKCU\software\classes\directory\shellex\iconhandler

Opens key: HKCR\directory\shellex\iconhandler
Opens key: HKCU\software\classes\folder

Opens key: HKCR\folder

Opens key: HKCU\software\classes\folder\shellex\iconhandler

Opens key: HKCR\folder\shellex\iconhandler

Opens key: HKCU\software\classes\allfilesystemobjects

Opens key: HKCR\allfilesystemobjects

Opens key: HKCU\software\classes\allfilesystemobjects\shellex\iconhandler

Opens key: HKCR\allfilesystemobjects\shellex\iconhandler Opens key: HKCU\software\classes\directory\docobject

Opens key: HKCR\directory\docobject

Opens key: HKCU\software\classes\folder\docobject

Opens key: HKCR\folder\docobject

Opens key: HKCU\software\classes\allfilesystemobjects\docobject

Opens key: HKCR\allfilesystemobjects\docobject

Opens key: HKCU\software\classes\directory\browseinplace

Opens key: HKCR\directory\browseinplace

Opens key: HKCU\software\classes\folder\browseinplace

Opens key: HKCR\folder\browseinplace

Opens key: HKCU\software\classes\allfilesystemobjects\browseinplace

Opens key: HKCR\allfilesystemobjects\browseinplace
Opens key: HKCU\software\classes\directory\clsid

Opens key: HKCR\directory\clsid

Opens key: HKCU\software\classes\folder\clsid

Opens key: HKCR\folder\clsid

Opens key: HKCU\software\classes\allfilesystemobjects\clsid

Opens key: HKCR\allfilesystemobjects\clsid

Opens key:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions

Opens key:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \current \folder \current \folder \current \cu$

Opens key:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{b4bfcc3a-db2c-424c-b029-7fe99a87c641\} \ property bag$

Opens key: HKCU\software\microsoft\windows\currentversion\explorer\sessioninfo\1

Opens key:

HKCU\software\microsoft\windows\currentversion\explorer\sessioninfo\1\knownfolders

Opens key: HKCU\software\microsoft\windows\currentversion\explorer\user shell

folders

Opens key: HKLM\software\microsoft\com3

Opens key: HKCU\software\classes\clsid\{1f486a52-3cb1-48fd-8f50-b8dc300d9f9d}

Opens key: HKCR\clsid\{1f486a52-3cb1-48fd-8f50-b8dc300d9f9d}
Opens key: HKCU\software\classes\clsid\{1f486a52-3cb1-48fd-8f50-

b8dc300d9f9d}\treatas

Opens key: HKCR\clsid\{1f486a52-3cb1-48fd-8f50-b8dc300d9f9d}\treatas Opens key: HKCU\software\classes\clsid\{1f486a52-3cb1-48fd-8f50-

b8dc300d9f9d}\progid

Opens key: HKCR\clsid\{1f486a52-3cb1-48fd-8f50-b8dc300d9f9d}\progid Opens key: HKCU\software\classes\clsid\{1f486a52-3cb1-48fd-8f50-

b8dc300d9f9d}\inprocserver32

Opens key: HKCR\clsid\{1f486a52-3cb1-48fd-8f50-b8dc300d9f9d}\inprocserver32

Opens key: HKCU\software\classes\clsid\{1f486a52-3cb1-48fd-8f50-

b8dc300d9f9d}\inprochandler32

Opens key: HKCR\clsid\{1f486a52-3cb1-48fd-8f50-b8dc300d9f9d}\inprochandler32

Opens key: HKCU\software\classes\clsid\{1f486a52-3cb1-48fd-8f50-

 $b8dc300d9f9d\\ \\ \\ inprochandler$

Opens key: HKCR\clsid\{1f486a52-3cb1-48fd-8f50-b8dc300d9f9d}\inprochandler Opens key: HKLM\system\currentcontrolset\control\lsa\accessproviders

Opens key: HKLM\system\currentcontrolset\services\ldap

Opens key:

 $\label{lem:hklm} \verb+KLM\software\microsoft\windows\currentversion\explorer\knownfoldersettings$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\}$

Opens key:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae}\propertybag

Opens key

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folds \fold$

Opens key:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3eb685db-65f9-4cf6-a03a-e3ef65729f3d}\propertybag

Opens key:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5e6c858f-0e22-4760-9afe-ea3317b67173}

Opens key:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{5e6c858f-0e22-4760-9afe-ea3317b67173\} \ property bag$

Opens key: HKLM\software\microsoft\windows nt\currentversion\profilelist\s-1-5-21-

2160590473-689474908-1361669368-1002

Opens key: HKLM\software\policies\microsoft\windows\system

Opens key: HKLM\software\microsoft\rpc

Opens key: HKLM\system\currentcontrolset\control\computername\activecomputername

Opens key: HKLM\system\setup

Opens key: HKLM\software\policies\microsoft\windows nt\rpc
Opens key: HKLM\software\policies\microsoft\sqmclient\windows

Opens key: HKLM\software\microsoft\sqmclient\windows

Opens key:

 $\label{lem:hkcu} HKCU software \end{area} HKCU software \end{area} Current version \explorer \end{area} 11e3-b3bc-806e6f6e6963 \end{area} Albert \end{area$

Opens key: HKLM\software\microsoft\windows nt\currentversion\image file execution

options\au_.exe

Opens key: HKLM\system\currentcontrolset\control\session manager\appcertdlls
Opens key: HKLM\system\currentcontrolset\control\session manager\appcompatibility

Opens key: HKLM\software\policies\microsoft\windows\appcompat

Opens key: HKCU\software\microsoft\windows\currentversion\explorer\shell folders
Opens key: HKLM\software\microsoft\windows nt\currentversion\appcompatflags\layers
Opens key: HKCU\software\microsoft\windows nt\currentversion\appcompatflags\layers

Opens key: HKLM\software\microsoft\windows

nt\currentversion\appcompatflags\custom\au_.exe

Opens key: HKLM\software\microsoft\windows nt\currentversion\image file execution

options

Opens key: HKLM\software\microsoft\rpc\extensions

Opens key:

HKLM\software\microsoft\windows\currentversion\shellcompatibility\applications\au_.exe

Opens kev:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{f3ce0f7c-4901-4acc-8648-d5d44b04ef8f\}$

Opens key:

 $\label{thm:local-soft-windows} In the local soft of the local state of the local state$

Opens key: HKCU\software\classes\clsid\{59031a47-3f72-44a7-89c5-

5595fe6b30ee}\shellfolder

Opens key: HKCR\clsid\{59031a47-3f72-44a7-89c5-5595fe6b30ee}\shellfolder

Opens key: HKCU\software\microsoft\windows\currentversion\explorer\clsid\{59031a47-

3f72-44a7-89c5-5595fe6b30ee}\shellfolder

Opens key: HKLM\software\microsoft\windows\currentversion\explorer\clsid\{59031a47-

3f72-44a7-89c5-5595fe6b30ee}\shellfolder

Opens key:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{7d1d3a04-debb-4115-95cf-2f29da2920da\}$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{7d1d3a04-debb-4115-95cf-2f29da2920da\} \ property bag$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{f38bf404-1d43-42f2-9305-67de0b28fc23\}$

Opens key:

 $\label{thm:local-soft-windows} In the local decrease of the loca$

Opens key:

 $\label{thm:local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \f$

Opens key:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ folder descriptions \ \ \{f7f1ed05-9f6d-47a2-aaae-29d317c6f066\} \ \ property bag$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{2112ab0a-c86a-4ffe-a368-0de96e47012e\}$

Opens key:

Opens key:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \folder descriptions \current \folder \$

Opens key:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{48daf80b-e6cf-4f4e-b800-0e69d84ee384\}\propertybag}$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{c4aa340d-f20f-4863-afef-f87ef2e6ba25\}$

Opens key:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{c4aa340d-f20f-4863-afef-f87ef2e6ba25\} \ property bag$

Opens key:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{9e52ab10-f80d-49df-

acb8-4330f5687855}

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{9e52ab10-f80d-49df-acb8-4330f5687855\} \ property bag$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{98ec0e18-2098-4d44-8644-66979315a281\}$

Opens key:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{98ec0e18-2098-4d44-8644-66979315a281\} \ property bag$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a4115719-d62e-491d-aa7c-e74b8be3b067\}$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a4115719-d62e-491d-aa7c-e74b8be3b067\} \ property bag$

Opens key:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cac52c1a-b53d-4edc-92d7-6b2e8ac19434 \}$

Opens key:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \{ cac52c1a-b53d-4edc-92d7-6b2e8ac19434 \} \property bag}$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{18989b1d-99b5-455b-841c-ab7c74e4ddfc\}$

Opens key:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{18989b1d-99b5-455b-841c-ab7c74e4ddfc\} \ property bag$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{52a4f021-7b75-48a9-9f6b-4b87a210bc8f\}$

Opens key:

 $HKLM \ software \ `microsoft\ `windows \ `current version \ `explorer \ folder descriptions \ \ \{52a4f021-7b75-48a9-9f6b-4b87a210bc8f\} \ \ property bag$

Opens kev:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{de 974d 24-d 9c6-4d 3e-bf 91-f 4455120b 917\}$

Opens key:

 $HKLM \ software \ icrosoft \ vindows \ current version \ explorer \ folder descriptions \ \{de 974d 24-d 9c6-4d 3e-bf 91-f 4455120b 917\} \ property bag$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{6f0cd92b-2e97-45d1-88ff-b0d186b8dedd\}$

Opens key:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{6f0cd92b-2e97-45d1-88ff-b0d186b8dedd}\propertybag

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{76fc4e2d-d6ad-4519-a663-37bd56068185\}$

Onens key

 $\label{thm:local-continuous} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{76fc4e2d-d6ad-4519-a663-37bd56068185} \property bag$

Opens key:

 $\label{thm:local-prop} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a75d362e-50fc-4fb7-ac2c-a8beaa314493\}$$

Opens key:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Opens key:

Opens key:

Opens key:

 $\label{thm:local-prop} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{33e28130-4e1e-4676-835a-98395c3bc3bb\}$$

Opens key:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{33e28130-4e1e-4676-835a-98395c3bc3bb}\propertybag$

Opens kev:

 $HKLM \setminus software \setminus irreston \setminus explorer \setminus folder descriptions \setminus \{8ad10c31-2adb-4296-a8f7-e4701232c972\}$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{8ad10c31-2adb-4296-a8f7-e4701232c972\} \ property bag$

Opens key:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{82a5ea35-d9cd-47c5-9629-e15d2f714e6e}

Opens key:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{82a5ea35-d9cd-47c5-9629-e15d2f714e6e\} \ property bag$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{debf2536-e1a8-4c59-b6a2-414586476aea\}$

Opens key:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Opens key

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{0f214138-b1d3-4a90-bba9-27cbc0c5389a\} \ property bag$

Opens key:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \current$

Opens key:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{2400183a-6185-49fb-a2d8-4a392a602ba3\} \ property bag$

Opens key:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d9dc8a3b-b784-432e-a781-5a1130a75963\}$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{d9dc8a3b-b784-432e-a781-5a1130a75963\} \ property bag$

Opens key:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \current$

Opens key:

Opens key:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \current$

Opens key:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{289a9a43-be44-4057-a41b-587a76d7e7f9\} \ property bag$

Opens key:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4bfefb45-347d-4006-a5be-ac0cb0567192\}$

Opens key:

Opens key:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \formalfolder \descriptions \formalfolder \formalfolder \descriptions \formalfolder \formalfolde$

Opens key:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b7534046-3ecb-4c18-be4e-64cd4cb7d6ac}\propertybag$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{ee 32e 446-31ca-4aba-814f-a 5eb d 2fd 6d 5e\}$

Opens key:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ee 32e446-31ca-4aba-814f-a5ebd2fd6d5e \property bag$

Opens key:

Opens kev:

 $\label{thm:local-continuous} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \colored \color$

Opens key:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \current$

Opens key:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{0139d44e-6afe-49f2-8690-3dafcae6ffb8}\propertybag

Opens key:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \colored \colored$

Opens key:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c5abbf53-e17f-4121-8900-86626fc2c973}\propertybag

Opens kev:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{56784854-c6cb-462b-8169-88e350 \ acb 882\}$

Opens key:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{56784854-c6cb-462b-8169-88e350 \ acb 882\} \ property bag$

Opens kev:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{7b396e54-9ec5-4300-be0a-2482ebae1a26\}$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{7b396e54-9ec5-4300-be0a-2482ebae1a26\} \ property bag$

Opens key:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{bcbd3057-ca5c-4622-b42d-bc56db0ae516}

Opens key:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folds \fold$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{a302545d-deff-464b-abe8-61c8648d939b\}$

Opens key:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Opens kev:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \current$

Opens key:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2b0f765d-c0e9-4171-908e-08a611b84ff6}\propertybag$

Opens key:

 $\label{lem:hklmsoftware} HKLM software \mbox{\currentversion} explorer \mbox{\currentversion} \mbox{\currentvers$

Opens key:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder \f$

Opens key:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \ \{e555ab60-153b-4d17-9f04-a5fe99fc15ec\}$

Opens key:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \equiv \current \c$

Opens key:

Opens key:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \current$

Opens key:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1777f761-68ad-4d8a-87bd-30b759fa33dd\}$

Opens key:

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{b250c668-f57d-4ee1-a63c-290ee7d1aa1f\}$

Opens key:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b250c668-f57d-4ee1-a63c-290ee7d1aa1f}\propertybag$

Opens key:

 $HKL\dot{M} software \verb|microsoft| windows \verb|currentversion| explorer \verb|folderdescriptions| \{52528a6b-b9e3-4add-b60d-588c2dba842d\}| and the first that the first term of the firs$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{52528a6b-b9e3-4add-b60d-588c2dba842d\} \ property bag$

Opens key:

8f08-102d10dcfd74}

Opens key:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{8983036c-27c0-404b-8f08-102d10dcfd74\} \ property bag$

Opens kev:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{bcb5256f-79f6-4cee-b725-dc34e402fd46\}$

Opens key:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{bcb5256f-79f6-4cee-b725-dc34e402fd46\}\ property bag$

Opens key:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder$

Opens key:

Opens key:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4bd8d571-6d19-48d3be97-422220080e43}

Opens key:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4bd8d571-6d19-48d3-be97-422220080e43\}\propertybag$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{de 61d971-5ebc-4f02-a3a9-6c82895e5c04\}$

Opens key:

 $\label{twindows} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{de61d971-5ebc-4f02-a3a9-6c82895e5c04} \property bag$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{0762d272-c50a-4bb0-a382-697dcd729b80\}$

Opens key:

 $\label{thm:local-soft-windows} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \color= 40762 d272-c50a-4bb0-a382-697 dcd729b80 \property bag$

Opens kev:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Opens key:

Opens key:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{1ac14e77-02e7-4e5d-b744-2eb1ae5198b7\}$

Opens key:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1ac14e77-02e7-4e5d-b744-2eb1ae5198b7\}\propertybag}$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a77f5d77-2e2b-44c3-a6a2-aba601054a51\}$

Onens key

 $\label{thm:local-soft-windows} In the property of the proper$

Opens key:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{0ac0837c-bbf8-452a-850d-79d08e667ca7}

Opens key:

 $HKLM \ software \ microsoft \ \ current version \ \ \ folder descriptions \ \ \{0ac 0837 c-bbf8-452 a-850 d-79 d08 e667 ca7\} \ \ property bag$

Opens key:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d0384e7d-bac3-4797-8f14-cba229b392b5\}$

Opens key:

Opens key:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7b0db17d-9cd2-4a93-9733-46cc89022e7c}

Opens key:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7b0db17d-9cd2-4a93-9733-46cc89022e7c}\propertybag

Opens kev:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{ae50c081-ebd2-438a-8655-8a092e34987a\}$

Opens key:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{ae50c081-ebd2-438a-8655-8a092e34987a}\propertybag

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\}$

Opens kev:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\} \ property bag$

Opens key:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \fill 152785-6 fba-4 fcf-9 d55-7 b8e7 f157091 \end{substitute}$

Opens key:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{f1b32785-6fba-4fcf-9d55-7b8e7f157091\} \ property bag$

Opens kev:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b6ebfb86-6907-413c-9af7-4fc2abf07cc5}

Opens key:

 $\label{thm:local-property} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folde$

Opens key:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{9274bd8d-cfd1-41c3b35e-b13f55a758f4}

Opens key:

 $\label{thm:local-soft-windows} In the local description of the local$

Opens key:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{69d2cf90-fc33-4fb7-9a0c-ebb0f0fcb43c\}}$

Opens key:

 $\label{thm:local-property} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{69d2cf90-fc33-4fb7-9a0c-ebb0f0fcb43c}\property\bag$

Opens key:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \ 374 de 290-123 f-4565-9164-39 c4925 e467 b \ \ property bag$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{859 ead 94-2e85-48 ad a71a-0969 cb 56a 6cd \}$

Opens key:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{859 ead 94-2e85-48 ad a71 a-0969 cb 56 a 6 cd \} \ property bag$

Opens key:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{a305ce99-f527-492b-8b1a-7e76fa98d6e4}$

Opens key:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref a 305 ce 99-f527-492 b-8b1a-7e76 fa 98d 6e 4 \property bag$

Opens key:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Opens key:

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a990ae9f-a03b-4e80-94bc-9912d7504104\}$

Opens key:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a990ae9f-a03b-4e80-94bc-9912d7504104\}\propertybag$

Opens key:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{dfdf76a2-c82a-4d63-906a-5644ac457385}

Opens kev:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{dfdf76a2-c82a-4d63-906a-5644ac457385}\propertybag

Opens key:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1a6fdba2-f42d-4358-a798-b74d745926c5\}$

Opens key:

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{a520a1a4-1780-4ff6-bd18-167343c5af16\}$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a520a1a4-1780-4ff6-bd18-167343c5af16\} \ property bag$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{b88f4daa-e7bd-49a9-b74d-02885a5dc765\}$

Opens key:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{b88f4daa-e7bd-49a9-b74d-02885a5dc765\} \ property bag$

Opens kev:

 $HKL\dot{M}\$ software\microsoft\windows\currentversion\explorer\folderdescriptions\{2c36c0aa-5812-4b87-bfd0-4cd0dfb19b39}

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{2c36c0aa-5812-4b87-bfd0-4cd0dfb19b39\} \ property bag$

Opens key:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{9e3995ab-1f9c-4f13-b827-48b24b6c7174\} \ property bag$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{df7266 ac-9274-4867-8d55-3bd661 de872d\}$

Opens key:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder$

Opens key:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \equal 45a8-81e2-fc7965083634 \equal 45a8-81e2-fc796083634 \equal 45a8-61e2-fc7960836$

Opens key:

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27\}$

Opens key:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27} \parbox{27} \pa$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{15ca69b3-30ee-49c1-ace1-6b5ec372afb5\}$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{15 ca 69 b 3 - 30 ee - 49 c 1 - a ce 1 - 6 b 5 e c 372 a f b 5 \} \ property bag$

Opens key:

Opens key:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cal{lem:hklm} as 1-92 and 1-92 and$

Opens key:

 $\label{thm:local_transform} \begin{tabular}{ll} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \$

Opens key:

 $\label{twindows} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{905e63b6-c1bf-494e-b29c-65b732d3d21a} \property bag$

Opens key:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{fd228cb7-ae11-4ae3-864c-16f3910ab8fe\}$

Opens key:

 $HKLM\software\mbox{fd228cb7-ae11-4ae3-864c-16f3910ab8fe}\property bag$

Opens key:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ \ \{b97d20bb-f46a-4c97-ba10-5e3608430854\}$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{b97d20bb-f46a-4c97-ba10-5e3608430854\} \ property bag$

Opens key:

 $HKLM \setminus software \setminus microsoft \setminus windows \setminus current \lor explorer \setminus folder descriptions \setminus \{625b53c3-ab48-4ec1-ab48-dec1-a$

ba1f-a1ef4146fc19}

Opens key:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{625b53c3-ab48-4ec1-ba1f-a1ef4146fc19\} \ property bag$

Opens kev:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{d20 beec 4-5 ca 8-4905-ae3b-bf 251 ea 09 b 53\}$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{d20beec4-5ca8-4905-ae3b-bf251ea09b53\} \ property bag$

Opens kev:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{de92c1c7-837f-4f69a3bb-86e631204a23}

Opens key:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{de 92c1c7-837f-4f69-a3bb-86e631204a23\} \ property bag$

Opens key:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Opens key:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{fdd39ad0-238f-46af-adb4-6c85480369c7\}$

Opens key:

 $HKLM \ software \ microsoft \ vurrent version \ explorer \ folder descriptions \ \{fdd39ad0-238f-46af-adb4-6c85480369c7\} \ property bag$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{c1bae2d0-10df-4334-bedd-7aa20b227a9d\}$

Opens key:

Opens kev:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{190337d1-b8ca-4121-a639-6d472d16972a\}$

Opens key:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{190337d1-b8ca-4121-a639-6d472d16972a\} \ \ property bag$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{54eed 2e0-e7ca-4fdb-9148-0f4247291cfa\}$

Opens key:

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{bfb9d5e0-c6a9-404c-b2b2-ae6db6af4968\}$

Opens key:

Opens kev:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{5cd7aee2-2219-4a67-b85d-6c9ce15660cb\}$

Opens key:

 $HKLM \ software \ microsoft \ \ current version \ \ \ folder descriptions \ \ \{5cd7aee2-2219-4a67-b85d-6c9ce15660cb\} \ \ property bag$

Opens key:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b94237e7-57ac-4347-9151-b08c6c32d1f7\}$

Opens key:

Opens key:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Opens key:

 $\label{thm:local-property} HKLM\software\mbox{352481e8-33be-4251-ba85-6007caedcf9d}\property bag$

Opens kev:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{a63293e8-664e-48db-a079-df759e0509f7\}$

Opens key:

```
HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a63293e8-664e-48db-
a079-df759e0509f7}\propertybag
   Opens key:
HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5ce4a5e9-e4eb-479d-
b89f-130c02886155}
   Opens key:
HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5ce4a5e9-e4eb-479d-
b89f-130c02886155}\propertybag
   Opens key:
HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{82a74aeb-aeb4-465c-
a014-d097ee346d63}
   Opens key:
HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{82a74aeb-aeb4-465c-
a014-d097ee346d63}\propertybag
HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7c5a40ef-a0fb-4bfc-
874a-c0f2e0b9fa8e}
   Opens key:
HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{7c5a40ef-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0fb-4bfc-a0f
874a-c0f2e0b9fa8e}\propertybag
   Opens key:
HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{43668bf8-c14e-49b2-
97c9-747784d784b7}
   Opens key:
97c9-747784d784b7}\propertybag
   Opens kev:
HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{915221fb-9efe-4bda-
8fd7-f78dca774f87}
   Opens key:
HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{915221fb-9efe-4bda-
8fd7-f78dca774f87}\propertybag
HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4c5c32ff-bb9d-43b0-
b5b4-2d72e54eaaa4}
   Opens key:
HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4c5c32ff-bb9d-43b0-
b5b4-2d72e54eaaa4}\propertybag
   Opens key:
HKLM\software\microsoft\windows\currentversion\explorer\usersfiles\namespace
   Opens key:
HKLM\software\microsoft\windows\currentversion\explorer\usersfiles\namespace\delegatefolders
   Opens kev:
HKCU\software\microsoft\windows\currentversion\explorer\usersfiles\namespace
   Opens key:
HKLM\software\microsoft\windows\currentversion\explorer\usersfiles\namespace\delegatefolders\{dffacdc5-
679f-4156-8947-c5c76bc0b67f}
   Opens key:
HKCU\software\microsoft\windows\currentversion\explorer\usersfiles\namespace\delegatefolders
   Opens key:
HKCU\software\microsoft\windows\currentversion\explorer\sessioninfo\1\usersfiles\namespace
   Opens key:
HKCU\software\microsoft\windows\currentversion\explorer\sessioninfo\1\usersfiles\namespace\delegatefolders
                                                      HKCU\software\classes\clsid\{dffacdc5-679f-4156-8947-
   Opens key:
c5c76bc0b67f}\shellfolder
                                                      HKCR\clsid\{dffacdc5-679f-4156-8947-c5c76bc0b67f}\shellfolder
   Opens key:
   Opens key:
                                                      HKCU\software\microsoft\windows\currentversion\explorer\clsid\{dffacdc5-
679f-4156-8947-c5c76bc0b67f}\shellfolder
                                                      HKLM\software\microsoft\windows\currentversion\explorer\clsid\{dffacdc5-
   Opens key:
679f-4156-8947-c5c76bc0b67f}\shellfolder
   Opens key:
                                                      HKCU\software\classes\clsid\{dffacdc5-679f-4156-8947-
c5c76bc0b67f}\inprocserver32
                                                      HKCR \clsid \dffacdc5-679f-4156-8947-c5c76bc0b67f \label{eq:hkcr} \label{eq:hkcr} In processing the process of the control o
   Opens key:
   Opens key:
                                                      HKLM\software\microsoft\windows\currentversion\shell extensions\blocked
   Opens key:
                                                      HKCU\software\microsoft\windows\currentversion\shell extensions\blocked
   Opens key:
                                                      HKCU\software\microsoft\windows nt\currentversion
   Opens key:
                                                      HKLM\software\microsoft\windows nt\currentversion\appcompatflags
   Opens key:
                                                      HKLM\software\microsoft\windows
```

HKCU\software\microsoft\windows\currentversion\shell extensions\cached

HKCU\software\classes\clsid\{dffacdc5-679f-4156-8947-c5c76bc0b67f}

HKCR\clsid\{dffacdc5-679f-4156-8947-c5c76bc0b67f}
HKCU\software\classes\clsid\{dffacdc5-679f-4156-8947-

c5c76bc0b67f}\treatas

Opens key:

Opens key:

Opens key:

Opens key:

nt\currentversion\appcompatflags\custom\shdocvw.dll

Opens key: HKCR\clsid\{dffacdc5-679f-4156-8947-c5c76bc0b67f}\treatas Opens key: HKCU\software\classes\clsid\{dffacdc5-679f-4156-8947-

c5c76bc0b67f}\progid

Opens key: HKCR\clsid\{dffacdc5-679f-4156-8947-c5c76bc0b67f}\progid Opens key: HKCU\software\classes\clsid\{dffacdc5-679f-4156-8947-

c5c76bc0b67f}\inprochandler32

Opens key: HKCR\clsid\{dffacdc5-679f-4156-8947-c5c76bc0b67f}\inprochandler32

Opens key: HKCU\software\classes\clsid\{dffacdc5-679f-4156-8947-

c5c76bc0b67f}\inprochandler

Opens key: HKCR\clsid\{dffacdc5-679f-4156-8947-c5c76bc0b67f}\inprochandler

Opens key: HKCU\software\classes\clsid\{dffacdc5-679f-4156-8947-

c5c76bc0b67f}\instance

Opens key: HKCR\clsid\{dffacdc5-679f-4156-8947-c5c76bc0b67f}\instance Opens key: HKCU\software\classes\clsid\{0e5aae11-a475-4c5b-ab00-

c66de400274e}\inprocserver32

Opens key: HKCR\clsid\{0e5aae11-a475-4c5b-ab00-c66de400274e}\inprocserver32
Opens key: HKCU\software\classes\clsid\{0e5aae11-a475-4c5b-ab00-c66de400274e}

c66de400274e}\treatas

Opens key: HKCR\clsid\{0e5aae11-a475-4c5b-ab00-c66de400274e}\treatas Opens key: HKCU\software\classes\clsid\{0e5aae11-a475-4c5b-ab00-

c66de400274e}\progid

Opens key: HKCR\clsid\{0e5aae11-a475-4c5b-ab00-c66de400274e}\progid Opens key: HKCU\software\classes\clsid\{0e5aae11-a475-4c5b-ab00-

c66de400274e}\inprochandler32

Opens key: HKCR\clsid\{0e5aae11-a475-4c5b-ab00-c66de400274e}\inprochandler32

Opens key: HKCU\software\classes\clsid\{0e5aae11-a475-4c5b-ab00-

c66de400274e}\inprochandler

Opens key: HKCR\clsid\{0e5aae11-a475-4c5b-ab00-c66de400274e}\inprochandler

Opens key: HKCU\software\classes\clsid\{dffacdc5-679f-4156-8947-

c5c76bc0b67f}\instance\initpropertybag

Opens key: HKCR\clsid\{dffacdc5-679f-4156-8947-

c5c76bc0b67f}\instance\initpropertybag

Opens key:

8947-c5c76bc0b67f}

Opens key: HKLM\system\currentcontrolset\control\nls\locale

Opens key: HKLM\system\currentcontrolset\control\nls\locale\alternate sorts

Opens key: HKLM\system\currentcontrolset\control\nls\language groups

Opens key: HKLM\software\microsoft\windows nt\currentversion\fontlink\systemlink

Opens key: HKLM\software\microsoft\windows

 $\verb|nt\currentversion\languagepack\datastore_v1.0|$

Opens key: HKLM\software\microsoft\windows

nt\currentversion\languagepack\surrogatefallback

Opens key: HKLM\software\microsoft\windows nt\currentversion\languagepack\surrogatefallback\segoe ui

Opens key: $\label{lem:hcm} \begin{tabular}{llll} HKLM\software\microsoft\ctf\compatibility\au_.exe \\ Opens key: \\ HKLM\software\microsoft\ctf\tip\{0000897b-83df-4b96-be07-0fb58b01c4a4}\languageprofile\0x00000000\{0001bea3-ed56-483d-a2e2-aeae25577436} \end{tabular}$

Opens key: HKLM\software\microsoft\ctf\

Queries value: HKLM\system\currentcontrolset\control\session

manager[cwdillegalindllsearch]

Queries value: HKLM\system\currentcontrolset\control\terminal server[tsappcompat]
Queries value: HKLM\system\currentcontrolset\control\terminal server[tsuserenabled]

Queries value:

Queries value: HKCU\control panel\desktop[preferreduilanguages]

Queries value: HKCU\control panel\desktop\muicached[machinepreferreduilanguages]

Queries value:

 $\label{lem:hklm} \verb+KLM\software\microsoft\windows\currentversion\sidebyside[preferexternal manifest]+ of the preference of the preferenc$

Queries value: HKCU\software\microsoft\windows

nt\currentversion\appcompatflags[showdebuginfo]
Queries value: HKLM\system\currentcontrolset\control\nls\sorting\versions[]
Queries value: HKLM\software\policies\microsoft\windows nt\windows file

protection[knowndlllist]

Queries value: HKLM\system\currentcontrolset\control\session manager[safedllsearchmode]

Queries value: HKLM\software\microsoft\windows nt\currentversion\gre_initialize[disablemetafiles]
Queries value: HKLM\software\microsoft\windows

nt\currentversion\compatibility32[681fac5ea50ff652c30ed7e51b42e6b2]

Queries value: HKLM\software\microsoft\windows

nt\currentversion\windows[loadappinit_dlls]

Queries value: HKLM\software\microsoft\ole[pageallocatorusesystemheap]

```
Queries value:
                          HKLM\software\microsoft\ole[pageallocatorsystemheapisprivate]
 Queries value:
                          HKLM\system\currentcontrolset\control\cmf\config[system]
 Queries value:
                          HKLM\software\microsoft\windows\windows error reporting\wmr[disable]
                          {\tt HKLM \setminus software \setminus microsoft \setminus windows \setminus current version \setminus setup [source path]}
 Queries value:
 Oueries value:
                          HKLM\software\microsoft\windows\currentversion[devicepath]
 Queries value:
                          HKLM\system\currentcontrolset\control\nls\customlocale[en-us]
 Queries value:
                          HKLM\system\currentcontrolset\control\nls\extendedlocale[en-us]
 Queries value:
                          HKLM\system\currentcontrolset\services\crypt32[debugheapflags]
 Queries value:
                          HKLM\software\microsoft\windows\currentversion\internet
settings[disableimprovedzonecheck]
 Queries value:
                          HKLM\software\policies\microsoft\windows\currentversion\internet
settings[security_hklm_only]
                          HKCR\clsid\{20d04fe0-3aea-1069-a2d8-
 Oueries value:
08002b30309d}\shellfolder[attributes]
                          HKCR\clsid\{20d04fe0-3aea-1069-a2d8-
 Queries value:
08002b30309d}\shellfolder[callforattributes]
                          HKCR\clsid\{20d04fe0-3aea-1069-a2d8-
 Queries value:
08002b30309d}\shellfolder[restrictedattributes]
 Queries value:
                          HKCR\clsid\{20d04fe0-3aea-1069-a2d8-
08002b30309d}\shellfolder[wantsfordisplay]
 Queries value:
                          HKCR\clsid\{20d04fe0-3aea-1069-a2d8-
08002b30309d}\shellfolder[hidefolderverbs]
                          HKCR\clsid\{20d04fe0-3aea-1069-a2d8-
 Queries value:
08002b30309d}\shellfolder[usedrophandler]
 Queries value:
                          HKCR\clsid\{20d04fe0-3aea-1069-a2d8-
08002b30309d}\shellfolder[wantsforparsing]
                          HKCR\clsid\{20d04fe0-3aea-1069-a2d8-
 Oueries value:
08002b30309d}\shellfolder[wantsparsedisplayname]
 Queries value:
                          HKCR\clsid\{20d04fe0-3aea-1069-a2d8-
08002b30309d}\shellfolder[queryforoverlay]
                          HKCR\clsid\{20d04fe0-3aea-1069-a2d8-
 Oueries value:
08002b30309d}\shellfolder[mapnetdriveverbs]
                          HKCR\clsid\{20d04fe0-3aea-1069-a2d8-
 Oueries value:
08002b30309d}\shellfolder[queryforinfotip]
 Oueries value:
                          HKCR\clsid\{20d04fe0-3aea-1069-a2d8-
08002b30309d}\shellfolder[hideinwebview]
                          HKCR\clsid\{20d04fe0-3aea-1069-a2d8-
 Oueries value:
08002b30309d}\shellfolder[hideondesktopperuser]
                          HKCR\clsid\{20d04fe0-3aea-1069-a2d8-
 Queries value:
08002b30309d}\shellfolder[wantsaliasednotifications]
 Queries value:
                          HKCR\clsid\{20d04fe0-3aea-1069-a2d8-
08002b30309d}\shellfolder[wantsuniversaldelegate]
 Oueries value:
                          HKCR\clsid\{20d04fe0-3aea-1069-a2d8-
08002b30309d}\shellfolder[nofilefolderjunction]
 Queries value:
                          HKCR\clsid\{20d04fe0-3aea-1069-a2d8-
08002b30309d}\shellfolder[pintonamespacetree]
 Queries value:
                          HKCR\clsid\{20d04fe0-3aea-1069-a2d8-
08002b30309d}\shellfolder[hasnavigationenum]
 Queries value:
HKLM\software\microsoft\windows\currentversion\policies\nonenum[{20d04fe0-3aea-1069-a2d8-
08002b30309d}]
 Queries value:
HKCU\software\microsoft\windows\currentversion\explorer\mountpoints2\cpc\volume\{69d250e4-6c18-
11e3-b3bc-806e6f6e6963}[data]
 Queries value:
HKCU\software\microsoft\windows\currentversion\explorer\mountpoints2\cpc\volume\{69d250e4-6c18-
11e3-b3bc-806e6f6e6963}[generation]
 Queries value:
                          HKCR\drive\shellex\folderextensions\{fbeb8a05-beee-4442-804e-
409d6c4515e9}[drivemask]
 Queries value:
                          HKCU\software\microsoft\windows\currentversion\explorer[shellstate]
 Queries value:
                          HKCU\software\microsoft\windows\currentversion\explorer\advanced[hidden]
 Queries value:
HKCU\software\microsoft\windows\currentversion\explorer\advanced[showcompcolor]
 Queries value:
HKCU\software\microsoft\windows\currentversion\explorer\advanced[hidefileext]
 Oueries value:
HKCU\software\microsoft\windows\currentversion\explorer\advanced[dontprettypath]
 Queries value:
HKCU\software\microsoft\windows\currentversion\explorer\advanced[showinfotip]
 Oueries value:
HKCU\software\microsoft\windows\currentversion\explorer\advanced[hideicons]
HKCU\software\microsoft\windows\currentversion\explorer\advanced[mapnetdrvbtn]
 Queries value:
```

HKCU\software\microsoft\windows\currentversion\explorer\advanced[webview]

Queries value: HKCU\software\microsoft\windows\currentversion\explorer\advanced[filter]

Queries value:

HKCU\software\microsoft\windows\currentversion\explorer\advanced[showsuperhidden]

Oueries value:

HKCU\software\microsoft\windows\currentversion\explorer\advanced[separateprocess]

Oueries value:

HKCU\software\microsoft\windows\currentversion\explorer\advanced[nonetcrawling]

Oueries value:

HKCU\software\microsoft\windows\currentversion\explorer\advanced[autocheckselect]

Oueries value:

HKCU\software\microsoft\windows\currentversion\explorer\advanced[iconsonly]

Oueries value:

HKCU\software\microsoft\windows\currentversion\explorer\advanced[showtypeoverlay]

Queries value: HKCR\directory[docobject]
Queries value: HKCR\folder[docobject]

Queries value: HKCR\allfilesystemobjects[docobject]

Queries value: HKCR\directory[browseinplace]
Queries value: HKCR\folder[browseinplace]

Queries value: HKCR\allfilesystemobjects[browseinplace]

Queries value: HKCR\directory[isshortcut]
Queries value: HKCR\folder[isshortcut]

Queries value: HKCR\allfilesystemobjects[isshortcut]

Queries value: HKCR\directory[alwaysshowext]
Queries value: HKCR\directory[nevershowext]
Queries value: HKCR\folder[nevershowext]

Queries value: HKCR\allfilesystemobjects[nevershowext]

Queries value:

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b4bfcc3a-db2c-424c-b029-7fe99a87c641}\lambda{1} namel

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \ \{b4bfcc3a-db2c-424c-b029-7fe99a87c641\} \ [parent folder]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \description \folder \folder$

Queries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b4bfcc3a-db2c-424c-b029-7fe99a87c641\}\[relativepath]\]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{b4bfcc3a-db2c-424c-b029-7fe99a87c641\} \ [parsing name]$

Queries value:

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b4bfcc3a-db2c-424c-b029-7fe99a87c641}[localizedname]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b4bfcc3a-db2c-424c-b029-7fe99a87c641}[icon]

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b4bfcc3a-db2c-424c-b029-7fe99a87c641\}[security]}$

Queries value:

 $HKLM \ software \ `microsoft\ `windows \ `current version' explorer \ folder descriptions \ \ \{b4bfcc3a-db2c-424c-b029-7fe99a87c641\} \ [stream resource]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{b4bfcc3a-db2c-424c-b029-7fe99a87c641\} \ [stream resource type]$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b4bfcc3a-db2c-424c-b029-7fe99a87c641\}[localredirectonly]$

Oueries value:

 $HKLM \ software \ `microsoft\ `windows \ `current version' explorer \ folder descriptions \ \ \{b4bfcc3a-db2c-424c-b029-7fe99a87c641\} \ [roamable]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{b4bfcc3a-db2c-424c-b029-7fe99a87c641\} [precreate]$

Queries value:

b029-7fe99a87c641}[stream]

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folds \current \c$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{b4bfcc3a-db2c-424c-b029-7fe99a87c641\} [attributes]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{b4bfcc3a-db2c-424c-b029-7fe99a87c641\} \ [folder type id]$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b4bfcc3a-db2c-424c-b029-7fe99a87c641}[initfolderhandler]

Oueries value: HKCU\software\microsoft\windows\currentversion\explorer\user shell

folders[desktop]

Queries value: HKLM\software\microsoft\com3[com+enabled]

Queries value: HKCR\clsid\{1f486a52-3cb1-48fd-8f50-b8dc300d9f9d}[]

Queries value: HKCR\clsid\{1f486a52-3cb1-48fd-8f50-

b8dc300d9f9d}\inprocserver32[inprocserver32]

Queries value: HKCR\clsid\{1f486a52-3cb1-48fd-8f50-b8dc300d9f9d}\inprocserver32[]

Queries value: HKCR\clsid\{1f486a52-3cb1-48fd-8f50-

b8dc300d9f9d}\inprocserver32[threadingmodel]

Queries value: HKLM\software\microsoft\ole[maxsxshashcount]

Queries value:

HKLM\system\currentcontrolset\control\lsa\accessproviders[martaextension]

Queries value: HKLM\system\currentcontrolset\services\ldap[ldapclientintegrity]
Queries value: HKLM\system\currentcontrolset\services\ldap[useoldhostresolutionorder]

Queries value: HKLM\system\currentcontrolset\services\ldap[usehostnameasalias]

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\} [category]$

Queries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\} [name]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\} \ [parent folder]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\} \ [description]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\} [relative path]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae}[parsingname]

Queries value:

 $HKLM \ software \ microsoft \ vurrent version \ explorer \ folder descriptions \ \{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\} [infotip]$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae}[localizedname]

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \ \{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\} [icon]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae}[security]

Queries value

 $\label{thm:local-continuous} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current based c-b587-4786-b4ef-bd1dc332aeae \current \curre$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\} [stream resource type]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\} \ [local redirectionly]$

Queries value

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae}[roamable]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\}[precreate]$

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\} [stream]$

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\} \ [publish expanded path]$

Oueries value:

 $HKLM \ software \ microsoft \ \ current version \ \ \ folder descriptions \ \ \{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\} [attributes]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\} \ [folder typeid]$

Oueries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\}[initfolderhandler]$

Queries value: HKCU\software\microsoft\windows\currentversion\explorer\user shell folders[{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae}]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3eb685db-65f9-4cf6a03a-e3ef65729f3d}[category]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\} \ [name]$

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \ \ \ a03a-e3ef65729f3d \ [parent folder]$

Oueries value:

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \ \ \ a03a-e3ef65729f3d \ [relative path]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cal{lem:hklm} a03a-e3ef65729f3d \cal{lem:hklm} [parsing name]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\} [infotip]$

Queries value:

 $HKLM \ software \ microsoft \ vurrent version \ explorer \ folder descriptions \ \{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\} \ [localized name]$

Queries value:

 $\label{lem:hkklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cal{lem:hkklm} a 03a-e3ef65729f3d \cal{lem:hkklm} icon]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3eb685db-65f9-4cf6-a03a-e3ef65729f3d}[security]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\} \ [stream resource]$

Oueries value

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cal{general} a 03a-e3ef 65729f 3d \cal{general} [stream resource type]$

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\} \ [roamable]$

Queries value:

Queries value:

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cal{general} $\{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\}$ [publish expanded path]$

Queries value

 $\label{lem:hklm} \begin{tabular}{l} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \calebox{3eb685db-65f9-4cf6-a03a-e3ef65729f3d} [attributes] \end{tabular}$

Queries value:

 $\label{thm:local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{3eb685db-65f9-4cf6-a03a-e3ef65729f3d} \ [folder type id]$

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\} [initfolder handler]$

Queries value: HKCU\software\microsoft\windows\currentversion\explorer\user shell

folders[appdata]

Oueries value:

 $HKLM \ software \ `microsoft \ `vindows \ `current version \ `explorer \ folder descriptions \ `\{5e6c858f-0e22-4760-9afe-ea3317b67173\} \ [category]$

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5e6c858f-0e22-4760-9afe-ea3317b67173}[parentfolder]

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{5e6c858f-0e22-4760-9afe-ea3317b67173\} \ [description]$

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ \ folder descriptions \ \ \{5e6c858f-0e22-4760-9afe-ea3317b67173\} \ [relative path]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5e6c858f-0e22-4760-9afe-ea3317b67173}[parsingname]

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \{5e6c858f-0e22-4760-9afe-ea3317b67173\} [infotip]$

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder$

Queries value

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{5e6c858f-0e22-4760-9afe-ea3317b67173\} \ [icon]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \{5e6c858f-0e22-4760-9afe-ea3317b67173\} [security]$

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \{5e6c858f-0e22-4760-9afe-ea3317b67173\} [stream resource]$

Queries value:

 $HKLM \ software \ `microsoft \ `vindows \ current version \ `explorer \ folder descriptions \ \{5e6c858f-0e22-4760-9afe-ea3317b67173\} \ [stream resource type]$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5e6c858f-0e22-4760-9afe-ea3317b67173\}[localredirectonly]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5e6c858f-0e22-4760-9afe-ea3317b67173}[roamable]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5e6c858f-0e22-4760-9afe-ea3317b67173}[precreate]

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \{5e6c858f-0e22-4760-9afe-ea3317b67173\} [stream]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder$

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \{5e6c858f-0e22-4760-9afe-ea3317b67173\} \ [attributes]$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5e6c858f-0e22-4760-9afe-ea3317b67173\}[foldertypeid]}$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5e6c858f-0e22-4760-9afe-ea3317b67173}[initfolderhandler]

Queries value: HKLM\software\microsoft\windows nt\currentversion\profilelist\s-1-5-21-2160590473-689474908-1361669368-1002[profileimagepath]

Queries value:

HKLM\software\policies\microsoft\windows\system[copyfilebufferedsynchronousio]

Queries value: HKLM\software\policies\microsoft\windows\system[copyfilechunksize]

Queries value: HKLM\software\policies\microsoft\windows\system[copyfileoverlappedcount]

Queries value: HKLM\system\currentcontrolset\control\session

manager[pendingfilerenameoperations2]

Queries value: HKLM\system\currentcontrolset\control\session

manager[pendingfilerenameoperations]

Queries value: HKLM\system\currentcontrolset\control\session

manager[safeprocesssearchmode]

Queries value: HKLM\software\microsoft\rpc[maxrpcsize]

Queries value:

HKLM\system\currentcontrolset\control\computername\activecomputername[computername]

Queries value: HKLM\system\setup[oobeinprogress]
Queries value: HKLM\system\setup[systemsetupinprogress]

Queries value: HKLM\software\microsoft\sqmclient\windows[ceipenable]

Queries value:

 $\label{lem:hkcu} HKCU software \microsoft \windows \current version \explorer \mountpoints 2 \cpc \volume \ \{69d250e3-6c18-11e3-b3bc-806e6f6e6963\} \cline{1.00} \cline{1.00}$

Oueries value:

 $\label{lem:hkcu} HKCU software \microsoft \windows \current version \explorer \mountpoints 2 \cpc \volume \{69d250e3-6c18-11e3-b3bc-806e6f6e6963\} [generation]$

Oueries value:

HKLM\software\policies\microsoft\windows\safer\codeidentifiers[authenticodeenabled]
Queries value: HKCU\software\microsoft\windows\currentversion\explorer\shell

folders[cache]

Queries value: HKLM\software\microsoft\windows

 $\label{local-temp-nsu.tmp-ns$

Queries value: HKLM\software\microsoft\rpc\extensions[ndroleextdll]

Queries value: HKLM\software\microsoft\windows nt\currentversion\compatibility32[au_]

Queries value:

 $HKLM \ software \ icrosoft \ vindows \ current version \ explorer \ folder descriptions \ \{f3ce0f7c-4901-4acc-8648-d5d44b04ef8f\} \ [category]$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \ \{f3ce0f7c-4901-4acc-8648-d5d44b04ef8f\} [name]$

Oueries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{f3ce0f7c-4901-4acc-8648-d5d44b04ef8f\} [parent folder]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f3ce0f7c-4901-4acc-8648-d5d44b04ef8f}[description]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{f3ce0f7c-4901-4acc-8648-d5d44b04ef8f\} [relative path]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \f3ce0 f7c-4901-4 acc-8648-d5d44b04ef8f \cite{lem:hklm} \cite{lem:hklm}$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \f3ce0 f7c-4901-4 acc-8648-d5d44b04ef8f \cite{lem:hklmsoftware} [infotip]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f3ce0f7c-4901-4acc-8648-d5d44b04ef8f}[localizedname]

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \f3ce0 f7c-4901-4 acc-8648-d5d44b04ef8f \cite{theorem} [icon]$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f3ce0f7c-4901-4acc-8648-d5d44b04ef8f}[security]

Queries value:

 $\label{local-operator} HKLM \software \mbox{f3ce0f7c-4901-4acc-8648-d5d44b04ef8f} [stream resource]$

Queries value:

 $\label{thm:local-continuous} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \f3ce0 f7c-4901-4 acc-8648-d5d44b04ef8f \stream resource type]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f3ce0f7c-4901-4acc-8648-d5d44b04ef8f}[localredirectonly]

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ff3ce0 f7c-4901-4 acc-8648-d5d44b04ef8f \cite{lem:hklm} \cite{lem:hklm}$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f3ce0f7c-4901-4acc-8648-d5d44b04ef8f}[precreate]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{f3ce0f7c-4901-4acc-8648-d5d44b04ef8f\} [stream]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f3ce0f7c-4901-4acc-

```
8648-d5d44b04ef8f}[publishexpandedpath]
 Queries value:
HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f3ce0f7c-4901-4acc-
8648-d5d44b04ef8f}[attributes]
 Oueries value:
HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f3ce0f7c-4901-4acc-
8648-d5d44b04ef8f}[foldertypeid]
 Oueries value:
HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f3ce0f7c-4901-4acc-
8648-d5d44b04ef8f}[initfolderhandler]
                         HKCR\clsid\{59031a47-3f72-44a7-89c5-
 Oueries value:
5595fe6b30ee}\shellfolder[attributes]
                         HKCR\clsid\{59031a47-3f72-44a7-89c5-
 Oueries value:
5595fe6b30ee}\shellfolder[callforattributes]
 Oueries value:
                         HKCR\clsid\{59031a47-3f72-44a7-89c5-
5595fe6b30ee}\shellfolder[restrictedattributes]
 Queries value:
                         HKCR\clsid\{59031a47-3f72-44a7-89c5-
5595fe6b30ee}\shellfolder[wantsfordisplay]
 Queries value:
                         HKCR\clsid\{59031a47-3f72-44a7-89c5-
5595fe6b30ee}\shellfolder[hidefolderverbs]
 Queries value:
                         HKCR\clsid\{59031a47-3f72-44a7-89c5-
5595fe6b30ee}\shellfolder[usedrophandler]
                         HKCR\clsid\{59031a47-3f72-44a7-89c5-
 Queries value:
5595fe6b30ee}\shellfolder[wantsforparsing]
 Queries value:
                         HKCR\clsid\{59031a47-3f72-44a7-89c5-
5595fe6b30ee}\shellfolder[wantsparsedisplayname]
 Oueries value:
                         HKCR\clsid\{59031a47-3f72-44a7-89c5-
5595fe6b30ee}\shellfolder[queryforoverlay]
 Queries value:
                         HKCR\clsid\{59031a47-3f72-44a7-89c5-
5595fe6b30ee}\shellfolder[mapnetdriveverbs]
                         HKCR\clsid\{59031a47-3f72-44a7-89c5-
 Oueries value:
5595fe6b30ee}\shellfolder[queryforinfotip]
                         HKCR\clsid\{59031a47-3f72-44a7-89c5-
 Oueries value:
5595fe6b30ee}\shellfolder[hideinwebview]
 Oueries value:
                         HKCR\clsid\{59031a47-3f72-44a7-89c5-
5595fe6b30ee}\shellfolder[hideondesktopperuser]
                         HKCR\clsid\{59031a47-3f72-44a7-89c5-
 Oueries value:
5595fe6b30ee}\shellfolder[wantsaliasednotifications]
                         HKCR\clsid\{59031a47-3f72-44a7-89c5-
 Queries value:
5595fe6b30ee}\shellfolder[wantsuniversaldelegate]
 Queries value:
                         HKCR\clsid\{59031a47-3f72-44a7-89c5-
5595fe6b30ee}\shellfolder[nofilefolderjunction]
 Oueries value:
                         HKCR\clsid\{59031a47-3f72-44a7-89c5-
5595fe6b30ee}\shellfolder[pintonamespacetree]
 Queries value:
                         HKCR\clsid\{59031a47-3f72-44a7-89c5-
5595fe6b30ee}\shellfolder[hasnavigationenum]
 Queries value:
HKLM\software\microsoft\windows\currentversion\policies\nonenum[{59031a47-3f72-44a7-89c5-
5595fe6b30ee}]
 Queries value:
HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7d1d3a04-debb-4115-
95cf-2f29da2920da}[category]
 Oueries value:
HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7d1d3a04-debb-4115-
95cf-2f29da2920da}[name]
 Queries value:
HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7d1d3a04-debb-4115-
95cf-2f29da2920da}[parentfolder]
 Queries value:
HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7d1d3a04-debb-4115-
95cf-2f29da2920da}[description]
 Oueries value:
HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7d1d3a04-debb-4115-
95cf-2f29da2920da}[relativepath]
 Queries value:
HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7d1d3a04-debb-4115-
95cf-2f29da2920da}[parsingname]
-HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7d1d3a04-debb-4115
95cf-2f29da2920da}[infotip]
```

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7d1d3a04-debb-4115-

Queries value:

95cf-2f29da2920da}[localizedname]

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7d1d3a04-debb-4115-95cf-2f29da2920da}[icon]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7d1d3a04-debb-4115-95cf-2f29da2920da}[security]

Queries value:

 $HKLM \setminus software \setminus irros of t \setminus irros of the irros of th$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7d1d3a04-debb-4115-95cf-2f29da2920da}[streamresourcetype]

Oueries value:

Oueries value

 $\label{local-observation} HKLM \software \mbox{$7d1d3a04-debb-4115-95cf-2f29da2920da} [roamable]$

Queries value:

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7d1d3a04-debb-4115-95cf-2f29da2920da}[stream]

Queries value:

 $\label{thm:local-prop} $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7d1d3a04-debb-4115-95cf-2f29da2920da}\[publishexpandedpath]$

Queries value:

 $\label{thm:local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{7d1d3a04-debb-4115-95cf-2f29da2920da} [attributes]$

Queries value:

 $\label{thm:local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{7d1d3a04-debb-4115-95cf-2f29da2920da} \[folder type id] \]$

Oueries value

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{7d1d3a04-debb-4115-95cf-2f29da2920da\}[init folder handler]$

Queries value: HKCU\software\microsoft\windows\currentversion\explorer\user shell folders[{7d1d3a04-debb-4115-95cf-2f29da2920da}]

Queries value:

 $HKLM \ software \ microsoft \ vurrent version \ explorer \ folder descriptions \ \{f38bf404-1d43-42f2-9305-67de0b28fc23\} \ [category]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ff 38bf 404-1d43-42f2-9305-67de \folder \figure{100} \folder \f$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f38bf404-1d43-42f2-9305-67de0b28fc23}[parentfolder]

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \f38bf404-1d43-42f2-9305-67de0b28fc23 \footnote{100} \$

Queries value

 $\label{thm:local-property} HKLM \software \mbox{f38bf404-1d43-42f2-9305-67de0b28fc23} [relative path]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f38bf404-1d43-42f2-9305-67de0b28fc23}[parsingname]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f38bf404-1d43-42f2-9305-67de0b28fc23}[infotip]

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f38bf404-1d43-42f2-9305-67de0b28fc23\}[localizedname]}$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f38bf404-1d43-42f2-9305-67de0b28fc23}[icon]

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \f38bf404-1d43-42f2-9305-67 de 0b28 fc23 \current \cur$

Queries value:

 $\label{thm:local_hklm} \begin{tabular}{ll} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \f38bf404-1d43-42f2-9305-67de0b28fc23 \footnote{Microsoft \explorer} \end{tabular} \begin{tabular}{ll} Explorer \folder descriptions \footnote{Microsoft \explorer} \end{tabular} \begin{tabular}{ll} Explorer \folder descriptions \footnote{Microsoft \explorer} \end{tabular} \begin{tabular}{ll} Explorer \explorer \explo$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f38bf404-1d43-42f2-9305-67de0b28fc23}[streamresourcetype]

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f38bf404-1d43-42f2-9305-67de0b28fc23}[localredirectonly]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f38bf404-1d43-42f2-9305-67de0b28fc23}[roamable]

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \{f38bf404-1d43-42f2-9305-67de0b28fc23\} [precreate]$

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ff 38bf 404-1d43-42f2-9305-67 de 0b 28fc 23 \fixed \cite{Months of the property of the$

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \f38bf404-1d43-42f2-9305-67 de 0b28 fc23 \cite{lem:hklm} [publish expanded path]$

Oueries value

 $\label{thm:local-prop} $HKLM \sim \min_{software \in \mathbb{Z}_{0}} {attributes} $$ HKLM \sim \frac{f38bf404-1d43-42f2-9305-67de0b28fc23}[attributes] $$$

Queries value:

 $\label{thm:local-prop} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f38bf404-1d43-42f2-9305-67de0b28fc23\}[foldertypeid]$$

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \{f38bf404-1d43-42f2-9305-67de0b28fc23\} \ [init folder handler]$

Oueries value:

 $\label{thm:local-prop} $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f7f1ed05-9f6d-47a2-aaae-29d317c6f066\}\category\]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ff ff 1ed 05-9f 6d-47a 2-aaae-29d 317c 6f 066 \cite{lem:hklm} \cite{lem$

Queries value:

 $\label{thm:local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \f$

Oueries value:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{f7f1ed05-9f6d-47a2-aaae-29d317c6f066\} [description]$

Queries value:

 $HKLM \ software \ microsoft \ vurrent version \ explorer \ folder descriptions \ \{f7f1ed05-9f6d-47a2-aaae-29d317c6f066\} [relative path]$

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \ \{f7f1ed05-9f6d-47a2-aaae-29d317c6f066\} \ [parsing name]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{f7f1ed05-9f6d-47a2-aaae-29d317c6f066\} [infotip]$

Queries value:

 $\label{thm:localized} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ff ff 1ed 05-9f 6d-47a 2-aaae-29d 317c 6f 066 \cite{thm:localized name} \]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{f7f1ed05-9f6d-47a2-aaae-29d317c6f066\} \ [icon]$

Queries value:

 $HKLM \ software \ microsoft \ vurrent version \ explorer \ folder descriptions \ \{f7f1ed05-9f6d-47a2-aaae-29d317c6f066\} [security]$

Queries value:

 $\label{thm:local_holds} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f7f1ed05-9f6d-47a2-aaae-29d317c6f066\}[streamresource]$$$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ff7f1ed05-9f6d-47a2-aaae-29d317c6f066 \[stream resource type]$

Queries value:

 $\label{thm:local-condition} HKLM \software \mbox{f7f1ed05-9f6d-47a2-aaae-29d317c6f066} [local redirectorly]$

Queries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f7f1ed05-9f6d-47a2-aaae-29d317c6f066\}\$ [roamable]

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{f7f1ed05-9f6d-47a2-aaae-29d317c6f066\} [precreate]$

Queries value:

 $\label{thm:local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folds \folds$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ff7f1ed05-9f6d-47a2-aaae-29d317c6f066 \[publish expanded path]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{f7f1ed05-9f6d-47a2-aaae-29d317c6f066\} [attributes]$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f7f1ed05-9f6d-47a2-aaae-29d317c6f066}[foldertypeid]

Oueries value:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{f7f1ed05-9f6d-47a2-aaae-29d317c6f066\} \ [initfolder handler]$

Queries value:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{2112ab0a-c86a-4ffe-a368-0de96e47012e\} \ [category]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{2112ab0a-c86a-4ffe-a368-0de96e47012e\} \ [name]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{2112ab0a-c86a-4ffe-a368-0de96e47012e\} \ [parent folder]$

Queries value:

 $\label{thm:local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \color=12ab0a-c86a-4ffe-a368-0de96e47012e \color=12b0a-c86a-4ffe-a368-0de96e47012e \color=12b0a-c86a-0de96e47012e \color=12b0a-c86a-0de96e47012e$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{2112ab0a-c86a-4ffe-a368-0de96e47012e\} \ [relative path]$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \ \{2112ab0a-c86a-4ffe-a368-0de96e47012e\} \ [parsing name]$

Oueries value:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{2112ab0a-c86a-4ffe-a368-0de96e47012e\} [infotip]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{2112ab0a-c86a-4ffe-a368-0de96e47012e\} \ [localized name]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{2112ab0a-c86a-4ffe-a368-0de96e47012e\} [icon]$

Queries value:

 $HKLM \ software \ microsoft \ vurrent version \ explorer \ folder descriptions \ \{2112ab0a-c86a-4ffe-a368-0de96e47012e\} [security]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \current$

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \current$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \current$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \current$

Oueries value:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{2112ab0a-c86a-4ffe-a368-0de96e47012e\} \ [precreate]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{2112ab0a-c86a-4ffe-a368-0de96e47012e\} [stream]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cite{2112ab0a-c86a-4ffe-a368-0de96e47012e} \cite{2112ab0a-c86a-6fe-a368-0de96e47012e} \cite{2112ab0a-c86a-6fe-a368-0de96e47012e} \cite{2112ab0a-c86a-6fe-a368-0de96e47012e} \ci$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{2112ab0a-c86a-4ffe-a368-0de96e47012e\} \ [attributes]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{2112ab0a-c86a-4ffe-a368-0de96e47012e\} \ [folder type id]$

Oueries value:

 $\label{thm:local-continuous} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \curre$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{48 daf 80 b-e6 cf-4f 4e-b800-0e69 d84 ee 384\} \ [category]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{48 daf 80 b-e6 cf-4f 4e-e6 cf-4f$

b800-0e69d84ee384}[name]

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \{48 daf 80 b-e6 cf-4f 4e-b800-0e69 d84 ee 384\} \ [parent folder]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{48 daf 80 b-e6 cf-4f 4e-b800-0e69 d84 ee 384\} \ [description]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{48 daf 80 b-e6 cf-4f 4e-b800-0e69 d84 ee 384\} \ [relative path]$

Oueries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ folder descriptions \ \ \{48 daf 80 b-e6 cf-4f 4e-b800-0e69 d84 ee 384\} \ [parsing name]$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ '\{48 daf 80 b-e6 cf-4f 4e-b800-0e69 d84 ee 384\} [infotip]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{48} daf 80b-e6cf-4f4e-b800-0e69d84ee384} [localized name]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \folder descriptions \current \folder \$

Queries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{48 daf 80 b-e6 cf-4f 4e-b800-0e69 d84 ee 384\} [security]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{48 daf 80 b-e6 cf-4f 4e-b800-0e69 d84 ee 384\} \ [stream resource]$

Queries value

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{48 daf 80 b-e6 cf-4f 4e-b800-0e69 d84 ee 384\} [stream resource type]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \folder descriptions \current \folder \$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{48 daf 80 b-e6 cf-4f 4e-b800-0e69 d84 ee 384\} \ [roamable]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \folder descriptions \current \folder \$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \folder \folder$

Oueries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{48daf80b-e6cf-4f4e-b800-0e69d84ee384\}\[publishexpandedpath]$

Queries value:

Oueries value

 $\label{lem:hklm} HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{48 daf 80 b-e6 cf-4f 4e-b800-0e69 d84 ee 384\} \ [folder type id]$

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{48 daf 80 b-e6 cf-4f 4e-b800-0e69 d84 ee 384\} [init folder handler]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c4aa340d-f20f-4863afef-f87ef2e6ba25}[category]

Queries value:

 $\label{local-equation} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c4aa340d-f20f-4863-afef-f87ef2e6ba25\}[name]}$

Queries value:

Queries value:

 $\label{thm:local-problem} HKLM \software \mbox{$c4aa340d-f20f-4863-afef-f87ef2e6ba25}[description]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{c4aa340d-f20f-4863-afef-f87ef2e6ba25\} [relative path]$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c4aa340d-f20f-4863-afef-f87ef2e6ba25}[parsingname]

Queries value:

 $\label{thm:local-condition} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current terms on \current \curren$

Oueries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{c4aa340d-f20f-4863-afef-f87ef2e6ba25\} [icon]$

Oueries value:

 $HKLM \ software \ microsoft \ vurrent version \ explorer \ folder descriptions \ \{c4aa340d-f20f-4863-afef-f87ef2e6ba25\} [security]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{c4aa340d-f20f-4863-afef-f87ef2e6ba25\} \ [stream resource]$

Oueries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \ \ \ af ef-f87 ef2e6 ba 25 \ [stream resource type]$

Queries value:

 $HKLM \ software \ microsoft \ vurrent version \ explorer \ folder descriptions \ \{c4aa340d-f20f-4863-afef-f87ef2e6ba25\} \ [local redirectonly]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{c4aa340d-f20f-4863-afef-f87ef2e6ba25\} \ [roamable]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{c4aa340d-f20f-4863-afef-f87ef2e6ba25\} \ [precreate]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cal{lem:hklm} \end{cases} \ [c4aa340d-f20f-4863-afef-f87ef2e6ba25] \cite{Abases} \cite{Abases}$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \capacity \cap$

Oueries value

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cal{lem:hklm} a fef-f87ef2e6ba25 \cal{lem:hklm} [attributes]$

Queries value:

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cal{lem:hklm} a fef-f87ef2e6ba25 \cite{lem:hklm} in the label factor \cite{lem:hklm} a fef-f87ef2e6ba25 \cite{lem:hklm} in the label factor \cite{lem:hklm} a fef-f87ef2e6ba25 \cite{lem:hklm} in the label factor \cite{lem:hklm} a fet-f87ef2e6ba25 \cite{lem:hklm} in the label factor \cite{lem:hklm} a fet-f87ef2e6ba25 \cite{lem:hklm}$

Queries value:

 $\label{thm:local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \cu$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \folder descriptions \current \folder \$

Oueries value:

Queries value:

 $\label{thm:microsoft} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current version \explorer \folder \current \explorer \current \current \explorer \current \curre$

Queries value:

 $\label{thm:local-prop} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{9e52ab10-f80d-49df-acb8-4330f5687855\}[relative path]$$

Queries value:

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ \ \{9e52ab10-f80d-49df-acb8-4330f5687855\} \ [infotip]$

Queries value:

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{9e52ab10-f80d-49df-acb8-4330f5687855\} [icon]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \folder descriptions \current \folder \$

Oueries value:

 $\label{thm:local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{9e52ab10-f80d-49df-acb8-4330f5687855} \[stream resource \]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{9e52ab10-f80d-49df-acb8-4330f5687855}[streamresourcetype]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{9e52ab10-f80d-49df-acb8-4330f5687855}[localredirectonly]

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{9e52ab10-f80d-49df-acb8-4330f5687855\} \ [roamable]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{9e52ab10-f80d-49df-acb8-4330f5687855\} \ [precreate]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{9e52ab10-f80d-49df-acb8-4330f5687855\} \ [stream]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{9e52ab10-f80d-49df-acb8-4330f5687855\} \ [publish expanded path]$

Queries value:

Oueries value:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{9e52ab10-f80d-49df-acb8-4330f5687855\} \ [folder type id]$

Queries value:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{9e52ab10-f80d-49df-acb8-4330f5687855\} \ [initfolder handler]$

Oueries value:

Oueries value:

 $HKLM \setminus software \setminus microsoft \setminus windows \setminus current version \setminus explorer \setminus folder descriptions \setminus \{98ec0e18-2098-4d44-8644-66979315a281\} \ [name]$

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \{98ec0e18-2098-4d44-8644-66979315a281\} \ [parent folder]$

Queries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{98ec0e18-2098-4d44-8644-66979315a281\} \ [description]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ \ \{98ec0e18-2098-4d44-8644-66979315a281\} \ [relative path]$

Queries value:

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \current$

Queries value:

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{98ec0e18-2098-4d44-8644-66979315a281}[icon]

Queries value:

Queries value:

 $\label{thm:local_ham} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{eq:general} \$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{98ec0e18-2098-4d44-8644-66979315a281}[streamresourcetype]

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ \ \{98ec0e18-2098-4d44-8644-66979315a281\} \ [local redirectionly]$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{98ec0e18-2098-4d44-8644-66979315a281}[roamable]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{98ec0e18-2098-4d44-8644-66979315a281\} \ [precreate]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{98ec0e18-2098-4d44-

8644-66979315a281}[stream]

Queries value:

 $\label{thm:local-prop} HKLM \software \mbox{`microsoft\windows\currentversion\explorer\folderdescriptions\{}98ec0e18-2098-4d44-8644-66979315a281\{}[publishexpandedpath]\end{tikzpicture}$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{98ec0e18-2098-4d44-8644-66979315a281}[attributes]

Oueries value:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{98ec0e18-2098-4d44-8644-66979315a281\} \ [folder type id]$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{98ec0e18-2098-4d44-8644-66979315a281}[initfolderhandler]

Queries value:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{a4115719-d62e-491d-aa7c-e74b8be3b067\} \ [category]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{a4115719-d62e-491d-aa7c-e74b8be3b067} \ [name]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder \folde$

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \ \{a4115719-d62e-491d-aa7c-e74b8be3b067\} \ [description]$

Oueries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \ \{a4115719-d62e-491d-aa7c-e74b8be3b067\} \ [relative path]$

Queries value:

Queries value:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{a4115719-d62e-491d-aa7c-e74b8be3b067\} [infotip]$

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Queries value:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{a4115719-d62e-491d-aa7c-e74b8be3b067\} [icon]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \fault \f$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a4115719-d62e-491d-aa7c-e74b8be3b067}[streamresource]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a4115719-d62e-491d-aa7c-e74b8be3b067\} [stream resource type]$

Oueries value

 $\label{thm:local-condition} HKLM \software \mbox{$a4115719-d62e-491d-aa7c-e74b8be3b067} [local redirection] \\$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a4115719-d62e-491d-aa7c-e74b8be3b067}[roamable]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a4115719-d62e-491d-aa7c-e74b8be3b067\} [precreate]$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a4115719-d62e-491d-aa7c-e74b8be3b067\}[stream]$

Queries value:

 $\label{local-oper-lo$

Queries value:

 $\label{local-operator} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \equal 4115719-d62e-491d-aa7c-e74b8be3b067 \equal 4115719-d62e-491d-aa7c-e74b8b067 \equal 4115719-d62e-491d-aa7c-e74b8b067 \equal 4115719-d62e-491d-aa7c-e74b8b067 \equal 4115719-d62e-491d-aa7c-e74b8b067 \equal 4115719-d62e-491d-aa7c-e74b8b067 \equal 4115719-d62$

Queries value:

 $\label{thm:local-prop} HKLM\software\mbox{a4115719-d62e-491d-aa7c-e74b8be3b067}[foldertypeid]$

Queries value:

 $\label{thm:local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \fo$

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{cac52c1a-b53d-4edc-92d7-6b2e8ac19434}[category]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{cac52c1a-b53d-4edc-92d7-6b2e8ac19434}[name]

Queries value:

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{cac52c1a-b53d-4edc-92d7-6b2e8ac19434}[description]

Oueries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{cac52c1a-b53d-4edc-92d7-6b2e8ac19434\} [relative path]$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{cac52c1a-b53d-4edc-92d7-6b2e8ac19434}[parsingname]

Oueries value:

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{cac52c1a-b53d-4edc-92d7-6b2e8ac19434}[localizedname]

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{cac52c1a-b53d-4edc-92d7-6b2e8ac19434\}[icon]}$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{cac52c1a-b53d-4edc-92d7-6b2e8ac19434}[security]

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \{ cac52c1a-b53d-4edc-92d7-6b2e8ac19434 \} [stream resource]$

Oueries value

 $\label{thm:local-bound} HKLM \software \mbox{\cac52c1a-b53d-4edc-92d7-6b2e8ac19434} [stream resource type]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cac 52c1a-b53d-4edc-92d7-6b2e8ac19434 \cac 52c1a-b53d-6edc-92d7-6b2e8ac19434 \cac 52c1a-b53d-6edc-92d7-92d7-92d7-92d7-92d7-9$

Oueries value:

Queries value:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{cac52c1a-b53d-4edc-92d7-6b2e8ac19434\} \ [precreate]$

Queries value:

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cac52c1a-b53d-4edc-92d7-6b2e8ac19434 \cac52c1a-b53d-6b2e8ac19434 \cac52c1a-b53d-6b2e8ac19434 \cac52c1a-b53d-6b2e8ac19434 \cac52c1a-b53d-6b2e8ac19434 \cac52c1a-b53d-6b2e8ac19434 \cac52c1a-b53d-6b2e8ac19434 \cac52c1a-b53d-6b2e8ac1944 \cac52$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \{ cac52c1a-b53d-4edc-92d7-6b2e8ac19434\} [attributes]$

Queries value:

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cac52c1a-b53d-4edc-92d7-6b2e8ac19434 \cac52c1a-b53d-6b2e8ac19434 \cac52c1a-b53d-6b2e8ac19434 \cac52c1a-b53d-6b2e8ac19434 \cac52c1a-b53d-6b2e8ac19434 \cac52c1a-b53d-6b2e8ac19434 \cac52c1a-b53d-6b2e8ac19434 \cac52c1a-b53d-6b2e8ac1944 \cac52$

Queries value:

 $\label{thm:local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \fo$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ \{18989b1d-99b5-455b-841c-ab7c74e4ddfc\} \ [name]$

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{18989b1d-99b5-455b-841c-ab7c74e4ddfc\}[parentfolder]$

Queries value:

 $\label{thm:local-prop} HKLM \software \mbox{18989b1d-99b5-455b-841c-ab7c74e4ddfc} [description]$

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \{18989b1d-99b5-455b-841c-ab7c74e4ddfc\} [relative path]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{18989b1d-99b5-455b-841c-ab7c74e4ddfc}[parsingname]

Oueries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{18989b1d-99b5-455b-841c-ab7c74e4ddfc}\[infotip]$

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{18989b1d-99b5-455b-841c-ab7c74e4ddfc\} \ [localized name]$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \ \{18989b1d-99b5-455b-841c-ab7c74e4ddfc\} [icon]$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{18989b1d-99b5-455b-841c-ab7c74e4ddfc}[security]

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \ \{18989b1d-99b5-455b-841c-ab7c74e4ddfc\} [stream resource]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{18989b1d-99b5-455b-841c-ab7c74e4ddfc\} \ [stream resource type]$

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{18989b1d-99b5-455b-841c-ab7c74e4ddfc\} \ [stream]$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{18989b1d-99b5-455b-841c-ab7c74e4ddfc}[publishexpandedpath]

Queries value

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{18989b1d-99b5-455b-841c-ab7c74e4ddfc\}[attributes]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{18989b1d-99b5-455b-841c-ab7c74e4ddfc} \ [folder type id]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{18989b1d-99b5-455b-841c-ab7c74e4ddfc}[initfolderhandler]
Queries value: HKCU\software\microsoft\windows\currentversion\explorer\user shell

Queries value: folders[my video]

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder$

Queries value:

Queries value:

Oueries value:

 $\label{local-bound} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \fold$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{52a4f021-7b75-48a9-9f6b-4b87a210bc8f}[relativepath]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{52a4f021-7b75-48a9-9f6b-4b87a210bc8f}[parsingname]

Oueries value:

 $HKLM \ software \ microsoft \ `vindows \ current version \ explorer \ folder descriptions \ \{52a4f021-7b75-48a9-9f6b-4b87a210bc8f\} [infotip]$

Queries value:

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{52a4f021-7b75-48a9-9f6b-4b87a210bc8f\}[icon]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{52a4f021-7b75-48a9-9f6b-4b87a210bc8f}[security]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{52a4f021-7b75-48a9-9f6b-4b87a210bc8f}[streamresource]

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{52a4f021-7b75-48a9-9f6b-4b87a210bc8f\} \ [stream resource type]$

Oueries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ folder descriptions \ \ \{52a4f021-7b75-48a9-9f6b-4b87a210bc8f\} \ [local redirectonly]$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{52a4f021-7b75-48a9-9f6b-4b87a210bc8f}[roamable]

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \{52a4f021-7b75-48a9-9f6b-4b87a210bc8f\} \ [precreate]$

Queries value:

 $\label{thm:local-prop} HKLM \software \mbox{$52a4f021-7b75-48a9-9f6b-4b87a210bc8f}[stream] \\$

Oueries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \{52a4f021-7b75-48a9-9f6b-4b87a210bc8f\} \ [publish expanded path]$

Queries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{52a4f021-7b75-48a9-9f6b-4b87a210bc8f\} \ [attributes]$

Oueries value:

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder$

Oueries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{de974d24-d9c6-4d3e-bf91-f4455120b917\}\[category\]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{de974d24-d9c6-4d3e-bf91-f4455120b917} \ [name]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{de974d24-d9c6-4d3e-bf91-f4455120b917} \cite{Ad3e-bf91-f4455120b917} \cite{Ad3$

Queries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{de 974d 24-d 9c6-4d 3e-bf 91-f 4455120b 917\} \ [description]$

Queries value:

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{de974d24-d9c6-4d3e-bf91-f4455120b917} \cite{Ad3e-bf91-f4455120b917} \cite{Ad3$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{de974d24-d9c6-4d3e-bf91-f4455120b917}[infotip]

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \mbox{de974d24-d9c6-4d3e-bf91-f4455120b917} [icon]$

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \ \ de 974d24-d9c6-4d3e-bf91-f4455120b917 \ [security]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{de974d24-d9c6-4d3e-bf91-f4455120b917} [stream resource]$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{de974d24-d9c6-4d3e-bf91-f4455120b917}[streamresourcetype]

Queries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{de 974d 24-d 9c6-4d 3e-bf 91-f 4455120b 917\} \ [local redirect only]$

Queries value:

bf91-f4455120b917}[roamable]

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{de 974d 24-d 9c6-4d 3e-bf 91-f 4455120b 917\} \ [stream]$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{de974d24-d9c6-4d3e-bf91-f4455120b917}[publishexpandedpath]

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{de974d24-d9c6-4d3e-bf91-f4455120b917} [attributes]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{de 974d 24-d 9c6-4d 3e-bf 91-f 4455120b 917\} \ [folder type id]$

Queries value:

 $\label{thm:local-problem} HKLM \software \mbox{$de974d24-d9c6-4d3e-bf91-f4455120b917} [initfolder \mbox{$de974d24-d9c6-4d3e-bf91-f4455120b917}] in the statement of the statem$

Queries value:

Queries value:

 $HKLM \ software \ microsoft \ vindows \ verrent version \ explorer \ folder descriptions \ \{6f0cd92b-2e97-45d1-88ff-b0d186b8dedd\} \ [name]$

Oueries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \{6f0cd92b-2e97-45d1-88ff-b0d186b8dedd\} \ [parent folder]$

Queries value:

Queries value:

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Queries value:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{6f0cd92b-2e97-45d1-88ff-b0d186b8dedd\} \ [infotip]$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \ \{6f0cd92b-2e97-45d1-88ff-b0d186b8dedd\} \ [localized name]$

Queries value:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{6f0cd92b-2e97-45d1-88ff-b0d186b8dedd\} \ [icon]$

Queries value:

 $HKLM \ software \ microsoft \ vurrent version \ explorer \ folder descriptions \ \{6f0cd92b-2e97-45d1-88ff-b0d186b8dedd\} [security]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{6f0cd92b-2e97-45d1-88ff-b0d186b8dedd}[streamresource]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{6f0cd92b-2e97-45d1-88ff-b0d186b8dedd}[streamresourcetype]

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ \ folder descriptions \ \ \{6f0cd92b-2e97-45d1-88ff-b0d186b8dedd\} \ [local redirectonly]$

Queries value:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{6f0cd92b-2e97-45d1-88ff-b0d186b8dedd\} \ [roamable]$

Oueries value:

 $\label{thm:local-continuous} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{2.6} \folds \f$

Queries value:

 $\label{lem:hklm} HKLM \software \mbox{$6f0cd92b-2e97-45d1-88ff-b0d186b8dedd} [stream]$

Queries value:

 $\label{lem:hklm} \begin{tabular}{l} HKLM\software\mbox{microsoft\windows\currentversion\explorer\folderdescriptions\folderdes$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{6f0cd92b-2e97-45d1-88ff-b0d186b8dedd\} [attributes]$

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{6f0cd92b-2e97-45d1-88ff-b0d186b8dedd\} \ [folder type id]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{6f0cd92b-2e97-45d1-88ff-b0d186b8dedd}[initfolderhandler]

Oueries value:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{76fc4e2d-d6ad-4519-a663-37bd56068185\} \ [category]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{76fc4e2d-d6ad-4519-a663-37bd56068185\} \ [name]$

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \ \ \ \ a 663-37bd 56068185 \ [parent folder]$

Oueries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \ \ \ \ a 663-37bd 56068185 \ \ [description]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{76fc4e2d-d6ad-4519-a663-37bd56068185\} \ [relative path]$

Queries value:

 $HKLM \ software \ microsoft \ \ vurrent version \ \ explorer \ \ folder descriptions \ \ \ \ \ \ a 663-37bd 56068185 \ [parsing name]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{76fc4e2d-d6ad-4519-a663-37bd56068185\} \ [localized name]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{76fc4e2d-d6ad-4519-a663-37bd56068185\} \ [security]$

Queries value:

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{76fc4e2d-d6ad-4519-a663-37bd56068185\} [stream resource type]$

Queries value:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{76fc4e2d-d6ad-4519-a663-37bd56068185\} \ [local redirectonly]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{76fc4e2d-d6ad-4519-a663-37bd56068185\} \ [roamable]$

Oueries value:

 $\label{lem:hklmsoftware} Hklm\software\mbox{16fc4e2d-d6ad-4519-a663-37bd56068185}[precreate]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{76fc4e2d-d6ad-4519-a663-37bd56068185\} \ [stream]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Oueries value:

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{76fc4e2d-d6ad-4519-a663-37bd56068185\} \ [folder type id]$

Queries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{76fc4e2d-d6ad-4519-a663-37bd56068185}\$ [initfolderhandler]

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{a75d362e-50fc-4fb7-ac2c-a8beaa314493\} \ [category]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Oueries value:

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a75d362e-50fc-4fb7ac2c-a8beaa314493}[description]

Oueries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a75d362e-50fc-4fb7-ac2c-a8beaa314493\}\[relativepath]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a75d362e-50fc-4fb7-ac2c-a8beaa314493\} \ [parsing name]$

Queries value:

 $HKLM \ software \ microsoft \ vurrent version \ explorer \ folder descriptions \ \{a75d362e-50fc-4fb7-ac2c-a8beaa314493\} [infotip]$

Oueries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \ \{a75d362e-50fc-4fb7-ac2c-a8beaa314493\} \ [localized name]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a75d362e-50fc-4fb7-ac2c-a8beaa314493\} [icon]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a75d362e-50fc-4fb7-ac2c-a8beaa314493\} \ [stream resource]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a75d362e-50fc-4fb7-ac2c-a8beaa314493}[streamresourcetype]

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a75d362e-50fc-4fb7-ac2c-a8beaa314493\} \ [roamable]$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a75d362e-50fc-4fb7-ac2c-a8beaa314493}[precreate]

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder \f$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Queries value:

 $\label{thm:local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \fa75d362e-50fc-4fb7-ac2c-a8beaa314493 \folder typeid \]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Oueries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ folder descriptions \ \ \{491e922f-5643-4af4-a7eb-4e7a138d8174\} \ [category]$

Queries value:

Queries value:

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{491e922f-5643-4af4-a7eb-4e7a138d8174}[description]

Queries value:

 $\label{thm:local-prop} $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{491e922f-5643-4af4-a7eb-4e7a138d8174\}[relativepath]}$

Oueries value:

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{491e922f-5643-4af4-a7eb-4e7a138d8174\} [infotip]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{491e922f-5643-4af4-

a7eb-4e7a138d8174}[localizedname]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{491e922f-5643-4af4a7eb-4e7a138d8174}[icon]

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{491e922f-5643-4af4-a7eb-4e7a138d8174\} [security]$

Oueries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{491e922f-5643-4af4-a7eb-4e7a138d8174\} \ [stream resource]$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{491e922f-5643-4af4-a7eb-4e7a138d8174}[streamresourcetype]

Queries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{491e922f-5643-4af4-a7eb-4e7a138d8174\} \ [local redirectonly]$

Queries value:

 $HKLM \ software \ microsoft \ vurrent version \ explorer \ folder descriptions \ \{491e922f-5643-4af4-a7eb-4e7a138d8174\} \ [roamable]$

Queries value:

Queries value:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{491e922f-5643-4af4-a7eb-4e7a138d8174\} \ [stream]$

Queries value:

 $HKLM \ software \ microsoft \ vurrent version \ explorer \ folder descriptions \ \{491e922f-5643-4af4-a7eb-4e7a138d8174\} \ [publish expanded path]$

Queries value

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{491e922f-5643-4af4-a7eb-4e7a138d8174\} [attributes]$

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \ \ \ \ \ a7eb-4e7a138d8174 \ [folder type id]$

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \current$

Queries value:

 $HKLM \ software \ microsoft \ vurrent version \ explorer \ folder descriptions \ \{33e28130-4e1e-4676-835a-98395c3bc3bb\} \ [category]$

Queries value:

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{33e28130-4e1e-4676-835a-98395c3bc3bb}[parentfolder]

Queries value:

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{33e28130-4e1e-4676-835a-98395c3bc3bb}[relativepath]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{33e28130-4e1e-4676-835a-98395c3bc3bb}[parsingname]

Queries value:

 $\label{thm:local-prop} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{33e28130-4e1e-4676-835a-98395c3bc3bb}\[\infotip]$

Queries value:

 $\label{thm:localized} $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{33e28130-4e1e-4676-835a-98395c3bc3bb\}[localized name]$$

Queries value:

 $\label{thm:local_hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cdots \cdots$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{33e28130-4e1e-4676-835a-98395c3bc3bb}[security]

Queries value:

 $\label{thm:local-continuous} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{33e28130-4e1e-4676-835a-98395c3bc3bb\}[streamresource]$$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{33e28130-4e1e-4676-835a-98395c3bc3bb}[streamresourcetype]

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{33e28130-4e1e-4676-835a-98395c3bc3bb}[localredirectonly]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{33e28130-4e1e-4676-835a-98395c3bc3bb}[roamable]

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{33e28130-4e1e-4676-835a-98395c3bc3bb\} [precreate]$

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cite{2328130-4e1e-4676-835a-98395c3bc3bb} [stream]$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{33e28130-4e1e-4676-835a-98395c3bc3bb}[publishexpandedpath]

Oueries value:

Queries value:

 $\label{thm:local-prop} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{33e28130-4e1e-4676-835a-98395c3bc3bb\}[foldertypeid]$$

Queries value:

Queries value:

 $\label{thm:linear} \mbox{\tt HKCU\software\mbox{\tt microsoft\windows\currentversion\explorer\user\ shell}}$

folders[my pictures]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{8ad 10c 31-2adb-4296-a8f7-e4701232c 972\} \ [category]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \explorer \folder descriptions \explorer \folder descriptions \explorer \folder \$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{8ad10c31-2adb-4296-a8f7-e4701232c972\} \ [parent folder]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{8ad10c31-2adb-4296-a8f7-e4701232c972\} \ [description]$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{8ad 10c 31-2ad b-4296-a8f7-e470 123 2c 972\} [relative path]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{8ad10c31-2adb-4296-a8f7-e4701232c972\} \ [parsing name]$

Queries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{8ad10c31-2adb-4296-a8f7-e4701232c972\}\[infotip]$

Queries value:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{8ad10c31-2adb-4296-a8f7-e4701232c972\} \ [localized name]$

Oueries value

 $\label{thm:local-prop} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{8ad10c31-2adb-4296-a8f7-e4701232c972\}[icon]$$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{8ad10c31-2adb-4296a8f7-e4701232c972}[security]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{8ad10c31-2adb-4296-a8f7-e4701232c972\} \ [stream resource]$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{8ad10c31-2adb-4296-a8f7-e4701232c972\}\[streamresourcetype]\]$

Queries value:

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \explorer \folder descriptions \explorer \folder descriptions \explorer \folder \$

Queries value:

 $\label{thm:local_thm} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{8ad10c31-2adb-4296-a8f7-e4701232c972\}[precreate]$$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{8ad10c31-2adb-4296-a8f7-e4701232c972\} \ [stream]$

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{8ad10c31-2adb-4296-a8f7-e4701232c972\} \ [publish expanded path]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{8ad 10c 31-2adb-4296-a8f7-e4701232c972\} [attributes]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{8ad 10c 31-2adb-4296-a8f7-e4701232c972\} \ [folder type id]$

Oueries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \ \ \ a8f7-e4701232c972 \ [init folder handler]$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{82a5ea35-d9cd-47c5-9629-e15d2f714e6e}[category]

Oueries value:

Queries value:

 $\label{thm:local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \cu$

Queries value:

 $\label{thm:local-prop} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{82a5ea35-d9cd-47c5-9629-e15d2f714e6e\}[description]$$$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{82a5ea35-d9cd-47c5-9629-e15d2f714e6e\} [relative path]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{82a5ea35-d9cd-47c5-9629-e15d2f714e6e}[parsingname]

Queries value:

 $\label{thm:local-prop} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{82a5ea35-d9cd-47c5-9629-e15d2f714e6e}[infotip]$$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{82a5ea35-d9cd-47c5-9629-e15d2f714e6e\} \ [localized name]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{82a5ea35-d9cd-47c5-9629-e15d2f714e6e\} \ [icon]$

Oueries value:

 $HKLM \ software \ microsoft \ vurrent version \ explorer \ folder descriptions \ \{82a5ea35-d9cd-47c5-9629-e15d2f714e6e\} [security]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{82a5ea35-d9cd-47c5-9629-e15d2f714e6e\} [stream resource]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{82a5ea35-d9cd-47c5-9629-e15d2f714e6e}[localredirectonly]

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder \f$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \explorer \folder descriptions \explorer \folder descriptions \explorer \folder \$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{82a5ea35-d9cd-47c5-9629-e15d2f714e6e\} [stream]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder \f$

Queries value:

 $\label{thm:local-continuous} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{82a5ea35-d9cd-47c5-9629-e15d2f714e6e} \ [attributes]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{82a5ea35-d9cd-47c5-9629-e15d2f714e6e\} \ [folder type id]$

Queries value:

 $\label{thm:local-prop} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{82a5ea35-d9cd-47c5-9629-e15d2f714e6e}[initfolderhandler]$

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder \f$

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{debf2536-e1a8-4c59b6a2-414586476aea}[name]

Oueries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{debf2536-e1a8-4c59-b6a2-414586476aea\}\[parentfolder]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{debf2536-e1a8-4c59-b6a2-414586476aea\} \ [description]$

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ \ folder descriptions \ \ \ \ \ \ \ b6a2-414586476aea\} [relative path]$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{debf2536-e1a8-4c59-b6a2-414586476aea}[parsingname]

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{debf2536-e1a8-4c59-b6a2-414586476aea\} [icon]$

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \ \ \ \ \ b6a2-414586476aea\} [security]$

Oueries value:

Oueries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{debf2536-e1a8-4c59-b6a2-414586476aea\} [stream resource type]$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{debf2536-e1a8-4c59-b6a2-414586476aea}[localredirectonly]

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Queries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{debf2536-e1a8-4c59-b6a2-414586476aea\}\[precreate]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{debf2536-e1a8-4c59-b6a2-414586476aea\} [stream]$

Queries value:

 $\label{local-ham} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{debf2536-e1a8-4c59-b6a2-414586476aea}[foldertypeid]

Queries value:

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{0f214138-b1d3-4a90-bba9-27cbc0c5389a\}\[category\]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{lem:hklm} a 90-bba 9-27 cbc \cdot 0 c5 389a \cdot [name]$

Queries value:

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{0f214138-b1d3-4a90-bba9-27cbc0c5389a}[description]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{0f214138-b1d3-4a90-bba9-27cbc0c5389a\} \ [relative path]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{0f214138-b1d3-4a90-b1d$

bba9-27cbc0c5389a}[parsingname]

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folds \f$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{0f214138-b1d3-4a90-bba9-27cbc0c5389a\} \ [localized name]$

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \ \{0f214138-b1d3-4a90-bba9-27cbc0c5389a\} [icon]$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{0f214138-b1d3-4a90-bba9-27cbc0c5389a}[security]

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{0f214138-b1d3-4a90-bba9-27cbc0c5389a\} \ [stream resource]$

Oueries value:

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{lem:hklm} and \current \eqref{lem:hklm} bba9-27cbc0c5389a \current \eqref{lem:hklm} [local redirection \current \curren$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{0f214138-b1d3-4a90-bba9-27cbc0c5389a\} \ [roamable]$

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{0f214138-b1d3-4a90-bba9-27cbc0c5389a\} \ [stream]$

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ \ \ folder descriptions \ \ \ \ \ \ bba9-27cbc0c5389a \ [publish expanded path]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{0f214138-b1d3-4a90-bba9-27cbc0c5389a\} [attributes]$

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \{0f214138-b1d3-4a90-bba9-27cbc0c5389a\} \ [folder type id]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \calebox{2400183a-6185-49fb-a2d8-4a392a602ba3} \category\cite{Acceptable of the control of$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{2400183a-6185-49fb-a2d8-4a392a602ba3\} \ [name]$

Queries value:

 $\label{thm:local-prop} HKLM \software \mbox{`microsoft\windows\currentversion`explorer\folderdescriptions\{2400183a-6185-49fb-a2d8-4a392a602ba3\}[parentfolder]}$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2400183a-6185-49fb-a2d8-4a392a602ba3}[description]

Queries value:

 $HKLM \ software \ microsoft \ vurrent version \ explorer \ folder descriptions \ \{2400183a-6185-49fb-a2d8-4a392a602ba3\} \ [relative path]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \current$

Queries value:

 $\label{thm:local_ham} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \cur$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \current$

Queries value:

 $\label{local-prop} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2400183a-6185-49fb-a2d8-4a392a602ba3\}[icon]}$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{2400183a-6185-49fb-a2d8-4a392a602ba3\} \ [security]$

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{2400183a-6185-49fb-a2d8-4a392a602ba3\} \ [stream resource]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \current$

Oueries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{2400183a-6185-49fb-a2d8-4a392a602ba3\} \ [local redirectonly]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{2400183a-6185-49fb-a2d8-4a392a602ba3\} \ [roamable]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{2400183a-6185-49fb-a2d8-4a392a602ba3\} \ [precreate]$

Oueries value:

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \current$

Queries value:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{2400183a-6185-49fb-a2d8-4a392a602ba3\} [attributes]$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2400183a-6185-49fb-a2d8-4a392a602ba3\}[foldertypeid]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{2400183a-6185-49fb-a2d8-4a392a602ba3\} \ [init folder handler]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{d9dc8a3b-b784-432e-a781-5a1130a75963\} \ [category]$

Oueries value

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{d9dc8a3b-b784-432e-a781-5a1130a75963\} \ [name]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{d9dc8a3b-b784-432e-a781-5a1130a75963\} \ [parent folder]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{d9dc8a3b-b784-432e-a781-5a1130a75963\} \ [description]$

Queries value:

 $HKLM \ software \ microsoft \ vurrent version \ explorer \ folder descriptions \ \{d9dc8a3b-b784-432e-a781-5a1130a75963\} \ [relative path]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Queries value:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{d9dc8a3b-b784-432e-a781-5a1130a75963\} \ [infotip]$

Queries value:

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{d9dc8a3b-b784-432e-a781-5a1130a75963} \eqref{d9dc8a3b-b784-432e-a781-5a1130a75963} \eqref{licon}$

Queries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \ \{d9dc8a3b-b784-432e-a781-5a1130a75963\} \ [security]$

Queries value:

 $\label{thm:local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \current \folder \folder \current \folder \current \folder \current \folder \f$

Queries value:

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{d9dc8a3b-b784-432e-a781-5a1130a75963\} \ [local redirectonly]$

Queries value:

 $\label{thm:local-problem} HKLM \software \mbox{$d9dc8a3b-b784-432e-a781-5a1130a75963} [roamable]$

Oueries value:

 $\label{thm:local-continuous} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{d9dc8a3b-b784-432e-a781-5a1130a75963} [precreate]$

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{d9dc8a3b-b784-432e-a781-5a1130a75963\} \ [stream]$

Queries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d9dc8a3b-b784-432e-a781-5a1130a75963\}\[publishexpandedpath]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{d9dc8a3b-b784-432e-a781-5a1130a75963\} [attributes]$

Queries value:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{d9dc8a3b-b784-432e-a781-5a1130a75963\} \ [folder type id]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{d9dc8a3b-b784-432e-a781-5a1130a75963\} \ [initfolder handler]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \current$

Queries value:

 $\label{thm:local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \c4900540-2379-4c75-844b-64e6 faf8716b \cal{local-prop} [name]$

Oueries value:

Queries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c4900540-2379-4c75-844b-64e6faf8716b\}\[description]$

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \c4900540-2379-4c75-844b-64e6 \faf 8716b \center{folder} \center{folder}$

Oueries value:

Queries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c4900540-2379-4c75-844b-64e6faf8716b}\[infotip]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \current$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current version \explorer \folder descriptions \current version \explorer \folder descriptions \current version \explorer \folder \current \curr$

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \current$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c4900540-2379-4c75-844b-64e6faf8716b}[streamresource]

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \current$

Oueries value:

Queries value:

 $\label{thm:local-basis} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c4900540-2379-4c75-844b-64e6faf8716b}\[roamable \] $$$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \current$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c4900540-2379-4c75-844b-64e6faf8716b}[stream]

Queries value:

Oueries value:

Queries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{c4900540-2379-4c75-844b-64e6faf8716b\} [folder type id]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c4900540-2379-4c75-

844b-64e6faf8716b}[initfolderhandler]

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \current$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{289a9a43-be44-4057-a41b-587a76d7e7f9\} \ [name]$

Oueries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{289a9a43-be44-4057-a41b-587a76d7e7f9\} \ [parent folder]$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{289a9a43-be44-4057-a41b-587a76d7e7f9}[description]

Queries value:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{289a9a43-be44-4057-a41b-587a76d7e7f9\} \ [relative path]$

Queries value:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{289a9a43-be44-4057-a41b-587a76d7e7f9\} \ [parsing name]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \current$

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \ \ \ 289a9a43-be44-4057-a41b-587a76d7e7f9 \ [localized name]$

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \current$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{289a9a43-be44-4057-a41b-587a76d7e7f9}[security]

Oueries value:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{289a9a43-be44-4057-a41b-587a76d7e7f9\} \ [stream resource]$

Oueries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \ \ \ 289a9a43-be44-4057-a41b-587a76d7e7f9 \ \ [stream resource type]$

Queries value:

 $HKLM \ software \ `microsoft \ `vindows \ `current version \ `explorer \ folder descriptions \ `\{289a9a43-be44-4057-a41b-587a76d7e7f9\} [local redirectonly]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{289a9a43-be44-4057-a41b-587a76d7e7f9\} \ [roamable]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{289a9a43-be44-4057-a41b-587a76d7e7f9}[precreate]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{289a9a43-be44-4057-a41b-587a76d7e7f9\} \ [stream]$

Queries value:

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{289a9a43-be44-4057-a41b-587a76d7e7f9\} \ [attributes]$

Queries value:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{289a9a43-be44-4057-a41b-587a76d7e7f9\} \ [folder type id]$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{289a9a43-be44-4057-a41b-587a76d7e7f9\}[initfolderhandler]$

Queries value:

 $\label{thm:local-continuous} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{4bfefb45-347d-4006-a5be-ac0cb0567192} \cite{Continuous} \cite{Continuou$

Queries value:

 $\label{thm:local-problem} HKLM \software \mbox{$4b$ fefb45-347d-4006-a5be-ac0cb0567192} \ [name]$

Queries value:

 $\label{thm:local_holds} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4bfefb45-347d-4006-a5be-ac0cb0567192\}\ [parentfolder]$$$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{4bfefb45-347d-4006-a5be-ac0cb0567192\} \ [description]$

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{4bfefb45-347d-4006-a5be-ac0cb0567192\} \ [relative path]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4bfefb45-347d-4006-a5be-ac0cb0567192}[parsingname]

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \current$

Queries value:

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{4bfefb45-347d-4006-a5be-ac0cb0567192\} [icon]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{4bfefb45-347d-4006-a5be-ac0cb0567192\} [security]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{4bfefb45-347d-4006-a5be-ac0cb0567192\} \ [stream resource]$

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \ \{4bfefb45-347d-4006-a5be-ac0cb0567192\} \ [stream resource type]$

Oueries value:

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{4bfefb45-347d-4006-a5be-ac0cb0567192\} \ [roamable]$

Queries value:

Oueries value

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{4bfefb45-347d-4006-a5be-ac0cb0567192\} [stream]$

Queries value:

Queries value:

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{4bfefb45-347d-4006-a5be-ac0cb0567192\} \ [folder type id]$

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \ \{4bfefb45-347d-4006-a5be-ac0cb0567192\} \ [init folder handler]$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b7534046-3ecb-4c18-be4e-64cd4cb7d6ac}[category]

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \ \{b7534046-3ecb-4c18-be4e-64cd4cb7d6ac\} \ [name]$

Queries value:

Oueries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \{b7534046-3ecb-4c18-be4e-64cd4cb7d6ac\}[description]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \formalfolder \cite{hklm} and \cite{hkllm} and \cite{hkll$

Queries value:

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \{b7534046-3ecb-4c18-be4e-64cd4cb7d6ac\}[infotip]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \formalfolder \cite{hklm} and \cite{hkllm} and \cite{hkll$

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{b7534046-3ecb-4c18-be4e-64cd4cb7d6ac\}[icon]$

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{b7534046-3ecb-4c18-be4e-64cd4cb7d6ac\}[security]$

Oueries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \{b7534046-3ecb-4c18-be4e-64cd4cb7d6ac\}[stream resource]$

Oueries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b7534046-3ecb-4c18-be4e-64cd4cb7d6ac}\[streamresourcetype]$

Oueries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ folder descriptions \ \ \{b7534046-3ecb-4c18-be4e-64cd4cb7d6ac\}[local redirectonly]$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b7534046-3ecb-4c18-be4e-64cd4cb7d6ac}[roamable]

Queries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{b7534046-3ecb-4c18-be4e-64cd4cb7d6ac\}[precreate]$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b7534046-3ecb-4c18-be4e-64cd4cb7d6ac}\[stream]$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b7534046-3ecb-4c18-be4e-64cd4cb7d6ac\}[publishexpandedpath]}$

Queries value:

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \formula 18-be4e-64cd4cb7d6ac \footnote{18-be4e-64cd4cb7d6ac} \footnote{18-be4e-64cd4cb7$

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \formalfolder \folder \f$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{ee32e446-31ca-4aba-814f-a5ebd2fd6d5e}[category]

Queries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{ee 32e 446-31ca-4aba-814f-a 5eb d 2f d 6d 5e\} [name]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ee 32e 446-31 ca-4 aba-814f-a 5eb d 2fd 6d 5e \cite{lem:hklm} [parent folder]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \equal 814f-a5ebd2fd6d5e \current terms on \equal 814f-a5ebd2fd6d5e \current terms of \equal 81$

Queries value:

 $\label{thm:local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \equal 6.31 ca-4 aba-814 f-a 5 ebd \equal 6.5 eb$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ee 32e 446-31 ca-4 aba-814f-a 5eb d 2fd 6d 5e \current \curren$

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \end{2e446-31ca-4aba-814f-a5ebd2fd6d5e} [infotip]$

Queries value:

 $\label{localized-ham} HKLM \software \mbox{`microsoft} \windows \current version \explorer \folder descriptions \equal 246-31 ca-4 aba-814f-a5ebd2fd6d5e \cline{baseline} [localized name]$

Queries value:

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{ee32e446-31ca-4aba-814f-a5ebd2fd6d5e}[security]

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{ee32e446-31ca-4aba-814f-a5ebd2fd6d5e\}[streamresource]$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{ee32e446-31ca-4aba-814f-a5ebd2fd6d5e}[streamresourcetype]

Queries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{ee 32e 446-31ca-4aba-814f-a 5eb d 2f d 6d 5e\}[local redirect only]$

Queries value:

814f-a5ebd2fd6d5e}[roamable]

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \end{2} ee 32e 446-31 ca-4 aba-814f-a 5eb d 2fd 6d 5e \cite{2} [precreate]$

Oueries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{ee32e446-31ca-4aba-814f-a5ebd2fd6d5e\} \ folder \ folde$

Oueries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{ee 32e 446-31ca-4aba-814f-a 5eb d 2f d 6d 5e\}[publish expanded path]$

Oueries value

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{ee32e446-31ca-4aba-814f-a5ebd2fd6d5e}[attributes]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{ee32e446-31ca-4aba-814f-a5ebd2fd6d5e}[foldertypeid]

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ \ folder descriptions \ \ \{ee 32e 446-31ca-4aba-814f-a 5eb d 2fd 6d 5e\} [init folder handler]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \category \cite{Addition} \end{carry} a 9c3-b52a1ff411e8 \category \cite{Addition} \cite$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{c870044b-f49e-4126-a9c3-b52a1ff411e8\} \ [name]$

Queries value:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{c870044b-f49e-4126-a9c3-b52a1ff411e8\} \ [parent folder]$

Queries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{c870044b-f49e-4126-a9c3-b52a1ff411e8\} \ [description]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \capacity \cap$

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \capacity \cap$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{c870044b-f49e-4126-a9c3-b52a1ff411e8\}[infotip]$

Queries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{c870044b-f49e-4126-a9c3-b52a1ff411e8\} \ [localized name]$

Queries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c870044b-f49e-4126-a9c3-b52a1ff411e8\}\[icon]$

Queries value:

 $HKLM \ software \ microsoft \ vurrent version \ explorer \ folder descriptions \ \{c870044b-f49e-4126-a9c3-b52a1ff411e8\} [security]$

Oueries value

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c870044b-f49e-4126-a9c3-b52a1ff411e8}[streamresource]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c870044b-f49e-4126-a9c3-b52a1ff411e8}[streamresourcetype]

Queries value:

 $HKLM \ software \ microsoft \ vurrent version \ explorer \ folder descriptions \ \{c870044b-f49e-4126-a9c3-b52a1ff411e8\} \ [local redirectonly]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \capacity \color=126-a9c3-b52a1ff411e8 \capacity \color=126-a9c3-b52a1ff411e8 \capacity \capac$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cal{lem:hklm} a parallel \cal{lem:hklm} a par$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{c870044b-f49e-4126-a9c3-b52a1ff411e8\} [stream]$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c870044b-f49e-4126-a9c3-b52a1ff411e8\}[publishexpandedpath]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{c870044b-f49e-4126-a9c3-b52a1ff411e8\} \ [attributes]$

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{c870044b-f49e-4126-a9c3-b52a1ff411e8\} \ [folder type id]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c870044b-f49e-4126-a9c3-b52a1ff411e8}[initfolderhandler]

Oueries value:

 $HKLM \ software \ microsoft \ vurrent version \ explorer \ folder descriptions \ \{0139d44e-6afe-49f2-8690-3dafcae \ ffb8\} \ [category]$

Oueries value:

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \ \{0139d44e-6afe-49f2-8690-3dafcae6ffb8\} \ [parent folder]$

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \current$

Queries value:

 $\label{thm:local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \color= 6afe-49f2-8690-3 \color= 6afe-$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{0139d44e-6afe-49f2-8690-3dafcae6ffb8}[parsingname]

Oueries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{0139d44e-6afe-49f2-8690-3dafcae6ffb8\}[infotip]}$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{0139d44e-6afe-49f2-8690-3dafcae6ffb8\} \ [localized name]$

Queries value:

 $\label{thm:local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \color= 6afe-49f2-8690-3 \dafcae \fib8 \color= (1.5) \color= 6afe-49f2-8690-3 \dafcae \fib8 \color= (1.5) \color= 6afe-49f2-8690-3 \dafcae \fib8 \color= (1.5) \color= 6afe-49f2-8690-3 \dafcae \color= 6afe-49f2-8690-3 \dafcae$

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \current$

Queries value:

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{0139d44e-6afe-49f2-8690-3dafcae6ffb8}[streamresourcetype]

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \folder descriptions \current \folder \$

Queries value:

 $\label{thm:local-prop} HKLM \software \mbox{$0139d44e-6afe-49f2-8690-3dafcae} [roamable]$

Queries value:

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \current$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{0139d44e-6afe-49f2-8690-3dafcae6ffb8\}[publishexpandedpath]}$

Queries value:

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \current$

Queries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{0139d44e-6afe-49f2-8690-3dafcae6ffb8}\$ [initfolderhandler]

Oueries value:

 $HKLM \ software \ icrosoft \ vindows \ current version \ explorer \ folder descriptions \ \{c5abbf53-e17f-4121-8900-86626fc2c973\} \ [category]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \c 5abbf53-e17f-4121-8900-86626 \folder \c 2c973 \c 2c$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c5abbf53-e17f-4121-8900-86626fc2c973}[parentfolder]

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c5abbf53-e17f-4121-8900-86626fc2c973}[description]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c5abbf53-e17f-4121-8900-86626fc2c973}[relativepath]

Oueries value:

Queries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{c5abbf53-e17f-4121-8900-86626fc2c973\} [infotip]$

Oueries value:

Queries value:

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \c 5abbf53-e17f-4121-8900-86626 \folder \c 5abbf53-e17f-4121-8900-86626 \c 5abbf53-e17f-$

Queries value:

 $\label{thm:local-prop} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c5abbf53-e17f-4121-8900-86626fc2c973\}[streamresource]$$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c5abbf53-e17f-4121-8900-86626fc2c973}[streamresourcetype]

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \colored in the sum of the sum$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c5abbf53-e17f-4121-8900-86626fc2c973}[roamable]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c5abbf53-e17f-4121-8900-86626fc2c973}[precreate]

Queries value:

 $\label{thm:local-prop} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c5abbf53-e17f-4121-8900-86626fc2c973\}[stream]$$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \c 5abbf53-e17f-4121-8900-86626 \folder \c 5abbf53-e17f-4121-8900-86626 \c 5abbf53-e17f-$

Queries value:

 $\label{lem:hammon} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \calebox{$c5abbf53-e17f-4121-8900-86626fc2c973} [attributes]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c5abbf53-e17f-4121-8900-86626fc2c973}[foldertypeid]

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \colored \colored$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{56784854-c6cb-462b-8169-88e350acb882}[category]

Queries value:

 $\label{thm:local-prop} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{56784854-c6cb-462b-8169-88e350acb882\}[name]$$

Queries value:

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{56784854-c6cb-462b-8169-88e350acb882}[description]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{56784854-c6cb-462b-8169-88e350acb882}[relativepath]

Oueries value:

 $\label{thm:local_hklm} \begin{tabular}{l} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder$

Queries value:

 $\label{thm:local-substitute} HKLM \software \mbox{$56784854-c6cb-462b-8169-88e350acb882} [infotip]$

Queries value:

8169-88e350acb882}[localizedname]

Queries value:

 $\label{thm:local-prop} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{56784854-c6cb-462b-8169-88e350acb882\[icon]$$

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{56784854-c6cb-462b-8169-88e350 \ acb 882\} \ [security]$

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{56784854-c6cb-462b-8169-88e350 \ acb 882\} \ [stream resource]$

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cdot \cdot$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{56784854-c6cb-462b-8169-88e350 \ acb 882\} \ [local redirect only]$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{56784854-c6cb-462b-8169-88e350acb882}[roamable]

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cdot \cdot$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cdot \cdot$

Oueries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{56784854-c6cb-462b-8169-88e350 \ acb 882\} \ [publish expanded path]$

Queries value:

Queries value:

 $\label{thm:local-prop} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{56784854-c6cb-462b-8169-88e350acb882\}[foldertypeid]$$

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cdot \cdot$

Queries value: HKCU\software\microsoft\windows\currentversion\explorer\user shell folders[{56784854-c6cb-462b-8169-88e350acb882}]

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{7b396e54-9ec5-4300-be0a-2482ebae1a26} \cite{Category} \eqref{2d300-be0a-2482ebae1a26} \eqref{2d300-be0a-2482ebae1a26} \eqref{2d300-be0a-2482ebae1a26} \eqref{2d300-be0a-2482ebae1a26} \eqref{2d300-be0a-2482ebae1a26} \eqref{2d300-be0a-2482ebae1a26} \eqref{2d3000-be0a-2482ebae1a26} \eqref{2d3000-be0$

Oueries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7b396e54-9ec5-4300-be0a-2482ebae1a26\}\[name]$

Queries value:

 $\label{local-operator} HKLM \software \mbox{\scriptions} \end{2.5} This is a substitution of the context of t$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{7b396e54-9ec5-4300-be0a-2482ebae1a26} \ [description]$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7b396e54-9ec5-4300-be0a-2482ebae1a26}[relativepath]

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{7b396e54-9ec5-4300-be0a-2482ebae1a26} \cite{Parsing name} \eqref{parsing name}$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7b396e54-9ec5-4300-be0a-2482ebae1a26\}[infotip]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7b396e54-9ec5-4300-be0a-2482ebae1a26}[localizedname]

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{7b396e54-9ec5-4300-be0a-2482ebae1a26} \eqref{1icon}$

Queries value:

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{7b396e54-9ec5-4300-be0a-2482ebae1a26\} [stream resource]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7b396e54-9ec5-4300-

be0a-2482ebae1a26}[streamresourcetype]

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \ \ \ \ \ be 0a-2482ebae 1a 26 \ [local redirectonly]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{7b396e54-9ec5-4300-be0a-2482ebae1a26\} \ Froamable \ 1$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{7b396e54-9ec5-4300-be0a-2482ebae1a26\} \ [precreate]$

Oueries value:

 $\label{local-equation} HKLM \software \mbox{7b396e54-9ec5-4300-be0a-2482ebae1a26} [stream]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7b396e54-9ec5-4300-be0a-2482ebae1a26}[publishexpandedpath]

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{7b396e54-9ec5-4300-be0a-2482ebae1a26} [attributes]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{7b396e54-9ec5-4300-be0a-2482ebae1a26} \ [folder type id]$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{7b396e54-9ec5-4300-be0a-2482ebae1a26\} [init folder handler]$

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folds 3057-ca5c-4622-b42d-bc56db0ae516 \category\cite{Control of the control of the$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{bcbd3057-ca5c-4622-b42d-bc56db0ae516\} \ [name]$

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \{bcbd 3057-ca 5c-4622-b42d-bc 56db 0ae 516\} \ [parent folder]$

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folds \fold$

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \{bcbd 3057-ca 5c-4622-b42d-bc 56db 0ae 516\} [relative path]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{bcbd 3057-ca 5c-4622-b42d-bc 56 db 0 ae 516\} \ [par sing name]$

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{bcbd 3057-ca 5c-4622-b42d-bc 56db 0ae 516\} [infotip]$

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ \ folder descriptions \ \ \{bcbd 3057-ca 5c-4622-b42d-bc 56db 0ae 516\} \ [localized name]$

Queries value

 $\label{local-condition} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \footbase 516 \cite{Local-condition} for the condition \cite{Local-condition} for the condit$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{bcbd3057-ca5c-4622b42d-bc56db0ae516}[security]

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \{bcbd 3057-ca 5c-4622-b42d-bc 56db 0ae 516\} \ [stream resource]$

Queries value

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{bcbd3057-ca5c-4622-b42d-bc56db0ae516\}[streamresourcetype]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{bcbd 3057-ca 5c-4622-b42d-bc 56db 0ae 516\} \ [local redirectonly]$

Queries value:

Queries value:

 $\label{thm:locality} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \footnote{1} folder descriptions \footnote{2} footnote{2} footnot$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folds \fold$

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{bcbd3057-ca5c-4622-b42d-bc56db0ae516}[publishexpandedpath]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{bcbd3057-ca5c-4622b42d-bc56db0ae516}[attributes]

Queries value:

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ folder descriptions \ \ \{bcbd 3057-ca 5c-4622-b42d-bc 56db 0ae 516\} \ [init folder handler]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a302545d-deff-464b-abe8-61c8648d939b\} \ [category]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a302545d-deff-464b-abe8-61c8648d939b\} \ [name]$

Queries value:

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a302545d-deff-464b-abe8-61c8648d939b\} [description]$

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \ \{a302545d-deff-464b-abe8-61c8648d939b\} \ [relative path]$

Queries value:

 $\label{lem:hklm} HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a302545d-deff-464b-abe8-61c8648d939b\} \ [parsing name]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a302545d-deff-464b-abe8-61c8648d939b\} [infotip]$

Oueries value:

 $HKLM \ software \ microsoft \ vurrent version \ explorer \ folder descriptions \ \{a302545d-deff-464b-abe8-61c8648d939b\} \ [localized name]$

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\mbox{a302545d-deff-464b-abe8-61c8648d939b}[icon]$

Queries value:

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{a302545d-deff-464b-abe8-61c8648d939b\} \ [stream resource]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a302545d-deff-464b-abe8-61c8648d939b\} \ [stream resource type]$

Oueries value:

 $HKLM \ software \ microsoft \ vurrent version \ explorer \ folder descriptions \ \{a302545d-deff-464b-abe8-61c8648d939b\} \ [local redirectonly]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a302545d-deff-464b-abe8-61c8648d939b\} \ [roamable]$

Queries value:

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a302545d-deff-464b-abe8-61c8648d939b\} \ [stream]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a302545d-deff-464b-abe8-61c8648d939b\} \ [publish expanded path]$

Queries value

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \fall a 302545 \mbox{d-deff-464b-abe8-61c8648d939b} \ [attributes]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{a302545d-deff-464b-abe8-61c8648d939b\} \ [folder type id]$

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \ \{a302545d-deff-464b-abe8-61c8648d939b\} \ [init folder handler]$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2b0f765d-c0e9-4171-908e-08a611b84ff6}[category]

 $\label{thm:local-prop} HKLM \software \mbox{2b0f765d-c0e9-4171-908e-08a611b84ff6} [name]$

Oueries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2b0f765d-c0e9-4171-908e-08a611b84ff6\}\[parentfolder\]$

Oueries value:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{2b0f765d-c0e9-4171-908e-08a611b84ff6\} \ [description]$

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \ \{2b0f765d-c0e9-4171-908e-08a611b84ff6\} [relative path]$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2b0f765d-c0e9-4171-908e-08a611b84ff6}[parsingname]

Queries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{2b0f765d-c0e9-4171-908e-08a611b84ff6\} [infotip]$

Queries value:

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \current$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2b0f765d-c0e9-4171-908e-08a611b84ff6}[security]

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cdot \{2b0f765d-c0e9-4171-908e-08a611b84ff6\} [stream resource]$

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \current$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2b0f765d-c0e9-4171-908e-08a611b84ff6}[localredirectonly]

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \current$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{2b0f765d-c0e9-4171-908e-08a611b84ff6} [precreate]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{2b0f765d-c0e9-4171-908e-08a611b84ff6} [stream]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cdot \{2b0f765d-c0e9-4171-908e-08a611b84ff6\} \cdot [publish expanded path]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{2b0f765d-c0e9-4171-908e-08a611b84ff6} [attributes]$

Oueries value:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{2b0f765d-c0e9-4171-908e-08a611b84ff6\} \ [folder type id]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cdot \{2b0f765d-c0e9-4171-908e-08a611b84ff6\} [initfolder handler]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{2a00375e-224c-49de-b8d1-440df7ef3ddc\} [name]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \folder \folder$

Oueries value:

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{2a00375e-224c-49de-b8d1-440df7ef3ddc\}[relative path]$

Queries value:

b8d1-440df7ef3ddc}[parsingname]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2a00375e-224c-49de-b8d1-440df7ef3ddc}[infotip]

Oueries value:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{2a00375e-224c-49de-b8d1-440df7ef3ddc\} \ [localized name]$

Oueries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{2a00375e-224c-49de-b8d1-440df7ef3ddc\} [icon]$

Oueries value:

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{2a00375e-224c-49de-b8d1-440df7ef3ddc\} \ [stream resource]$

Oueries value:

Queries value:

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{2a00375e-224c-49de-b8d1-440df7ef3ddc\} \ [roamable]$

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \current$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{2a00375e-224c-49de-b8d1-440df7ef3ddc\} \ [stream]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cal{2a00375e-224c-49de-b8d1-440df7ef3ddc} [publish expanded path]$

Oueries value:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{2a00375e-224c-49de-b8d1-440df7ef3ddc\}[attributes]$

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \{2a00375e-224c-49de-b8d1-440df7ef3ddc\} \ [folder type id]$

Queries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{2a00375e-224c-49de-b8d1-440df7ef3ddc\} \ [initfolder handler]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \equiv \equiv \folder descriptions \equiv \equiv \folder \equiv \equiv \equiv \folder \equiv \eq$

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \{e555ab60-153b-4d17-9f04-a5fe99fc15ec\} \ [name]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{e555ab60-153b-4d17-9f04-a5fe99fc15ec}[parentfolder]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{e555ab60-153b-4d17-9f04-a5fe99fc15ec}[description]

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ folder descriptions \ \ \{e555ab60-153b-4d17-9f04-a5fe99fc15ec\}[relative path]$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{e555ab60-153b-4d17-9f04-a5fe99fc15ec\}\ [parsing name]$

Queries value:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{e555ab60-153b-4d17-9f04-a5fe99fc15ec\} [infotip]$

Queries value:

 $\label{localized-ham} HKLM \software \mbox{`microsoft\windows\currentversion\explorer\folderdescriptions\{e555ab60-153b-4d17-9f04-a5fe99fc15ec}[localized name]}$

Queries value:

 $\label{local-operator} HKLM \software \mbox{e555ab60-153b-4d17-9f04-a5fe99fc15ec} [icon]$

Queries value:

 $HKLM \ software \ microsoft \ vurrent version \ explorer \ folder descriptions \ \{e555ab60-153b-4d17-9f04-a5fe99fc15ec\} [security]$

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{e555ab60-153b-4d17-9f04-a5fe99fc15ec}[streamresource]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{e555ab60-153b-4d17-9f04-a5fe99fc15ec}[streamresourcetype]

Oueries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ folder descriptions \ \ \{e555ab60-153b-4d17-9f04-a5fe99fc15ec\} \ [local redirectonly]$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{e555ab60-153b-4d17-9f04-a5fe99fc15ec}[roamable]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{e555ab60-153b-4d17-9f04-a5fe99fc15ec}[precreate]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{e555ab60-153b-4d17-9f04-a5fe99fc15ec}[stream]

Queries value:

 $\label{thm:local-prop} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{e555ab60-153b-4d17-9f04-a5fe99fc15ec}\ [publishexpandedpath]$

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \{e555ab60-153b-4d17-9f04-a5fe99fc15ec\}[attributes]$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{e555ab60-153b-4d17-9f04-a5fe99fc15ec}\ [foldertypeid]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \equiv \{e555ab60-153b-4d17-9f04-a5fe99fc15ec\} [initfolder handler]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \color= 0.54 fae 61-4 dd 8-4787-80 b6-090220 c4 b700 \color= 0.54 fae 61-4 dd 8-4787-80 b6-090220 c4 b700 \color= 0.54 fae 61-4 dd 8-4787-80 b6-090220 c4 b700 \color= 0.54 fae 61-4 dd 8-4787-80 b6-090220 \color= 0.54 fae 61-4 dd 8-4787-80 b6-09020 \color= 0.54 fae 61-4 dd 8-4787-80 b6-09020$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{054 fae 61-4 dd 8-4787-80 b6-090220 c4 b700\} \ [name]$

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \{054fae61-4dd8-4787-80b6-090220c4b700\} \ [parent folder]$

Oueries value:

Queries value:

 $\label{thm:local-decomposition} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \cu$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \current$

Queries value:

 $\label{thm:local-problem} HKLM \software \mbox{054fae61-4dd8-4787-80b6-090220c4b700} [infotip]$

Queries value:

 $\label{localized-ham} HKLM \software \mbox{054fae61-4dd8-4787-80b6-090220c4b700} [localized name]$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{0.54fae61-4dd8-4787-80b6-090220c4b700\}[icon]}$

Queries value:

 $\label{local-oper-lo$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{054fae61-4dd8-4787-80b6-090220c4b700}[streamresource]

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{0.54} a 61-4 dd 8-4787-80 b6-090220 c4 b700 \eqref{0.54} [stream resource type]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{054fae61-4dd8-4787-80b6-090220c4b700\} \ [local redirectonly]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \current$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{054fae61-4dd8-4787-80b6-090220c4b700\} [stream]$

Oueries value:

 $HKLM \ software \ microsoft \ \ current version \ \ \ folder descriptions \ \ \{054fae61-4dd8-4787-80b6-090220c4b700\} \ [publish expanded path]$

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{054fae61-4dd8-4787-80b6-090220c4b700\} \ [attributes]$

Queries value:

 $HKLM \ software \ microsoft \ vurrent version \ explorer \ folder descriptions \ \{054 fae 61-4 dd 8-4787-80 b6-090220 c4 b700\} \ [folder type id]$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{054fae61-4dd8-4787-80b6-090220c4b700}[initfolderhandler]

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Queries value:

 $\label{thm:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \final 1777 f761-68 ad-4d8 a-87 bd-30 b759 fa 33 dd \current \c$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder \folde$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cal{lem:hklm} and \cal{lem:hklm} about 1777f761-68ad-4d8a-87bd-30b759fa33dd \cal{lem:hklm} [description]$

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \ \{1777f761-68ad-4d8a-87bd-30b759fa33dd\} [parsing name]$

Oueries value:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{1777f761-68ad-4d8a-87bd-30b759fa33dd\} [infotip]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{1777} 1-68 ad-4d8 a-87 bd-30 b759 fa 33 dd \eqref{1777} [icon]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Queries value:

 $\label{local-operator} HKLM \software \mbox{$1777f761-68ad-4d8a-87bd-30b759fa33dd} [streamresource]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1777f761-68ad-4d8a-87bd-30b759fa33dd}[localredirectonly]

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1777f761-68ad-4d8a-87bd-30b759fa33dd}\[precreate]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \fill 1777 f761-68 ad-4d8 a-87 bd-30 b759 fa 33 dd \fill \fi$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1777f761-68ad-4d8a-87bd-30b759fa33dd}\[publishexpandedpath]$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1777f761-68ad-4d8a-87bd-30b759fa33dd}[attributes]

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \{1777f761-68ad-4d8a-87bd-30b759fa33dd\} \ [folder type id]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1777f761-68ad-4d8a-

87bd-30b759fa33dd}[initfolderhandler]

Queries value: HKCU\software\microsoft\windows\currentversion\explorer\user shell

folders[favorites]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b250c668-f57d-4ee1-a63c-290ee7d1aa1f}[category]

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{b250c668-f57d-4ee1-a63c-290ee7d1aa1f\} \ [name]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{b250c668-f57d-4ee1-a63c-290ee7d1aa1f\} [parent folder]$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b250c668-f57d-4ee1-a63c-290ee7d1aa1f}[description]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{b250c668-f57d-4ee1-a63c-290ee7d1aa1f\} [relative path]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \gamma \fill \fill \fill \gamma \$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{b250c668-f57d-4ee1-a63c-290ee7d1aa1f\} [infotip]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{b250c668-f57d-4ee1-a63c-290ee7d1aa1f\} \ [localized name]$

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \descriptions \folder \folder \folder \descriptions \folder \folde$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{b250c668-f57d-4ee1-a63c-290ee7d1aa1f\} [security]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{b250c668-f57d-4ee1-a63c-290ee7d1aa1f\} \ [stream resource]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{b250c668-f57d-4ee1-a63c-290ee7d1aa1f\} [stream resource type]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \gamma \folder descriptions \gamma \gamm$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ \{b250c668-f57d-4ee1-a63c-290ee7d1aa1f\} \ [roamable]$

Queries value:

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder$

Oueries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ folder descriptions \ \ \{b250c668-f57d-4ee1-a63c-290ee7d1aa1f\} [publish expanded path]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ \{b250c668-f57d-4ee1-a63c-290ee7d1aa1f\} [attributes]$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b250c668-f57d-4ee1-a63c-290ee7d1aa1f\}[foldertypeid]$

Queries value:

Queries value:

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{52528a6b-b9e3-4add-b60d-588c2dba842d}[name]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{52528a6b-b9e3-4add-b60d-588c2dba842d\} \ [parent folder]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{52528a6b-b9e3-4add-

b60d-588c2dba842d}[description]

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folds \fold$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{52528a6b-b9e3-4add-b60d-588c2dba842d\} \ [parsing name]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{52528a6b-b9e3-4add-b60d-588c2dba842d\} [infotip]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{52528a6b-b9e3-4add-b60d-588c2dba842d\} \ [localized name]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{52528a6b-b9e3-4add-b60d-588c2dba842d\} \ [icon]$

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ \ \{52528a6b-b9e3-4add-b60d-588c2dba842d\} \ [stream resource]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{52528a6b-b9e3-4add-b60d-588c2dba842d\} \ [stream resource type]$

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ \ \{52528a6b-b9e3-4add-b60d-588c2dba842d\} \ [local redirectonly]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{52528a6b-b9e3-4add-b60d-588c2dba842d\} \ [roamable]$

Queries value:

 $HKLM \ software \ microsoft \ vurrent version \ explorer \ folder descriptions \ \{52528a6b-b9e3-4add-b60d-588c2dba842d\} \ [precreate]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{52528a6b-b9e3-4add-b60d-588c2dba842d\} \ [stream]$

Queries value:

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{52528a6b-b9e3-4add-b60d-588c2dba842d\} \ [attributes]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{52528a6b-b9e3-4add-b60d-588c2dba842d\} \ [folder type id]$

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \{52528a6b-b9e3-4add-b60d-588c2dba842d\} \ [init folder handler]$

Oueries value

 $\label{thm:local-continuous} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder \folder$

Oueries value:

 $\label{lem:hklmsoftware} HKLM \software \mbox{8983036c-27c0-404b-8f08-102d10dcfd74} [name]$

Queries value:

Queries value:

 $\label{thm:local-condition} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \curren$

Queries value:

 $HKLM \ software \ microsoft \ vurrent version \ explorer \ folder descriptions \ \{8983036c-27c0-404b-8f08-102d10dcfd74\} [relative path]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{8983036c-27c0-404b-8f08-102d10dcfd74}[parsingname]

Queries value

 $\label{thm:local_holds} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{8983036c-27c0-404b-8f08-102d10dcfd74} \end{substitute} in fotip \footnote{All the content of the con$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \explorer \folder descriptions \explorer \folder descriptions \explorer \folder \$

Queries value:

 $HKLM \ software \ microsoft \ vurrent version \ explorer \ folder descriptions \ \{8983036c-27c0-404b-8f08-102d10dcfd74\} [security]$

Oueries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{8983036c-27c0-404b-8f08-102d10dcfd74\} \ [stream resource]$

Oueries value:

 $HKLM \ software \ microsoft \ vurrent version \ explorer \ folder descriptions \ \{8983036c-27c0-404b-8f08-102d10dcfd74\} \ [stream resource type]$

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder \f$

Oueries value:

 $HKLM \ software \ microsoft \ vurrent version \ explorer \ folder descriptions \ \{8983036c-27c0-404b-8f08-102d10dcfd74\} \ [roamable]$

Queries value:

 $\label{thm:local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \cu$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Queries value:

 $\label{thm:local-soft-windows} HKLM \software \mbox{$8983036c-27c0-404b-8f08-102d10dcfd74} [publish expanded path]$

Queries value:

 $\label{thm:local-prop} $HKLM \sim \min_{software \in \mathbb{Z}_{0}} (8983036c-27c0-404b-8f08-102d10dcfd74) [attributes] $$HKLM \sim \mathbb{Z}_{0}.$$$

Queries value:

 $\label{thm:local-prop} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{8983036c-27c0-404b-8f08-102d10dcfd74\}[foldertypeid]}$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \explorer \folder \folder$

Queries value:

 $HKLM \ software \ microsoft \ vurrent version \ explorer \ folder descriptions \ \{bcb5256f-79f6-4cee-b725-dc34e402fd46\} \ [category]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{bcb5256f-79f6-4cee-b725-dc34e402fd46\} \ [name]$

Queries value:

 $HKLM \ software \ microsoft \ vurrent version \ explorer \ folder descriptions \ \{bcb5256f-79f6-4cee-b725-dc34e402fd46\} \ [parent folder]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folds \current \c$

Oueries value:

 $\label{thm:local-prop} HKLM \software \mbox{brows} \current version \explorer \folder descriptions \folds \folds$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folds \fold$

Queries value:

 $\label{lem:hklm} \begin{tabular}{l} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder descriptions \folder \folder$

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{bcb5256f-79f6-4cee-b725-dc34e402fd46\} [localized name]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folds \fold$

Queries value:

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{bcb5256f-79f6-4cee-b725-dc34e402fd46\} [stream resource]$

Queries value:

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder$

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{bcb5256f-79f6-4cee-b725-dc34e402fd46\} \ [roamable]$

Oueries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{bcb5256f-79f6-4cee-b725-dc34e402fd46\}[precreate]}$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{bcb5256f-79f6-4cee-b725-dc34e402fd46\} \ [stream]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{bcb5256f-79f6-4cee-b725-dc34e402fd46\} \ [publish expanded path]$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{bcb5256f-79f6-4cee-b725-dc34e402fd46}[attributes]

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{bcb5256f-79f6-4cee-b725-dc34e402fd46\}[folder type id]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder$

Oueries value:

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder \folde$

Oueries value:

Oueries value:

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{724ef 170-a 42d-4 fef-9f 26-b 60e 846f ba4f\} \ [parsing name]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folds \fold$

Queries value:

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folds \fold$

Queries value:

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{724ef170-a42d-4fef-9f26-b60e846fba4f} \cite{10calredirectonly} \eqref{10calredirectonly}$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Oueries value:

Queries value:

 $HKLM \setminus software \setminus microsoft \setminus windows \setminus explorer \setminus folder descriptions \setminus \{724ef170-a42d-4fef-9f26-b60e846fba4f\} [publish expanded path]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \ \{724ef170-a42d-4fef-a$

9f26-b60e846fba4f}[attributes]

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{724ef 170-a 42d-4 fef-9f 26-b 60e 846f ba 4f\} [init folder handler]$

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{4bd8d571-6d19-48d3-be97-422220080e43\} \ [category]$

Oueries value:

 $\label{thm:local-problem} HKLM \software \mbox{4bd8d571-6d19-48d3-be97-422220080e43} \ [name]$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{4bd8d571-6d19-48d3-be97-422220080e43\} \ [parent folder]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4bd8d571-6d19-48d3be97-422220080e43}[description]

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4bd8d571-6d19-48d3-be97-422220080e43\}[relativepath]$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ '\{4bd8d571-6d19-48d3-be97-422220080e43\} \ [parsing name]$

Oueries value:

Queries value:

Queries value:

 $\label{thm:local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \equiv 4bd8d571-6d19-48d3-be97-422220080e43 \cite{Con}$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{4bd8d571-6d19-48d3-be97-422220080e43\} \ [security]$

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \{4bd8d571-6d19-48d3-be97-422220080e43\} \ [stream resource]$

Queries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{4bd8d571-6d19-48d3-be97-422220080e43\} \ [stream resource type]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{4bd8d571-6d19-48d3-be97-422220080e43} \ [local redirectionly]$

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \ \ \ \ \ be 97-422220080e43 \ [roamable]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4bd8d571-6d19-48d3-be97-422220080e43}[precreate]

Oueries value:

 $\label{thm:local_ham} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{4bd8d571-6d19-48d3-be97-422220080e43} \ [stream]$

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ \ folder descriptions \ \ \{4bd8d571-6d19-48d3-be97-422220080e43\} \ [publish expanded path]$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4bd8d571-6d19-48d3-be97-422220080e43\}[attributes]$

Queries value:

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4bd8d571-6d19-48d3-be97-422220080e43}[initfolderhandler]

Queries value: HKCU\software\microsoft\windows\currentversion\explorer\user shell

folders[my music]

Queries value:

 $\label{lem:hklmsoftware} HKLM software \ensurements ion \explorer \folder descriptions \ensurements \folder \folder descriptions \ensurements \folder \folde$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{de 61 d 971 - 5ebc - 4f02 -$

a3a9-6c82895e5c04}[name]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{de 61d 971-5ebc-4f02-a3a9-6c82895e5c04\} \ [parent folder]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{de 61 d 971 - 5 ebc - 4f 02 - a 3a 9 - 6c 82 89 5e 5c 04\} \ [description]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{de 61d 971-5ebc-4f02-a3a9-6c82895e5c04\} [relative path]$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{de61d971-5ebc-4f02a3a9-6c82895e5c04}[parsingname]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{de 61d 971-5ebc-4f 02-a3a9-6c82895e5c04\} [infotip]$

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \ \ \ a3a9-6c82895e5c04 \} \ [localized name]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{de61d971-5ebc-4f02-a3a9-6c82895e5c04} \cite{Licon} \eqref{de61d971-5ebc-4f02-a3a9-6c82895e5c04} \cite{Licon} \eqref{de61d971-5ebc-4f02-a3a9-6c82895e5c04} \cite{Licon} \eqref{de61d971-5ebc-4f02-a3a9-6c82895e5c04} \cite{Licon} \eqref{de61d971-5ebc-4f02-a3a9-6c82895e5c04} \cite{Licon} \eqref{de61d971-5ebc-4f02-a3a9-6c82895e5c04} \cite{Licon} \cite{Licon} \eqref{de61d971-5ebc-4f02-a3a9-6c82895e5c04} \cite{Licon} \cit$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{de 61 d 971 - 5 ebc - 4f 02 - a 3a 9 - 6c 8289 5e 5c 04\} [security]$

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Queries value

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \ \ \ a3a9-6c82895e5c04 \ [stream resource type]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{de61d971-5ebc-4f02-a3a9-6c82895e5c04} \ [local redirectonly]$

Oueries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{de 61d971-5ebc-4f02-a3a9-6c82895e5c04\} \ [roamable]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{de 61 d 971 - 5 ebc - 4f 02 - a 3a 9 - 6c 82 89 5e 5c 04\} \ [precreate]$

Queries value:

 $\label{lem:hkklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \folder$

Oueries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{de61d971-5ebc-4f02-a3a9-6c82895e5c04\}[publishexpandedpath]}$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{de 61d 971-5ebc-4f02-a3a9-6c82895e5c04\} [attributes]$

Queries value:

 $\label{thm:local_hklm} HKLM \software \mbox{de61d971-5ebc-4f02-a3a9-6c82895e5c04} [folder type id]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{de 61d971-5ebc-4f02-a3a9-6c82895e5c04\} [init folder handler]$

Queries value:

 $HKLM \ software \ microsoft \ vurrent version \ explorer \ folder descriptions \ \{0762d272-c50a-4bb0-a382-697dcd729b80\} \ [category]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \folder descriptions \current \folder \$

Queries value:

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{0762d272-c50a-4bb0-a382-697dcd729b80\} \ [description]$

Queries value:

 $\label{local-oper} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{0.762d2.72-c50a-4bb0-a382-697dcd.729b80\}[relative path]$$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{0762d272-c50a-4bb0-a382-697dcd729b80\} \ [parsing name]$

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{0762d272-c50a-4bb0-a382-697dcd729b80\} [infotip]$

Queries value:

 $\label{localized} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{0.762d272-c50a-4bb0-a382-697dcd729b80} \ [localized name]$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \ \{0762d272-c50a-4bb0-a382-697dcd729b80\} [icon]$

Queries value:

 $HKLM \ software \ microsoft \ vurrent version \ explorer \ folder descriptions \ \{0762d272-c50a-4bb0-a382-697dcd729b80\} [security]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{0762d272-c50a-4bb0-a382-697dcd729b80\} \ [stream resource]$

Oueries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \ \{0762d272-c50a-4bb0-a382-697dcd729b80\} \ [stream resource type]$

Queries value:

 $HKLM \ software \ microsoft \ vurrent version \ explorer \ folder descriptions \ \{0762d272-c50a-4bb0-a382-697dcd729b80\} \ [local redirectonly]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{0762d272-c50a-4bb0-a382-697dcd729b80\} \ [roamable]$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{0.762d272-c50a-4bb0-a382-697dcd729b80\}[precreate]}$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current version \explorer \folder descriptions \current version \explorer \folder descriptions \current \cu$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{0762d272-c50a-4bb0-a382-697dcd729b80\} \ [publish expanded path]$

Oueries value

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{0762d272-c50a-4bb0-a382-697dcd729b80\} [attributes]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{0762d272-c50a-4bb0-a382-697dcd729b80\} \ [folder type id]$

Oueries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \{0762d272-c50a-4bb0-a382-697dcd729b80\} \ [init folder handler]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4d9f7874-4e0c-4904-967b-40b0d20c3e4b}[parentfolder]

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \current$

Queries value:

 $\label{lem:hklm} \begin{tabular}{l} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder \folder$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{4d9f7874-4e0c-4904-967b-40b0d20c3e4b} \cite{2d1} \cite{2d1} \cite{2d1} \cite{2d2} \cite{2$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{4d9f7874-4e0c-4904-967b-40b0d20c3e4b\} [icon]$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4d9f7874-4e0c-4904-967b-40b0d20c3e4b\}[security]$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4d9f7874-4e0c-4904-967b-40b0d20c3e4b}[streamresourcetype]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4d9f7874-4e0c-4904-967b-40b0d20c3e4b}[localredirectonly]

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{4d9f7874-4e0c-4904-967b-40b0d20c3e4b\} \ [roamable]$

Queries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{4d9f7874-4e0c-4904-967b-40b0d20c3e4b\} [precreate]$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4d9f7874-4e0c-4904-967b-40b0d20c3e4b}[stream]

Queries value:

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Oueries value:

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1ac14e77-02e7-4e5d-b744-2eb1ae5198b7}[name]

Oueries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1ac14e77-02e7-4e5d-b744-2eb1ae5198b7\}\[parentfolder\]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{1ac14e77-02e7-4e5d-b744-2eb1ae5198b7\} \ [description]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{lac14e77-02e7-4e5d-b744-2eb1ae5198b7} [relative path]$

Queries value:

 $\label{thm:local-continuous} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \fold$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{1ac14e77-02e7-4e5d-b744-2eb1ae5198b7} [infotip]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Queries value:

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1ac14e77-02e7-4e5d-b744-2eb1ae5198b7}[streamresourcetype]

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1ac14e77-02e7-4e5d-b744-2eb1ae5198b7\}[localredirectonly]$

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{1ac14e77-02e7-4e5d-b744-2eb1ae5198b7\} \ [precreate]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{1ac14e77-02e7-4e5d-14e74-1$

b744-2eb1ae5198b7}[stream]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{1ac14e77-02e7-4e5d-b744-2eb1ae5198b7\} \ [publish expanded path]$

Oueries value:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{1ac14e77-02e7-4e5d-b744-2eb1ae5198b7\} [attributes]$

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{1ac14e77-02e7-4e5d-b744-2eb1ae5198b7\}[folder type id]$

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ folder descriptions \ \ \{1ac14e77-02e7-4e5d-b744-2eb1ae5198b7\} \ [init folder handler]$

Queries value:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{a77f5d77-2e2b-44c3-a6a2-aba601054a51\} \ [category]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a77f5d77-2e2b-44c3-a6a2-aba601054a51\} \ [name]$

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \ \{a77f5d77-2e2b-44c3-a6a2-aba601054a51\} \ [parent folder]$

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \ \{a77f5d77-2e2b-44c3-a6a2-aba601054a51\} \ [description]$

Oueries value:

 $HKLM \ software \ microsoft \ vurrent version \ explorer \ folder descriptions \ \{a77f5d77-2e2b-44c3-a6a2-aba601054a51\} [relative path]$

Queries value:

Queries value:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{a77f5d77-2e2b-44c3-a6a2-aba601054a51\} [infotip]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a77f5d77-2e2b-44c3-a6a2-aba601054a51\} \ [localized name]$

Queries value:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{a77f5d77-2e2b-44c3-a6a2-aba601054a51\} [icon]$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{a77f5d77-2e2b-44c3-a6a2-aba601054a51\} [security]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a77f5d77-2e2b-44c3-a6a2-aba601054a51}[streamresource]

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \ \{a77f5d77-2e2b-44c3-a6a2-aba601054a51\} \ [stream resource type]$

Oueries value:

 $\label{thm:local-condition} HKLM \software \mbox{a77f5d77-2e2b-44c3-a6a2-aba601054a51} [local redirection \slight]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a77f5d77-2e2b-44c3-a6a2-aba601054a51\} \ [roamable]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a77f5d77-2e2b-44c3-a6a2-aba601054a51}[precreate]

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ 'folder descriptions \ '\{a77f5d77-2e2b-44c3-a6a2-aba601054a51\} [publish expanded path]$

Queries value:

 $\label{thm:local-condition} HKLM \software \mbox{a77f5d77-2e2b-44c3-a6a2-aba601054a51} [attributes]$

Queries value:

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{a77f5d77-2e2b-44c3-a6a2-aba601054a51\} [initfolder \ handler]$

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{0ac0837c-bbf8-452a-850d-79d08e667ca7\} \ [category]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{0ac 0837 c-bbf8-452 a-850 d-79 d08 e667 ca7\} \ [name]$

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \ \{0ac 08 37 c-bbf8-452 a-850 d-79 d0 8 e667 ca7\} \ [parent folder]$

Queries value:

Oueries value:

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{0ac0837c-bbf8-452a-850d-79d08e667ca7}[parsingname]

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \current$

Queries value:

Oueries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{0ac0837c-bbf8-452a-850d-79d08e667ca7\}[icon]}$

Queries value:

 $\label{thm:local-bbf8-452a-850d-79d08e667ca7} Is explored as the sum of the$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \current$

Oueries value

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{0ac0837c-bbf8-452a-850d-79d08e667ca7\}[stream resource type]$

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \current$

Oueries value:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{0ac0837c-bbf8-452a-850d-79d08e667ca7\} \ [roamable]$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{0ac 0837 c-bbf8-452 a-850 d-79 d08 e667 ca7\} [precreate]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \current$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{0ac0837c-bbf8-452a-850d-79d08e667ca7} \cite{Continuous} \$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{0ac0837c-bbf8-452a-850d-79d08e667ca7}[attributes]

Queries value:

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \current$

Queries value:

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d0384e7d-bac3-4797-8f14-cba229b392b5}[name]

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{d0384e7d-bac3-4797-8f14-cba229b392b5\} \ [parent folder]$

Queries value:

Queries value:

 $HKLM \ software \ `microsoft\ `windows \ `current version' explorer \ folder descriptions \ \ \{d0384e7d-bac3-4797-8f14-cba229b392b5\} [relative path]$

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d0384e7d-bac3-4797-8f14-cba229b392b5}[parsingname]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d0384e7d-bac3-4797-8f14-cba229b392b5}[infotip]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d0384e7d-bac3-4797-8f14-cba229b392b5}[localizedname]

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d0384e7d-bac3-4797-8f14-cba229b392b5}[security]

Queries value:

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \does 40384e7d-bac3-4797-8f14-cba229b392b5 \footnote{type} \end{subarray} \ [tream resource type \cite{type} \cite{type} \footnote{type} \end{subarray}$

Oueries value:

 $HKLM \ software \ icrosoft \ vindows \ current version \ explorer \ folder descriptions \ \{d0384e7d-bac3-4797-8f14-cba229b392b5\} \ [local redirectonly]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{d0384e7d-bac3-4797-8f14-cba229b392b5} \cite{looper} \cite{loo$

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \does 40384e7d-bac3-4797-8f14-cba229b392b5 \cite{lem:hklm} [precreate]$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d0384e7d-bac3-4797-8f14-cba229b392b5}[stream]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d0384e7d-bac3-4797-8f14-cba229b392b5}[publishexpandedpath]

Queries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{d0384e7d-bac3-4797-8f14-cba229b392b5\} [attributes]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{d0384e7d-bac3-4797-8f14-cba229b392b5} \ [folder type id]$

Queries value:

 $\label{lem:ham} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{d0384e7d-bac3-4797-8f14-cba229b392b5} [init folder \handler]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7b0db17d-9cd2-4a93-9733-46cc89022e7c}[category]

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{folder} 4a93-46cc89022e7c \cite{lem:hklm} [name]$

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \fold bits \folder \fold$

Queries value:

 $\label{thm:local-prop} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7b0db17d-9cd2-4a93-9733-46cc89022e7c\}\[description]$$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7b0db17d-9cd2-4a93-9733-46cc89022e7c}\[relative\path]\]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7b0db17d-9cd2-4a93-9733-46cc89022e7c}[parsingname]

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{7b0db17d-9cd2-4a93-9733-46cc89022e7c} [infotip]$

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{7b0db17d-9cd2-4a93-9733-46cc89022e7c} \ [localized name]$

Queries value:

 $\label{thm:local-decomposition} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7b0db17d-9cd2-4a93-

9733-46cc89022e7c}[security]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7b0db17d-9cd2-4a93-9733-46cc89022e7c}[streamresource]

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{7b0db17d-9cd2-4a93-9733-46cc89022e7c\} [stream resource type]$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7b0db17d-9cd2-4a93-9733-46cc89022e7c}[localredirectonly]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7b0db17d-9cd2-4a93-9733-46cc89022e7c}[roamable]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7b0db17d-9cd2-4a93-9733-46cc89022e7c}[precreate]

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7b0db17d-9cd2-4a93-9733-46cc89022e7c}\ [publishexpandedpath]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{7b0db17d-9cd2-4a93-9733-46cc89022e7c\}[initfolder handler]$

Queries value:

 $\label{thm:local-ebd2-438a-8655-8a092e34987a} [category] \\$

Oueries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \{ae50c081-ebd2-438a-8655-8a092e34987a\} \ [name]$

Queries value:

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{ae 50c 081-ebd 2-438a-8655-8a092e 34987a\} \ [description]$

Queries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{ae50c081-ebd2-438a-8655-8a092e34987a\}\[relativepath]\]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{ae50c081-ebd2-438a-8655-8a092e34987a}[parsingname]

Queries value:

 $\label{thm:local-end} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{ae50c081-ebd2-438a-8655-8a092e34987a}[infotip]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{ae50c081-ebd2-438a-8655-8a092e34987a\} \ [localized name]$

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ \ folder descriptions \ \ \{ae 50c 081-ebd 2-438a-8655-8a092e 34987a\} [icon]$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{ae50c081-ebd2-438a-8655-8a092e34987a\}[security]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{ae50c081-ebd2-438a-8655-8a092e34987a}[streamresource]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{ae50c081-ebd2-438a-8655-8a092e34987a}[streamresourcetype]

Queries value

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{ae 50c 081-ebd 2-438a-8655-8a092e 34987a\} \ [precreate]$

Queries value:

 $\label{thm:local-bound} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{ae50c081-ebd2-438a-8655-8a092e34987a\}[stream]$

Queries value:

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \factor \$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \factors \fact$

Oueries value:

Queries value:

 $\label{thm:local-decomposition} HKLM \software \mbox{$62ab5d82-fdc1-4dc3-a9dd-070d1d495d97} \ [category]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\} \ [name]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\} \ [parent folder]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cal{lem:hklm} \end{substants} $$ a9dd-070d1d495d97 \[description \] $$ a9dd-070d1d495d97 \] $$ [description] $$ above \cal{lem:hklm} $$ above$

Queries value:

 $\label{thm:local-decomposition} HKLM \software \mbox{$62ab5d82-fdc1-4dc3-a9dd-070d1d495d97} [relative path]$

Oueries value

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\} \ [parsing name]$

Queries value:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\} [infotip]$

Oueries value:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\} \ [localized name]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\} \ [icon]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \folder descriptions \current \folder \$

Oueries value:

 $\label{thm:local-decomposition} HKLM \software \mbox{$62ab5d82-fdc1-4dc3-a9dd-070d1d495d97} [stream resource]$

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \ \{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\} \ [stream resource type]$

Oueries value:

 $\label{lem:hklm} \begin{tabular}{l} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref descriptions \eqre$

Queries value:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\} \ [roamable]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Queries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\}\footnote{The continuous of the continuou$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\} \ [publish expanded path]$

Queries value:

 $\label{thm:local-decomposition} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97} [attributes]$

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ 'folder descriptions \ '\{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\}[folder type id]$

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\} \ [init folder handler]$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f1b32785-6fba-4fcf-9d55-7b8e7f157091}[category]

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{f1b32785-6fba-4fcf-9d55-7b8e7f157091\} \ [name]$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{f1b32785-6fba-4fcf-9d55-7b8e7f157091\}[parent folder]$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f1b32785-6fba-4fcf-9d55-7b8e7f157091}[description]

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \fill 1532785-6 fba-4 fcf-9d55-7b8e7f157091 \cite{theory} [relative path]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f1b32785-6fba-4fcf-9d55-7b8e7f157091}[parsingname]

Queries value:

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \{f1b32785-6fba-4fcf-9d55-7b8e7f157091\} \ [localized name]$

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \fill 152785-6 fba-4 fcf-9 d55-7 b8e7 f157091 \cite{100} [icon]$

Oueries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{f1b32785-6fba-4fcf-9d55-7b8e7f157091\} \ [security]$

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \{f1b32785-6fba-4fcf-9d55-7b8e7f157091\} \ [stream resource]$

Queries value:

 $\label{thm:local-prop} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f1b32785-6fba-4fcf-9d55-7b8e7f157091\}\[streamresourcetype]$$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \fi1b32785-6 fba-4fcf-9d55-7b8e7f157091 \footnote{hklm} [local redirectionly]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \fi1b32785-6 fba-4 fcf-9 d55-7 b8e7 f157091 \[roamable \]$

Queries value:

 $\label{thm:local-prop} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f1b32785-6fba-4fcf-9d55-7b8e7f157091\}[precreate]$$

Queries value:

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ folder descriptions \ \ \{f1b32785-6fba-4fcf-9d55-7b8e7f157091\} \ [publish expanded path]$

Queries value:

 $\label{thm:local-prop} $$HKLM \sim \min_{s,t} \ HKLM \sim \frac{f1b32785-6fba-4fcf-9d55-7b8e7f157091} [attributes] $$$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \fill 1532785-6 fba-4 fcf-9d55-7b8e7f157091 \folder type id \cite{the continuous} \folder \cite{the continuous} \f$

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ folder descriptions \ \ \{f1b32785-6fba-4fcf-9d55-7b8e7f157091\} \ [init folder handler]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b6ebfb86-6907-413c-9af7-4fc2abf07cc5}[category]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b6ebfb86-6907-413c-9af7-4fc2abf07cc5}[name]

Queries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{b6ebfb86-6907-413c-9af7-4fc2abf07cc5\} \ [parent folder]$

Queries value:

9af7-4fc2abf07cc5}[description]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b6ebfb86-6907-413c-9af7-4fc2abf07cc5}[relativepath]

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{b6ebfb86-6907-413c-9af7-4fc2abf07cc5\} \ [parsing name]$

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b6ebfb86-6907-413c-9af7-4fc2abf07cc5}[localizedname]

Queries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{b6ebfb86-6907-413c-9af7-4fc2abf07cc5\} \ [icon]$

Oueries value:

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b6ebfb86-6907-413c-9af7-4fc2abf07cc5}[streamresource]

Queries value:

Oueries value:

Queries value

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder$

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{b6ebfb86-6907-413c-9af7-4fc2abf07cc5\} [publish expanded path]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b6ebfb86-6907-413c-9af7-4fc2abf07cc5}[foldertypeid]

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \{b6ebfb86-6907-413c-9af7-4fc2abf07cc5\} \ [initfolder handler]$

Oueries value

 $\label{thm:local-condition} HKLM \software \mbox{\softwindows \current version \explorer \folder descriptions \current base-b13f55a758f4} \cute{\softwindows \current version \explorer \folder descriptions \cute{\softwindows \current \cute{\softwindows \cute$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{9274bd8d-cfd1-41c3-b35e-b13f55a758f4\} \ [name]$

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \ \{9274bd8d-cfd1-41c3-b35e-b13f55a758f4\} \ [parent folder]$

Queries value:

 $\label{thm:local-prop} $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions \eqref{9274bd8d-cfd1-41c3-b35e-b13f55a758f4}$ [description]$

Queries value:

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{9274bd8d-cfd1-41c3-b35e-b13f55a758f4}[parsingname]

Oueries value

 $\label{thm:local_transform} HKLM \software \mbox{$9274bd8d-cfd1-41c3-b35e-b13f55a758f4} [infotip]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{9274bd8d-cfd1-41c3-b35e-b13f55a758f4\} \ [localized name]$

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{9274bd8d-cfd1-41c3-b35e-b13f55a758f4}[icon]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{9274bd8d-cfd1-41c3b35e-b13f55a758f4}[security]

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{9274bd8d-cfd1-41c3-b35e-b13f55a758f4\} \ [stream resource]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{9274bd8d-cfd1-41c3-b35e-b13f55a758f4}[streamresourcetype]

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{9274bd8d-cfd1-41c3-b35e-b13f55a758f4\} \ [local redirect only]$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{9274bd8d-cfd1-41c3b35e-b13f55a758f4}[roamable]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{9274bd8d-cfd1-41c3-b35e-b13f55a758f4\} \ [precreate]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \folder descriptions \current \folder \$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref base-b13f55a758f4 \current \c$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{9274bd8d-cfd1-41c3-b35e-b13f55a758f4\}[attributes]$

Queries value:

 $\label{thm:local-condition} HKLM \software \mbox{$9274bd8d-cfd1-41c3-b35e-b13f55a758f4} [foldertypeid]$

Oueries value

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{9274bd8d-cfd1-41c3-b35e-b13f55a758f4\} \ [initfolder handler]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{69d2cf90-fc33-4fb7-9a0c-ebb0f0fcb43c} \cite{Category} \end{substitute}$

Oueries value:

 $HKLM \ software \ microsoft \ vindows \ verrent version \ explorer \ folder descriptions \ \{69d2cf90-fc33-4fb7-9a0c-ebb0f0fcb43c\} [name]$

Queries value:

 $\label{thm:local-prop} $HKLM \circ two one in the constant of th$

Queries value:

 $\label{thm:local-prop} HKLM \software \mbox{$69d2cf90-fc33-4fb7-9a0c-ebb0f0fcb43c} [description]$

Queries value:

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{69d2cf90-fc33-4fb7-9a0c-ebb0f0fcb43c}[parsingname]

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{69d2cf90-fc33-4fb7-9a0c-ebb0f0fcb43c} [infotip]$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{69d2cf90-fc33-4fb7-9a0c-ebb0f0fcb43c}[localizedname]

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{69d2cf90-fc33-4fb7-9a0c-ebb0f0fcb43c} [icon]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{69d2cf90-fc33-4fb7-9a0c-ebb0f0fcb43c} [security]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{69d2cf90-fc33-4fb7-9a0c-ebb0f0fcb43c\}[stream resource]$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{69d2cf90-fc33-4fb7-9a0c-ebb0f0fcb43c\}[streamresourcetype]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{69d2cf90-fc33-4fb7-9a0c-ebb0f0fcb43c} \ [local redirectonly]$

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{69d2cf90-fc33-4fb7-9a0c-ebb0f0fcb43c}[roamable]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{69d2cf90-fc33-4fb7-9a0c-ebb0f0fcb43c}[precreate]

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ \ folder descriptions \ \ \{69d2cf90-fc33-4fb7-9a0c-ebb0f0fcb43c\} \ [publish expanded path]$

Oueries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \{69d2cf90-fc33-4fb7-9a0c-ebb0f0fcb43c\} \ [attributes]$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{69d2cf90-fc33-4fb7-9a0c-ebb0f0fcb43c\}[foldertypeid]}$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{69d2cf90-fc33-4fb7-9a0c-ebb0f0fcb43c}\[initfolderhandler]$

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \folder descriptions \current \folder \$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \current$

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \folder \folder$

Oueries value:

 $\label{thm:local-soft-windows} In the label of the labe$

Queries value:

 $\label{thm:local-soft-windows} In the properties of the proof of the$

Queries value:

 $\label{thm:local-soft-windows} In the properties of the properti$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{374de290-123f-4565-9164-39c4925e467b} \cite{100} [infotip]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{374de290-123f-4565-9164-39c4925e467b} \ [localized name]$

Queries value:

 $\label{thm:local-soft-windows} In the local HKLM software $$ HKLM \cdot \end{area} on \explorer \folder descriptions \footnote{1.23f-4565-9164-39c4925e467b} [icon] $$$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{374de290-123f-4565-9164-39c4925e467b} [security]$

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cal{lem:hklm} and \cal{lem:hklm} are \cal{lem:hklm} and \cal{lem:hklm} are \cal{l$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cal{lem:hklm} and \cal{lem:hklm} are source type \cal{lem:hklm} and \cal{lem:hklm} are source type \cal{lem:hklm} are so \cal{lem:hklm} are some \cal{lem$

Queries value:

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{374de290-123f-4565-9164-39c4925e467b}[roamable]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{374de290-123f-4565-9164-39c4925e467b}[precreate]

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{374de290-123f-4565-9164-39c4925e467b} \[stream \]$

Queries value:

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{374de290-123f-4565-

9164-39c4925e467b}[attributes]

Queries value:

 $\label{thm:local-prop} HKLM \software \mbox{374 de 290-123f-4565-9164-39c4925e467b} [folder typeid]$

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{374 de 290-123 f-4565-9164-39 c492 5e 467 b\} [init folder handler]$

Queries value: $HKCU\software\microsoft\windows\currentversion\explorer\user shell folders[{374de290-123f-4565-9164-39c4925e467b}]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{859ead94-2e85-48ad-a71a-0969cb56a6cd}[category]

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{859ead94-2e85-48ad-a71a-0969cb56a6cd\} \ [name]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \folder \folder$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{859ead94-2e85-48ad-a71a-0969cb56a6cd\} \ [description]$

Queries value:

 $\label{thm:local-soft-windows} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \cur$

Queries value:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{859ead94-2e85-48ad-a71a-0969cb56a6cd\} \ [parsing name]$

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \folder descriptions \current \folder \$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{859 ead 94-2e85-48 ad a71a-0969 cb56a6 cd\} \ [localized name]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{859ead94-2e85-48ad-a71a-0969cb56a6cd\} \ [icon]$

Queries value:

 $\label{thm:local-soft-windows} In the local HKLM software $$ HKLM \cdot (859ead94-2e85-48ad-a71a-0969cb56a6cd) [security] $$$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder \fo$

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Queries value:

 $\label{thm:local_thm} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{859ead94-2e85-48ad-a71a-0969cb56a6cd}\[local\redirectonly]$$

Queries value:

 $\label{thm:local_explorer_folder_descriptions} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \fo$

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \folder descriptions \current \folder \$

Queries value:

 $\label{thm:local_ham} \begin{tabular}{ll} HKLM \end{tabular} Software \end{tabular} in the constraint of the constrain$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{859ead94-2e85-48ad-a71a-0969cb56a6cd\} [attributes]$

Queries value:

 $\label{thm:local-soft-windows} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \cur$

Oueries value:

 $\label{thm:local_explorer_folder_descriptions} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder \folder$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a305ce99-f527-492b-8b1a-7e76fa98d6e4\} \ [category]$

Queries value:

8b1a-7e76fa98d6e4}[name]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{a305ce99-f527-492b-8b1a-7e76fa98d6e4\} \ [parent folder]$

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{a305ce99-f527-492b-8b1a-7e76fa98d6e4\} [description]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a305ce99-f527-492b-8b1a-7e76fa98d6e4\} [relative path]$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a305ce99-f527-492b-8b1a-7e76fa98d6e4}[parsingname]

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{a305ce99-f527-492b-8b1a-7e76fa98d6e4\}[infotip]$

Queries value:

 $\label{localized-microsoft-windows-current-version-explorer-folder-descriptions \eqref{a305ce99-f527-492b-8b1a-7e76fa98d6e4} \end{assume} I ocalized name \end{assume}$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a305ce99-f527-492b-8b1a-7e76fa98d6e4}[icon]

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \ \{a305ce99-f527-492b-8b1a-7e76fa98d6e4\} [security]$

Oueries value:

Queries value:

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref a 305 ce 99-f527-492 b-8b1a-7e76 fa 98d 6e 4 \classes \c$

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{a305ce99-f527-492b-8b1a-7e76fa98d6e4\}[roamable]$

Queries value:

 $HKLM \ software \ microsoft \ vurrent version \ explorer \ folder descriptions \ \{a305ce99-f527-492b-8b1a-7e76fa98d6e4\} \ [precreate]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Oueries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a305ce99-f527-492b-8b1a-7e76fa98d6e4}[publishexpandedpath]$

Queries value:

Queries value:

 $\label{lem:hklm} \begin{tabular}{l} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a305ce99-f527-492b-8b1a-7e76fa98d6e4\}[foldertypeid] \end{tabular}$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a305ce99-f527-492b-8b1a-7e76fa98d6e4}[initfolderhandler]

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \calebox{3d644c9b-1fb8-4f30-9b45-f670235f79c0} \calebox{bklm} \calebo$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3d644c9b-1fb8-4f30-9b45-f670235f79c0\}[name]$

Queries value:

 $HKLM\software\mbox{$3d644c9b-1fb8-4f30-9b45-f670235f79c0} [parentfolder] \\$

Queries value:

Queries value:

 $\label{local-oper-problem} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3d644c9b-1fb8-4f30-9b45-f670235f79c0\}[relative path]$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3d644c9b-1fb8-4f30-9b45-f670235f79c0}[parsingname]

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3d644c9b-1fb8-4f30-9b45-f670235f79c0}[infotip]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3d644c9b-1fb8-4f30-9b45-f670235f79c0}[localizedname]

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3d644c9b-1fb8-4f30-9b45-f670235f79c0}[security]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3d644c9b-1fb8-4f30-9b45-f670235f79c0}[streamresource]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3d644c9b-1fb8-4f30-9b45-f670235f79c0}[streamresourcetype]

Oueries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3d644c9b-1fb8-4f30-9b45-f670235f79c0\}[localredirectonly]$

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ folder descriptions \ \ \{3d644c9b-1fb8-4f30-9b45-f670235f79c0\} \ [roamable]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \folder descriptions \folder \f$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{3d644c9b-1fb8-4f30-9b45-f670235f79c0\}[stream]$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3d644c9b-1fb8-4f30-9b45-f670235f79c0\}[publishexpandedpath]$

Oueries value

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folds \fold$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\mbox{3d644c9b-1fb8-4f30-9b45-f670235f79c0} [foldertypeid]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{3d644c9b-1fb8-4f30-9b45-f670235f79c0} \cite{2.000} \cite{2.0000} \cite{2.000} \cite{2.0000} \cite{2.0000$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a990ae9f-a03b-4e80-94bc-9912d7504104}[category]

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{a990ae9f-a03b-4e80-94bc-9912d7504104} \cite{Application} \cite{Application}$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a990ae9f-a03b-4e80-94bc-9912d7504104}[parentfolder]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a990ae9f-a03b-4e80-94bc-9912d7504104}[description]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a990ae9f-a03b-4e80-94bc-9912d7504104}[relativepath]

Oueries value:

 $\label{local-continuous} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{a990ae9f-a03b-4e80-94bc-9912d7504104} \cite{Appendix} \ci$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a990ae9f-a03b-4e80-94bc-9912d7504104}[infotip]

Queries value:

 $\label{localized microsoft} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a990ae9f-a03b-4e80-94bc-9912d7504104\}\[localized name]$$$

Oueries value:

 $HKLM\software\mbox{microsoft\windows\currentversion\explorer\folderdescriptions\{a990ae9f-a03b-4e80-94bc-9912d7504104\}[icon]}$

Queries value:

Oueries value:

 $\label{thm:local-continuous} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{a990ae9f-a03b-4e80-94bc-9912d7504104} [stream resource]$

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a990ae9f-a03b-4e80-94bc-9912d7504104}[streamresourcetype]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a990ae9f-a03b-4e80-94bc-9912d7504104}[localredirectonly]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a990ae9f-a03b-4e80-94bc-9912d7504104}[roamable]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a990ae9f-a03b-4e80-94bc-9912d7504104\} [precreate]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a990ae9f-a03b-4e80-94bc-9912d7504104\} \ [stream]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{a990ae9f-a03b-4e80-94bc-9912d7504104} \ [publish expanded path]$

Queries value:

 $\label{thm:local-prop} HKLM \software \mbox{a990ae9f-a03b-4e80-94bc-9912d7504104} [attributes]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a990ae9f-a03b-4e80-94bc-9912d7504104}[foldertypeid]

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a990ae9f-a03b-4e80-94bc-9912d7504104\}[initfolderhandler]}$

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{dfdf76a2-c82a-4d63-906a-5644ac457385\} \ [name]$

Oueries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{dfdf76a2-c82a-4d63-906a-5644ac457385\}\[parentfolder\]$

Queries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{dfdf76a2-c82a-4d63-906a-5644ac457385\} \ [description]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder descriptions \end{def} 3-644ac \folder descriptions \folder \folder$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{dfdf76a2-c82a-4d63-906a-5644ac457385}[parsingname]

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder\folder \folder \folder \folder \folder \folder \folder \folder \$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{dfdf76a2-c82a-4d63-906a-5644ac457385}[icon]

Queries value:

Queries value:

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{dfdf76a2-c82a-4d63-906a-5644ac457385}[streamresourcetype]

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{dfdf76a2-c82a-4d63-906a-5644ac457385}[roamable]

Queries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{dfdf76a2-c82a-4d63-906a-5644ac457385\} \ [precreate]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{dfdf76a2-c82a-4d63-

906a-5644ac457385}[stream]

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{dfdf76a2-c82a-4d63-906a-5644ac457385\} [attributes]$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{dfdf76a2-c82a-4d63-906a-5644ac457385}[foldertypeid]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{dfdf76a2-c82a-4d63-906a-5644ac457385}[initfolderhandler]

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \ \{1a6fdba2-f42d-4358-a798-b74d745926c5\} \ [category]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{1a6fdba2-f42d-4358-a798-b74d745926c5\} [name]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder \folde$

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \ \{1a6fdba2-f42d-4358-a798-b74d745926c5\} \ [description]$

Oueries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \ \ a798-b74d745926c5 \ [relative path]$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{1a6fdba2-f42d-4358-a798-b74d745926c5\} [parsing name]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \find the property \folder descriptions \find \$

Oueries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \ \{1a6fdba2-f42d-4358-a798-b74d745926c5\} \ [localized name]$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{1a6fdba2-f42d-4358-a798-b74d745926c5\}[icon]$

Queries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{1a6fdba2-f42d-4358-a798-b74d745926c5\} [security]$

Oueries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1a6fdba2-f42d-4358-a798-b74d745926c5\}\[streamresource]$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{1a6fdba2-f42d-4358-a798-b74d745926c5\}[stream resource type]$

Queries value

 $\label{lem:hklm} \begin{tabular}{l} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1a6fdba2-f42d-4358-a798-b74d745926c5\}[localredirectonly]\end{tabular}$

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{1a6fdba2-f42d-4358-a798-b74d745926c5\} [precreate]$

Queries value:

 $\label{thm:local_holds} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1a6fdba2-f42d-4358-a798-b74d745926c5\}[stream]}$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{1a6fdba2-f42d-4358-a798-b74d745926c5\} [publish expanded path]$

Queries value:

 $\label{thm:local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{1a6fdba2-f42d-4358-a798-b74d745926c5} [attributes]$

Queries value:

 $\label{thm:local_ham} \begin{tabular}{ll} HKLM\software\mbox{$1a6fdba2-f42d-4358-a798-b74d745926c5}[foldertypeid] \end{tabular}$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{1a6fdba2-f42d-4358-a798-b74d745926c5\} [initfolder handler]$

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a520a1a4-1780-4ff6-bd18-167343c5af16}[category]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a520a1a4-1780-4ff6-bd18-167343c5af16}[name]

Queries value:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{a520a1a4-1780-4ff6-bd18-167343c5af16\} \ [parent folder]$

Oueries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \{a520a1a4-1780-4ff6-bd18-167343c5af16\} \ [description]$

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ folder descriptions \ \ \{a520a1a4-1780-4ff6-bd18-167343c5af16\} \ [relative path]$

Oueries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \{a520a1a4-1780-4ff6-bd18-167343c5af16\} \ [parsing name]$

Queries value:

 $\label{thm:local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{a520a1a4-1780-4ff6-bd18-167343c5af16} [infotip]$

Queries value:

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{a520a1a4-1780-4ff6-bd18-167343c5af16\}[icon]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a520a1a4-1780-4ff6-bd18-167343c5af16}[security]

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \fast a 4-1780-4ff6-bd18-167343c5af16 \fast \fa$

Oueries value

 $\label{thm:local-continuous} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \fold$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a520a1a4-1780-4ff6-bd18-167343c5af16\} \ [local redirectonly]$

Oueries value:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{a520a1a4-1780-4ff6-bd18-167343c5af16\} \ [roamable]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a520a1a4-1780-4ff6-bd18-167343c5af16\} \ [precreate]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \fall a 4-1780-4ff \folder \folde$

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \fast a factor \cite{Additional continuous} \fast a factor \cite{$

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ \ folder descriptions \ \ \{a520a1a4-1780-4ff6-bd18-167343c5af16\} [attributes]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{a520a1a4-1780-4ff6-bd18-167343c5af16} \ [folder type id]$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{a520a1a4-1780-4ff6-bd18-167343c5af16\}[init folder handler]$

Queries value:

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b88f4daa-e7bd-49a9b74d-02885a5dc765}[name]

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{b88f4daa-e7bd-49a9-b74d-02885a5dc765\} \ [parent folder]$

Queries value:

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{b88f4daa-e7bd-49a9-b74d-02885a5dc765\} \ [relative path]$

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b88f4daa-e7bd-49a9-b74d-02885a5dc765}[parsingname]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b88f4daa-e7bd-49a9-b74d-02885a5dc765}[infotip]

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{b88f4daa-e7bd-49a9-b74d-02885a5dc765\} \ [localized name]$

Oueries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \ \ \ b74d-02885a5dc765 \ [icon]$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b88f4daa-e7bd-49a9-b74d-02885a5dc765}[security]

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folds \fold$

Queries value:

 $\label{lem:hklm} HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{b88f4daa-e7bd-49a9-b74d-02885a5dc765\} \ [stream resource type]$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b88f4daa-e7bd-49a9-b74d-02885a5dc765\}[localredirectonly]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b88f4daa-e7bd-49a9-b74d-02885a5dc765}[roamable]

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ \{b88f4daa-e7bd-49a9-b74d-02885a5dc765\} \cite{the continuous} \end{substitute}$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b88f4daa-e7bd-49a9-b74d-02885a5dc765}[stream]

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \ \ \ b88f4daa-e7bd-49a9-b74d-02885a5dc765 \ [publish expanded path]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ \{b88f4daa-e7bd-49a9-b74d-02885a5dc765\} [attributes]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ \ \{b88f4daa-e7bd-49a9-b74d-02885a5dc765\} \ [folder type id]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b88f4daa-e7bd-49a9-b74d-02885a5dc765}[initfolderhandler]

Queries value:

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \folder descriptions \current \folder \$

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current folder \folder \folder$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2c36c0aa-5812-4b87-bfd0-4cd0dfb19b39\}[description]}$

Queries value:

 $\label{lem:hamman} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2c36c0aa-5812-4b87-bfd0-4cd0dfb19b39\}[relativepath]}$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \ \{2c36c0aa-5812-4b87-bfd0-4cd0 \ dfb19b39\} \ [parsing name]$

Queries value:

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder \f$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \ \{2c36c0aa-5812-4b87-bfd0-4cd0dfb19b39\} [icon]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2c36c0aa-5812-4b87-

bfd0-4cd0dfb19b39}[security]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{2c36c0aa-5812-4b87-bfd0-4cd0dfb19b39\} [stream resource]$

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \ \{2c36c0aa-5812-4b87-bfd0-4cd0 dfb19b39\} [stream resource type]$

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current bfd0-4cd0 dfb19b39 \current version \explorer \folder descriptions \current \curr$

Oueries value

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \{2c36c0aa-5812-4b87-bfd0-4cd0dfb19b39\} \ [roamable]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{2c36c0aa-5812-4b87-bfd0-4cd0dfb19b39\} \ [precreate]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current bfd0-4cd0 dfb19b39 \current \folder \current \current$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2c36c0aa-5812-4b87-bfd0-4cd0dfb19b39\}[publishexpandedpath]}$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{2c36c0aa-5812-4b87-bfd0-4cd0dfb19b39\} [attributes]$

Queries value:

Queries value

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \{2c36c0aa-5812-4b87-bfd0-4cd0dfb19b39\} \ [init folder handler]$

Queries value:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{9e3995ab-1f9c-4f13-b827-48b24b6c7174\} \ [category]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{9e3995ab-1f9c-4f13-b827-48b24b6c7174\} \ [name]$

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \{9e3995ab-1f9c-4f13-b827-48b24b6c7174\} \ [parent folder]$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{9e3995ab-1f9c-4f13-b827-48b24b6c7174\}[description]}$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{9e3995ab-1f9c-4f13-b827-48b24b6c7174} \ [relative path]$

Queries value:

 $\label{lem:hklm} HKLM \ software \ ion \ explorer \ folder descriptions \ \{9e3995ab-1f9c-4f13-b827-48b24b6c7174\} \ [parsing name]$

Queries value:

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{9e3995ab-1f9c-4f13-b827-48b24b6c7174\} [localized name]$

Queries value:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{9e3995ab-1f9c-4f13-b827-48b24b6c7174\} [icon]$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{9e3995ab-1f9c-4f13-b827-48b24b6c7174\}[security]$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{9e3995ab-1f9c-4f13-b827-48b24b6c7174\} [stream resource]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{9e3995ab-1f9c-4f13-b827-48b24b6c7174}[streamresourcetype]

Oueries value

 $\label{thm:local_thm} \begin{tabular}{ll} HKLM\software\mbox{$^{9e3995ab-1f9c-4f13-b827-48b24b6c7174}[local redirectonly]} \end{tabular}$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{9e3995ab-1f9c-4f13-b827-48b24b6c7174\} \ [roamable]$

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{9e3995ab-1f9c-4f13-b827-48b24b6c7174}[precreate]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{9e3995ab-1f9c-4f13-b827-48b24b6c7174}[stream]

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{9e3995ab-1f9c-4f13-b827-48b24b6c7174\} \ [publish expanded path]$

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \{9e3995ab-1f9c-4f13-b827-48b24b6c7174\} [attributes]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{9e3995ab-1f9c-4f13-b827-48b24b6c7174\} \ [folder type id]$

Oueries value:

Queries value:

 $\label{thm:local-prop} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{df7266ac-9274-4867-8d55-3bd661de872d\}\[category\]$$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{df7266ac-9274-4867-8d55-3bd661de872d\}\ [parentfolder]$

Queries value:

 $\label{thm:local-prop} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{df7266ac-9274-4867-8d55-3bd661de872d\}\[description]$$

Queries value:

 $\label{thm:local-prop} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{df7266ac-9274-4867-8d55-3bd661de872d}\[relative\path]$$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{df7266ac-9274-4867-8d55-3bd661de872d}[parsingname]

Queries value:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{df7266ac-9274-4867-8d55-3bd661de872d\} [infotip]$

Oueries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \{df7266ac-9274-4867-8d55-3bd661de872d\} \ [localized name]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{df7266ac-9274-4867-8d55-3bd661de872d\} [icon]$

Queries value:

Queries value:

 $\label{thm:local-prop} HKLM \software \mbox{$df7266ac-9274-4867-8d5-3bd661de872d} [stream resource]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{df7266ac-9274-4867-8d55-3bd661de872d}[streamresourcetype]

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Queries value:

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{df7266ac-9274-4867-8d55-3bd661de872d}[precreate]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{df7266ac-9274-4867-8d55-3bd661de872d}[stream]

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{df7266ac-9274-4867-8d55-3bd661de872d\} \ [publish expanded path]$

Queries value:

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{df7266ac-9274-4867-8d55-3bd661de872d}[initfolderhandler]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{ed4824af-dce4-45a8-81e2-fc7965083634}[category]

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{ed 4824 af-dce 4-45a 8-81e2-fc 7965083634\} \ [name]$

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ folder descriptions \ \ \{ed 4824 af - dce 4-45 a8-81 e2-fc 7965 083 634\} \ [parent folder]$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{ed4824af-dce4-45a8-81e2-fc7965083634}[description]

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \equal 4824 af-dce 4-45a 8-162-fc 79650 83634 \current \current$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{ed4824af-dce4-45a8-81e2-fc7965083634}[parsingname]

Queries value:

 $HKLM \ software \ incressft \ varieties in \ varieties \ left \ deed \ 45a8-81e2-fc7965083634 \ [infotip]$

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \ \ \ \ 81e2-fc7965083634 \ [localized name]$

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \equal 45a8-81e2-fc7965083634 \current \curre$

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \equal 4824 af-dce 4-45a 8-81e 2-fc 79650 83634 \equal 536 folder \equal 64824 af-dce 4-45a 8-81e 2-fc 79650 83634 \equal 64824 \eq$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{ed4824af-dce4-45a8-81e2-fc7965083634}[streamresource]

Queries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{ed 4824 a f-dce 4-45a 8-81e2-fc 7965083634\} \ [stream resource type]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \end{4.00cm} \end{4.00cm} $$1e2-fc7965083634 \[local redirection \] $$1e2-fc7965083634 \current \end{4.00cm} $$1e2-fc79650836344 \current \end{4.00cm} $$1e2-fc796508444 \current \end{4.00cm} $$1e2-fc79608444 \current \end{4.00cm} $$1e2-fc7960844444 \current$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \end{4.24} af-dce 4-45a 8-81e 2-fc 79650 83634 \current \curren$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \equal 4824 af-dce 4-45a 8-162-fc 79650 83634 \current \current$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \equal 4824 af-dce 4-45a 8-162-fc 79650 83634 \equal 4364 \equal 4564 \e$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{ed4824af-dce4-45a8-81e2-fc7965083634}[publishexpandedpath]

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \equal 4824 af-dce 4-45a 8-162-fc 7965083634 \equal 4365 af-dce 4-45a 8-162-fc 79650834 \equ$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{ed4824af-dce4-45a8-81e2-fc7965083634\}[foldertypeid]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{ed4824af-dce4-45a8-81e2-fc7965083634}[initfolderhandler]

Queries value:

Oueries value:

Queries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27\} \ [parent folder]$

Queries value:

a4ce-a8e7c6ea7d27}[description]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27\} \ [relative path]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27\} \ [parsing name]$

Oueries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27\} \ [infotip]$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27}[localizedname]

Queries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27\} \ [icon]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27\} [security]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \deformance \folder descriptions \deformance \folder descriptions \deformance \folder \folder \deformance \folder \folde$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27\} \ [stream resource type]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27\} \ [local redirectonly]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27\} \ [roamable]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27\} \ [precreate]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27\} [stream]$

Queries value:

 $HKLM \ software \ microsoft \ vurrent version \ explorer \ folder descriptions \ \{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27\} \ [publish expanded path]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27\} [attributes]$

Queries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27\}\[foldertypeid]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27\} \ [initfolder handler]$

Oueries value

 $\label{lem:hklm} \begin{tabular}{l} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{15ca69b3-30ee-49c1-ace1-6b5ec372afb5\}[category] \end{tabular}$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{15 ca 69 b3 - 30 ee - 49 c1 - ace 1 - 6 b5 ec 372 af b5\} [name]$

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \{15ca69b3-30ee-49c1-ace1-6b5ec372afb5\} \ [parent folder]$

Queries value

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{15 ca 69 b 3 - 30 ee - 49 c 1 - a ce 1 - 6 b 5 e c 372 a f b 5\} \ [description]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{15ca69b3-30ee-49c1-ace1-6b5ec372afb5}[relativepath]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{15ca69b3-30ee-49c1-ace1-6b5ec372afb5}[parsingname]

Queries value

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{15ca69b3-30ee-49c1-ace1-6b5ec372afb5\} [infotip]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{15ca69b3-30ee-49c1-ace1-6b5ec372afb5\}[localized name]$

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{15 ca 69 b 3 - 30 ee - 49 c 1 - a ce 1 - 6 b 5 e c 372 a f b 5\} [icon]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{15ca69b3-30ee-49c1ace1-6b5ec372afb5}[security]

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{15ca69b3-30ee-49c1-ace1-6b5ec372afb5\}[stream resource]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{15 ca 69 b 3 - 30 e e - 49 c 1 - a c e 1 - 6 b 5 e c 372 a f b 5\} [stream resource type]$

Oueries value:

 $\label{thm:local-equation} HKLM \software \mbox{15ca69b3-30ee-49c1-ace1-6b5ec372afb5} [local redirection \slight]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{15 ca 69 b 3 - 30 ee - 49 c 1 - a ce 1 - 6 b 5 e c 372 a f b 5\} [roamable]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \folder descriptions \folder \f$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{15ca69b3-30ee-49c1ace1-6b5ec372afb5}[stream]

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \{15ca69b3-30ee-49c1-ace1-6b5ec372afb5\} \ [publish expanded path]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{15 ca 69 b 3 - 30 ee - 49 c 1 - a ce 1 - 6 b 5 e c 372 a f b 5 \} [attributes]$

Queries value:

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \{15ca69b3-30ee-49c1-ace1-6b5ec372afb5\} \ [init folder handler]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3214fab5-9757-4298-bb61-92a9deaa44ff}[category]

Oueries value:

 $HKLM \ software \ microsoft \ vindows \ verrent version \ explorer \ folder descriptions \ \{3214 fab 5-9757-4298-bb61-92a9 dea a 44 ff \} [name]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{3214 fab 5-9757-4298-bb61-92a9 deaa 44ff\} \ [parent folder]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cal{lem:hklm} $$144ab5-9757-4298-bb61-92a9 \data \cal{lem:hklm} $$444ab5-9757-4298-bb61-92a9 \data \cal{lem:hklm} $$444ab5-9757-4298-bb61-92a9$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \folder descriptions \current \folder \$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3214fab5-9757-4298-bb61-92a9deaa44ff}[parsingname]

Queries value:

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{3214 fab 5-9757-4298-bb61-92a 9 dea a 44 ff\} [localized name]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cal{lem:hklm} \footnote{1.929} \ descriptions \cal{lem:hklm} \ descriptions \cal{lem:$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Oueries value:

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3214fab5-9757-4298-bb61-92a9deaa44ff}[streamresourcetype]

Queries value:

 $HKLM \ software \ `microsoft\ `windows\ `current version' \ explorer \ folder descriptions \ \ \{3214 fab 5-9757-4298-bb61-92a 9 deaa 44 ff\} \ [local redirect only]$

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{3214 fab 5-9757-4298-bb61-92a9 deaa 44 ff\} [roamable]$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3214fab5-9757-4298-bb61-92a9deaa44ff}[precreate]

Oueries value:

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3214fab5-9757-4298-bb61-92a9deaa44ff}[publishexpandedpath]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3214fab5-9757-4298-bb61-92a9deaa44ff}[attributes]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3214fab5-9757-4298-bb61-92a9deaa44ff}[foldertypeid]

Queries value:

Queries value:

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{905e63b6-c1bf-494e-b29c-65b732d3d21a\} \ [name]$

Oueries value:

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{905e63b6-c1bf-494e-b29c-65b732d3d21a\} \ [description]$

Oueries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \{905e63b6-c1bf-494e-b29c-65b732d3d21a\} [relative path]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ \ \{905e63b6-c1bf-494e-b29c-65b732d3d21a\} \ [parsing name]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{905e63b6-c1bf-494e-b29c-65b732d3d21a} [infotip]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \mbox{$905e63b6-c1bf-494e-b29c-65b732d3d21a} [localized name]$

Queries value:

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ \ \{905e63b6-c1bf-494e-b29c-65b732d3d21a\} \ [security]$

Queries value:

 $HKLM \ software \ microsoft \ vurrent version \ explorer \ folder descriptions \ \{905e63b6-c1bf-494e-b29c-65b732d3d21a\} [stream resource]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ \ \{905e63b6-c1bf-494e-b29c-65b732d3d21a\} \ [stream resource type]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ \ \{905e63b6-c1bf-494e-b29c-65b732d3d21a\} \ [local redirectonly]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{905e63b6-c1bf-494eb29c-65b732d3d21a}[roamable]

Queries value:

 $\label{local-operator} HKLM \software \mbox{`microsoft\windows\currentversion\explorer\folderdescriptions\{}905e63b6-c1bf-494e-b29c-65b732d3d21a\}[precreate]$

Oueries value:

Queries value:

 $HKLM \setminus software \setminus microsoft \setminus windows \setminus explorer \setminus folder descriptions \setminus \{905e63b6-c1bf-494e-b29c-65b732d3d21a\} [publish expanded path]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{905e63b6-c1bf-494e-

b29c-65b732d3d21a}[attributes]

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{905e63b6-c1bf-494e-b29c-65b732d3d21a} \ [folder type id]$

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{905e63b6-c1bf-494e-b29c-65b732d3d21a\}[init folder handler]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{fd228cb7-ae11-4ae3-864c-16f3910ab8fe\} \ [category]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \fd228 cb7-ae11-4ae3-864c-16f3910ab8fe\cite{lem:hklm} [name]$

Queries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{fd228cb7-ae11-4ae3-864c-16f3910ab8fe}\[parentfolder]$

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \fd228 cb7-ae11-4ae3-864 c-16f3910 ab8fe \current terms \current \curren$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{fd228cb7-ae11-4ae3-864c-16f3910ab8fe}\[[relative path] \]$

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ \ fd228cb7-ae11-4ae3-864c-16f3910ab8fe \ [parsing name]$

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \fd228 cb7-ae11-4ae3-864c-16f3910 ab8fe \cite{lem:hklm} [infotip]$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{fd228cb7-ae11-4ae3-864c-16f3910ab8fe\}[localized name]$

Queries value:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{fd 228 cb7-ae 11-4ae 3-864 c-16f 3910 ab 8fe\}[icon]$

Oueries value:

 $\label{thm:local-prop} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{fd228cb7-ae11-4ae3-864c-16f3910ab8fe}\[[security] \]$

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ \ fd228cb7-ae11-4ae3-864c-16f3910ab8fe \ [stream resource]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{fd228cb7-ae11-4ae3-864c-16f3910ab8fe\} [stream resource type]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \fd228 cb7-ae11-4ae3-864 c-16f3910 ab8fe \current version \current version \explorer \folder descriptions \fd228 cb7-ae11-4ae3-864 c-16f3910 ab8fe \current version \current version \explorer \current version \c$

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ \ fd228cb7-ae11-4ae3-864c-16f3910ab8fe \ [roamable]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \fd228 cb7-ae11-4ae3-864c-16f3910 ab8fe \current \curr$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{fd 228 cb7-ae 11-4ae 3-864 c-16f 3910 ab 8fe \} [stream]$

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ \ fd228cb7-ae11-4ae3-864c-16f3910ab8fe \ [publish expanded path]$

Queries value:

 $HKLM\software\mbox{fd228cb7-ae11-4ae3-864c-16f3910ab8fe} [attributes] \\$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{fd228cb7-ae11-4ae3-864c-16f3910ab8fe}[foldertypeid]

Queries value:

Oueries value

 $\label{thm:local-continuous} HKLM \software \mbox{b97d20bb-f46a-4c97-ba10-5e3608430854} [category]$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{b97d20bb-f46a-4c97-ba10-5e3608430854\} [name]$

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ folder descriptions \ \ \{b97d20bb-f46a-4c97-ba10-5e3608430854\} \ [parent folder]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b97d20bb-f46a-4c97ba10-5e3608430854}[description]

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{b97d20bb-f46a-4c97-ba10-5e3608430854\} \ [relative path]$

Queries value:

Oueries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{b97d20bb-f46a-4c97-ba10-5e3608430854\} \ [infotip]$

Oueries value:

 $\label{localized} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folds \fol$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{b97d20bb-f46a-4c97-ba10-5e3608430854\} [icon]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folds \fold$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{b97d20bb-f46a-4c97-ba10-5e3608430854\} \ [stream resource]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ \{b97d20bb-f46a-4c97-ba10-5e3608430854\} \ [stream resource type]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folds \fold$

Oueries value

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{b97d20bb-f46a-4c97-ba10-5e3608430854\} \ [roamable]$

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \{b97d20bb-f46a-4c97-ba10-5e3608430854\} \ [precreate]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{b97d20bb-f46a-4c97-ba10-5e3608430854\} [stream]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{b97d20bb-f46a-4c97-ba10-5e3608430854\} \ [publish expanded path]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ \{b97d20bb-f46a-4c97-ba10-5e3608430854\} [attributes]$

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder$

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{625b53c3-ab48-4ec1-ba1f-a1ef4146fc19} \cite{Continuous} \cite{Con$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{625b53c3-ab48-4ec1-ba1f-a1ef4146fc19\} \ [name]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{625b53c3-ab48-4ec1-ba1f-a1ef4146fc19} \cite{Algorithm} \cite{Algori$

Queries value:

 $\label{thm:local-continuous} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{625b53c3-ab48-4ec1-ba1f-a1ef4146fc19} \cite{General description} \end{substitute}$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{625b53c3-ab48-4ec1-ba1f-a1ef4146fc19\} \ [relative path]$

Queries value:

 $\label{thm:local-prop} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{625b53c3-ab48-4ec1-ba1f-a1ef4146fc19\}[parsingname]}$

Oueries value:

 $HKLM \ software \ `microsoft\ `windows\ `current version' \ explorer \ folder descriptions \ \ \{625b53c3-ab48-4ec1-ba1f-a1ef4146fc19\} [infotip]$

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{625b53c3-ab48-4ec1-ba1f-a1ef4146fc19\} [localized name]$

Oueries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{625b53c3-ab48-4ec1-ba1f-a1ef4146fc19\}\[icon]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{625b53c3-ab48-4ec1-ba1f-a1ef4146fc19\} [security]$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{625b53c3-ab48-4ec1-ba1f-a1ef4146fc19\}[stream resource]$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{625b53c3-ab48-4ec1-ba1f-a1ef4146fc19}[streamresourcetype]

Oueries value

Queries value:

 $\label{thm:local-problem} HKLM \software \mbox{625b53c3-ab48-4ec1-ba1f-a1ef4146fc19} [roamable]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{625b53c3-ab48-4ec1-ba1f-a1ef4146fc19\} \ [precreate]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{625b53c3-ab48-4ec1-ba1f-a1ef4146fc19\} \ [stream]$

Oueries value:

 $HKLM \ software \ microsoft \ \ current version \ \ \ folder descriptions \ \ \{625b53c3-ab48-4ec1-ba1f-a1ef4146fc19\} \ [publish expanded path]$

Oueries value:

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{625b53c3-ab48-4ec1-ba1f-a1ef4146fc19}[foldertypeid]

Queries value:

 $\label{thm:local-prop} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{625b53c3-ab48-4ec1-ba1f-a1ef4146fc19}\[initfolderhandler]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{d20beec4-5ca8-4905-ae3b-bf251ea09b53} \cite{figure 1.000} \cite{figure 1.0000} \cite{figu$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{d20 beec 4-5 ca 8-490 5-a e 3 b-b f 251 e a 09 b 53\} \ [name]$

Queries value:

 $\label{local-operator} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \current \folder \$

Queries value:

Queries value:

 $\label{thm:local-problem} HKLM \software \mbox{$d20$ beec 4-5ca 8-4905-ae 3b-bf 251ea 09b 53} [relative path]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d20beec4-5ca8-4905-ae3b-bf251ea09b53\}[infotip]$

Queries value:

 $HKLM \ software \ microsoft \ vurrent version \ explorer \ folder descriptions \ \{d20 beec 4-5 ca 8-490 5-ae 3 b-bf 251 ea 09 b 53\} \ [localized name]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Queries value:

 $HKLM \ software \ `microsoft\ `windows\ `current version' \ explorer \ folder descriptions \ \ \{d20beec4-5ca8-4905-ae3b-bf251ea09b53\} \ [security]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{d20beec4-5ca8-4905-ae3b-bf251ea09b53\} \ [stream resource]$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d20beec4-5ca8-4905-

ae3b-bf251ea09b53}[streamresourcetype]

Queries value:

 $\label{thm:local-prop} HKLM \software \mbox{$d20$ beec 4-5 ca 8-4905-ae 3b-bf 251e a 09b 53} [local redirection] \\$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d20beec4-5ca8-4905-ae3b-bf251ea09b53}[roamable]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d20beec4-5ca8-4905-ae3b-bf251ea09b53}[precreate]

Oueries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \d20beec4-5ca8-4905-ae3b-bf251ea09b53 \footnote{1}{\current version \explorer \folder descriptions \d20beec4-5ca8-4905-ae3b-bf251ea09b53 \footnote{1}{\current version \explorer \folder descriptions \d20beec4-5ca8-4905-ae3b-bf251ea09b53 \footnote{1}{\current version \explorer \explorer \footnote{1}{\current version \explorer \explorer$

Queries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d20beec4-5ca8-4905-ae3b-bf251ea09b53\}[publishexpandedpath]$

Queries value:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{d20 beec 4-5 ca 8-490 5-ae 3 b-bf 251 ea 09 b 53\} [attributes]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \ \ d20 beec 4-5 ca 8-4905-ae3b-bf 251ea 09b 53 \ [init folder handler]$

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{de92c1c7-837f-4f69-a3bb-86e631204a23} \cite{lem:hklm} \cite{lem:hklm} \cite{lem:hklm} \scriptions \eqref{lem:hklm} \cite{lem:hklm} \cite{lem:hklm} \scriptions \eqref{lem:hklm} \cite{lem:hklm} \cite{lem:hklm} \scriptions \eqref{lem:hklm} \cite{lem:hklm} \cit$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{de92c1c7-837f-4f69-a3bb-86e631204a23\} \ [name]$

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \ \ a3bb-86e631204a23 \ [parent folder]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{de92c1c7-837f-4f69-a3bb-86e631204a23\} \ [description]$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ '\{de92c1c7-837f-4f69-a3bb-86e631204a23\} \ [relative path]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{de92c1c7-837f-4f69-a3bb-86e631204a23\} \ [parsing name]$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ '\{de92c1c7-837f-4f69-a3bb-86e631204a23\} \ [infotip]$

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \ \ \ a3bb-86e631204a23 \} \ [localized name]$

Queries value

 $\label{thm:local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{de92c1c7-837f-4f69-a3bb-86e631204a23} \eqref{eq:de92c1c7-837f-4f69-a3bb-86e631204a23} \eqref{eq:de92c1c7-83$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{de 92c1c7-837f-4f69-a3bb-86e631204a23\} \ [security]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{de92c1c7-837f-4f69-a3bb-86e631204a23\} \ [stream resource]$

Queries value

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{de92c1c7-837f-4f69-a3bb-86e631204a23\}[streamresourcetype]$

Queries value:

Queries value:

Queries value:

 $\label{lem:hklm} \begin{tabular}{l} HKLM\software\mbox{microsoft\windows\currentversion\explorer\folderdescriptions\eqdef} \end{tabular} $$\{de92c1c7-837f-4f69-a3bb-86e631204a23\}$ [precreate] $$$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \ \ \ a3bb-86e631204a23 \ [stream]$

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{de92c1c7-837f-4f69-a3bb-86e631204a23\} \ [publish expanded path]$

Queries value:

Oueries value:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{de92c1c7-837f-4f69-a3bb-86e631204a23\} \ [folder type id]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{de92c1c7-837f-4f69-a3bb-86e631204a23\} \ [initfolder handler]$

Oueries value:

Oueries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \{10c07cd0-ef91-4567-b850-448b77cb37f9\} \ [name]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder \folde$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cdot = 691-4567-b850-448b77cb37f9 \footnote{10c} \cdot = 691-4567-b850-448b77cb37f9 \footnote$

Oueries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{10c07cd0-ef91-4567-b850-448b77cb37f9\}[relativepath]}$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ \{10c07cd0-ef91-4567-b850-448b77cb37f9\} \ [parsing name]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{10c07cd0-ef91-4567-b850-448b77cb37f9} [infotip]$

Oueries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \{10c07cd0-ef91-4567-b850-448b77cb37f9\} \ [localized name]$

Queries value:

Queries value:

 $\label{thm:local-constraint} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{10c07cd0-ef91-4567-b850-448b77cb37f9} [security]$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{10c07cd0-ef91-4567-b850-448b77cb37f9\} [stream resource]$

Queries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{10c07cd0-ef91-4567-b850-448b77cb37f9\} [stream resource type]$

Oueries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{10c07cd0-ef91-4567-b850-448b77cb37f9} \cite{10c07cd0-ef91-4567-b850-448b77cb37f9} \cite{10c07cd0-ef91-4567-b850-448b7cb37f9} \cie{10c07cd0-ef91-4567-b850-448b7cb37f9} \cite{10c07cd0-ef91-4567-b$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{10c07cd0-ef91-4567-b850-448b77cb37f9} [precreate]$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \ \{10c07cd0-ef91-4567-b850-448b77cb37f9\} [stream]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explored based on the second state of the second seco$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{10c07cd0-ef91-4567-b850-448b77cb37f9}[attributes]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{10c07cd0-ef91-4567-b850-448b77cb37f9\} \ [folder type id]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cdot - ef91-4567-b850-448b77cb37f9 \cdot \folder \cdot handler\cdot \folder \cdot \folder \cdot$

Oueries value:

 $\label{thm:local-continuous} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \fdd 39 ad 0-238 f-46 af-ad b4-6 c85 480 369 c7 \colored \co$

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{fdd39ad0-238f-46af-adb4-6c85480369c7\} \ [name]$

Queries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{fdd39ad0-238f-46af-adb4-6c85480369c7\}\[parentfolder]$

Oueries value:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{fdd39ad0-238f-46af-adb4-6c85480369c7\} \ [description]$

Queries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{fdd39ad0-238f-46af-adb4-6c85480369c7\}[relative path]$

Oueries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \{fdd39ad0-238f-46af-adb4-6c85480369c7\} \ [parsing name]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \fdd 39 ad 0-238 f-46 af ad b4-6 c85480369 c7 \cite{linfotip}$

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \{fdd39ad0-238f-46af-adb4-6c85480369c7\} \ [localized name]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \fdd 39 ad 0-238 f-46 af ad b4-6 c85480369 c7 \ficon \]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \fdd 39 ad 0-238f-46 af ad b4-6c85480369 c7 \cite{Monthson} \cite{Months$

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \fdd 39 ad 0-238f-46 af ad b4-6c85480369 c7 \fixed b4-6c85480369 c7 \fix$

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \ \ fdd 39 ad 0-238 f-46 af-ad b 4-6 c 85 48 0 36 9 c 7 \ \ [stream resource type]$

Queries value:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{fdd39ad0-238f-46af-adb4-6c85480369c7\} \ [local redirectonly]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \fdd 39 ad 0-238 f-46 af ad b4-6 c85480369 c7 \cite{lem:hklm} \cite{lem:$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \fdd 39 ad 0-238 f-46 af-ad b4-6 c85480369 c7 \cite{lem:hklm} [precreate]$

Queries value:

 $\label{thm:local-condition} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \fdd 39 ad 0-238 f-46 af-ad b4-6 c85 480 369 c7 \end{tabel{local-condition} [stream]}$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \fdd 39 ad 0-238 f-46 af ad b4-6 c85480369 c7 \cite{lem:hklm} [publish expanded path]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \fdd 39 ad 0-238 f-46 af ad b4-6 c85480369 c7 \[attributes]$

Oueries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ folder descriptions \ \ \{fdd39ad0-238f-46af-adb4-6c85480369c7\}[folder typeid]$

Queries value:

 $\label{lem:hklm} \begin{tabular}{ll} HKLM\software\mbox{microsoft\windows\currentversion\explorer\folderdescriptions\fdd39ad0-238f-46af-adb4-6c85480369c7}[initfolderhandler] \end{tabular}$

Queries value: folders[personal]

HKCU\software\microsoft\windows\currentversion\explorer\user shell

Queries value:

 $\label{local-continuous} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\currentversion\explorer\folderdescriptions\currentversion\currentversion\explorer\folderdescriptions\currentversion\currentversion\explorer\currentversion\currentversion\explorer\currentversion\explorer\currentversion\explorer\currentversion\explorer\currentversion\explorer\currentversion\explorer\currentversion\explorer\currentversion\explorer\currentversion\explorer\currentversion\explorer\currentversion\explorer\explorer\currentversion\explorer\exp$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c1bae2d0-10df-4334bedd-7aa20b227a9d}[name]

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \ \ \ \ \ bedd-7aa 20b 227a 9d \ [parent folder]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cal{lem:hklm} a 20b227a9d \cal{lem:hklm} [description]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c1bae2d0-10df-4334bedd-7aa20b227a9d}[parsingname]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c1bae2d0-10df-4334-bedd-7aa20b227a9d}[infotip]

Oueries value:

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cal{lem:hklm} a 20b227a9d \cal{lem:hklm} [icon]$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c1bae2d0-10df-4334-bedd-7aa20b227a9d}[security]

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cal{lem:hklm} a 20b227a9d \footnote{Microsoft \cal{lem:hklm} a 20b227a9d} \cal{lem:hklm} [stream \cal{lem:hklm} a 20b227a9d \cal{lem:hklm} a 20b227a9d \cal{lem:hklm} \cal{lem:hklm} a 20b227a9d \cal{lem:hklm} a 20b22$

Queries value:

 $\label{thm:local-prop} HKLM \software \mbox{$c1$ bae2d0-10df-4334-bedd-7aa20b227a9d} [stream resource type]$

Oueries value:

 $HKLM \ software \ icrosoft \ vindows \ current version \ explorer \ folder descriptions \ \{c1bae2d0-10df-4334-bedd-7aa20b227a9d\} \ [local redirectonly]$

Queries value:

 $HKLM \ software \ icrosoft \ vindows \ current version \ explorer \ folder descriptions \ \{c1bae2d0-10df-4334-bedd-7aa20b227a9d\} \ [roamable]$

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cal{lem:hklm} a 20b227a9d \cal{lem:hklm} [precreate]$

Oueries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \ \ \ \ \ bedd-7aa 20b 227a 9d \ \ [stream]$

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cal{lem:hklm} a 20b227a9d \cal{lem:hklm} [publish \explorer]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cal{lem:hklm} a 20b227a9d \end{lem:hklm} a 20b227a9d$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \c1bae2d0-10df-4334-bedd-7aa20b227a9d \folder typeid\]$

Queries value:

 $\label{lem:ham} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cal{lem:ham} a 20b227a9d \cal{lem:ham} [init folder \chandler]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{190337d1-b8ca-4121-a639-6d472d16972a\} \ [category]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{190337d1-b8ca-4121-a639-6d472d16972a\} \ [name]$

Oueries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ folder descriptions \ \ \{190337d1-b8ca-4121-a639-6d472d16972a\} \ [parent folder]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{190337d1-b8ca-4121-a639-6d472d16972a\} \ [description]$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{190337d1-b8ca-4121-a639-6d472d16972a\}[relativepath]$

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ folder descriptions \ \ \{190337d1-b8ca-4121-a639-6d472d16972a\} \ [parsing name]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{190337d1-b8ca-4121-a639-6d472d16972a} \ [localized name]$

Queries value:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{190337d1-b8ca-4121-a639-6d472d16972a\} [icon]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{190337d1-b8ca-4121-

a639-6d472d16972a}[security]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{190337d1-b8ca-4121-a639-6d472d16972a\} \ [stream resource]$

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{190337d1-b8ca-4121-a639-6d472d16972a\} [stream resource type]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{190337d1-b8ca-4121-a639-6d472d16972a\} \ [local redirect only]$

Oueries value

 $\label{thm:local-ham} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \equiv 190337 d1-b8 ca-4121-a639-6d472 d16972 a \equiv 190337 d1-b8 ca-4121-a639-6d472 a \equiv 190337 a \equiv 19033$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{190337d1-b8ca-4121-a639-6d472d16972a}[precreate]

Queries value:

 $HKLM \ software \ microsoft \ vurrent version \ explorer \ folder descriptions \ \{190337d1-b8ca-4121-a639-6d472d16972a\} [stream]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{190337d1-b8ca-4121-a639-6d472d16972a\} \ [attributes]$

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ folder descriptions \ \ \{190337d1-b8ca-4121-a639-6d472d16972a\} \ [folder type id]$

Queries value

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \{190337d1-b8ca-4121-a639-6d472d16972a\} [init folder handler]$

Queries value:

 $HKLM \ software \ microsoft \ vurrent version \ explorer \ folder descriptions \ \{54eed 2e0-e7ca-4fdb-9148-0f4247291cfa\} \ [category]$

Oueries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \ \{54eed 2e0-e7ca-4fdb-9148-0f4247291cfa\} \ [name]$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{54eed 2e0-e7ca-4fdb-9148-0f4247291cfa\} [parent folder]$

Queries value:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{54eed 2e0-e7ca-4fdb-9148-0f4247291cfa\} \ [description]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{54eed2e0-e7ca-4fdb-9148-0f4247291cfa}[relativepath]

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \{54eed 2e0-e7ca-4fdb-9148-0f4247291cfa\} \ [parsing name]$

Queries value:

 $\label{thm:hammon} HKLM \spinorer \folder descriptions \folder \f$

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{54eed2e0-e7ca-4fdb-9148-0f4247291cfa}[icon]

Queries value:

 $\label{thm:local-continuous} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \fol$

Oueries value:

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{54eed2e0-e7ca-4fdb-9148-0f4247291cfa}[streamresourcetype]

Oueries value

 $\label{thm:local_thm} \begin{tabular}{ll} HKLM\software\mbox{54eed}$2e0-e7ca-4fdb-9148-0f4247291cfa}[local redirectonly] \end{tabular}$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{54eed 2e0-e7ca-4fdb-9148-0f4247291cfa\} \ [roamable]$

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{54eed2e0-e7ca-4fdb-9148-0f4247291cfa}[precreate]

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ folder descriptions \ \ \{54eed 2e0-e7ca-4fdb-9148-0f4247291cfa\} [stream]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{54eed 2e0-e7ca-4fdb-9148-0f4247291cfa\} \ [publish expanded path]$

Oueries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ folder descriptions \ \ \{54eed 2e0-e7ca-4fdb-9148-0f4247291cfa\} [attributes]$

Oueries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{54eed2e0-e7ca-4fdb-9148-0f4247291cfa\}[foldertypeid]}$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{54eed2e0-e7ca-4fdb-9148-0f4247291cfa}[initfolderhandler]

Queries value:

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \{bfb9d5e0-c6a9-404c-b2b2-ae6db6af4968\} \ [name]$

Oueries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{bfb9d5e0-c6a9-404c-b2b2-ae6db6af4968\}[parentfolder]}$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \descriptions \folder \description \folder \fol$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{bfb9d5e0-c6a9-404c-b2b2-ae6db6af4968\}[relativepath]}$

Oueries value

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{bfb9d5e0-c6a9-404c-b2b2-ae6db6af4968\} \ [parsing name]$

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \{bfb9d5e0-c6a9-404c-b2b2-ae6db6af4968\} [infotip]$

Oueries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \{bfb9d5e0-c6a9-404c-b2b2-ae6db6af4968\} \ [localized name]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{bfb9d5e0-c6a9-404c-b2b2-ae6db6af4968\} [icon]$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{bfb9d5e0-c6a9-404c-b2b2-ae6db6af4968\}[security]$

Oueries value:

 $HKLM\software\mbox{bfb9d5e0-c6a9-404c-b2b2-ae6db6af4968} [streamresource] \\$

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \{bfb9d5e0-c6a9-404c-b2b2-ae6db6af4968\} \ [stream resource type]$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{bfb9d5e0-c6a9-404c-b2b2-ae6db6af4968\}[localredirectonly]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{bfb9d5e0-c6a9-404c-b2b2-ae6db6af4968\} \ [roamable]$

Queries value:

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder$

Oueries value:

Queries value:

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{bfb9d5e0-c6a9-404c-b2b2-ae6db6af4968\} \ [folder type id]$

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ folder descriptions \ \ \{bfb9d5e0-c6a9-404c-b2b2-ae6db6af4968\} [initfolder handler]$

Queries value: $HKCU\software\microsoft\windows\currentversion\explorer\user shell folders[{bfb9d5e0-c6a9-404c-b2b2-ae6db6af4968}]$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{5cd7aee2-2219-4a67-b85d-6c9ce15660cb\} \ [category]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{5cd7aee2-2219-4a67-b85d-6c9ce15660cb\} [name]$

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder 2219-4a67-b85d-6c9ce15660cb \cite{lem:hklm} [parent folder]$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5cd7aee2-2219-4a67-b85d-6c9ce15660cb}[description]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{5cd7aee2-2219-4a67-b85d-6c9ce15660cb\} [relative path]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5cd7aee2-2219-4a67b85d-6c9ce15660cb}[parsingname]

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5cd7aee2-2219-4a67-b85d-6c9ce15660cb\}[infotip]}$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \cdots \folder \$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \current \folder \f$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{5cd7aee2-2219-4a67-b85d-6c9ce15660cb\} [security]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{5cd7aee2-2219-4a67-b85d-6c9ce15660cb\} [stream resource]$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5cd7aee2-2219-4a67-b85d-6c9ce15660cb}[streamresourcetype]

Queries value:

 $HKLM \ software \ microsoft \ vurrent version \ explorer \ folder descriptions \ \{5cd7aee2-2219-4a67-b85d-6c9ce15660cb\} \ [local redirect only]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cd7aee2-2219-4a67-b85d-6c9ce15660cb \cd7aee2-2219-4a67-b85d-6c9ce1560cb \cd7aee2$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5cd7aee2-2219-4a67b85d-6c9ce15660cb}[precreate]

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \current \folder \folder \current \folder \$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{5cd7aee2-2219-4a67-b85d-6c9ce15660cb\}[attributes]$

Queries value:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{5cd7aee2-2219-4a67-b85d-6c9ce15660cb\} \ [folder type id]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5cd7aee2-2219-4a67-b85d-6c9ce15660cb}[initfolderhandler]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b94237e7-57ac-4347-9151-b08c6c32d1f7}[category]

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \gamma \folder \folder \gamma \ga$

Oueries value:

 $HKLM \ software \ `microsoft\ `windows \ `current version' explorer \ folder descriptions \ \ \{b94237e7-57ac-4347-9151-b08c6c32d1f7\} \ [parent folder]$

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b94237e7-57ac-4347-9151-b08c6c32d1f7}[description]

Oueries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b94237e7-57ac-4347-9151-b08c6c32d1f7\}[relativepath]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{b94237e7-57ac-4347-9151-b08c6c32d1f7\} \ [parsing name]$

Queries value:

Oueries value:

Queries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{b94237e7-57ac-4347-9151-b08c6c32d1f7\} [icon]$

Queries value:

Queries value:

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b94237e7-57ac-4347-9151-b08c6c32d1f7}[streamresourcetype]

Oueries value:

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b94237e7-57ac-4347-9151-b08c6c32d1f7}[roamable]

Oueries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b94237e7-57ac-4347-9151-b08c6c32d1f7\}[precreate]$

Queries value:

 $\label{lem:hamman} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folde$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ \ \{b94237e7-57ac-4347-9151-b08c6c32d1f7\} \ [publish expanded path]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \gamma \fill \fill \gamma \gamma$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ \{b94237e7-57ac-4347-9151-b08c6c32d1f7\} \ [folder type id]$

Queries value:

Queries value:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{352481e8-33be-4251-ba85-6007 caed \ folder \$

Queries value:

 $\label{thm:local-condition} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \folder descriptions \current \folder \folde$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{352481e8-33be-4251-ba85-6007caedcf9d\}[parentfolder]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cal{lem:hklm} $$ 185-6007 \caed \cf9d \cdot \cdot \cdot \cf{lem:hklm} $$ 185-6007 \caed \cf9d \cdot \$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cal{lem:hklm} \cal{lem:hklm} \folder descriptions \cal{lem:hklm} \cal{lem:$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{352481e8-33be-4251-ba85-6007caedcf9d}[parsingname]

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{352481e8-33be-4251-ba85-6007 caed \ folder \ fol$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{352481e8-33be-4251-

ba85-6007caedcf9d}[localizedname]

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \equal 352481e8-33be-4251-ba85-6007 \caedcf9d \cite{lem:hklm} [icon]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{352481e8-33be-4251-ba85-6007 caed \ folder \$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{352481e8-33be-4251-ba85-6007 caed \ folder \$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{352481e8-33be-4251-ba85-6007caedcf9d}[streamresourcetype]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{352481e8-33be-4251-ba85-6007caedcf9d}[localredirectonly]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{352481e8-33be-4251-ba85-6007caedcf9d}[roamable]

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cal{lem:hklm} as 5-6007 \caed \cal{lem:hklm} [precreate]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \folder descriptions \current \folder \$

Oueries value:

Queries value:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{352481e8-33be-4251-ba85-6007 caed \ folder \$

Queries value:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{352481e8-33be-4251-ba85-6007 caed \ folder type id]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{352481e8-33be-4251-ba85-6007 caed \ folder \ handler]$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{a63293e8-664e-48db-a079-df759e0509f7\} \ [category]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{a63293e8-664e-48db-a079-df759e0509f7\} \ [name]$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{a63293e8-664e-48db-a079-df759e0509f7\} \ [parent folder]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a63293e8-664e-48db-a079-df759e0509f7\} \ [description]$

Queries value:

 $\label{lem:hklm} \begin{tabular}{ll} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a63293e8-664e-48db-a079-df759e0509f7\}[relativepath] \end{tabular}$

Oueries value:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{a63293e8-664e-48db-a079-df759e0509f7\} \ [parsing name]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a63293e8-664e-48db-a079-df759e0509f7\} [infotip]$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a63293e8-664e-48db-a079-df759e0509f7\}[localized name]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \earlies \folder descriptions \earlies \folder descriptions \earlies \folder descriptions \earlies \folder \fold$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{a63293e8-664e-48db-a079-df759e0509f7} \cite{A63293e8-664e-48db-a079-df759e0509f7} \cite{A$

Queries value:

 $\label{thm:local_transform} \begin{tabular}{ll} HKLM \end{tabular} software \end{tabular} in the constraint of the con$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{a63293e8-664e-48db-a079-df759e0509f7\} \ [stream resource type]$

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a63293e8-664e-48db-a079-df759e0509f7\} \ [local redirectonly]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a63293e8-664e-48db-a079-df759e0509f7\} \ [roamable]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{a63293e8-664e-48db-a079-df759e0509f7\} \ [precreate]$

Oueries value:

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \earlies \folder descriptions \folder \f$

Oueries value:

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \factors \fact$

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \ \ a 63293e8-664e-48db-a079-df759e0509f7 \ [init folder handler]$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5ce4a5e9-e4eb-479d-b89f-130c02886155\}\ [category]$

Queries value:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{5ce 4a 5e9 - e 4eb - 479d - b 89f - 130c0 2886 155\} \ [name]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder$

Oueries value:

 $\label{lem:hklmsoftware} HKLM software \mbox{$5ce4a5e9-e4eb-479d-b89f-130c02886155} [description]$

Queries value:

Queries value:

 $\label{lem:hklm} HKLM \ software \ `microsoft\ `windows\ `current version\ `explorer\ `folder descriptions\ `\{5ce4a5e9-e4eb-479d-b89f-130c02886155\}\ [parsing name]$

Queries value:

 $\label{thm:local-based-equal-based-equal} HKLM \software \mbox{$5ce4a5e9-e4eb-479d-b89f-130c02886155} [infotip]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cdot \{5ce 4a 5e9 - e4eb - 479d - b89f - 130c0 2886 155\} \cdot \cd$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5ce4a5e9-e4eb-479d-b89f-130c02886155}[icon]

Queries value:

Queries value:

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{5ce4a5e9-e4eb-479d-b89f-130c02886155\} [stream resource type]$

Queries value:

 $\label{localization} HKLM \software \mbox{\scalebase} -e4eb-479d-b89f-130c02886155 \calebase \mbox{\scalebase} -e4eb-479d-b89f-130c02886155 \calebase \cal$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5ce4a5e9-e4eb-479db89f-130c02886155}[roamable]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{5ce 4a 5e 9-e 4eb-479d-b89f-130c02886155\} [precreate]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder$

Oueries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5ce4a5e9-e4eb-479d-b89f-130c02886155\}[publishexpandedpath]$

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{5ce 4a 5e9 - e 4eb - 479d - b 89f - 130c0 2886155\} [attributes]$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5ce4a5e9-e4eb-479d-b89f-130c02886155}[foldertypeid]

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{5ce4a5e9-e4eb-479d-b89f-130c02886155\} [init folder handler]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{82a74aeb-aeb4-465c-a014-d097ee346d63\} \ [category]$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{82a74aeb-aeb4-465c-a014-d097ee346d63}[name]

Queries value:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{82a74aeb-aeb4-465c-a014-d097ee346d63\} \ [parent folder]$

Queries value:

 $\label{thm:local-condition} HKLM \software \mbox{$82a74aeb-aeb4-465c-a014-d097ee346d63} [description]$

Queries value:

 $\label{thm:local-condition} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder \folder$

Queries value:

 $\label{thm:local-condition} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \curren$

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \current$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{82a74aeb-aeb4-465c-a014-d097ee346d63\} \ [localized name]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{82a74aeb-aeb4-465c-a014-d097ee346d63\} \ [icon]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \current$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{82a74aeb-aeb4-465c-a014-d097ee346d63}[streamresource]

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{82a74aeb-aeb4-465c-a014-d097ee346d63\} \ [stream resource type]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \current$

Queries value:

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{82a74aeb-aeb4-465c-a014-d097ee346d63\} \ [precreate]$

Queries value:

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{82a74aeb-aeb4-465c-a014-d097ee346d63\}[publishexpandedpath]$

Queries value:

 $\label{thm:local-condition} HKLM \software \mbox{$82a74aeb-aeb4-465c-a014-d097ee346d63} [attributes]$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{82a74aeb-aeb4-465c-a014-d097ee346d63\}[foldertypeid]}$

Oueries value:

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{7c5a40ef-a0fb-4bfc-874a-c0f2e0b9fa8e\} \ [category]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{7c5a40ef-a0fb-4bfc-a0f$

874a-c0f2e0b9fa8e}[name]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7c5a40ef-a0fb-4bfc-874a-c0f2e0b9fa8e}[parentfolder]

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{7c5a40ef-a0fb-4bfc-874a-c0f2e0b9fa8e\} [description]$

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{7c5a40ef-a0fb-4bfc-874a-c0f2e0b9fa8e\}[relative path]$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7c5a40ef-a0fb-4bfc-874a-c0f2e0b9fa8e}[parsingname]

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{7c5a40ef-a0fb-4bfc-874a-c0f2e0b9fa8e\}[infotip]$

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ \ folder descriptions \ \ \{7c5a40ef-a0fb-4bfc-874a-c0f2e0b9fa8e\} [localized name]$

Queries value:

Queries value:

 $HKLM \ software \ microsoft \ vurrent version \ explorer \ folder descriptions \ \{7c5a40ef-a0fb-4bfc-874a-c0f2e0b9fa8e\} [security]$

Queries value:

 $\label{thm:local-prop} HKLM \software \mbox{$7c5a40ef-a0fb-4bfc-874a-c0f2e0b9fa8e} [stream resource]$

Queries value

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{7c5a40ef-a0fb-4bfc-874a-c0f2e0b9fa8e\} [stream resource type]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{7c5a40ef-a0fb-4bfc-874a-c0f2e0b9fa8e} \[\cline{10c3} \cline{10c3$

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{7c5a40ef-a0fb-4bfc-874a-c0f2e0b9fa8e\}[roamable]$

Queries value:

 $HKLM \ software \ microsoft \ vurrent version \ explorer \ folder descriptions \ \{7c5a40ef-a0fb-4bfc-874a-c0f2e0b9fa8e\} [precreate]$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7c5a40ef-a0fb-4bfc-874a-c0f2e0b9fa8e\}[stream]$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7c5a40ef-a0fb-4bfc-874a-c0f2e0b9fa8e}[publishexpandedpath]

Queries value:

Queries value:

 $\label{thm:local-continuous} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \fol$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{7c5a40ef-a0fb-4bfc-874a-c0f2e0b9fa8e\} [initfolder handler]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{43668bf8-c14e-49b2-97c9-747784d784b7}[category]

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{43668bf8-c14e-49b2-97c9-747784d784b7\}[name]}$

Queries value:

 $\label{local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder \fol$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \current$

Queries value:

 $\label{local-oper-lo$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{43668bf8-c14e-49b2-97c9-747784d784b7}[parsingname]

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{43668bf8-c14e-49b2-97c9-747784d784b7}[infotip]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{43668bf8-c14e-49b2-97c9-747784d784b7}[localizedname]

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Oueries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{43668bf8-c14e-49b2-97c9-747784d784b7\}\[security]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ \{43668bf8-c14e-49b2-97c9-747784d784b7\} \ [stream resource]$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{43668bf8-c14e-49b2-97c9-747784d784b7}[streamresourcetype]

Oueries value:

 $HKLM\software\mbox{$43668bf8-c14e-49b2-97c9-747784d784b7} [local redirectonly]$

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \{43668bf8-c14e-49b2-97c9-747784d784b7\} \ [roamable]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{43668bf8-c14e-49b2-97c9-747784d784b7\}[stream]$

Queries value:

 $\label{thm:local-prop} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{43668bf8-c14e-49b2-97c9-747784d784b7\}[publishexpandedpath]}$

Oueries value

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ \{43668bf8-c14e-49b2-97c9-747784d784b7\} [attributes]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{43668bf8-c14e-49b2-97c9-747784d784b7\} \ [folder type id]$

Oueries value:

 $HKLM \ software \ `microsoft \ `vindows \ `current version \ `explorer \ folder descriptions \ '{43668bf8-c14e-49b2-97c9-747784d784b7} [init folder handler]$

Queries value:

 $HKLM \ software \ microsoft \ vurrent version \ explorer \ folder descriptions \ \{915221fb-9efe-4bda-8fd7-f78dca774f87\} \ [category]$

Queries value:

 $\label{thm:local-prop} HKLM \software \mbox{$915221fb-9efe-4bda-8fd7-f78dca774f87} [name]$

Oueries value:

Queries value:

 $\label{thm:hammon} HKLM \split windows \current version \explorer \folder descriptions \eqref{9.15221fb-9efe-4bda-8fd7-f78dca774f87} [description]$

Queries value:

Queries value:

 $HKLM \ software \ `microsoft\ `windows \ `current version' explorer \ folder descriptions \ \ \{915221fb-9efe-4bda-8fd7-f78dca774f87\} \ [parsing name]$

Queries value:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{915221fb-9efe-4bda-8fd7-f78dca774f87\} [infotip]$

Queries value:

Oueries value:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{915221fb-9efe-4bda-8fd7-f78dca774f87\} [icon]$

Queries value:

 $\label{thm:local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{9.1522.1fb-9efe-4bda-8fd7-f78dca774f87} [security]$

Oueries value:

 $\label{thm:local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \fo$

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{915221fb-9efe-4bda-8fd7-f78dca774f87}[streamresourcetype]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{915221fb-9efe-4bda-8fd7-f78dca774f87}[localredirectonly]

Oueries value:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{915221fb-9efe-4bda-8fd7-f78dca774f87\} \ [roamable]$

Queries value:

 $HKLM \ software \ microsoft \ vurrent version \ explorer \ folder descriptions \ \{915221fb-9efe-4bda-8fd7-f78dca774f87\} \ [precreate]$

Oueries value:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{915221fb-9efe-4bda-8fd7-f78dca774f87\} \ [stream]$

Queries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{915221fb-9efe-4bda-8fd7-f78dca774f87\} \ [publish expanded path]$

Queries value:

 $\label{thm:local-prop} HKLM \software \mbox{$015221fb-9efe-4bda-8fd7-f78dca774f87} [attributes]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{915221fb-9efe-4bda-8fd7-f78dca774f87\} \ [folder type id]$

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \{915221fb-9efe-4bda-8fd7-f78dca774f87\} \ [init folder handler]$

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current b5b4-2d72e54eaaa4 \current \current$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{4c5c32ff-bb9d-43b0-b5b4-2d72e54eaaa4\} \ [name]$

Oueries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \{4c5c32ff-bb9d-43b0-b5b4-2d72e54eaaa4\} \ [parent folder]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current b5b4-2d72e54eaaa4 \footnote{thm:hklm.pdf} \current \cu$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current bb4-2d72e54eaaa4 \current \$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder \f$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \folder descriptions \folder \fol$

Queries value:

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ 'folder descriptions \ '\{4c5c32ff-bb9d-43b0-b5b4-2d72e54eaaa4\} [stream resource]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4c5c32ff-bb9d-43b0b5b4-2d72e54eaaa4}[localredirectonly]

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{4c5c32ff-bb9d-43b0-b5b4-2d72e54eaaa4\} [precreate]$

Oueries value:

```
b5b4-2d72e54eaaa4}[stream]
 Queries value:
HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4c5c32ff-bb9d-43b0-
b5b4-2d72e54eaaa4}[publishexpandedpath]
 Oueries value:
b5b4-2d72e54eaaa4}[attributes]
 Oueries value:
b5b4-2d72e54eaaa4}[foldertypeid]
 Oueries value:
HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4c5c32ff-bb9d-43b0-
b5b4-2d72e54eaaa4}[initfolderhandler]
 Queries value:
                        HKCU\software\microsoft\windows\currentversion\explorer\user shell
folders[{4c5c32ff-bb9d-43b0-b5b4-2d72e54eaaa4}]
 Queries value:
HKLM\software\microsoft\windows\currentversion\explorer\usersfiles\namespace\delegatefolders[suppressionpolicy]
 Oueries value:
HKLM\software\microsoft\windows\currentversion\explorer\usersfiles\namespace\delegatefolders[]
 Queries value:
HKLM\software\microsoft\windows\currentversion\explorer\usersfiles\namespace\delegatefolders\{dffacdc5-
679f-4156-8947-c5c76bc0b67f}[suppressionpolicy]
                        HKCR\clsid\{dffacdc5-679f-4156-8947-
 Queries value:
c5c76bc0b67f}\shellfolder[attributes]
 Queries value:
                        HKCR\clsid\{dffacdc5-679f-4156-8947-
c5c76bc0b67f}\shellfolder[callforattributes]
                        HKCR\clsid\{dffacdc5-679f-4156-8947-
 Oueries value:
c5c76bc0b67f}\shellfolder[restrictedattributes]
                        HKCR\clsid\{dffacdc5-679f-4156-8947-
 Queries value:
c5c76bc0b67f}\shellfolder[wantsfordisplay]
                        Oueries value:
c5c76bc0b67f}\shellfolder[hidefolderverbs]
                        HKCR\clsid\{dffacdc5-679f-4156-8947-
 Oueries value:
c5c76bc0b67f}\shellfolder[usedrophandler]
                        HKCR\clsid\{dffacdc5-679f-4156-8947-
 Oueries value:
c5c76bc0b67f}\shellfolder[wantsforparsing]
 Oueries value:
                        HKCR\clsid\{dffacdc5-679f-4156-8947-
c5c76bc0b67f}\shellfolder[wantsparsedisplayname]
                        HKCR\clsid\{dffacdc5-679f-4156-8947-
 Queries value:
c5c76bc0b67f}\shellfolder[queryforoverlay]
 Queries value:
                        HKCR\clsid\{dffacdc5-679f-4156-8947-
c5c76bc0b67f}\shellfolder[mapnetdriveverbs]
 Oueries value:
                        HKCR\clsid\{dffacdc5-679f-4156-8947-
c5c76bc0b67f}\shellfolder[queryforinfotip]
 Queries value:
                        HKCR\clsid\{dffacdc5-679f-4156-8947-
c5c76bc0b67f}\shellfolder[hideinwebview]
 Queries value:
                        HKCR\clsid\{dffacdc5-679f-4156-8947-
c5c76bc0b67f}\shellfolder[hideondesktopperuser]
                        HKCR\clsid\{dffacdc5-679f-4156-8947-
 Queries value:
c5c76bc0b67f}\shellfolder[wantsaliasednotifications]
                        HKCR\clsid\{dffacdc5-679f-4156-8947-
 Queries value:
c5c76bc0b67f}\shellfolder[wantsuniversaldelegate]
                        HKCR\clsid\{dffacdc5-679f-4156-8947-
 Oueries value:
c5c76bc0b67f}\shellfolder[nofilefolderjunction]
                        HKCR\clsid\{dffacdc5-679f-4156-8947-
 Queries value:
c5c76bc0b67f}\shellfolder[pintonamespacetree]
                        HKCR\clsid\{dffacdc5-679f-4156-8947-
 Queries value:
c5c76bc0b67f}\shellfolder[hasnavigationenum]
HKLM\software\microsoft\windows\currentversion\policies\nonenum[{dffacdc5-679f-4156-8947-
c5c76bc0b67f}]
 Queries value:
                        HKCR\clsid\{dffacdc5-679f-4156-8947-c5c76bc0b67f}\inprocserver32[]
 Oueries value:
                        HKCR\clsid\{dffacdc5-679f-4156-8947-
c5c76bc0b67f}\inprocserver32[loadwithoutcom]
 Queries value:
                        HKLM\software\microsoft\windows
nt\currentversion\appcompatflags\layers[c:\windows\system32\shdocvw.dll]
 Queries value:
                        HKCU\software\microsoft\windows\currentversion\shell
extensions\cached[{dffacdc5-679f-4156-8947-c5c76bc0b67f} {add8ba80-002b-11d0-8f0f-00c04fd7d062}
0xffff1
                        HKCR\clsid\{dffacdc5-679f-4156-8947-c5c76bc0b67f}[]
 Oueries value:
 Queries value:
                        HKCR\clsid\{dffacdc5-679f-4156-8947-
c5c76bc0b67f}\inprocserver32[inprocserver32]
                        HKCR\clsid\{dffacdc5-679f-4156-8947-
 Oueries value:
c5c76bc0b67f}\inprocserver32[threadingmodel]
```

```
Queries value:
                          HKCR\clsid\{dffacdc5-679f-4156-8947-c5c76bc0b67f}\instance[clsid]
 Queries value:
                          HKCR\clsid\{0e5aae11-a475-4c5b-ab00-c66de400274e}\inprocserver32[]
 Queries value:
                          HKCR\clsid\{0e5aae11-a475-4c5b-ab00-
c66de400274e}\inprocserver32[loadwithoutcom]
                          HKCR\clsid\{0e5aae11-a475-4c5b-ab00-c66de400274e}[]
 Oueries value:
 Queries value:
                          HKCR\clsid\{0e5aae11-a475-4c5b-ab00-
c66de400274e}\inprocserver32[inprocserver32]
                          HKCR\clsid\{0e5aae11-a475-4c5b-ab00-
 Oueries value:
c66de400274e}\inprocserver32[threadingmodel]
 Queries value:
                          HKCR\clsid\{dffacdc5-679f-4156-8947-
c5c76bc0b67f}\instance\initpropertybag[attributes]
 Queries value:
                          HKCR\clsid\{dffacdc5-679f-4156-8947-
c5c76bc0b67f}\instance\initpropertybag[descriptionid]
 Queries value:
                          HKCR\clsid\{dffacdc5-679f-4156-8947-
c5c76bc0b67f}\instance\initpropertybag[helptopic]
 Queries value:
                          HKCR\clsid\{dffacdc5-679f-4156-8947-
c5c76bc0b67f}\instance\initpropertybag[recursivesearch]
 Oueries value:
                          HKCR\clsid\{dffacdc5-679f-4156-8947-
c5c76bc0b67f}\instance\initpropertybag[targetknownfolder]
 Queries value:
                          HKLM\system\currentcontrolset\control\nls\locale[00000409]
 Queries value:
                          HKLM\system\currentcontrolset\control\nls\language groups[1]
 Queries value:
                          HKLM\software\microsoft\windows
nt\currentversion\languagepack\datastore_v1.0[disable]
 Oueries value:
                          HKLM\software\microsoft\windows
nt\currentversion\languagepack\datastore_v1.0[datafilepath]
 Queries value:
                          HKLM\software\microsoft\windows
nt\currentversion\languagepack\surrogatefallback[plane1]
 Queries value:
                          HKLM\software\microsoft\windows
nt\currentversion\languagepack\surrogatefallback[plane2]
 Queries value:
                          HKLM\software\microsoft\windows
nt\currentversion\languagepack\surrogatefallback[plane3]
 Queries value:
                          HKLM\software\microsoft\windows
nt\currentversion\languagepack\surrogatefallback[plane4]
 Queries value:
                          HKLM\software\microsoft\windows
nt\currentversion\languagepack\surrogatefallback[plane5]
                          HKLM\software\microsoft\windows
 Oueries value:
nt\currentversion\languagepack\surrogatefallback[plane6]
 Queries value:
                          HKLM\software\microsoft\windows
nt\currentversion\languagepack\surrogatefallback[plane7]
                          HKLM\software\microsoft\windows
 Oueries value:
nt\currentversion\languagepack\surrogatefallback[plane8]
                          HKLM\software\microsoft\windows
 Oueries value:
nt\currentversion\languagepack\surrogatefallback[plane9]
 Oueries value:
                          HKLM\software\microsoft\windows
nt\currentversion\languagepack\surrogatefallback[plane10]
 Queries value:
                          HKLM\software\microsoft\windows
nt\currentversion\languagepack\surrogatefallback[plane11]
 Oueries value:
                          HKLM\software\microsoft\windows
nt\currentversion\languagepack\surrogatefallback[plane12]
 Queries value:
                          HKLM\software\microsoft\windows
nt\currentversion\languagepack\surrogatefallback[plane13]
 Queries value:
                          HKLM\software\microsoft\windows
nt\currentversion\languagepack\surrogatefallback[plane14]
 Queries value:
                          HKLM\software\microsoft\windows
nt\currentversion\languagepack\surrogatefallback[plane15]
 Queries value:
                          HKLM\software\microsoft\windows
nt\currentversion\languagepack\surrogatefallback[plane16]
                          HKLM\software\microsoft\ctf\tip\{0000897b-83df-4b96-be07-
 Queries value:
```

Ofb58b01c4a4}\languageprofile\0x00000000\{0001bea3-ed56-483d-a2e2-aeae25577436}[enable]

Queries value: HKLM\software\microsoft\ctf[enableanchorcontext] Sets/Creates value: HKLM\system\currentcontrolset\control\session

manager[pendingfilerenameoperations]