Malware Analysis Appliance by Blue Coat Systems, Inc.

Task Details

Host: mag2, Sample ID: 246, Task ID: 983

Task ID: 983 Risk Level: 7

Date Processed: 2016-04-28 13:14:19 (UTC)

Processing Time: 3.04 seconds
Virtual Environment: IntelliVM

Execution Arguments: "c:\windows\temp\280c53057f49089a8bbef69fce3e81cd.exe"

Sample ID: 246 Type: basic Owner: admin

Label: 280c53057f49089a8bbef69fce3e81cd

Date Added: 2016-04-28 12:45:15 (UTC)

File Type: PE32:win32:gui File Size: 376040 bytes

MD5: 280c53057f49089a8bbef69fce3e81cd

SHA256: dcf31db18983784dcecab6c4557722cb32cc384121b5b4cc77930b071f747c25

Description: None

Pattern Matching Results

7 Signed by adware producer [Adware, PUA]

2 PE: Nonstandard section

4 Packer: NSIS [Nullsoft Scriptable Install System]

Static Events

Anomaly: PE: Contains a virtual section

Anomaly: PE: Contains one or more non-standard sections

Process/Thread Events

Creates process: C:\WINDOWS\Temp\280c53057f49089a8bbef69fce3e81cd.exe

["c:\windows\temp\280c53057f49089a8bbef69fce3e81cd.exe"]

Terminates process: C:\WINDOWS\Temp\280c53057f49089a8bbef69fce3e81cd.exe

Named Object Events

Creates mutex: \BaseNamedObjects\CTF.LBES.MutexDefaultS-1-5-21-1757981266-507921405-

1957994488-1003

Creates mutex: \BaseNamedObjects\CTF.Compart.MutexDefaultS-1-5-21-1757981266-507921405-

1957994488-1003

Creates mutex: \BaseNamedObjects\CTF.Asm.MutexDefaultS-1-5-21-1757981266-507921405-

1957994488-1003

Creates mutex: \BaseNamedObjects\CTF.Layouts.MutexDefaultS-1-5-21-1757981266-507921405-

1957994488-1003

Creates mutex: \BaseNamedObjects\CTF.TMD.MutexDefaultS-1-5-21-1757981266-507921405-

1957994488-1003

Creates mutex: \BaseNamedObjects\CTF.TimListCache.FMPDefaultS-1-5-21-1757981266-

507921405-1957994488-1003MUTEX.DefaultS-1-5-21-1757981266-507921405-1957994488-1003

Creates semaphore: \BaseNamedObjects\shell.\{A48F1A32-A340-11D1-BC6B-00A0C90312E1\}

Creates semaphore: \BaseNamedObjects\shell.\{7CB834F0-527B-11D2-9D1F-0000F805CA57\}

File System Events

Creates: C:\DOCUME~1\Admin\LOCALS~1\Temp\

Creates: C:\Documents and Settings\Admin\Local Settings\Temp\nsu1.tmp
Creates: C:\Documents and Settings\Admin\Local Settings\Temp\nsv2.tmp

Creates: C:\DOCUME~1
Creates: C:\DOCUME~1\Admin

Creates: C:\DOCUME~1\Admin\LOCALS~1
Creates: C:\DOCUME~1\Admin\LOCALS~1\Temp
Creates: C:\Documents and Settings\Admin\Local

Settings\Temp\nsv2.tmp\tkDecript.dll

Creates: C:\Documents and Settings\Admin\Local Settings\Temp\nsv2.tmp\version.dll

Opens: C:\WINDOWS\Prefetch\280C53057F49089A8BBEF69FCE3E8-023718DC.pf

Opens: C:\Documents and Settings\Admin
Opens: C:\WINDOWS\system32\imm32.dll
Opens: C:\WINDOWS\system32\shell32.dll

Opens: C:\WINDOWS\system32\SHELL32.dll.124.Manifest
Opens: C:\WINDOWS\system32\SHELL32.dll.124.Config

```
C:\WINDOWS\WinSxS\x86_Microsoft.Windows.Common-
 Opens:
Controls_6595b64144ccf1df_6.0.2600.5512_x-ww_35d4ce83
                         C:\WINDOWS\WinSxS\x86_Microsoft.Windows.Common-
Controls_6595b64144ccf1df_6.0.2600.5512_x-ww_35d4ce83\comctl32.dll
                         C:\WINDOWS\WindowsShell.Manifest
 Opens:
 Opens:
                         C:\WINDOWS\WindowsShell.Config
 Opens:
                         C:\WINDOWS\Temp\280c53057f49089a8bbef69fce3e81cd.exe
 Opens:
                         C:\windows\temp\280c53057f49089a8bbef69fce3e81cd.exe.124.Manifest
 Opens:
                         C:\WINDOWS\system32\comctl32.dll
 Opens:
                         C:\WINDOWS\system32\COMCTL32.dll.124.Manifest
 Opens:
                         C:\WINDOWS\system32\COMCTL32.dll.124.Config
 Opens:
                         C:\WINDOWS\system32\rpcss.dll
 Opens:
                         C:\WINDOWS\system32\MSCTF.dll
 Opens:
                         C:\WINDOWS\system32\shfolder.dll
 Opens:
                         C:\WINDOWS\system32\setupapi.dll
 Opens:
 Opens:
                         C:\Documents and Settings
 Opens:
                         C:\Documents and Settings\Admin\Local Settings\Temp\nsu1.tmp
 Opens:
                         C:\WINDOWS\Temp\390fc6e9-c856-425e-81f4-a2002240543e
 Opens:
                         C:\Documents and Settings\Admin\Local Settings\Temp
 Opens:
                         C:\Documents and Settings\Admin\Local Settings\Temp\nsv2.tmp
                         C:\Documents and Settings\Admin\Local
 Opens:
Settings\Temp\nsv2.tmp\tkDecript.dll
                         C:\DOCUME~1\Admin\LOCALS~1\Temp\nsv2.tmp\tkDecript.dll.2.Manifest
 Opens:
                         C:\DOCUME~1\Admin\LOCALS~1\Temp\nsv2.tmp\tkDecript.dll.2.Config
 Opens:
 Opens:
                         C:\Documents and Settings\Admin\Local Settings\Temp\nsv2.tmp\version.dll
 Opens:
                         C:\Documents and Settings\Admin\Local Settings
 Writes to:
                         C:\Documents and Settings\Admin\Local
Settings\Temp\nsv2.tmp\tkDecript.dll
 Writes to:
                         C:\Documents and Settings\Admin\Local Settings\Temp\nsv2.tmp\version.dll
                         C:\WINDOWS\Temp\280c53057f49089a8bbef69fce3e81cd.exe
 Reads from:
 Deletes:
                         C:\Documents and Settings\Admin\Local Settings\Temp\nsu1.tmp
                         C:\Documents and Settings\Admin\Local Settings\Temp\nsv2.tmp
 Deletes:
                         C:\Documents and Settings\Admin\Local
 Deletes:
Settings\Temp\nsv2.tmp\tkDecript.dll
 Deletes:
                         C:\Documents and Settings\Admin\Local Settings\Temp\nsv2.tmp\version.dll
Windows Registry Events
 Creates key:
HKCU\software\microsoft\windows\currentversion\explorer\mountpoints2\{f90255c2-6bc4-11e3-9fc7-
806d6172696f}\
 Opens kev:
                         HKLM\software\microsoft\windows nt\currentversion\image file execution
options\280c53057f49089a8bbef69fce3e81cd.exe
 Opens key:
                         HKLM\system\currentcontrolset\control\terminal server
 Opens key:
                         HKLM\software\microsoft\windows nt\currentversion\image file execution
options\gdi32.dll
 Opens key:
                         HKLM\software\microsoft\windows nt\currentversion\image file execution
options\user32.dll
 Opens key:
                         HKLM\system\currentcontrolset\control\session manager
 Opens key:
                         {\tt HKLM \ } system \verb|\ current control \ } safeboot \verb|\ option|
 Opens key:
                         HKLM\software\policies\microsoft\windows\safer\codeidentifiers
                         HKCU\software\policies\microsoft\windows\safer\codeidentifiers
 Opens key:
 Opens key:
                         HKLM\software\microsoft\windows nt\currentversion\image file execution
options\imm32.dll
 Opens key:
                         HKLM\software\microsoft\windows nt\currentversion\image file execution
options\ntdll.dll
                         HKLM\software\microsoft\windows nt\currentversion\image file execution
 Opens key:
options\kernel32.dll
 Opens key:
                         HKLM\software\microsoft\windows nt\currentversion\image file execution
options\secur32.dll
                         HKLM\software\microsoft\windows nt\currentversion\image file execution
 Opens key:
options\rpcrt4.dll
                         HKLM\software\microsoft\windows nt\currentversion\image file execution
 Opens key:
options\advapi32.dll
 Opens key:
                         HKLM\software\microsoft\windows nt\currentversion\image file execution
options\msvcrt.dll
                         HKLM\software\microsoft\windows nt\currentversion\image file execution
 Opens key:
options\shlwapi.dll
 Opens key:
                         HKLM\software\microsoft\windows nt\currentversion\image file execution
options\shell32.dll
                         HKLM\software\microsoft\windows nt\currentversion\image file execution
 Opens key:
options\comctl32.dll
```

HKLM\software\microsoft\windows nt\currentversion\image file execution

Opens key:

options\ole32.dll

Opens key: HKLM\software\microsoft\windows nt\currentversion\image file execution

options\version.dll

Opens key: HKLM\system\currentcontrolset\control\error message instrument\
Opens key: HKLM\system\currentcontrolset\control\error message instrument
Opens key: HKLM\software\microsoft\windows nt\currentversion\gre_initialize
Opens key: HKLM\software\microsoft\windows nt\currentversion\compatibility32
Opens key: HKLM\software\microsoft\windows nt\currentversion\ime compatibility

Opens key: HKLM\software\microsoft\windows nt\currentversion\windows
Opens key: HKLM\software\microsoft\windows nt\currentversion\winlogon

Opens key: HKLM\

Opens key: HKLM\software\microsoft\windows nt\currentversion\diagnostics
Opens key: HKLM\software\microsoft\windows\currentversion\explorer\performance

Opens key: HKLM\system\setup

Opens key: HKCU\

Opens key: HKCU\software\policies\microsoft\control panel\desktop

Opens key: HKCU\control panel\desktop

Opens key:

HKLM\software\microsoft\windows\currentversion\sidebyside\assemblystorageroots

Opens key: HKCU\software\microsoft\windows\currentversion\explorer\advanced Opens key: HKLM\software\microsoft\windows nt\currentversion\languagepack

Opens key: HKLM\software\microsoft\ole

Opens key: HKCR\interface

Opens key: HKCR\interface\{00020400-0000-0000-0000-000000000046}

Opens key: HKLM\software\microsoft\windows nt\currentversion\image file execution

options\msctf.dll

Opens key:

HKLM\software\microsoft\ctf\compatibility\280c53057f49089a8bbef69fce3e81cd.exe

Opens key: HKLM\software\microsoft\ctf\systemshared\

Opens key: HKCU\keyboard layout\toggle
Opens key: HKLM\software\microsoft\ctf\

Opens key: HKLM\software\microsoft\windows nt\currentversion\image file execution

options\shfolder.dll

Opens key: HKLM\software\microsoft\windows\currentversion\policies\explorer
Opens key: HKCU\software\microsoft\windows\currentversion\policies\explorer

Opens key:

Opens key:

a2d8-08002b30309d}

Opens key: HKCU\software\classes\

Opens key: HKCU\software\classes\clsid\{20d04fe0-3aea-1069-a2d8-

 $08002b30309d \verb|\inprocserver32|$

Opens key: HKCR\clsid\{20d04fe0-3aea-1069-a2d8-08002b30309d}\inprocserver32
Opens key: HKLM\software\microsoft\windows nt\currentversion\image file execution

options\setupapi.dll

Opens key: HKLM\system\currentcontrolset\control\minint

Opens key: HKLM\system\wpa\pnp

Opens key: HKLM\software\microsoft\windows\currentversion\setup
Opens key: HKLM\software\microsoft\windows\currentversion

Opens key: HKLM\software\microsoft\windows\currentversion\setup\apploglevels
Opens key: HKLM\system\currentcontrolset\control\computername\activecomputername

Opens key: HKLM\system\currentcontrolset\services\tcpip\parameters
Opens key: HKLM\software\policies\microsoft\system\dnsclient

Opens key: HKLM\software\microsoft\rpc\pagedbuffers

Opens key: HKLM\software\microsoft\rpc

Opens key: HKLM\software\microsoft\windows nt\currentversion\image file execution

options\280c53057f49089a8bbef69fce3e81cd.exe\rpcthreadpoolthrottle

Opens key: HKLM\software\policies\microsoft\windows nt\rpc
Opens key: HKLM\system\currentcontrolset\control\computername

Opens key:

 $\label{lem:hkcu} \begin{tabular}{ll} HKCU \software \mbox{microsoft \windows \current version \explorer \mbox{mountpoints 2 \cpc \volume} \end{tabular} \label{lem:hkcu}$

Opens key:

 $HKCU \ software \ microsoft \ windows \ current version \ explorer \ mountpoints \ 2 \ cpc \ volume \ \{f90255c2-6bc4-f9025fc2-6bc4-f9025fc2-6bc4-f9025fc2-6bc4-f9025fc2-f9bc4-f9bc4-f$

11e3-9fc7-806d6172696f}\

Opens key: ${\tt HKCU \setminus software \setminus classes \setminus drive \setminus shellex \setminus folder extensions}$

Opens key: HKCR\drive\shellex\folderextensions

Opens key: HKCU\software\classes\drive\shellex\folderextensions\{fbeb8a05-beee-

4442-804e-409d6c4515e9}

Opens key: HKCR\drive\shellex\folderextensions\{fbeb8a05-beee-4442-804e-

409d6c4515e9}

Opens key: HKCU\software\classes\directory

Opens key: HKCR\directory

Opens key: HKCU\software\classes\directory\curver

Opens key: HKCR\directory\curver

Opens key: HKCR\directory\

Opens key: HKCU\software\microsoft\windows\currentversion\explorer
Opens key: HKCU\software\microsoft\windows\currentversion\explorer\
Opens key: HKCU\software\microsoft\windows\currentversion\policies\system

Opens key: HKCU\software\classes\directory\shellex\iconhandler

Opens key: HKCR\directory\shellex\iconhandler
Opens key: HKCU\software\classes\directory\clsid

Opens key: HKCR\directory\clsid

Opens key: HKCU\software\classes\folder

Opens key: HKCR\folder

Opens key: HKCU\software\classes\folder\clsid

Opens key: HKCR\folder\clsid

Opens key: HKLM\software\microsoft\windows nt\currentversion\image file execution

options\tkdecript.dll

Queries value: HKLM\system\currentcontrolset\control\terminal server[tsappcompat]

Queries value: HKLM\system\currentcontrolset\control\session manager[safedllsearchmode]

Queries value:

 $HKLM \setminus software \setminus policies \setminus microsoft \setminus windows \setminus safer \setminus code identifiers [transparentenabled]$

Queries value: HKLM\software\microsoft\windows nt\currentversion\gre_initialize[disablemetafiles]
Queries value: HKLM\software\microsoft\windows

nt\currentversion\compatibility32[280c53057f49089a8bbef69fce3e81cd]

Queries value: HKLM\software\microsoft\windows nt\currentversion\ime

compatibility[280c53057f49089a8bbef69fce3e81cd]

Queries value: HKLM\software\microsoft\windows nt\currentversion\windows[appinit_dlls]
Queries value: HKLM\software\microsoft\windows nt\currentversion\winlogon[leaktrack]

Queries value: HKLM\system\setup[systemsetupinprogress]
Queries value: HKCU\control panel\desktop[multiuilanguageid]
Queries value: HKCU\control panel\desktop[smoothscroll]

Queries value:

HKCU\software\microsoft\windows\currentversion\explorer\advanced[enableballoontips]

Queries value: HKLM\system\currentcontrolset\control\session

manager[criticalsectiontimeout]

Queries value: HKLM\software\microsoft\ole[rwlockresourcetimeout]

Queries value: HKCR\interface[interfacehelperdisableall]

Queries value: HKCR\interface[interfacehelperdisableallforole32]
Queries value: HKCR\interface[interfacehelperdisabletypelib]
Queries value: HKCR\interface\{00020400-0000-0000-c000-

00000000046}[interfacehelperdisableall]

Queries value: HKCR\interface\{00020400-0000-0000-c000-

00000000046}[interfacehelperdisableallforole32]

Queries value: HKLM\software\microsoft\ctf\systemshared[cuas]
Queries value: HKCU\keyboard layout\toggle[language hotkey]

Queries value: HKCU\keyboard layout\toggle[hotkey]
Queries value: HKCU\keyboard layout\toggle[layout hotkey]
Queries value: HKLM\software\microsoft\ctf[enableanchorcontext]

Queries value:

HKCU\software\microsoft\windows\currentversion\policies\explorer[nonethood]

Queries value:

HKCU\software\microsoft\windows\currentversion\policies\explorer[nopropertiesmycomputer]

Queries value:

 $\label{thm:local_constraint} \begin{tabular}{l} HKCU \software \microsoft \windows \current version \policies \explorer[nointerneticon] \end{tabular}$

Queries value:

 $\label{lem:hkcu} \begin{tabular}{ll} HKCU \software \microsoft \windows \current version \policies \explorer [no common groups] \end{tabular}$

Queries value:

 $HKCU \ software \ microsoft \ windows \ current version \ policies \ \ explorer [no control panel]$

Queries value:

HKCU\software\microsoft\windows\currentversion\policies\explorer[nosetfolders]

Queries value: HKCR\clsid\{20d04fe0-3aea-1069-a2d8-08002b30309d}\inprocserver32[]

Queries value: HKLM\system\wpa\pnp[seed]
Queries value: HKLM\system\setup[osloaderpath]
Queries value: HKLM\system\setup[systempartition]

Queries value: HKLM\software\microsoft\windows\currentversion\setup[sourcepath]

Queries value:

HKLM\software\microsoft\windows\currentversion\setup[servicepacksourcepath]

Oueries value:

HKLM\software\microsoft\windows\currentversion\setup[servicepackcachepath]

Queries value: HKLM\software\microsoft\windows\currentversion\setup[drivercachepath]

Queries value: HKLM\software\microsoft\windows\currentversion[devicepath]
Queries value: HKLM\software\microsoft\windows\currentversion\setup[loglevel]
Queries value: HKLM\software\microsoft\windows\currentversion\setup[logpath]

Queries value:

HKLM\system\currentcontrolset\control\computername\activecomputername[computername]

Queries value: HKLM\system\currentcontrolset\services\tcpip\parameters[hostname]

Queries value: HKLM\system\currentcontrolset\services\tcpip\parameters[domain]

Queries value: HKLM\software\microsoft\rpc[maxrpcsize]

Oueries value:

 $HKCU software \mbox{$\current version explorer mount points $\cpc \old me \f 90255c2-6bc4-11e3-9fc7-806d6172696f \end{$\current version \end{$\current version$

Queries value:

 $\label{thm:local-continuous} HKCU software \microsoft \windows \current version \explorer \mountpoints 2 \cpc \volume \{f90255c2-6bc4-11e3-9fc7-806d6172696f\}[generation]$

Queries value: HKCR\drive\shellex\folderextensions\{fbeb8a05-beee-4442-804e-

409d6c4515e9}[drivemask]

Queries value:

HKCU\software\microsoft\windows\currentversion\policies\explorer[dontshowsuperhidden]

Queries value: HKCU\software\microsoft\windows\currentversion\explorer[shellstate]

Oueries value:

 $\label{thm:linear} \begin{tabular}{ll} HKCU \software \mbox{$microsoft} \windows \current version \policies \explorer [forceactive desktop on] \end{tabular}$

Queries value:

HKCU\software\microsoft\windows\currentversion\policies\explorer[noactivedesktop]

Queries value:

HKCU\software\microsoft\windows\currentversion\policies\explorer[nowebview]

Queries value:

 $\label{thm:local_hammon_hammon} \begin{tabular}{l}{l}{HKCU} is of twelves of the constraint of the c$

Queries value:

 $\label{thm:linear} HKCU \software \microsoft \windows \current version \policies \explorer [separate process] \\$

Queries value:

 $\label{lem:hkcu} \begin{tabular}{ll} HKCU \software \verb|\microsoft| windows \verb|\currentversion| policies \verb|\explorer| [nonetcrawling] | the lemma of the lemma of$

Queries value:

HKCU\software\microsoft\windows\currentversion\policies\explorer[nosimplestartmenu]

Queries value: HKCU\software\microsoft\windows\currentversion\explorer\advanced[hidden]

Queries value:

HKCU\software\microsoft\windows\currentversion\explorer\advanced[showcompcolor]

Queries value

HKCU\software\microsoft\windows\currentversion\explorer\advanced[hidefileext]

Oueries value:

 $\label{lem:hkcu} \begin{tabular}{ll} HKCU \software \microsoft \windows \current version \explorer \advanced \cite{lem:hkcu} advanced \cite{lem:$

Queries value:

HKCU\software\microsoft\windows\currentversion\explorer\advanced[showinfotip]

Queries value:

 $\label{lem:hkcu} \begin{tabular}{ll} HKCU \software \verb|\microsoft| windows \current version \explorer \advanced [hideicons] \end{tabular}$

Queries value:

HKCU\software\microsoft\windows\currentversion\explorer\advanced[mapnetdrvbtn]

Queries value:

HKCU\software\microsoft\windows\currentversion\explorer\advanced[webview]

Queries value: HKCU\software\microsoft\windows\currentversion\explorer\advanced[filter]

Queries value:

HKCU\software\microsoft\windows\currentversion\explorer\advanced[showsuperhidden]

Queries value:

HKCU\software\microsoft\windows\currentversion\explorer\advanced[separateprocess]

Queries value:

HKCU\software\microsoft\windows\currentversion\explorer\advanced[nonetcrawling]

Queries value: HKCR\directory[docobject]
Queries value: HKCR\directory[browseinplace]
Queries value: HKCR\directory[isshortcut]
Queries value: HKCR\directory[alwaysshowext]
Queries value: HKCR\directory[nevershowext]

Value changes: HKLM\software\microsoft\cryptography\rng[seed]

Value changes:

806d6172696f}[baseclass]