Malware Analysis Appliance by Blue Coat Systems, Inc.

Task Details

Host: mag2, Sample ID: 41, Task ID: 163

Task ID: 163 Risk Level: 5

Date Processed: 2016-04-28 12:51:27 (UTC)

Processing Time: 61.19 seconds
Virtual Environment: IntelliVM

Execution Arguments: "c:\windows\temp\bb02abb18c51ee149dde9732ca8e5fae.exe"

Sample ID: 41
Type: basic
Owner: admin

Label: bb02abb18c51ee149dde9732ca8e5fae

Date Added: 2016-04-28 12:44:53 (UTC)
File Type: PF32:win32:gui

File Type: PE32:win32:gui File Size: 813216 bytes

MD5: bb02abb18c51ee149dde9732ca8e5fae

SHA256: c5c1d3d6b80fb79a451ac1b8a8dfcb5a5b20e76f38df0f6ed34dc08842a13ad1

Description: None

Pattern Matching Results

2 PE: Nonstandard section

1 SSL traffic on standard port

5 Packer: UPX

4 Checks whether debugger is present

5 PE: Contains compressed section

Static Events

Anomaly: PE: Contains a virtual section

Anomaly: PE: Contains one or more non-standard sections

Packer: UP>

Process/Thread Events

Creates process: C:\windows\temp\bb02abb18c51ee149dde9732ca8e5fae.exe

["C:\windows\temp\bb02abb18c51ee149dde9732ca8e5fae.exe"]

Named Object Events

Creates mutex: \Sessions\1\BaseNamedObjects\DBWinMutex

Creates mutex: \Sessions\1\BaseNamedObjects\CicLoadWinStaWinSta0

Creates event: \BaseNamedObjects\SvcctrlStartEvent_A3752DX

Creates event: \BaseNamedObjects\BFE_Notify_Event_{b85a0281-d6af-482d-b98f-

f74043417873}

Creates event: \Sessions\1\BaseNamedObjects\MSCTF.CtfActivated.Default1

File System Events

Creates: C:\ProgramData\ZebraNetworkSystems

 $\label{lem:creates:creates:C$

Creates: C:\Users\Admin\AppData\Roaming\ZebraNetworkSystems\NeoRouter

Creates: C:\Users\Admin\AppData\Local\Temp\{4E4EFD89-BDDE-48E5-B85F-4C77768763C8}

Creates: C:\Users\Admin\AppData\Local\Temp\Tmp2835.tmp

Opens: C:\Windows\Prefetch\BB02ABB18C51EE149DDE9732CA8E5-39A45309.pf

Opens: C:\Windows\System32

Opens: C:\Windows\System32\sechost.dll

Opens: C:\windows\temp\bb02abb18c51ee149dde9732ca8e5fae.exe.Local\

Opens: C:\Windows\winsxs\x86_microsoft.windows.common-

controls_6595b64144ccf1df_6.0.7601.17514_none_41e6975e2bd6f2b2

 $Opens: C: \windows \times x86_microsoft.windows.common-controls_6595b64144ccf1df_6.0.7601.17514_none_41e6975e2bd6f2b2\\comctl32.dll$

Opens: C:\Windows\Temp\bb02abb18c51ee149dde9732ca8e5fae.exe

Opens: C:\Windows\AppPatch\AcGenral.dll C:\windows\temp\SspiCli.dll Opens: Opens: C:\Windows\System32\sspicli.dll C:\windows\temp\UxTheme.dll Opens: C:\Windows\System32\uxtheme.dll Opens: C:\windows\temp\WINMM.dll Opens: C:\Windows\System32\winmm.dll Opens: Opens: C:\windows\temp\samcli.dll Opens: C:\Windows\System32\samcli.dll

C:\windows\temp\MSACM32.dll Opens: C:\Windows\System32\msacm32.dll Opens: Opens: C:\windows\temp\VERSION.dll Opens: C:\Windows\System32\version.dll Opens: C:\windows\temp\sfc.dll Opens: C:\Windows\System32\sfc.dll Opens: C:\windows\temp\sfc_os.DLL Opens: C:\Windows\System32\sfc_os.dll Opens: C:\windows\temp\USERENV.dll Opens: C:\Windows\System32\userenv.dll Opens: C:\windows\temp\profapi.dll Opens: C:\Windows\System32\profapi.dll Opens: C:\windows\temp\dwmapi.dll C:\Windows\System32\dwmapi.dll Opens: Opens: C:\windows\temp\MPR.dll Opens: C:\Windows\System32\mpr.dll Opens: C:\windows\temp\bb02abb18c51ee149dde9732ca8e5fae.exe.Config Opens: C:\Windows\System32\imm32.dll Opens: C:\Windows\WindowsShell.Manifest Opens: C:\Windows\System32\en-US\setupapi.dll.mui Opens: C:\Windows\Globalization\Sorting\SortDefault.nls Opens: C:\windows\temp\bb02abb18c51ee149dde9732ca8e5fae.exe.2.Manifest C:\windows\temp\bb02abb18c51ee149dde9732ca8e5fae.exe.3.Manifest Opens: Opens: C:\windows\temp\Log.ini Opens: C:\ProgramData\ZebraNetworkSystems\NeoRouter Opens: ${\tt C: \ProgramData \ZebraNetwork Systems}$ Opens: C:\ProgramData Opens: C:\Users\Admin\AppData\Roaming\ZebraNetworkSystems\NeoRouter Opens: C:\Users\Admin\AppData\Roaming\ZebraNetworkSystems Opens: C:\Users\Admin\AppData\Roaming Opens: C:\Windows\Temp Opens: C:\ProgramData\ZebraNetworkSystems\NeoRouter\Log.ini Opens: C:\windows\temp\bb02abb18c51ee149dde9732ca8e5fae.exe.1000.Manifest Opens: C:\windows\temp\bb02abb18c51ee149dde9732ca8e5faeENU.dll C:\windows\temp\bb02abb18c51ee149dde9732ca8e5faeLOC.dll Opens: Opens: C:\dev\ Opens: C:\windows\temp\NETAPI32.DLL Opens: C:\Windows\System32\netapi32.dll Opens: C:\windows\temp\netutils.dll Opens: C:\Windows\System32\netutils.dll Opens: C:\windows\temp\srvcli.dll Opens: C:\Windows\System32\srvcli.dll Opens: C:\windows\temp\wkscli.dll Opens: C:\Windows\System32\wkscli.dll Opens: C:\windows\temp\CRYPTSP.dll Opens: C:\Windows\System32\cryptsp.dll Opens: C:\Windows\System32\rsaenh.dll Opens: C:\windows\temp\CRYPTBASE.dll Opens: C:\Windows\Svstem32\crvptbase.dll Opens: C:\usr\local\ssl\cert.pem Opens: C:\Users\Admin\AppData\Local\Temp Opens: C:\Windows\System32\mswsock.dll Opens: C:\Windows\System32\WSHTCPIP.DLL Opens: C:\Windows\System32\wship6.dll Opens: C:\windows\temp\DNSAPI.dll Opens: C:\Windows\System32\dnsapi.dll Opens: C:\windows\temp\IPHLPAPI.DLL Opens: C:\Windows\System32\IPHLPAPI.DLL Opens: C:\windows\temp\WINNSI.DLL Opens: C:\Windows\System32\winnsi.dll Opens: C:\windows\temp\dhcpcsvc6.DLL Opens: C:\Windows\System32\dhcpcsvc6.dll Opens: C:\windows\temp\dhcpcsvc.DLL Opens: C:\Windows\System32\dhcpcsvc.dll Opens: C:\windows\temp\rasadhlp.dll Opens: C:\Windows\System32\rasadhlp.dll Opens: C:\Windows\System32\drivers\etc\hosts Opens: C:\Windows\System32\FWPUCLNT.DLL Opens: C:\usr\local\ssl\certs\ Opens: C:\Windows\winsxs\x86 microsoft.windows.c..controls.resources_6595b64144ccf1df_6.0.7600.16385_en-us_581cd2bf5825dde9 C:\Windows\winsxs\x86_microsoft.windows.c..controls.resources_6595b64144ccf1df_6.0.7600.16385_en-us_581cd2bf5825dde9\comctl32.dll.mui Opens: C:\Windows\Fonts\tahoma.ttf Opens: C:\Windows\System32\en-US\user32.dll.mui C:\Windows\Fonts\StaticCache.dat Opens: Opens: C:\Windows\Fonts\tahomabd.ttf C:\Windows\System32\rpcss.dll Opens: Reads from: C:\Windows\System32\drivers\etc\hosts Reads from: C:\Windows\Fonts\StaticCache.dat

Network Events

DNS query: secure.neorouter.com

DNS response: secure.neorouter.com \Rightarrow 72.167.40.3

Connects to: 72.167.40.3:443

Sends data to: 8.8.8.8:53

Sends data to: secure.neorouter.com:443 (72.167.40.3)

Receives data from: 8.8.8.8:53

Receives data from: secure.neorouter.com:443 (72.167.40.3)

Windows Registry Events

HKLM\system\currentcontrolset\services\tcpip\parameters Creates key: Opens key: HKLM\system\currentcontrolset\control\session manager Opens key: HKLM\system\currentcontrolset\control\terminal server Opens key: HKLM\system\currentcontrolset\control\safeboot\option Opens key: HKLM\system\currentcontrolset\control\srp\gp\dll

Opens key: HKLM\software\policies\microsoft\windows\safer\codeidentifiers Opens key: HKCU\software\policies\microsoft\windows\safer\codeidentifiers

Opens kev: HKCU\

 $\label{thm:local_machine} \begin{tabular}{ll} HKCU\control panel\desktop\muicached\machinelanguageconfiguration \\ \end{tabular}$ Opens key:

HKLM\software\policies\microsoft\mui\settings Opens key:

Opens key: HKCU\software\policies\microsoft\control panel\desktop Opens key: HKCU\control panel\desktop\languageconfiguration

Opens key: HKCU\control panel\desktop

HKCU\control panel\desktop\muicached Opens key:

Opens key: $HKLM \verb|\software\microsoft\windows\currentversion\sideby side$

Opens key:

HKLM\software\microsoft\windows\currentversion\sidebyside\assemblystorageroots

Opens key: HKCU\software\microsoft\windows nt\currentversion\appcompatflags Opens key: HKLM\system\currentcontrolset\control\nls\sorting\versions

HKLM\software\policies\microsoft\windows nt\windows file protection Opens kev:

Opens key: HKLM\

Opens key: HKLM\software\microsoft\windows nt\currentversion\diagnostics Opens key: HKLM\system\currentcontrolset\control\error message instrument\ Opens key: HKLM\system\currentcontrolset\control\error message instrument Opens key: HKLM\software\microsoft\windows nt\currentversion\gre_initialize Opens kev: HKLM\software\microsoft\windows nt\currentversion\compatibilitv32 Opens key: HKLM\software\microsoft\windows nt\currentversion\ime compatibility

Opens key: HKLM\software\microsoft\windows nt\currentversion\windows

Opens kev: HKLM\system\currentcontrolset\services\crypt32

Opens key: HKLM\software\microsoft\ole Opens key: HKLM\software\microsoft\ole\tracing Opens key: HKLM\software\microsoft\oleaut

Opens key: HKLM\software\microsoft\windows\currentversion\internet settings HKLM\software\policies\microsoft\windows\currentversion\internet Opens key:

settings

Opens key: HKLM\system\currentcontrolset\control\cmf\config

Opens key: HKLM\software\microsoft\windows\windows error reporting\wmr

HKLM\software\microsoft\windows\currentversion\setup Opens key: Opens key: HKLM\software\microsoft\windows\currentversion Opens key: HKLM\system\currentcontrolset\control\nls\customlocale Opens key: HKLM\system\currentcontrolset\control\nls\extendedlocale Opens key: HKLM\system\currentcontrolset\control\networkprovider\hworder

Opens key: HKLM\software\policies\microsoft\sqmclient\windows

Opens key: HKLM\software\microsoft\sqmclient\windows

Opens key: HKLM\system\currentcontrolset\services\winsock2\parameters

Opens key: HKLM\system\currentcontrolset\services\winsock2\parameters\appid_catalog

Opens key:

HKLM\system\currentcontrolset\services\winsock2\parameters\appid_catalog\16316034

Opens key:

Opens key: HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\00000019

Opens kev:

Opens key:

HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\00000000001 Opens key:

HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\000000000000 Opens kev:

Opens key:

HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\000000000004 Opens key:

Opens key:

Opens kev:

Opens kev:

Opens key:

Opens kev:

```
HKLM \ system \ (current control set \ services \ winsock 2 \ parameters \ protocol\_catalog \ (catalog\_entries \ 0000000000101) \ (catalog\_entries \ (catalog \ (catalog\_entries \ (catalog \ (cata
       Opens key:
HKLM \ system \ current control set \ services \ winsock 2 \ parameters \ protocol\_catalog9 \ catalog\_entries \ 000000000011
        Opens key:
HKLM \ system \ (current control set \ services \ winsock 2 \ parameters \ protocol\_catalog \ (catalog\_entries \ 000000000012) \ (catalog\_entries \ (catalog \ (catalog\_entries \ (catalog \ (catal
        Opens key:
HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\00000000013
       Opens key:
HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\00000000014
        Opens key:
HKLM \ system \ (current control set \ services \ winsock 2 \ parameters \ protocol\_catalog \ (catalog\_entries \ 000000000015) \ (catalog\_entries \ (catalog \ (catalog\_entries \ (catalog \ (catal
        Opens key:
HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\00000000016
       Opens key:
HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\00000000017
        Opens key:
HKLM \ system \ (current control set \ services \ winsock 2 \ parameters \ protocol\_catalog \ (catalog\_entries \ 0000000000018) \ (catalog\_entries \ (catalog \ (catalog\_entries \ (catalog \ (cata
        Opens key:
HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5
       Opens key:
HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\0000000c
        Opens key:
HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries
HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000001
        Opens key:
Opens key:
HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000003
HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000004
        Opens key:
HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\0000000000005
        Opens key:
HKCU\software\microsoft\windows\currentversion\policies\explorer
        Opens key:
                                                                                                                   HKCU\software\microsoft\windows\currentversion\policies\network
        Opens kev:
                                                                                                                  HKCU\software\microsoft\windows\currentversion\policies\comdlg32
        Opens key:
        Opens key:
HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions
a9dd-070d1d495d97}
        Opens key:
HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ 'folder descriptions \ '\{62ab5d82-fdc1-4dc3-fdc1-4dc3-fdc1-4dc3-fdc1-4dc3-fdc1-4dc3-fdc1-4dc3-fdc1-4dc3-fdc1-4dc3-fdc1-4dc3-fdc1-4dc3-fdc1-4dc3-fdc1-4dc3-fdc1-4dc3-fdc1-4dc3-fdc1-4dc3-fdc1-4dc3-fdc1-4dc3-fdc1-4dc3-fdc1-4dc3-fdc1-4dc3-fdc1-4dc3-fdc1-4dc3-fdc1-4dc3-fdc1-4dc3-fdc1-4dc3-fdc1-4dc3-fdc1-4dc3-fdc1-4dc3-fdc1-4dc3-fdc1-4dc3-fdc1-4dc3-fdc1-4dc3-fdc1-4dc3-fdc1-4dc3-fdc1-4dc3-fdc1-4dc3-fdc1-4dc3-fdc1-4dc3-fdc1-4dc3-fdc1-4dc3-fdc1-4dc3-fdc1-4dc3-fdc1-4dc3-fdc1-4dc3-fdc1-4dc3-fdc1-4dc3-fdc1-4dc3-fdc1-4dc3-fdc1-4dc3-fdc1-4dc3-fdc1-4dc3-fdc1-4dc3-fdc1-4dc3-fdc1-4dc3-fdc1-4dc3-fdc1-4dc3-fdc1-4dc3-fdc1-4dc3-fdc1-4dc3-fdc1-4dc3-fdc1-4dc3-fdc1-4dc3-fdc1-4dc3-fdc1-4dc3-fdc1-4dc3-fdc1-4dc3-fdc1-4dc3-fdc1-4dc3-fdc1-4dc3-fdc1-4dc3-fdc1-4dc3-fdc1-4dc3-fdc1-4dc3-fdc1-4dc3-fdc1-4dc3-fdc1-4dc3-fdc1-4dc3-fdc1-4dc3-fdc1-4dc3-fdc1-4dc3-fdc1-4dc3-fdc1-4dc3-fdc1-4dc3-fdc1-4dc3-fdc1-4dc3-fdc1-4dc3-fdc1-4dc3-fdc1-4dc3-fdc1-4dc3-fdc1-4dc3-fdc1-4dc3-fdc1-4dc3-fdc1-4dc3-fdc1-4dc3-fdc1-4dc3-fdc1-4dc3-fdc1-4dc3-fdc1-4dc3-fdc1-4dc3-fdc1-4dc3-fdc1-4dc3-fdc1-4dc3-fdc1-4dc3-fdc1-4dc3-fdc1-4dc3-fdc1-4dc3-fdc1-4dc3-fdc1-4dc3-fdc1-4dc3-fdc1-4dc3-fdc1-4dc3-fdc1-4dc3-fdc1-4dc3-fdc1-4dc3-fdc1-4dc3-fdc1-4dc3-fdc1-4dc3-fdc1-4dc3-fdc1-4dc3-fdc1-4dc3-fdc1-4dc3-fdc1-4dc3-fdc1-4dc3-fdc1-4dc3-fdc1-4dc3-fdc1-4dc3-fdc1-4dc3-fdc1-4dc3-fdc1-4dc3-fdc1-4dc3-fdc1-4dc3-fdc1-4dc3-fdc1-4dc3-fdc1-4dc3-fdc1-4dc3-fdc1-4dc3-fdc1-4dc3-fdc1-4dc3-fdc1-4dc3-fdc1-4dc3-fdc1-4dc3-fdc1-4dc3-fdc1-4dc3-fdc1-4dc3-fdc1-4dc3-fdc1-4dc3-fdc1-4dc3-fdc1-4dc3-fdc1-4dc3-fdc1-4dc3-fdc1-4dc3-fdc1-4dc3-fdc1-4dc3-fdc1-4dc3-fdc1-4dc3-fdc1-4dc3-fdc1-4dc3-fdc1-4dc3-fdc1-4dc3-fdc1-4dc3-fdc1-4dc3-fdc1-4dc3-fdc1-4dc3-fdc1-4dc3-fdc1-4dc3-fdc1-4dc3-fdc1-4dc3-fdc1-4dc3-fdc1-4dc3-fdc1-4dc3-fdc1-4dc3-fdc1-4dc3-fdc1-4dc3-fdc1-4dc3-fdc1-4dc3-fdc1-4dc3-fdc1-4dc3-fdc1-4dc3-fdc1-4dc3-fdc1-4dc3-fdc1-4dc3-fdc1-4dc3-fdc1-4dc3-fdc1-4dc3-fdc1-4dc3-fdc1-4dc3-fdc1-4dc3-fdc1-4dc3-fdc1-4dc3-fdc1-4dc3-fdc1-4dc1-4dc1-4dc1-4dc1-4dc1-4dc1-4d
a9dd-070d1d495d97}\propertybag
        Opens key:
                                                                                                                  HKLM\software\microsoft\windows nt\currentversion\profilelist
        Opens key:
HKLM \setminus software \setminus irrosoft \setminus ir
a03a-e3ef65729f3d}
        Opens kev:
a03a-e3ef65729f3d}\propertybag
        Opens key:
                                                                                                                   HKCU\software\microsoft\windows\currentversion\explorer
        Opens kev:
                                                                                                                  HKCU \setminus software \setminus microsoft \setminus windows \setminus current version \setminus explorer \setminus session in fo \setminus 1
        Opens key:
\label{thm:local_hammon_hammon} HKCU \software \microsoft \windows \current version \explorer \session in follows \current version \explorer \session \current \cur
        Opens key:
                                                                                                                 HKCU\software\microsoft\windows\currentversion\explorer\user shell
 folders
        Opens key:
                                                                                                                   HKLM\system\currentcontrolset\control\computername
        Opens key:
                                                                                                                  HKLM\system\currentcontrolset\control\computername\activecomputername
        Opens key:
                                                                                                                  HKLM\svstem\setup
        Opens key:
                                                                                                                   Opens key:
                                                                                                                   HKLM\software\microsoft\rpc
                                                                                                                  HKLM\software\policies\microsoft\windows nt\rpc
        Opens key:
        Opens key:
                                                                                                                   HKLM\software\microsoft\cryptography\defaults\provider types\type 001
        Opens key:
                                                                                                                  HKLM\software\microsoft\cryptography\defaults\provider\microsoft strong
 cryptographic provider
        Opens key:
                                                                                                                   HKLM\system\currentcontrolset\control\lsa\fipsalgorithmpolicy
                                                                                                                   HKLM\system\currentcontrolset\control\lsa
        Opens kev:
        Opens key:
HKLM\system\currentcontrolset\policies\microsoft\cryptography\configuration
                                                                                                                  HKLM\software\policies\microsoft\cryptography
        Opens kev:
        Opens key:
                                                                                                                   HKLM\software\microsoft\cryptography
        Opens key:
                                                                                                                   HKLM\software\microsoft\cryptography\offload
                                                                                                                  \label{thm:local_hardware} \begin{tabular}{ll} HKLM \end{tabular} software \end{tabular} intel hardware \end{tabular}
        Opens key:
 cryptographic service provider
```

Opens key: HKLM\software\zebranetworksystems\neorouter

Opens key: HKLM\system\currentcontrolset\services\winsock\parameters

Opens key: HKLM\system\currentcontrolset\services\tcpip6\parameters\winsock

Opens key: HKLM\system\currentcontrolset\services\psched\parameters\winsock

Opens key: HKLM\system\currentcontrolset\services\winsock\setup migration\providers

Opens key: HKLM\system\currentcontrolset\services\winsock\setup

```
migration\providers\psched
 Opens key:
                         HKLM\system\currentcontrolset\services\tcpip\parameters\winsock
 Opens kev:
                         HKLM\system\currentcontrolset\services\winsock\setup
migration\providers\tcpip
 Opens kev:
                         HKLM\system\currentcontrolset\services\winsock\setup
migration\providers\tcpip6
                         HKLM\system\currentcontrolset\services\dnscache\parameters
 Opens key:
                         HKLM\software\policies\microsoft\windows nt\dnsclient
 Opens key:
 Opens key:
                         HKLM\software\policies\microsoft\system\dnsclient
                         HKLM\system\currentcontrolset\control\sqmservicelist
 Opens key:
 Opens key:
                         HKLM\system\currentcontrolset\services\dnscache\parameters\dnscache
 Opens key:
                         HKLM\system\currentcontrolset\services\dns
```

Opens key:

HKLM\system\currentcontrolset\services\dnscache\parameters\dnspolicyconfig Opens key:

Opens key:

HKLM\software\policies\microsoft\windows nt\dnsclient\dnspolicyconfig

c19ce8a73253}

Opens key: HKLM\system\currentcontrolset\services\tcpip\parameters\interfaces

Opens key:

HKLM\system\currentcontrolset\services\tcpip\parameters\interfaces\{128919e8-8a5e-41d1-ac17-

c19ce8a73253} Opens key:

HKLM\system\currentcontrolset\services\tcpip6\parameters\interfaces\{e29ac6c2-7037-11de-816d-

806e6f6e6963} Opens key:

806e6f6e6963} Opens kev:

1709a0196aed}

Opens key:

a68f334c8d34}

Opens key: HKLM\system\currentcontrolset\services\tcpip\linkage

Opens key: HKLM\system\currentcontrolset\control\nls\locale

Opens key: HKLM\system\currentcontrolset\control\nls\locale\alternate sorts

 $\label{lem:hklm} \mbox{HKLM} \mbox{$\tt MKLM} \mbox{$\tt MKLM} \mbox{$\tt System} \mbox{$\tt Current controlset} \mbox{$\tt Control} \mbox{$\tt NLS} \mbox{$\tt MKLM} \mbox{$\tt System} \mbox{$\tt Current controlset} \mbox{$\tt MKLM} \$ Opens key: Opens key:

HKLM\software\microsoft\ctf\compatibility\bb02abb18c51ee149dde9732ca8e5fae.exe

HKLM\software\microsoft\windows nt\currentversion\fontsubstitutes Opens key: Opens key: HKLM\software\microsoft\windows nt\currentversion\fontlink\systemlink

Opens key: HKLM\software\microsoft\windows

nt\currentversion\languagepack\datastore_v1.0

HKLM\software\microsoft\windows Opens kev:

nt\currentversion\languagepack\surrogatefallback

HKLM\software\microsoft\windows Opens key: nt\currentversion\languagepack\surrogatefallback\ms shell dlg 2

HKLM\software\microsoft\ctf\tip\{0000897b-83df-4b96-be07-Opens kev:

Ofb58b01c4a4}\languageprofile\0x00000000\{0001bea3-ed56-483d-a2e2-aeae25577436}

HKLM\software\microsoft\ctf\ Opens kev:

HKLM\software\microsoft\ctf\knownclasses Opens key:

Opens key: HKLM\software\microsoft\windows nt\currentversion\languagepack\surrogatefallback\segoe ui Opens key: HKLM\software\microsoft\windows nt\currentversion\languagepack\surrogatefallback\ms shell dlg

HKLM\software\microsoft\windows\currentversion\policies\explorer Opens key:

Queries value: HKLM\system\currentcontrolset\control\session

manager[cwdillegalindllsearch]

Queries value: HKLM\system\currentcontrolset\control\terminal server[tsappcompat] Queries value: HKLM\system\currentcontrolset\control\terminal server[tsuserenabled] Oueries value:

 $HKLM \setminus software \setminus policies \setminus microsoft \setminus windows \setminus safer \setminus code identifiers [transparentenabled]$

HKCU\control panel\desktop[preferreduilanguages] Oueries value:

Oueries value: HKCU\control panel\desktop\muicached[machinepreferreduilanguages]

Oueries value:

HKLM\software\microsoft\windows\currentversion\sidebyside[preferexternalmanifest]

HKCU\software\microsoft\windows Oueries value:

nt\currentversion\appcompatflags[showdebuginfo]

HKLM\system\currentcontrolset\control\nls\sorting\versions[] Oueries value: HKLM\software\policies\microsoft\windows nt\windows file Queries value:

protection[knowndlllist]

HKLM\system\currentcontrolset\control\session manager[safedllsearchmode] Oueries value:

HKLM\software\microsoft\windows Oueries value: nt\currentversion\gre_initialize[disablemetafiles] HKLM\software\microsoft\windows Oueries value:

 $\verb|nt\currentversion\compatibility32[bb02abb18c51ee149dde9732ca8e5fae]|$

HKLM\software\microsoft\windows Oueries value:

nt\currentversion\windows[loadappinit_dlls]

HKLM\system\currentcontrolset\services\crypt32[debugheapflags] Oueries value: Queries value: HKLM\software\microsoft\ole[pageallocatorusesystemheap] Oueries value: HKLM\software\microsoft\ole[pageallocatorsystemheapisprivate] Queries value: HKLM\software\microsoft\windows\currentversion\internet

settings[disableimprovedzonecheck] HKLM\software\policies\microsoft\windows\currentversion\internet Oueries value: settings[security_hklm_only] Queries value: HKLM\system\currentcontrolset\control\cmf\config[system] HKLM\software\microsoft\windows\windows error reporting\wmr[disable] Oueries value: Queries value: HKLM\software\microsoft\windows\currentversion\setup[sourcepath] Oueries value: HKLM\software\microsoft\windows\currentversion[devicepath] Oueries value: HKLM\system\currentcontrolset\control\nls\customlocale[en-us] Oueries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[en-us] Oueries value: HKLM\software\microsoft\sqmclient\windows[ceipenable] Oueries value: HKLM\system\currentcontrolset\services\winsock2\parameters[winsock_registry_version] Oueries value: HKLM\system\currentcontrolset\services\winsock2\parameters[namespace callout] Queries value: HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9[serial_access_num] Oueries value: HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9[next_catalog_entry_id] Queries value: HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9[num_catalog_entries] Queries value: HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\00000000001[packedcatalogitem] Oueries value: HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\000000000002[packedcatalogitem] Queries value: HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\000000000003[packedcatalogitem] Queries value: HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\000000000004[packedcatalogitem] Oueries value: HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\000000000005[packedcatalogitem] Oueries value: HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\000000000006[packedcatalogitem] HKLM\system\currentcontrolset\services\winsock2\parameters\protocol catalog9\catalog entries\00000000007[packedcatalogitem] Oueries value: HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\000000000008[packedcatalogitem] Oueries value: Oueries value: HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\000000000011[packedcatalogitem] Oueries value: Oueries value: HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\000000000013[packedcatalogitem] Queries value: HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\000000000014[packedcatalogitem] Oueries value: HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\000000000015[packedcatalogitem] Oueries value: HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\000000000016[packedcatalogitem] Queries value: HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\000000000017[packedcatalogitem] Oueries value: HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\000000000018[packedcatalogitem] Oueries value: $HKLM \ system \ current controls et \ services \ winsock 2 \ parameters \ namespace_catalog 5 [serial_access_num]$ Oueries value: Queries value: $HKLM \ system \ current control set \ services \ winsock 2 \ parameters \ names pace _catalog5 \ catalog_entries \ 000000000001 [library path]$ Queries value: $HKLM \ system \ (current control set \ services \ winsock 2 \ parameters \ namespace_catalog 5 \ (catalog_entries \ 00000000001 \ [displaystring]$ Queries value: $HKLM \setminus system \setminus current control set \setminus services \setminus winsock 2 \cap ameters \setminus namespace_catalog S \setminus catalog_entries \setminus 000000000001[providerid]$ Queries value: $HKLM \ system \ current control set \ services \ winsock 2 \ parameters \ names pace_catalog 5 \ catalog_entries \ 00000000001 \ [address family]$ Queries value: $HKLM \ system \ (current control set \ services \ winsock 2 \ parameters \ name space_catalog 5 \ (catalog_entries \ 000000000001[supported name space]$ Queries value: HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\00000000001[enabled] Oueries value: HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\00000000001[version] Queries value:

 $HKLM \setminus system \setminus current control set \setminus services \setminus winsock 2 \cap ameters \setminus namespace_catalog 5 \setminus catalog_entries \setminus 000000000001[storesserviceclass info]$

HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\00000000001[providerinfo]

HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\00000000002[librarypath]

 $HKLM \ system \ (current control set \ services \ winsock 2 \ parameters \ name space_catalog 5 \ (catalog_entries \ 0000000000002 \ [displaystring]$

Queries value:

Oueries value:

Queries value:

Queries value:

- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000002[providerid]
 Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000002[addressfamily]
 Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\0000000000002[supportednamespace]
 Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000002[enabled]
 Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000002[version] Oueries value:
- $HKLM \ system \ current control set \ services \ winsock 2 \ parameters \ namespace_catalog5 \ catalog_entries \ 0000000000002 \ [storesservice class info] \ Oueries \ value:$
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000002[providerinfo]
 Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\00000000003[librarypath] Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000003[displaystring] Queries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000003[providerid]
 Queries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\00000000003[addressfamily]
 Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000003[supportednamespace]
 Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\00000000003[enabled]
 Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\00000000003[version]
 Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000003[providerinfo]
 Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000004[librarypath]
 Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000004[displaystring] Queries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000004[providerid]
 Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\0000000000004[addressfamily]
 Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000004[supportednamespace]
 Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000004[enabled]
 Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000004[version]
 Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\0000000000004[storesserviceclassinfo]
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000004[providerinfo] Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000005[librarypath]
 Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000005[displaystring] Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\00000000005[providerid]
 Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000005[addressfamily]
 Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000005[supportednamespace]
 Queries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000005[enabled]
 Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000005[version]
 Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000005[storesserviceclassinfo]
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000005[providerinfo]
 Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000006[librarypath]
 Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000006[displaystring] Queries value:
- $HKLM \ system \ current control set \ services \ winsock 2 \ parameters \ namespace_catalog \ solves \ value:$
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000006[addressfamily]
 Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000006[supportednamespace]
 Queries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\00000000006[enabled]
 Queries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000006[version]
 Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\00000000006[storesserviceclassinfo]

Oueries value:

 $HKLM \setminus system \setminus current control set \setminus services \setminus winsock 2 \setminus parameters \setminus names pace_catalog 5 \setminus catalog_entries \setminus 0000000000006[provider info]]$

Oueries value:

HKLM\system\currentcontrolset\services\winsock2\parameters[ws2_32numhandlebuckets]

Oueries value:

HKLM\system\currentcontrolset\services\winsock2\parameters[ws2_32spincount]

Oueries value:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\}[category]}$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\}[name]}$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\} \ [parent folder]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\} \ [description]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\} \ [relative path]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97}[parsingname]

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\} [infotip]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\} \ [localized name]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\} \ [icon]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\} \ [security]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\} \ [stream resource]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\}[streamresourcetype]}$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\} \ [local redirectonly]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\} \ [roamable]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\}[precreate]$

Oueries value:

 $\label{lem:hklmsoftwaremicrosoftwindows\currentversion\explorer\folderdescriptions\{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\}[stream]} \\$

Queries value:

 $\label{local-ham} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\}[publishexpandedpath]}$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\} \ [attributes]$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\}[foldertypeid]}$

Oueries value:

 $\label{thm:local-equation} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97} \cite{1.00cm} [initfolder \cite{1.00cm} handler]$

Queries value: HKLM\software\microsoft\windows

nt\currentversion\profilelist[programdata]

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} current version \end{abbedde} \begin{tabular}{ll} Hklm \end{tabular} $$Hklm \end{tabular} $$$

Queries value

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\} \ [name]$

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folder descriptions \currentversion\explorer\folder descriptions \currentversion\explorer\folder descriptions \currentversion\explorer\folder\f$

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions \currentversion\explorer\folderdescriptions \currentversion\explorer\folderdescriptions \currentversion\explorer\folderdescriptions \currentversion\explorer\folderdescriptions \currentversion\explorer\folderdescription\explorer\folderdescription\explorer\folderdescription\explorer\folderdescription\explorer\folderdescription\explorer\folderdescription\explorer\explor$

Queries value:

 $\label{lem:hkkm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cal{lem:hkkkm} a 03a-e3ef65729f3d \[relative path]$

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\}[parsingname]}$

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\}[infotip]}$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\} \ [localized name]$

Oueries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\}[icon]$

Queries value:

 $HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \descriptions \folder \folder$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\} \ [stream resource]$

Queries value:

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ 'abb685 db-65 f9-4c f6-a03a-e3e f65 729 f3d \ [local redirect only]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\} \ [roamable]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\} \ [precreate]$

Oueries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\}[stream]}$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\} \ [publish \ expanded path]$

Oueries value:

 $\label{lem:hkklmsoftwaremicrosoftwindows} Later the substitution of the substitution$

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\}[foldertypeid]}$

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\}[initfolderhandler]$

Queries value: HKCU\software\microsoft\windows\currentversion\explorer\user shell

folders[appdata]
 Queries value:

Queries value: HKLM\system\setup[oobeinprogress]

Queries value: HKLM\system\setup[systemsetupinprogress]

Queries value: HKLM\system\currentcontrol\set\control\nls\customlocale[en]
Queries value: HKLM\system\currentcontrol\set\control\nls\extendedlocale[en]

Queries value:

HKLM\system\currentcontrolset\services\lanmanworkstation\parameters[rpccachetimeout]

Queries value: HKLM\software\microsoft\rpc[maxrpcsize]

 $\label{thm:local_queries} Queries \ value: \\ HKLM\ software \ microsoft\ cryptography\ defaults\ provider \ types\ type \\$

001[name]

Queries value: HKLM\software\microsoft\cryptography\defaults\provider\microsoft strong cryptographic provider[type]

Queries value: HKLM\software\microsoft\cryptography\defaults\provider\microsoft strong

cryptographic provider[image path]

 $\label{lem:current} Queries \ value: \\ HKLM\ system\ current controls et\ control\ session$

manager[safeprocesssearchmode]

Queries value: HKLM\system\currentcontrol\sa\fipsalgorithmpolicy[enabled]
Queries value: HKLM\system\currentcontrol\sa[fipsalgorithmpolicy]
Queries value: HKLM\software\policies\microsoft\cryptography[privkeycachemaxitems]

Queries value:

 $HKLM \setminus software \setminus policies \setminus microsoft \setminus cryptography [privkey cachepurge interval seconds]$

 $\label{thm:condition} Queries \ value: \\ HKLM \ software \ policies \ microsoft \ cryptography [privatekey lifetimese conds] \\$

Queries value: HKLM\software\microsoft\cryptography[machineguid]

 $\label{thm:parameters} Queries \ value: \\ HKLM\ system\ current controls et\ services\ winsock\ parameters\ [transports]$

Queries value:

HKLM\system\currentcontrolset\services\tcpip6\parameters\winsock[mapping]

Queries value:

HKLM\system\currentcontrolset\services\psched\parameters\winsock[mapping]
Queries value: HKLM\system\currentcontrolset\services\winsock\setup

migration\providers\psched[winsock 2.0 provider id]

Queries value: HKLM\system\currentcontrolset\services\tcpip\parameters\winsock[mapping]

Queries value: HKLM\system\currentcontrolset\services\winsock\setup

migration\providers\tcpip[winsock 2.0 provider id]

Queries value:

 $HKLM \setminus system \setminus current control set \setminus services \setminus tcpip \setminus parameters \setminus winsock [minsock addrlength]$

Oueries value: HKLM\system\currentcontrolset\services\tcpip\parameters\winsock[maxsockaddrlength] Oueries value: HKLM\system\currentcontrolset\services\tcpip\parameters\winsock[usedelayedacceptance] Oueries value: HKLM\system\currentcontrolset\services\tcpip\parameters\winsock[helperdllname] Oueries value: HKLM\system\currentcontrolset\services\winsock\setup migration\providers\tcpip6[winsock 2.0 provider id] Oueries value: HKLM\system\currentcontrolset\services\tcpip6\parameters\winsock[minsockaddrlength] Oueries value: Oueries value: HKLM\system\currentcontrolset\services\tcpip6\parameters\winsock[usedelayedacceptance] Queries value: HKLM\system\currentcontrolset\services\tcpip6\parameters\winsock[helperdllname] HKLM\svstem\currentcontrolset\services\tcpip\parameters[hostname] Oueries value: Queries value: HKLM\system\currentcontrolset\services\tcpip\parameters[domain] Queries value: HKLM\system\currentcontrolset\control\sqmservicelist[sqmservicelist] Oueries value: HKLM\system\currentcontrolset\services\dnscache\parameters\dnscache[shutdownonidle] Oueries value: HKLM\system\currentcontrolset\services\dnscache\parameters[queryadaptername] Queries value: HKLM\system\currentcontrolset\services\tcpip\parameters[disableadapterdomainname] Queries value: HKLM\system\currentcontrolset\services\dnscache\parameters[usedomainnamedevolution] Queries value: $HKLM \verb| system| current control set \verb| services| tcpip| parameters [usedomain named evolution]$ HKLM\system\currentcontrolset\services\dnscache\parameters[domainnamedevolutionlevel] Queries value: $HKLM \setminus system \setminus current control set \setminus services \setminus dns cache \setminus parameters [prioritize record data]$ Queries value: HKLM\system\currentcontrolset\services\dnscache\parameters[allowunqualifiedquery] Oueries value: HKLM\system\currentcontrolset\services\tcpip\parameters[allowunqualifiedquery] Queries value: HKLM\svstem\currentcontrolset\services\dnscache\parameters[screenbadtlds] Queries value: HKLM\system\currentcontrolset\services\dnscache\parameters[screenunreachableservers] Queries value: HKLM\svstem\currentcontrolset\services\dnscache\parameters[dvnamicserverguervorder] Queries value: HKLM\system\currentcontrolset\services\dnscache\parameters[filterclusterip] Oueries value: HKLM\system\currentcontrolset\services\dnscache\parameters[waitfornameerroronall] Queries value: HKLM\system\currentcontrolset\services\dnscache\parameters[useedns] Oueries value: $HKLM \setminus system \setminus current control set \setminus services \setminus dns cache \setminus parameters [dns secure name query fall back]$ Oueries value: HKLM\system\currentcontrolset\services\dnscache\parameters[enabledaforallnetworks] Oueries value: HKLM\system\currentcontrolset\services\dnscache\parameters[directaccessqueryorder] Queries value: HKLM\system\currentcontrolset\services\dnscache\parameters[queryipmatching] HKLM\system\currentcontrolset\services\dnscache\parameters[usehostsfile] Queries value: Oueries value: HKLM\system\currentcontrolset\services\dnscache\parameters[addrconfigcontrol] HKLM\system\currentcontrolset\services\dnscache\parameters[registrationenabled] Oueries value: HKLM\system\currentcontrolset\services\tcpip\parameters[disabledynamicupdate] Oueries value: HKLM\system\currentcontrolset\services\dnscache\parameters[registerprimaryname] HKLM\system\currentcontrolset\services\dnscache\parameters[registeradaptername] Queries value: HKLM\system\currentcontrolset\services\tcpip\parameters[enableadapterdomainnameregistration] Oueries value: HKLM\system\currentcontrolset\services\dnscache\parameters[registerreverselookup] Oueries value: HKLM\system\currentcontrolset\services\tcpip\parameters[disablereverseaddressregistrations] Oueries value: HKLM\system\currentcontrolset\services\dnscache\parameters[registerwanadapters] Oueries value: HKLM\system\currentcontrolset\services\tcpip\parameters[disablewandynamicupdate]

Oueries value: HKLM\system\currentcontrolset\services\dnscache\parameters[registrationttl] Oueries value: HKLM\system\currentcontrolset\services\tcpip\parameters[defaultregistrationttl] Oueries value: Oueries value: HKLM\system\currentcontrolset\services\tcpip\parameters[defaultregistrationrefreshinterval] Queries value: HKLM\system\currentcontrolset\services\dnscache\parameters[registrationmaxaddresscount] Oueries value: Oueries value: HKLM\system\currentcontrolset\services\dnscache\parameters[updatesecuritylevel] Queries value: HKLM\system\currentcontrolset\services\tcpip\parameters[updatesecuritylevel] Oueries value: HKLM\system\currentcontrolset\services\dnscache\parameters[updatetopleveldomainzones] Queries value: HKLM\system\currentcontrolset\services\dnscache\parameters[downcasespncauseapiowneristoolazy] Queries value: HKLM\system\currentcontrolset\services\dnscache\parameters[registrationoverwrite] HKLM\svstem\currentcontrolset\services\dnscache\parameters[maxcachesize] Oueries value: HKLM\system\currentcontrolset\services\dnscache\parameters[maxcachettl] Queries value: Queries value: HKLM\system\currentcontrolset\services\dnscache\parameters[adaptertimeoutlimit] Oueries value: HKLM\system\currentcontrolset\services\dnscache\parameters[serverprioritytimelimit] Oueries value: HKLM\system\currentcontrolset\services\dnscache\parameters[maxcachedsockets] Queries value: HKLM\system\currentcontrolset\services\dnscache\parameters[enablemulticast] Oueries value: HKLM\system\currentcontrolset\services\dnscache\parameters[multicastresponderflags] Oueries value: HKLM\system\currentcontrolset\services\dnscache\parameters[multicastsenderflags] Queries value: HKLM\system\currentcontrolset\services\dnscache\parameters[multicastsendermaxtimeout] Queries value: $\label{lem:hklm} \verb+Kklm \system \current control set \services \dns cache \parameters [dnstest]$ HKLM\svstem\currentcontrolset\services\dnscache\parameters[usecompartments] Queries value: HKLM\system\currentcontrolset\services\dnscache\parameters[cacheallcompartments] Queries value: $\label{lem:hklm} \verb+Kklm \system \current control set \services \$ $HKLM \setminus system \setminus current control set \setminus services \setminus dnscache \setminus parameters [resolver registration]$ Queries value: HKLM\system\currentcontrolset\services\dnscache\parameters[resolverregistrationonly] Oueries value: HKLM\system\currentcontrolset\services\dnscache\parameters[dnsquerytimeouts] Queries value: HKLM\system\currentcontrolset\services\tcpip\parameters[dnsquerytimeouts] Queries value: HKLM\system\currentcontrolset\services\dnscache\parameters[dnsquickquerytimeouts] Oueries value: HKLM\system\currentcontrolset\services\tcpip\parameters[dnsquickguerytimeouts] HKLM\system\currentcontrolset\services\tcpip6\parameters\interfaces\{128919e8-8a5e-41d1-ac17c19ce8a73253}[searchlist] Queries value: c19ce8a73253}[enabledhcp] c19ce8a73253}[registrationenabled] Queries value: HKLM\system\currentcontrolset\services\tcpip\parameters\interfaces\{128919e8-8a5e-41d1-ac17c19ce8a73253}[registeradaptername] HKLM\system\currentcontrolset\services\tcpip\parameters\interfaces\{128919e8-8a5e-41d1-ac17c19ce8a73253}[domain] Queries value: c19ce8a73253}[dhcpdomain] c19ce8a73253}[dhcpv6domain] Queries value: c19ce8a73253}[nameserver]

Oueries value:

c19ce8a73253}[nameserver]

c19ce8a73253}[dhcpnameserver]

Oueries value:

HKLM\system\currentcontrolset\services\tcpip\parameters\interfaces\{e29ac6c2-7037-11de-816d-806e6f6e6963}[enabledhcp]

Oueries value:

806e6f6e6963}[registrationenabled]

Oueries value:

806e6f6e6963}[registeradaptername]

Oueries value:

806e6f6e6963}[domain]

Oueries value:

806e6f6e6963}[dhcpdomain]

Oueries value:

806e6f6e6963}[nameserver]

Queries value:

806e6f6e6963}[dhcpnameserver]

Queries value: HKLM\system\currentcontrolset\services\tcpip\linkage[bind]

Queries value:

HKLM\system\currentcontrolset\services\tcpip\parameters\interfaces\{128919e8-8a5e-41d1-ac17c19ce8a73253}[queryadaptername]

Queries value:

c19ce8a73253}[disableadapterdomainname]

Oueries value:

c19ce8a73253}[registrationmaxaddresscount]

Oueries value:

c19ce8a73253}[maxnumberofaddressestoregister]

Oueries value:

HKLM\system\currentcontrolset\services\tcpip\parameters\interfaces\{128919e8-8a5e-41d1-ac17c19ce8a73253}[enablemulticast]

Queries value:

806e6f6e6963}[queryadaptername]

Oueries value:

806e6f6e6963}[disableadapterdomainname]

Queries value:

806e6f6e6963}[disabledynamicupdate]

Oueries value:

HKLM\system\currentcontrolset\services\tcpip\parameters\interfaces\{e29ac6c2-7037-11de-816d-806e6f6e6963}[enableadapterdomainnameregistration]

Queries value:

806e6f6e6963}[registrationmaxaddresscount]

Oueries value:

806e6f6e6963}[maxnumberofaddressestoregister]

Oueries value:

806e6f6e6963}[enablemulticast]

Oueries value: HKLM\system\currentcontrolset\services\tcpip\parameters[searchlist] Queries value: HKLM\system\currentcontrolset\services\winsock2\parameters[autodialdll]

Queries value: HKLM\system\currentcontrolset\control\nls\locale[00000409] Queries value: HKLM\system\currentcontrolset\control\nls\language groups[1]

Queries value:

shell dlg 2]

HKLM\software\microsoft\windows Queries value: nt\currentversion\languagepack\datastore_v1.0[disable] Oueries value: HKLM\software\microsoft\windows nt\currentversion\languagepack\datastore_v1.0[datafilepath]

Queries value: HKLM\software\microsoft\windows nt\currentversion\languagepack\surrogatefallback[plane1]

HKLM\software\microsoft\windows Queries value: nt\currentversion\languagepack\surrogatefallback[plane2]

HKLM\software\microsoft\windows Oueries value: nt\currentversion\languagepack\surrogatefallback[plane3]

Queries value: HKLM\software\microsoft\windows nt\currentversion\languagepack\surrogatefallback[plane4]

Queries value: HKLM\software\microsoft\windows nt\currentversion\languagepack\surrogatefallback[plane5] HKLM\software\microsoft\windows Oueries value: nt\currentversion\languagepack\surrogatefallback[plane6] Queries value: HKLM\software\microsoft\windows $\verb|nt\currentversion\languagepack\surrogatefallback[plane7]|$ Queries value: HKLM\software\microsoft\windows nt\currentversion\languagepack\surrogatefallback[plane8] HKLM\software\microsoft\windows Oueries value: $\verb|nt\currentversion\languagepack\surrogatefallback[plane9]|$ HKLM\software\microsoft\windows Queries value: $\verb|nt\currentversion\language| pack\surrogatefallback[plane10]|$ Queries value: HKLM\software\microsoft\windows nt\currentversion\languagepack\surrogatefallback[plane11] HKLM\software\microsoft\windows Queries value: $nt\current version \verb|\languagepack\surrogatefallback[plane12]|$ HKLM\software\microsoft\windows Queries value: $\verb|nt\currentversion\language| pack\surrogatefallback[plane13]|$ Queries value: HKLM\software\microsoft\windows nt\currentversion\languagepack\surrogatefallback[plane14] HKLM\software\microsoft\windows Queries value: $\verb|nt\currentversion\languagepack\surrogatefallback[plane15]|$ HKLM\software\microsoft\windows Queries value: $\verb|nt\currentversion\language| pack\surrogatefallback[plane16]|$

 $Queries\ value: \ HKLM\ software\ microsoft\ ctf\ tip\ \{0000897b-83df-4b96-be07-0fb58b01c4a4\}\ language\ profile\ 0x00000000\ \{0001bea3-ed56-483d-a2e2-aeae25577436\}\ [enable]$

 $\label{thm:context} Queries \ value: \\ HKLM\ software\ microsoft\ ctf[enableanchorcontext]$