# Malware Analysis Appliance by Blue Coat Systems, Inc.

#### Task Details

Host: mag2, Sample ID: 26, Task ID: 103

Task ID: 103 Risk Level: 7

Date Processed: 2016-04-28 12:49:13 (UTC)

Processing Time: 62.95 seconds
Virtual Environment: IntelliVM

 $\label{lem:condition} \textbf{Execution Arguments:} \qquad \textbf{"c:\windows\temp\bdc27c485a35c61c7bf0bfedbf9b0b3f.exe"}$ 

Sample ID: 26
Type: basic
Owner: admin

Label: bdc27c485a35c61c7bf0bfedbf9b0b3f

Date Added: 2016-04-28 12:44:52 (UTC)
File Type: PF32:win32:gui

File Type: PE32:win32:gui File Size: 994608 bytes

MD5: bdc27c485a35c61c7bf0bfedbf9b0b3f

SHA256: f89295cb1a70b1278e66a56acc10ee088a2ad2022664023d870c4698d0b4c7a1

Description: None

# Pattern Matching Results

3 Long sleep detected

- 6 Renames file on boot
- 2 PE: Nonstandard section
- 3 HTTP connection response code 200 (success) [HTTP, POST, GET, web, network, response code]
- 1 YARA score 1
- 7 Signed by adware producer [Adware, PUA]
- 3 Connects to local host
- 4 Packer: NSIS [Nullsoft Scriptable Install System]

#### Static Events

YARA rule hit:	OLE2
YARA rule hit:	Nonexecutable
Anomaly:	PE: Contains a virtual section
Anomaly:	PF: Contains one or more non-standard sections

#### **Process/Thread Events**

```
C:\windows\temp\bdc27c485a35c61c7bf0bfedbf9b0b3f.exe
 ["C:\windows\temp\bdc27c485a35c61c7bf0bfedbf9b0b3f.exe" ]
                                                              C:\Users\Admin\AppData\Local\Temp\nsvD1F5.tmp\BI.exe
     Creates process:
 [C:\Users\Admin\AppData\Local\Temp\nsvD1F5.tmp\BI.exe { "json_send_time" : "28/4/2016
14:49:58:382" , "product_id_version" : "" , "product_type" : "" , "product_id" : "" , "offer_id" : "77315" , "user_type" : "NULL" , "result" : "Success" , "user_operating_system_bits" : "" , "current_default_search" : "" , "current_homepage" : "" , "current_toolbars" : "" ,
"attempt_number": "1", "is_silent": "", "user_ms_dotnet_framework_ver": "",
"user_acount_type": "", "user_ie_version": "", "user_default_browser_version": "",
"user_default_browser": "", "user_service_pack": "", "user_operating_system": "",
"revision_number": "0", "build_id": "000000000", "dm_version": "1.3.7.9_NoStatic.130521.01",
"bundle_id" : "48dd2e32-2172-4f35-aac6-4a328190391d" , "machine_user_id" : "{CC000149-0460-48C9-
94F2-3685BFC00465}" , "send_attempt" : "0" , "channel_id" : "" , "installation_session_id" : "788A0310-2854-475D-8E73-A34491E4D0AA" , "publisher_internal_id" : "1" , "publisher_id" : "Brothersoft" , "publisher_account_id" : "Brothersoft" , "order" : "1.0" , "phase" : "Init" ,
 "Is_Test" : "0" }]
                                                               C:\Users\Admin\AppData\Local\Temp\nsvD1F5.tmp\BI.exe
    Creates process:
  [C:\Users\land Admin\land ppData\land Local\land Temp\land p\land BI.exe \{ user\_ie\_security\_level" : "Unknown-0" , leave the context of the context
 json_send_time" : "28/4/2016 14:57:6:863" , "internal_error_description" : "HttpPost to CMS"
result- try3: Error navigating (in GetNavigateError error code is -2146697211) to url:
http://cms.distributionengine.conduit-services.com//MainOffer/77256/?CurrentStep=1"
"internal_error_number" : "3" , "is_parallel" : "0" , "mrs_id" : "-1" , "vector_id" : "581222" , "rule_id" : "580630" , "product_id_version" : "" , "product_type" : "" , "product_id" : "" , "offer_id" : "77315" , "general_status_code" : "6" , "duration_details" : " InitPluginsDir:0
initializeParams:951 load_BITool:90 send_BI_Init:10 load_DownloadACC:131 retrieveUISource:0
unpack webappfolder: 0 unpack icon: 0 RetrieveMainOfferKey: 10 unpack OpenCandyDll: 280
load_webapphost:10 unpack_ProxyInstaller:220 navigate_loadingUI:1292
navigateAsync_constMainOffer:0 BuildUserProfile:40 retrieve cid:0 callService1:422595
parse_ResponseXml:2093 init_external_offer:0 DiscoverUserAgent:51 " , "phase_duration" : ""
"error_details" : "55 Failed to communicate with CMS for main offer" , "result" : "Error" ,
"user_operating_system_bits" : "32" , "current_default_search" : "http://www.bing.com/search?
q={searchTerms}&src=IE-SearchBox&FORM=IE8SRC" , "current_homepage" : "about:blank" ,
"current_toolbars" : "" , "attempt_number" : "1" , "is_silent" : "0" ,
 "user_ms_dotnet_framework_ver" : "3.5" , "user_acount_type" : "" , "user_ie_version"
"8.0.7601.17514" , "user_default_browser_version" : "8.0.7601.17514" , "user_default_browser" : "IEXPLORE.EXE" , "user_service_pack" : "1.0" , "user_operating_system" : "Windows 7 Professional"
    "revision_number" : "0" , "build_id" : "000000000" , "dm_version" : "1.3.7.9_NoStatic.130521.01" "bundle_id" : "48dd2e32-2172-4f35-aac6-4a328190391d" , "machine_user_id" : "{CC000149-0460-
/**A8C9-94F2-3685BFC00465}", "send_attempt": "0", "channel_id": "", "installation_session_id": "788A0310-2854-475D-8E73-A34491E4D0AA", "publisher_internal_id": "1", "publisher_id": "Brothersoft", "publisher_account_id": "Brothersoft", "order": "2.0", "phase":
```

"InitComplete" , "Is\_Test" : "0" }]

Terminates process: C:\Users\Admin\AppData\Local\Temp\nsvD1F5.tmp\BI.exe

## Named Object Events

Creates mutex: \Sessions\1\BaseNamedObjects\DBWinMutex
Creates mutex: \Sessions\1\BaseNamedObjects\ActiveSetupMutexId
Creates mutex: \Sessions\1\BaseNamedObjects\\_!MSFTHISTORY!\_

Creates mutex:

\Sessions\1\BaseNamedObjects\c:!users!admin!appdata!local!microsoft!windows!temporary internet

files!content.ie5! Creates mutex:

\Sessions\1\BaseNamedObjects\c:!users!admin!appdata!roaming!microsoft!windows!cookies!

Creates mutex:

\Sessions\1\BaseNamedObjects\c:!users!admin!appdata!local!microsoft!windows!history!history.ie5!

Creates mutex: \Sessions\1\BaseNamedObjects\CicLoadWinStaWinSta0

Creates mutex: \Sessions\1\BaseNamedObjects\MSCTF.CtfMonitorInstMutexDefault1

Creates mutex: \Sessions\1\BaseNamedObjects\WininetStartupMutex
Creates mutex: \Sessions\1\BaseNamedObjects\WininetConnectionMutex
Creates mutex: \Sessions\1\BaseNamedObjects\WininetProxyRegistryMutex

Creates mutex: \Sessions\1\BaseNamedObjects\RasPbFile

Creates mutex: \Sessions\1\BaseNamedObjects\!PrivacIE!SharedMemory!Mutex

Creates mutex: \Sessions\1\BaseNamedObjects\ZonesCounterMutex

Creates mutex: \Sessions\1\BaseNamedObjects\ZoneAttributeCacheCounterMutex

Creates mutex: \Sessions\1\BaseNamedObjects\ZonesCacheCounterMutex
Creates mutex: \Sessions\1\BaseNamedObjects\ZonesLockedCacheCounterMutex

Creates mutex: \Sessions\1\BaseNamedObjects\!IETld!Mutex
Creates mutex: \Sessions\1\BaseNamedObjects\IESQMMUTEX\_0\_208
Creates mutex: \Sessions\1\BaseNamedObjects\\_!SHMSFTHISTORY!\_
Creates mutex:

\Sessions\1\BaseNamedObjects\c:!users!admin!appdata!local!microsoft!windows!history!history.ie5!mshist012016042820160429!

\BaseNamedObjects\BFE\_Notify\_Event\_{45eca1fc-3278-4a03-b160-

Creates event: \KernelObjects\MaximumCommitCondition
Creates event: \Security\LSA\_AUTHENTICATION\_INITIALIZED

Creates event: \Sessions\1\BaseNamedObjects\MSCTF.CtfActivated.Default1

Creates event: \BaseNamedObjects\SvcctrlStartEvent\_A3752DX

Creates event: \Sessions\1\BaseNamedObjects\01eDfRoot7933AA22EC136C74
Creates event: \BaseNamedObjects\BFE\_Notify\_Event\_{40ea83b7-4c32-425e-853c-e1c3d4b8726d}

Creates event: be02152698e0}

Creates event: \Sessions\1\BaseNamedObjects\DINPUTWINMM

Creates event: \BaseNamedObjects\BFE\_Notify\_Event\_{c9257721-754a-48bf-8a16-

43dfef6333c7}

### File System Events

Files\Content.IE5\BX3UL1G0\ErrorPageTemplate[1]

Creates:

File System Events		
Creates:	C:\Users\Admin\AppData\Local\Microsoft\Windows\Caches	
Creates:	C:\Users\Admin\AppData\Local\Temp\	
Creates:	C:\Users\Admin\AppData\Local\Temp\nscDOA8.tmp	
Creates:	<pre>C:\Users\Admin\AppData\Local\Temp\nsbD1E0.tmp</pre>	
Creates:	<pre>C:\Users\Admin\AppData\Local\Temp\nsvD1F5.tmp</pre>	
Creates:	C:\Users	
Creates:	C:\Users\Admin	
Creates:	C:\Users\Admin\AppData	
Creates:	<pre>C:\Users\Admin\AppData\Local</pre>	
Creates:	<pre>C:\Users\Admin\AppData\Local\Temp</pre>	
Creates:	<pre>C:\Users\Admin\AppData\Local\Temp\nsvD1F5.tmp\System.dll</pre>	
Creates:	<pre>C:\Users\Admin\AppData\Local\Temp\nsvD1F5.tmp\webapphost.dll</pre>	
Creates:	<pre>C:\Users\Admin\AppData\Local\Temp\nsvD1F5.tmp\BI.exe</pre>	
Creates:	<pre>C:\Users\Admin\AppData\Local\Temp\nsvD1F5.tmp\DM_loader.gif</pre>	
Creates:	<pre>C:\Users\Admin\AppData\Local\Temp\nsvD1F5.tmp\DownloadACC.exe</pre>	
Creates:	<pre>C:\Users\Admin\AppData\Local\Temp\nsvD1F5.tmp\Failed.htm</pre>	
Creates:	<pre>C:\Users\Admin\AppData\Local\Temp\nsvD1F5.tmp\icon.png</pre>	
Creates:	<pre>C:\Users\Admin\AppData\Local\Temp\nsvD1F5.tmp\OCSetupHlp.dll</pre>	
Creates:	<pre>C:\Users\Admin\AppData\Local\Temp\nsvD1F5.tmp\ProxyInstaller.exe</pre>	
Creates:	<pre>C:\Users\Admin\AppData\Local\Temp\nssD9A8.tmp</pre>	
Creates:	<pre>C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet Files</pre>	
Creates:	<pre>C:\Users\Admin\AppData\Local\Temp\nsmD9BD.tmp</pre>	
Creates:	C:\Users\Admin\AppData\Roaming	
Creates:	<pre>C:\Users\Admin\AppData\Roaming\Microsoft\Windows\Cookies</pre>	
Creates:	<pre>C:\Users\Admin\AppData\Local\Microsoft\Windows\History</pre>	
Creates:	<pre>C:\Users\Admin\AppData\Local\Temp\nsaD9E6.tmp</pre>	
Creates:	<pre>C:\Users\Admin\AppData\Local\Temp\nsaD9E6.tmp\inetc.dll</pre>	
Creates:	<pre>C:\Users\Admin\AppData\Local\Temp\nsaD9E6.tmp\a.txt</pre>	
Creates:	<pre>C:\Users\Admin\AppData\Local\Temp\~DFC1DC6FB3B97528DD.TMP</pre>	
Creates:	<pre>C:\Users\Admin\AppData\Local\Temp\nsvD1F5.tmp\inetc.dll</pre>	
Creates:	<pre>C:\Users\Admin\AppData\Local\Temp\nsvD1F5.tmp\offer.xml</pre>	
Creates:	<pre>C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet</pre>	
Files\Content.IE5\BX3U	<u> </u>	
Creates:	<pre>C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet</pre>	
Files\Content.IE5\KQ5T	VCON\navcanc1[1]	

 ${\tt C:\Windows\Temporary\ Internet}$ 

C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet

```
Files\Content.IE5\X3IPB3Z1\errorPageStrings[1]
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
 Creates:
Files\Content.IE5\BX3UL1GO\ErrorPageTemplate[2]
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
 Creates
Files\Content.IE5\BX3UL1G0\errorPageStrings[1]
 Creates:
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
Files\Content.IE5\X3IPB3Z1\httpErrorPagesScripts[1]
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
 Creates:
Files\Content.IE5\KQ5TVCON\background_gradient[1]
 Creates
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
Files\Content.IE5\X3IPB3Z1\info 48[1]
 Creates:
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
Files\Content.IE5\BX3UL1G0\bullet[1]
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
 Creates:
Files\Content.IE5\KQ5TVCON\ErrorPageTemplate[1]
 Creates:
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
Files\Content.IE5\BX3UL1G0\errorPageStrings[2]
 Creates:
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
Files\Content.IE5\BX3UL1G0\httpErrorPagesScripts[1]
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
 Creates:
Files\Content.IE5\X3IPB3Z1\background_gradient[1]
 Creates:
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
Files\Content.IE5\KQ5TVCON\info_48[1]
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
 Creates:
Files\Content.IE5\X3IPB3Z1\bullet[1]
                         \verb|C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet| \\
 Creates:
Files\Content.IE5\KQ5TVCON\errorPageStrings[1]
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
 Creates:
Files\Content.IE5\BX3UL1G0\httpErrorPagesScripts[2]
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
 Creates:
Files\Content.IE5\BX3UL1G0\background_gradient[1]
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
 Creates:
Files\Content.IE5\KQ5TVCON\bullet[1]
 Creates:
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
Files\Content.IE5\BX3UL1G0\background_gradient[2]
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
Files\Content.IE5\BX3UL1G0\info_48[1]
                         C:\Users\Admin\AppData\Local\Temp\nsvD1F5.tmp\xml.dll
 Creates:
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
 Creates:
Files\Content.IE5\KQ5TVCON\dnserrordiagoff_web0C[1]
 Creates:
                         {\tt C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary\ Internet}
Files\Content.IE5\WG2VLW5Y\dnserrordiagoff_web0C[1]
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
 Creates:
Files\Content.IE5\KQ5TVCON\httpErrorPagesScripts[1]
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
Files\Content.IE5\BX3UL1G0\info 48[2]
 Creates:
                         {\tt C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary\ Internet}
Files\Content.IE5\X3IPB3Z1\down[1]
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
 Creates:
Files\Content.IE5\X3IPB3Z1\ErrorPageTemplate[1]
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
 Creates:
Files\Content.IE5\BX3UL1G0\bullet[21
 Creates:
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
Files\Content.IE5\BX3UL1G0\down[1]
                         C:\Users\Admin\AppData\Local\Temp\nsvD1F5.tmp\nsArray.dll
 Creates:
 Creates:
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
Files\Content.IE5\X3IPB3Z1\ErrorPageTemplate[2]
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
 Creates:
Files\Content.IE5\X3IPB3Z1\errorPageStrings[2]
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
 Creates:
Files\Content.IE5\BX3UL1G0\down[2]
                         \verb|C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet| \\
 Creates:
Files\Content.IE5\BX3UL1G0\dnserrordiagoff_web0C[1]
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
 Creates:
Files\Content.IE5\WG2VLW5Y\ErrorPageTemplate[1]
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
Files\Content.IE5\KQ5TVCON\down[1]
                         \verb|C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet| \\
 Creates:
Files\Content.IE5\X3IPB3Z1\dnserrordiagoff_web0C[1]
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
 Creates:
Files\Content.IE5\WG2VLW5Y\errorPageStrings[1]
                         C:\Users\Admin\AppData\Local\Temp\nssFFA4.tmp
 Creates:
                         C:\Users\Admin\AppData\Local\Temp\nsd33E.tmp
 Creates:
                         C:\Users\Admin\AppData\Local\Temp\nsh3DF.tmp
 Creates:
                         C:\Users\Admin\AppData\Local\Temp\nsh3DF.tmp\inetc.dll
 Creates:
                         C:\Users\Admin\AppData\Local\Temp\nsh3DF.tmp\a.txt
 Creates:
C:\Users\Admin\AppData\Local\Microsoft\Windows\History\History.IE5\MSHist012016042820160429
 Creates:
Creates:
                         C:\Users\Admin\Favorites
                         C:\Windows\Prefetch\BDC27C485A35C61C7BF0BFEDBF9B0-B592E6BE.pf
 Opens:
 Opens:
                         C:\Windows\System32
```

```
C:\Windows\System32\sechost.dll
 Opens:
                         C:\windows\temp\bdc27c485a35c61c7bf0bfedbf9b0b3f.exe.Local\
 Opens:
 Opens:
                         C:\Windows\winsxs\x86_microsoft.windows.common-
controls_6595b64144ccf1df_5.82.7601.17514_none_ec83dffa859149af
                         C:\Windows\winsxs\x86_microsoft.windows.common-
 Opens:
controls_6595b64144ccf1df_5.82.7601.17514_none_ec83dffa859149af\comctl32.dll
                         C:\windows\temp\VERSION.dll
 Opens:
 Opens:
                         C:\Windows\System32\version.dll
 Opens:
                         C:\Windows\System32\imm32.dll
 Opens:
                         C:\Windows\System32\rpcss.dll
 Opens:
                         C:\windows\temp\CRYPTBASE.dll
 Opens:
                         C:\Windows\System32\cryptbase.dll
 Opens:
                         C:\Windows\System32\uxtheme.dll
                         C:\windows\temp\SHFOLDER.DLL
 Opens:
 Opens:
                         C:\Windows\System32\shfolder.dll
                         C:\Windows\Globalization\Sorting\SortDefault.nls
 Opens:
 Opens:
                         C:\Windows\System32\shell32.dll
 Opens:
                         C:\Windows\winsxs\x86_microsoft.windows.common-
controls_6595b64144ccf1df_6.0.7601.17514_none_41e6975e2bd6f2b2
                         C:\Windows\winsxs\x86_microsoft.windows.common-
 Opens:
controls_6595b64144ccf1df_6.0.7601.17514_none_41e6975e2bd6f2b2\comctl32.dll
 Opens:
                         C:\Windows\WindowsShell.Manifest
                         C:\
 Opens:
 Opens:
                         C:\Windows
 Opens:
                         C:\Windows\System32\propsys.dll
 Opens:
                         C: \verb|\USers\Admin\AppData\Local\Microsoft\Windows\Caches\cversions.1.db| \\
 Opens:
                         C:\windows\temp\ntmarta.dll
 Opens:
                         C:\Windows\System32\ntmarta.dll
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\Caches\{AFBF9F1A-8EE8-
 Opens:
4C77-AF34-C647E37CA0D9}.1.ver0x0000000000000006.db
 Opens:
                         C:\Users\Admin\Desktop\desktop.ini
                         C:\windows\temp\profapi.dll
 Opens:
 Opens:
                         C:\Windows\System32\profapi.dll
 Opens:
                         C:\Users\Admin\AppData\Local\Temp
 Opens:
                         C:\Windows\System32\en-US\setupapi.dll.mui
 Opens:
                         C:\Users\Admin\AppData\Local\Temp\nscD0A8.tmp
 Opens:
                         C:\Windows\Temp\bdc27c485a35c61c7bf0bfedbf9b0b3f.exe
 Opens:
                         C: \verb|\draw| AppData \verb|\draw| Temp \verb|\nsvD1F5.tmp| \\
 Opens:
                         C:\Users
 Opens:
                         C:\Users\Admin
                         C:\Users\Admin\AppData
 Opens:
 Opens:
                         C:\Users\Admin\AppData\Local
 Opens:
                         C:\Users\Admin\AppData\Local\Temp\nsvD1F5.tmp\System.dll
                         {\tt C: \label{local} Temp\nsvD1F5.tmp\webapphost.dll}
 Opens:
 Opens:
                         C:\Users\Admin\AppData\Local\Temp\nsvD1F5.tmp\WINSPOOL.DRV
 Opens:
                         C:\Windows\System32\winspool.drv
                          \verb|C:\USers\Admin\AppData\Local\Temp\nsvD1F5.tmp\oledlg.dll| \\
 Opens:
 Opens:
                         C:\Windows\System32\oledlg.dll
                         C:\Users\Admin\AppData\Local\Temp\nsvD1F5.tmp\OLEACC.dll
 Opens:
 Opens:
                         C:\Windows\System32\oleacc.dll
 Opens:
                         C:\windows\temp\OLEACCRC.DLL
 Opens:
                         C:\Windows\System32\oleaccrc.dll
 Opens:
C:\Users\Admin\AppData\Local\Temp\nsvD1F5.tmp\webapphost.dll.1000.Manifest
 Opens:
                         C:\Users\Admin\AppData\Local\Temp\nsvD1F5.tmp\webapphostENU.dll
 Opens:
                         C:\Users\Admin\AppData\Local\Temp\nsvD1F5.tmp\webapphostLOC.dll
 Opens:
                         C:\Users\Admin\AppData\Local\Temp\nsvD1F5.tmp\BI.exe
 Opens:
                         C:\Windows\System32\apphelp.dll
                         C:\Windows\AppPatch\sysmain.sdb
 Opens:
 Opens:
                         C:\Users\Admin\AppData\Local\Temp\nsvD1F5.tmp\ui\SwDRM.dll
 Opens:
                         C:\Users\Admin\AppData\Local\Temp\nsvD1F5.tmp\DM_loader.gif
 Opens:
                         C:\Users\Admin\AppData\Local\Temp\nsvD1F5.tmp\DownloadACC.exe
 Opens:
                         C:\Windows\Prefetch\BI.EXE-01908F7F.pf
 Opens:
                         C:\Users\Admin\AppData\Local\Temp\nsvD1F5.tmp\BI.exe.Local\
 Opens:
                         Opens:
                         C:\Users\Admin\AppData\Local\Temp\nsvD1F5.tmp\CRYPTBASE.dll
 Opens:
                          \verb|C:\Users\Admin\AppData\Local\Temp\nsvD1F5.tmp\SHFOLDER.DLL | \\
                         C: \verb|\USers\Admin\AppData\Local\Temp\nsvD1F5.tmp\ntmarta.dll|
 Opens:
 Opens:
                         C:\Users\desktop.ini
                         C:\Users\Admin\AppData\Local\Temp\nsvD1F5.tmp\profapi.dll
 Opens:
 Opens:
                         C:\Users\Admin\AppData\Local\Temp\nsvD1F5.tmp\Failed.htm
 Opens:
                         C:\Users\Admin\AppData\Local\Temp\nsvD1F5.tmp\icon.png
 Opens:
                         C:\Users\Admin\AppData\Local\Temp\nsvD1F5.tmp\OCSetupHlp.dll
 Opens:
                         C:\Users\Admin\Searches\desktop.ini
 Opens:
                         C:\Users\Admin\Videos\desktop.ini
                         C:\Users\Admin\AppData\Local\Temp\nsvD1F5.tmp\ProxyInstaller.exe
 Opens:
 Opens:
                         C:\Users\Admin\Pictures\desktop.ini
 Opens:
                         C:\Users\Admin\Contacts\desktop.ini
 Opens:
                         C:\Users\Admin\Favorites\desktop.ini
 Opens:
                         C:\Users\Admin\Music\desktop.ini
 Opens:
                         C:\Users\Admin\Downloads\desktop.ini
                         C:\Users\Admin\Documents\desktop.ini
 Opens:
 Opens:
                         C:\Users\Admin\Links\desktop.ini
```

```
C:\Users\Admin\Saved Games\desktop.ini
 Opens:
 Opens:
                         C:\Users\Admin\AppData\Local\Temp\nsvD1F5.tmp\apphelp.dll
 Opens:
                         C:\Windows\System32\shdocvw.dll
                         C:\Users\Admin\AppData\Local\Temp\nssD9A8.tmp
 Opens:
 Opens:
                         C:\Windows\System32\wininet.dll
 Opens:
                         C:\windows\temp\SspiCli.dll
 Opens:
                         C:\Windows\System32\sspicli.dll
 Opens:
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet Files
 Opens:
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
Files\desktop.ini
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
 Opens:
Files\Content.IE5
 Opens:
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
Files\Content.IE5\desktop.ini
 Opens:
                         C:\Users\Admin\AppData\Roaming
                         C:\Users\Admin\AppData\Roaming\Microsoft\Windows\Cookies
 Opens:
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\History
 Opens:
 Opens:
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\History\desktop.ini
 Opens:
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\History\History.IE5
 Opens:
Opens:
                         C:\Users\Admin\AppData\Local\Temp\nsaD9E6.tmp
 Opens:
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
Files\Content.IE5\index.dat
 Opens:
                         C:\Users\Admin\AppData\Roaming\Microsoft\Windows\Cookies\index.dat
 Opens:
                         C:\Users\Admin\AppData\Local\Temp\nsaD9E6.tmp\inetc.dll
 Opens:
                         C:\Windows\Fonts\sserife.fon
 Opens:
C:\Users\Admin\AppData\Local\Microsoft\Windows\History\History.IE5\index.dat
 Opens:
                         C:\Users\Admin\AppData\Local\Temp\nsvD1F5.tmp\dwmapi.dll
 Opens:
                         C:\Windows\System32\dwmapi.dll
 Opens:
                         C:\Windows\Fonts\StaticCache.dat
 Opens:
                         C: \verb|\USers\Admin\AppData\Local\Temp\nsvD1F5.tmp\SspiCli.dll|
 Opens:
                         C:\Users\Admin\AppData\Local\Temp\nsvD1F5.tmp\dnsapi.DLL
 Opens:
                         C:\Windows\System32\dnsapi.dll
 Opens:
                         C:\Users\Admin\AppData\Local\Temp\nsvD1F5.tmp\iphlpapi.DLL
 Opens:
                         C:\Windows\System32\IPHLPAPI.DLL
 Opens:
                         C:\Users\Admin\AppData\Local\Temp\nsvD1F5.tmp\WINNSI.DLL
 Opens:
                         C:\Windows\System32\winnsi.dll
 Opens:
                         C:\Users\Admin\AppData\Local\Temp\nsvD1F5.tmp\RASAPI32.dll
                         C:\Windows\System32\rasapi32.dll
 Opens:
 Opens:
                         C:\Users\Admin\AppData\Local\Temp\nsvD1F5.tmp\rasman.dll
 Opens:
                         C:\Windows\System32\rasman.dll
                         C:\Users\Admin\AppData\Local\Temp\nsvD1F5.tmp\rtutils.dll
 Opens:
 Opens:
                         C:\Windows\System32\rtutils.dll
 Opens:
                         C:\ProgramData\Microsoft\Network\Connections\Pbk\
 Opens:
                         C:\Windows\System32\ras
 Opens:
                         C: \verb|\USers\Admin\AppData\Roaming\Microsoft\Network\Connections\Pbk| \\
                         C:\Users\Admin\AppData\Local\Temp\nsvD1F5.tmp\sensapi.dll
 Opens:
 Opens:
                         C:\Windows\System32\SensApi.dll
 Opens:
                         C:\windows\temp\dnsapi.DLL
 Opens:
                         C:\windows\temp\iphlpapi.DLL
 Opens:
                         C:\windows\temp\WINNSI.DLL
 Opens:
                         C:\windows\temp\dwmapi.dll
 Opens:
                         C:\windows\temp\CRYPTSP.dll
 Opens:
                         C:\Windows\System32\cryptsp.dll
 Opens:
                         C:\Windows\System32\rsaenh.dll
 Opens:
                         C:\Windows\System32\asycfilt.dll
 Opens:
                         C:\Windows\System32\nlaapi.dll
 Opens:
                         C:\Users\Admin\AppData\Local\Temp\nsvD1F5.tmp\rasadhlp.dll
 Opens:
                         C:\Windows\System32\rasadhlp.dll
                         C:\Windows\System32\NapiNSP.dll
 Opens:
 Opens:
                         C:\Windows\System32\pnrpnsp.dll
 Opens:
                         C:\Windows\System32\mswsock.dll
 Opens:
                         C:\Windows\System32\winrnr.dll
 Opens:
                         C:\Windows\System32\WSHTCPIP.DLL
                         C:\Windows\System32\wship6.dll
 Opens:
                         C: \verb|\USers\Admin\AppData\Local\Temp\nsvD1F5.tmp\dhcpcsvc6.DLL|
 Opens:
 Opens:
                         C:\Windows\System32\dhcpcsvc6.dll
 Opens:
                         C:\Users\Admin\AppData\Local\Temp\nsvD1F5.tmp\dhcpcsvc.DLL
 Opens:
                         C:\Windows\System32\dhcpcsvc.dll
 Opens:
                         C:\Windows\System32\drivers\etc\hosts
 Opens:
                         C:\Windows\System32\FWPUCLNT.DLL
 Opens:
                         C:\Windows\System32\netprofm.dll
 Opens:
                         C:\Users\Admin\AppData\Local\Temp\nsvD1F5.tmp\CRYPTSP.dll
                         C:\Users\Admin\AppData\Local\Temp\nsvD1F5.tmp\RpcRtRemote.dll
 Opens:
 Opens:
                         C:\Windows\System32\RpcRtRemote.dll
 Opens:
                         C:\Windows\System32\npmproxy.dll
 Opens:
                         C:\Windows\System32\ieframe.dll
 Opens:
                         C:\Users\Admin\AppData\Local\Temp\nsvD1F5.tmp\inetc.dll
 Opens:
                         C:\windows\temp\RASAPI32.dll
                         C:\windows\temp\rasman.dll
 Opens:
```

C:\windows\temp\rtutils.dll

Opens:

```
C:\windows\temp\sensapi.dll
 Opens:
 Opens:
                         C:\windows\temp\rasadhlp.dll
 Opens:
                         C:\windows\temp\dhcpcsvc6.DLL
                         C:\windows\temp\dhcpcsvc.DLL
 Opens:
 Opens:
                         C:\windows\temp\RpcRtRemote.dll
 Opens:
                         C:\windows\temp\icon.png
                         C:\Windows\System32\en-US\ieframe.dll.mui
 Opens:
                         C:\Windows\System32\mshtml.dll
 Opens:
 Opens:
                         C:\Windows\System32\msls31.dll
 Opens:
                         C:\windows\temp\ieframe.dll
 Opens:
                         C:ieframe.dll
 Opens:
                         C:\Windows\system32\ieframe.dll:Zone.Identifier
 Opens:
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
Files\Content.IE5\BX3UL1G0\navcancl[1]
                         C:\Windows\System32\en-US\urlmon.dll.mui
 Opens:
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
 Opens:
Files\Content.IE5\KQ5TVCON\navcancl[1]
 Opens:
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
Files\Content.IE5\BX3UL1G0\ErrorPageTemplate[1]
                         C:\Users\Admin\AppData\Local\Temp\nsaD9E6.tmp\a.txt
 Opens:
 Opens:
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
Files\Content.IE5\X3IPB3Z1\errorPageStrings[1]
                         C:\Windows\System32\msimtf.dll
 Opens:
 Opens:
                         C:\windows\temp\MLANG.dll
 Opens:
                         C:\Windows\System32\mlang.dll
                         C:\Windows\System32\jscript.dll
 Opens:
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
 Opens:
Files\Content.IE5\BX3UL1G0\ErrorPageTemplate[2]
                         C:\Users\Admin\AppData\Local\Temp\nsaD9E6.tmp\
 Opens:
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
 Opens:
Files\Content.IE5\BX3UL1G0\errorPageStrings[1]
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
 Opens:
Files\Content.IE5\X3IPB3Z1\httpErrorPagesScripts[1]
 Opens:
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
Files\Content.IE5\KQ5TVCON\background_gradient[1]
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
Files\Content.IE5\X3IPB3Z1\info_48[1]
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
 Opens:
Files\Content.IE5\BX3UL1G0\bullet[1]
                         \verb|C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet| \\
 Opens:
Files\Content.IE5\KQ5TVCON\ErrorPageTemplate[1]
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
Files\Content.IE5\BX3UL1G0\errorPageStrings[2]
 Opens:
                         C:\windows\temp\ImgUtil.dll
                         C:\Windows\System32\imgutil.dll
 Opens:
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
 Opens:
Files\Content.IE5\BX3UL1G0\httpErrorPagesScripts[1]
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
Files\Content.IE5\X3IPB3Z1\background_gradient[1]
 Opens:
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
Files\Content.IE5\KQ5TVCON\info_48[1]
                         C:\Windows\System32\pngfilt.dll
 Opens:
 Opens:
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
Files\Content.IE5\X3IPB3Z1\bullet[1]
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
 Opens:
Files\Content.IE5\KQ5TVCON\errorPageStrings[1]
 Opens:
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
Files\Content.IE5\BX3UL1G0\httpErrorPagesScripts[2]
 Opens:
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
Files\Content.IE5\BX3UL1G0\background_gradient[1]
 Opens:
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
Files\Content.IE5\KQ5TVCON\bullet[1]
                         \verb|C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet| \\
Files\Content.IE5\BX3UL1G0\background gradient[2]
 Opens:
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
Files\Content.IE5\BX3UL1G0\info_48[1]
 Opens:
                         C:\Users\Admin\AppData\Local\Temp\nsvD1F5.tmp\xml.dll
                         C: \verb|\Users\Admin\AppData\Local\Temp\nsvD1F5.tmp\offer.xml|
 Opens:
 Opens:
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
Files\Content.IE5\KQ5TVCON\dnserrordiagoff_webOC[1]
 Opens:
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
Files\Content.IE5\WG2VLW5Y\dnserrordiagoff_web0C[1]
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
 Opens:
Files\Content.IE5\KQ5TVCON\httpErrorPagesScripts[1]
 Opens:
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
Files\Content.IE5\BX3UL1G0\info 48[2]
 Opens:
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
Files\Content.IE5\X3IPB3Z1\down[1]
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
 Opens:
Files\Content.IE5\X3IPB3Z1\ErrorPageTemplate[1]
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
 Opens:
Files\Content.IE5\BX3UL1G0\bullet[2]
 Opens:
                         C:\Users\Admin\AppData\Local\Temp\nsvD1F5.tmp\nsArray.dll
```

```
C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
 Opens:
Files\Content.IE5\BX3UL1G0\down[1]
                         {\tt C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary\ Internet}
 Opens:
Files\Content.IE5\X3IPB3Z1\ErrorPageTemplate[2]
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
 Opens:
Files\Content.IE5\X3IPB3Z1\errorPageStrings[2]
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
 Opens:
Files\Content.IE5\BX3UL1G0\down[2]
 Opens:
                         C:\Windows\Fonts\wingding.ttf
                         C:\Windows\System32\en-US\mshtml.dll.mui
 Opens:
 Opens:
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
Files\Content.IE5\BX3UL1G0\dnserrordiagoff_web0C[1]
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
Files\Content.IE5\WG2VLW5Y\ErrorPageTemplate[1]
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
 Opens:
Files\Content.IE5\KQ5TVCON\down[1]
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
 Opens:
Files\Content.IE5\X3IPB3Z1\dnserrordiagoff_web0C[1]
 Opens:
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
Files\Content.IE5\WG2VLW5Y\errorPageStrings[1]
 Opens:
                         C:\Users\Admin\AppData\Local\Microsoft
 Opens:
 Opens:
                         C:\Users\Admin\AppData\Local\Microsoft\Windows
 Opens:
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\Caches
 Opens:
                         C:\windows\temp\WINMM.dll
 Opens:
                         C:\Windows\System32\winmm.dll
 Opens:
                         C:\Windows\System32\en-US\winmm.dll.mui
 Opens:
                         C:\Users\Admin\AppData\Roaming\Microsoft
 Opens:
                         C:\Users\Admin\AppData\Roaming\Microsoft\Windows
 Opens:
                         C:\Users\Admin\Contacts
 Opens:
                         C:\Windows\Media\Windows Navigation Start.wav
                         C:\Users\Admin\Desktop
 Opens:
 Opens:
                         C:\Users\Admin\Documents
 Opens:
                         C:\Users\Admin\Downloads
                         C:\Users\Admin\Favorites
 Opens:
 Opens:
                         C:\Users\Admin\Links
 Opens:
                         C:\windows\temp\MMDevAPI.DLL
                         C:\Windows\System32\MMDevAPI.dll
 Opens:
 Opens:
                         C:\Users\Admin\Music
 Opens:
                         C:\Users\Admin\Pictures
 Opens:
                         C:\Users\Admin\Saved Games
 Opens:
                         C:\Users\Admin\Searches
 Opens:
                         C:\Users\Admin\Videos
 Opens:
                         C:\Windows\Fonts
 Opens:
                         C:\Windows\Globalization
 Opens:
                         C:\Windows\Globalization\Sorting
                         C:\Windows\System32\drivers
 Opens:
 Opens:
                         C:\Windows\System32\drivers\etc
 Opens:
                         C:\Windows\System32\en-US
                         C:\Windows\System32\ntdll.dll
 Opens:
 Opens:
                         C:\Windows\System32\kernel32.dll
 Opens:
                         C:\Windows\System32\apisetschema.dll
                         C:\Windows\System32\KernelBase.dll
 Opens:
 Opens:
                         C:\Windows\System32\locale.nls
 Opens:
                         C:\Windows\System32\user32.dll
 Opens:
                         C:\Windows\System32\gdi32.dl1
 Opens:
                         C:\Windows\System32\lpk.dll
 Opens:
                         C:\Windows\System32\usp10.dll
 Opens:
                         C:\Windows\System32\msvcrt.dll
 Opens:
                         C:\Windows\System32\shlwapi.dll
 Opens:
                         C:\Windows\System32\advapi32.dll
 Opens:
                         C:\Windows\System32\rpcrt4.dll
 Opens:
                         C:\Windows\System32\ole32.dll
 Opens:
                         C:\Windows\System32\msctf.dll
 Opens:
                         C:\Windows\System32\oleaut32.dll
 Opens:
                         C:\Windows\System32\clbcatq.dll
 Opens:
                         C:\Windows\System32\Wldap32.dll
 Opens:
                         C:\Windows\System32\setupapi.dll
 Opens:
                         C:\Windows\System32\cfgmgr32.dll
 Opens:
                         C:\Windows\System32\devobj.dll
                         C:\USERS\ADMIN\APPDATA\LOCAL\TEMP\NSMD9BD.TMP
 Opens:
 Opens:
                         C:\USERS\ADMIN\APPDATA\LOCAL\TEMP\NSAD9E6.TMP\INETC.DLL
 Opens:
                         C:\Windows\System32\urlmon.dll
 Opens:
                         C:\Windows\System32\crypt32.dll
 Opens:
                         C:\Windows\System32\msasn1.dll
 Opens:
                         C:\Windows\System32\iertutil.dll
 Opens:
                         C:\Windows\System32\ws2_32.dll
 Opens:
                         C:\Windows\System32\nsi.dll
 Opens:
                         C:\Windows\System32\normaliz.dll
 Opens:
                         C:\Users\Admin\AppData\Local\Temp\nsvD1F5.tmp\Failed.htm:Zone.Identifier
 Opens:
                         C:\Windows\Fonts\arial.ttf
                         C:\Users\Admin\AppData\Local\Temp\nssFFA4.tmp
 Opens:
```

C:\Windows\Fonts\arialbd.ttf

Opens:

```
Opens:
                          C:\Users\Admin\AppData\Local\Temp\nsh3DF.tmp\inetc.dll
 Opens:
                          C:\Windows\System32\en-US\mlang.dll.mui
                          C:\Windows\System32\C_1250.NLS
 Opens:
 Opens:
                          C:\Windows\System32\C_1251.NLS
 Opens:
                          C:\Windows\System32\C_1253.NLS
 Opens:
                          C:\Windows\System32\C_1254.NLS
                          C:\Windows\System32\C_1255.NLS
 Opens:
 Opens:
                          C:\Windows\System32\C_1256.NLS
 Opens:
                          C:\Windows\System32\C_1257.NLS
 Opens:
                          C:\Windows\System32\C_1258.NLS
 Opens:
                          C:\Windows\System32\C_874.NLS
 Opens:
                          C:\Windows\System32\C_932.NLS
                          C:\Windows\System32\C_936.NLS
 Opens:
 Opens:
                          C:\Windows\System32\C_949.NLS
 Opens:
                          C:\Windows\System32\C_950.NLS
                          C:\Windows\System32\C_1361.NLS
 Opens:
 Opens:
                          C:\Windows\Fonts\verdana.ttf
 Opens:
C:\Users\Admin\AppData\Local\Microsoft\Windows\History\History.IE5\MSHist012016042820160429\
 Opens:
C:\Users\Admin\AppData\Local\Microsoft\Windows\History\History.IE5\MSHist012016042820160429
 Opens:
C:\Users\Admin\AppData\Local\Microsoft\Windows\History\History.IE5\MSHist012016042820160429\index.dat
 Opens:
                          C:\Windows\System32\en-US\shell32.dll.mui
 Opens:
                          C:\Users\Admin\AppData\Local\Temp\nsh3DF.tmp\a.txt
 Opens:
                          C:\Users\Admin\AppData\Local\Temp\nsh3DF.tmp\
 Writes to:
                          C:\Users\Admin\AppData\Local\Temp\nsbD1E0.tmp
 Writes to:
                          C:\Users\Admin\AppData\Local\Temp\nsvD1F5.tmp\System.dll
 Writes to:
                          C:\Users\Admin\AppData\Local\Temp\nsvD1F5.tmp\webapphost.dll
 Writes to:
                          C:\Users\Admin\AppData\Local\Temp\nsvD1F5.tmp\BI.exe
                          C:\Users\Admin\AppData\Local\Temp\nsvD1F5.tmp\DM_loader.gif
 Writes to:
 Writes to:
                          \label{local-temp} $$C:\Users\Admin\AppData\Local\Temp\nsvD1F5.tmp\Download\ACC.exe$
 Writes to:
                          C:\Users\Admin\AppData\Local\Temp\nsvD1F5.tmp\Failed.htm
                          C:\Users\Admin\AppData\Local\Temp\nsvD1F5.tmp\icon.png
 Writes to:
                          C:\Users\Admin\AppData\Local\Temp\nsvD1F5.tmp\OCSetupHlp.dll
 Writes to:
                          C:\Users\Admin\AppData\Local\Temp\nsvD1F5.tmp\ProxyInstaller.exe
 Writes to:
                          C:\Users\Admin\AppData\Local\Temp\nsmD9BD.tmp
 Writes to:
                          C:\Users\Admin\AppData\Local\Temp\nsaD9E6.tmp\inetc.dll
 Writes to:
                          C:\Users\Admin\AppData\Local\Temp\nsvD1F5.tmp\inetc.dll
 Writes to:
 Writes to:
                          {\tt C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary\ Internet}
Files\Content.IE5\BX3UL1G0\navcancl[1]
                          \verb|C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet| \\
 Writes to:
Files\Content.IE5\KQ5TVCON\navcancl[1]
                          \verb|C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet| \\
 Writes to:
Files\Content.IE5\BX3UL1G0\ErrorPageTemplate[1]
 Writes to:
                          {\tt C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary\ Internet}
Files\Content.IE5\X3IPB3Z1\errorPageStrings[1]
                          C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
 Writes to:
Files\Content.IE5\BX3UL1G0\ErrorPageTemplate[2]
                          C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
 Writes to:
Files\Content.IE5\BX3UL1G0\errorPageStrings[1]
 Writes to:
                          C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
Files\Content.IE5\X3IPB3Z1\httpErrorPagesScripts[1]
                          C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
 Writes to:
Files\Content.IE5\KQ5TVCON\background_gradient[1]
 Writes to:
                          C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
Files\Content.IE5\X3IPB3Z1\info 48[1]
 Writes to:
                          C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
Files\Content.IE5\BX3UL1G0\bullet[1]
                          C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
 Writes to:
Files\Content.IE5\KQ5TVCON\ErrorPageTemplate[1]
                          \verb|C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet| \\
 Writes to:
Files\Content.IE5\BX3UL1G0\errorPageStrings[2]
                          C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
 Writes to:
Files\Content.IE5\BX3UL1G0\httpErrorPagesScripts[1]
                          C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
 Writes to:
Files\Content.IE5\X3IPB3Z1\background_gradient[1]
 Writes to:
                          C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
Files\Content.IE5\KO5TVCON\info 48[1]
 Writes to:
                          C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
Files\Content.IE5\X3IPB3Z1\bullet[1]
                          C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
 Writes to:
Files\Content.IE5\KQ5TVCON\errorPageStrings[1]
 Writes to:
                          C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
Files\Content.IE5\BX3UL1G0\httpErrorPagesScripts[2]
 Writes to:
                          C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
Files\Content.IE5\BX3UL1G0\background_gradient[1]
                          \verb|C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet| \\
 Writes to:
Files\Content.IE5\KQ5TVCON\bullet[1]
 Writes to:
                          C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
Files\Content.IE5\BX3UL1GO\background_gradient[2]
 Writes to:
                          C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
```

C:\Users\Admin\AppData\Local\Temp\nsh3DF.tmp

Opens:

```
Files\Content.IE5\BX3UL1G0\info_48[1]
                          C:\Users\Admin\AppData\Local\Temp\nsvD1F5.tmp\offer.xml
 Writes to:
 Writes to:
                          C:\Users\Admin\AppData\Local\Temp\nsvD1F5.tmp\xml.dll
                          C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
 Writes to:
Files\Content.IE5\KQ5TVCON\dnserrordiagoff_webOC[1]
 Writes to:
                          C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
Files\Content.IE5\WG2VLW5Y\dnserrordiagoff_webOC[1]
                          C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
 Writes to:
Files\Content.IE5\KQ5TVCON\httpErrorPagesScripts[1]
 Writes to:
                          C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
Files\Content.IE5\BX3UL1G0\info 48[2]
 Writes to:
                          C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
Files\Content.IE5\X3IPB3Z1\down[1]
                          C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
 Writes to:
Files\Content.IE5\X3IPB3Z1\ErrorPageTemplate[1]
 Writes to:
                          C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
Files\Content.IE5\BX3UL1G0\bullet[2]
 Writes to:
                          C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
Files\Content.IE5\BX3UL1G0\down[1]
 Writes to:
                          C:\Users\Admin\AppData\Local\Temp\nsvD1F5.tmp\nsArray.dll
 Writes to:
                          C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
Files\Content.IE5\X3IPB3Z1\ErrorPageTemplate[2]
                          \verb|C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet| \\
 Writes to:
Files\Content.IE5\X3IPB3Z1\errorPageStrings[2]
                          C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
 Writes to:
Files\Content.IE5\BX3UL1G0\down[2]
                          \verb|C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet| \\
 Writes to:
Files\Content.IE5\BX3UL1G0\dnserrordiagoff_web0C[1]
                          C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
 Writes to:
Files\Content.IE5\WG2VLW5Y\ErrorPageTemplate[1]
                          C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
 Writes to:
Files\Content.IE5\KQ5TVCON\down[1]
                          \verb|C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet| \\
 Writes to:
Files\Content.IE5\X3IPB3Z1\dnserrordiagoff_web0C[1]
                          C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
 Writes to:
Files\Content.IE5\WG2VLW5Y\errorPageStrings[1]
                          C:\Users\Admin\AppData\Local\Temp\nsd33E.tmp
 Writes to:
                          C:\Users\Admin\AppData\Local\Temp\nsh3DF.tmp\inetc.dll
 Writes to:
 Writes to:
C:\Users\Admin\AppData\Local\Microsoft\Windows\History.IE5\MSHist012016042820160429\index.dat
                          C:\Users\Admin\Desktop\desktop.ini
 Reads from:
                          C:\Windows\Temp\bdc27c485a35c61c7bf0bfedbf9b0b3f.exe
 Reads from:
 Reads from:
                          C:\Users\Admin\AppData\Local\Temp\nsbD1E0.tmp
 Reads from:
                          C:\Users\Admin\AppData\Local\Temp\nsvD1F5.tmp\BI.exe
 Reads from:
                          C:\Users\desktop.ini
 Reads from:
                          C:\Users\Admin\Searches\desktop.ini
                          C:\Users\Admin\Videos\desktop.ini
 Reads from:
 Reads from:
                          C:\Users\Admin\Pictures\desktop.ini
 Reads from:
                          C:\Users\Admin\Contacts\desktop.ini
 Reads from:
                          C:\Users\Admin\Favorites\desktop.ini
 Reads from:
                          C:\Users\Admin\Music\desktop.ini
 Reads from:
                          C:\Users\Admin\Downloads\desktop.ini
 Reads from:
                          C:\Users\Admin\Documents\desktop.ini
 Reads from:
                          C:\Users\Admin\Links\desktop.ini
 Reads from:
                          C:\Users\Admin\Saved Games\desktop.ini
 Reads from:
                          C:\Users\Admin\AppData\Local\Temp\nsmD9BD.tmp
                          C:\Windows\Fonts\StaticCache.dat
 Reads from:
 Reads from:
                          C:\Windows\System32\drivers\etc\hosts
 Reads from:
                          C:\Users\Admin\AppData\Local\Temp\nsvD1F5.tmp\offer.xml
 Reads from:
                          C:\Windows\Prefetch\BI.EXE-01908F7F.pf
 Reads from:
                          C:\Windows\Media\Windows Navigation Start.wav
 Reads from:
                          C:\Users\Admin\AppData\Local\Temp\nsvD1F5.tmp\Failed.htm
                          C:\Users\Admin\AppData\Local\Temp\nsd33E.tmp
 Reads from:
 Reads from:
                          C:\Users\Admin\AppData\Local\Microsoft\Windows\History\desktop.ini
                          C:\Users\Admin\AppData\Local\Temp\nscD0A8.tmp
 Deletes:
 Deletes:
                          C:\Users\Admin\AppData\Local\Temp\nsvD1F5.tmp
 Deletes:
                          C:\Users\Admin\AppData\Local\Temp\nssD9A8.tmp
 Deletes:
                          C: \verb|\Users\Admin\AppData\Local\Temp\nsaD9E6.tmp| \\
                          C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
Files\Content.IE5\BX3UL1G0\navcancl[1]
 Deletes:
                          C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
Files\Content.IE5\KQ5TVCON\navcancl[1]
 Deletes:
                          C:\Users\Admin\AppData\Local\Temp\nsaD9E6.tmp\a.txt
 Deletes:
                          C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
Files\Content.IE5\BX3UL1G0\ErrorPageTemplate[1]
                          C:\Users\Admin\AppData\Local\Temp\nsaD9E6.tmp\inetc.dll
 Deletes:
 Deletes:
                          C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
Files\Content.IE5\X3IPB3Z1\errorPageStrings[1]
 Deletes:
                          C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
Files\Content.IE5\BX3UL1GO\ErrorPageTemplate[2]
 Deletes:
                          C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
Files\Content.IE5\BX3UL1G0\errorPageStrings[1]
 Deletes:
                          C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
```

```
Files\Content.IE5\X3IPB3Z1\httpErrorPagesScripts[1]
 Deletes:
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
Files\Content.IE5\KQ5TVCON\background_gradient[1]
 Deletes:
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
Files\Content.IE5\X3IPB3Z1\info_48[1]
 Deletes:
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
Files\Content.IE5\BX3UL1G0\bullet[1]
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
 Deletes:
Files\Content.IE5\KQ5TVCON\ErrorPageTemplate[1]
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
 Deletes:
Files\Content.IE5\BX3UL1G0\errorPageStrings[2]
 Deletes:
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
Files\Content.IE5\BX3UL1GO\httpErrorPagesScripts[1]
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
 Deletes:
Files\Content.IE5\X3IPB3Z1\background_gradient[1]
 Deletes:
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
Files\Content.IE5\KQ5TVCON\info_48[1]
 Deletes:
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
Files\Content.IE5\X3IPB3Z1\bullet[1]
                         \verb|C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet| \\
 Deletes:
Files\Content.IE5\BX3UL1G0\httpErrorPagesScripts[2]
 Deletes:
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
Files\Content.IE5\BX3UL1G0\background_gradient[1]
 Deletes:
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
Files\Content.IE5\KQ5TVCON\bullet[1]
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
 Deletes:
Files\Content.IE5\KQ5TVCON\dnserrordiagoff_web0C[1]
 Deletes:
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
Files\Content.IE5\WG2VLW5Y\dnserrordiagoff_web0C[1]
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
 Deletes:
Files\Content.IE5\KQ5TVCON\errorPageStrings[1]
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
 Deletes:
Files\Content.IE5\BX3UL1G0\background_gradient[2]
 Deletes:
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
Files\Content.IE5\BX3UL1G0\info_48[1]
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
Files\Content.IE5\KQ5TVCON\httpErrorPagesScripts[1]
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
 Deletes:
Files\Content.IE5\BX3UL1G0\info_48[2]
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
 Deletes:
Files\Content.IE5\X3IPB3Z1\down[1]
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
Files\Content.IE5\X3IPB3Z1\ErrorPageTemplate[1]
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
 Deletes:
Files\Content.IE5\X3IPB3Z1\ErrorPageTemplate[2]
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
 Deletes:
Files\Content.IE5\BX3UL1G0\bullet[2]
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
Files\Content.IE5\BX3UL1G0\down[1]
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
 Deletes:
Files\Content.IE5\BX3UL1G0\down[2]
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
 Deletes:
Files\Content.IE5\X3IPB3Z1\errorPageStrings[2]
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
Files\Content.IE5\BX3UL1G0\dnserrordiagoff_web0C[1]
 Deletes:
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
Files\Content.IE5\WG2VLW5Y\ErrorPageTemplate[1]
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
 Deletes:
Files\Content.IE5\KQ5TVCON\down[1]
 Deletes:
                         C:\Users\Admin\AppData\Local\Temp\nssFFA4.tmp
 Deletes:
                         C:\Users\Admin\AppData\Local\Temp\nsh3DF.tmp
 Deletes:
                         C:\Users\Admin\AppData\Local\Temp\nsh3DF.tmp\a.txt
 Deletes:
                         C:\Users\Admin\AppData\Local\Temp\nsh3DF.tmp\inetc.dll
Network Events
 DNS query:
                         wpad
```

Divis query.	npaa
DNS query:	offering.service.distributionengine.conduit-services.com
DNS query:	ude.conduit-data.com
DNS query:	cms.distributionengine.conduit-services.com
DNS response:	offering.service.distributionengine.ams.conduit-services.com ⇒
195.78.120.173	
Connects to:	195.78.120.173:80
Connects to:	127.0.0.1:51616
Sends data to:	0.0.0.0:5355
Sends data to:	224.0.0.252:5355
Sends data to:	8.8.8.8:53
Sends data to:	offering.service.distributionengine.ams.conduit-services.com:80
(195.78.120.173)	
Receives data from:	8.8.8.8:53
Receives data from:	offering.service.distributionengine.ams.conduit-services.com:80
(195.78.120.173)	

# Windows Registry Events

```
Creates key:
                                    HKCU\software\appdatalow\software\smartbar
  Creates kev:
                                    HKCU\software\microsoft\windows\currentversion\internet settings
  Creates key:
                                    HKLM\software\microsoft\tracing
  Creates key:
                                    HKLM\software\microsoft\tracing\bi_rasapi32
                                    HKLM\software\microsoft\tracing\bi_rasmancs
  Creates key:
  Creates key:
                                    HKCU\software\microsoft\windows\currentversion\internet
settings\connections
  Creates key:
                                    HKCU\software\microsoft\windows nt\currentversion\network\location
awareness
  Creates key:
                                    HKLM\system\currentcontrolset\services\tcpip\parameters
  Creates key:
HKLM\software\microsoft\tracing\bdc27c485a35c61c7bf0bfedbf9b0b3f_rasapi32
  Creates key:
HKLM\software\microsoft\tracing\bdc27c485a35c61c7bf0bfedbf9b0b3f_rasmancs
  Creates key:
                                    HKCU\software\microsoft\windows\currentversion\internet
settings\wpad\{ef3210ff-3762-4476-8471-7e2bc045a9b3}
                                    HKCU\software\microsoft\windows\currentversion\internet
  Creates key:
settings\wpad\{ef3210ff-3762-4476-8471-7e2bc045a9b3}\0a-f3-06-d9-a2-43
  Creates key:
                                   HKCU\software\microsoft\windows\currentversion\internet
settings\wpad\0a-f3-06-d9-a2-43
  Creates key:
                                    HKLM\system\currentcontrolset\control\session manager
  Creates key:
                                    HKCU\software\conduit\distributionengine\1\offerhistory\755131
  Creates key:
                                    HKCU\software
  Creates key:
                                    HKCU\software\conduit
  Creates key:
                                    HKCU\software\conduit\distributionengine
                                    HKCU\software\conduit\distributionengine\1
  Creates key:
  Creates key:
                                    HKCU\software\conduit\distributionengine\1\offerhistory
  Creates key:
                                    HKCU\software\microsoft\windows\currentversion\internet
settings\5.0\cache\extensible cache\mshist012016042820160429
  Creates kev:
                                    HKCU\software\microsoft\internet explorer\main\windowssearch
  Deletes value:
                                    HKCU\software\microsoft\windows\currentversion\internet
settings[proxyserver]
  Deletes value:
                                    HKCU\software\microsoft\windows\currentversion\internet
settings[proxyoverride]
                                    HKCU\software\microsoft\windows\currentversion\internet
  Deletes value:
settings[autoconfigurl]
                                    HKCU\software\microsoft\windows\currentversion\internet
  Deletes value:
settings\zonemap[proxybypass]
                                    \label{lem:hklm} \verb+Kklm \+ software + microsoft + windows + current version + internet
  Deletes value:
settings\zonemap[proxybypass]
  Deletes value:
                                    HKCU\software\microsoft\windows\currentversion\internet
settings\zonemap[intranetname]
                                   HKLM\software\microsoft\windows\currentversion\internet
  Deletes value:
settings\zonemap[intranetname]
  Opens key:
                                    HKLM\system\currentcontrolset\control\session manager
  Opens key:
                                    HKLM\svstem\currentcontrolset\control\safeboot\option
  Opens key:
                                    HKLM\system\currentcontrolset\control\srp\gp\dll
  Opens key:
                                    HKLM\software\policies\microsoft\windows\safer\codeidentifiers
  Opens key:
                                    HKCU\software\policies\microsoft\windows\safer\codeidentifiers
  Opens key:
                                    HKCU\
                                    HKCU\control panel\desktop\muicached\machinelanguageconfiguration
  Opens key:
  Opens key:
                                    HKLM\software\policies\microsoft\mui\settings
  Opens key:
                                    HKCU\software\policies\microsoft\control panel\desktop
  Opens key:
                                    HKCU\control panel\desktop\languageconfiguration
                                    HKCU\control panel\desktop
  Opens key:
  Opens key:
                                    HKCU\control panel\desktop\muicached
                                    HKLM\software\microsoft\windows\currentversion\sidebyside
  Opens key:
  Opens kev:
HKLM\system\currentcontrolset\control\nls\sorting\versions
  Opens key:
                                    HKLM\system\currentcontrolset\control\error message instrument\
  Opens key:
  Opens key:
                                    HKLM\system\currentcontrolset\control\error message instrument
  Opens key:
                                    HKLM\software\microsoft\windows nt\currentversion\gre_initialize
  Opens kev:
                                    HKLM\software\microsoft\windows nt\currentversion\compatibility32
  Opens key:
                                    HKLM\software\microsoft\windows nt\currentversion\ime compatibility
  Opens key:
  Opens key:
                                    HKLM\software\microsoft\windows nt\currentversion\windows
  Opens key:
                                    HKLM\software\microsoft\windows nt\currentversion\diagnostics
  Opens key:
                                    HKLM\software\microsoft\ole
                                    HKLM\software\microsoft\ole\tracing
  Opens key:
  Opens key:
                                    HKLM\software\microsoft\windows\currentversion\policies\explorer
  Opens key:
                                    HKCU\software\microsoft\windows\currentversion\policies\explorer
  Opens key:
                                    Opens key:
                                    HKLM\system\currentcontrolset\control\nls\extendedlocale
  Opens key:
HKLM \ software \ microsoft \ windows \ current version \ shell compatibility \ applications \ bdc \ 27c485a35c61c7bf \ 0bfedbf 9b0b3f. exemple \ bdc \ 27c485a35c61c7bf \ 0bfedbf 9b0b3f. exemple \ descriptions \ de
  Opens key:
                                    HKLM\software\microsoft\oleaut
  Opens key:
                                    HKCU\software\classes\
                                    HKCU\software\classes\clsid\{20d04fe0-3aea-1069-a2d8-
  Opens key:
08002b30309d}\shellfolder
                                    HKCR\clsid\{20d04fe0-3aea-1069-a2d8-08002b30309d}\shellfolder
  Opens key:
```

Opens key:  $HKCU \ software \ microsoft \ windows \ current version \ explorer \ clsid \ \{20d04fe0-delta \ explorer \ ex$ 

3aea-1069-a2d8-08002b30309d}\shellfolder

Opens key:  $HKLM \ software \ microsoft \ windows \ current version \ explorer \ clsid \ \{20d04fe0-d1, 20d04fe0-d1, 20d$ 

3aea-1069-a2d8-08002b30309d}\shellfolder

Opens kev: HKCU\software\microsoft\windows\currentversion\policies\nonenum Opens key:  $\label{lem:hardware} \begin{tabular}{ll} HKLM \begin{tabular}{ll} software \begin{tabular}{ll} microsoft \begin{tabular}{ll} windows \begin{tabular}{ll} constant \begin{tabular}{ll} microsoft \begin{tabular}{ll} windows \begin{tabular}{ll} constant \begin{tabular}{ll} microsoft \begin{tabular}{ll} windows \begin{tabular}{ll} constant \begin{tabular}{ll} microsoft \begin{tabular}{ll} microsof$ 

Opens key:

HKCU\software\microsoft\windows\currentversion\explorer\mountpoints2\cpc\volume

Opens key:

11e3-b3bc-806e6f6e6963}\

Opens key: HKCU\software\classes\drive\shellex\folderextensions

Opens key: HKCR\drive\shellex\folderextensions

Opens key: HKCU\software\classes\drive\shellex\folderextensions\{fbeb8a05-beee-

4442-804e-409d6c4515e9}

Opens key: HKCR\drive\shellex\folderextensions\{fbeb8a05-beee-4442-804e-

409d6c4515e9}

Opens key: HKLM\software\policies\microsoft\windows\explorer Opens key: HKCU\software\policies\microsoft\windows\explorer Opens key: HKCU\software\microsoft\windows\currentversion\explorer Opens key: HKCU\software\microsoft\windows\currentversion\explorer\

Opens key: HKCU\software\microsoft\windows\currentversion\explorer\advanced

Opens kev:

HKLM\software\microsoft\windows\shell\registeredapplications\urlassociations\directory\openwithprogids

Opens key:

HKCU\software\microsoft\windows\shell\associations\urlassociations\directory

Opens key: HKCU\software\classes\directory

Opens key: HKCR\directory

Opens key: HKCU\software\classes\directory\curver

Opens key: HKCR\directory\curver Opens key: HKCR\directory\

HKCU\software\classes\directory\shellex\iconhandler Opens key:

Opens key: HKCR\directory\shellex\iconhandler Opens key: HKCU\software\classes\folder

HKCR\folder Opens key:

Opens key: HKCU\software\classes\folder\shellex\iconhandler

Opens key: HKCR\folder\shellex\iconhandler

HKCU\software\classes\allfilesystemobjects Opens key:

Opens key: HKCR\allfilesystemobjects

Opens key: HKCU\software\classes\allfilesystemobjects\shellex\iconhandler

Opens key: HKCR\allfilesystemobjects\shellex\iconhandler Opens key: HKCU\software\classes\directory\docobject

Opens key: HKCR\directory\docobject

Opens key: HKCU\software\classes\folder\docobject

Opens key: HKCR\folder\docobject

HKCU\software\classes\allfilesystemobjects\docobject Opens key:

Opens key: HKCR\allfilesystemobjects\docobject

Opens key: HKCU\software\classes\directory\browseinplace

Opens kev: HKCR\directorv\browseinplace HKCU\software\classes\folder\browseinplace Opens key:

Opens key: HKCR\folder\browseinplace

Opens key: HKCU\software\classes\allfilesystemobjects\browseinplace

Opens key: HKCR\allfilesystemobjects\browseinplace Opens key: HKCU\software\classes\directory\clsid

Opens kev: HKCR\directory\clsid

 ${\tt HKCU \ } software \verb|\ classes \verb|\ folder \verb|\ clsid|$ Opens key:

Opens key: HKCR\folder\clsid

Opens key: HKCU\software\classes\allfilesystemobjects\clsid

Opens kev: HKCR\allfilesystemobjects\clsid

Opens key:

 $\label{thm:local_hammon} \begin{tabular}{ll} HKLM \end{tabular} software \end{tabular} in cosoft \end{tabular} windows \end{tabular} current version \end{tabular} explorer \end{tabular} folder descriptions$ 

Opens key:

b029-7fe99a87c641}

Opens key:

b029-7fe99a87c641}\propertybag

Opens key:  $HKCU \ software \ microsoft \ windows \ current version \ explorer \ session in following \ the constant of the constant in the constant of the constant of$ 

Opens key:

 $HKCU \setminus software \setminus microsoft \setminus windows \setminus current \vee explorer \setminus session in follows \cap the following of the fol$ 

Opens key: HKCU\software\microsoft\windows\currentversion\explorer\user shell

folders

Opens key: HKLM\software\microsoft\com3

Opens key: HKCU\software\classes\clsid\{1f486a52-3cb1-48fd-8f50-b8dc300d9f9d}

Opens key: HKCR\clsid\{1f486a52-3cb1-48fd-8f50-b8dc300d9f9d} Opens key: HKCU\software\classes\clsid\{1f486a52-3cb1-48fd-8f50-

b8dc300d9f9d}\treatas

HKCR\clsid\{1f486a52-3cb1-48fd-8f50-b8dc300d9f9d}\treatas Opens key: Opens key: HKCU\software\classes\clsid\{1f486a52-3cb1-48fd-8f50-

b8dc300d9f9d}\progid

Opens key:  $HKCR \c1sid \f1f486a52-3cb1-48fd-8f50-b8dc300d9f9d \progid$ Opens key: HKCU\software\classes\clsid\{1f486a52-3cb1-48fd-8f50-

b8dc300d9f9d}\inprocserver32

Opens key: HKCR\clsid\{1f486a52-3cb1-48fd-8f50-b8dc300d9f9d}\inprocserver32

HKCU\software\classes\clsid\{1f486a52-3cb1-48fd-8f50-Opens key:

b8dc300d9f9d}\inprochandler32

 $HKCR\clsid\{1f486a52-3cb1-48fd-8f50-b8dc300d9f9d}\inprochandler32$ Opens key:

HKCU\software\classes\clsid\{1f486a52-3cb1-48fd-8f50-Opens kev:

b8dc300d9f9d}\inprochandler

Opens key:  $HKCR \c1sid \f1f486a52-3cb1-48fd-8f50-b8dc300d9f9d \c1spr och and ler$ Opens key: HKLM\system\currentcontrolset\control\lsa\accessproviders

Opens key: HKLM\system\currentcontrolset\services\ldap

Opens key:

 $\label{thm:local_thm} \mbox{HKLM} \mbox{$\tt M$} icrosoft \mbox{$\tt w$} indows \mbox{$\tt current} version \mbox{$\tt explorer$} \mbox{$\tt k$} nown folders ettings \mbox{$\tt d$} indows \mbox{$\tt$ 

Opens key:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{1b3ea5dc-b587-4786-b587-47$ b4ef-bd1dc332aeae}

Opens key:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1b3ea5dc-b587-4786b4ef-bd1dc332aeae}\propertybag

a03a-e3ef65729f3d}

Opens key:

a03a-e3ef65729f3d}\propertybag

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\xi 5e6c858f-0e22-4760-1260 \ 'explorer' \ 'folder descriptions' \ 'folder de$ 9afe-ea3317b67173}

Opens key:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5e6c858f-0e22-4760-9afe-ea3317b67173}\propertybag

HKLM\software\microsoft\windows nt\currentversion\profilelist\s-1-5-21-Opens key:

2160590473-689474908-1361669368-1002

Opens key: HKLM\system\currentcontrolset\control\cmf\config

Opens key: HKLM\software\microsoft\windows\windows error reporting\wmr

Opens key: HKLM\software\microsoft\windows\currentversion\setup Opens key: HKLM\software\microsoft\windows\currentversion

Opens key: HKLM\software\microsoft\rpc

Opens kev: HKLM\svstem\currentcontrolset\control\computername\activecomputername

Opens key: HKLM\system\setup

Opens key: HKLM\software\policies\microsoft\windows nt\rpc Opens key: HKLM\software\policies\microsoft\sqmclient\windows

Opens key: HKLM\software\microsoft\sqmclient\windows

Opens key:

11e3-b3bc-806e6f6e6963}\

Opens kev: HKCU\software\appdatalow\software\smartbar Opens key: HKCU\software\clients\startmenuinternet Opens key: HKLM\software\clients\startmenuinternet

Opens key: HKCU\software\classes\clsid

HKCR\clsid Opens kev:

Opens key: HKLM\system\currentcontrolset\services\crypt32

HKLM\software\microsoft\windows\currentversion\internet settings Opens key: Opens key: HKLM\software\policies\microsoft\windows\currentversion\internet

settings

Opens key: HKLM\software\microsoft\windows nt\currentversion\image file execution

options\bi.exe

Opens key: HKLM\system\currentcontrolset\control\session manager\appcertdlls Opens key: HKLM\system\currentcontrolset\control\session manager\appcompatibility

Opens key: HKLM\software\policies\microsoft\windows\appcompat

Opens key: HKCU\software\microsoft\windows\currentversion\explorer\shell folders Opens key: HKLM\software\microsoft\windows nt\currentversion\appcompatflags\layers Opens key: HKCU\software\microsoft\windows nt\currentversion\appcompatflags\layers HKLM\software\microsoft\windows

Opens key:

nt\currentversion\appcompatflags\custom\bi.exe

HKLM\software\microsoft\windows nt\currentversion\image file execution Opens kev:

options Opens kev:

HKLM\software\microsoft\windows\currentversion\shellcompatibility\applications\bi.exe

Opens key:

 $HKLM \label{lem:hklm} Which is the latest and the latest and the latest angle of the$ 8648-d5d44b04ef8f}

Opens key:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f3ce0f7c-4901-4acc-8648-d5d44b04ef8f}\propertybag

Opens key: HKCU\software\classes\clsid\{59031a47-3f72-44a7-89c5-

5595fe6b30ee}\shellfolder

Opens kev: HKCR\clsid\{59031a47-3f72-44a7-89c5-5595fe6b30ee}\shellfolder

Opens key: HKCU\software\microsoft\windows\currentversion\explorer\clsid\{59031a47-

3f72-44a7-89c5-5595fe6b30ee}\shellfolder

HKLM\software\microsoft\windows\currentversion\explorer\clsid\{59031a47-Opens key:

3f72-44a7-89c5-5595fe6b30ee}\shellfolder

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ (7d1d3a04-debb-4115-deb-415-deb-4115-deb-415-deb-415-deb-4115-deb-415$ 95cf-2f29da2920da}

Opens key:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{7d1d3a04-debb-4115-95cf-2f29da2920da\} \ property bag$ 

Opens key:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\fifth{1}{43-42f2-9305-67de0b28fc23}$ 

Opens key:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{f38bf404-1d43-42f2-9305-67de0b28fc23\} \ 'property bag$ 

Opens kev:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{f7f1ed05-9f6d-47a2-aaae-29d317c6f066\}$ 

Opens key:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folder$ 

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{2112ab0a-c86a-4ffe-a368-0de96e47012e\}$ 

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{2112ab0a-c86a-4ffe-a368-0de96e47012e\} \ property bag$ 

Opens key:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{48daf80b-e6cf-4f4e-b800-0e69d84ee384\}}$ 

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{48 daf 80 b-e 6 cf-4 f 4 e-b 80 0-0 e 6 9 d 8 4 ee 3 8 4\} \ property bag$ 

Opens key:

Opens kev:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \ \ def-f87ef2e6ba25 \ property bag$ 

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{9e52ab10-f80d-49df-acb8-4330f5687855\}$ 

Opens kev:

Opens key:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{98ec0e18-2098-4d44-8644-66979315a281\}$ 

Opens key:

 $\label{thm:local-equation} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \gamma \g$ 

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a4115719-d62e-491d-aa7c-e74b8be3b067\}$ 

Opens key:

 $\label{thm:local-property} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a4115719-d62e-491d-aa7c-e74b8be3b067\}\propertybag}$ 

Opens key:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{cac52c1a-b53d-4edc-92d7-6b2e8ac19434\}}$ 

Opens key:

Opens kev:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{18989b1d-99b5-455b-841c-ab7c74e4ddfc\}$ 

Opens key:

 $\label{thm:local-bound} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \f$ 

Opens kev:

 $\label{thm:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder$ 

Opens key:

 $\label{thm:local-bound} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \$ 

Opens key:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{de974d24-d9c6-4d3e-bf91-f4455120b917}

Opens key:

 $\label{thm:local-property} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{de974d24-d9c6-4d3e-bf91-f4455120b917} \property bag$ 

Opens kev:

 $\label{lem:hklmsoftware} HKLM \software \mbox{$6f0cd92b-2e97-45d1-88ff-b0d186b8dedd} \\$ 

Opens key:

 $HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{6f0cd92b-2e97-45d1-88ff-b0d186b8dedd} \property bag$ 

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ (76fc4e2d-d6ad-4519-d6ad-4$ 

a663-37bd56068185}

Opens kev:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '{76fc4e2d-d6ad-4519-a663-37bd56068185} \ ) property bag$ 

Opens kev:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a75d362e-50fc-4fb7-ac2c-a8beaa314493\}}$ 

Opens key:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a75d362e-50fc-4fb7-ac2c-a8beaa314493\} \ property bag$ 

Opens kev:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ 'folder descriptions \ '\{491e922f-5643-4af4-a7eb-4e7a138d8174\}$ 

Opens key:

Opens kev:

 $\label{thm:local-continuous} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cal{thm:local-continuous} \footnote{Abs-98395c3bc3bb} \end{tabular}$ 

Opens key:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '{33e28130-4e1e-4676-835a-98395c3bc3bb} \ property bag$ 

Opens key:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{8ad10c31-2adb-4296-a8f7-e4701232c972\}$ 

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{8ad10c31-2adb-4296-a8f7-e4701232c972\} \ property bag$ 

Opens key:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{82a5ea35-d9cd-47c5-9629-e15d2f714e6e\}$ 

Opens key:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{82a5ea35-d9cd-47c5-9629-e15d2f714e6e}\property\bag$ 

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{debf2536-e1a8-4c59-b6a2-414586476aea\}$ 

Opens key:

 $\label{lem:hklmsoftwaremicrosoftwindows} Hklm \end{are the label} The label \end{are the label$ 

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{0f214138-b1d3-4a90-bba9-27cbc0c5389a\}$ 

Opens key:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{0f214138-b1d3-4a90-bba9-27cbc0c5389a\}\propertybag}$ 

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{2400183a-6185-49fb-a2d8-4a392a602ba3\}$ 

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{2400183a-6185-49fb-a2d8-4a392a602ba3\} \ property bag$ 

Opens key:

 $\label{lem:hklmsoftwaremicrosoftwindows\currentversion\explorer\folderdescriptions\{d9dc8a3b-b784-432e-a781-5a1130a75963\}}$ 

Opens key:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{d9dc8a3b-b784-432e-a781-5a1130a75963\} \ property bag$ 

Opens key:

 $\label{lem:hklm} HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{c4900540-2379-4c75-844b-64e6faf8716b\}$ 

Opens key:

 $HKLM\software\mbox{microsoft\windows\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\currentversion\explorer\folderdescriptions\currentversion\explorer\explore$ 

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{289a9a43-be44-4057-a41b-587a76d7e7f9\}$ 

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{289a9a43-be44-4057-a41b-587a76d7e7f9\} \ property bag$ 

Opens key:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4bfefb45-347d-4006-a5be-ac0cb0567192}

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{4bfefb45-347d-4006-a5be-ac0cb0567192\} \ property bag$ 

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{b7534046-3ecb-4c18-be4e-64cd4cb7d6ac\}$ 

Opens key:

 $\label{thm:local-property} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \formula 18-be4e-64cd4cb7d6ac \property bag$ 

Opens key:

 $HKLM \setminus software \setminus increased in the content of the$ 

Opens key:

 $\label{lem:hklmsoftwaremicrosoftwindows} In the constant of the constant of$ 

Opens kev

Opens key:

Opens key

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{0139d44e-6afe-49f2-8690-3dafcae6ffb8\} \ property bag$ 

Opens key

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{c5abbf53-e17f-4121-8900-86626fc2c973\}$ 

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{c5abbf53-e17f-4121-8900-86626fc2c973\} \ property bag$ 

Opens key

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{56784854-c6cb-462b-8169-88e350acb882\}$ 

Opens key:

 $\label{thm:local-property} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ \ \{56784854-c6cb-462b-8169-88e350 \ acb 882\} \property bag$ 

Onens key

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{7b396e54-9ec5-4300-be0a-2482ebae1a26\}$ 

Opens key:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folder$ 

Opens key

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{bcbd 3057-ca5c-4622-b42d-bc56db0ae516\}$ 

Opens key:

 $\label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwaremic$ 

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ a302545d-deff-464b-abe8-61c8648d939b \ abe8-61c8648d939b \ abe8-61c86$ 

Opens kev:

 $\label{thm:local-condition} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \abel{local-condition} $$a302545d-deff-464b-abe8-61c8648d939b \property bag$ 

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{2b0f765d-c0e9-4171-908e-08a611b84ff6\}$ 

Opens key:

 $HKLM \ software \ `microsoft \ 'current version \ 'explorer \ 'folder descriptions \ '\{2b0f765d-c0e9-4171-908e-08a611b84ff6\} \ 'property bag$ 

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{2a00375e-224c-49de-b8d1-440df7ef3ddc\}$ 

Opens key:

 $HKLM/s of tware/microsoft/windows/currentversion/explorer/folder descriptions/\{2a00375e-224c-49de-b8d1-440df7ef3ddc\}/propertybag$ 

Opens key

 $\label{thm:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \equiv 6555 ab 60-153b-4d 17-9f 04-a5f 099f 015ec \equiv 699f 015ec \equ$ 

Opens key:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{e555ab60-153b-4d17-9f04-a5fe99fc15ec}\property\proper$ 

Opens key:

 $\label{local-equation} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \cu$ 

Opens key:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folder$ 

Opens key

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{1777f761-68ad-4d8a-87bd-30b759fa33dd\}$ 

Opens key:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1777f761-68ad-4d8a-87bd-30b759fa33dd}\propertybag$ 

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{b250c668-f57d-4ee1-a63c-290ee7d1aa1f\}$ 

Opens key:

 $\label{lem:hklmsoftwaremicrosoftwindows} Larrent version \explorer \folder descriptions \folder \folder descriptions \folder \fol$ 

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{52528a6b-b9e3-4add-b60d-588c2dba842d\}$ 

Opens key:

 $\label{thm:local-bound} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folderd$ 

Opens key:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{8983036c-27c0-404b-8f08-102d10dcfd74\}$ 

Opens key:

 $\label{thm:local-bound} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{8983036c-27c0-404b-8f08-102d10dcfd74\}\propertybag}$ 

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{bcb5256f-79f6-4cee-b725-dc34e402fd46\}$ 

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{bcb5256f-79f6-4cee-b725-dc34e402fd46\}\ property bag$ 

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{724ef170-a42d-4fef-9f26-b60e846fba4f\}$ 

Opens key:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '{724ef170-a42d-4fef-9f26-b60e846fba4f} \ property bag$ 

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{4bd8d571-6d19-48d3-be97-422220080e43\}$ 

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{4bd8d571-6d19-48d3-be97-422220080e43\}\ property bag$ 

Opens kev:

 $HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref de 61 d 971-5 ebc-4f02-a3a9-6c82895e5c04 \}$ 

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{de 61d971-5ebc-4f02-a3a9-6c82895e5c04\} \ property bag$ 

Opens kev:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{0762d272-c50a-4bb0-a382-697dcd729b80\}$ 

Opens key:

 $\label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} with the statement of the$ 

Opens key:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \explorer \folder descriptions \explorer \folder descriptions \explorer \folder \$ 

Opens key:

 $\label{lem:hklmsoftwaremicrosoftwindows} Current version \explorer folder descriptions \explorer \end{4d9f7874-4e0c-4904-967b-40b0d20c3e4b} \property bag$ 

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{1ac14e77-02e7-4e5d-b744-2eb1ae5198b7\}$ 

Opens kev:

 $\label{thm:local-condition} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1ac14e77-02e7-4e5d-b744-2eb1ae5198b7\}\property\bag}$ 

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a77f5d77-2e2b-44c3-a6a2-aba601054a51\}$ 

Opens kev:

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{0ac 0837 c-bbf8-452 a-850 d-79 d08e 667 ca7\}$ 

Opens kev:

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{d0384e7d-bac3-4797-8f14-cba229b392b5\}$ 

Opens key:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d0384e7d-bac3-4797-8f14-cba229b392b5\}\property\bag}$ 

Opens key:

 $\label{lem:hklmsoftwaremicrosoftwindows\currentversion} Hklm\software\mbox{$7b0db17d-9cd2-4a93-9733-46cc89022e7c} \\$ 

Opens key:

 $\label{thm:local-property} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\fold$ 

Opens key:

 $\label{lem:hklmsoftwaremicrosoftwindows\currentversion\explorer\folderdescriptions\\ \{ae 50c 081-ebd 2-438a-8655-8a092e 34987a\}$ 

Opens key:

8655-8a092e34987a}\propertybag

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\}$ 

Opens kev:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\}\ property bag$ 

Opens key:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{f1b32785-6fba-4fcf-9d55-7b8e7f157091\}$ 

Opens kev:

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{b6ebfb86-6907-413c-9af7-4fc2abf07cc5\}$ 

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{b6ebfb86-6907-413c-9af7-4fc2abf07cc5\} \ property bag$ 

Opens key:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{9274bd8d-cfd1-41c3-b35e-b13f55a758f4\}$ 

Opens key:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$ 

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{69d2cf90-fc33-4fb7-9a0c-ebb0f0fcb43c\}$ 

Opens key:

 $\label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Hklm \end{69d2cf90-fc33-4fb7-9a0c-ebb0f0fcb43c} \property \prop$ 

Opens key:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{374 de 290-123 f-4565-9164-39c4925e 467b\}$ 

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{374 de 290-123 f-4565-9164-39c4925e 467b\} \ property bag$ 

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{859 ead 94-2e85-48 ad a71a-0969 cb56a6 cd\}$ 

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{859 ead 94-2e85-48 ad-a71a-0969 cb56a6 cd\} \ property bag$ 

Opens key:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a305ce99-f527-492b-8b1a-7e76fa98d6e4\}}$ 

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ a 305ce99-f527-492b-8b1a-7e76fa98d6e4 \ property bag$ 

Opens key:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3d644c9b-1fb8-4f30-9b45-f670235f79c0\}$ 

Opens key:

 $\label{thm:local-ham} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3d644c9b-1fb8-4f30-9b45-f670235f79c0\}\property\bag}$ 

Opens key:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{a990ae9f-a03b-4e80-94bc-9912d7504104}$ 

Opens key:

 $\label{thm:microsoftwindows} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{a990ae9f-a03b-4e80-94bc-9912d7504104} \property bag$ 

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{dfdf76a2-c82a-4d63-906a-5644ac457385\}$ 

Opens key:

 $\label{thm:local-bound} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{dfdf76a2-c82a-4d63-906a-5644ac457385\}\propertybag}$ 

Opens key:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version' \ explorer \ 'folder descriptions \ '\{1a6fdba2-f42d-4358-a798-b74d745926c5\}$ 

Opens key:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1a6fdba2-f42d-4358-a798-b74d745926c5\}\property\bag\end{microsoft}$ 

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a520a1a4-1780-4ff6-bd18-167343c5af16\}$ 

Opens key:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a520a1a4-1780-4ff6-bd18-167343c5af16\}\propertybag$ 

Opens key:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b88f4daa-e7bd-49a9b74d-02885a5dc765}

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ b88f4daa-e7bd-49a9-b74d-02885a5dc765 \ property bag$ 

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{2c36c0aa-5812-4b87-bfd0-4cd0dfb19b39\}$ 

Opens key:

 $\label{lem:hklmsoftwaremicrosoftwindows} Current version \end{excriptions} \end{ex$ 

Opens key:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{9e3995ab-1f9c-4f13-b827-48b24b6c7174\}$ 

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{9e3995ab-1f9c-4f13-b827-48b24b6c7174\} \ property bag$ 

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{df7266ac-9274-4867-8d55-3bd661de872d\}$ 

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{df7266ac-9274-4867-8d55-3bd661de872d\} \ property bag$ 

Opens key:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \equal 644824 af-dce 4-45a 8-81e2-fc 79650 83634 \equal 644824 \equa$ 

Opens key:

 $\label{thm:local-property} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \equal 4824 af-dce 4-45a8-81e2-fc 7965083634 \property bag$ 

Opens key:

Opens key:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27\}\propertybag}$ 

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{15 ca 69 b3 - 30 ee - 49 c1 - ace 1 - 6 b5 ec 372 af b5\}$ 

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{15 ca 69 b3 - 30 ee - 49 c1 - ace 1 - 6b 5ec 372 af b5\} \ property bag$ 

Opens key:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3214fab5-9757-4298-bb61-92a9deaa44ff\}}$ 

Opens key:

 $\label{lem:hklmsoftwaremicrosoftwindows} Hklm \end{align* in the second section} Which \end{align* in the second section of the second section \end{align* in the second secti$ 

Opens key:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{905e63b6-c1bf-494e-b29c-65b732d3d21a\}}$ 

Opens key:

 $\label{thm:local-property} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \gamma \g$ 

Opens key:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{fd228cb7-ae11-4ae3-864c-16f3910ab8fe\}$ 

Opens key:

 $HKLM \software \microsoft \windows \current version \explorer \folder descriptions \fd228 cb7-ae11-4ae3-864c-16f3910ab8fe \property bag$ 

Opens key:

 $\label{lem:hamilton} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folderdesc$ 

Opens key:

 $\label{thm:local-property} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folde$ 

Opens key:

Opens key:

 $\label{thm:local-property} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \folder$ 

Opens key:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$ 

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{d20beec4-5ca8-4905-ae3b-bf251ea09b53\} \ property bag$ 

Opens key:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{de92c1c7-837f-4f69-a3bb-86e631204a23}$ 

Opens key:

 $\label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwaremic$ 

Opens key:

 $\label{lem:hammon} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ \{10c07cd0-ef91-4567-b850-448b77cb37f9\}$ 

Opens key:

Opens key:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\f(fdd39ad0-238f-46af-adb4-6c85480369c7)$ 

Opens key:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{fdd39ad0-238f-46af-adb4-6c85480369c7\} \ 'property bag$ 

Opens kev:

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \ \ \ def-4334-bedd-7aa \ 20b \ 227a 9d \ property bag$ 

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{190337d1-b8ca-4121-a639-6d472d16972a\}$ 

Opens key:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{190337d1-b8ca-4121-a639-6d472d16972a\} \ 'property bag$ 

Opens key:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{54eed 2e0-e7ca-4fdb-9148-0f4247291cfa\}$ 

Opens key:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{54eed 2e0-e7ca-4fdb-9148-0f4247291cfa\} \ property bag$ 

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{bfb9d5e0-c6a9-404c-b2b2-ae6db6af4968\}$ 

Opens kev:

 $\label{thm:local-bound} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \$ 

Opens key:

Opens kev:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{5cd7aee2-2219-4a67-b85d-6c9ce15660cb\} \ property bag$ 

Opens key:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b94237e7-57ac-4347-9151-b08c6c32d1f7\}$ 

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{b94237e7-57ac-4347-9151-b08c6c32d1f7\} \ property bag$ 

Opens key:

 $HKLM \label{lem:hkklm} HKLM \label{lem:hkkl$ 

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{352481e8-33be-4251-ba85-6007 \ caedcf9d\} \ property bag$ 

Opens kev:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a63293e8-664e-48db-a079-df759e0509f7\}$ 

Opens key:

 $\label{thm:local-property} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \equal a 63293e8-664e-48db-a079-df759e0509f7 \property bag$ 

Opens kev:

 $\label{lem:hklmsoftwaremicrosoftwindows\currentversion\explorer\folderdescriptions\{5ce4a5e9-e4eb-479d-b89f-130c02886155\}}$ 

Opens key:

 $\label{local-equation} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folderde$ 

Opens kev:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{82a74aeb-aeb4-465c-a014-d097ee346d63\}}$ 

Opens key:

 $\label{thm:local-continuous} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \fold$ 

Opens key:

 $\label{lem:hklmsoftwaremicrosoftwindows\currentversion\explorer\folderdescriptions\{7c5a40ef-a0fb-4bfc-874a-c0f2e0b9fa8e\}}$ 

Opens key:

 $\label{thm:local-bound} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \footnote{100}. A property \mbox{$40$-4bfc-874a-c0f2e0b9fa8e} \property \mbox{$40$-4bfc-874a-c0f2e0b9fa8e} \end{tikzpicture} The think \mbox{$40$-4bfc-874a-c0f2e0b9fa8e} \end{tikzpicture} The think \mbox{$40$-4bfc-874a-c0f2e0b9fa8e} \property \property \mbox{$40$-4bfc-874a-c0f2e0b9fa8e} \property \property$ 

Opens key:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{43668bf8-c14e-49b2-97c9-747784d784b7\}}$ 

Opens key:

 $\label{lem:hklmsoftwaremicrosoftwindows} Larrent version \explorer folder descriptions \explorer \folder \$ 

Opens key:

```
8fd7-f78dca774f87}
   Opens key:
HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ \ folder descriptions \ \ \{915221fb-9efe-4bda-1644, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1944, 1
8fd7-f78dca774f87}\propertybag
   Opens kev:
b5b4-2d72e54eaaa4}
   Opens key:
b5b4-2d72e54eaaa4}\propertybag
   Opens kev:
HKLM \setminus software \setminus microsoft \setminus windows \setminus current version \setminus explorer \setminus users files \setminus names pace
   Opens key:
HKLM\software\microsoft\windows\currentversion\explorer\usersfiles\namespace\delegatefolders
   Opens key:
HKCU\software\microsoft\windows\currentversion\explorer\usersfiles\namespace
   Opens key:
HKLM \ software \ microsoft \ windows \ current version \ explorer \ users files \ names pace \ delegate folders \ \ dff acd c5-part \ delegate \ folders \ \ delegate \ \ d
679f-4156-8947-c5c76bc0b67f}
   Opens key:
HKCU \ software \ microsoft \ windows \ current version \ \ explorer \ \ users files \ \ names pace \ \ delegate folders
   Opens key:
HKCU \ software \ microsoft \ windows \ current version \ explorer \ session in followers files \ names pace
HKCU \ software \ microsoft \ windows \ current version \ explorer \ session info \ 1 \ users files \ names pace \ delegate folders
                                              HKCU\software\classes\clsid\{dffacdc5-679f-4156-8947-
   Opens key:
c5c76bc0b67f}\shellfolder
                                               Opens key:
                                              HKCU\software\microsoft\windows\currentversion\explorer\clsid\{dffacdc5-
   Opens kev:
679f-4156-8947-c5c76bc0b67f}\shellfolder
                                              HKLM\software\microsoft\windows\currentversion\explorer\clsid\{dffacdc5-
   Opens kev:
679f-4156-8947-c5c76bc0b67f}\shellfolder
                                              HKCU\software\classes\clsid\{dffacdc5-679f-4156-8947-
   Opens key:
c5c76bc0b67f}\inprocserver32
                                              Opens key:
   Opens key:
                                               HKLM\software\microsoft\windows\currentversion\shell extensions\blocked
                                               HKCU\software\microsoft\windows\currentversion\shell extensions\blocked
   Opens kev:
   Opens key:
                                              HKCU\software\microsoft\windows nt\currentversion
   Opens key:
                                               HKLM\software\microsoft\windows nt\currentversion\appcompatflags
                                              HKLM\software\microsoft\windows
   Opens key:
nt\currentversion\appcompatflags\custom\shdocvw.dll
                                               HKCU\software\microsoft\windows\currentversion\shell extensions\cached
   Opens key:
                                               HKCU\software\classes\clsid\{dffacdc5-679f-4156-8947-c5c76bc0b67f}
   Opens kev:
                                               HKCR\clsid\{dffacdc5-679f-4156-8947-c5c76bc0b67f}
   Opens key:
                                               HKCU\software\classes\clsid\{dffacdc5-679f-4156-8947-
   Opens key:
c5c76bc0b67f}\treatas
                                              HKCR\clsid\{dffacdc5-679f-4156-8947-c5c76bc0b67f}\treatas
   Opens key:
   Opens key:
                                               HKCU\software\classes\clsid\{dffacdc5-679f-4156-8947-
c5c76bc0b67f}\progid
                                               HKCR \land \{dffacdc5-679f-4156-8947-c5c76bc0b67f\} \land progid
   Opens key:
                                               HKCU\software\classes\clsid\{dffacdc5-679f-4156-8947-
   Opens kev:
c5c76bc0b67f}\inprochandler32
                                               HKCR\clsid\{dffacdc5-679f-4156-8947-c5c76bc0b67f}\\ \ in prochandler 32
   Opens key:
                                               HKCU\software\classes\clsid\{dffacdc5-679f-4156-8947-
   Opens key:
c5c76bc0b67f}\inprochandler
   Opens key:
                                              HKCR\clsid\{dffacdc5-679f-4156-8947-c5c76bc0b67f}\inprochandler
                                              HKCU\software\classes\clsid\{dffacdc5-679f-4156-8947-
   Opens key:
c5c76bc0b67f}\instance
                                               HKCR\clsid\{dffacdc5-679f-4156-8947-c5c76bc0b67f}\instance
   Opens key:
                                               HKCU\software\classes\clsid\{0e5aae11-a475-4c5b-ab00-
   Opens key:
c66de400274e}\inprocserver32
                                              HKCR\clsid\{0e5aae11-a475-4c5b-ab00-c66de400274e}\inprocserver32
   Opens key:
                                               HKCU \setminus software \setminus classes \setminus clsid \setminus \{0e5aae11-a475-4c5b-ab00-c66de400274e\}
   Opens key:
                                              HKCR\clsid\{0e5aae11-a475-4c5b-ab00-c66de400274e}
   Opens kev:
   Opens key:
                                              HKCU\software\classes\clsid\{0e5aae11-a475-4c5b-ab00-
c66de400274e}\treatas
   Opens key:
                                               HKCR\clsid\{0e5aae11-a475-4c5b-ab00-c66de400274e}\treatas
                                               HKCU\software\classes\clsid\{0e5aae11-a475-4c5b-ab00-
   Opens key:
c66de400274e}\progid
   Opens key:
                                               HKCR\clsid\{0e5aae11-a475-4c5b-ab00-c66de400274e}\progid
   Opens key:
                                               HKCU\software\classes\clsid\{0e5aae11-a475-4c5b-ab00-
c66de400274e}\inprochandler32
                                              HKCR\clsid\{0e5aae11-a475-4c5b-ab00-c66de400274e}\inprochandler32
   Opens kev:
   Opens key:
                                               HKCU\software\classes\clsid\{0e5aae11-a475-4c5b-ab00-
c66de400274e}\inprochandler
   Opens key:
                                               HKCR\clsid\{0e5aae11-a475-4c5b-ab00-c66de400274e}\inprochandler
   Opens key:
                                               HKCU\software\classes\clsid\{dffacdc5-679f-4156-8947-
c5c76bc0b67f}\instance\initpropertybag
   Opens key:
                                               HKCR\clsid\{dffacdc5-679f-4156-8947-
c5c76bc0b67f}\instance\initpropertybag
   Opens key:
```

8947-c5c76bc0b67f}

```
Opens key:
                                      HKCU\software\policies\microsoft\windows\currentversion\internet
settings
  Opens key:
                                      HKCU\software\microsoft\windows\currentversion\internet settings
  Opens key:
                                      HKLM\software\policies
  Opens kev:
                                      HKCU\software\policies
  Opens key:
                                      HKCU\software
  Opens key:
                                      HKLM\software
  Opens key:
                                      HKLM\software\policies\microsoft\internet explorer
  Opens key:
                                      HKLM\software\policies\microsoft\internet explorer\main
                                      HKLM\software\policies\microsoft\internet explorer\main\featurecontrol
  Opens key:
  Opens key:
                                      HKCU\software\policies\microsoft\internet explorer\main\featurecontrol
  Opens key:
                                      HKCU\software\microsoft\internet explorer\main\featurecontrol
  Opens key:
                                      HKLM\software\microsoft\internet explorer\main\featurecontrol
  Opens key:
                                      HKLM\software\microsoft\windows\currentversion\internet
settings\5.0\cache
  Opens key:
                                      HKCU\software\microsoft\windows\currentversion\internet
settings\5.0\cache
  Opens key:
                                      HKCU\software\microsoft\windows\currentversion\internet
settings\5.0\cache\content
                                      HKLM\software\microsoft\windows\currentversion\internet
  Opens key:
settings\5.0\cache\content
  Opens key:
                                      HKCU\software\microsoft\windows\currentversion\internet
settings\5.0\cache\cookies
  Opens key:
                                      HKLM\software\microsoft\windows\currentversion\internet
settings\5.0\cache\cookies
                                      HKCU\software\microsoft\windows\currentversion\internet
  Opens key:
settings\5.0\cache\history
                                      HKLM\software\microsoft\windows\currentversion\internet
  Opens key:
settings\5.0\cache\history
  Opens key:
                                      HKLM\system\currentcontrolset\control\nls\locale
  Opens key:
                                      HKLM\system\currentcontrolset\control\nls\locale\alternate sorts
                                      \label{lem:hklm} \verb+Kklm \+ system \+ control \+ language groups \\
  Opens key:
  Opens key:
                                      \label{lem:hkcu} \verb+KKCU\+ software\+ microsoft\+ windows\+ current version\+ internet
settings\5.0\cache\extensible cache
                                      \label{lem:hkcu} \verb+KKCU \+ software \+ microsoft \+ windows \+ current version \+ internet
  Opens key:
settings\5.0\cache\extensible cache\domstore
  Opens key:
                                      HKCU\software\microsoft\windows\currentversion\internet
settings\5.0\cache\extensible cache\feedplat
                                      HKLM\software\microsoft\windows nt\currentversion\fontlink\systemlink
  Opens key:
  Opens key:
                                      HKLM\software\microsoft\windows
nt\current version\label{language} pack\datastore\_v1.0
                                      HKLM\software\microsoft\windows
  Opens key:
nt\currentversion\languagepack\surrogatefallback
                                      HKCU\software\microsoft\windows\currentversion\internet
  Opens key:
settings\5.0\cache\extensible cache\iecompat
                                      HKCU\software\microsoft\windows\currentversion\internet
  Opens key:
settings\5.0\cache\extensible cache\ietld
  Opens key:
                                      \label{lem:hkcu} \verb+KKCU \software \microsoft \windows \current version \cite{thm:lem:hkcu} in terms to the lemma substitution \cite{thm:lem:hkcu} and \cite{thm:lem:hkcu} are \cite{thm:lem:hkcu}.
settings\5.0\cache\extensible cache\privacie:
                                      HKLM\software\microsoft\windows
  Opens key:
nt\currentversion\languagepack\surrogatefallback\segoe ui
                                      HKLM\software\microsoft\ctf\compatibility\bi.exe
  Opens key:
                                      Opens key:
Ofb58b01c4a4}\languageprofile\0x00000000\{0001bea3-ed56-483d-a2e2-aeae25577436}
  Opens kev:
                                      HKLM\software\microsoft\ctf\
  Opens key:
                                      HKLM\software\microsoft\ctf\knownclasses
  Opens key:
                                      HKCU\software\microsoft\internet
explorer\main\featurecontrol\retry_headeronlypost_onconnectionreset
  Opens key:
                                      HKLM\software\microsoft\internet
explorer\main\featurecontrol\retry_headeronlypost_onconnectionreset
  Opens key:
                                      HKCU\software\microsoft\internet
explorer\main\featurecontrol\feature_bufferbreaking_818408
                                      HKLM\software\microsoft\internet
  Opens key:
explorer\main\featurecontrol\feature_bufferbreaking_818408
  Opens key:
                                      HKCU\software\microsoft\internet
explorer\main\featurecontrol\feature_skip_post_retry_on_internetwritefile_kb895954
  Opens key:
                                      HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_skip_post_retry_on_internetwritefile_kb895954
  Opens key:
                                      \label{lem:hklm} \verb+Kklm\+ software\+ policies\+ microsoft\+ windows\+ current version\+ internet
settings\5.0\cache
  Opens key:
                                      HKCU\software\policies\microsoft\windows\currentversion\internet
settings\5.0\cache
  Opens key:
                                      HKCU\software\microsoft\internet
explorer\main\featurecontrol\feature_fix_chunked_proxy_script_download_kb843289
  Opens key:
                                      HKLM\software\microsoft\internet
\verb|explorer'| main feature control feature\_fix\_chunked\_proxy\_script\_download\_kb843289| fixed for the control feature\_fix\_chunked\_proxy\_script\_download\_kb843289| fixed 
  Opens key:
                                      HKCU\software\microsoft\internet
explorer\main\featurecontrol\feature_use_cname_for_spn_kb911149
                                      HKLM\software\microsoft\internet
  Opens key:
explorer\main\featurecontrol\feature_use_cname_for_spn_kb911149
  Opens key:
                                      HKCU\software\microsoft\internet
explorer\main\featurecontrol\feature_disable_notify_unverified_spn_kb2385266
  Opens key:
                                      HKLM\software\microsoft\internet
```

```
explorer\main\featurecontrol\feature_disable_notify_unverified_spn_kb2385266
                                          HKCU\software\microsoft\internet
  Opens kev:
explorer\main\featurecontrol\feature_compat_use_connection_based_negotiate_auth_kb2151543
   Opens key:
                                          HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_compat_use_connection_based_negotiate_auth_kb2151543
   Opens key:
                                          HKCU\software\microsoft\internet
explorer\main\featurecontrol\feature_allow_long_international_filenames
                                         HKLM\software\microsoft\internet
  Opens key:
explorer\main\featurecontrol\feature_allow_long_international_filenames
   Opens key:
                                          HKCU\software\microsoft\internet
explorer\main\featurecontrol\feature_permit_cache_for_authenticated_ftp_kb910274
   Opens key:
                                          HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_permit_cache_for_authenticated_ftp_kb910274
  Opens key:
                                         HKCU\software\microsoft\internet
explorer\main\featurecontrol\feature_disable_unicode_handle_closing_callback
   Opens key:
                                          HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature disable unicode handle closing callback
   Opens key:
                                          HKCU\software\microsoft\internet
explorer\main\featurecontrol\feature_disallow_null_in_response_headers
                                         HKLM\software\microsoft\internet
  Opens key:
explorer\main\featurecontrol\feature_disallow_null_in_response_headers
                                          HKCU\software\microsoft\internet
   Opens key:
explorer\main\featurecontrol\feature_digest_no_extras_in_uri
   Opens key:
                                          HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_digest_no_extras_in_uri
                                         HKLM\software\microsoft\internet
  Opens key:
explorer\main\featurecontrol\feature_enable_passport_session_store_kb948608
                                          HKCU\software\microsoft\internet
   Opens key:
explorer\main\featurecontrol\feature_exclude_invalid_client_cert_kb929477
   Opens key:
                                          HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_exclude_invalid_client_cert_kb929477
  Opens key:
                                         HKCU\software\microsoft\internet
explorer\main\featurecontrol\feature_use_utf8_for_basic_auth_kb967545
   Opens key:
                                          HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_use_utf8_for_basic_auth_kb967545
                                          HKCU\software\microsoft\internet
   Opens key:
explorer\main\featurecontrol\feature_release_keys_on_unload_kb975619
  Opens key:
                                         HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_release_keys_on_unload_kb975619
   Opens key:
                                         HKCU\software\microsoft\internet
explorer\main\featurecontrol\feature_security_flag_ignore_revocation_kb2275828
                                         HKLM\software\microsoft\internet
   Opens key:
explorer\main\featurecontrol\feature security flag ignore revocation kb2275828
   Opens key:
                                          HKLM\system\currentcontrolset\services\winsock2\parameters
                                          HKLM\system\currentcontrolset\services\winsock2\parameters\appid_catalog
   Opens kev:
   Opens key:
HKLM \ system \ current control set \ services \ \ winsock 2 \ parameters \ appid\_catalog \ 2cc 705 da-33632 faccount \ dark \
   Opens key:
HKLM\svstem\currentcontrolset\services\winsock2\parameters\appid catalog\2cc705da
   Opens key:
HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9
  Opens kev:
HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\00000019
   Opens key:
HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries
   Opens key:
HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\00000000001
   Opens key:
HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\000000000000
Opens key:
Opens kev:
HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\00000000005
   Opens kev:
Opens key:
Opens kev:
HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\000000000008
   Opens kev:
HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\000000000000
   Opens key:
Opens kev:
HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\00000000011
   Opens kev:
HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\00000000012
  Opens key:
Opens kev:
HKLM \ system \ (current control set \ services \ winsock 2 \ parameters \ protocol\_catalog \ (catalog\_entries \ 000000000014) \ (catalog\_entries \ (catalog \ (catalog\_entries \ (catalog \ (catal
```

Opens key:

HKLM\system\currentcontrolset\services\winsock2\parameters\protocol\_catalog9\catalog\_entries\000000000015
Opens kev:

HKLM\system\currentcontrolset\services\winsock2\parameters\protocol\_catalog9\catalog\_entries\000000000016
Opens kev:

HKLM\system\currentcontrolset\services\winsock2\parameters\protocol\_catalog9\catalog\_entries\000000000017
Onens kev

HKLM\system\currentcontrolset\services\winsock2\parameters\protocol\_catalog9\catalog\_entries\000000000018
Opens kev:

 $HKLM \setminus system \setminus current control set \setminus services \setminus winsock 2 \setminus parameters \setminus names pace\_catalog 5$ 

Opens key:

 $HKLM \setminus system \setminus current control set \setminus services \setminus winsock 2 \setminus parameters \setminus names pace\_catalog 5 \setminus 00000000 c$ 

Opens key:

HKLM\system\currentcontrolset\services\winsock2\parameters\namespace\_catalog5\catalog\_entries

Opens key:

HKLM\system\currentcontrolset\services\winsock2\parameters\namespace\_catalog5\catalog\_entries\000000000001
Opens key:

HKLM\system\currentcontrolset\services\winsock2\parameters\namespace\_catalog5\catalog\_entries\000000000000

HKLM\system\currentcontrolset\services\winsock2\parameters\appid\_catalog\32471afa

Opens key:

HKLM\system\currentcontrolset\services\winsock2\parameters\namespace\_catalog5\catalog\_entries\000000000005

HKLM\system\currentcontrolset\services\winsock2\parameters\namespace\_catalog5\catalog\_entries\0000000000006

Opens key: HKCU\software\microsoft\windows\currentversion\internet settings\wpad

Opens key: HKCU\software\microsoft\internet

explorer\main\featurecontrol\feature\_return\_failed\_connect\_content\_kb942615

Opens key: HKLM\software\microsoft\internet

explorer\main\featurecontrol\feature\_return\_failed\_connect\_content\_kb942615

Opens key: HKCU\software\microsoft\internet

explorer\main\featurecontrol\feature\_http\_username\_password\_disable

Opens key: HKLM\software\microsoft\internet

 $\verb|explorer\main\featurecontrol\feature_http_username\_password\_disable| \\$ 

Opens key: HKCU\software\microsoft\internet

explorer\main\featurecontrol\feature\_include\_port\_in\_spn\_kb908209

Opens key: HKLM\software\microsoft\internet

explorer\main\featurecontrol\feature\_include\_port\_in\_spn\_kb908209

Opens key: HKCU\software\microsoft\internet

explorer\main\featurecontrol\feature\_mime\_handling
 Opens key: HKLM\software\microsoft\internet

Opens key: HKLM\software\microsoft\ir explorer\main\featurecontrol\feature\_mime\_handling

Opens key: HKLM\software\microsoft\tracing\bi\_rasapi32
Opens key: HKLM\software\microsoft\tracing\bi\_rasmancs

Opens key: HKLM\software\microsoft\windows nt\currentversion\profilelist

Opens key: HKLM\system\currentcontrolset\control\sqmservicelist

Opens key: HKLM\software\microsoft\sqmclient\windows\disabledprocesses\
Opens key: HKLM\software\microsoft\sqmclient\windows\disabledsessions\

Opens key: HKU\

Opens key:

 $HKLM \setminus software \setminus microsoft \setminus ctf \setminus compatibility \setminus bdc27c485a35c61c7bf0bfedbf9b0b3f.exe$ 

Opens key: HKLM\software\microsoft\cryptography\defaults\provider\microsoft strong

cryptographic provider

 $Opens\ key: \\ HKLM\system\currentcontrolset\control\label{eq:hklm} HKLM\system\currentcontrolset\control\label{eq:hklm} HKLM\system\currentcontrolset\control\label{eq:hklm} HKLM\system\currentcontrol\label{eq:hklm} HKLM\system\currentcontrol\syst$ 

Opens key: HKLM\system\currentcontrolset\control\lsa

Opens key:

HKLM\system\currentcontrolset\policies\microsoft\cryptography\configuration

Opens key: HKLM\software\policies\microsoft\cryptography

Opens key: HKLM\software\microsoft\cryptography

 $Opens\;key: \\ \qquad \qquad \mathsf{HKLM} \backslash \mathsf{software} \backslash \mathsf{microsoft} \backslash \mathsf{cryptography} \backslash \mathsf{offload}$ 

Opens key: HKCU\software\classes\autoproxytypes

Opens key: HKCR\autoproxytypes

Opens key: HKCU\software\classes\autoproxytypes\application/x-internet-signup

Opens key: HKCR\autoproxytypes\application/x-internet-signup

Opens key: HKCU\software\classes\autoproxytypes\application/x-ns-proxy-autoconfig

Opens key: HKCR\autoproxytypes\application/x-ns-proxy-autoconfig
Opens key: HKLM\system\currentcontrolset\services\dnscache\parameters
Opens key: HKLM\software\policies\microsoft\windows nt\dnsclient
Opens key: HKLM\system\currentcontrolset\services\dns
Opens key: HKLM\software\policies\microsoft\system\dnsclient

Opens key: HKLM\system\currentcontrolset\services\winsock\parameters
Opens key: HKLM\system\currentcontrolset\services\tcpip6\parameters\winsock
Opens key: HKLM\system\currentcontrolset\services\psched\parameters\winsock
Opens key: HKLM\system\currentcontrolset\services\winsock\setup migration\providers

Opens key: HKLM\system\currentcontrolset\services\winsock\setup

migration\providers\psched

Opens key: HKLM\system\currentcontrolset\services\tcpip\parameters\winsock

Opens key: HKLM\system\currentcontrolset\services\winsock\setup

migration\providers\tcpip

Opens key: HKLM\system\currentcontrolset\services\winsock\setup

migration\providers\tcpip6

Opens key:  $\label{lem:hklm} \verb+Kklm \system \current control set \services \label{lem:hklm} \verb+ dn s cache \services \services$ 

Opens kev:

HKLM\system\currentcontrolset\services\tcpip6\parameters\interfaces\{128919e8-8a5e-41d1-ac17-

c19ce8a73253}

Opens key: HKLM\system\currentcontrolset\services\tcpip\parameters\interfaces

Opens kev:

c19ce8a73253}

Opens key:

806e6f6e6963}

Opens key: 806e6f6e6963}

Opens key:

 $HKLM \ system \ current controls et \ services \ tcpip \ parameters \ interfaces \ \{8ff7f47b-d658-4061-baea-defaces, and backets \ tcpip \ parameters \ tcpip \ tcpip \ parameters \ tcpip \ parameters \ tcpip \ parameters \ tcpip \ paramet$ 1709a0196aed}

Opens key:

a68f334c8d34}

Opens key: HKLM\system\currentcontrolset\services\tcpip\linkage

HKCU\software\classes\clsid\{dcb00c01-570f-4a9b-8d69-199fdba5723b} Opens key:

Opens key: HKCR\clsid\{dcb00c01-570f-4a9b-8d69-199fdba5723b} Opens key: HKCU\software\classes\clsid\{dcb00c01-570f-4a9b-8d69-

199fdba5723b}\treatas

Opens key:  $HKCR\clsid\dcb00c01-570f-4a9b-8d69-199fdba5723b$ \treatas HKCU\software\classes\clsid\{dcb00c01-570f-4a9b-8d69-Opens key:

199fdba5723b}\progid

Opens key: HKCR\clsid\{dcb00c01-570f-4a9b-8d69-199fdba5723b}\progid Opens key: HKCU\software\classes\clsid\{dcb00c01-570f-4a9b-8d69-

199fdba5723b}\inprocserver32

Opens key:  $HKCR\clsid\\\{dcb00c01-570f-4a9b-8d69-199fdba5723b\\\}\inprocserver32$ 

Opens key: HKCU\software\classes\clsid\{dcb00c01-570f-4a9b-8d69-

199fdba5723b}\inprochandler32

Opens key:  $HKCR\clsid\dcb00c01-570f-4a9b-8d69-199fdba5723b\\\inprochandler32$ 

Opens key: HKCU\software\classes\clsid\{dcb00c01-570f-4a9b-8d69-

199fdba5723b}\inprochandler

Opens key:  $HKCR \ clsid \ \{dcb00c01-570f-4a9b-8d69-199fdba5723b\} \ \ in prochandler$ 

Opens key: HKLM\software\microsoft\rpc\extensions

 $HKCU \setminus software \setminus classes \setminus clsid \setminus \{a47979d2-c419-11d9-a5b4-001185ad2b89\}$ Opens key:

Opens key: HKCR\clsid\{a47979d2-c419-11d9-a5b4-001185ad2b89} Opens key: HKCU\software\classes\clsid\{a47979d2-c419-11d9-a5b4-

001185ad2b89}\treatas

HKCR\clsid\{a47979d2-c419-11d9-a5b4-001185ad2b89}\treatas Opens kev: Opens key: HKCU\software\classes\clsid\{a47979d2-c419-11d9-a5b4-

001185ad2b89}\progid

Opens key: HKCR\clsid\{a47979d2-c419-11d9-a5b4-001185ad2b89}\progid HKCU\software\classes\clsid\{a47979d2-c419-11d9-a5b4-Opens kev:

001185ad2b89}\inprocserver32

HKCR\clsid\{a47979d2-c419-11d9-a5b4-001185ad2b89}\inprocserver32 Opens key:

Opens key: HKCU\software\classes\clsid\{a47979d2-c419-11d9-a5b4-

001185ad2b89}\inprochandler32

HKCR\clsid\{a47979d2-c419-11d9-a5b4-001185ad2b89}\inprochandler32 Opens key:

Opens kev: HKCU\software\classes\clsid\{a47979d2-c419-11d9-a5b4-

001185ad2b89}\inprochandler

HKCR\clsid\{a47979d2-c419-11d9-a5b4-001185ad2b89}\inprochandler Opens key:

HKCU\software\classes\appid\bi.exe Opens key:

HKCR\appid\bi.exe Opens key:

Opens key: HKLM\software\microsoft\ole\appcompat

Opens key: HKCU\software\classes\interface\{00000134-0000-0000-0000-00000000046}

HKCR\interface\{00000134-0000-0000-c000-00000000046} Opens key: Opens key:  $\label{local-eq:hkcu-software-classes-interface} HKCU \setminus software \setminus classes \setminus interface \setminus \{00000134-0000-0000-c000-c000-c000-c00-c00-c000-c000-c000-c000-c000-c000-c00-c00-c00-c00-c00-c00-c000-c00-$ 

00000000046}\proxystubclsid32

HKCR\interface\{00000134-0000-0000-c000-00000000046}\proxystubclsid32 Opens key:

Opens key: HKLM\system\currentcontrolset\services\bfe

Opens key: HKCU\software\classes\interface\{d0074ffd-570f-4a9b-8d69-199fdba5723b}

HKCR\interface\{d0074ffd-570f-4a9b-8d69-199fdba5723b} Opens key: Opens key: 

199fdba5723b}\proxystubclsid32

 $HKCR \land face \land \{d0074ffd-570f-4a9b-8d69-199fdba5723b\} \land proxystubclsid32$ Opens key: Opens key: HKCU\software\classes\clsid\{1299cf18-c4f5-4b6a-bb0f-2299f0398e27}

Opens key: HKCR\clsid\{1299cf18-c4f5-4b6a-bb0f-2299f0398e27} HKCU\software\classes\clsid\{1299cf18-c4f5-4b6a-bb0f-Opens key:

2299f0398e27}\treatas

HKCR\clsid\{1299cf18-c4f5-4b6a-bb0f-2299f0398e27}\treatas Opens kev: Opens key: HKCU\software\classes\clsid\{1299cf18-c4f5-4b6a-bb0f-

2299f0398e27}\progid

Opens key: HKCR\clsid\{1299cf18-c4f5-4b6a-bb0f-2299f0398e27}\progid Opens key: HKCU\software\classes\clsid\{1299cf18-c4f5-4b6a-bb0f-

2299f0398e27}\inprocserver32

HKCR\clsid\{1299cf18-c4f5-4b6a-bb0f-2299f0398e27}\inprocserver32 Opens kev:

Opens key: HKCU\software\classes\clsid\{1299cf18-c4f5-4b6a-bb0f-

```
2299f0398e27}\inprochandler32
                                                HKCR\clsid\{1299cf18-c4f5-4b6a-bb0f-2299f0398e27}\inprochandler32
   Opens kev:
                                                HKCU\software\classes\clsid\{1299cf18-c4f5-4b6a-bb0f-
   Opens kev:
2299f0398e27}\inprochandler
   Opens kev:
                                                HKCR\clsid\{1299cf18-c4f5-4b6a-bb0f-2299f0398e27}\inprochandler
   Opens key:
                                                HKCU\software\classes\interface\{26656eaa-54eb-4e6f-8f85-4f0ef901a406}
                                                HKCR\interface\{26656eaa-54eb-4e6f-8f85-4f0ef901a406}
   Opens key:
                                                HKCU\software\classes\interface\{26656eaa-54eb-4e6f-8f85-
   Opens key:
4f0ef901a406}\proxystubclsid32
                                                Opens key:
   Opens key:
                                                HKCU\software\classes\interface\{8a40a45d-055c-4b62-abd7-6d613e2ceaec}
                                                HKCR\interface\{8a40a45d-055c-4b62-abd7-6d613e2ceaec}
   Opens key:
   Opens key:
                                                HKCU\software\classes\interface\{8a40a45d-055c-4b62-abd7-
6d613e2ceaec}\proxystubclsid32
                                                Opens key:
                                                HKCU\software\classes\interface\{55272a00-42cb-11ce-8135-00aa004bb851}
   Opens key:
   Opens key:
                                                HKCR\interface\{55272a00-42cb-11ce-8135-00aa004bb851}
   Opens key:
                                                HKCU\software\classes\interface\{55272a00-42cb-11ce-8135-
00aa004bb851}\proxystubclsid32
                                               HKCR\interface\{55272a00-42cb-11ce-8135-00aa004bb851}\proxystubclsid32
   Opens key:
   Opens key:
                                                HKCU\software\classes\clsid\{b196b286-bab4-101a-b69c-00aa00341d07}
                                                HKCR\clsid\{b196b286-bab4-101a-b69c-00aa00341d07}
   Opens key:
                                                HKCU\software\classes\clsid\{b196b286-bab4-101a-b69c-
   Opens kev:
00aa00341d07}\treatas
   Opens key:
                                                HKCR\clsid\{b196b286-bab4-101a-b69c-00aa00341d07}\treatas
                                                HKCU\software\classes\clsid\{b196b286-bab4-101a-b69c-
   Opens key:
00aa00341d07}\progid
   Opens key:
                                                HKCR\clsid\{b196b286-bab4-101a-b69c-00aa00341d07}\progid
   Opens kev:
                                                HKCU\software\classes\clsid\{b196b286-bab4-101a-b69c-
00aa00341d07}\inprocserver32
   Opens key:
                                                HKCR\clsid\{b196b286-bab4-101a-b69c-00aa00341d07}\inprocserver32
                                                HKCU\software\classes\clsid\{b196b286-bab4-101a-b69c-
   Opens key:
00aa00341d07}\inprochandler32
   Opens key:
                                                HKCR\clsid\{b196b286-bab4-101a-b69c-00aa00341d07}\inprochandler32
   Opens key:
                                                HKCU\software\classes\clsid\{b196b286-bab4-101a-b69c-
00aa00341d07}\inprochandler
   Opens key:
                                                HKCR\clsid\{b196b286-bab4-101a-b69c-00aa00341d07}\inprochandler
                                                HKCU\software\classes\interface\{bcd1de7e-2db1-418b-b047-4a74e101f8c1}
   Opens key:
   Opens key:
                                                HKCR\interface\{bcd1de7e-2db1-418b-b047-4a74e101f8c1}
   Opens key:
                                                HKCU\software\classes\interface\{bcd1de7e-2db1-418b-b047-
4a74e101f8c1}\proxystubclsid32
   Opens key:
                                                HKCR \setminus \{bcd1de7e-2db1-418b-b047-4a74e101f8c1\} \setminus \{bcd1de7e-2db1-418b-b047-4a7
   Opens key:
                                                HKCU\software\classes\interface\{2a1c9eb2-df62-4154-b800-63278fcb8037}
                                                HKCR\interface\{2a1c9eb2-df62-4154-b800-63278fcb8037}
   Opens key:
   Opens key:
                                                HKCU\software\classes\interface\{2a1c9eb2-df62-4154-b800-
63278fcb8037}\proxystubclsid32
                                                Opens key:
   Opens key:
                                                \label{lem:hkcu} \verb+KKCU \software \microsoft \windows \current version \cite{thm:lem:hkcu} in terms to the lemma soft \cite{thm:lem:hkcu} and \cite{thm:lem:hkcu} in the lemma soft \cite{thm:lem:hkcu} and \cite{thm:lem:hkcu
settings\wpad\{ef3210ff-3762-4476-8471-7e2bc045a9b3}
   Opens key:
                                                HKCU\software\microsoft\internet explorer\main
   Opens key:
                                                HKCU\software\microsoft\internet explorer\searchscopes
   Opens key:
                                                HKCU\software\microsoft\internet explorer\searchscopes\{0633ee93-d776-
472f-a0ff-e1416b8b2e3a}
   Opens key:
                                                HKLM\system\currentcontrolset\control\session manager\environment
   Opens key:
                                                HKLM\software\microsoft\internet explorer\toolbar
   Opens key:
                                                HKLM\software\microsoft\net framework setup\ndp
   Opens key:
                                                HKLM\software\microsoft\net framework setup\ndp\v2.0.50727
   Opens key:
                                                HKLM\software\microsoft\net framework setup\ndp\v3.0
                                                HKLM\software\microsoft\net framework setup\ndp\v3.5
   Opens kev:
   Opens key:
                                                HKLM\software\microsoft\windows nt\currentversion
   Opens key:
                                                HKCU\software\classes\clsid\{8856f961-340a-11d0-a96b-00c04fd705a2}
   Opens key:
                                                HKCR\clsid\{8856f961-340a-11d0-a96b-00c04fd705a2}
   Opens key:
                                                HKCU\software\classes\clsid\{8856f961-340a-11d0-a96b-
00c04fd705a2}\treatas
                                                HKCR\clsid\{8856f961-340a-11d0-a96b-00c04fd705a2}\treatas
   Opens key:
   Opens key:
                                                HKCU\software\classes\clsid\{8856f961-340a-11d0-a96b-
00c04fd705a2}\progid
                                                HKCR\clsid\{8856f961-340a-11d0-a96b-00c04fd705a2}\progid
   Opens key:
   Opens key:
                                                HKCU\software\classes\clsid\{8856f961-340a-11d0-a96b-
00c04fd705a2}\inprocserver32
                                                HKCR \ clsid \ \{8856f961-340a-11d0-a96b-00c04fd705a2\} \ \ inprocserver 32
   Opens key:
   Opens key:
                                                HKCU\software\conduit\distributionengine\1\offerhistory
   Opens key:
                                                HKCU\software\classes\clsid\{8856f961-340a-11d0-a96b-
00c04fd705a2}\inprochandler32
   Opens key:
                                                HKCR\clsid\{8856f961-340a-11d0-a96b-00c04fd705a2}\inprochandler32
                                                HKCU\software\classes\clsid\{8856f961-340a-11d0-a96b-
   Opens kev:
00c04fd705a2}\inprochandler
   Opens key:
                                                HKCR \clsid \ \{8856f961-340a-11d0-a96b-00c04fd705a2\} \ \ in prochandler
   Opens key:
HKLM\software\microsoft\tracing\bdc27c485a35c61c7bf0bfedbf9b0b3f_rasapi32
```

Opens key:

HKLM\software\microsoft\tracing\bdc27c485a35c61c7bf0bfedbf9b0b3f\_rasmancs

Opens key:

HKLM\system\currentcontrolset\services\netbt\linkage

```
HKCU\software\classes\appid\bdc27c485a35c61c7bf0bfedbf9b0b3f.exe
     Opens key:
                                                                                HKCR\appid\bdc27c485a35c61c7bf0bfedbf9b0b3f.exe
     Opens key:
                                                                                HKCU\software\microsoft\internet
     Opens key:
explorer\main\featurecontrol\feature_allow_reverse_solidus_in_userinfo_kb932562
     Opens kev:
                                                                               HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_allow_reverse_solidus_in_userinfo_kb932562
                                                                                HKLM\software\microsoft\internet explorer\main
     Opens key:
     Opens key:
                                                                                HKCU\software\policies\microsoft\internet explorer\main
                                                                                HKCU \setminus software \setminus classes \setminus clsid \setminus \{871c5380-42a0-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1069-a2ea-1060-a2ea-1060-a2ea-1060-a2ea-1060-a2ea-1060-a2ea-1060-a2ea-1060-a2ea-1060-a2ea-1060-a2ea-1060-a2ea-1060-a2ea-1060-a2ea-1060-a2ea-1060-a2ea-1060-a2ea-1060-a2ea-1060-a2ea-1060-a2ea-1060-a2ea-1060-a2ea-1060-a2ea-1060-a2ea-1060-a2ea-1060-a2ea-1060-a2ea-1060-a2ea-1060-a2ea-1060-a2ea-1060-a2ea-1060-a2ea-1060-a2ea-1060-a2ea-1060-a2ea-1060-a2ea-1060-a2ea-1060-a2ea-1060-a2ea-1060-a2ea-1060-a2ea-1060-a2ea-1060-a2ea-1060-a2ea-1060-a2ea-1060-a2ea-1060-a2ea-1060-a2ea-1060-a2ea-1060-a2ea-106
     Opens key:
08002b30309d}\shellfolder
     Opens kev:
                                                                               HKCR\clsid\{871c5380-42a0-1069-a2ea-08002b30309d}\shellfolder
     Opens key:
                                                                                HKCU \setminus software \setminus microsoft \setminus windows \setminus current version \setminus explorer \setminus \{871c5380-microsoft \setminus windows \setminus current version \setminus explorer \setminus \{871c5380-microsoft \setminus windows \setminus current version \setminus explorer \setminus \{871c5380-microsoft \setminus windows \setminus current version \setminus explorer \setminus clsid \setminus \{871c5380-microsoft \setminus windows \setminus current version \setminus explorer \setminus clsid \setminus \{871c5380-microsoft \setminus windows \setminus current version \setminus explorer \setminus clsid \setminus \{871c5380-microsoft \setminus windows \setminus current version \setminus explorer \setminus clsid \setminus \{871c5380-microsoft \setminus windows \setminus current version \setminus explorer \setminus clsid \setminus \{871c5380-microsoft \setminus windows \setminus current version \setminus explorer \setminus clsid \setminus \{871c5380-microsoft \setminus windows \setminus current version \setminus explorer \setminus clsid \setminus \{871c5380-microsoft \setminus windows \setminus current version \setminus explorer \setminus clsid \setminus \{871c5380-microsoft \setminus explorer \setminus clsid \setminus clsid \setminus explorer \setminus clsid \setminus explorer \setminus clsid \setminus explorer \setminus clsid 
42a0-1069-a2ea-08002b30309d}\shellfolder
                                                                               HKCU\software\classes\clsid\{871c5380-42a0-1069-a2ea-
     Opens key:
08002b30309d}\inprocserver32
     Opens key:
                                                                                HKCR\clsid\{871c5380-42a0-1069-a2ea-08002b30309d}\inprocserver32
                                                                                HKCU\software\classes\clsid\{871c5380-42a0-1069-a2ea-08002b30309d}
     Opens kev:
     Opens key:
                                                                                HKCR\clsid\{871c5380-42a0-1069-a2ea-08002b30309d}
     Opens key:
                                                                                HKCU\software\classes\clsid\{871c5380-42a0-1069-a2ea-
08002b30309d}\treatas
     Opens key:
                                                                                HKCR\clsid{871c5380-42a0-1069-a2ea-08002b30309d}\treatas
     Opens key:
                                                                                HKCU\software\classes\clsid\{871c5380-42a0-1069-a2ea-
08002b30309d}\progid
     Opens key:
                                                                                HKCR\clsid\{871c5380-42a0-1069-a2ea-08002b30309d}\progid
     Opens key:
                                                                                HKCU\software\classes\clsid\{871c5380-42a0-1069-a2ea-
08002b30309d}\inprochandler32
     Opens key:
                                                                                \label{lem:hkcr} $$HKCR\clsid{871c5380-42a0-1069-a2ea-08002b30309d} \in \clsid{871c5380-42a0-1069-a2ea-08002b30309d} in prochandler 32 and $$A$ (a) $$A$ (b) $$A$ (b) $$A$ (c) $$A$ (c)
     Opens key:
                                                                                HKCU\software\classes\clsid\{871c5380-42a0-1069-a2ea-
08002b30309d}\inprochandler
     Opens key:
                                                                                HKCR\clsid\{871c5380-42a0-1069-a2ea-08002b30309d}\inprochandler
     Opens key:
HKLM\software\microsoft\windows\currentversion\shellcompatibility\objects\{871c5380-42a0-1069-
a2ea-08002b30309d}
     Opens key:
                                                                                HKCU\software\microsoft\internet
explorer\main\featurecontrol\feature_iedde_register_protocol
     Opens key:
                                                                                HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_iedde_register_protocol
                                                                               HKLM\software\policies\microsoft\internet explorer\browseremulation
     Opens key:
     Opens key:
                                                                                HKCU\software\policies\microsoft\internet explorer\browseremulation
     Opens key:
                                                                                HKCU\software\classes\protocols\name-space handler\
                                                                                HKCR\protocols\name-space handler
     Opens key:
     Opens key:
                                                                                HKCU\software\classes\protocols\name-space handler\res\
     Opens key:
                                                                                HKCR\protocols\name-space handler\res
                                                                                HKCU\software\classes\protocols\name-space handler\*\
     Opens key:
     Opens key:
                                                                                HKCR\protocols\name-space handler\*
     Opens key:
                                                                                HKCU\software\classes\protocols\handler\res
     Opens key:
                                                                                HKCR\protocols\handler\res
     Opens key:
                                                                                HKCU\software\classes\clsid\{3050f3bc-98b5-11cf-bb82-00aa00bdce0b}
                                                                                HKCR\clsid\{3050f3bc-98b5-11cf-bb82-00aa00bdce0b}
     Opens kev:
                                                                                HKCU\software\classes\clsid\{3050f3bc-98b5-11cf-bb82-
     Opens key:
00aa00bdce0b}\treatas
                                                                                HKCR\clsid\{3050f3bc-98b5-11cf-bb82-00aa00bdce0b}\treatas
     Opens key:
                                                                                HKCU\software\classes\clsid\{3050f3bc-98b5-11cf-bb82-
     Opens key:
00aa00bdce0b}\progid
     Opens kev:
                                                                                HKCR\clsid\{3050f3bc-98b5-11cf-bb82-00aa00bdce0b}\progid
     Opens key:
                                                                                HKCU\software\classes\clsid\{3050f3bc-98b5-11cf-bb82-
00aa00bdce0b}\inprocserver32
     Opens key:
                                                                               HKCR\clsid\{3050f3bc-98b5-11cf-bb82-00aa00bdce0b}\inprocserver32
                                                                                HKCU \setminus software \setminus classes \setminus clsid \setminus \{3050f3bc-98b5-11cf-bb82-11cf-bb82-11cf-bb82-11cf-bb82-11cf-bb82-11cf-bb82-11cf-bb82-11cf-bb82-11cf-bb82-11cf-bb82-11cf-bb82-11cf-bb82-11cf-bb82-11cf-bb82-11cf-bb82-11cf-bb82-11cf-bb82-11cf-bb82-11cf-bb82-11cf-bb82-11cf-bb82-11cf-bb82-11cf-bb82-11cf-bb82-11cf-bb82-11cf-bb82-11cf-bb82-11cf-bb82-11cf-bb82-11cf-bb82-11cf-bb82-11cf-bb82-11cf-bb82-11cf-bb82-11cf-bb82-11cf-bb82-11cf-bb82-11cf-bb82-11cf-bb82-11cf-bb82-11cf-bb82-11cf-bb82-11cf-bb82-11cf-bb82-11cf-bb82-11cf-bb82-11cf-bb82-11cf-bb82-11cf-bb82-11cf-bb82-11cf-bb82-11cf-bb82-11cf-bb82-11cf-bb82-11cf-bb82-11cf-bb82-11cf-bb82-11cf-bb82-11cf-bb82-11cf-bb82-11cf-bb82-11cf-bb82-11cf-bb82-11cf-bb82-11cf-bb82-11cf-bb82-11cf-bb82-11cf-bb82-11cf-bb82-11cf-bb82-11cf-bb82-11cf-bb82-11cf-bb82-11cf-bb82-11cf-bb82-11cf-bb82-11cf-bb82-11cf-bb82-11cf-bb82-11cf-bb82-11cf-bb82-11cf-bb82-11cf-bb82-11cf-bb82-11cf-bb82-11cf-bb82-11cf-bb82-11cf-bb82-11cf-bb82-11cf-bb82-11cf-bb82-11cf-bb82-11cf-bb82-11cf-bb82-11cf-bb82-11cf-bb82-11cf-bb82-11cf-bb82-11cf-bb82-11cf-bb82-11cf-bb82-11cf-bb82-11cf-bb82-11cf-bb82-11cf-bb82-11cf-bb82-11cf-bb82-11cf-bb82-11cf-bb82-11cf-bb82-11cf-bb82-11cf-bb82-11cf-bb82-11cf-bb82-11cf-bb82-11cf-bb82-11cf-bb82-11cf-bb82-11cf-bb82-11cf-bb82-11cf-bb82-11cf-bb82-11cf-bb82-11cf-bb82-11cf-bb82-11cf-bb82-11cf-bb82-11cf-bb82-11cf-bb82-11cf-bb82-11cf-bb82-11cf-bb82-11cf-bb82-11cf-bb82-11cf-bb82-11cf-bb82-11cf-bb82-11cf-bb82-11cf-bb82-11cf-bb82-11cf-bb82-11cf-bb82-11cf-bb82-11cf-bb82-11cf-bb82-11cf-bb82-11cf-bb82-11cf-bb82-11cf-bb82-11cf-bb82-11cf-bb82-11cf-bb82-11cf-bb82-11cf-bb82-11cf-bb82-11cf-bb82-11cf-bb82-11cf-bb82-11cf-bb82-11cf-bb82-11cf-bb82-11cf-bb82-11cf-bb82-11cf-bb82-11cf-bb82-11cf-bb82-11cf-bb82-11cf-bb82-11cf-bb82-11cf-bb82-11cf-bb82-11cf-bb82-11cf-bb82-11cf-bb82-11cf-bb82-11cf-bb82-11cf-bb82-11cf-bb82-11cf-bb82-11cf-bb82-11cf-bb82-11cf-bb82-11cf-bb82-11cf-bb82-11cf-bb82-11cf-bb82-11cf-bb82-11cf-bb82-11cf-bb82-11cf-bb82-11cf-bb82-11cf-bb82-11cf-bb82-11cf-bb82-11cf-bb82-11cf-bb82-11cf-bb82-11cf-bb82-11cf-bb82-11c
     Opens key:
00aa00bdce0b}\inprochandler32
     Opens key:
                                                                               HKCR\clsid\{3050f3bc-98b5-11cf-bb82-00aa00bdce0b}\inprochandler32
     Opens key:
                                                                                HKCU\software\classes\clsid\{3050f3bc-98b5-11cf-bb82-
00aa00bdce0b}\inprochandler
     Opens key:
                                                                               HKCR\clsid\{3050f3bc-98b5-11cf-bb82-00aa00bdce0b}\inprochandler
                                                                                HKCU\software\microsoft\internet
     Opens key:
explorer\main\featurecontrol\feature_css_data_respects_xss_zone_setting_kb912120
     Opens key:
                                                                               HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_css_data_respects_xss_zone_setting_kb912120
     Opens key:
                                                                               HKCU\software\microsoft\internet
explorer\main\featurecontrol\feature_external_style_sheet_fix_for_smartnavigation_kb926131
     Opens key:
                                                                               HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_external_style_sheet_fix_for_smartnavigation_kb926131
    Opens key:
                                                                              HKCU\software\microsoft\internet
explorer\main\featurecontrol\feature_aria_support
     Opens key:
                                                                               HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_aria_support
     Opens key:
                                                                               HKCU\software\microsoft\internet
explorer\main\featurecontrol\feature_legacy_dispparams
    Opens key:
                                                                              HKLM\software\microsoft\internet
```

explorer\main\featurecontrol\feature\_legacy\_dispparams

explorer\main\featurecontrol\feature\_private\_font\_setting

HKCU\software\microsoft\internet

HKLM\software\microsoft\internet

Opens key:

Opens key:

```
explorer\main\featurecontrol\feature_private_font_setting
                                    HKCU\software\microsoft\internet
  Opens key:
explorer\main\featurecontrol\feature_css_show_hide_events
                                    HKLM\software\microsoft\internet
  Opens key:
explorer\main\featurecontrol\feature_css_show_hide_events
  Opens key:
                                    HKCU\software\microsoft\internet
explorer\main\featurecontrol\feature_display_node_advise_kb833311
                                    HKLM\software\microsoft\internet
  Opens key:
explorer\main\featurecontrol\feature_display_node_advise_kb833311
                                    HKCU\software\microsoft\internet
  Opens key:
explorer\main\featurecontrol\feature allow expanduri bypass
  Opens key:
                                    HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_allow_expanduri_bypass
                                    HKCU\software\microsoft\internet
  Opens key:
explorer\main\featurecontrol\feature_body_size_in_editable_iframe_kb943245
  Opens key:
                                    HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_body_size_in_editable_iframe_kb943245
  Opens key:
                                    HKCU\software\microsoft\internet
explorer\main\featurecontrol\feature_databinding_support
  Opens key:
                                    HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_databinding_support
  Opens key:
                                    HKCU\software\microsoft\internet
explorer\main\featurecontrol\feature_enforce_bstr
  Opens key:
                                    HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_enforce_bstr
                                    HKCU\software\microsoft\internet
  Opens key:
explorer\main\featurecontrol\feature_enable_dynamic_object_caching
  Opens key:
                                    HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_enable_dynamic_object_caching
  Opens key:
                                    HKCU\software\microsoft\internet
explorer\main\featurecontrol\feature_object_caching
                                    HKLM\software\microsoft\internet
  Opens key:
explorer\main\featurecontrol\feature_object_caching
  Opens key:
                                    HKCU\software\microsoft\internet
explorer\main\featurecontrol\feature_legacy_tostring_in_compatview
  Opens key:
                                    HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_legacy_tostring_in_compatview
                                    HKCU\software\microsoft\internet
  Opens key:
explorer\main\featurecontrol\feature_enable_om_screen_origin_display_pixels
  Opens key:
                                    HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_enable_om_screen_origin_display_pixels
  Opens key:
                                    HKCU\software\microsoft\internet
explorer\main\featurecontrol\feature_restrict_crash_recovery_save_kb978454
                                    HKLM\software\microsoft\internet
  Opens key:
explorer\main\featurecontrol\feature_restrict_crash_recovery_save_kb978454
  Opens key:
                                    HKCU\software\microsoft\windows nt\currentversion\windows
                                    HKCU\software\microsoft\internet
  Opens key:
explorer\main\featurecontrol\feature_cleanup_at_fls
  Opens key:
                                    HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_cleanup_at_fls
  Opens key:
                                    HKLM\software\microsoft\windows\currentversion\app paths\outlook.exe
  Opens key:
                                    HKLM\software\microsoft\internet explorer\application compatibility
                                    HKLM\software\policies\microsoft\internet explorer\domstorage
  Opens key:
  Opens key:
                                    HKCU\software\policies\microsoft\internet explorer\domstorage
  Opens kev:
                                    HKCU\software\microsoft\internet explorer\domstorage
                                    HKLM\software\microsoft\internet explorer\domstorage
  Opens key:
  Opens key:
                                    HKLM\software\policies\microsoft\internet explorer\safety\privacie
  Opens key:
                                    HKCU\software\policies\microsoft\internet explorer\safety\privacie
                                    HKCU\software\microsoft\internet explorer\safety\privacie
  Opens key:
  Opens key:
                                    HKLM\software\microsoft\internet explorer\safety\privacie
  Opens key:
                                    HKLM\software\microsoft\internet explorer\mediatypeclass
                                    HKLM\software\microsoft\windows\currentversion\internet
  Opens kev:
settings\accepted documents
  Opens key:
                                    HKLM\software\microsoft\windows\currentversion\policies\ratings
  Opens key:
                                    HKCU\software\microsoft\internet
explorer\main\featurecontrol\feature_show_failed_connect_content_kb942615
  Opens key:
                                    HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_show_failed_connect_content_kb942615
  Opens key:
                                    \label{lem:hklm} \verb+Kklm\+ software\+ policies\+ microsoft\+ windows\+ current version\+ internet
settings\
                                    HKCU\software\microsoft\internet
  Opens key:
explorer\main\featurecontrol\feature_ignore_policies_zonemap_if_esc_enabled_kb918915
  Opens key:
                                    HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_ignore_policies_zonemap_if_esc_enabled_kb918915
  Opens key:
                                    HKLM\software\policies\microsoft\windows\currentversion\internet
settings\zonemap\domains\
                                    \label{lem:hkcu} \begin{tabular}{ll} HKCU \software \policies \microsoft \windows \current version \end{tabular} in termet \end{tabular}
  Opens key:
settings\zonemap\domains\
  Opens key:
                                    HKLM\software\policies\microsoft\windows\currentversion\internet
settings\zonemap\ranges\
  Opens key:
                                    \label{lem:hkcu} \verb+KCU\software\policies\microsoft\windows\currentversion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currentersion\currenters
settings\zonemap\ranges\
  Opens key:
                                    HKCU\software\microsoft\internet
```

explorer\main\featurecontrol\feature\_unc\_savedfilecheck HKLM\software\microsoft\internet Opens kev:  $\verb|explorer\main\featurecontrol\feature\_unc\_savedfilecheck| \\$ HKCU\software\microsoft\windows\currentversion\internet Opens key: settings\zonemap\ Opens key: HKCU\software\microsoft\internet explorer\main\featurecontrol\feature\_zones\_check\_zonemap\_policy\_kb941001 HKLM\software\microsoft\internet Opens key: explorer\main\featurecontrol\feature\_zones\_check\_zonemap\_policy\_kb941001 Opens key: HKLM\software\policies\microsoft\windows\currentversion\internet settings\zonemap Opens key:  $\label{lem:hkcu} \begin{tabular}{ll} HKCU \software \policies \microsoft \windows \current version \end{tabular} in termet \end{tabular}$ settings\zonemap HKCU\software\microsoft\windows\currentversion\internet Opens key: settings\zonemap\ranges\ Opens key: HKCU\software\microsoft\windows\currentversion\internet settings\zonemap\protocoldefaults\ Opens key: HKCU\software\microsoft\windows\currentversion\internet settings\zonemap\domains\ HKLM\software\microsoft\windows\currentversion\internet Opens key: settings\zonemap\domains\ Opens key: HKLM\software\policies\microsoft\internet explorer\security HKCU\software\microsoft\windows\currentversion\internet settings\zones\ Opens kev: Opens key: HKCU\software\microsoft\windows\currentversion\internet settings\zones\0 Opens key: HKCU\software\microsoft\windows\currentversion\internet settings\zones\1 Opens key: HKCU\software\microsoft\windows\currentversion\internet settings\zones\2 Opens key: HKCU\software\microsoft\windows\currentversion\internet settings\zones\3 Opens key: HKCU\software\microsoft\windows\currentversion\internet settings\zones\4 Opens kev: HKLM\software\policies\microsoft\windows\currentversion\internet settings\zones\ Opens key: HKCU\software\policies\microsoft\windows\currentversion\internet settings\zones\ HKLM\software\policies\microsoft\windows\currentversion\internet Opens key: settings\zones\0 Opens key: HKCU\software\policies\microsoft\windows\currentversion\internet settings\zones\0 HKLM\software\policies\microsoft\windows\currentversion\internet Opens kev: settings\zones\1 HKCU\software\policies\microsoft\windows\currentversion\internet Opens key: settings\zones\1 Opens key: HKLM\software\microsoft\windows\currentversion\internet settings\zonemap\ HKLM\software\policies\microsoft\windows\currentversion\internet Opens kev: settings\zones\2 HKCU\software\policies\microsoft\windows\currentversion\internet Opens kev: settings\zones\2 Opens key: HKLM\software\policies\microsoft\windows\currentversion\internet settings\zones\3 HKCU\software\policies\microsoft\windows\currentversion\internet Opens kev: settings\zones\3 HKLM\software\policies\microsoft\windows\currentversion\internet Opens key: settings\zones\4 HKCU\software\policies\microsoft\windows\currentversion\internet Opens key: settings\zones\4 HKCU\software\microsoft\internet Opens kev: explorer\main\featurecontrol\feature\_localmachine\_lockdown HKLM\software\microsoft\internet Opens key: explorer\main\featurecontrol\feature localmachine lockdown HKLM\software\policies\microsoft\windows\currentversion\internet Opens key: settings\lockdown\_zones\ Opens key: HKCU\software\policies\microsoft\windows\currentversion\internet settings\lockdown\_zones\ HKCU\software\microsoft\windows\currentversion\internet Opens key: settings\lockdown\_zones\  $\label{lem:hkcu} \verb+KKCU \software \microsoft \windows \current version \cite{thm:lem:hkcu} in terms to the lemma soft \cite{thm:lem:hkcu} and \cite{thm:lem:hkcu} in the lemma soft \cite{thm:lem:hkcu} and \cite{thm:lem:hkcu$ Opens key: settings\lockdown\_zones\0 Opens key: HKLM\software\policies\microsoft\windows\currentversion\internet settings\lockdown\_zones\0 Opens key:  $\label{thm:local_hammon_hammon} \begin{tabular}{ll} HKCU \label{thm:local_hammon} Soft \end{tabular} windows \current version \current versi$ settings\lockdown\_zones\0 Opens key: HKCU\software\microsoft\windows\currentversion\internet settings\lockdown\_zones\1 HKLM\software\policies\microsoft\windows\currentversion\internet Opens kev: settings\lockdown\_zones\1 Opens key:  $\label{lem:hkcu} \verb+KCU\software\policies\microsoft\windows\currentversion\currenters$ settings\lockdown\_zones\1 Opens key: HKCU\software\microsoft\windows\currentversion\internet settings\lockdown\_zones\2 HKLM\software\policies\microsoft\windows\currentversion\internet Opens kev: settings\lockdown\_zones\2

 $\label{lem:hkcu} \begin{tabular}{ll} HKCU \software \policies \microsoft \windows \current version \end{tabular} in termet \end{tabular}$ 

HKCU\software\microsoft\windows\currentversion\internet

Opens key:

Opens key:

settings\lockdown\_zones\2

```
settings\lockdown_zones\3
 Opens key:
                         HKLM\software\policies\microsoft\windows\currentversion\internet
settings\lockdown_zones\3
                         HKCU\software\policies\microsoft\windows\currentversion\internet
 Opens key:
settings\lockdown_zones\3
 Opens key:
                         HKCU\software\microsoft\windows\currentversion\internet
settings\lockdown_zones\4
 Opens key:
                         HKLM\software\policies\microsoft\windows\currentversion\internet
settings\lockdown_zones\4
                         HKCU\software\policies\microsoft\windows\currentversion\internet
 Opens key:
settings\lockdown_zones\4
 Opens key:
                         HKCU\software\microsoft\internet
explorer\main\featurecontrol\feature_zones_default_drive_intranet_kb941000
                         HKLM\software\microsoft\internet
 Opens key:
explorer\main\featurecontrol\feature_zones_default_drive_intranet_kb941000
                         HKCU\software\microsoft\internet explorer
 Opens key:
 Opens key:
                         HKIM\software\microsoft\internet explorer
 Opens key:
                         HKCU\software\microsoft\internet
explorer\main\featurecontrol\feature_restrict_res_to_lmz
                         HKLM\software\microsoft\internet
 Opens key:
explorer\main\featurecontrol\feature_restrict_res_to_lmz
 Opens key:
                         HKCU\software\microsoft\internet
explorer\main\featurecontrol\feature_load_shdoclc_resources
 Opens key:
                         HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_load_shdoclc_resources
                         HKCU\software\classes\.htm
 Opens key:
 Opens key:
                         HKCR\.htm
 Opens key:
                         HKCU\software\classes\protocols\filter\text/html
                         HKCR\protocols\filter\text/html
 Opens kev:
 Opens key:
                         HKCU\software\microsoft\internet
explorer\main\featurecontrol\feature_mime_sniffing
                         HKLM\software\microsoft\internet
 Opens key:
explorer\main\featurecontrol\feature_mime_sniffing
 Opens key:
                         HKCU\software\microsoft\internet
explorer\main\featurecontrol\feature_safe_bindtoobject
 Opens key:
                         HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_safe_bindtoobject
                         HKCU\software\classes\clsid\{25336920-03f9-11cf-8fd0-00aa00686f13}
 Opens key:
 Opens key:
                         HKCR\clsid\{25336920-03f9-11cf-8fd0-00aa00686f13}
 Opens key:
                         HKCU\software\classes\clsid\{25336920-03f9-11cf-8fd0-
00aa00686f13}\treatas
 Opens key:
                         HKCR\clsid\{25336920-03f9-11cf-8fd0-00aa00686f13}\treatas
 Opens key:
                         HKCU\software\classes\clsid\{25336920-03f9-11cf-8fd0-
00aa00686f13}\progid
 Opens key:
                         HKCR\clsid\{25336920-03f9-11cf-8fd0-00aa00686f13}\progid
 Opens key:
                         HKCU\software\classes\clsid\{25336920-03f9-11cf-8fd0-
00aa00686f13}\inprocserver32
 Opens key:
                         HKCR\clsid\{25336920-03f9-11cf-8fd0-00aa00686f13}\inprocserver32
                         HKCU\software\classes\clsid\{25336920-03f9-11cf-8fd0-
 Opens kev:
00aa00686f13}\inprochandler32
                         HKCR\clsid\{25336920-03f9-11cf-8fd0-00aa00686f13}\inprochandler32
 Opens kev:
                         HKCU\software\classes\clsid\{25336920-03f9-11cf-8fd0-
 Opens key:
00aa00686f13}\inprochandler
                         HKCR\clsid\{25336920-03f9-11cf-8fd0-00aa00686f13}\inprochandler
 Opens key:
 Opens kev:
                         HKCU\software\microsoft\internet
explorer\main\featurecontrol\feature_manage_script_circular_refs
                         HKLM\software\microsoft\internet
 Opens key:
explorer\main\featurecontrol\feature_manage_script_circular_refs
 Opens kev:
                         HKCU\software\microsoft\internet
explorer\main\featurecontrol\feature_restrict_filedownload
 Opens key:
                         HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_restrict_filedownload
 Opens key:
                         HKLM\software\microsoft\internet explorer\security\floppy access
 Opens key:
                         HKCU\software\microsoft\internet explorer\security\adv addrbar spoof
detection
 Opens key:
                         HKLM\software\microsoft\internet explorer\security\adv addrbar spoof
detection
                         HKCU\software\classes\protocols\name-space handler\about\
 Opens key:
 Opens key:
                         HKCR\protocols\name-space handler\about
 Opens key:
                         HKCU\software\classes\protocols\handler\about
                         HKCR\protocols\handler\about
 Opens key:
 Opens key:
                         HKCU\software\classes\clsid\{3050f406-98b5-11cf-bb82-00aa00bdce0b}
 Opens key:
                         HKCR\clsid\{3050f406-98b5-11cf-bb82-00aa00bdce0b}
                         HKCU\software\classes\clsid\{3050f406-98b5-11cf-bb82-
 Opens key:
00aa00bdce0b}\treatas
                         HKCR\clsid\{3050f406-98b5-11cf-bb82-00aa00bdce0b}\treatas
 Opens kev:
                         HKCU\software\classes\clsid\{3050f406-98b5-11cf-bb82-
 Opens key:
00aa00bdce0b}\progid
 Opens key:
                         HKCR\clsid\{3050f406-98b5-11cf-bb82-00aa00bdce0b}\progid
                         HKCU\software\classes\clsid\{3050f406-98b5-11cf-bb82-
 Opens key:
00aa00bdce0b}\inprocserver32
                         HKCR\clsid\{3050f406-98b5-11cf-bb82-00aa00bdce0b}\inprocserver32
 Opens kev:
 Opens key:
                         HKCU\software\classes\clsid\{3050f406-98b5-11cf-bb82-
```

```
00aa00bdce0b}\inprochandler32
                         HKCR\clsid\{3050f406-98b5-11cf-bb82-00aa00bdce0b}\inprochandler32
 Opens key:
                         HKCU\software\classes\clsid\{3050f406-98b5-11cf-bb82-
 Opens kev:
00aa00bdce0b}\inprochandler
 Opens kev:
                         HKCR\clsid\{3050f406-98b5-11cf-bb82-00aa00bdce0b}\inprochandler
 Opens key:
                         HKCU\software\microsoft\internet
explorer\main\featurecontrol\feature_document_compatible_mode
                         HKLM\software\microsoft\internet
 Opens key:
explorer\main\featurecontrol\feature_document_compatible_mode
 Opens key:
                         HKCU\software\microsoft\internet
explorer\main\featurecontrol\feature_protocol_lockdown
 Opens key:
                         HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_protocol_lockdown
                        HKLM\software\policies\microsoft\internet explorer\zoom
 Opens key:
 Opens key:
                         HKCU\software\policies\microsoft\internet explorer\zoom
 Opens key:
                         HKCU\software\microsoft\internet explorer\zoom
 Opens key:
                         HKLM\software\microsoft\internet explorer\zoom
 Opens key:
                         HKCU\software\microsoft\internet
explorer\main\featurecontrol\feature_weboc_document_zoom
                         HKLM\software\microsoft\internet
 Opens key:
explorer\main\featurecontrol\feature_weboc_document_zoom
 Opens key:
                         HKCU\software\microsoft\internet
explorer\main\featurecontrol\feature_ipersistmoniker_load_redirected_url_kb976425
 Opens key:
                         HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_ipersistmoniker_load_redirected_url_kb976425
                         HKCU\software\policies\microsoft\internet explorer
 Opens key:
 Opens key:
                         HKCU\software\microsoft\internet explorer\international
 Opens key:
                         HKLM\software\policies\microsoft\internet explorer\international\scripts
                         HKCU\software\microsoft\internet explorer\international\scripts
 Opens kev:
 Opens key:
                         HKLM\software\microsoft\internet explorer\international\scripts
 Opens key:
                         HKLM\software\policies\microsoft\internet explorer\settings
 Opens key:
                         HKCU\software\microsoft\internet explorer\settings
 Opens key:
                         HKLM\software\microsoft\internet explorer\settings
 Opens key:
                         HKCU\software\microsoft\internet explorer\styles
                         HKCU\software\microsoft\windows\currentversion\policies\activedesktop
 Opens key:
 Opens key:
                         HKCU\software\microsoft\windows\currentversion\policies
 Opens key:
                         HKCU\software\microsoft\internet explorer\pagesetup
 Opens key:
                         HKCU\software\microsoft\internet explorer\menuext
 Opens key:
                         HKCU\software\microsoft\internet explorer\menuext\%s
 Opens key:
                         HKLM\system\currentcontrolset\control\nls\codepage
                         HKCU\software\microsoft\internet explorer\international\scripts\3
 Opens key:
 Opens key:
                         HKCU\software\microsoft\windows\currentversion\explorer\travellog
 Opens key:
                         HKLM\software\microsoft\windows\currentversion\explorer\travellog
                         HKLM\software\microsoft\internet explorer\version vector
 Opens key:
 Opens key:
                         HKCU\software\microsoft\internet
explorer\main\featurecontrol\feature_zone_elevation
                         HKLM\software\microsoft\internet
 Opens key:
explorer\main\featurecontrol\feature_zone_elevation
 Opens key:
                         HKCU\software\microsoft\internet
explorer\main\featurecontrol\feature_sslux
                         HKLM\software\microsoft\internet
 Opens key:
explorer\main\featurecontrol\feature sslux
                         HKCU\software\microsoft\internet
 Opens key:
explorer\main\featurecontrol\feature_browser_emulation
 Opens kev:
                         HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_browser_emulation
                         HKLM\software\microsoft\windows\currentversion\internet settings\zones\0
 Opens kev:
 Opens key:
                         HKCU\software\microsoft\internet
explorer\main\featurecontrol\feature_xssfilter
 Opens key:
                         HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_xssfilter
 Opens key:
                         HKCU\software\microsoft\windows\currentversion\internet settings\zones
 Opens key:
                         HKCU\software\microsoft\internet
explorer\main\featurecontrol\feature_use_ietldlist_for_domain_determination
                         HKLM\software\microsoft\internet
 Opens key:
explorer\main\featurecontrol\feature_use_ietldlist_for_domain_determination
 Opens key:
                         HKCU\software\microsoft\internet explorer\ietld
 Opens key:
                         HKCU\software\microsoft\internet
explorer\main\featurecontrol\feature_mshtml_autoload_ieframe
                         HKLM\software\microsoft\internet
 Opens kev:
explorer\main\featurecontrol\feature_mshtml_autoload_ieframe
 Opens key:
                         HKCU\software\microsoft\internet
explorer\main\featurecontrol\feature enable compat logging
 Opens key:
                         HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_enable_compat_logging
 Opens key:
                         HKCU\software\microsoft\internet
explorer\main\featurecontrol\feature_shim_mshelp_combine
                         HKLM\software\microsoft\internet
 Opens kev:
```

explorer\main\featurecontrol\feature\_shim\_mshelp\_combine

explorer\main\featurecontrol\feature\_subdownload\_lockdown

 $\verb|explorer\main\featurecontrol\feature\_subdownload\_lockdown| \\$ 

HKCU\software\microsoft\internet

HKLM\software\microsoft\internet

Opens key:

Opens key:

Opens key: HKCU\software\classes\.css

Opens key: HKCR\.css

Opens key: HKCU\software\classes\protocols\filter\text/css

Opens key: HKCR\protocols\filter\text/css
Opens key: HKCU\software\microsoft\internet

explorer\main\featurecontrol\feature\_custom\_image\_mime\_types\_kb910561

Opens key: HKLM\software\microsoft\internet

explorer\main\featurecontrol\feature\_custom\_image\_mime\_types\_kb910561

Opens key: HKCU\software\microsoft\internet

explorer\main\featurecontrol\feature\_cross\_domain\_redirect\_mitigation

Opens key: HKLM\software\microsoft\internet

 $\verb|explorer| \verb|main| featurecontrol| feature\_cross\_domain\_redirect\_mitigation| \\$ 

Opens key: HKLM\software\policies\microsoft\internet explorer\dxtrans

Opens key: HKCU\software\microsoft\internet explorer\dxtrans
Opens key: HKLM\software\microsoft\internet explorer\dxtrans

Opens key: HKCU\software\classes\.js

Opens key: HKCR\.js

Opens key: HKCU\software\microsoft\internet

explorer\main\featurecontrol\feature\_feeds

Opens key: HKLM\software\microsoft\internet

explorer\main\featurecontrol\feature\_feeds

Opens key: HKCU\software\microsoft\internet explorer\main\featurecontrol\feature\_block\_lmz\_script Opens key: HKLM\software\microsoft\internet explorer\main\featurecontrol\feature\_block\_lmz\_script

Opens key: HKCU\software\policies\microsoft\windows\currentversion\internet

settings\

Opens key: HKCU\software\microsoft\windows\currentversion\internet settings\
Opens key: HKLM\software\policies\microsoft\windows\currentversion\internet

settings\zonemap\

Opens key: HKCU\software\policies\microsoft\windows\currentversion\internet

settings\zonemap\

Opens key: HKLM\software\policies\microsoft\internet explorer\restrictions
Opens key: HKCU\software\policies\microsoft\internet explorer\restrictions
Opens key: HKCU\software\classes\clsid\{50d5107a-d278-4871-8989-f4ceaaf59cfc}

Opens key: HKCR\clsid\{50d5107a-d278-4871-8989-f4ceaaf59cfc}
Opens key: HKCU\software\classes\clsid\{50d5107a-d278-4871-8989-

f4ceaaf59cfc}\treatas

Opens key:  $\label{eq:hcclsid} \begin{tabular}{ll} HKCR\clsid\{50d5107a-d278-4871-8989-f4ceaaf59cfc}\treat as Opens key: \\ HKCU\software\classes\clsid\{50d5107a-d278-4871-8989-f4ceaaf59cfc}\treat as Opens key: \\ HKCU\software\classes\clsid\{50d5107a-d278-4871-8989-f4ceaaf59cfc}\treat as Opens key: \\ HKCU\software\classes\clsid$ 

f4ceaaf59cfc}\progid

Opens key: HKCR\clsid\{50d5107a-d278-4871-8989-f4ceaaf59cfc}\progid Opens key: HKCU\software\classes\clsid\{50d5107a-d278-4871-8989-

f4ceaaf59cfc}\inprocserver32

Opens key: HKCU\software\classes\clsid\{50d5107a-d278-4871-8989-

f4ceaaf59cfc}\inprochandler32

Opens key: HKCR\clsid\{50d5107a-d278-4871-8989-f4ceaaf59cfc}\inprochandler32

Opens key: HKCU\software\classes\clsid\{50d5107a-d278-4871-8989-

f4ceaaf59cfc}\inprochandler

Opens key: HKCR\clsid\{50d5107a-d278-4871-8989-f4ceaaf59cfc}\inprochandler
Opens key: HKCU\software\policies\microsoft\internet explorer\control panel
Opens key: HKLM\software\policies\microsoft\windows\currentversion\internet

settings\url history

Opens key: HKCU\software\policies\microsoft\windows\currentversion\internet

settings\url history

Opens key: HKCU\software\microsoft\windows\currentversion\internet settings\url

history

Opens key: HKLM\software\microsoft\windows\currentversion\internet settings\url

history

Opens key: HKCU\software\microsoft\internet explorer\main\featurecontrol\feature\_iedde\_register\_urlecho Opens key: HKLM\software\microsoft\internet explorer\main\featurecontrol\feature\_iedde\_register\_urlecho

Opens key: HKCU\software\classes\clsid\{f414c260-6ac0-11cf-b6d1-00aa00bbbb58}

 $\label{lem:continuous} Opens key: $$ HKCR\clsid\f414c260-6ac0-11cf-b6d1-00aa00bbb58$$ Opens key: $$ HKCU\software\classes\clsid\f414c260-6ac0-11cf-b6d1-$$ $$$ 

00aa00bbbb58}\treatas

 $\label{lem:continuous} Opens \ key: \\ Opens \ key: \\ HKCU\software\classes\clsid\{f414c260-6ac0-11cf-b6d1-00aa00bbb58}\treatas \\ HKCU\software\classes\clsid\{f414c260-6ac0-11cf-b6d1-00aa00bbb58}\treatas \\ Opens \ key: \\ Opens \ k$ 

 ${\tt 00aa00bbbb58} \backslash {\tt progid}$ 

 $\label{thm:continuous} Opens \ key: $$ HKCR\clsid\{f414c260-6ac0-11cf-b6d1-00aa00bbb58}\progid $$ Opens \ key: $$ HKCU\software\classes\clsid\{f414c260-6ac0-11cf-b6d1-} $$$ 

00aa00bbbb58}\inprocserver32

Opens key: HKCR\clsid\{f414c260-6ac0-11cf-b6d1-00aa00bbb58}\inprocserver32

Opens key: HKCU\software\classes\clsid\{f414c260-6ac0-11cf-b6d1-

00aa00bbbb58}\inprochandler32

 $Opens~key: \\ HKCR\clsid\{f414c260-6ac0-11cf-b6d1-00aa00bbbb58}\ \ inprochandler 32 \\$ 

Opens key: HKCU\software\classes\clsid\{f414c260-6ac0-11cf-b6d1-

00aa00bbbb58}\inprochandler

Opens key: HKCR\clsid\{f414c260-6ac0-11cf-b6d1-00aa00bbbb58}\inprochandler

Opens key: HKLM\software\microsoft\windows script\features

Opens key: HKCU\software\microsoft\internet

```
explorer\main\featurecontrol\feature_respect_objectsafety_policy_kb905547
                                    HKLM\software\microsoft\internet
  Opens key:
explorer\main\featurecontrol\feature_respect_objectsafety_policy_kb905547
                                    HKLM\software\microsoft\internet explorer\activex compatibility
  Opens key:
  Opens kev:
                                    HKLM\software\microsoft\internet explorer\activex
compatibility\{f414c260-6ac0-11cf-b6d1-00aa00bbbb58}
                                    HKCU\software\microsoft\internet
  Opens key:
explorer\main\featurecontrol\feature_scripturl_mitigation
  Opens key:
                                    HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_scripturl_mitigation
  Opens kev:
                                    HKCU\software\classes\.jpg
  Opens key:
                                    HKCR\.jpg
  Opens key:
                                    HKCU\software\classes\protocols\filter\image/jpeg
                                    HKCR\protocols\filter\image/jpeg
  Opens key:
  Opens key:
                                    HKCU\software\classes\.png
  Opens key:
                                    HKCR\.png
                                    HKCU\software\classes\protocols\filter\image/png
  Opens kev:
  Opens key:
                                    HKCR\protocols\filter\image/png
  Opens key:
                                    HKCU\software\microsoft\internet
explorer\main\featurecontrol\feature_block_lmz_img
  Opens key:
                                    HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_block_lmz_img
                                    HKCU\software\classes\clsid\{30c3b080-30fb-11d0-b724-00aa006c1a01}
  Opens kev:
  Opens key:
                                    HKCR\clsid\{30c3b080-30fb-11d0-b724-00aa006c1a01}
  Opens key:
                                    HKCU\software\classes\clsid\{30c3b080-30fb-11d0-b724-
00aa006c1a01}\treatas
  Opens key:
                                    HKCR\clsid\{30c3b080-30fb-11d0-b724-00aa006c1a01\}\treatas
                                    HKCU\software\classes\clsid\{30c3b080-30fb-11d0-b724-
  Opens key:
00aa006c1a01}\progid
  Opens key:
                                    HKCR\clsid\{30c3b080-30fb-11d0-b724-00aa006c1a01}\progid
  Opens key:
                                    HKCU\software\classes\clsid\{30c3b080-30fb-11d0-b724-
00aa006c1a01}\inprocserver32
  Opens key:
                                    HKCR \c1sid \c3oc3b080-30fb-11d0-b724-00aa006c1a01 \c1oprocserver 32
  Opens key:
                                    HKCU\software\classes\clsid\{30c3b080-30fb-11d0-b724-
00aa006c1a01}\inprochandler32
  Opens key:
                                    HKCR\clsid\{30c3b080-30fb-11d0-b724-00aa006c1a01}\inprochandler32
  Opens key:
                                    HKCU\software\classes\clsid\{30c3b080-30fb-11d0-b724-
00aa006c1a01}\inprochandler
  Opens key:
                                    HKCR \ clsid \ \{30c3b080-30fb-11d0-b724-00aa006c1a01\} \ \ in prochandler
  Opens key:
                                    HKCU\software\classes\clsid\{6a01fda0-30df-11d0-b724-00aa006c1a01}
  Opens key:
                                    HKCR\clsid\{6a01fda0-30df-11d0-b724-00aa006c1a01}
  Opens key:
                                    HKCU\software\classes\clsid\{6a01fda0-30df-11d0-b724-
00aa006c1a01}\treatas
                                    HKCR\clsid\{6a01fda0-30df-11d0-b724-00aa006c1a01}\treatas
  Opens key:
  Opens key:
                                    HKCU\software\classes\clsid\{6a01fda0-30df-11d0-b724-
00aa006c1a01}\progid
                                    HKCR\clsid\{6a01fda0-30df-11d0-b724-00aa006c1a01}\progid
  Opens key:
  Opens key:
                                    00aa006c1a01}\inprocserver32
                                    HKCR\clsid\{6a01fda0-30df-11d0-b724-00aa006c1a01}\inprocserver32
  Opens key:
  Opens key:
                                    HKCU\software\classes\clsid\{6a01fda0-30df-11d0-b724-
00aa006c1a01}\inprochandler32
                                    HKCR\clsid\{6a01fda0-30df-11d0-b724-00aa006c1a01}\tinprochandler32
  Opens key:
  Opens key:
                                    HKCU\software\classes\clsid\{6a01fda0-30df-11d0-b724-
00aa006c1a01}\inprochandler
                                    HKCR\clsid\{6a01fda0-30df-11d0-b724-00aa006c1a01\}\clsid\{a01fda0-30df-11d0-b724-00aa006c1a01\}\clsid\{a01fda0-30df-11d0-b724-00aa006c1a01\}\clsid\{a01fda0-30df-11d0-b724-00aa006c1a01\}\clsid\{a01fda0-30df-11d0-b724-00aa006c1a01\}\clsid\{a01fda0-30df-11d0-b724-00aa006c1a01\}\clsid\{a01fda0-30df-11d0-b724-00aa006c1a01\}\clsid\{a01fda0-30df-11d0-b724-00aa006c1a01\}\clsid\{a01fda0-30df-11d0-b724-00aa006c1a01\}\clsid\{a01fda0-30df-11d0-b724-00aa006c1a01}\clsid\{a01fda0-30df-11d0-b724-00aa006c1a01}\clsid\{a01fda0-30df-11d0-b724-00aa006c1a01}\clsid\{a01fda0-30df-11d0-b724-00aa006c1a01}\clsid\{a01fda0-30df-11d0-b724-00aa006c1a01}\clsid\{a01fda0-30df-11d0-b724-00aa006c1a01}\clsid\{a01fda0-30df-11d0-b724-00aa006c1a01}\clsid\{a01fda0-30df-11d0-b724-00aa006c1a01}\clsid\{a01fda0-30df-11d0-b724-00aa006c1a01}\clsid\{a01fda0-30df-11d0-b724-00aa006c1a01}\clsid\{a01fda0-30df-11d0-b724-00aa006c1a01}\clsid\{a01fda0-30df-11d0-b724-00aa006c1a01}\clsid\{a01fda0-30df-11d0-b724-00aa006c1a01}\clsid\{a01fda0-30df-11d0-b724-00aa006c1a01}\clsid\{a01fda0-30df-11d0-b724-00aa006c1a01}\clsid\{a01fda0-30df-11d0-b724-00aa006c1a01}\clsid\{a01fda0-30df-11d0-b724-00aa006c1a01}\clsid\{a01fda0-30df-11d0-b724-00aa006c1a01}\clsid\{a01fda0-30df-11d0-b724-00aa006c1a01}\clsid\{a01fda0-30df-11d0-b724-00aa006c1a01}\clsid\{a01fda0-30df-11d0-b724-00aa006c1a01}\clsid\{a01fda0-30df-11d0-b724-00aa006c1a01}\clsid\{a01fda0-30df-11d0-b724-00aa006c1a01}\clsid\{a01fda0-30df-11d0-b724-00aa006c1a01}\clsid\{a01fda0-30df-11d0-b724-00aa006c1a01}\clsid\{a01fda0-30df-11d0-b724-00aa006c1a01}\clsid\{a01fda0-30df-11d0-b724-00aa006c1a01}\clsid\{a01fda0-30df-11d0-b724-00aa006c1a01}\clsid\{a01fda0-30df-11d0-b724-00aa006c1a01}\clsid\{a01fda0-30df-11d0-b724-00aa006c1a01}\clsid\{a01fda0-30df-11d0-b724-00aa006c1a01}\clsid\{a01fda0-30df-11d0-b724-00aa006c1a01}\clsid\{a01fda0-30df-11d0-b724-00aa006c1a01}\clsid\{a01fda0-30df-11d0-b724-00aa006c1a01}\clsid\{a01fda0-30df-11d0-b724-00aa006c1a01}\clsid\{a01fda0-30df-11d0-b724-00aa006c1a01}\clsid\{a01fda0-30df-11d0-b724-00aa006c1a01}\clsid\{a01fda0
  Opens key:
  Opens key:
                                    HKCU\software\classes\mime\database\content type
  Opens key:
                                    HKCR\mime\database\content type
  Opens key:
                                    HKCU\software\classes\mime\database\content type\image/bmp\bits
  Opens key:
                                    HKCR\mime\database\content type\image/bmp\bits
  Opens key:
                                    HKCU\software\classes\mime\database\content type\image/gif\bits
  Opens key:
                                    HKCR\mime\database\content type\image/gif\bits
  Opens key:
                                    HKCU\software\classes\mime\database\content type\image/jpeg\bits
  Opens key:
                                    HKCR\mime\database\content type\image/jpeg\bits
                                    HKCU\software\classes\mime\database\content type\image/pjpeg\bits
  Opens key:
  Opens key:
                                    HKCR\mime\database\content type\image/pjpeg\bits
                                    HKCU\software\classes\mime\database\content type\image/png\bits
  Opens key:
  Opens key:
                                    HKCR\mime\database\content type\image/png\bits
  Opens key:
                                    HKCU\software\classes\mime\database\content type\image/tiff\bits
  Opens key:
                                    HKCR\mime\database\content type\image/tiff\bits
                                    \label{lem:hkcu} \begin{tabular}{ll} HKCU \software \classes \mbox{$\mathbb{N}$ ime} \database \content type \mbox{$\mathbb{N}$ image/$x-icon} \end{tabular}
  Opens key:
  Opens key:
                                    HKCR\mime\database\content type\image/x-icon\bits
  Opens key:
                                    HKCU\software\classes\mime\database\content type\image/x-jg\bits
  Opens key:
                                    HKCR\mime\database\content type\image/x-jg\bits
  Opens key:
                                    HKCU\software\classes\mime\database\content type\image/x-png\bits
                                    HKCR\mime\database\content type\image/x-png\bits
  Opens kev:
  Opens key:
                                    HKCU\software\classes\mime\database\content type\image/x-wmf\bits
  Opens key:
                                    {\it HKCR} \verb|\mime| database \verb|\content| type \verb|\image/x-wmf| bits \\
  Opens key:
                                    HKCU\software\classes\mime\database\content type\image/x-png
  Opens key:
                                    HKCR\mime\database\content type\image/x-png
  Opens key:
                                    HKCU\software\classes\clsid\{a3ccedf7-2de2-11d0-86f4-00a0c913f750}
                                    HKCR\clsid\{a3ccedf7-2de2-11d0-86f4-00a0c913f750}
  Opens kev:
  Opens key:
                                    HKCU\software\classes\clsid\{a3ccedf7-2de2-11d0-86f4-
```

00a0c913f750}\treatas

Opens key: HKCR\clsid\{a3ccedf7-2de2-11d0-86f4-00a0c913f750}\treatas Opens key: HKCU\software\classes\clsid\{a3ccedf7-2de2-11d0-86f4-

00a0c913f750}\progid

Opens key: HKCR\clsid\{a3ccedf7-2de2-11d0-86f4-00a0c913f750}\progid Opens key: HKCU\software\classes\clsid\{a3ccedf7-2de2-11d0-86f4-

00a0c913f750}\inprocserver32

Opens key: HKCR\clsid\{a3ccedf7-2de2-11d0-86f4-00a0c913f750}\inprocserver32

Opens key: HKCU\software\classes\clsid\{a3ccedf7-2de2-11d0-86f4-

00a0c913f750}\inprochandler32

Opens key: HKCR\clsid\{a3ccedf7-2de2-11d0-86f4-00a0c913f750}\inprochandler32

Opens key: HKCU\software\classes\clsid\{a3ccedf7-2de2-11d0-86f4-

00a0c913f750}\inprochandler

Opens key: HKCR\clsid\{a3ccedf7-2de2-11d0-86f4-00a0c913f750}\inprochandler
Opens key: HKLM\software\policies\microsoft\internet explorer\recovery

Opens key: HKCU\software\microsoft\internet explorer\recovery

Opens key: HKCU\software\microsoft\ftp

Opens key: HKLM\software\policies\microsoft\internet explorer\services

Opens key: HKCU\software\microsoft\internet explorer\services

Opens key: HKLM\software\policies\microsoft\internet explorer\activities
Opens key: HKCU\software\microsoft\internet explorer\activities

Opens key: HKLM\software\microsoft\internet explorer\activities

Opens key: HKLM\software\policies\microsoft\internet

explorer\infodelivery\restrictions

Opens key: HKCU\software\policies\microsoft\internet

explorer\infodelivery\restrictions

Opens key: HKLM\software\policies\microsoft\internet explorer\suggested sites

Opens key: HKCU\software\microsoft\internet explorer\suggested sites
Opens key: HKCU\software\microsoft\internet explorer\feed discovery
Opens key: HKLM\software\microsoft\internet explorer\feed discovery

Opens key: HKCU\software\microsoft\internet explorer\main\featurecontrol\feature\_isolate\_named\_windows Opens key: HKLM\software\microsoft\internet explorer\main\featurecontrol\feature\_isolate\_named\_windows

Opens key: HKCU\software\classes\protocols\name-space handler\http\

Opens key: HKCR\protocols\name-space handler\http

Opens key: HKCU\software\microsoft\windows\currentversion\internet settings\user

HKCU\software\microsoft\windows\currentversion\internet

agent

Opens key: HKLM\software\microsoft\windows\currentversion\internet settings\user agent

Opens key:

settings\5.0\user agent
Opens key: HKLM\software\microsoft\windows\currentversion\internet

settings\5.0\user agent

Opens key: HKLM\software\policies\microsoft\windows\currentversion\internet

settings\user agent

Opens key: HKCU\software\policies\microsoft\windows\currentversion\internet

settings\user agent

Opens key: HKLM\software\microsoft\windows\currentversion\internet settings\user

agent\ua tokens

 $Opens\ key: \\ HKLM\ software\ microsoft\ windows\ current version\ internet\ settings\ user$ 

agent\pre platform

Opens key:  $\label{thm:local_hammon_hammon} \begin{tabular}{ll} HKLM\software\microsoft\windows\currentversion\internet} \end{tabular}$ 

settings\5.0\user agent\pre platform

Opens key: HKCU\software\microsoft\windows\currentversion\internet

settings\5.0\user agent\pre platform

Opens key: HKLM\software\microsoft\windows\currentversion\internet settings\user

agent\post platform

Opens key: HKLM\software\microsoft\windows\currentversion\internet

settings\5.0\user agent\post platform

Opens key: HKCU\software\microsoft\windows\currentversion\internet

settings\5.0\user agent\post platform

Opens key: HKCU\software\microsoft\internet explorer\main\featurecontrol\feature\_maxconnectionsperserver Opens key: HKLM\software\microsoft\internet explorer\main\featurecontrol\feature\_maxconnectionsperserver Opens key: HKCU\software\microsoft\internet explorer\main\featurecontrol\feature\_maxconnectionsper1\_0server Opens key: HKLM\software\microsoft\internet explorer\main\featurecontrol\feature maxconnectionsper1\_0server

Opens key:  ${\tt HKCU \setminus software \setminus microsoft \setminus windows \setminus current version \setminus urlmon\ settings}$ 

Opens key: HKCU\software\microsoft\internet explorer\main\featurecontrol\feature\_disable\_legacy\_compression Opens key: HKLM\software\microsoft\internet explorer\main\featurecontrol\feature\_disable\_legacy\_compression

Opens key: HKCU\software\classes\clsid\{e569bde7-a8dc-47f3-893f-fd2b31b3eefd}

Opens key: HKCR\clsid\{e569bde7-a8dc-47f3-893f-fd2b31b3eefd}
Opens key: HKCU\software\classes\clsid\{e569bde7-a8dc-47f3-893f-

fd2b31b3eefd}\treatas

Opens key: HKCR\clsid\{e569bde7-a8dc-47f3-893f-fd2b31b3eefd}\treatas Opens key: HKCU\software\classes\clsid\{e569bde7-a8dc-47f3-893f-

fd2b31b3eefd}\progid

Opens key:  $\label{lem:hkcrlsid} \begin{tabular}{ll} HKCR\clsid\e569bde7-a8dc-47f3-893f-fd2b31b3eefd\progid \end{tabular}$ 

HKCU\software\classes\clsid\{e569bde7-a8dc-47f3-893f-Opens key: fd2b31b3eefd}\inprocserver32 HKCR\clsid\{e569bde7-a8dc-47f3-893f-fd2b31b3eefd}\inprocserver32 Opens kev: HKCU\software\classes\clsid\{e569bde7-a8dc-47f3-893f-Opens key: fd2b31b3eefd}\inprochandler32  $HKCR\clsid\ensuremath{\clsid}\$ Opens key: HKCU\software\classes\clsid\{e569bde7-a8dc-47f3-893f-Opens key: fd2b31b3eefd}\inprochandler  $HKCR\clsid\ensuremath{\clsid}\ensuremath{\ensuremath{\clsid}\ensurem$ Opens key: HKCU\software\classes\protocols\name-space handler Opens key: Opens kev: HKLM\software\microsoft\windows nt\currentversion\languagepack\surrogatefallback\ms sans serif Opens key: HKCU\software\microsoft\internet explorer\main\featurecontrol\feature\_additional\_ie8\_memory\_cleanup Opens key: HKLM\software\microsoft\internet explorer\main\featurecontrol\feature\_additional\_ie8\_memory\_cleanup Opens key: HKCU\software\microsoft\internet explorer\searchproviders\ Opens key: HKCU\software\microsoft\internet explorer\main\featurecontrol\feature\_disable\_navigation\_sounds Opens key: HKLM\software\microsoft\internet explorer\main\featurecontrol\feature\_disable\_navigation\_sounds Opens key: HKCU\appevents\schemes\apps\explorer\activatingdocument\.current HKLM\system\currentcontrolset\control\windows Opens kev: Opens key: HKCU\software\microsoft\internet explorer\main\featurecontrol\feature\_activex\_inactivate\_mode\_removal\_revert HKLM\software\microsoft\internet Opens key: explorer\main\featurecontrol\feature\_activex\_inactivate\_mode\_removal\_revert Opens key: HKCU\software\microsoft\internet explorer\main\featurecontrol\feature\_binary\_caller\_service\_provider Opens key: HKLM\software\microsoft\internet explorer\main\featurecontrol\feature\_binary\_caller\_service\_provider HKLM\software\policies\microsoft\windows nt\dnsclient\dnspolicyconfig Opens key: Opens key: HKLM\system\currentcontrolset\services\dnscache\parameters\dnspolicyconfig HKCU\appevents\schemes\apps\explorer\navigating\.current Opens key: Opens key: HKCU\appevents\schemes\ Opens key: HKCU\appevents\schemes\apps\explorer\navigating\.current\active HKCU\software\classes\.htm\openwithprogids Opens key: Opens key: HKCR\.htm\openwithprogids Opens key: HKLM\software\microsoft\windows nt\currentversion\drivers32 Opens kev:  $HKCU \ software \ microsoft \ windows \ current version \ \ explorer \ \ fileexts \ . \ htm \ \ open with progids$ Opens key: Opens key: Opens key: Opens key: HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.htm\userchoice Opens key: HKCU\software\classes\htmlfile HKCR\htmlfile Opens kev: HKCU\software\classes\htmlfile\curver Opens key: Opens key: HKCR\htmlfile\curver

HKCU\software\microsoft\windows\currentversion\explorer\fileexts HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.htm HKCU\software\microsoft\windows\currentversion\explorer\fileexts\.htm\

Opens key: HKCR\htmlfile\

HKCU\software\classes\htmlfile\shellex\iconhandler Opens key:

Opens key: HKCR\htmlfile\shellex\iconhandler

Opens kev:

HKCU\system\currentcontrolset\control\mediaproperties\privateproperties\joystick\winmm

HKCU\software\classes\htmlfile\docobject Opens key:

Opens key: HKCR\htmlfile\docobject

HKCU\software\classes\systemfileassociations\.htm Opens key:

Opens key: HKCR\systemfileassociations\.htm

Opens key: HKCU\software\classes\systemfileassociations\.htm\docobject

Opens key: HKCR\systemfileassociations\.htm\docobject

Opens key: HKCU\software\classes\systemfileassociations\document

Opens key: HKCU\software\microsoft\windows\currentversion\multimedia\midimap

HKCR\systemfileassociations\document Opens key:

Opens key: HKCU\software\classes\htmlfile\browseinplace

Opens key: HKCR\htmlfile\browseinplace

 $\label{lem:hkcu} \begin{tabular}{ll} HKCU \software \classes \system file associations \label{lem:hkcu}. htm \end{tabular} \begin{tabular}{ll} htm \space \space$ Opens key:

Opens key: HKCR\systemfileassociations\.htm\browseinplace

Opens key: HKCU\software\classes\htmlfile\clsid

HKCR\htmlfile\clsid Opens key:

HKCU\software\classes\clsid\{25336920-03f9-11cf-8fd0-Opens kev: 00aa00686f13}\implemented categories\{00021490-0000-0000-c000-000000000046}

Opens key:

categories\{00021490-0000-0000-c000-000000000046}

HKCU\software\classes\clsid\{e7e4bc40-e76a-11ce-a9bb-Opens kev:

00aa004ae837}\inprocserver32

Opens key:  $HKCR\clsid\{e7e4bc40-e76a-11ce-a9bb-00aa004ae837}\\\\inprocserver32$ 

Opens key: HKCU\software\classes\clsid\{e7e4bc40-e76a-11ce-a9bb-

00aa004ae837}\shellfolder

Opens key: HKCU\software\classes\clsid\{e7e4bc40-e76a-11ce-a9bb-00aa004ae837} Opens kev:

Opens key:  $HKCR\clsid\erealected - e76a-11ce-a9bb-00aa004ae837\}$  Opens key: HKCU\software\classes\clsid\{e7e4bc40-e76a-11ce-a9bb-

00aa004ae837}\treatas

Opens key: HKCR\clsid\{e7e4bc40-e76a-11ce-a9bb-00aa004ae837}\progid Opens key: HKCU\software\classes\clsid\{e7e4bc40-e76a-11ce-a9bb-

00aa004ae837}\inprochandler32

Opens key: HKCR\clsid\{e7e4bc40-e76a-11ce-a9bb-00aa004ae837}\inprochandler32

Opens key: HKCU\software\classes\clsid\{e7e4bc40-e76a-11ce-a9bb-

00aa004ae837}\inprochandler

Opens key: HKCR\clsid\{e7e4bc40-e76a-11ce-a9bb-00aa004ae837}\inprochandler

Opens key:

a9bb-00aa004ae837}

Opens key: HKCU\software\classes\protocols\name-space handler\file\

Opens key: HKCR\protocols\name-space handler\file
Opens key: HKCU\software\microsoft\internet

explorer\main\featurecontrol\feature\_ignore\_leading\_file\_separator\_in\_uri\_kb933105

Opens key: HKLM\software\microsoft\internet

explorer\main\featurecontrol\feature\_ignore\_leading\_file\_separator\_in\_uri\_kb933105

Opens key: HKCU\software\microsoft\internet explorer\main\featurecontrol\feature\_crossdomain\_fix\_kb867801 Opens key: HKLM\software\microsoft\internet explorer\main\featurecontrol\feature\_crossdomain\_fix\_kb867801

Opens key: HKCU\software\classes\clsid\{275c23e2-3747-11d0-9fea-00aa003f8646}

Opens key: HKCR\clsid\{275c23e2-3747-11d0-9fea-00aa003f8646}
Opens key: HKCU\software\classes\clsid\{275c23e2-3747-11d0-9fea-

00aa003f8646}\treatas

Opens key: HKCR\clsid\{275c23e2-3747-11d0-9fea-00aa003f8646}\treatas Opens key: HKCU\software\classes\clsid\{275c23e2-3747-11d0-9fea-

00aa003f8646}\progid

00aa003f8646}\inprocserver32

Opens key: HKCR\clsid\{275c23e2-3747-11d0-9fea-00aa003f8646}\inprocserver32

Opens key: HKCU\software\classes\clsid\{275c23e2-3747-11d0-9fea-

00aa003f8646}\inprochandler32

Opens key: HKCR\clsid\{275c23e2-3747-11d0-9fea-00aa003f8646}\inprochandler32

Opens key: HKCU\software\classes\clsid\{275c23e2-3747-11d0-9fea-

00aa003f8646}\inprochandler

 $Opens~key: \\ HKCR\clsid\{275c23e2-3747-11d0-9fea-00aa003f8646}\ \ inprochandler \\ Opens~key: \\ HKCR\clsid\{275c23e2-3747-11d0-9fea-00aa003f8646}\ \ inprochandler \\ Opens~key: \\ Opens~ke$ 

Opens key:

 Opens key:
 HKCR\clsid\{ff393560-c2a7-11cf-bff4-444553540000}

 Opens key:
 HKCU\software\classes\clsid\{ff393560-c2a7-11cf-bff4

444553540000}\inprocserver32

Opens key: HKCR\clsid\{ff393560-c2a7-11cf-bff4-444553540000}\inprocserver32

Opens key: HKCU\software\classes\clsid\{ff393560-c2a7-11cf-bff4-

444553540000}\shellfolder

Opens key: HKCR\clsid\{ff393560-c2a7-11cf-bff4-444553540000}\shellfolder

Opens key: HKCU\software\classes\clsid\{ff393560-c2a7-11cf-bff4-

444553540000}\treatas

444553540000}\progid

444553540000}\inprochandler32

Opens key: HKCR\clsid\{ff393560-c2a7-11cf-bff4-444553540000}\inprochandler32

Opens key: HKCU\software\classes\clsid\{ff393560-c2a7-11cf-bff4-

444553540000}\inprochandler

Opens key: HKCR\clsid\{ff393560-c2a7-11cf-bff4-444553540000}\inprochandler

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ shell compatibility \ objects \ \ \{ff393560-c2a7-11cf-market \ before \ before$ 

bff4-444553540000}

Opens key: HKCU\software\microsoft\windows\currentversion\internet

settings\5.0\cache\extensible cache\mshist012016042820160429

Opens key: HKCU\software\microsoft\windows\currentversion\app

 $\verb|paths\bdc27c485a35c61c7bf0bfedbf9b0b3f.exe|\\$ 

Opens key: HKLM\software\microsoft\windows\currentversion\app

paths\bdc27c485a35c61c7bf0bfedbf9b0b3f.exe

Opens key: HKCU\software\microsoft\windows\currentversion\explorer\clsid\{20d04fe0-

3aea-1069-a2d8-08002b30309d}

Opens kev:

 $\label{thm:local-problem} HKCU \software \microsoft \windows \current version \explorer \soft \microsoft \mi$ 

Opens key: HKCU\software\classes\clsid\{20d04fe0-3aea-1069-a2d8-08002b30309d}

Opens key: HKCR\clsid\{20d04fe0-3aea-1069-a2d8-08002b30309d}

Opens key: HKCU\software\microsoft\internet explorer\main\windowssearch Opens key: HKLM\software\policies\microsoft\internet explorer\feeds

Opens key: HKCU\software\microsoft\internet explorer\feeds
Opens key: HKLM\software\microsoft\internet explorer\feeds

Opens key: HKLM\software\microsoft\windows search HKLM\system\currentcontrolset\control\session Oueries value:

manager[cwdillegalindllsearch]

Queries value:

 $HKLM \setminus software \setminus policies \setminus microsoft \setminus windows \setminus safer \setminus code identifiers [transparentenabled]$ 

Queries value: HKCU\control panel\desktop[preferreduilanguages]

Oueries value: HKCU\control panel\desktop\muicached[machinepreferreduilanguages]

Oueries value:

HKLM\software\microsoft\windows\currentversion\sidebyside[preferexternalmanifest] Oueries value: HKLM\system\currentcontrolset\control\nls\sorting\versions[]

HKLM\system\currentcontrolset\control\session manager[safedllsearchmode] Oueries value:

Queries value: HKLM\software\microsoft\windows nt\currentversion\gre\_initialize[disablemetafiles] Oueries value: HKLM\software\microsoft\windows

nt\currentversion\compatibility32[bdc27c485a35c61c7bf0bfedbf9b0b3f]

HKLM\software\microsoft\windows Queries value:

nt\currentversion\windows[loadappinit dlls]

HKLM\software\microsoft\ole[pageallocatorusesystemheap] Queries value: HKLM\software\microsoft\ole[pageallocatorsystemheapisprivate] Queries value: HKLM\system\currentcontrolset\control\nls\customlocale[en-us] Queries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[en-us] Queries value:

Queries value: HKCR\clsid\{20d04fe0-3aea-1069-a2d8-

08002b30309d}\shellfolder[attributes]

HKCR\clsid\{20d04fe0-3aea-1069-a2d8-Queries value:

08002b30309d}\shellfolder[callforattributes]

HKCR\clsid\{20d04fe0-3aea-1069-a2d8-Queries value: 08002b30309d}\shellfolder[restrictedattributes] HKCR\clsid\{20d04fe0-3aea-1069-a2d8-Queries value:

08002b30309d}\shellfolder[wantsfordisplay]

HKCR\clsid\{20d04fe0-3aea-1069-a2d8-Queries value:

08002b30309d}\shellfolder[hidefolderverbs]

HKCR\clsid\{20d04fe0-3aea-1069-a2d8-Queries value:

08002b30309d}\shellfolder[usedrophandler]

Queries value: HKCR\clsid\{20d04fe0-3aea-1069-a2d8-

08002b30309d}\shellfolder[wantsforparsing]

HKCR\clsid\{20d04fe0-3aea-1069-a2d8-Queries value:

08002b30309d}\shellfolder[wantsparsedisplayname]

Oueries value: HKCR\clsid\{20d04fe0-3aea-1069-a2d8-08002b30309d}\shellfolder[queryforoverlay]

Queries value:

HKCR\clsid\{20d04fe0-3aea-1069-a2d8-

08002b30309d}\shellfolder[mapnetdriveverbs]

HKCR\clsid\{20d04fe0-3aea-1069-a2d8-Queries value:

08002b30309d}\shellfolder[queryforinfotip]

Queries value: HKCR\clsid\{20d04fe0-3aea-1069-a2d8-08002b30309d}\shellfolder[hideinwebview]

HKCR\clsid\{20d04fe0-3aea-1069-a2d8-Queries value:

08002b30309d}\shellfolder[hideondesktopperuser] Queries value:

HKCR\clsid\{20d04fe0-3aea-1069-a2d8-08002b30309d}\shellfolder[wantsaliasednotifications] Queries value: HKCR\clsid\{20d04fe0-3aea-1069-a2d8-08002b30309d}\shellfolder[wantsuniversaldelegate] HKCR\clsid\{20d04fe0-3aea-1069-a2d8-Oueries value:

08002b30309d}\shellfolder[nofilefolderjunction]

HKCR\clsid\{20d04fe0-3aea-1069-a2d8-Queries value:

08002b30309d}\shellfolder[pintonamespacetree]

Queries value: HKCR\clsid\{20d04fe0-3aea-1069-a2d8-

08002b30309d}\shellfolder[hasnavigationenum]

Oueries value:

HKLM\software\microsoft\windows\currentversion\policies\nonenum[{20d04fe0-3aea-1069-a2d8-

08002b30309d}]

Queries value:

11e3-b3bc-806e6f6e6963}[data]

Oueries value:

11e3-b3bc-806e6f6e6963}[generation]

HKCR\drive\shellex\folderextensions\{fbeb8a05-beee-4442-804e-Queries value:

409d6c4515e9}[drivemask]

Queries value: HKCU\software\microsoft\windows\currentversion\explorer[shellstate] HKCU\software\microsoft\windows\currentversion\explorer\advanced[hidden] Oueries value:

Queries value:

HKCU\software\microsoft\windows\currentversion\explorer\advanced[showcompcolor] Oueries value:

HKCU\software\microsoft\windows\currentversion\explorer\advanced[hidefileext]

Queries value:

 $\label{thm:local_continuous} \label{thm:local_continuous} HKCU \software \microsoft \windows \current version \explorer \advanced \cite{thm:local_continuous_current} \end{substitute} \label{thm:local_continuous_current} \label{thm:$ 

HKCU\software\microsoft\windows\currentversion\explorer\advanced[showinfotip]

Oueries value:

HKCU\software\microsoft\windows\currentversion\explorer\advanced[hideicons]

Queries value:

HKCU\software\microsoft\windows\currentversion\explorer\advanced[mapnetdrvbtn]

HKCU\software\microsoft\windows\currentversion\explorer\advanced[webview]

Queries value: HKCU\software\microsoft\windows\currentversion\explorer\advanced[filter]

Oueries value:

HKCU\software\microsoft\windows\currentversion\explorer\advanced[showsuperhidden]

Queries value:

 $\label{lem:hkcu} \begin{tabular}{ll} HKCU \software \verb|\microsoft| windows \verb|\currentversion| explorer \verb|\advanced| [separate process] \end{tabular}$ 

Oueries value:

 $\label{lem:hkcu} \begin{tabular}{ll} HKCU \software \verb|\microsoft| windows \verb|\currentversion| explorer \verb|\advanced[nonetcrawling]| \\$ 

Queries value:

 $\label{thm:linear} HKCU \software \microsoft \windows \current version \explorer \advanced \cite{thm:linear} advanced \cite{thm$ 

Queries value:

HKCU\software\microsoft\windows\currentversion\explorer\advanced[iconsonly]

Queries value:

HKCU\software\microsoft\windows\currentversion\explorer\advanced[showtypeoverlay]

Queries value: HKCR\directory[docobject]
Queries value: HKCR\folder[docobject]

Queries value: HKCR\allfilesystemobjects[docobject]
Queries value: HKCR\directory[browseinplace]
Queries value: HKCR\folder[browseinplace]

Queries value: HKCR\allfilesystemobjects[browseinplace]

Queries value: HKCR\directory[isshortcut]
Queries value: HKCR\folder[isshortcut]

Queries value: HKCR\allfilesystemobjects[isshortcut]
Queries value: HKCR\directory[alwaysshowext]

Queries value: HKCR\directory[nevershowext]
Queries value: HKCR\folder[nevershowext]

Queries value: HKCR\allfilesystemobjects[nevershowext]

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} In the constant of the constant of$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{b4bfcc3a-db2c-424c-b029-7fe99a87c641\} \ [name]$ 

Queries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{b4bfcc3a-db2c-424c-b029-7fe99a87c641\} \ [parentfolder]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b4bfcc3a-db2c-424c-b029-7fe99a87c641\}[description]$ 

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b4bfcc3a-db2c-424c-b029-7fe99a87c641\}[relativepath]}$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b4bfcc3a-db2c-424c-b029-7fe99a87c641\} [parsing name]$ 

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b4bfcc3a-db2c-424c-b029-7fe99a87c641\}[infotip]}$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b4bfcc3a-db2c-424c-b029-7fe99a87c641\}[localized name]$ 

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows\currentversion} Hklm\software\mbox{bubble} bosential for the software in the softwar$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b4bfcc3a-db2c-424c-b029-7fe99a87c641\}[security]$ 

Oueries value:

 $HKLM \label{lem:hkkm} HKLM \label{lem:hkkm} HKLM \label{lem:hkkm} Software \mbox{$b4bfcc3a-db2c-424c-b029-7fe99a87c641} [stream resource]$ 

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b4bfcc3a-db2c-424c-b029-7fe99a87c641\}[streamresourcetype]}$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ (b4bfcc3a-db2c-424c-b029-7fe99a87c641) \ [local redirectonly]$ 

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\folder$ 

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b4bfcc3a-db2c-424c-b029-7fe99a87c641\}[precreate]}$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b4bfcc3a-db2c-424c-b029-7fe99a87c641\}[stream]$ 

Oueries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} In the label of the label o$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{b4bfcc3a-db2c-424c-b029-7fe99a87c641\} [attributes]$ 

Queries value:

b029-7fe99a87c641}[foldertypeid]

Queries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{b4bfcc3a-db2c-424c-b029-7fe99a87c641\} [initfolder handler]$ 

Queries value: HKCU\software\microsoft\windows\currentversion\explorer\user shell

folders[desktop]

Queries value: HKLM\software\microsoft\com3[com+enabled]

Queries value: HKCR\clsid\{1f486a52-3cb1-48fd-8f50-b8dc300d9f9d}[]

Queries value: HKCR\clsid\{1f486a52-3cb1-48fd-8f50-

b8dc300d9f9d}\inprocserver32[inprocserver32]

Queries value: HKCR\clsid\{1f486a52-3cb1-48fd-8f50-b8dc300d9f9d}\inprocserver32[]

Queries value: HKCR\clsid\{1f486a52-3cb1-48fd-8f50-

b8dc300d9f9d}\inprocserver32[threadingmodel]

Queries value: HKLM\software\microsoft\ole[maxsxshashcount]

Queries value:

HKLM\system\currentcontrolset\control\lsa\accessproviders[martaextension]

Queries value: HKLM\system\currentcontrolset\services\ldap[ldapclientintegrity]
Queries value: HKLM\system\currentcontrolset\services\ldap[useoldhostresolutionorder]
Queries value: HKLM\system\currentcontrolset\services\ldap[usehostnameasalias]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae}[category]

Queries value:

 $HKLM \ software \ `microsoft \ 'unidows \ 'current version \ 'explorer \ 'folder descriptions \ '\{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\} [name]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\}[parent folder]$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae}[description]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae}[relativepath]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\} \ parsing name \ label{eq:helpd1}$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\} \ [infotip]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\} \ flocalized name \ label{eq:heat-bd1}$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\} [icon]$ 

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} Current version \end{albellet lem:hklmsoftware in the label lem:hklmsoftware in the$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\} [stream resource]$ 

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows\currentversion\explorer\folderdescriptions\{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\}[streamresourcetype]}$ 

Queries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\}\[localredirectonly\]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae}[roamable]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae}[precreate]

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\}[stream]}$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\}[publish expanded path]$ 

Queries value:

 $\label{local-ham} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{\folderdescriptions\folderdescr$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\} [folder type id]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\} [initfolder \ handler]$ 

Queries value: HKCU\software\microsoft\windows\currentversion\explorer\user shell

folders[{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae}]

Queries value:

a03a-e3ef65729f3d}[category]

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ 'abb685db-65f9-4cf6-a03a-e3ef65729f3d \ [name]$ 

Oueries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\}[parentfolder]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\} \ [description]$ 

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\}[relative path]}$ 

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ 'aeb685db-65f9-4cf6-a03a-e3ef65729f3d \ [parsing name]$ 

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\}[infotip]}$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\}[localized name]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\}[icon]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\} \ [security]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\} \ [stream resource]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\} \ [stream resource type]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\} \ [local redirectonly]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\} \ [roamable]$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3eb685db-65f9-4cf6-a03a-e3ef65729f3d}[precreate]

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\}[stream]}$ 

Queries value:

 $\label{lem:hklm} HKLM software \microsoft \windows \current version \explorer \folder descriptions \color= 3eb685db-65f9-4cf6-a03a-e3ef65729f3d \color= 3eb685db-65f9-4cf6-a0566729f3d \color= 3eb685db-65f9-4cf6-a0566729f3d \color= 3eb685db-65f9-4cf6-a0566729f3d \color= 3eb685db-65f9-4cf6-a$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ 'aeb685 db-65 f9-4 cf6-a03a-e3ef65729 f3d \ [attributes]$ 

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} current version \end{abbeddescriptions} \begin{tabular}{lem:hklmsoftwaremicrosoftwindows} (3eb685db-65f9-4cf6-a03a-e3ef65729f3d)[foldertypeid]\\ \end{tabular}$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ 'aeb685 db-65 f9-4c f6-a03a-e3ef65729 f3d \ [initfolder handler]$ 

Queries value:

HKCU\software\microsoft\windows\currentversion\explorer\user shell

folders[appdata]

Queries value:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5e6c858f-0e22-4760-9afe-ea3317b67173\}[category]}$ 

Oueries value:

 $\label{local-operator} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \{5e6c858f-0e22-4760-9afe-ea3317b67173\} [name]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'enclosed \ 'enclosed$ 

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions \currentversion\explorer\folderdescriptions \currentversion\explorer\folderdescriptions \currentversion\explorer\folderdescriptions \currentversion\explorer\folderdescriptions \currentversion\explorer\folderdescription\explorer\folderdescription\explorer\folderdescription\explorer\folderdescription\explorer\folderdescription\explorer\folderdescription\explorer\explor$ 

Queries value:

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} In the label of the label o$ 

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} Larrent version \explorer \folder descriptions \folder \folder descriptions \folder \fol$ 

Queries value:

9afe-ea3317b67173}[localizedname]

Queries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$ 

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5e6c858f-0e22-4760-9afe-ea3317b67173\}[security]}$ 

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{5e6c858f-0e22-4760-9afe-ea3317b67173\} \ [stream resource]$ 

Oueries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5e6c858f-0e22-4760-9afe-ea3317b67173\}[streamresourcetype]}$ 

Oueries value:

 $HKLM \ software \ `microsoft \ 'enclose \$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \end{are} Windows \current version \explorer \folder descriptions \end{are} $$ 4760-9afe-ea3317b67173 \end{are} $$ [roamable] $$ 4760-9afe-ea3317b67173 \end{are} $$ 476$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{5e6c858f-0e22-4760-9afe-ea3317b67173\} [precreate]$ 

Oueries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5e6c858f-0e22-4760-9afe-ea3317b67173\}[stream]}$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{5e6c858f-0e22-4760-9afe-ea3317b67173\} \ [publish \ expanded path]$ 

Oueries value:

 $\label{thm:local-prop} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5e6c858f-0e22-4760-9afe-ea3317b67173\}[attributes]$$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'enclose \ The constraint \ The constraint \ HKLM \ software \ 'folder \ 'enclose \ The constraint \ 'enclose \ The constraint \ The constraint$ 

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5e6c858f-0e22-4760-9afe-ea3317b67173}\ \cite{1.00} Finitfolder\ \cite{1.00}$ 

Queries value: HKLM\software\microsoft\windows nt\currentversion\profilelist\s-1-5-21-2160590473-689474908-1361669368-1002[profileimagepath]

Oueries value: HKLM\system\currentcontrol\set\control\cmf\config[system]

Queries value: HKLM\software\microsoft\windows error reporting\wmr[disable]
Queries value: HKLM\software\microsoft\windows\currentversion\setup[sourcepath]
Queries value: HKLM\software\microsoft\windows\currentversion[devicepath]

Queries value: HKLM\software\microsoft\rpc[maxrpcsize]

Queries value:

HKLM\system\currentcontrolset\control\computername\activecomputername\computername

Queries value: HKLM\system\setup[oobeinprogress]
Queries value: HKLM\system\setup[systemsetupinprogress]

Queries value: HKLM\software\microsoft\sqmclient\windows[ceipenable]

Queries value:

 $HKCU \software \microsoft \windows \current version \explorer \mountpoints 2 \cpc \volume \ \{69d250e3-6c18-11e3-b3bc-806e6f6e6963\} \cline{2.00} \label{fig:b3bc-806e6f6e6963} \label{fig$ 

Queries value:

 $\label{thm:local-basis} HKCU software \microsoft \windows \current version \explorer \mountpoints 2 \cpc \volume \eqref 69d 250e 3-6c 18-11e 3-b 3bc-806e 6f 6e 696 3 \eqref [generation]$ 

Queries value: HKLM\software\clients\startmenuinternet[]

Queries value: HKLM\system\currentcontrolset\services\crypt32[debugheapflags]
Queries value: HKLM\software\microsoft\windows\currentversion\internet

settings[disableimprovedzonecheck]

Queries value: HKLM\software\policies\microsoft\windows\currentversion\internet

settings[security\_hklm\_only]

Queries value: HKLM\system\currentcontrolset\control\nls\customlocale[en]
Queries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[en]

Queries value:

folders[cache]

Queries value: HKLM\software\microsoft\windows

Queries value: HKLM\software\microsoft\windows nt\currentversion\compatibility32[bi]

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{f3ce0f7c-4901-4acc-8648-d5d44b04ef8f\}[category]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{f3ce0f7c-4901-4acc-8648-d5d44b04ef8f\}[name]$ 

Queries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\ff3ce0f7c-4901-4acc-8648-d5d44b04ef8f\frac{1}{parentfolder}$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ (explorer) folder descriptions \ (explo$ 

8648-d5d44b04ef8f}[description] Oueries value:  $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ \ folder descriptions \ \ \{f3ce0f7c-4901-4acc-4901-4a$ 8648-d5d44b04ef8f}[relativepath] Oueries value:  $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ `folder descriptions \ `\{f3ce0f7c-4901-4acc-4901-4a$ 8648-d5d44b04ef8f}[parsingname] Oueries value:  $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ \ folder descriptions \ \ \{f3ce0f7c-4901-4acc-4901-4a$ 8648-d5d44b04ef8f}[infotip] Oueries value:  $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ `folder descriptions \ `\{f3ce0f7c-4901-4acc-4901-4a$ 8648-d5d44b04ef8f}[localizedname] Oueries value:  $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ \ folder descriptions \ \ \{f3ce0f7c-4901-4acc-4901-4a$ 8648-d5d44b04ef8f}[icon] Oueries value: HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f3ce0f7c-4901-4acc-8648-d5d44b04ef8f}[security] Queries value:  $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ \ folder descriptions \ \ \{f3ce0f7c-4901-4acc-4901-4a$ 8648-d5d44b04ef8f}[streamresource] Oueries value: HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f3ce0f7c-4901-4acc-8648-d5d44b04ef8f}[streamresourcetype] Queries value:  $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ `folder descriptions \ `\{f3ce0f7c-4901-4acc-4901-4a$ 8648-d5d44b04ef8f}[localredirectonly] Oueries value:  $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{f3ce0f7c-4901-4acc-4901$ 8648-d5d44b04ef8f}[roamable] Queries value:  $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ `folder descriptions \ `\{f3ce0f7c-4901-4acc-4901-4a$ 8648-d5d44b04ef8f}[precreate] Oueries value:  $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{f3ce0f7c-4901-4acc-4901$ 8648-d5d44b04ef8f}[stream] Queries value:  $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ `folder descriptions \ `\{f3ce0f7c-4901-4acc-4901-4a$ 8648-d5d44b04ef8f}[publishexpandedpath] Oueries value: HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f3ce0f7c-4901-4acc-8648-d5d44b04ef8f}[attributes] Queries value:  $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ \ folder descriptions \ \ \{f3ce0f7c-4901-4acc-4901-4a$ 8648-d5d44b04ef8f}[foldertypeid] Queries value:  $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \ \{f3ce0 f7c-4901-4acc-4$ 8648-d5d44b04ef8f}[initfolderhandler] Queries value: HKCR\clsid\{59031a47-3f72-44a7-89c5-5595fe6b30ee}\shellfolder[attributes] HKCR\clsid\{59031a47-3f72-44a7-89c5-Oueries value: 5595fe6b30ee}\shellfolder[callforattributes] Queries value: HKCR\clsid\{59031a47-3f72-44a7-89c5-5595fe6b30ee}\shellfolder[restrictedattributes] Queries value: HKCR\clsid\{59031a47-3f72-44a7-89c5-5595fe6b30ee}\shellfolder[wantsfordisplay] HKCR\clsid\{59031a47-3f72-44a7-89c5-Oueries value: 5595fe6b30ee}\shellfolder[hidefolderverbs] HKCR\clsid\{59031a47-3f72-44a7-89c5-Queries value: 5595fe6b30ee}\shellfolder[usedrophandler] Oueries value: HKCR\clsid\{59031a47-3f72-44a7-89c5-5595fe6b30ee}\shellfolder[wantsforparsing] HKCR\clsid\{59031a47-3f72-44a7-89c5-Oueries value: 5595fe6b30ee}\shellfolder[wantsparsedisplayname] HKCR\clsid\{59031a47-3f72-44a7-89c5-Oueries value: 5595fe6b30ee}\shellfolder[queryforoverlay] HKCR\clsid\{59031a47-3f72-44a7-89c5-Queries value: 5595fe6b30ee}\shellfolder[mapnetdriveverbs] HKCR\clsid\{59031a47-3f72-44a7-89c5-Oueries value: 5595fe6b30ee}\shellfolder[queryforinfotip] HKCR\clsid\{59031a47-3f72-44a7-89c5-Oueries value: 5595fe6b30ee}\shellfolder[hideinwebview]

HKCR\clsid\{59031a47-3f72-44a7-89c5-

HKCR\clsid\{59031a47-3f72-44a7-89c5-

HKCR\clsid\{59031a47-3f72-44a7-89c5-

HKCR\clsid\{59031a47-3f72-44a7-89c5-

HKCR\clsid\{59031a47-3f72-44a7-89c5-

Queries value:

Oueries value:

Oueries value:

Oueries value:

Oueries value:

5595fe6b30ee}\shellfolder[hideondesktopperuser]

5595fe6b30ee}\shellfolder[wantsaliasednotifications]

5595fe6b30ee}\shellfolder[wantsuniversaldelegate]

5595fe6b30ee}\shellfolder[nofilefolderjunction]

5595fe6b30ee}\shellfolder[pintonamespacetree]

Queries value: HKCR\clsid\{59031a47-3f72-44a7-89c5-

5595fe6b30ee}\shellfolder[hasnavigationenum]

Oueries value:

HKLM\software\microsoft\windows\currentversion\policies\nonenum[{59031a47-3f72-44a7-89c5-5595fe6b30ee}]

Queries value:

 $\label{thm:local-continuous} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\f(7d1d3a04-debb-4115-95cf-2f29da2920da)\cute{2.00} [category]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ 'and 3a04-debb-4115-95cf-2f29 \ 'and 3a04-debb-415-95cf-2f29 \ 'and 3a04-debb-415-95cf-2f29 \ 'and 3a04-debb-415-95cf-2f29$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ 'and 3a04-debb-4115-95cf-2f29 \ da2920 \ das \ [parent folder]$ 

Queries value:

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '{7d1d3a04-debb-4115-95cf-2f29da2920da}[relative path]$ 

Oueries value

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{7d1d3a04-debb-4115-95cf-2f29da2920da\} \ [parsing name]$ 

Oueries value

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{7d1d3a04-debb-4115-95cf-2f29da2920da\} [infotip]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '{7d1d3a04-debb-4115-95cf-2f29da2920da} \ [localized name]$ 

Oueries value

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{7d1d3a04-debb-4115-95cf-2f29da2920da\}[icon]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{7d1d3a04-debb-4115-95cf-2f29da2920da\} [security]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{7d1d3a04-debb-4115-95cf-2f29da2920da\}[stream resource]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ 'current version \ 'explorer \ 'folder descriptions \ '{7d1d3a04-debb-4115-95cf-2f29da2920da}[stream resource type]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ 'and 3a04-debb-4115-95cf-2f29 \ da2920 \ da_{local redirectonly]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ 'and 3a04-debb-4115-95cf-2f29 \ da2920 \ da_{[roamable]}$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ (7d1d3a04-debb-4115-95cf-2f29da2920da) \ [precreate]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'current version \ 'explorer \ 'folder descriptions \ '\{7d1d3a04-debb-4115-95cf-2f29da2920da\}[stream]$ 

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows\currentversion\explorer\folderdescriptions\{7d1d3a04-debb-4115-95cf-2f29da2920da\}[publishexpandedpath]}$ 

Oueries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ 'add 3a 04-debb-4115-95cf-2f 29 da 29 20 da \\ [attributes]$ 

Queries value:

 $\label{thm:microsoft} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folderdes$ 

Queries value:

 $\label{thm:hammon} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folde$ 

Queries value: HKCU\software\microsoft\windows\currentversion\explorer\user shell folders[{7d1d3a04-debb-4115-95cf-2f29da2920da}]

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\fifth{1}{638bf404-1d43-42f2-9305-67de0b28fc23}\category\cite{1}{category\c$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \mbox{f38bf404-1d43-42f2-9305-67de0b28fc23} [name]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{f38bf404-1d43-42f2-9305-67de0b28fc23\}[parent folder]$ 

Queries value:

 $HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ff 38bf 404-1d43-42f2-9305-67de \folder \final \final \ff ab feature \final \$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \{f38bf404-1d43-42f2-9305-67de0b28fc23\} [relative path]$ 

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\fi38bf404-1d43-42f2-9305-67de0b28fc23\}[parsingname]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{f38bf404-1d43-42f2-9305-67de0b28fc23\}[infotip]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{f38bf404-1d43-42f2-9305-67de0b28fc23\} \ [localized name]$ 

Oueries value:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\fi38bf404-1d43-42f2-9305-67de0b28fc23\ficon\figure{1.5cm}$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{f38bf404-1d43-42f2-9305-67de0b28fc23\}[security]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{f38bf404-1d43-42f2-9305-67de0b28fc23\} \ [stream resource]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{f38bf404-1d43-42f2-9305-67de0b28fc23\} \ [stream resource type]$ 

Oueries value

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\f(f38bf404-1d43-42f2-9305-67de0b28fc23)\[localredirectonly]$ 

Queries value

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{f38bf404-1d43-42f2-9305-67de0b28fc23\} \ [roamable]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{f38bf404-1d43-42f2-9305-67de0b28fc23\}[precreate]$ 

Oueries value

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{f38bf404-1d43-42f2-9305-67de0b28fc23\}[stream]$ 

Queries value:

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\fifth{1}{638bf404-1d43-42f2-9305-67de0b28fc23}\ [attributes]$ 

Queries value:

 $\label{thm:local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \fi38bf404-1d43-42f2-9305-67de0b28fc23 \folder typeid\]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\fifth{1}{638bf404-1d43-42f2-9305-67de0b28fc23}\[initfolderhandler]$ 

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folder$ 

Queries value:

 $\label{lem:hamman} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\foldescriptions\folderdescriptions\folderdescriptions\folderdescripti$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{f7f1ed05-9f6d-47a2-aaae-29d317c6f066\} \ [parent folder]$ 

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} In the constant of the constant of$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{f7f1ed05-9f6d-47a2-aaae-29d317c6f066\} [relative path]$ 

Queries value:

 $\label{thm:microsoft} HKL^M\software\microsoft\windows\currentversion\explorer\folderdescriptions\ff7f1ed05-9f6d-47a2-aaae-29d317c6f066\}\[parsingname]$ 

Queries value:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folderdescript$ 

Queries value:

 $\label{thm:microsoft} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folderdes$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{f7f1ed05-9f6d-47a2-aaae-29d317c6f066\} [icon]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{f7f1ed05-9f6d-47a2-aaae-29d317c6f066\} [security]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{f7f1ed05-9f6d-47a2-aaae-29d317c6f066\} [stream resource]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{f7f1ed05-9f6d-47a2-aaae-29d317c6f066\} \ [stream resource type]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{f7f1ed05-9f6d-47a2-aaae-29d317c6f066\} [local redirectonly]$ 

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{f7f1ed05-9f6d-47a2-aaae-29d317c6f066\} \ [roamable]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{f7f1ed05-9f6d-47a2-aaae-29d317c6f066\}[precreate]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{f7f1ed05-9f6d-47a2-aaae-29d317c6f066\} [stream]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{f7f1ed05-9f6d-47a2-aaae-29d317c6f066\} [publish expanded path]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{f7f1ed05-9f6d-47a2-aaae-29d317c6f066\} [attributes]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{f7f1ed05-9f6d-47a2-aaae-29d317c6f066\} [folder type id]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{f7f1ed05-9f6d-47a2-aaae-29d317c6f066\} [initfolder \ handler]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{2112ab0a-c86a-4ffe-a368-0de96e47012e\} \ [category]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{2112ab0a-c86a-4ffe-a368-0de96e47012e\} [name]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{2112ab0a-c86a-4ffe-a368-0de96e47012e\} \ [parent folder]$ 

Oueries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2112ab0a-c86a-4ffe-a368-0de96e47012e\}\ [description]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{2112ab0a-c86a-4ffe-a368-0de96e47012e\} \ [relative path]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{2112ab0a-c86a-4ffe-a368-0de96e47012e\} \ [parsing name]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folder$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{2112ab0a-c86a-4ffe-a368-0de96e47012e\} [localized name]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{2112ab0a-c86a-4ffe-a368-0de96e47012e\} [icon]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{2112ab0a-c86a-4ffe-a368-0de96e47012e\} [security]$ 

Queries value:

Queries value:

 $\label{local-operator} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{2112ab0a-c86a-4ffe-a368-0de96e47012e} [stream resource type]$ 

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2112ab0a-c86a-4ffe-a368-0de96e47012e\}[localredirectonly]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{2112ab0a-c86a-4ffe-a368-0de96e47012e\} \ [roamable]$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2112ab0a-c86a-4ffe-a368-0de96e47012e}\[ precreate \]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{2112ab0a-c86a-4ffe-a368-0de96e47012e\} [stream]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2112ab0a-c86a-4ffe-a368-0de96e47012e\}[publishexpandedpath]}$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cite{2112ab0a-c86a-4ffe-a368-0de96e47012e} [attributes]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{2112ab0a-c86a-4ffe-a368-0de96e47012e\} \ [folder type id]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{2112ab0a-c86a-4ffe-a368-0de96e47012e\} \ [initfolder \ handler]$ 

Queries value:

 $\label{thm:local_thm} \parbox{$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\currentversion\explorer\explorer\currentversion\explorer\explore$ 

b800-0e69d84ee384}[category]

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{48 daf 80 b-e 6 cf-4 f 4 e-b 80 0-0 e 6 9 d 8 4 e e 3 8 4\} \ [name]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{48daf80b-e6cf-4f4e-b800-0e69d84ee384\}[parentfolder]}$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{48 daf 80 b-e6 cf-4f 4e-b800-0e69 d84 ee384\} \ [description]$ 

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{48daf80b-e6cf-4f4e-b800-0e69d84ee384\}[relative path]}$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{48 daf 80 b-e 6 cf-4 f 4 e-b 80 0-0 e 6 9 d 8 4 e e 3 8 4\} \ [parsing name]$ 

Queries value:

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{48 daf 80 b-e 6 cf-4 f 4 e-b 80 0-0 e 6 9 d 8 4 e e 3 8 4\} [localized name]$ 

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{48daf80b-e6cf-4f4e-b800-0e69d84ee384\}[icon]}$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{48 daf 80 b-e6 cf-4f4 e-b800-0e69 d84 ee384\} [security]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \mbox{$48$ daf80b-e6cf-4f4e-b800-0e69d84ee384} [stream resource]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{48 daf 80 b-e6 cf-4f 4e-b800-0e69 d84 ee384\} \ [stream resource type]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{48 daf 80 b-e6 cf-4f 4e-b800-0e6 9d 84 ee 384\} \ [local redirect on lv]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{48 daf 80 b-e6 cf-4f 4e-b800-0e6 9d 84 ee 384\} \ [roamable]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{48 daf 80 b-e6 cf-4f 4e-b800-0e69 d84 ee384\} \ [precreate]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{48daf80b-e6cf-4f4e-b800-0e69d84ee384\}[stream]}$ 

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{48daf80b-e6cf-4f4e-b800-0e69d84ee384\}\label{lem:hklm} Fubblishexpandedpath1}$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{48daf80b-e6cf-4f4e-b800-0e69d84ee384\}[attributes]}$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{48 daf 80 b-e6 cf-4f 4e-b800-0e69 d84 ee384\} \ [folder type id]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c4aa340d-f20f-4863-afef-f87ef2e6ba25}[category]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{c4aa340d-f20f-4863-afef-f87ef2e6ba25\} \ [name]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c4aa340d-f20f-4863-afef-f87ef2e6ba25\}[parentfolder]}$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \ \ \ afef-f87ef2e6ba25\} \ [description]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c4aa340d-f20f-4863-afef-f87ef2e6ba25\}[relativepath]}$ 

Queries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c4aa340d-f20f-4863-afef-f87ef2e6ba25\}\[parsingname]$ 

Queries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{c4aa340d-f20f-4863-afef-f87ef2e6ba25\} [infotip]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c4aa340d-f20f-4863-afef-f87ef2e6ba25}[localizedname]

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{c4aa340d-f20f-4863-afef-f87ef2e6ba25\}[security]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \ \{c4aa340d-f20f-4863-afef-f87ef2e6ba25\} \ [stream resource]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \ \{c4aa340d-f20f-4863-afef-f87ef2e6ba25\} \ [stream resource type]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{c4aa340d-f20f-4863-afef-f87ef2e6ba25\} \ [local redirectorly]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{c4aa340d-f20f-4863-afef-f87ef2e6ba25\} \ [roamable]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{c4aa340d-f20f-4863-afef-f87ef2e6ba25\}[precreate]$ 

Oueries value

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{c4aa340d-f20f-4863-afef-f87ef2e6ba25\} \ [stream]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{c4aa340d-f20f-4863-afef-f87ef2e6ba25\}[publish expanded path]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{c4aa340d-f20f-4863-afef-f87ef2e6ba25\}[attributes]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{c4aa340d-f20f-4863-afef-f87ef2e6ba25\}[folder typeid]$ 

Queries value

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{c4aa340d-f20f-4863-afef-f87ef2e6ba25\}[initfolder handler]$ 

Queries value:

 $\label{lem:hkklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{9e52ab10-f80d-49df-acb8-4330f5687855\}[category]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{9e52ab10-f80d-49df-acb8-4330f5687855\} \ [name]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{9e52ab10-f80d-49df-acb8-4330f5687855\} \ [parent folder]$ 

Oueries value:

 $\label{thm:local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \fo$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{9e52ab10-f80d-49df-acb8-4330f5687855\} \ [relative path]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$ 

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{9e52ab10-f80d-49df-acb8-4330f5687855\}[infotip]$ 

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{9e52ab10-f80d-49df-acb8-4330f5687855\}[localized name]$ 

Queries value

 $\label{lem:hklm} HKLM software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \f$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{9e52ab10-f80d-49df-acb8-4330f5687855\}[security]$ 

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{9e52ab10-f80d-49df-acb8-4330f5687855\}[streamresource]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{9e52ab10-f80d-49df-acb8-4330f5687855\}[streamresourcetype]$ 

Queries value

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{9e52ab10-f80d-49df-acb8-4330f5687855\}[local redirectonly]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{9e52ab10-f80d-49df-acb8-4330f5687855\} \ [roamable]$ 

Queries value:

 $\label{thm:local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \fo$ 

Queries value:

 $\label{lem:hkkm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ \{9e52ab10-f80d-49df-acb8-4330f5687855\} \ [stream]$ 

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{9e52ab10-f80d-49df-acb8-4330f5687855\} [publish expanded path]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{9e52ab10-f80d-49df-acb8-4330f5687855\} [attributes]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{9e52ab10-f80d-49df-acb8-4330f5687855\} \ [folder type id]$ 

Oueries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder \folde$ 

Oueries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '{98ec0e18-2098-4d44-8644-66979315a281} \ [category]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '{98ec0e18-2098-4d44-8644-66979315a281} \ [name]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{98ec0e18-2098-4d44-8644-66979315a281\}\[parsing name]\]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{98ec0e18-2098-4d44-8644-66979315a281\} \ [infotip]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '{98ec0e18-2098-4d44-8644-66979315a281} \ [localized name]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '{98ec0e18-2098-4d44-8644-66979315a281}[icon]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{98ec0e18-2098-4d44-8644-66979315a281\}\[security]\]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{98ec0e18-2098-4d44-8644-66979315a281\} \ [stream resource type]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'current version \ 'explorer \ 'folder descriptions \ '\{98ec0e18-2098-4d44-8644-66979315a281\} [local redirect only]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{98ec0e18-2098-4d44-8644-66979315a281\}[roamable]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{98ec0e18-2098-4d44-8644-66979315a281\} \ [stream]$ 

Queries value:

 $\label{thm:local-bound} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{98ec0e18-2098-4d44-8644-66979315a281\}\[publishexpandedpath]$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{98ec0e18-2098-4d44-8644-66979315a281\\alphattributes\

Queries value:

 $\label{thm:local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{98ec0e18-2098-4d44-8644-66979315a281} \[folder type id]$ 

Queries value:

Queries value:

 $\label{local-operator} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \equal 4115719-d62e-491d-aa7c-e74b8be3b067 \category \cite{Category} \cite{Category} \equal 4115719-d62e-491d-aa7c-e74b8be3b067 \cite{Category} \cite{Category} \equal 4115719-d62e-491d-aa7c-e74b8be3b067 \cite{Category} \cite{C$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ 'a4115719-d62e-491d-aa7c-e74b8be3b067 \ [name]$ 

Queries value:

 $\label{thm:local-continuous} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a4115719-d62e-491d-aa7c-e74b8be3b067\}[parentfolder]}$ 

Queries value:

aa7c-e74b8be3b067}[description]

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ 'a4115719-d62e-491d-aa7c-e74b8be3b067 \ [relative path]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a4115719-d62e-491d-aa7c-e74b8be3b067\} [parsing name]$ 

Oueries value:

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a4115719-d62e-491d-aa7c-e74b8be3b067\}[localized name]}$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{a4115719-d62e-491d-aa7c-e74b8be3b067\} [icon]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a4115719-d62e-491d-aa7c-e74b8be3b067\} [security]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a4115719-d62e-491d-aa7c-e74b8be3b067\} [stream resource]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{a4115719-d62e-491d-aa7c-e74b8be3b067\} \ [stream resource type]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a4115719-d62e-491d-aa7c-e74b8be3b067\} [local redirectonly]$ 

Oueries value:

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ a4115719-d62e-491d-aa7c-e74b8be3b067 \ [precreate]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a4115719-d62e-491d-aa7c-e74b8be3b067\} \ for each \ folder \ fo$ 

Queries value:

 $HKLM software \mbox{$microsoft\windows\currentversion} explorer \mbox{$derdescriptions} \mbox{$a4115719-d62e-491d-aa7c-e74b8be3b067} \publishexpanded path{$a4115719-d62e-491d-aa7c-e74b8be3b067} \publishexpanded pat$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a4115719-d62e-491d-aa7c-e74b8be3b067}[attributes]

Queries value:

 $\label{local-equ$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a4115719-d62e-491d-aa7c-e74b8be3b067\} \ finitfolder \ handler \ label{eq:finitfolder}$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'cac52c1a-b53d-4edc-92d7-6b2e8ac19434 \ [category]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{cac52c1a-b53d-4edc-92d7-6b2e8ac19434\} \ [name]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'cac52c1a-b53d-4edc-92d7-6b2e8ac19434 \} \ [parentfolder]$ 

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{cac52c1a-b53d-4edc-92d7-6b2e8ac19434\}[description]}$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{cac52c1a-b53d-4edc-92d7-6b2e8ac19434}[relativepath]

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} current version \end{carbon} explorer $$ 1434\parsing $$ 1446-9247-6b2e8ac19434 $$ [parsing name] $$ 1466-9247-6b2e8ac19434 $$ [parsing name] $$ 1466-9247-6b2e8ac1944 $$ [p$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{cac52c1a-b53d-4edc-92d7-6b2e8ac19434\}[infotip]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{cac52c1a-b53d-4edc-92d7-6b2e8ac19434}[localizedname]

Queries value:

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} In the constant of the constant of$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{cac52c1a-b53d-4edc-92d7-6b2e8ac19434\} \ [stream resource]$ 

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{cac52c1a-b53d-4edc-92d7-6b2e8ac19434\}[streamresourcetype]}$ 

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{cac52c1a-b53d-4edc-92d7-6b2e8ac19434\}[localredirectonly]}$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{cac52c1a-b53d-4edc-92d7-6b2e8ac19434\} \ [roamable]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{cac52c1a-b53d-4edc-92d7-6b2e8ac19434\}[precreate]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'cac52c1a-b53d-4edc-92d7-6b2e8ac19434 \ [stream]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{cac52c1a-b53d-4edc-92d7-6b2e8ac19434\} \ [publish \ expanded path]$ 

Queries value

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{cac52c1a-b53d-4edc-92d7-6b2e8ac19434\} [attributes]$ 

Oueries value

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{cac52c1a-b53d-4edc-92d7-6b2e8ac19434\} [folder type id]$ 

Oueries value

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{cac52c1a-b53d-4edc-92d7-6b2e8ac19434\}[initfolder \ handler]$ 

Oueries value

 $\label{lem:hklmsoftwaremicrosoftwindows} Large to the state of the s$ 

Ougrige value

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{18989b1d-99b5-455b-841c-ab7c74e4ddfc\} [name]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{18989b1d-99b5-455b-841c-ab7c74e4ddfc\} \ [parentfolder]$ 

Oueries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsof$ 

Queries value:

 $\label{thm:local-prop} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{18989b1d-99b5-455b-841c-ab7c74e4ddfc}\[relative\path]$ 

Queries value:

 $\label{thm:local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{18989b1d-99b5-455b-841c-ab7c74e4ddfc} [parsing name]$ 

Oueries value:

 $\label{lem:hklmsoftwaremicrosoftwindows\currentversion} Hklm\software\mbox{18989b1d-99b5-455b-841c-ab7c74e4ddfc} [infotip]$ 

Queries value:

 $\label{thm:local-continuous} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{18989b1d-99b5-455b-841c-ab7c74e4ddfc\}\[localizedname]\]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{18989b1d-99b5-455b-841c-ab7c74e4ddfc\}[icon]}$ 

Queries value:

Oueries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '{18989b1d-99b5-455b-841c-ab7c74e4ddfc} [stream resource]$ 

Queries value

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{18989b1d-99b5-455b-841c-ab7c74e4ddfc}\[streamresourcetype]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{18989b1d-99b5-455b-841c-ab7c74e4ddfc\}[localredirectonly]}$ 

Queries value

 $\label{thm:hklm} $$HKL^M\software\microsoft\windows\currentversion\explorer\folderdescriptions\{18989b1d-99b5-455b-841c-ab7c74e4ddfc}\[roamable]$ 

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosof$ 

Queries value

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{18989b1d-99b5-455b-841c-ab7c74e4ddfc\} \ [stream]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{18989b1d-99b5-455b-841c-ab7c74e4ddfc}\ [publishexpanded path]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{18989b1d-99b5-455b-841c-ab7c74e4ddfc\} [attributes]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{18989b1d-99b5-455b-841c-ab7c74e4ddfc\}[folder type id]$ 

Queries value:

HKCU\software\microsoft\windows\currentversion\explorer\user shell

folders[my video]

Queries value:

 $HKLM \ software \ `microsoft \ 's current version \ 'explorer \ 'folder descriptions \ '\{52a4f021-7b75-48a9-9f6b-4b87a210bc8f\} \ [category]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{52a4f021-7b75-48a9-9f6b-4b87a210bc8f\} [name]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{52a4f021-7b75-48a9-9f6b-4b87a210bc8f\} [parent folder]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{52a4f021-7b75-48a9-9f6b-4b87a210bc8f\} [description]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{52a4f021-7b75-48a9-9f6b-4b87a210bc8f\} \ [relative path]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{52a4f021-7b75-48a9-9f6b-4b87a210bc8f\} [parsing name]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \mbox{$1-7b75-48a9-9f6b-4b87a210bc8f} [infotip]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'current version \ 'explorer \ 'folder descriptions \ '\{52a4f021-7b75-48a9-9f6b-4b87a210bc8f\} [localized name]$ 

Ounring value

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{52a4f021-7b75-48a9-9f6b-4b87a210bc8f\}[icon]$ 

Oueries value

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{52a4f021-7b75-48a9-9f6b-4b87a210bc8f}[security]

Queries value

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{52a4f021-7b75-48a9-9f6b-4b87a210bc8f\}[streamresource]}$ 

Queries value:

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder\folder \folder \folder \folder \folder \folder \folder \folder \$ 

Oueries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsof$ 

Queries value:

 $\label{lem:hammon} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{52a4f021-7b75-48a9-9f6b-4b87a210bc8f\}[precreate]}$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder\folder \folder \folder \folder \folder \folder \folder \folder \$ 

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} current version \explorer $$ 100.875-48a9-9f6b-4b87a210bc8f [publish expanded path] $$$ 

Oueries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{52a4f021-7b75-48a9-9f6b-4b87a210bc8f\} [attributes]$ 

Queries value

 $\label{thm:hklm} $$HKL^M\software\microsoft\windows\currentversion\explorer\folderdescriptions\{52a4f021-7b75-48a9-9f6b-4b87a210bc8f\}[foldertypeid]$$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{52a4f021-7b75-48a9-9f6b-4b87a210bc8f\}[initfolderhandler]}$ 

Queries value

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{de974d24-d9c6-4d3e-bf91-f4455120b917\} \ [name]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{de 974d 24-d 9c6-4d 3e-bf 91-f 4455120b 917\} \ [parent folder]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder description \folder \$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{de974d24-d9c6-4d3e-bf91-f4455120b917\} \ [relative path]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{de974d24-d9c6-4d3e-bf91-f4455120b917\}[parsingname]}$ 

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{de974d24-d9c6-4d3e-bf91-f4455120b917\} \ [localized name]$ 

Queries value:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{de974d24-d9c6-4d3e-bf91-f4455120b917\}[icon]}$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{de974d24-d9c6-4d3e-bf91-f4455120b917\}[security]}$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{de974d24-d9c6-4d3e-bf91-f4455120b917} [stream resource]$ 

Queries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{de 974 d 24 - d 9c 6 - 4 d 3e - b f 91 - f 445 5 120 b 917\} [stream resource type]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{de974d24-d9c6-4d3e-bf91-f4455120b917\} \ [local redirectonly]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{de974d24-d9c6-4d3e-bf91-f4455120b917\} \ [roamable]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{de974d24-d9c6-4d3e-bf91-f4455120b917\}[precreate]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{de974d24-d9c6-4d3e-bf91-f4455120b917\} \ [stream]$ 

Oueries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{de974d24-d9c6-4d3e-bf91-f4455120b917\}[publishexpandedpath]}$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{de 974d 24-d 9c6-4d 3e-bf 91-f 4455120b 917\} \ [attributes]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{de974d24-d9c6-4d3e-bf91-f4455120b917\} \ [folder type id]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{de974d24-d9c6-4d3e-bf91-f4455120b917\} [initfolder \ handler]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{6f0cd92b-2e97-45d1-88ff-b0d186b8dedd\}[name]}$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{6f0cd92b-2e97-45d1-88ff-b0d186b8dedd\} [parent folder]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folderdescriptions\folderdescriptions\folderdescription\folderdescriptio$ 

Queries value:

 $\label{local-ham} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{6f0cd92b-2e97-45d1-88ff-b0d186b8dedd\}[relativepath]$ 

Queries value:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{6f0cd92b-2e97-45d1-88ff-b0d186b8dedd}\ [parsing name]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folder$ 

Oueries value:

 $\label{localized} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{6f0cd92b-2e97-45d1-88ff-b0d186b8dedd}\ \cite{Constraints}\ \cite{Const$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{6f0cd92b-2e97-45d1-88ff-b0d186b8dedd\} \ 'icon1$ 

Oueries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \mbox{$6f0cd92b-2e97-45d1-88ff-b0d186b8dedd} [streamresource]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{6f0cd92b-2e97-45d1-88ff-b0d186b8dedd\} \ [local redirectonly]$ 

Queries value:

 $\label{thm:hammon} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folde$ 

88ff-b0d186b8dedd}[roamable]

Queries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'current version \ 'explorer \ 'folder descriptions \ '\{6f0cd92b-2e97-45d1-88ff-b0d186b8dedd\}[stream]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{6f0cd92b-2e97-45d1-88ff-b0d186b8dedd\} \ [publish \ expanded \ path]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{6f0cd92b-2e97-45d1-88ff-b0d186b8dedd\} \ [folder type id]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{76fc4e2d-d6ad-4519-a663-37bd56068185\} \ [category]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{76fc4e2d-d6ad-4519-a663-37bd56068185\} \ [name]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{76fc4e2d-d6ad-4519-a663-37bd56068185\} \ [parent folder]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{76fc4e2d-d6ad-4519-a663-37bd56068185\} \ [description]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{76fc4e2d-d6ad-4519-a663-37bd56068185\} \ [relative path]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{76fc4e2d-d6ad-4519-a663-37bd56068185\} \ parsing name \ label{eq:helmonth}$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{76fc4e2d-d6ad-4519-a663-37bd56068185\} \ [infotip]$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{76fc4e2d-d6ad-4519-a663-37bd56068185}flocalizedname1

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folder$ 

Queries value:

 $HKLM \software \mbox{$microsoft\windows\currentversion} \explorer \folder descriptions \folder \descriptions \folder \folder \descriptions \folder \descriptions \folder \folder$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{76fc4e2d-d6ad-4519-a663-37bd56068185\} \ [stream resource]$ 

Queries value:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folderdescript$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{76fc4e2d-d6ad-4519-a663-37bd56068185}[localredirectonly]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{76fc4e2d-d6ad-4519-a663-37bd56068185\} \ [roamable]$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{76fc4e2d-d6ad-4519-a663-37bd56068185}[precreate]

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{76fc4e2d-d6ad-4519-a663-37bd56068185\} \ [publish \ expanded path]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{76fc4e2d-d6ad-4519-a663-37bd56068185\} \ [attributes]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{76fc4e2d-d6ad-4519-a663-37bd56068185\} \ [folder type id]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{76fc4e2d-d6ad-4519-a663-37bd56068185\} \ [initfolder \ handler]$ 

Queries value:

 $\label{thm:local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder \fol$ 

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a75d362e-50fc-4fb7-ac2c-a8beaa314493\} \ forme1$ 

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a75d362e-50fc-4fb7-ac2c-a8beaa314493\} \ [parent folder]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a75d362e-50fc-4fb7-ac2c-a8beaa314493\} \ [description]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a75d362e-50fc-4fb7-ac2c-a8beaa314493\} [relative path]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{a75d362e-50fc-4fb7-ac2c-a8beaa314493\} \ [parsing name]$ 

Queries value:

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{a75d362e-50fc-4fb7-ac2c-a8beaa314493\} \ [localized name]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a75d362e-50fc-4fb7-ac2c-a8beaa314493\} \ ficon \ 1$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{a75d362e-50fc-4fb7-ac2c-a8beaa314493\} \ [security]$ 

Oueries value

 $\label{lem:hkk} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a75d362e-50fc-4fb7-ac2c-a8beaa314493\}[streamresource]}$ 

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a75d362e-50fc-4fb7-ac2c-a8beaa314493\}[streamresourcetype]}$ 

Oueries value

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a75d362e-50fc-4fb7-ac2c-a8beaa314493\} [local redirectonly]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a75d362e-50fc-4fb7-ac2c-a8beaa314493\} \ [roamable]$ 

Oueries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$ 

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a75d362e-50fc-4fb7-ac2c-a8beaa314493\}[stream]}$ 

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a75d362e-50fc-4fb7-ac2c-a8beaa314493\}[publishexpandedpath]}$ 

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a75d362e-50fc-4fb7-ac2c-a8beaa314493\}[attributes]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a75d362e-50fc-4fb7-ac2c-a8beaa314493\}[foldertypeid]}$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a75d362e-50fc-4fb7-ac2c-a8beaa314493\} [initfolder \ handler]$ 

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\eq 491e922f-5643-4af4-a7eb-4e7a138d8174\}\category\cite{Additional contents} \label{lem:hklmsoftware} Hklm\soft\marked{Additional contents} \label{lem:hklmsoftware} Hklm\soft\marked{Additional contents} \label{lem:hklmsoftware} \label{lem:hklmsoftware} \label{lem:hklmsoftware} Hklm\soft\marked{Additional contents} \label{lem:hklmsoftware} Hklm\soft\marked{Additional contents} \label{lem:hklmsoftware} \label{lem:hklmsoftware} \label{lem:hklmsoftware} \label{lem:hklmsoft} Hklm\soft\marked{Additional contents} \label{lem:hklmsoft} \label{lem:hklmsoftmark} \label{lem:hklmsoftmark} \label{lklmsoftmark} \label{lklmsoftma$ 

Queries value

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{491e922f-5643-4af4-a7eb-4e7a138d8174\} \ [name]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{491e922f-5643-4af4-a7eb-4e7a138d8174\}[parentfolder]}$ 

Queries value

 $\label{thm:microsoft} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{491e922f-5643-4af4-a7eb-4e7a138d8174\}\[description]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{491e922f-5643-4af4-a7eb-4e7a138d8174\} \ [relative path]$ 

Queries value:

 $\label{thm:local-prop} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{491e922f-5643-4af4-a7eb-4e7a138d8174\}[parsingname]}$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{491e922f-5643-4af4-a7eb-4e7a138d8174\}[infotip]}$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{491e922f-5643-4af4-a7eb-4e7a138d8174\} \ [localized name]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{491e922f-5643-4af4-a7eb-4e7a138d8174\} \ [icon]$ 

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{491e922f-5643-4af4-a7eb-4e7a138d8174\} [security]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{491e922f-5643-4af4-a7eb-4e7a138d8174\} [stream resource]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{491e922f-5643-4af4-a7eb-4e7a138d8174\} \ [stream resource type]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{491e922f-5643-4af4-a7eb-4e7a138d8174\} \ [local redirectonly]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version' \ explorer \ 'folder descriptions \ '\{491e922f-5643-4af4-a7eb-4e7a138d8174\} \ [roamable]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{491e922f-5643-4af4-a7eb-4e7a138d8174\} [precreate]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{491e922f-5643-4af4-a7eb-4e7a138d8174\} \ [stream]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{491e922f-5643-4af4-a7eb-4e7a138d8174\} [publish expanded path]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{491e922f-5643-4af4-a7eb-4e7a138d8174\}[attributes]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{491e922f-5643-4af4-a7eb-4e7a138d8174\} \ [folder type id]$ 

Oueries value:

 $\label{thm:local-equation} HKLM\software\mbox{$^{491e922f-5643-4af4-a7eb-4e7a138d8174}[initfolderhandler]}$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{33e28130-4e1e-4676-835a-98395c3bc3bb}[category]

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{33e28130-4e1e-4676-835a-98395c3bc3bb\}[name]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '{33e28130-4e1e-4676-835a-98395c3bc3bb} \ [parent folder]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '{33e28130-4e1e-4676-835a-98395c3bc3bb} \ [description]$ 

Queries value:

 $HKLM \label{lem:hkkm} HKLM \label{lem:hkkm} HKLM \label{lem:hkkm} Software \mbox{$33e28130-4e1e-4676-835a-98395c3bc3bb} \ [relative path]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$ 

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{33e28130-4e1e-4676-835a-98395c3bc3bb\}[infotip]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'current version \ 'explorer \ 'folder descriptions \ '{33e28130-4e1e-4676-835a-98395c3bc3bb}[localized name]$ 

Oueries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions \eqref{33e28130-4e1e-4676-835a-98395c3bc3bb}\[icon]$ 

Queries value:

 $\label{thm:local-prop} $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions \eqref{33e28130-4e1e-4676-835a-98395c3bc3bb} [security]$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{33e28130-4e1e-4676-835a-98395c3bc3bb}\streamresourcel

Queries value:

 $\label{thm:local-prop} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{33e28130-4e1e-4676-835a-98395c3bc3bb\}[streamresourcetype]$$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{33e28130-4e1e-4676-835a-98395c3bc3bb\} \ [local redirectonly]$ 

Queries value:

Queries value:

 $HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cal{lem:hklm} \footnote{100} \footnote{1$ 

Queries value:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{33e28130-4e1e-4676-835a-98395c3bc3bb\}[stream]$ 

Queries value:

835a-98395c3bc3bb}[publishexpandedpath]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{33e28130-4e1e-4676-835a-98395c3bc3bb}[attributes]

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{33e28130-4e1e-4676-835a-98395c3bc3bb\}[foldertypeid]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$ 

Queries value:

HKCU\software\microsoft\windows\currentversion\explorer\user shell

folders[my pictures]

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{8ad10c31-2adb-4296-a8f7-e4701232c972\} \ [category]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ 'add 10c31-2adb-4296-a8f7-e4701232c972 \ [name]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{8ad10c31-2adb-4296-a8f7-e4701232c972\} \ [parent folder]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{8ad10c31-2adb-4296-a8f7-e4701232c972}[description]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{8ad10c31-2adb-4296-a8f7-e4701232c972\} \ [relative path]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{8ad10c31-2adb-4296-a8f7-e4701232c972}[parsingname]

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version' \ explorer \ 'folder descriptions' \ \{8ad10c31-2adb-4296-a8f7-e4701232c972\} [infotip]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{8ad10c31-2adb-4296-a8f7-e4701232c972\} \ [localized name]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{8ad10c31-2adb-4296-a8f7-e4701232c972\} \ [icon]$ 

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} In the constant of the constant of$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{8ad10c31-2adb-4296-a8f7-e4701232c972\} \ [stream resource]$ 

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{8ad10c31-2adb-4296-a8f7-e4701232c972\}[streamresourcetype]}$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{8ad10c31-2adb-4296-a8f7-e4701232c972\} \ [local redirectonly]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{8ad10c31-2adb-4296-a8f7-e4701232c972\} \ [roamable]$ 

Queries value:

 $\label{local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \explorer \folder descriptions \explorer \folder \folde$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{8ad10c31-2adb-4296-a8f7-e4701232c972\} \ [stream]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{8ad10c31-2adb-4296-a8f7-e4701232c972\} \ [publish \ expanded path]$ 

Oueries value:

 $HKLM \label{lem:hklm} HKLM \label{lem:hklm} HKLM \label{lem:hklm} Software \mbox{$microsoft\windows\currentversion} \end{substitute} a 87-e4701232c972 \mbox{$[attributes]}$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{8ad10c31-2adb-4296-a8f7-e4701232c972\}[folder type id]$ 

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} A significant with the second content of the second c$ 

Queries value:

 $\label{local-equal-equal-equal-equal} HKLM \software \mbox{82a5ea35-d9cd-47c5-9629-e15d2f714e6e} [category]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{82a5ea35-d9cd-47c5-9629-e15d2f714e6e\} [name]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{82a5ea35-d9cd-47c5-9629-e15d2f714e6e\} \ [parent folder]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{82a5ea35-d9cd-47c5-

9629-e15d2f714e6e}[description]

Queries value:

 $HKLM \ software \ `microsoft \ 'endows \ 'en$ 

Oueries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \explorer \folder descriptions \explorer \folder \folder\folder \folder \folder \folder \folder \folder \folder \folder \$ 

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{82a5ea35-d9cd-47c5-9629-e15d2f714e6e\}[infotip]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{82a5ea35-d9cd-47c5-9629-e15d2f714e6e\} \ [localized name]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{82a5ea35-d9cd-47c5-9629-e15d2f714e6e\} [icon]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{82a5ea35-d9cd-47c5-9629-e15d2f714e6e\} [stream resource]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{82a5ea35-d9cd-47c5-9629-e15d2f714e6e\} [stream resource type]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{82a5ea35-d9cd-47c5-9629-e15d2f714e6e\} \ [local redirector \ ]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{82a5ea35-d9cd-47c5-9629-e15d2f714e6e\} \ [roamable]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{82a5ea35-d9cd-47c5-9629-e15d2f714e6e}[precreate]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{82a5ea35-d9cd-47c5-9629-e15d2f714e6e\} \ folder \ fold$ 

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{82a5ea35-d9cd-47c5-9629-e15d2f714e6e\}[publishexpandedpath]}$ 

Queries value:

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{82a5ea35-d9cd-47c5-9629-e15d2f714e6e\}[folder typeid]$ 

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows\currentversion\explorer\folderdescriptions\{82a5ea35-d9cd-47c5-9629-e15d2f714e6e\}[initfolderhandler]}$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{debf2536-e1a8-4c59-b6a2-414586476aea\} \ [category]$ 

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows\currentversion\explorer\folderdescriptions\{debf2536-e1a8-4c59-b6a2-414586476aea\}[name]} \\$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{debf2536-e1a8-4c59-b6a2-414586476aea\} \ [parentfolder]$ 

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{debf2536-e1a8-4c59-b6a2-414586476aea\}\[description]\]$ 

Oueries value:

 $\label{lem:hkkkkkkkk} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{debf2536-e1a8-4c59-b6a2-414586476aea\}\ [relative path]$ 

Queries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{debf2536-e1a8-4c59-b6a2-414586476aea\}\[parsingname]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ 'folder descriptions \ '\{debf2536-e1a8-4c59-b6a2-414586476aea\}[infotip]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{debf2536-e1a8-4c59-b6a2-414586476aea}[localizedname]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{debf 2536-e1a8-4c59-b6a2-414586476aea\} [icon]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{debf 2536-e1a8-4c59-b6a2-414586476aea\} [stream resource]$ 

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{debf2536-e1a8-4c59-b6a2-414586476aea\} [stream resource type]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{debf2536-e1a8-4c59-b6a2-414586476aea\}[local redirectonly]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{debf2536-e1a8-4c59-b6a2-414586476aea\} \ [roamable]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ (ebf2536-e1a8-4c59-b6a2-414586476aea) \ [precreate]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{debf2536-e1a8-4c59-b6a2-414586476aea\} \ [publish expanded path]$ 

Queries value

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{debf2536-e1a8-4c59-b6a2-414586476aea\} [attributes]$ 

Queries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{debf2536-e1a8-4c59-b6a2-414586476aea\}\[foldertypeid]$ 

Queries value

 $HKLM \ software \ microsoft \ windows \ current version \ (debf2536-e1a8-4c59-b6a2-414586476aea) \ [initfolder \ handler]$ 

Oueries value.

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\gamma\$ 

Oueries value

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{0f214138-b1d3-4a90-bba9-27cbc0c5389a\} \ [name]$ 

Queries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{0f214138-b1d3-4a90-bba9-27cbc0c5389a\}\[parentfolder]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{0f214138-b1d3-4a90-bba9-27cbc0c5389a\} \ [description]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'unidows \ 'current version \ 'explorer \ 'folder descriptions \ '\{0f214138-b1d3-4a90-bba9-27cbc0c5389a\} \ [parsing name]$ 

Oueries value:

 $\label{thm:local-condition} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{0f214138-b1d3-4a90-bba9-27cbc0c5389a} [infotip]$ 

Queries value:

 $\label{localized halo} HKLM software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder \$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \$ 

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} In the constant of the constant of$ 

Oueries value:

 $HKLM \ software \ `microsoft \ 'current version \ 'explorer \ 'folder descriptions \ '\{0f214138-b1d3-4a90-bba9-27cbc0c5389a\} \ [stream resource]$ 

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{0f214138-b1d3-4a90-bba9-27cbc0c5389a\}[streamresourcetype]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\gamma\$ 

Queries value:

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \folder descriptions \folder \f$ 

Queries value:

 $\label{lem:hklm} HKLM software \microsoft \windows \current version \explorer \folder descriptions \current bag-27cbc0c5389a \current \c$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'current version \ 'explorer \ 'folder descriptions \ '\{0f214138-b1d3-4a90-bba9-27cbc0c5389a\} [publish expanded path]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{0f214138-b1d3-4a90-bba9-27cbc0c5389a\} [attributes]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$ 

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{0f214138-b1d3-4a90-bba9-27cbc0c5389a\}[initfolder \ handler]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{2400183a-6185-49fb-a2d8-4a392a602ba3\} \ [category]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{2400183a-6185-49fb-a2d8-4a392a602ba3\} \ [name]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{2400183a-6185-49fb-a2d8-4a392a602ba3\} \ [parent folder]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cal{lem:hklmsoftware} a 2d8-4a392a602ba3 \footnote{the lem:hklmsoftware \microsoft \makebox{\current version \explorer \folder descriptions} a 2d8-4a392a602ba3 \footnote{the lem:hklmsoftware \microsoft \makebox{\current version \explorer \footnote{the lem:hklmsoftware \microsoft \makebox{\current version \explorer \footnote{the lem:hklmsoftware \microsoft \makebox{\current version \explorer \footnote{the lem:hklmsoft \makebox{\current version \explorer \explorer \footnote{the lem:hklmsoft \makebox{\current version \explorer \explorer \footnote{the lem:hklmsoft \makebox{\current version \explorer \exp$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '{2400183a-6185-49fb-a2d8-4a392a602ba3} \ [relative path]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{2400183a-6185-49fb-a2d8-4a392a602ba3\} \ [parsing name]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2400183a-6185-49fb-a2d8-4a392a602ba3\}[infotip]}$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{2400183a-6185-49fb-a2d8-4a392a602ba3\} \ [localized name]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{2400183a-6185-49fb-a2d8-4a392a602ba3\} \ [icon]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{2400183a-6185-49fb-a2d8-4a392a602ba3\} \ [security]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{2400183a-6185-49fb-a2d8-4a392a602ba3\} \ [stream resource]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{2400183a-6185-49fb-a2d8-4a392a602ba3\}[stream resource type]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{2400183a-6185-49fb-a2d8-4a392a602ba3\}[local redirect only]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{2400183a-6185-49fb-a2d8-4a392a602ba3\} \ [roamable]$ 

Queries value:

 $\label{thm:hklm:software} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\explorer\folderdescriptions\currentversion\explorer\ex$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \end{align* in the label} In the label \software \end{align* in the label} In the label \end{$ 

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2400183a-6185-49fb-a2d8-4a392a602ba3\}[publishexpandedpath]}$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{2400183a-6185-49fb-a2d8-4a392a602ba3\}[attributes]$ 

Oueries value:

 $\label{local-equation} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2400183a-6185-49fb-a2d8-4a392a602ba3\}[foldertypeid]}$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder \folde$ 

Oueries value:

 $HKLM \label{lem:hklm} HKLM \label{lem:hklm} HKLM \label{lem:hklm} Software \mbox{$microsoft$} \ \mbox{$windows$} \ \mbox{$currentversion} \ \mbox{$explorer$} \ \mbox{$folderdescriptions} \ \mbox{$d9dc8a3b-b784-432e-a781-5a1130a75963} \ \mbox{$[category]$} \ \mbox{$explorer$} \ \mbox{$folderdescriptions} \ \mbox{$folderdescriptions}$ 

Queries value:

 $\label{lem:hklmsoftware} HkLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$ 

Queries value:

 $HKLM \\ software \\ | microsoft \\ windows \\ current \\ version \\ explorer \\ folder \\ descriptions \\ \{d9dc8a3b-b784-432e-a781-5a1130a75963\} \\ [parent folder]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{d9dc8a3b-b784-432e-a781-5a1130a75963} \[ description \]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{d9dc8a3b-b784-432e-a781-5a1130a75963\} \ [relative path]$ 

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} Larrent version \explorer \folder descriptions \folder \folder descriptions \folder \fol$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ (explorer) folder descriptions \ (explo$ 

a781-5a1130a75963}[infotip]

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{d9dc8a3b-b784-432e-a781-5a1130a75963\} \ [localized name]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{d9dc8a3b-b784-432e-a781-5a1130a75963\} \ [security]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{d9dc8a3b-b784-432e-a781-5a1130a75963\} \ [stream resource]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{d9dc8a3b-b784-432e-a781-5a1130a75963\} \ [stream resource type]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{d9dc8a3b-b784-432e-a781-5a1130a75963\} \ [local redirector \ ]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{d9dc8a3b-b784-432e-a781-5a1130a75963\} \ [roamable]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ (d9dc8a3b-b784-432e-a781-5a1130a75963) \ [precreate]$ 

Queries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d9dc8a3b-b784-432e-a781-5a1130a75963}\$ [stream]

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ (d9dc8a3b-b784-432e-a781-5a1130a75963) \ [publish \ expanded path]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{d9dc8a3b-b784-432e-a781-5a1130a75963\} \ [attributes]$ 

Oueries value:

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ (d9dc8a3b-b784-432e-a781-5a1130a75963) \ [initfolder \ handler]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c4900540-2379-4c75-844b-64e6faf8716b}[category]

Queries value:

 $HKLM \ software \ `microsoft \ 'c4900540-2379-4c75-844b-64e6faf8716b \ [name]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c4900540-2379-4c75-844b-64e6faf8716b}[parentfolder]

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \end{area} HKLM \software \end{area} in \end{area} Hklk \end{area} H$ 

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} current version \end{c4900540-2379-4c75-844b-64e6faf8716b} [relative path]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c4900540-2379-4c75-844b-64e6faf8716b}[parsingname]

Queries value:

 $\label{lem:hkkm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \c4900540-2379-4c75-844b-64e6 \faf8716b \cite{linfotip}$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{c4900540-2379-4c75-844b-64e6faf8716b\} [localized name]$ 

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c4900540-2379-4c75-844b-64e6faf8716b}\ [icon]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c4900540-2379-4c75-844b-64e6faf8716b}[security]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c4900540-2379-4c75-844b-64e6faf8716b}[streamresource]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c4900540-2379-4c75-844b-64e6faf8716b}[streamresourcetype]

Queries value:

 $HKLM \ software \ `microsoft \ 'c4900540-2379-4c75-844b-64e6 \ faf8716b \ [local redirectorly]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{c4900540-2379-4c75-844b-64e6faf8716b\} \ [roamable]$ 

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c4900540-2379-4c75-844b-64e6faf8716b}[precreate]

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{c4900540-2379-4c75-844b-64e6faf8716b\}[stream]$ 

Queries value:

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{c4900540-2379-4c75-844b-64e6faf8716b\}[attributes]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{c4900540-2379-4c75-844b-64e6faf8716b\}[folder type id]$ 

Queries value:

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{289a9a43-be44-4057-a41b-587a76d7e7f9\} \ [category]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{289a9a43-be44-4057-a41b-587a76d7e7f9\} \ forme1$ 

Oueries value

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{289a9a43-be44-4057-a41b-587a76d7e7f9\} \ [parent folder]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{289a9a43-be44-4057-a41b-587a76d7e7f9\} [description]$ 

Oueries value

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{289a9a43-be44-4057-a41b-587a76d7e7f9\} [relative path]$ 

Queries value:

 $\label{lem:hammon} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \curren$ 

Queries value:

 $\label{lem:hkklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{289a9a43-be44-4057-a41b-587a76d7e7f9}\[infotip]$ 

Queries value:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{289a9a43-be44-4057-a41b-587a76d7e7f9\}[localized name]}$ 

Queries value:

Oueries value:

 $\label{thm:local-basis} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \c$ 

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{289a9a43-be44-4057-a41b-587a76d7e7f9\}[streamresource]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{289a9a43-be44-4057-a41b-587a76d7e7f9\} [stream resource type]$ 

Queries value:

 $\label{lem:hammon} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{289a9a43-be44-4057-a41b-587a76d7e7f9\}[localredirectonly]}$ 

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{289a9a43-be44-4057-a41b-587a76d7e7f9\}[roamable]}$ 

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\explorer\folderdescriptions\currentversion\explorer\ex$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{289a9a43-be44-4057-a41b-587a76d7e7f9\}[stream]}$ 

Queries value:

 $\label{lem:hkk} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{289a9a43-be44-4057-a41b-587a76d7e7f9} [publishexpandedpath]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{289a9a43-be44-4057-a41b-587a76d7e7f9\} [attributes]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{289a9a43-be44-4057-a41b-587a76d7e7f9\} \ [folder type id]$ 

Queries value:

 $\label{lem:hamilton} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{289a9a43-be44-4057-a41b-587a76d7e7f9\}[initfolderhandler]}$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4bfefb45-347d-4006-a5be-ac0cb0567192\}\cite{Control of the control of$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ 'folder descriptions \ '\{4bfefb45-347d-4006-a5be-ac0cb0567192\} \ [name]$ 

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{4bfefb45-347d-4006-a5be-ac0cb0567192\} \ [parent folder]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{4bfefb45-347d-4006-a5be-ac0cb0567192\} \ [description]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{4bfefb45-347d-4006-a5be-ac0cb0567192\} \ [relative path]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '{4bfefb45-347d-4006-a5be-ac0cb0567192} \ [par sing name]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{4bfefb45-347d-4006-a5be-ac0cb0567192\} [infotip]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '{4bfefb45-347d-4006-a5be-ac0cb0567192} \ [localized name]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{4bfefb45-347d-4006-a5be-ac0cb0567192\} \ [icon]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{4bfefb45-347d-4006-a5be-ac0cb0567192\} [security]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{4bfefb45-347d-4006-a5be-ac0cb0567192\} \ [stream resource]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{4bfefb45-347d-4006-a5be-ac0cb0567192\} \ [stream resource type]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{4bfefb45-347d-4006-a5be-ac0cb0567192\} \ [local redirectonly]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{4bfefb45-347d-4006-a5be-ac0cb0567192\} \ [roamable]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{4bfefb45-347d-4006-a5be-ac0cb0567192\} [precreate]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{4bfefb45-347d-4006-a5be-ac0cb0567192\} [stream]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{4bfefb45-347d-4006-a5be-ac0cb0567192\} [publish expanded path]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ (4bfefb45-347d-4006-a5be-ac0cb0567192) \ [attributes]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{4bfefb45-347d-4006-a5be-ac0cb0567192\} \ [folder type id]$ 

Oueries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4bfefb45-347d-4006-a5be-ac0cb0567192\}[initfolderhandler]}$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b7534046-3ecb-4c18-be4e-64cd4cb7d6ac\}[category]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{b7534046-3ecb-4c18-be4e-64cd4cb7d6ac\} \ [name]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b7534046-3ecb-4c18-be4e-64cd4cb7d6ac\}[parent folder]$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b7534046-3ecb-4c18-be4e-64cd4cb7d6ac}[description]

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b7534046-3ecb-4c18-be4e-64cd4cb7d6ac\}[relative path]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folder$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \mbox{bridge} windows \current version \explorer \folder descriptions \folds \f$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{b7534046-3ecb-4c18-be4e-64cd4cb7d6ac\} \ [localized name]$ 

Queries value:

Queries value:

 $\label{thm:local_explorer_folder} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \formula \current version \explorer \folder \current \c$ 

be4e-64cd4cb7d6ac}[security]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{b7534046-3ecb-4c18-be4e-64cd4cb7d6ac\}[stream resource]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b7534046-3ecb-4c18-be4e-64cd4cb7d6ac\}[stream resource type]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{b7534046-3ecb-4c18-be4e-64cd4cb7d6ac\} \ [local redirectorly]$ 

Oueries value:

 $\label{lem:hklmsoftware} HKLM \software \mbox{b7534046-3ecb-4c18-be4e-64cd4cb7d6ac} [roamable]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{b7534046-3ecb-4c18-be4e-64cd4cb7d6ac\} \ [precreate]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{b7534046-3ecb-4c18-be4e-64cd4cb7d6ac\} [stream]$ 

Queries value:

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b7534046-3ecb-4c18-be4e-64cd4cb7d6ac\}[attributes]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b7534046-3ecb-4c18-be4e-64cd4cb7d6ac\}[folder type id]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{b7534046-3ecb-4c18-be4e-64cd4cb7d6ac\} \ finit folder \ handler \ label{finit}$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'ee 32e 446-31 ca-4aba-814f-a 5eb d 2f d 6d 5e \} [category]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{ee32e446-31ca-4aba-814f-a5ebd2fd6d5e\} \ forme1$ 

Queries value:

 $HKLM software \microsoft \windows \current version \explorer \folder descriptions \ears a 14f-a 5ebd 2fd 6d5e \graph \current \$ 

Queries value:

 $\label{thm:local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \equal 6.31 ca-4 aba-814f-a5ebd2fd6d5e \footnote{1.00cm} [description]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{ee 32e 446-31 ca-4aba-814f-a 5eb d 2f d 6d 5e\} [relative path]$ 

Queries value:

 $\label{lem:hkkm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \early \early \early \folder \early \folder \early \early \early \early \early \folder \folder \early \$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \end{area} 1 ca-4 aba-814f-a5ebd2fd6d5e [infotip]$ 

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows\currentversion\explorer\folderdescriptions\eq ee 32e 446-31 ca-4 aba-814f-a5ebd2fd6d5e [localized name]$ 

Queries value:

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{ee32e446-31ca-4aba-814f-a5ebd2fd6d5e\} \ [security]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{ee32e446-31ca-4aba-814f-a5ebd2fd6d5e}{streamresource}

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\eq 2e446-31ca-4aba-814f-a5ebd2fd6d5e\folderdescriptions\eq [streamresourcetype]$ 

Queries value:

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{ee32e446-31ca-4aba-814f-a5ebd2fd6d5e}[roamable]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{ee32e446-31ca-4aba-814f-a5ebd2fd6d5e}[precreate]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{ee32e446-31ca-4aba-814f-a5ebd2fd6d5e\}[stream]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{ee32e446-31ca-4aba-814f-a5ebd2fd6d5e}[publishexpandedpath]

Oueries value:

Queries value:

Oueries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c870044b-f49e-4126-a9c3-b52a1ff411e8\}[category]}$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{c870044b-f49e-4126-a9c3-b52a1ff411e8\} [name]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{c870044b-f49e-4126-a9c3-b52a1ff411e8\} \ [parent folder]$ 

Queries value

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{c870044b-f49e-4126-a9c3-b52a1ff411e8\} \ [description]$ 

Oueries value

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{c870044b-f49e-4126-a9c3-b52a1ff411e8\} \ [relative path]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{c870044b-f49e-4126-a9c3-b52a1ff411e8\} \ [parsing name]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{c870044b-f49e-4126-a9c3-b52a1ff411e8\} [infotip]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{c870044b-f49e-4126-a9c3-b52a1ff411e8\}[localized name]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{c870044b-f49e-4126-a9c3-b52a1ff411e8\} [icon]$ 

Queries value

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{c870044b-f49e-4126-a9c3-b52a1ff411e8\} [security]$ 

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c870044b-f49e-4126-a9c3-b52a1ff411e8\}[streamresource]$ 

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c870044b-f49e-4126-a9c3-b52a1ff411e8\}[streamresourcetype]}$ 

Oueries value:

 $\label{thm:local-condition} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \centering \centeri$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{c870044b-f49e-4126-a9c3-b52a1ff411e8\} \ [roamable]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{c870044b-f49e-4126-a9c3-b52a1ff411e8\}[precreate]$ 

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\explorer\folderdescriptions\currentversion\explorer\ex$ 

Oueries value:

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\explorer\folderdescriptions\currentversion\explorer\expl$ 

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c870044b-f49e-4126-a9c3-b52a1ff411e8\}[foldertypeid]}$ 

Queries value:

 $\label{lem:hkk} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c870044b-f49e-4126-a9c3-b52a1ff411e8}\ [initfolder\ handler]$ 

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} Current version \end{align* lem:hklmsoftware in the large of the l$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{0139d44e-6afe-49f2-8690-3dafcae6ffb8\} \ [name]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{0139d44e-6afe-49f2-8690-3dafcae6ffb8\} \ [parent folder]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{0139d44e-6afe-49f2-8690-3dafcae6ffb8\} \ [description]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folder$ 

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folder$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \ \{0139d44e-6afe-49f2-8690-3daf cae 6ffb8\} [infotip]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folder$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folder$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folder$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{0139d44e-6afe-49f2-8690-3dafcae6ffb8\}[stream resource]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{0139d44e-6afe-49f2-8690-3dafcae6ffb8\} \ [stream resource type]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{0139d44e-6afe-49f2-8690-3dafcae6ffb8\} \ [local redirector \ ]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{0139d44e-6afe-49f2-8690-3daf \ cae 6ffb8\} \ [roamable]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{0139d44e-6afe-49f2-8690-3daf \ cae 6ffb8\}[precreate]$ 

Oueries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folderdescript$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{0139d44e-6afe-49f2-8690-3dafcae6ffb8\} \ [publish expanded path]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{0139d44e-6afe-49f2-8690-3dafcae6ffb8\}[attributes]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folder$ 

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows\currentversion} Hklm\software\mbox{0139d44e-6afe-49f2-8690-3dafcae6ffb8}[initfolderhandler]$ 

Queries value:

 $\label{local-operator} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \category \cite{theory} and \c$ 

Queries value:

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{\c5abbf53-e17f-4121-8900-86626fc2c973\}[parentfolder]}$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'c5 abbf53-e17f-4121-8900-86626 fc2c973 \ [description]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{c5abbf53-e17f-4121-8900-86626fc2c973\} \ [relative path]$ 

Queries value:

 $\label{thm:local-bound} $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c5abbf53-e17f-4121-8900-86626fc2c973\}[parsingname]} $$$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c5abbf53-e17f-4121-8900-86626fc2c973}\infotipl

Queries value:

 $\label{thm:localized} $HKLM \setminus software \min soft windows \cap \exp lorer \ folder descriptions \ \{c5abbf53-e17f-4121-8900-86626fc2c973\} \ [localized name] $$$ 

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows\currentversion} Hklm\software\mbox{confolderdescriptions} {c5abbf53-e17f-4121-8900-86626fc2c973} [icon]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cal{lem:hklk} \end{cases} $\{c5abbf53-e17f-4121-8900-86626fc2c973\} [security] $$$ 

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{c5abbf53-e17f-4121-8900-86626fc2c973\} \ [stream resource]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{c5abbf53-e17f-4121-8900-86626fc2c973\} \ [stream resource type]$ 

Queries value:

 $\label{thm:local_continuous} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \color=17f-4121-17f-4121$ 

8900-86626fc2c973}[localredirectonly]

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{c5abbf53-e17f-4121-8900-86626fc2c973\} \ [roamable]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \mbox{correntversion} explorer \folder descriptions \color= 17f-4121-8900-86626 \footnote{folder} for the label of the$ 

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{c5abbf53-e17f-4121-8900-86626fc2c973\}[stream]$ 

Oueries value:

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{c5abbf53-e17f-4121-8900-86626fc2c973\}[attributes]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{c5abbf53-e17f-4121-8900-86626fc2c973\} [folder type id]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{c5abbf53-e17f-4121-8900-86626fc2c973\} [initfolder \ handler]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{56784854-c6cb-462b-8169-88e350 \ acb 882\} \ [category]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{56784854-c6cb-462b-8169-88e350 \ acb 882\} \ [name]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{56784854-c6cb-462b-8169-88e350acb882\} \ [parent folder]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{56784854-c6cb-462b-8169-88e350acb882\} \ [description]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{56784854-c6cb-462b-8169-88e350 \ acb882\} \ [relative path]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folder$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \mbox{56784854-c6cb-462b-8169-88e350acb882} [infotip]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{56784854-c6cb-462b-8169-88e350acb882\} \ [localized name]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{56784854-c6cb-462b-8169-88e350acb882\} \ ficon \ 1$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'current version \ 'explorer \ 'folder descriptions \ '\{56784854-c6cb-462b-8169-88e350 \ acb 882\} \ [security]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{56784854-c6cb-462b-8169-88e350acb882\}[streamresource]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{56784854-c6cb-462b-8169-88e350acb882}[streamresourcetype]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{56784854-c6cb-462b-8169-88e350acb882}[localredirectonly]

Queries value:

 $HKLM \ software \ `microsoft \ 'current version \ 'explorer \ 'folder descriptions \ '\{56784854-c6cb-462b-8169-88e350acb882\} \ [roamable]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cite{100} \forer \folder \cite{100} \forer \folder \cite{100} \forer \folder \cite{100} \forer \cit$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{56784854-c6cb-462b-8169-88e350 \ acb 882\} \ [stream]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \mbox{$56784854-c6cb-462b-8169-88e350acb882} [publish expanded path]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{56784854-c6cb-462b-8169-88e350acb882}[attributes]

Queries value:

 $HKLM \ software \ `microsoft \ 'current version \ 'explorer \ 'folder descriptions \ '\{56784854-c6cb-462b-8169-88e350 \ acb 882\} \ [folder type id]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{56784854-c6cb-462b-8169-88e350acb882\} \ [initfolder \ handler]$ 

Queries value: HKCU\software\microsoft\windows\currentversion\explorer\user shell

folders[{56784854-c6cb-462b-8169-88e350acb882}]

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{7b396e54-9ec5-4300-be0a-2482ebae1a26\} \ [category]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \mbox{$7b396e54-9ec5-4300-be0a-2482ebae1a26} [name]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{7b396e54-9ec5-4300-be0a-2482ebae1a26\} \ [parent folder]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{7b396e54-9ec5-4300-be0a-2482ebae1a26\} \ [description]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{7b396e54-9ec5-4300-be0a-2482ebae1a26\} \ [parsing name]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{7b396e54-9ec5-4300-be0a-2482ebae1a26\} \ [infotip]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{7b396e54-9ec5-4300-be0a-2482ebae1a26\} [localized name]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{7b396e54-9ec5-4300-be0a-2482ebae1a26\} [icon]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{7b396e54-9ec5-4300-be0a-2482ebae1a26\} \ [security]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{7b396e54-9ec5-4300-be0a-2482ebae1a26\} \ [stream resource]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{7b396e54-9ec5-4300-be0a-2482ebae1a26\} \ for \ explorer \ folder \ descriptions \ for \ explorer \ folder \ descriptions \ for \ explorer \ folder \ descriptions \ for \ explorer \ folder \ for \ explorer \ fo$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{7b396e54-9ec5-4300-be0a-2482ebae1a26\} \ [local redirectonly]$ 

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows\currentversion\explorer\folderdescriptions\{7b396e54-9ec5-4300-be0a-2482ebae1a26\}[roamable]} \\$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{7b396e54-9ec5-4300-be0a-2482ebae1a26\} [precreate]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folder$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '{7b396e54-9ec5-4300-be0a-2482ebae1a26} \ [publish \ explorer \ 'folder descriptions \ '{7b396e54-9ec5-4300-be0a-2482ebae1a26} \ [publish \ explorer \ 'folder descriptions \ '{7b396e54-9ec5-4300-be0a-2482ebae1a26} \ [publish \ explorer \ 'folder \ 'fold$ 

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} Later the sign of the sum of the statement of the sum of$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$ 

Queries value:

 $\label{local-equation} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \f$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{bcbd3057-ca5c-4622-b42d-bc56db0ae516}[category]

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{bcbd3057-ca5c-4622-b42d-bc56db0ae516\}\[ name\] }$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ (bcbd 3057-ca5c-4622-b42d-bc56db0ae516) \ [parent folder]$ 

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosof$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{bcbd3057-ca5c-4622-b42d-bc56db0ae516\} \ [relative path]$ 

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsof$ 

Queries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{bcbd3057-ca5c-4622-b42d-bc56db0ae516\}[infotip]}$ 

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{bcbd3057-ca5c-4622-b42d-bc56db0ae516}[localizedname]

Oueries value:

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosof$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{bcbd 3057-ca5c-4622-b42d-bc56db0ae516\}[stream resource]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{bcbd3057-ca5c-4622-b42d-bc56db0ae516\} \ [stream resource type]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{bcbd3057-ca5c-4622-b42d-bc56db0ae516\} \ [local redirectonly]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{bcbd 3057-ca 5c-4622-b42d-bc 56db 0ae 516\} \ [roamable]$ 

Oueries value

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{bcbd3057-ca5c-4622-b42d-bc56db0ae516\} \ [precreate]$ 

Oueries value

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{bcbd 3057-ca 5c-4622-b42d-bc 56db 0ae 516\} \ [stream]$ 

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Lab$ 

Oueries value

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{bcbd 3057-ca 5c-4622-b42d-bc 56db 0ae 516\}[attributes]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{bcbd 3057-ca5c-4622-b42d-bc56db0ae516\} \ [folder type id]$ 

Oueries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosof$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a302545d-deff-464b-abe8-61c8648d939b\} \ [category]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version' \ explorer \ 'folder descriptions \ '\{a302545d-deff-464b-abe8-61c8648d939b\} \ [name]$ 

Oueries value:

 $\label{thm:local-condition} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder \fo$ 

Queries value:

 $\label{local-prop} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a302545d-deff-464b-abe8-61c8648d939b\}[description]}$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a302545d-deff-464b-abe8-61c8648d939b\} [relative path]$ 

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a302545d-deff-464b-abe8-61c8648d939b\}[parsingname]}$ 

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{a302545d-deff-464b-abe8-61c8648d939b\}[infotip]$ 

Queries value:

 $\label{localized-deff-464b-deff-464b-deff-464b-deff-464b-deff-464b-def-46$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{a302545d-deff-464b-abe8-61c8648d939b\}[icon]$ 

Queries value:

 $\label{thm:microsoft} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a302545d-deff-464b-abe8-61c8648d939b\}[security]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a302545d-deff-464b-abe8-61c8648d939b\} [stream resource]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{a302545d-deff-464b-abe8-61c8648d939b\} \ [stream resource type]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ 'a 302545 d-deff-464 b-abe8-61c8648 d939b \ [local redirectorly]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a302545d-deff-464b-abe8-61c8648d939b\} \ [roamable]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a302545d-deff-464b-abe8-61c8648d939b\}[precreate]$ 

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a302545d-deff-464b-abe8-61c8648d939b\}[stream]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a302545d-deff-464b-abe8-61c8648d939b\} [publish expanded path]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a302545d-deff-464b-abe8-61c8648d939b\}[attributes]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a302545d-deff-464b-abe8-61c8648d939b\} [folder type id]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a302545d-deff-464b-abe8-61c8648d939b\} [initfolder handler]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'current version \ 'explorer \ 'folder descriptions \ '\{2b0f765d-c0e9-4171-908e-08a611b84ff6\} \ [category]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'current version \ 'explorer \ 'folder descriptions \ '\{2b0f765d-c0e9-4171-908e-08a611b84ff6\} [name]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{2b0f765d-c0e9-4171-908e-08a611b84ff6\} [parent folder]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{2b0f765d-c0e9-4171-908e-08a611b84ff6\} [description]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{2b0f765d-c0e9-4171-908e-08a611b84ff6\} \ [relative path]$ 

Oueries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2b0f765d-c0e9-4171-908e-08a611b84ff6}\[parsingname]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{2b0f765d-c0e9-4171-908e-08a611b84ff6\} \ [infotip]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ 'current version \ 'explorer \ 'folder descriptions \ '\{2b0f765d-c0e9-4171-908e-08a611b84ff6\}[localized name]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{2b0f765d-c0e9-4171-908e-08a611b84ff6\}[icon]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{2b0f765d-c0e9-4171-908e-08a611b84ff6\} [security]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{2b0f765d-c0e9-4171-908e-08a611b84ff6\} \ [stream resource]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{2b0f765d-c0e9-4171-908e-08a611b84ff6\} [stream resource type]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2b0f765d-c0e9-4171-908e-08a611b84ff6\}[localredirectonly]}$ 

Queries value:

 $\label{local-observable} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{2b0f765d-c0e9-4171-908e-08a611b84ff6} [roamable]$ 

Queries value:

$$\label{local-prop} \begin{split} &\text{HKLM} \ software \ |\ microsoft \ windows \ |\ current \ version \ |\ explorer \ |\ folder descriptions \ |\ (2b0f765d-c0e9-4171-908e-08a611b84ff6) \ |\ precreate] \end{split}$$

Queries value:

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2b0f765d-c0e9-4171-908e-08a611b84ff6}\publishexpandedpath1

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{2b0f765d-c0e9-4171-908e-08a611b84ff6} [attributes]$ 

Queries value:

 $HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \folder \folder \current \folder \folder \current \folder \folder \current \folder \folder \current \folder \folder$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{2b0f765d-c0e9-4171-908e-08a611b84ff6} [initfolder \mbox{handler}]$ 

Oueries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicro$ 

Queries value:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2a00375e-224c-49de-b8d1-440df7ef3ddc\}[name]} \\$ 

Queries value:

b8d1-440df7ef3ddc}[parentfolder]

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{2a00375e-224c-49de-b8d1-440df7ef3ddc\} [description]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'endows \ 'en$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{2a00375e-224c-49de-b8d1-440df7ef3ddc\} \ [parsing name]$ 

Oueries value:

 $\label{lem:hklmsoftwaremicrosoftwindows current version lemma le$ 

Oueries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{2a00375e-224c-49de-b8d1-440df7ef3ddc\} [localized name]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2a00375e-224c-49de-b8d1-440df7ef3ddc\}[icon]}$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{2a00375e-224c-49de-b8d1-440df7ef3ddc\} \ [security]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{2a00375e-224c-49de-b8d1-440df7ef3ddc\}[stream resource]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{2a00375e-224c-49de-b8d1-440df7ef3ddc\}[stream resource type]$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2a00375e-224c-49de-b8d1-440df7ef3ddc}[localredirectonlv]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{2a00375e-224c-49de-b8d1-440df7ef3ddc\} \ [roamable]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{2a00375e-224c-49de-b8d1-440df7ef3ddc\} \ for \ create1$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{2a00375e-224c-49de-b8d1-440df7ef3ddc\} \ [stream]$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2a00375e-224c-49de-b8d1-440df7ef3ddc}[publishexpandedpath]

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} current version \end{allower} $$ Hklm\software\microsoft\windows\current version\end{allower} $$ b8d1-440df7ef3ddc\[attributes\] $$$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \folder \folder \current \folder \folder \current \folder \folder$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \$ 

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwaremic$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{e555ab60-153b-4d17-9f04-a5fe99fc15ec\} [name]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{e555ab60-153b-4d17-9f04-a5fe99fc15ec\} \ [parent folder]$ 

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwaremicrosoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwaremic$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \mbox{e555ab60-153b-4d17-9f04-a5fe99fc15ec} [relative path]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{e555ab60-153b-4d17-9f04-a5fe99fc15ec}[parsingname]

Queries value:

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{e555ab60-153b-4d17-9f04-a5fe99fc15ec}[localizedname]

Queries value:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{e555ab60-153b-4d17-9f04-a5fe99fc15ec\}[icon]}$ 

Queries value:

 $\label{thm:local-substitute} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{eq:e555ab60-153b-4d17-9f04-a5fe99fc15ec} [security]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'e555ab60-153b-4d17-9f04-a5fe99fc15ec \ '[stream resource type]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'e555ab60-153b-4d17-9f04-a5fe99fc15ec \ [local redirectorly]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ esplorer \ folder descriptions \ \{e555ab60-153b-4d17-9f04-a5fe99fc15ec\} \ [roamable]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'e555ab60-153b-4d17-9f04-a5fe99fc15ec \ [precreate]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'e555ab60-153b-4d17-9f04-a5fe99fc15ec \ [stream]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'epso \$ 

Oueries value

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{e555ab60-153b-4d17-9f04-a5fe99fc15ec\}[attributes]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \mbox{$e555ab60-153b-4d17-9f04-a5fe99fc15ec} [folder type id]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ 'e555ab60-153b-4d17-9f04-a5fe99fc15ec \ [initfolder handler]$ 

Oueries value

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folder$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{054 fae 61-4 dd 8-4787-80 b6-090220 c4 b700\} \ [name]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folder descriptions \currentversion\explorer\folder descriptions \currentversion\explorer\folder descriptions \currentversion\explorer\folder descriptions \currentversion\explorer\folde$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{054 fae 61-4 dd 8-4787-80 b6-090220 c4 b700\} [relative path]$ 

Oueries value:

 $\label{lem:hammon} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{0.54fae61-4dd8-4787-80b6-090220c4b700\}[parsingname]}$ 

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{0.54fae61-4dd8-4787-80b6-090220c4b700\}[infotip]}$ 

Queries value: IKLM\software

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folderdescript$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\currentversion\explorer\currentversion\explorer\currentversion\explorer\currentversion\explorer\currentversion\explorer\currentversion\explorer\explorer\explorer\currentversion\explorer\explore$ 

Oueries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} In the label of the label o$ 

Queries value

 $\label{thm:hklm} $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{054fae61-4dd8-4787-80b6-090220c4b700\}[streamresource]}$ 

Queries value:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{0.54fae61-4dd8-4787-80b6-090220c4b700\}[streamresourcetype]}$ 

Queries value

 $\label{thm:hk.mass} $$HKL^M\software\microsoft\windows\currentversion\explorer\folderdescriptions\{0.54fae61-4dd8-4787-80b6-090220c4b700\}[localredirectonly]}$ 

Queries value:

 $\label{lem:hammon} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{054fae61-4dd8-4787-80b6-090220c4b700\}[roamable]}$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{054fae61-4dd8-4787-80b6-090220c4b700\} \ [precreate]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'unidows \ 'current version \ 'explorer \ 'folder descriptions \ '\{054 fae 61-4 dd 8-4787-80 b6-090220 c4 b700\} [stream]$ 

Queries value:

 $\label{lem:hamilton} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\gamma\gamm$ 

Queries value:

 $\label{lem:hamilton} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{0.54fae61-4dd8-4787-80b6-090220c4b700\}[attributes]}$ 

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{054fae61-4dd8-4787-80b6-090220c4b700\} [folder type id]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{054 fae 61-4 dd 8-4787-80 b6-090220 c4 b700\} [init folder handler]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '{1777f761-68ad-4d8a-87bd-30b759fa33dd} \ [category]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1777f761-68ad-4d8a-87bd-30b759fa33dd}\ [name]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{1777f761-68ad-4d8a-87bd-30b759fa33dd\} \ [parent folder]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'current version \ 'explorer \ 'folder descriptions \ '\{1777f761-68ad-4d8a-87bd-30b759fa33dd\} \ [description]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$ 

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} In the constant of the constant of$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1777f761-68ad-4d8a-87bd-30b759fa33dd}\[infotip]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{1777f761-68ad-4d8a-87bd-30b759fa33dd\} \ [localized name]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{1777f761-68ad-4d8a-87bd-30b759fa33dd\}[icon]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{1777f761-68ad-4d8a-87bd-30b759fa33dd\} \ [security]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{1777f761-68ad-4d8a-87bd-30b759fa33dd\} [stream resource]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1777f761-68ad-4d8a-87bd-30b759fa33dd}\[streamresourcetype]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{1777f761-68ad-4d8a-87bd-30b759fa33dd\} \ [local redirectonly]$ 

Queries value:

 $\label{thm:local-state} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \f$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$ 

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1777f761-68ad-4d8a-87bd-30b759fa33dd}\[stream]$ 

Queries value:

 $\label{local-ham} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1777f761-68ad-4d8a-87bd-30b759fa33dd}\[publishexpandedpath]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1777f761-68ad-4d8a-87bd-30b759fa33dd}\[attributes\]$ 

Queries value:

 $\label{thm:local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{1777} f761-68 ad-4d8a-87 bd-30 b759 fa 33 dd \eqref{1777} f$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{1777f761-68ad-4d8a-87bd-30b759fa33dd\} [initfolder \ handler]$ 

Queries value:

HKCU\software\microsoft\windows\currentversion\explorer\user shell

folders[favorites]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{b250c668-f57d-4ee1-a63c-290ee7d1aa1f\} \ [category]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{b250c668-f57d-4ee1-a63c-290ee7d1aa1f\} \ [name]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b250c668-f57d-4ee1-a63c-290ee7d1aa1f\}[parent folder]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{b250c668-f57d-4ee1-a63c-290ee7d1aa1f\} \ [description]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b250c668-f57d-4ee1-a63c-290ee7d1aa1f\} [relative path]$ 

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b250c668-f57d-4ee1-a63c-290ee7d1aa1f\}[parsingname]}$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{b250c668-f57d-4ee1-a63c-290ee7d1aa1f\}[infotip]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b250c668-f57d-4ee1-a63c-290ee7d1aa1f\}[localized name]$ 

Oueries value:

 $\label{lem:hklmsoftwaremicrosoftwindows\currentversion\explorer\folderdescriptions\below{b250c668-f57d-4ee1-a63c-290ee7d1aa1f}[icon]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{b250c668-f57d-4ee1-a63c-290ee7d1aa1f\} [security]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{b250c668-f57d-4ee1-a63c-290ee7d1aa1f\} [stream resource]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{b250c668-f57d-4ee1-a63c-290ee7d1aa1f\} [stream resource type]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b250c668-f57d-4ee1-a63c-290ee7d1aa1f\}[localredirectonly]}$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b250c668-f57d-4ee1-a63c-290ee7d1aa1f\}[roamable]}$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{b250c668-f57d-4ee1-a63c-290ee7d1aa1f\} [precreate]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b250c668-f57d-4ee1-a63c-290ee7d1aa1f\}[stream]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{b250c668-f57d-4ee1-a63c-290ee7d1aa1f\} [publish expanded path]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{b250c668-f57d-4ee1-a63c-290ee7d1aa1f\}[attributes]$ 

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} If the properties of th$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b250c668-f57d-4ee1-a63c-290ee7d1aa1f\}[initfolder \ handler]$ 

Queries value:

 $\label{thm:local-substitution} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \f$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{52528a6b-b9e3-4add-b60d-588c2dba842d\} \ [name]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folder$ 

Queries value:

 $\label{lem:hamman} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{52528a6b-b9e3-4add-b60d-588c2dba842d\}[description]$ 

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} current version \verb| version \verb| explorer \verb| folder descriptions \verb| {52528a6b-b9e3-4add-b60d-588c2dba842d}[relative path]|$ 

Queries value:

 $\label{thm:local-prop} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{52528a6b-b9e3-4add-b60d-588c2dba842d}\[parsingname]$ 

Oueries value:

 $\label{lem:hamilton} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folderdesc$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'current version \ 'explorer \ 'folder descriptions \ '\{52528a6b-b9e3-4add-b60d-588c2dba842d\} [localized name]$ 

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows\currentversion\explorer\folderdescriptions \currentversion\explorer\folderdescriptions \currentversion\explorer\folderdescriptions \currentversion\explorer\folderdescriptions \currentversion\explorer\folderdescriptions \currentversion\explorer\folderdescriptions \currentversion\explorer\folderdescriptions \currentversion\explorer\explorer\folderdescriptions \currentversion\explorer$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \mbox{$52528a6b-b9e3-4add-b60d-588c2dba842d} [security]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{52528a6b-b9e3-4add-b60d-588c2dba842d\} [stream resource]$ 

Queries value:

 $\label{local-state} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folderdescr$ 

Queries value:

b60d-588c2dba842d}[localredirectonly]

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{52528a6b-b9e3-4add-b60d-588c2dba842d\} \ [roamable]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \mbox{52528a6b-b9e3-4add-b60d-588c2dba842d} [precreate]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{52528a6b-b9e3-4add-b60d-588c2dba842d\} [stream]$ 

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folder$ 

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{52528a6b-b9e3-4add-b60d-588c2dba842d\}[attributes]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{52528a6b-b9e3-4add-b60d-588c2dba842d\} \ [folder type id]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{52528a6b-b9e3-4add-b60d-588c2dba842d\} [initfolder \ handler]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{8983036c-27c0-404b-8f08-102d10dcfd74\} \ [category]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{8983036c-27c0-404b-8f08-102d10dcfd74\} \ [name]$ 

Oueries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder \folde$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \ \{8983036c-27c0-404b-8f08-102d10dcfd74\} \ [description]$ 

Queries value:

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{8983036c-27c0-404b-8f08-102d10dcfd74\} \ [parsing name]$ 

Oueries value:

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{8983036c-27c0-404b-8f08-102d10dcfd74\}[localized name]}$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{8983036c-27c0-404b-8f08-102d10dcfd74\} \ Ficon 1$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{8983036c-27c0-404b-8f08-102d10dcfd74\} [security]$ 

Queries value:

 $\label{thm:local-prop} $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{8983036c-27c0-404b-8f08-102d10dcfd74\}[streamresource]}$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{8983036c-27c0-404b-8f08-102d10dcfd74}[streamresourcetype]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{8983036c-27c0-404b-8f08-102d10dcfd74\} \ [local redirectonly]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{8983036c-27c0-404b-8f08-102d10dcfd74\} \ [roamable]$ 

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} In the label of the label o$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{8983036c-27c0-404b-8f08-102d10dcfd74\} [stream]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \explorer \folder \folder$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{8983036c-27c0-404b-8f08-102d10dcfd74\} [attributes]$ 

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} In the label of the label o$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{8983036c-27c0-404b-8f08-102d10dcfd74\} \ [initfolder \ handler]$ 

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{bcb5256f-79f6-4cee-b725-dc34e402fd46\} \ [category]$ 

Queries value:

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{bcb5256f-79f6-4cee-b725-dc34e402fd46\} \ [parent folder]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{bcb5256f-79f6-4cee-b725-dc34e402fd46\} \ [description]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ (bcb5256f-79f6-4cee-b725-dc34e402fd46) \ [relative path]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{bcb5256f-79f6-4cee-b725-dc34e402fd46\} \ [parsing name]$ 

Queries value

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{bcb5256f-79f6-4cee-b725-dc34e402fd46\} [infotip]$ 

Oueries value

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{bcb5256f-79f6-4cee-b725-dc34e402fd46\}\[localized name]\]$ 

Oueries value

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{bcb5256f-79f6-4cee-b725-dc34e402fd46\} [icon]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{bcb5256f-79f6-4cee-b725-dc34e402fd46\} [security]$ 

Oueries value

Oueries value

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{bcb5256f-79f6-4cee-b725-dc34e402fd46\} \ [stream resource type]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{bcb5256f-79f6-4cee-b725-dc34e402fd46\} \ [local redirectonly]$ 

Oueries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder\folder \folder \folder \folder \folder \folder \folder \folder \$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{bcb5256f-79f6-4cee-b725-dc34e402fd46\} \ [precreate]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{bcb5256f-79f6-4cee-b725-dc34e402fd46\} \ [stream]$ 

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{bcb5256f-79f6-4cee-b725-dc34e402fd46\}\[publishexpandedpath]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{bcb5256f-79f6-4cee-b725-dc34e402fd46\}[attributes]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder\folder \folder \folder \folder \folder \folder \folder \folder \$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{bcb5256f-79f6-4cee-b725-dc34e402fd46\[initfolderhandler\]

Ouorios valuo

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{724ef170-a42d-4fef-9f26-b60e846fba4f}[category]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{724ef170-a42d-4fef-9f26-b60e846fba4f\[name]

Queries value

 $\label{local-prop} HKL^M\software\microsoft\windows\currentversion\explorer\folderdescriptions\{724ef170-a42d-4fef-9f26-b60e846fba4f\}[parentfolder]}$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{724ef170-a42d-4fef-9f26-b60e846fba4f\} \ [description]$ 

Queries value:

 $HKLM \label{lem:hklm} HKLM \label{lem:hklm} HKLM \label{lem:hklm} Software \mbox{$microsoft\windows\currentversion} \end{substitute} except folder descriptions \end{substitute} \{724ef170-a42d-4fef-9f26-b60e846fba4f\} \cupre{lem:hklm} \end{substitute} except folder descriptions \end{substitute} \end{substitute} \end{substitute} except \end{substitute} except folder descriptions \end{substitute} \end{substitute} \end{substitute} \end{substitute} except \end{substitute} except \end{substitute} \end{substitute} except \end{substitute} \end{substitute} \end{substitute} except \end{substitute} \end{$ 

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\folder$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folder$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$ 

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{724ef170-a42d-4fef-9f26-b60e846fba4f\} \ ficon 1$ 

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\folder$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{724ef170-a42d-4fef-9f26-b60e846fba4f\} \ [stream resource]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{724ef170-a42d-4fef-9f26-b60e846fba4f\} \ [stream resource type]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{724ef170-a42d-4fef-9f26-b60e846fba4f\} \ [local redirectonly]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{724ef170-a42d-4fef-9f26-b60e846fba4f\} \ [roamable]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{724ef170-a42d-4fef-9f26-b60e846fba4f\}[precreate]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{724ef170-a42d-4fef-9f26-b60e846fba4f\}[stream]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{724ef170-a42d-4fef-9f26-b60e846fba4f\}[publish expanded path]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folder$ 

Oueries value:

 $\label{thm:local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder \folder$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{724ef170-a42d-4fef-9f26-b60e846fba4f\}[initfolder \ handler]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{4bd8d571-6d19-48d3-be97-422220080e43\} \ [category]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{4bd8d571-6d19-48d3-be97-422220080e43\} \ [name]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{4bd8d571-6d19-48d3-be97-422220080e43\} \ [parent folder]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{4bd8d571-6d19-48d3-be97-422220080e43\} \ [description]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{4bd8d571-6d19-48d3-be97-422220080e43\} [relative path]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{4bd8d571-6d19-48d3-be97-422220080e43} \cite{Abd8d571-6d19-48d3-be97-422220080e43} \cite{Abd8d571-6d19-48d3-be97-42222080e43} \cite{Abd8d571-6d19-48d3-be97-42222080e43} \cite{Abd8d571-6d19-48d3-be97-4222080e43} \cite{Abd8d571-6d19-48d3-be97-42222080e43} \cite{Abd8d571-6d19-48d3-be97-4222080e43} \cite{Abd8d571-6d19-48d3-be97-4222080e43} \cite{Abd8d571-6d19-48d3-be97-4222080e43} \cite{Abd8d571-6d19-48d3-be97-4222080e43} \cite{Abd8d571-6d19-48d3-be97-4222080e43} \cite{Abd8d571-6d19-48d3-be97-4222080e43} \cite{Abd8d571-6$ 

Queries value:

 $\label{lem:hammon} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4bd8d571-6d19-48d3-be97-422220080e43\}[infotip]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{4bd8d571-6d19-48d3-be97-422220080e43\} \ [localized name]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{4bd8d571-6d19-48d3-be97-422220080e43\} \ [icon]$ 

Oueries value:

 $HKLM \label{lem:hklm} HKLM \label{lem:hklm} HKLM \label{lem:hklm} Software \mbox{$$ icrosoft \windows \current version \explorer \folder descriptions \folder \folde$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{4bd8d571-6d19-48d3-be97-422220080e43\} \ [stream resource]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{4bd8d571-6d19-48d3-be97-422220080e43\} \ [stream resource type]$ 

Queries value:

 $\label{thm:local-equation} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{4bd8d571-6d19-48d3-be97-422220080e43} \ [local redirect only]$ 

Oueries value:

 $HKLM \\ software \\ | microsoft \\ windows \\ current \\ version \\ explorer \\ folder \\ descriptions \\ \{4bd8d571-6d19-48d3-be97-422220080e43\} \\ [roamable]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{4bd8d571-6d19-48d3-be97-422220080e43\} \ [precreate]$ 

Queries value:

 $\label{thm:local_explorer_folder_fo$ 

be97-422220080e43}[stream]

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{4bd8d571-6d19-48d3-be97-422220080e43\} \ [publish \ expanded path]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{4bd8d571-6d19-48d3-be97-422220080e43\}[attributes]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{4bd8d571-6d19-48d3-be97-422220080e43\} \ [folder type id]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{4bd8d571-6d19-48d3-be97-422220080e43\} [initfolder \ 'handler]$ 

Queries value:

HKCU\software\microsoft\windows\currentversion\explorer\user shell

folders[my music]

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{de61d971-5ebc-4f02-a3a9-6c82895e5c04\} \ [category]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{de61d971-5ebc-4f02-a3a9-6c82895e5c04\} \ [name]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{de61d971-5ebc-4f02-a3a9-6c82895e5c04}[parentfolder]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{de61d971-5ebc-4f02-a3a9-6c82895e5c04\} \ [description]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{de61d971-5ebc-4f02-a3a9-6c82895e5c04\} \ [relative path]$ 

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{de61d971-5ebc-4f02-a3a9-6c82895e5c04\}[parsingname]}$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{de 61d971-5ebc-4f02-a3a9-6c82895e5c04\} \ [infotip]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{de61d971-5ebc-4f02-a3a9-6c82895e5c04\} \ [localized name]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{de61d971-5ebc-4f02-a3a9-6c82895e5c04\}[icon]}$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{de61d971-5ebc-4f02-a3a9-6c82895e5c04\} [security]$ 

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{de61d971-5ebc-4f02-a3a9-6c82895e5c04\}[streamresource]$ 

Queries value:

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{de61d971-5ebc-4f02-a3a9-6c82895e5c04\}[localredirectonly]}$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{de61d971-5ebc-4f02a3a9-6c82895e5c04}[roamable]

Queries value:

 $\label{local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{left} \footnote{2.25} \footnote$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{de61d971-5ebc-4f02-a3a9-6c82895e5c04}\publishexpandedpath1

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{de 61d 971 - 5ebc - 4f02 - a3a9 - 6c82895e5c04\} [attributes]$ 

Queries value:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{de61d971-5ebc-4f02-a3a9-6c82895e5c04\}[foldertypeid]}$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \equiv (de61d971-5ebc-4f02-a3a9-6c82895e5c04) \cite{linitfolder} in the label \footnote{linitfolder} and \cite{linitfolder} and \cite{linitfol$ 

Oueries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} In the label of the label o$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'current version \ 'explorer \ 'folder descriptions \ '\{0762d272-c50a-4bb0-a382-697dcd729b80\} \ [name]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ (explorer) folder descriptions \ (or 62d 272-c 50a-4bb0-d 27a-c 5$ 

a382-697dcd729b80}[parentfolder]

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{0762d272-c50a-4bb0-a382-697dcd729b80\} \ [description]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$ 

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{0762d272-c50a-4bb0-a382-697dcd729b80\} \ [parsing name]$ 

Oueries value:

 $\label{lem:hklmsoftwaremicrosoftwindows current version explorer folder descriptions \ \{0.762d272-c50a-4bb0-a382-697dcd729b80\} [infotip]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{0762d272-c50a-4bb0-a382-697dcd729b80\} \ [localized name]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folder$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{0762d272-c50a-4bb0-a382-697dcd729b80}[security]

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{0762d272-c50a-4bb0-a382-697dcd729b80\} \ [stream resource]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{0762d272-c50a-4bb0-a382-697dcd729b80\} \ [stream resource type]$ 

Oueries value:

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{0762d272-c50a-4bb0-a382-697dcd729b80\} \ [roamable]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{0762d272-c50a-4bb0-a382-697dcd729b80\} \ [precreate]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{0762d272-c50a-4bb0-a382-697dcd729b80\} \ [stream]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{0762d272-c50a-4bb0-a382-697dcd729b80}[publishexpandedpath]

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{0.762d272-c50a-4bb0-a382-697dcd729b80\}[attributes]}$ 

Queries value:

 $\label{thm:local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \folder \f$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'current version \ 'explorer \ 'folder descriptions \ '\{0762d272-c50a-4bb0-a382-697dcd729b80\} [initfolder handler]$ 

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} Current version \end{align* lem:hklmsoftware in the soft windows \end{align* lem:hklmsoftware in the soft i$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{4d9f7874-4e0c-4904-967b-40b0d20c3e4b\} [name]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4d9f7874-4e0c-4904-967b-40b0d20c3e4b}[parentfolder]

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{4d9f7874-4e0c-4904-967b-40b0d20c3e4b\} [description]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4d9f7874-4e0c-4904-967b-40b0d20c3e4b\}[relativepath]}$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{4d9f7874-4e0c-4904-967b-40b0d20c3e4b\} \ [parsing name]$ 

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows\currentversion\explorer\folderdescriptions\{4d9f7874-4e0c-4904-967b-40b0d20c3e4b\}[infotip]} \\$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4d9f7874-4e0c-4904-967b-40b0d20c3e4b}[localizedname]

Queries value:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4d9f7874-4e0c-4904-967b-40b0d20c3e4b\}[icon]}$ 

Queries value:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4d9f7874-4e0c-4904-967b-40b0d20c3e4b\}[security]}$ 

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4d9f7874-4e0c-4904-967b-40b0d20c3e4b}[streamresource]

Oueries value:

 $\label{local-bound} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \equiv 4d9f7874-4e0c-4904-967b-40b0d20c3e4b \footnote{thm: folder descriptions} \footnote{thm: folder descriptions} \equiv 4d9f7874-4e0c-4904-967b-40b0d20c3e4b \footnote{thm: folder descriptions} \equiv 4d9f784-4e0c-4904-967b-40b0d20c3e4b \footnote{thm: folder$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{4d9f7874-4e0c-4904-967b-40b0d20c3e4b\} [local redirectonly]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{4d9f7874-4e0c-4904-967b-40b0d20c3e4b\} \ [roamable]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{4d9f7874-4e0c-4904-967b-40b0d20c3e4b\}[precreate]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{4d9f7874-4e0c-4904-967b-40b0d20c3e4b\} \ for \ explorer \ folder \ descriptions \ for \ explorer \ folder \ descriptions \ for \ explorer \ folder \ descriptions \ for \ explorer \ folder \ for \ explorer \ for \ explore$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{4d9f7874-4e0c-4904-967b-40b0d20c3e4b\} \ [publish \ expanded path]$ 

Oueries value

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{4d9f7874-4e0c-4904-967b-40b0d20c3e4b\} [attributes]$ 

Queries value

 $\label{thm:local-prop} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{4d9f7874-4e0c-4904-967b-40b0d20c3e4b\}[foldertypeid]}$ 

Oueries value

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder \folde$ 

Oueries value

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\fill\ ac14e77-02e7-4e5d-b744-2eb1ae5198b7\fill\ category\cite{Ac14e77-02e7-4e5d-b744-2eb1ae5198b7}.$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{1ac14e77-02e7-4e5d-b744-2eb1ae5198b7\} \ [name]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{1ac14e77-02e7-4e5d-b744-2eb1ae5198b7\} \ [parent folder]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{1ac14e77-02e7-4e5d-b744-2eb1ae5198b7\} \ [description]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{1ac14e77-02e7-4e5d-b744-2eb1ae5198b7\} \ [relative path]$ 

Oueries value:

 $\label{thm:local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ \{1ac14e77-02e7-4e5d-b744-2eb1ae5198b7\} \ [parsing name]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{1ac14e77-02e7-4e5d-b744-2eb1ae5198b7\} \ [infotip]$ 

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1ac14e77-02e7-4e5d-b744-2eb1ae5198b7\}[localizedname]}$ 

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1ac14e77-02e7-4e5d-b744-2eb1ae5198b7\}[icon]}$ 

Oueries value:

 $\label{local-equation} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1ac14e77-02e7-4e5d-b744-2eb1ae5198b7\}[security]}$ 

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1ac14e77-02e7-4e5d-b744-2eb1ae5198b7\}[streamresource]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1ac14e77-02e7-4e5d-b744-2eb1ae5198b7\}[streamresourcetype]}$ 

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1ac14e77-02e7-4e5d-b744-2eb1ae5198b7\}[localredirectonly]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1ac14e77-02e7-4e5d-b744-2eb1ae5198b7\}[roamable]}$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{1ac14e77-02e7-4e5d-b744-2eb1ae5198b7\} \ [precreate]$ 

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1ac14e77-02e7-4e5d-b744-2eb1ae5198b7\}[stream]}$ 

Queries value:

 $\label{local-equation} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1ac14e77-02e7-4e5d-b744-2eb1ae5198b7\}[publishexpandedpath]}$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$ 

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{1ac14e77-02e7-4e5d-b744-2eb1ae5198b7\} [folder type id]$ 

Queries value:

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{a77f5d77-2e2b-44c3-a6a2-aba601054a51\} \ [category]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ 'a77f5d77-2e2b-44c3-a6a2-aba601054a51 \ [name]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a77f5d77-2e2b-44c3-a6a2-aba601054a51\} \ [parent folder]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a77f5d77-2e2b-44c3-a6a2-aba601054a51\} [description]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{a77f5d77-2e2b-44c3-a6a2-aba601054a51\} \ [relative path]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{a77f5d77-2e2b-44c3-a6a2-aba601054a51\} \ [parsing name]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{a77f5d77-2e2b-44c3-a6a2-aba601054a51\}[infotip]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a77f5d77-2e2b-44c3-a6a2-aba601054a51\} \ [localized name]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{a77f5d77-2e2b-44c3-a6a2-aba601054a51\}[icon]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{a77f5d77-2e2b-44c3-a6a2-aba601054a51\} \ [security]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{a77f5d77-2e2b-44c3-a6a2-aba601054a51\} [stream resource]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a77f5d77-2e2b-44c3-a6a2-aba601054a51\}[streamresourcetype]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a77f5d77-2e2b-44c3-a6a2-aba601054a51\} [local redirectonly]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{a77f5d77-2e2b-44c3-a6a2-aba601054a51\} \ [roamable]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a77f5d77-2e2b-44c3-a6a2-aba601054a51\}[precreate]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a77f5d77-2e2b-44c3-a6a2-aba601054a51\}[stream]$ 

Queries value:

 $\label{lem:hamman} $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a77f5d77-2e2b-44c3-a6a2-aba601054a51\}[publishexpandedpath]$$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ (a77f5d77-2e2b-44c3-a6a2-aba601054a51) \ [attributes]$ 

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a77f5d77-2e2b-44c3-a6a2-aba601054a51\}[foldertypeid]$ 

Oueries value:

Queries value:

 $\label{thm:local-problem} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{0ac0837c-bbf8-452a-850d-79d08e667ca7} \cite{Category} \]$ 

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows\currentversion} Hklm\software\mbox{\currentversion} explorer\folderdescriptions\{0ac0837c-bbf8-452a-850d-79d08e667ca7\}[name]}$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{0ac0837c-bbf8-452a-850d-79d08e667ca7} \ [parent folder]$ 

Oueries value:

 $HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \folder \folder$ 

Queries value:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{0ac0837c-bbf8-452a-850d-79d08e667ca7\}[relativepath]}$ 

Queries value:

 $\label{thm:local_thm:loc$ 

850d-79d08e667ca7}[parsingname]

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{0ac 0837 c-bbf8-452 a-850 d-79 d 08 e 667 ca7\}[infotip]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{0ac 0837 c-bbf8-452 a-850 d-79 d 08667 ca7\}[localized name]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{0ac 0837 c-bbf8-452 a-850 d-79 d 08 e 667 ca7\}[icon]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{0ac 0837 c-bbf8-452 a-850 d-79 d 08667 ca7\}[security]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{0ac 0837 c-bbf8-452 a-850 d-79 d 08 e 667 ca7\} [stream resource]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{0ac 0837 c-bbf8-452 a-850 d-79 d 08667 ca7\}[stream resource type]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{0ac 0837 c-bbf8-452 a-850 d-79 d 08667 ca7\}[local redirect only]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{0ac 0837 c-bbf8-452 a-850 d-79 d 08 e 667 ca7\} \ [roamable]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{0ac 0837 c-bbf8-452 a-850 d-79 d08667 ca7\}[precreate]$ 

Oueries value:

 $\label{lem:hklmsoftware} HKLM \software \mbox{\currentversion} explorer \folder descriptions \current850d-79d08e667ca7 \folder \mbox{\currentversion} explorer \folder \mbox{\currentversion} explorer \folder \mbox{\currentversion} explorer \mbox{\curren$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{0ac 0837 c-bbf8-452 a-850 d-79 d 08e 667 ca7\} \ [publish expanded path]$ 

Queries value:

Queries value:

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{0ac0837c-bbf8-452a-850d-79d08e667ca7\}[initfolderhandler]}$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d0384e7d-bac3-4797-8f14-cba229b392b5\}[category]}$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{d0384e7d-bac3-4797-8f14-cba229b392b5\} \ finame \ label{eq:hklm}$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \folder \folder$ 

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} In the constant of the constant of$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d0384e7d-bac3-4797-8f14-cba229b392b5}[relativepath]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{d0384e7d-bac3-4797-8f14-cba229b392b5\} \ [parsing name]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{d0384e7d-bac3-4797-8f14-cba229b392b5\}[infotip]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{d0384e7d-bac3-4797-8f14-cba229b392b5\}[localized name]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{d0384e7d-bac3-4797-8f14-cba229b392b5\}[icon]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \mbox{do384e7d-bac3-4797-8f14-cba229b392b5} [security]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d0384e7d-bac3-4797-8f14-cba229b392b5}[streamresource]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{d0384e7d-bac3-4797-8f14-cba229b392b5\} \ [stream resource type]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d0384e7d-bac3-4797-8f14-cba229b392b5}[localredirectonly]

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{d0384e7d-bac3-4797-8f14-cba229b392b5\} \ [roamable]$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d0384e7d-bac3-4797-8f14-cba229b392b5}[precreate]

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{d0384e7d-bac3-4797-8f14-cba229b392b5\}[stream]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d0384e7d-bac3-4797-8f14-cba229b392b5}[publishexpandedpath]

Queries value:

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{d0384e7d-bac3-4797-8f14-cba229b392b5\} \ [folder type id]$ 

Queries value

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{d0384e7d-bac3-4797-8f14-cba229b392b5\} \ [initfolder \ handler]$ 

Oueries value

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{7b0db17d-9cd2-4a93-9733-46cc89022e7c\} \ [category]$ 

Oueries value

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{7b0db17d-9cd2-4a93-9733-46cc89022e7c\} \ [name]$ 

Queries value:

 $\label{thm:local-prop} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7b0db17d-9cd2-4a93-9733-46cc89022e7c}\ [parentfolder]$ 

Oueries value

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folderdescriptions\folderdescriptions\folderdescription\folderdescriptio$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7b0db17d-9cd2-4a93-9733-46cc89022e7c}[relativepath]

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\f(7b0db17d-9cd2-4a93-9733-46cc89022e7c)\cite{Constraints} parsing name]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folder$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folder$ 

Oueries value:

 $\label{thm:local_microsoft} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7b0db17d-9cd2-4a93-9733-46cc89022e7c\}\[icon]$$ 

Queries value:

 $\label{thm:local-problem} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folde$ 

Queries value:

 $\label{lem:hkkm} $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folderdescrip$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folder$ 

Oueries value:

 $HKLM\software\mbox{$microsoft\windows\currentversion\explorer\folderdescriptions\folder$ 

Queries value

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7b0db17d-9cd2-4a93-9733-46cc89022e7c}[roamable]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7b0db17d-9cd2-4a93-9733-46cc89022e7c}[precreate]

Queries value

 $\label{lem:hklm} HKLM\software\microsoft\windows\current$  $version\explorer\folderdescriptions\folderdescrip$ 

Queries value:

 $\label{lem:hamilton} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folderdesc$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{7b0db17d-9cd2-4a93-9733-46cc89022e7c\} \ [attributes]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7b0db17d-9cd2-4a93-9733-46cc89022e7c\}[foldertypeid]}$ 

Queries value:

 $\label{lem:hamilton} $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7b0db17d-9cd2-4a93-9733-46cc89022e7c}\[initfolderhandler]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'endows \ 'en$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'endows \ 'en$ 

Oueries value:

 $HKLM \ software \ `microsoft \ 'endows \ 'endows' \ explorer \ 'folder descriptions \ 'ae 50 c 0 81 - ebd 2 - 438 a - 8655 - 8a 0 92 e 34 987 a \} [relative path]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{ae50c081-ebd2-438a-8655-8a092e34987a\} \ [parsing name]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{ae50c081-ebd2-438a-8655-8a092e34987a\}[infotip]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'endows \ 'en$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{ae50c081-ebd2-438a-8655-8a092e34987a}[icon]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ ae 50c081-ebd2-438a-8655-8a092e34987a \ [security]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ ae 50c081-ebd2-438a-8655-8a092e34987a \ [stream resource]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{ae50c081-ebd2-438a-8655-8a092e34987a\} \ [stream resource type]$ 

Queries value:

 $\label{local-ebd2-438a-8655-8a092e34987a} In calred irrection \explorer $$ 1.8655-8a092e34987a [local red irrection] $$$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{ae50c081-ebd2-438a-8655-8a092e34987a\} \ [roamable]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ ae 50c081-ebd2-438a-8655-8a092e34987a \ [precreate]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \end{a} e50c081-ebd2-438a-8655-8a092e34987a \slight [stream]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{ae50c081-ebd2-438a-8655-8a092e34987a\} \ [publish expanded path]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ 'ae50c081-ebd2-438a-8655-8a092e34987a \ [attributes]$ 

Oueries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosof$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97}[category]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\} \ [name]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\} [parent folder]$ 

Queries value:

 $\label{thm:local-bound} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\}[description]}$ 

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} In the constant of the constant of$ 

Queries value:

 $\label{thm:local-decomposition} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97} \cite{Gab5d82-fdc1-4dc3-a9dd-070d1d495d97} \cite{Gab5d82-fdc1-4dc3-a9dd-070d1d$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\} \ [infotip]$ 

Queries value:

 $\label{lem:hammon} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\}[localized name]}$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{62ab5d82-fdc1-4dc3-

a9dd-070d1d495d97}[icon]

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\} [security]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\} \ [stream resource]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\} \ [stream resource type]$ 

Oueries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\} \ [local redirectonly]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\} \ [roamable]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\}[precreate]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\} [stream]$ 

Oueries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\} [publish expanded path]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\}[attributes]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ (62ab5d82-fdc1-4dc3-a9dd-070d1d495d97) \ [folder type id]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{62ab5d82-fdc1-4dc3-a9dd-070d1d495d97\} \ [initfolder \ handler]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{f1b32785-6fba-4fcf-9d55-7b8e7f157091\} \ [category]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{f1b32785-6fba-4fcf-9d55-7b8e7f157091\} \ [name]$ 

Queries value:

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{f1b32785-6fba-4fcf-9d55-7b8e7f157091\} \ [description]$ 

Queries value:

 $\label{thm:local-prop} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f1b32785-6fba-4fcf-9d55-7b8e7f157091\}[relativepath]}$ 

Queries value:

Queries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f1b32785-6fba-4fcf-9d55-7b8e7f157091\}\$ [infotip]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f1b32785-6fba-4fcf-9d55-7b8e7f157091}[localizedname]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f1b32785-6fba-4fcf-9d55-7b8e7f157091}[icon]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f1b32785-6fba-4fcf-9d55-7b8e7f157091}[security]

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \fill 157091 \end{figure} folder \descriptions \fill 157091 \fil$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f1b32785-6fba-4fcf-9d55-7b8e7f157091}[streamresourcetype]

Queries value:

 $\label{thm:local-condition} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \fill 157091 \fill 157$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{f1b32785-6fba-4fcf-9d55-7b8e7f157091\} \ [roamable]$ 

Queries value:

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{f1b32785-6fba-4fcf-9d55-7b8e7f157091\} \ [stream]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{f1b32785-6fba-4fcf-9d55-7b8e7f157091\} \ [attributes]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{f1b32785-6fba-4fcf-9d55-7b8e7f157091\}[folder type id]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{f1b32785-6fba-4fcf-9d55-7b8e7f157091\} [initfolder \ handler]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b6ebfb86-6907-413c-9af7-4fc2abf07cc5\} \ [category]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{b6ebfb86-6907-413c-9af7-4fc2abf07cc5\} \ forme1$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{b6ebfb86-6907-413c-9af7-4fc2abf07cc5\} \ [parentfolder]$ 

Oueries value

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{b6ebfb86-6907-413c-9af7-4fc2abf07cc5\} \ [description]$ 

Queries value

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder\folder \folder \folder \folder \folder \folder \folder \folder \$ 

Oueries value:

 $\label{thm:local-observation} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b6ebfb86-6907-413c-9af7-4fc2abf07cc5\}[parsingname]}$ 

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{b6ebfb86-6907-413c-9af7-4fc2abf07cc5\}[infotip]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b6ebfb86-6907-413c-9af7-4fc2abf07cc5}[localizedname]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b6ebfb86-6907-413c-9af7-4fc2abf07cc5}[icon]

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \end{area} HKLM \software \end{area} in \end{area} Hklm \software \end{area} In \end{area} Hklm \software \end{area} Hklm \software$ 

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b6ebfb86-6907-413c-9af7-4fc2abf07cc5\}[streamresourcetype]}$ 

Queries value:

 $\label{local-continuous} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b6ebfb86-6907-413c-9af7-4fc2abf07cc5\}[local redirectonly]}$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b6ebfb86-6907-413c-9af7-4fc2abf07cc5\}[roamable]}$ 

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} current version \explorer $$ 13c-9af7-4fc2abf07cc5$ [precreate] $$$ 

Oueries value:

 $\label{lem:hklmsoftwaremicrosoftwindows\currentversion\explorer\folderdescriptions\{b6ebfb86-6907-413c-9af7-4fc2abf07cc5\}[stream]}$ 

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b6ebfb86-6907-413c-9af7-4fc2abf07cc5\}[publishexpandedpath]}$ 

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} Current version \explorer \folder descriptions \folder \fol$ 

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b6ebfb86-6907-413c-9af7-4fc2abf07cc5\}[foldertypeid]}$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b6ebfb86-6907-413c-9af7-4fc2abf07cc5\}[initfolder \ handler]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{9274bd8d-cfd1-41c3-b35e-b13f55a758f4\} \ [category]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{9274bd8d-cfd1-41c3-b35e-b13f55a758f4\} [parent folder]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ 'folder descriptions \ '\{9274bd8d-cfd1-41c3-b35e-b13f55a758f4\} [description]$ 

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{9274bd8d-cfd1-41c3-b35e-b13f55a758f4\} [relative path]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{9274bd8d-cfd1-41c3-b35e-b13f55a758f4\} [infotip]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ 'folder descriptions \ '\{9274bd8d-cfd1-41c3-b35e-b13f55a758f4\} [localized name]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{9274bd8d-cfd1-41c3-b35e-b13f55a758f4\}[icon]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{9274bd8d-cfd1-41c3-b35e-b13f55a758f4\} [security]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{9274bd8d-cfd1-41c3-b35e-b13f55a758f4\}[stream resource]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{9274bd8d-cfd1-41c3-b35e-b13f55a758f4\} [local redirect only]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{9274bd8d-cfd1-41c3-b35e-b13f55a758f4\} \ [roamable]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{9274bd8d-cfd1-41c3-b35e-b13f55a758f4\} \ [precreate]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{9274bd8d-cfd1-41c3-b35e-b13f55a758f4\}[stream]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{9274bd8d-cfd1-41c3-b35e-b13f55a758f4\} [publish expanded path]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{9274bd8d-cfd1-41c3-b35e-b13f55a758f4\}[attributes]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{9274bd8d-cfd1-41c3-b35e-b13f55a758f4\}[folder typeid]$ 

Queries value:

 $\label{thm:local-problem} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \gamma \ga$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{69d2cf90-fc33-4fb7-9a0c-ebb0f0fcb43c} [category]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{69d2cf90-fc33-4fb7-9a0c-ebb0f0fcb43c\}[name]}$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{69d2cf90-fc33-4fb7-9a0c-ebb0f0fcb43c} [parent folder]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{69d2cf90-fc33-4fb7-9a0c-ebb0f0fcb43c\} \ [description]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{69d2cf90-fc33-4fb7-9a0c-ebb0f0fcb43c} [relative path]$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{69d2cf90-fc33-4fb7-9a0c-ebb0f0fcb43c}[parsingname]

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{69d2cf90-fc33-4fb7-9a0c-ebb0f0fcb43c} [infotip]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{69d2cf90-fc33-4fb7-9a0c-ebb0f0fcb43c\}[localizedname]}$ 

Queries value:

 $\label{lem:hammon} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{69d2cf90-fc33-4fb7-9a0c-ebb0f0fcb43c\}[icon]}$ 

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{69d2cf90-fc33-4fb7-9a0c-ebb0f0fcb43c\}[security]}$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{69d2cf90-fc33-4fb7-9a0c-ebb0f0fcb43c\} \ [stream resource]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \ \{69d2cf90-fc33-4fb7-f$ 

9a0c-ebb0f0fcb43c}[streamresourcetype]

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{69d2cf90-fc33-4fb7-9a0c-ebb0f0fcb43c\}[local redirectonly]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \mbox{$69d2cf90-fc33-4fb7-9a0c-ebb0f0fcb43c} [roamable]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{69d2cf90-fc33-4fb7-9a0c-ebb0f0fcb43c\}[precreate]$ 

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{69d2cf90-fc33-4fb7-9a0c-ebb0f0fcb43c\}[stream]}$ 

Oueries value:

 $HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \f$ 

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{69d2cf90-fc33-4fb7-9a0c-ebb0f0fcb43c\}[attributes]}$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{69d2cf90-fc33-4fb7-9a0c-ebb0f0fcb43c\}[folder type id]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{69d2cf90-fc33-4fb7-9a0c-ebb0f0fcb43c}\[initfolderhandler]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{374 de 290-123 f-4565-9164-39c4925e 467b\} \ [category]$ 

Oueries value:

 $\label{lem:hklmsoftware} HKLM \software \mbox{$374$ de 290-123f-4565-9164-39c4925e 467b} \ [name]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{374 de 290-123 f-4565-9164-39c4925e 467b\} \ [parent folder]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{374 de 290-123 f-4565-9164-39c4925e 467b\} \ folder \ folder \ description \ folder \ description \ folder \$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{374 de 290-123 f-4565-9164-39c4925e 467b\} \ [relative path]$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{374de290-123f-4565-9164-39c4925e467b}[parsingname]

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cite{2.00} \forer \folder \cite{2.00} \forer \cite{2.0$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cite{100} -123f-4565-9164-39c4925e467b \cite{100} \cite{100} \cite{100} -123f-4565-9164-39c4925e467b \cite{100} \cite{10$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{374 de 290-123 f-4565-9164-39 c 4925 e 467 b\} [icon]$ 

Queries value:

 $\label{lem:hammon} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folde$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{374de290-123f-4565-9164-39c4925e467b}[streamresource]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{374de290-123f-4565-9164-39c4925e467b}[streamresourcetype]

Queries value:

 $HKLM \ software \ `microsoft \ 'current version \ 'explorer \ 'folder descriptions \ '{374 de 290-123 f-4565-9164-39c4925e 467b} \ [local redirectonly]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cite{2.00} \formalful \cit$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{374de290-123f-4565-9164-39c4925e467b}[precreate]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{374 de 290-123 f-4565-9164-39c4925e 467b\} \ [stream]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{374de290-123f-4565-9164-39c4925e467b}[publishexpandedpath]

Oueries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ 'a 74 de 290-123 f-4565-9164-39c4925e 467b \ [attributes]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{374 de 290-123 f-4565-9164-39c4925e 467b\} \ [folder type id]$ 

 $\label{lem:hklmsoftware} HKLM \software \end{arguments} $$HKLM \software \end{arguments} $$144e290-123f-4565-9164-39c4925e467b} $$[initfolder \end{arguments} $$144e290-123f-4565-9164-39c4925e467b. $$[initfolder \end{arguments} $$[initfolder \en$ 

Queries value: HKCU\software\microsoft\windows\currentversion\explorer\user shell folders[{374de290-123f-4565-9164-39c4925e467b}]

014613[(371462

Oueries value:

 $\label{thm:local-equation} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\explorer\folderdescriptions\currentversion\explorer\exp$ 

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{859 ead 94-2e85-48 ad a71a-0969 cb56a6 cd\} [name]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{859 ead 94-2e85-48 ad a71a-0969 cb56 a 6 cd\} [parent folder]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{859ead94-2e85-48ad-a71a-0969cb56a6cd\} \ [description]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{859ead94-2e85-48ad-a71a-0969cb56a6cd\} \ [relative path]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{859 ead 94-2e85-48 ad a71a-0969 cb56 a 6 cd\} [parsing name]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{859 ead 94-2e85-48 ad a71a-0969 cb56 a 6 cd\} [infotip]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{859 ead 94-2e85-48 ad a71a-0969 cb56 a 6 cd\} [localized name]$ 

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows\currentversion\explorer\folderdescriptions \explorer\folderdescriptions \explorer\folderde$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{859 ead 94-2e85-48 ad a71a-0969 cb56 a 6 cd\} [security]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{859 ead 94-2e85-48 ad a71a-0969 cb56a6 cd\} \ for \ explorer \ folder \ descriptions \ for \ descriptions$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{859 ead 94-2e85-48 ad a71a-0969 cb56a6cd\} \ [stream resource type]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{859ead94-2e85-48ad-a71a-0969cb56a6cd}[localredirectonly]

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{859ead94-2e85-48ad-a71a-0969cb56a6cd}\ [roamable]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{859ead94-2e85-48ad-a71a-0969cb56a6cd}[precreate]

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{859ead94-2e85-48ad-a71a-0969cb56a6cd\} [stream]$ 

Queries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{859ead94-2e85-48ad-a71a-0969cb56a6cd}\[publishexpandedpath]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{859 ead 94-2e85-48 ad a71a-0969 cb56 a 6 cd\} [attributes]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{859ead94-2e85-48ad-a71a-0969cb56a6cd}[foldertypeid]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{859ead94-2e85-48ad-a71a-0969cb56a6cd}[initfolderhandler]

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a305ce99-f527-492b-8b1a-7e76fa98d6e4\}\cutegory\cite{A305ce99-f527-492b-8b1a-7e76fa98d6e4}\cite{A305ce99-f527-492b1a-7e76fa98d6e4}\cite{A305ce99-f527-492b1a-7e76fa98d6e4}\cite{A305ce99-f527-666fa98d6e4}\cite{A305ce99-f527-6666e4}\ci$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a305ce99-f527-492b-8b1a-7e76fa98d6e4\} \ [name]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \mbox{$a$305ce99-f527-492b-8b1a-7e76fa98d6e4} [parent folder]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a305ce99-f527-492b-8b1a-7e76fa98d6e4}[description]

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ 'a 305ce 99-f527-492b-8b1a-7e76 fa 98d 6e 4 \ [relative path]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a305ce99-f527-492b-8b1a-7e76fa98d6e4}[parsingname]

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a305ce99-f527-492b-8b1a-7e76fa98d6e4}[infotip]

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a305ce99-f527-492b-8b1a-7e76fa98d6e4\}[localized name]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a305ce99-f527-492b-8b1a-7e76fa98d6e4\}[icon]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a305ce99-f527-492b-8b1a-7e76fa98d6e4\}[security]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a305ce99-f527-492b-8b1a-7e76fa98d6e4\}[stream resource]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{a305ce99-f527-492b-8b1a-7e76fa98d6e4\} \ [stream resource type]$ 

Queries value

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{a305ce99-f527-492b-8b1a-7e76fa98d6e4\} \ [local redirector \ ]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a305ce99-f527-492b-8b1a-7e76fa98d6e4\}[roamable]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{a305ce99-f527-492b-8b1a-7e76fa98d6e4\}[precreate]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a305ce99-f527-492b-8b1a-7e76fa98d6e4\}[stream]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a305ce99-f527-492b-8b1a-7e76fa98d6e4\}[publish expanded path]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{a305ce99-f527-492b-8b1a-7e76fa98d6e4\}[attributes]$ 

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosof$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a305ce99-f527-492b-8b1a-7e76fa98d6e4\}[initfolderhandler]}$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3d644c9b-1fb8-4f30-9b45-f670235f79c0\}\cite{Control of the control of$ 

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3d644c9b-1fb8-4f30-9b45-f670235f79c0\}[name]$ 

Queries value:

 $\label{lem:hamman} $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3d644c9b-1fb8-4f30-9b45-f670235f79c0\}[parentfolder] $$$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folderdescriptions\folderdescriptions\folderdescription\folderdescriptio$ 

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows\currentversion\explorer\folderdescriptions\{3d644c9b-1fb8-4f30-9b45-f670235f79c0\}[relativepath]} \\$ 

Queries value:

 $\label{lem:hklmsoftwaremicrosoft} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3d644c9b-1fb8-4f30-9b45-f670235f79c0\}[parsingname]}$ 

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3d644c9b-1fb8-4f30-9b45-f670235f79c0\}[infotip]}$ 

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} In the constant of the constant of$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3d644c9b-1fb8-4f30-9b45-f670235f79c0}[icon]

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folder$ 

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3d644c9b-1fb8-4f30-9b45-f670235f79c0\}[streamresource]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3d644c9b-1fb8-4f30-9b45-f670235f79c0\}[streamresourcetype]}$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3d644c9b-1fb8-4f30-9b45-f670235f79c0\}\[local\ rectonly\]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3d644c9b-1fb8-4f30-9b45-f670235f79c0\}[roamable]$ 

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folder$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{3d644c9b-1fb8-4f30-9b45-f670235f79c0\}[stream]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{3d644c9b-1fb8-4f30-9b45-f67023ff9c0\} \ [publish \ expanded path]$ 

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3d644c9b-1fb8-4f30-9b45-f670235f79c0\}[attributes]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3d644c9b-1fb8-4f30-9b45-f670235f79c0\}[foldertypeid]}$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{3d644c9b-1fb8-4f30-9b45-f670235f79c0\}[initfolder \ handler]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{a990ae9f-a03b-4e80-94bc-9912d7504104\} \ [category]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{a990ae9f-a03b-4e80-94bc-9912d7504104\} \ [name]$ 

Queries value:

 $HKLM\software\mbox{$microsoft\windows\currentversion\explorer\folderdescriptions\{a990ae9f-a03b-4e80-94bc-9912d7504104\}[parentfolder]}$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a990ae9f-a03b-4e80-94bc-9912d7504104\} \ [description]$ 

Oueries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a990ae9f-a03b-4e80-94bc-9912d7504104\}[relativepath]}$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a990ae9f-a03b-4e80-94bc-9912d7504104}[parsingname]

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a990ae9f-a03b-4e80-94bc-9912d7504104\} [infotip]$ 

Queries value:

 $\label{localized-hklm} $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a990ae9f-a03b-4e80-94bc-9912d7504104\}[localized name]} $$$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ 'a990ae9f-a03b-4e80-94bc-9912d7504104 \ [icon]$ 

Queries value:

 $\label{thm:software} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{a990ae9f-a03b-4e80-94bc-9912d7504104} \cite{A990ae9f-a03b-4e80-94bc-9912d7504104} \cite{A990ae9f-a03b-4e80-94bc-9912d7504104104104} \cite{A990ae9f-a03b-4e80-94bc-9912d7504104} \cite{A990ae9f-a03b-4e80-94bc-9912d750410$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ 'a990ae9f-a03b-4e80-94bc-9912d7504104 \ [stream resource]$ 

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a990ae9f-a03b-4e80-94bc-9912d7504104\}[streamresourcetype]}$ 

Queries value:

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a990ae9f-a03b-4e80-94bc-9912d7504104\} \ [roamable]$ 

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a990ae9f-a03b-4e80-94bc-9912d7504104\}[precreate]}$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a990ae9f-a03b-4e80-94bc-9912d7504104}[stream]

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a990ae9f-a03b-4e80-94bc-9912d7504104\}[publishexpandedpath]}$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a990ae9f-a03b-4e80-94bc-9912d7504104\}[attributes]}$ 

Queries value:

 $\label{local-continuity} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{a990ae9f-a03b-4e80-94bc-9912d7504104} \[folder type id]$ 

Queries value:

Queries value:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{dfdf76a2-c82a-4d63-906a-5644ac457385\}[category]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{dfdf76a2-c82a-4d63-c82$ 

906a-5644ac457385}[name]

Queries value:

 $HKLM \ software \ `microsoft \ 'current version \ 'explorer \ 'folder descriptions \ '\{dfdf76a2-c82a-4d63-906a-5644ac457385\} \ [parent folder]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$ 

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{dfdf76a2-c82a-4d63-906a-5644ac457385\} \ [relative path]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{dfdf76a2-c82a-4d63-906a-5644ac457385\} \ [parsing name]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{dfdf76a2-c82a-4d63-906a-5644ac457385\} [infotip]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{dfdf76a2-c82a-4d63-906a-5644ac457385\} \ [localized name]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{dfdf76a2-c82a-4d63-906a-5644ac457385\}[icon]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{dfdf76a2-c82a-4d63-906a-5644ac457385\} [security]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{dfdf76a2-c82a-4d63-906a-5644ac457385\} \ [stream resource]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{dfdf76a2-c82a-4d63-906a-5644ac457385\} \ for earnesource \ folder \ descriptions \ for earnesource \ folder \ descriptions \ for earnesource \ folder \ descriptions \ for earnesource \ for$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{dfdf76a2-c82a-4d63-906a-5644ac457385\} \ [local redirectonly]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{dfdf76a2-c82a-4d63-906a-5644ac457385\} \ [roamable]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{dfdf76a2-c82a-4d63-906a-5644ac457385\} \ [precreate]$ 

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows\currentversion\explorer\folderdescriptions\{dfdf76a2-c82a-4d63-906a-5644ac457385\}[stream]}$ 

Queries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{dfdf76a2-c82a-4d63-906a-5644ac457385\} \ [publish \ expanded path]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{dfdf76a2-c82a-4d63-906a-5644ac457385\} \ fattributes \ label{eq:hklm}$ 

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows\currentversion\explorer\folderdescriptions\{dfdf76a2-c82a-4d63-906a-5644ac457385\}[foldertypeid]}$ 

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows\currentversion\explorer\folderdescriptions\{dfdf76a2-c82a-4d63-906a-5644ac457385\}[initfolderhandler]}$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{1a6fdba2-f42d-4358-a798-b74d745926c5\} \ [category]$ 

Queries value:

 $\label{local-prop} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1a6fdba2-f42d-4358-a798-b74d745926c5\}[name]}$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{1a6fdba2-f42d-4358-a798-b74d745926c5\} \ [parent folder]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions \eqref{la6fdba2-f42d-4358-a798-b74d745926c5} [description]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{1a6fdba2-f42d-4358-a798-b74d745926c5\}[relative path]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1a6fdba2-f42d-4358-a798-b74d745926c5}[parsingname]

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{1a6fdba2-f42d-4358-a798-b74d745926c5\}[infotip]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{1a6fdba2-f42d-4358-a798-b74d745926c5\} \ [localized name]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{1a6fdba2-f42d-4358-a798-b74d745926c5\} \ [icon]$ 

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ 'a 1a 6 f d ba 2-f 42 d-4358-a 798-b 74 d 7459 26 c 5 \ [security]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{1a6fdba2-f42d-4358-a798-b74d745926c5\}[stream resource]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{1a6fdba2-f42d-4358-a798-b74d745926c5\}[stream resource type]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{1a6fdba2-f42d-4358-a798-b74d745926c5\} \ [local redirectonly]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{1a6fdba2-f42d-4358-a798-b74d745926c5\} \ [roamable]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{1a6fdba2-f42d-4358-a798-b74d745926c5\}[precreate]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{1a6fdba2-f42d-4358-a798-b74d745926c5\}[stream]$ 

Oueries value

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{1a6fdba2-f42d-4358-a798-b74d745926c5\}[publish expanded path]$ 

Queries value

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{1a6fdba2-f42d-4358-a798-b74d745926c5\}[attributes]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{1a6fdba2-f42d-4358-a798-b74d745926c5\}[folder type id]$ 

Oueries value

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{1a6fdba2-f42d-4358-a798-b74d745926c5\}[initfolder handler]$ 

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} In the constant of the constant of$ 

Queries value

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{a520a1a4-1780-4ff6-bd18-167343c5af16\} \ [name]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder \folde$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a520a1a4-1780-4ff6-bd18-167343c5af16\} \ [description]$ 

Oueries value:

 $\label{thm:local-condition} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \afsections \afsection \afsect$ 

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a520a1a4-1780-4ff6-bd18-167343c5af16\}[parsingname]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{a520a1a4-1780-4ff6-bd18-167343c5af16\}[infotip]$ 

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} current version \end{a} 1780-4ff6-bd18-167343c5af16 \\ [localized name]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a520a1a4-1780-4ff6-bd18-167343c5af16\}[icon]$ 

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a520a1a4-1780-4ff6-bd18-167343c5af16\}[security]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a520a1a4-1780-4ff6-bd18-167343c5af16\} [stream resource]$ 

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a520a1a4-1780-4ff6-bd18-167343c5af16\}[streamresourcetype]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a520a1a4-1780-4ff6-bd18-167343c5af16\} \ [local redirect only]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a520a1a4-1780-4ff6-bd18-167343c5af16\} \ [roamable]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ 'folder descriptions \ '\{a520a1a4-1780-4ff6-bd18-167343c5af16\} [precreate]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{a520a1a4-1780-4ff6-bd18-167343c5af16\} [stream]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$ 

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer' folder descriptions \ '\{a520a1a4-1780-4ff6-bd18-167343c5af16\}[attributes]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a520a1a4-1780-4ff6-bd18-167343c5af16\} \ [folder type id]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{a520a1a4-1780-4ff6-bd18-167343c5af16\} \ [initfolder \ handler]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b88f4daa-e7bd-49a9-b74d-02885a5dc765\}[category]$ 

Queries value:

 $HKLM\software\mbox{b88f4daa-e7bd-49a9-b74d-02885a5dc765} [name] \\$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{b88f4daa-e7bd-49a9-b74d-02885a5dc765\} [parent folder]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{b88f4daa-e7bd-49a9-b74d-02885a5dc765\} \ [description]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{b88f4daa-e7bd-49a9-b74d-02885a5dc765\} \ [relative path]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{b88f4daa-e7bd-49a9-b74d-02885a5dc765\} \ [parsing name]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{b88f4daa-e7bd-49a9-b74d-02885a5dc765\} \ [infotip]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{b88f4daa-e7bd-49a9-b74d-02885a5dc765\} \ [localized name]$ 

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folderdescript$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{b88f4daa-e7bd-49a9-b74d-02885a5dc765\} \ [security]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b88f4daa-e7bd-49a9-b74d-02885a5dc765\}[streamresource]}$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b88f4daa-e7bd-49a9-b74d-02885a5dc765\}[stream resource type]$ 

Queries value:

 $\label{local-equal-equal-equal-equal-equal-equal} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \{b88f4daa-e7bd-49a9-b74d-02885a5dc765\} [roamable]$ 

Oueries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosof$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{b88f4daa-e7bd-49a9-b74d-02885a5dc765\} [stream]$ 

Queries value:

 $\label{local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folde$ 

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b88f4daa-e7bd-49a9-b74d-02885a5dc765\}[attributes]}$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{b88f4daa-e7bd-49a9-b74d-02885a5dc765\} \ [folder type id]$ 

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows\currentversion\explorer\folderdescriptions\{b88f4daa-e7bd-49a9-b74d-02885a5dc765\}[initfolderhandler]}$ 

Queries value:

 $HKLM \\ software \\ | microsoft \\ windows \\ current \\ version \\ explorer \\ folder \\ descriptions \\ \{2c36c0aa-5812-4b87-bfd0-4cd0 \\ dfb19b39\} \\ [category]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2c36c0aa-5812-4b87-bfd0-4cd0dfb19b39\}[name]}$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{2c36c0aa-5812-4b87-bfd0-4cd0dfb19b39\} \ [parentfolder]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{2c36c0aa-5812-4b87-bfd0-4cd0dfb19b39\} \ [description]$ 

Queries value:

 $\label{thm:local_thm} \parbox{$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\$ 

bfd0-4cd0dfb19b39}[relativepath]

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{2c36c0aa-5812-4b87-bfd0-4cd0dfb19b39\} \ [parsing name]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{2c36c0aa-5812-4b87-bfd0-4cd0dfb19b39\} \ [infotip]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{2c36c0aa-5812-4b87-bfd0-4cd0dfb19b39\} [localized name]$ 

Oueries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} Learnest the substitution of the substituti$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{2c36c0aa-5812-4b87-bfd0-4cd0dfb19b39\} [security]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{2c36c0aa-5812-4b87-bfd0-4cd0dfb19b39\} \ [stream resource]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{2c36c0aa-5812-4b87-bfd0-4cd0dfb19b39\} [stream resource type]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{2c36c0aa-5812-4b87-bfd0-4cd0dfb19b39\} \ [local redirectonly]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{2c36c0aa-5812-4b87-bfd0-4cd0dfb19b39\} \ [roamable]$ 

Oueries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} In the constant of the constant of$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{2c36c0aa-5812-4b87-bfd0-4cd0dfb19b39\} \ [stream]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{2c36c0aa-5812-4b87-bfd0-4cd0dfb19b39\} \ [publish \ expanded path]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{2c36c0aa-5812-4b87-bfd0-4cd0dfb19b39\} \ [attributes]$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2c36c0aa-5812-4b87-bfd0-4cd0dfb19b39}{foldertypeid1

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2c36c0aa-5812-4b87-bfd0-4cd0dfb19b39\}[initfolderhandler]}$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{9e3995ab-1f9c-4f13-b827-48b24b6c7174\} \ [category]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{9e3995ab-1f9c-4f13-b827-48b24b6c7174\} \ [name]$ 

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosof$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'endows \ 'en$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{9e3995ab-1f9c-4f13-b827-48b24b6c7174}[relativepath]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{9e3995ab-1f9c-4f13-b827-48b24b6c7174\} \ [parsing name]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ \ \{9e3995ab-1f9c-4f13-b827-48b24b6c7174\} [infotip]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{9e3995ab-1f9c-4f13-b827-48b24b6c7174\} \ [localized name]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \mbox{\scurrent} ersion \explorer \folder descriptions \scalebox{\scurrent} ersion \explorer \folder \explorer \folder \explorer \folder \folder$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ (9e3995ab-1f9c-4f13-b827-48b24b6c7174) \ [security]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{9e3995ab-1f9c-4f13-b827-48b24b6c7174\} \ [stream resource]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{9e3995ab-1f9c-4f13-b827-48b24b6c7174\} \ [stream resource type]$ 

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{9e3995ab-1f9c-4f13-b827-48b24b6c7174\} [local redirectonly]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{9e3995ab-1f9c-4f13-b827-48b24b6c7174\} \ [roamable]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{9e3995ab-1f9c-4f13-b827-48b24b6c7174\} [precreate]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{9e3995ab-1f9c-4f13-b827-48b24b6c7174\} \ [stream]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{9e3995ab-1f9c-4f13-b827-48b24b6c7174\} [publish expanded path]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ (9e3995ab-1f9c-4f13-b827-48b24b6c7174) \ [attributes]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{9e3995ab-1f9c-4f13-b827-48b24b6c7174\} \ [folder type id]$ 

Oueries value

 $HKLM \ software \ microsoft \ windows \ current version \ (9e3995ab-1f9c-4f13-b827-48b24b6c7174) \ [initfolder \ handler]$ 

Oueries value

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{df7266ac-9274-4867-8d55-3bd661de872d\}\cite{Category}\]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{df7266ac-9274-4867-8d55-3bd661de872d\} \ [name]$ 

Oueries value

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{df7266ac-9274-4867-8d55-3bd661de872d\}[parent folder]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{df7266ac-9274-4867-8d55-3bd661de872d}[description]

Queries value

 $\label{lem:hklmsoftware} HKLM \software \mbox{df7266ac-9274-4867-8d55-3bd661de872d} [relative path]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder$ 

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{df7266ac-9274-4867-8d55-3bd661de872d\}\[localized\name]$ 

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{df7266ac-9274-4867-8d55-3bd661de872d\}\[icon]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{df7266ac-9274-4867-8d55-3bd661de872d\}\[security]\]$ 

Queries value:

 $\label{lem:hklmsoftwaremicrosoft} HKLM \software \end{df7266ac-9274-4867-8d55-3bd661de872d} [streamresource]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{df7266ac-9274-4867-8d55-3bd661de872d\}[streamresourcetype]}$ 

Queries value

 $\label{thm:hklm} $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{df7266ac-9274-4867-8d55-3bd661de872d\}[localredirectonly]$$ 

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} In the constant of the constant of$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{df7266ac-9274-4867-8d55-3bd661de872d\} \ [publish expanded path]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{df7266ac-9274-4867-8d55-3bd661de872d\}\[foldertypeid]\]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{df7266ac-9274-4867-8d55-3bd661de872d\}[initfolderhandler]}$ 

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\eq 4824 af-dce 4-45 a 8-81 e2-fc 7965083634\category\cite{Align: 100 fc} fc and the second substitution of t$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{ed4824af-dce4-45a8-81e2-fc7965083634\} [name]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'ed4824 af-dce4-45 a8-81 e2-fc7965083634 \ [parent folder]$ 

Queries value:

Queries value:

 $HKLM \ software \ `microsoft \ 'ed4824 af-dce4-45 a8-81 e2-fc7965083634 \ [relative path]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{ed4824af-dce4-45a8-81e2-fc7965083634}[parsingname]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{ed 4824 af-dce 4-45a8-81e2-fc7965083634\} [infotip]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{ed 4824 af-dce 4-45a8-81e2-fc7965083634\} \ [localized name]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{ed 4824 af-dce 4-45a8-81e2-fc7965083634\} [icon]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{ed4824af-dce4-45a8-81e2-fc7965083634}[security]

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{ed 4824 af-dce 4-45a8-81e2-fc7965083634\} \ [stream resource]$ 

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\eqd4824af-dce4-45a8-81e2-fc7965083634\}[streamresourcetype]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{ed 4824 af-dce 4-45a8-81e2-fc7965083634\} \ [local redirect only]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'ed4824 af-dce4-45 a8-81 e2-fc7965083634 \ [roamable]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'ed4824 af-dce4-45 a8-81 e2-fc7965083634 \} [precreate] \\$ 

Queries value:

 $\label{local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \equal 4824 af-dce 4-45a 8-81e2-fc 79650 83634 \[stream]$ 

Queries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{ed 4824 af-dce 4-45a8-81e2-fc7965083634\} [publish expanded path]$ 

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{ed4824af-dce4-45a8-81e2-fc7965083634\}[attributes]}$ 

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\eqd4824af-dce4-45a8-81e2-fc7965083634\foldertypeid\cite{Absolution}.$ 

Queries value:

 $HKLM\software\mbox{microsoft\windows\currentversion\explorer\folderdescriptions\eqd4824af-dce4-45a8-81e2-fc7965083634}\[initfolderhandler\eqdef]$ 

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27\}[category]} \\$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27\} \ [name 1]$ 

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folder descriptions \eqref{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27}\ [parentfolder]$ 

Queries value:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27\}[description]}$ 

Queries value:

 $\label{lem:hammon} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27\}[relativepath]}$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27\} \ [parsing name]$ 

Queries value:

 $\label{lem:hammon} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27\}[infotip]}$ 

Queries value:

 $\label{thm:local_explorer_folder} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \footnote{1.4857-1.4857$ 

a4ce-a8e7c6ea7d27}[localizedname]

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27\}[icon]}$ 

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27\} [security]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27\} [stream resource]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27\} \ [stream resource type]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27\} \ [local redirector \ ]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27\} \ [roamable]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27\}[precreate]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27\}[stream]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27\} \ [publish \ expanded path]$ 

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27\}[attributes]}$ 

Queries value:

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27\} \ finitfolder \ handler \ label{eq:finitfolder}$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '{15ca69b3-30ee-49c1-ace1-6b5ec372afb5} \ [category]$ 

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{15ca69b3-30ee-49c1-ace1-6b5ec372afb5\}[name]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'current version \ 'explorer \ 'folder descriptions \ '\{15ca69b3-30ee-49c1-ace1-6b5ec372afb5\}[parent folder]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{15ca69b3-30ee-49c1-ace1-6b5ec372afb5}[description]

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '{15ca69b3-30ee-49c1-ace1-6b5ec372afb5}[relative path]$ 

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} In constant the sum of the sum of$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '{15ca69b3-30ee-49c1-ace1-6b5ec372afb5}[infotip]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{15ca69b3-30ee-49c1-ace1-6b5ec372afb5}[localizedname]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{15 ca 69 b3 - 30 ee - 49 c1 - ace 1 - 6b 5 ec 372 af b5\} [icon]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '{15ca69b3-30ee-49c1-ace1-6b5ec372afb5} [security]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{15 ca 69 b3 - 30 ee - 49 c1 - ace 1 - 6b 5ec 372 af b5\} [stream resource]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{15ca69b3-30ee-49c1-ace1-6b5ec372afb5\}[streamresourcetype]}$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{15ca69b3-30ee-49c1-ace1-6b5ec372afb5}[localredirectonly]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{15ca69b3-30ee-49c1-ace1-6b5ec372afb5\} \ [roamable]$ 

Queries value:

 $HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \folder descriptions \current \folder \f$ 

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{15ca69b3-30ee-49c1-ace1-6b5ec372afb5\} \ [stream]$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{15ca69b3-30ee-49c1-ace1-6b5ec372afb5}[publishexpandedpath]

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{15ca69b3-30ee-49c1-ace1-6b5ec372afb5\}[attributes]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{15ca69b3-30ee-49c1-ace1-6b5ec372afb5\}[folder type id]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{15ca69b3-30ee-49c1-ace1-6b5ec372afb5\}[initfolder \ handler]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{3214 fab 5-9757-4298-bb61-92a9 deaa 44ff\} \ [category]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{3214 fab 5-9757-4298-bb61-92a9 deaa 44 ff \ [name]$ 

Oueries value

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{3214 fab 5-9757-4298-bb61-92a9 deaa 44ff\} \ [parent folder]$ 

Queries value

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3214fab5-9757-4298-bb61-92a9deaa44ff\}[description]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '{3214 fab5-9757-4298-bb61-92a9 deaa} \ 'folder descriptions' \ 'all the best of the bes$ 

Oueries value

 $\label{lem:hkklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cal{lem:hkklmsoftware} \footnote{1.000} \cal{lem:hkklmsoftware} \footnote{1.000} \cal{lem:hkklmsoftware} \footnote{1.000} \cal{lem:hkklmsoftware} \cal{lem:hkklmsoftware} \footnote{1.000} \cal{lem:hkklmsoftware} \cal{lem:hkklmsoftw$ 

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{3214 fab 5-9757-4298-bb61-92a 9 dea a 44 ff \} [infotip]$ 

Oueries value:

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ 'folder descriptions \ '\{3214 fab 5-9757-4298-bb61-92a 9 dea a 44 ff \} [icon]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '{3214 fab5-9757-4298-bb61-92a9 deaa} \ 'folder descriptions' \ 'explorer' \ 'folder descriptions' \ 'explorer' \ 'folder descriptions' \ 'explorer' \ 'explorer'' \ 'explorer''$ 

Oueries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '{3214 fab5-9757-4298-bb61-92a9 deaa44ff} [stream resource]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \folder descriptions \current \folder \$ 

Queries value:

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Lab$ 

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3214fab5-9757-4298-bb61-92a9deaa44ff}\[precreate]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \folder descriptions \current \folder \$ 

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsof$ 

Queries value

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3214fab5-9757-4298-bb61-92a9deaa44ff}\ [attributes]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '{3214 fab5-9757-4298-bb61-92a9 deaa} \ 'folder type id' | folder type id' |$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{3214 fab 5-9757-4298-bb61-92a9 deaa 44ff\} [init folder handler]$ 

Queries value:

 $\label{lem:hkkm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ \ \{905e63b6-c1bf-494e-b29c-65b732d3d21a\} \ [category]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{905e63b6-c1bf-494e-b29c-65b732d3d21a\} \ [name]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$ 

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{905e63b6-c1bf-494e-b29c-65b732d3d21a\} [description]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{905e63b6-c1bf-494e-b29c-65b732d3d21a\} \ [parsing name]$ 

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows\currentversion\explorer\folderdescriptions\{905e63b6-c1bf-494e-b29c-65b732d3d21a\}[infotip]} Infotip \cite{Continuous of the continuous of the continuo$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{905e63b6-c1bf-494e-b29c-65b732d3d21a\}\[localized name]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ 'folder descriptions \ '\{905e63b6-c1bf-494e-b29c-65b732d3d21a\}[icon]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{905e63b6-c1bf-494e-b29c-65b732d3d21a\} [security]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{905e63b6-c1bf-494e-b29c-65b732d3d21a\} \ [stream resource type]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{905e63b6-c1bf-494e-b29c-65b732d3d21a\} \ [local redirectonly]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{905e63b6-c1bf-494e-b29c-65b732d3d21a\} \ [roamable]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{905e63b6-c1bf-494e-b29c-65b732d3d21a\} \ [precreate]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{905e63b6-c1bf-494e-b29c-65b732d3d21a\} [stream]$ 

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Lab$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$ 

Queries value:

 $HKLM \label{lem:hklm} HKLM \label{lem:hklm} HKLM \label{lem:hklm} Software \mbox{$microsoft\windows\currentversion} \end{substitute} explorer \begin{substitute} folder descriptions \gamma=0.5563b6-c1bf-494e-b29c-65b732d3d21a \gamma=0.5563b6$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \end{arguments} Which software \end{arguments} Whic$ 

Oueries value:

 $HKLM\software\mbox{microsoft\windows\currentversion\explorer\folderdescriptions\fd228cb7-ae11-4ae3-864c-16f3910ab8fe}[category]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'current version \ 'explorer \ 'folder descriptions \ '\{fd 228 cb 7-ae 11-4ae 3-864 c-16f 3910 ab 8fe \} [name]$ 

Queries value:

 $\label{local-equation} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \fd228 cb7-ae11-4ae3-864 c-16f3910 ab8 fe \current folder \]$ 

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\fid228cb7-ae11-4ae3-864c-16f3910ab8fe\folderdescription\folderdescription\folderdescription\folderdescription\folderdescription\folderdescription\folderdescription\folderdescription\folderdescription\folderdescription\folderdescription\folderdescription\folderdescription\folderdescription\folderdescription\folderdescription\fo$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{fd 228 cb 7-ae 11-4ae 3-864 c-16f 3910 ab 8 fe\} [relative path]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre \ 'folder descriptions \ 'fd 228 cb7-ae 11-4ae 3-864c-16f 3910 ab 8fe \ [parsing name]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \{fd 228 cb7-ae 11-4ae 3-864 c-16f 3910 ab 8 fe\} [infotip]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \fd228 cb7-ae11-4ae3-864c-16f3910ab8fe \cline{localized} \cline{$ 

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{fd228cb7-ae11-4ae3-864c-16f3910ab8fe\}[icon]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{fd 228 cb7-ae 11-4ae 3-864 c-16f 3910 ab 8 fe\} [security]$ 

Queries value:

864c-16f3910ab8fe}[streamresource]

Queries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'current version \ 'explorer \ 'folder descriptions \ '\{fd 228 cb 7-ae 11-4ae 3-864 c-16f 3910 ab 8 fe\}[local redirect only]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{fd 228 cb 7-ae 11-4ae 3-864 c-16f 3910 ab 8 fe\} [roamable]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{fd 228 cb 7-ae 11-4ae 3-864 c-16f 3910 ab 8 fe\}[precreate]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{fd 228 cb 7-ae 11-4ae 3-864 c-16f 3910 ab 8 fe\} [stream]$ 

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{fd228cb7-ae11-4ae3-864c-16f3910ab8fe}\[ publishexpanded path \]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{fd228cb7-ae11-4ae3-864c-16f3910ab8fe\}[attributes]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'folder descriptions \ 'fd 228 cb7-ae 11-4ae 3-864c-16f 3910 ab 8fe \ [folder type id]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre \ 'folder descriptions \ 'fd228 cb7-ae11-4ae3-864c-16f3910ab8fe \ '[initfolder \ handler]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{b97d20bb-f46a-4c97-ba10-5e3608430854\} \ [category]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{b97d20bb-f46a-4c97-ba10-5e3608430854\} \ [name]$ 

Oueries value:

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{b97d20bb-f46a-4c97-ba10-5e3608430854\} \ \lceil description \rceil$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{b97d20bb-f46a-4c97-ba10-5e3608430854\} \ [relative path]$ 

Queries value:

 $\label{lem:hamilton} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b97d20bb-f46a-4c97-ba10-5e3608430854\}\[parsing name]$ 

Queries value:

 $\label{lem:hklm} HKLM software \microsoft \windows \current version \explorer \folder descriptions \folder \$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b97d20bb-f46a-4c97-ba10-5e3608430854\}[localized name]}$ 

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows\currentversion} Hklm\software\mbox{b97d20bb-f46a-4c97-ba10-5e3608430854} [icon]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b97d20bb-f46a-4c97-ba10-5e3608430854\} [security]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{b97d20bb-f46a-4c97-ba10-5e3608430854\} \ [stream resource]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{b97d20bb-f46a-4c97-ba10-5e3608430854\} \ [stream resource type]$ 

Queries value:

 $\label{lem:hamilton} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b97d20bb-f46a-4c97-ba10-5e3608430854\}[localredirectonly]}$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{b97d20bb-f46a-4c97-ba10-5e3608430854\} \ [roamable]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b97d20bb-f46a-4c97-ba10-5e3608430854\}[precreate]}$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{b97d20bb-f46a-4c97-ba10-5e3608430854\} \ [stream]$ 

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} In the constant of the constant of$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{b97d20bb-f46a-4c97-ba10-5e3608430854\} [attributes]$ 

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\fib97d20bb-f46a-4c97-ba10-5e3608430854\foldertypeid\]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b97d20bb-f46a-4c97-ba10-5e3608430854\} [initfolder \ handler]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{625b53c3-ab48-4ec1-ba1f-a1ef4146fc19\}[category]}$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{625b53c3-ab48-4ec1-ba1f-a1ef4146fc19\} [name]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'folder descriptions \ '\{625b53c3-ab48-4ec1-ba1f-a1ef4146fc19\} \ [parent folder]$ 

Queries value:

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{625b53c3-ab48-4ec1-ba1f-a1ef4146fc19\} [relative path]$ 

Oueries value

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{625b53c3-ab48-4ec1-ba1f-a1ef4146fc19\} \ [parsing name]$ 

Queries value

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{625b53c3-ab48-4ec1-ba1f-a1ef4146fc19\} [infotip]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{625b53c3-ab48-4ec1-ba1f-a1ef4146fc19\}[localized name]$ 

Oueries value

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{625b53c3-ab48-4ec1-ba1f-a1ef4146fc19\}[icon]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\\\ 625b53c3-ab48-4ec1-ba1f-a1ef4146fc19\\ [security]

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{625b53c3-ab48-4ec1-ba1f-a1ef4146fc19\}[streamresource]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{625b53c3-ab48-4ec1-ba1f-a1ef4146fc19\}[streamresourcetype]}$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{625b53c3-ab48-4ec1-ba1f-a1ef4146fc19\} [local redirectonly]$ 

Oueries value:

 $\label{thm:local-problem} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{625b53c3-ab48-4ec1-ba1f-a1ef4146fc19\}[roamable]}$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{625b53c3-ab48-4ec1-ba1f-a1ef4146fc19\} \ [precreate]$ 

Queries value: KLM\software

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{625b53c3-ab48-4ec1-ba1f-a1ef4146fc19\} [stream]$ 

Queries value:

 $\label{thm:local-prop} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{625b53c3-ab48-4ec1-ba1f-a1ef4146fc19\}[publishexpandedpath]}$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{625b53c3-ab48-4ec1-ba1f-a1ef4146fc19\} [attributes]$ 

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folderdescript$ 

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} current version \verb| explorer \\ folder descriptions \\ \{625b53c3-ab48-4ec1-ba1f-a1ef4146fc19\} [initfolder handler]$ 

Queries value

 $\label{lem:hkk} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d20beec4-5ca8-4905-ae3b-bf251ea09b53\}[category]} \\$ 

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows\currentversion\explorer\folderdescriptions\{d20beec4-5ca8-4905-ae3b-bf251ea09b53\}[name]} \\$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ \ folder descriptions \ \ \ \ d20 beec 4-5 ca 8-4905-ae 3b-bf 251e a 09b 53 \ [parent folder]$ 

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} In the constant of the constant of$ 

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} In the constant of the constant of$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d20beec4-5ca8-4905-ae3b-bf251ea09b53\}[parsingname]}$ 

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folder$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{d20 beec 4-5 ca 8-4905-ae 3b-bf 251 ea 09 b 53\} [localized name]$ 

Queries value:

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{d20beec4-5ca8-4905-ae3b-bf251ea09b53\} \ [security]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{d20beec4-5ca8-4905-ae3b-bf251ea09b53\} \ [stream resource]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{d20beec4-5ca8-4905-ae3b-bf251ea09b53\} \ [stream resource type]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{d20beec4-5ca8-4905-ae3b-bf251ea09b53\} \ [local redirectonly]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{d20beec4-5ca8-4905-ae3b-bf251ea09b53\} \ [roamable]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ (d20 beec 4-5 ca 8-4905-ae 3b-bf 251 ea 09 b 53) \ [precreate]$ 

Queries value:

Oueries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d20beec4-5ca8-4905-ae3b-bf251ea09b53\}[publishexpandedpath]}$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ \ folder descriptions \ \ \ \ \ d20beec4-5ca8-4905-ae3b-bf251ea09b53 \ [attributes]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{d20beec4-5ca8-4905-ae3b-bf251ea09b53\} \ [folder type id]$ 

Queries value:

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{de 92c1c7-837f-4f69-a3bb-86e631204a23\} \ [category]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{de92c1c7-837f-4f69-a3bb-86e631204a23} \ [name]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{de92c1c7-837f-4f69-a3bb-86e631204a23\} \ [parent folder]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{de92c1c7-837f-4f69-a3bb-86e631204a23\}[description]}$ 

Queries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{de 92c1c7-837f-4f69-a3bb-86e631204a23\} [relative path]$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{de92c1c7-837f-4f69-a3bb-86e631204a23}[parsingname]

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{de92c1c7-837f-4f69-a3bb-86e631204a23\}[infotip]}$ 

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \descriptions \folder \folder \descriptions \folder \f$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{de92c1c7-837f-4f69-a3bb-86e631204a23} \eqref{licon}$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{de92c1c7-837f-4f69-a3bb-86e631204a23\}[security]}$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{de92c1c7-837f-4f69-a3bb-86e631204a23} \[ \mbox{stream} resource \]$ 

Oueries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{de92c1c7-837f-4f69-a3bb-86e631204a23\}[streamresourcetype]}$ 

Queries value:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{de92c1c7-837f-4f69-a3bb-86e631204a23\}[localredirectonly]}$ 

Queries value:

a3bb-86e631204a23}[roamable]

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{de 92c1c7-837f-4f69-a3bb-86e631204a23\} \ [precreate]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{de92c1c7-837f-4f69-a3bb-86e631204a23\} \ [stream]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{de 92c1c7-837f-4f69-a3bb-86e631204a23\} \ [publish expanded path]$ 

Oueries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{de92c1c7-837f-4f69-a3bb-86e631204a23\}[attributes]}$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{de 92c1c7-837f-4f69-a3bb-86e631204a23\} \ [folder type id]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{de92c1c7-837f-4f69-a3bb-86e631204a23\} [initfolder \ handler]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{10c07cd0-ef91-4567-b850-448b77cb37f9\} \ [category]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{10c07cd0-ef91-4567-b850-448b77cb37f9\} [name]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{10c07cd0-ef91-4567-b850-448b77cb37f9\} \ [parent folder]$ 

Oueries value:

 $\label{lem:hklmsoftware} HKLM \software \mbox{10c07cd0-ef91-4567-b850-448b77cb37f9} [description]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{10c07cd0-ef91-4567-b850-448b77cb37f9\} \ [relative path]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{10c07cd0-ef91-4567-b850-448b77cb37f9\} \ parsing name \ like \ for the sum of the s$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{10c07cd0-ef91-4567-b850-448b77cb37f9\} \ [infotip]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{10c07cd0-ef91-4567-b850-448b77cb37f9}flocalizedname1

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions \eqref{10c07cd0-ef91-4567-b850-448b77cb37f9} [icon]$ 

Queries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{10c07cd0-ef91-4567-b850-448b77cb37f9\}\}\$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{10c07cd0-ef91-4567-b850-448b77cb37f9\} [stream resource]$ 

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} current version \end{allowersplotter} $$10c07cd0-ef91-4567-b850-448b77cb37f9 [streamresourcetype] $$10c07cd0-ef91-4567-b850-468b7 [streamresourcetype] $$10c$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'current version \ 'explorer \ 'folder descriptions \ '\{10c07cd0-ef91-4567-b850-448b77cb37f9\} \ [local redirectonly]$ 

Queries value:

 $HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \folder \folder$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{10c07cd0-ef91-4567-b850-448b77cb37f9}[precreate]

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \end{area} In cosoft \windows \current version \explorer \folder descriptions \end{area} In cosoft \end{area} In \end{are$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{10c07cd0-ef91-4567-b850-448b77cb37f9\} \ [publish \ expanded path]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{10c07cd0-ef91-4567-b850-448b77cb37f9} [attributes]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version' \ explorer \ 'folder descriptions \ '\{10c07cd0-ef91-4567-b850-448b77cb37f9\}[folder type id]$ 

Queries value:

 $\label{local-continuous} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{10c07cd0-ef91-4567-b850-448b77cb37f9\}[initfolderhandler]}$ 

Queries value:

 $\label{thm:local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \fdd 39 ad 0-238 f-46 af-ad b4-6 c85 480 369 c7 \category]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{fdd39ad0-238f-46af-adb4-6c85480369c7\}[parent folder]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{fdd39ad0-238f-46af-adb4-6c85480369c7\}[description]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{fdd39ad0-238f-46af-adb4-6c85480369c7\}[relative path]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{fdd39ad0-238f-46af-adb4-6c85480369c7\}[parsing name]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{fdd39ad0-238f-46af-adb4-6c85480369c7\}[infotip]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{fdd39ad0-238f-46af-adb4-6c85480369c7\}[localized name]$ 

Queries value

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{fdd39ad0-238f-46af-adb4-6c85480369c7\} \ ficon 1$ 

Oueries value

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{fdd39ad0-238f-46af-adb4-6c85480369c7\} \ [security]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{fdd39ad0-238f-46af-adb4-6c85480369c7\}[stream resource]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{fdd39ad0-238f-46af-adb4-6c85480369c7\}[stream resource type]$ 

Queries value

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{fdd39ad0-238f-46af-adb4-6c85480369c7\}[local redirectonly]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{fdd39ad0-238f-46af-adb4-6c85480369c7\}[roamable]$ 

Queries value:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\fdd39ad0-238f-46af-adb4-6c85480369c7\[precreate]$ 

Queries value:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\fdd39ad0-238f-46af-adb4-6c85480369c7\[stream]$ 

Oueries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} current version \end{folder descriptions} \{fdd 39 ad 0-238 f-46 af-ad b4-6 c85480369 c7\} [publish expanded path]$ 

Queries value

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{fdd39ad0-238f-46af-adb4-6c85480369c7\}[attributes]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{fdd39ad0-238f-46af-adb4-6c85480369c7\}[folder type id]$ 

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} In the constant of the constant of$ 

Queries value:

 $\label{lem:hkcu} \mbox{\tt HKCU\software\mbox{\tt microsoft\windows\currentversion\explorer\user\ shell}$ 

folders[personal]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{c1bae2d0-10df-4334-bedd-7aa20b227a9d\} \ [category]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{c1bae2d0-10df-4334-bedd-7aa20b227a9d\} [name]$ 

Queries value:

 $\label{lem:hamilton} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c1bae2d0-10df-4334-bedd-7aa20b227a9d\}[parentfolder]}$ 

Queries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c1bae2d0-10df-4334-bedd-7aa20b227a9d\}\[description]$ 

Queries value:

 $\label{local-operator} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \calebox{$c$1bae2d0-10df-4334-bedd-7aa20b227a9d}[relative path]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c1bae2d0-10df-4334bedd-7aa20b227a9d}[parsingname]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{c1bae2d0-10df-4334-bedd-7aa20b227a9d\} [infotip]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{c1bae2d0-10df-4334-bedd-7aa20b227a9d\} \ [localized name]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{c1bae2d0-10df-4334-bedd-7aa20b227a9d\}[security]$ 

Queries value:

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{c1bae2d0-10df-4334-bedd-7aa20b227a9d\}[stream resource type]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'c1bae2d0-10df-4334-bedd-7aa20b227a9d \ [local redirectonly]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ (c1bae2d0-10df-4334-bedd-7aa20b227a9d) \ Froamable \ 1$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{c1bae2d0-10df-4334-bedd-7aa20b227a9d\} \ [precreate]$ 

Oueries value

 $HKLM \ software \ `microsoft \ 'c1bae2d0-10df-4334-bedd-7aa20b227a9d \ [stream]$ 

Queries value

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{c1bae2d0-10df-4334-bedd-7aa20b227a9d\} \ [publish \ expanded \ path \ ]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{c1bae2d0-10df-4334-bedd-7aa20b227a9d\}[attributes]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{c1bae2d0-10df-4334-bedd-7aa20b227a9d\}[folder typeid]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{c1bae2d0-10df-4334-bedd-7aa20b227a9d\} [initfolder \ handler]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{190337d1-b8ca-4121-a639-6d472d16972a\} \ [category]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{190337d1-b8ca-4121-a639-6d472d16972a\} \ [name]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre \ 'folder descriptions \ 'all a 639-6d472d16972a \ [parent folder]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{190337d1-b8ca-4121-a639-6d472d16972a\} \ [description]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'endows \ 'en$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{190337d1-b8ca-4121-a639-6d472d16972a\} \ [parsing name]$ 

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{190337d1-b8ca-4121-a639-6d472d16972a\}[infotip]}$ 

Oueries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{190337d1-b8ca-4121-a639-6d472d16972a\} [localized name]$ 

Queries value

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{190337d1-b8ca-4121-a639-6d472d16972a\}\[icon]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{190337d1-b8ca-4121-a639-6d472d16972a\} [security]$ 

Queries value

 $\label{thm:microsoft} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{190337d1-b8ca-4121-a639-6d472d16972a\}[streamresource]}$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{190337d1-b8ca-4121-a639-6d472d16972a\} \ [stream resource type]$ 

Queries value

 $\label{thm:local-equation} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{190337d1-b8ca-4121-a639-6d472d16972a\}[localredirectonly]}$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre \ 'folder descriptions \ 'all a 639-6d472d16972a \ [roamable]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{190337d1-b8ca-4121-a639-6d472d16972a\} \ [precreate]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{190337d1-b8ca-4121-a639-6d472d16972a\} [stream]$ 

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{190337d1-b8ca-4121-a639-6d472d16972a\} [publish expanded path]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{190337d1-b8ca-4121-a639-6d472d16972a\} [attributes]$ 

Queries value:

 $HKLM \ software \ `microsoft \ windows \ `current version \ explorer \ folder descriptions \ \{190337d1-b8ca-4121-a639-6d472d16972a\} \ [folder type id]$ 

Oueries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{190337d1-b8ca-4121-a639-6d472d16972a\}[initfolderhandler]}$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{54eed 2e0-e7ca-4fdb-9148-0f4247291cfa\} \ [category]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{54eed 2e0-e7ca-4fdb-9148-0f4247291cfa\} [name]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{54eed 2e0-e7ca-4fdb-9148-0f4247291cfa\} \ [parent folder]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{54eed 2e0-e7ca-4fdb-9148-0f4247291cfa\} [description]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'endows \ 'en$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{54eed 2e0-e7ca-4fdb-9148-0f4247291cfa\} \ [parsing name]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{54eed 2e0-e7ca-4fdb-9148-0f4247291cfa\} [infotip]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{54eed 2e0-e7ca-4fdb-9148-0f4247291cfa\} \ [localized name]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{54eed 2e0-e7ca-4fdb-9148-0f4247291cfa\} [icon]$ 

Queries value:

 $\label{thm:local-equality} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{54eed2e0-e7ca-4fdb-9148-0f4247291cfa\}[security]}$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{54eed 2e0-e7ca-4fdb-9148-0f4247291cfa\}[stream resource]$ 

Queries value:

 $HKLM \label{lem:hklm} HKLM \label{lklm} HKLM \label{lk$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'current version \ 'explorer \ 'folder descriptions \ '\{54eed 2e0-e7ca-4fdb-9148-0f4247291cfa\} [local redirect only]$ 

Queries value:

 $\label{thm:local-equality} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{54eed2e0-e7ca-4fdb-9148-0f4247291cfa\}[roamable]}$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{54eed 2e0-e7ca-4fdb-9148-0f4247291cfa\}[precreate]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{54eed 2e0-e7ca-4fdb-9148-0f4247291cfa\} [stream]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{54eed 2e0-e7ca-4fdb-9148-0f4247291cfa\} \ [publish expanded path]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{54eed 2e0-e7ca-4fdb-9148-0f4247291cfa\} [attributes]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{54eed 2e0-e7ca-4fdb-9148-0f4247291cfa\}[folder typeid]$ 

Oueries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{54eed 2e0-e7ca-4fdb-9148-0f4247291cfa\} [initfolder handler]$ 

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{bfb9d5e0-c6a9-404c-b2b2-ae6db6af4968\}[category]}$ 

Queries value:

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{bfb9d5e0-c6a9-404c-b2b2-ae6db6af4968\} \ [parent folder]$ 

Queries value:

 $\label{thm:condition} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \fo$ 

b2b2-ae6db6af4968}[description]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{bfb9d5e0-c6a9-404c-b2b2-ae6db6af4968\} \ [relative path]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{bfb9d5e0-c6a9-404c-b2b2-ae6db6af4968\} \ [parsing name]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{bfb9d5e0-c6a9-404c-b2b2-ae6db6af4968\} [infotip]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{bfb9d5e0-c6a9-404c-b2b2-ae6db6af4968\} [localized name]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{bfb9d5e0-c6a9-404c-b2b2-ae6db6af4968\} \ [icon]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ (bfb9d5e0-c6a9-404c-b2b2-ae6db6af4968) \ [security]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{bfb9d5e0-c6a9-404c-b2b2-ae6db6af4968\} \ [stream resource]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{bfb9d5e0-c6a9-404c-b2b2-ae6db6af4968\} \ [stream resource type]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ (bfb9d5e0-c6a9-404c-b2b2-ae6db6af4968) \ [local redirectonly]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{bfb9d5e0-c6a9-404c-b2b2-ae6db6af4968\}[roamable]}$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{bfb9d5e0-c6a9-404c-b2b2-ae6db6af4968\} \ [precreate]$ 

Queries value:

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{bfb9d5e0-c6a9-404c-b2b2-ae6db6af4968\} \ [publish \ expanded path]$ 

Queries value:

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{bfb9d5e0-c6a9-404c-b2b2-ae6db6af4968\}[folder typeid]$ 

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{bfb9d5e0-c6a9-404c-b2b2-ae6db6af4968\}[initfolderhandler]}$ 

Queries value:  $HKCU\software\microsoft\windows\currentversion\explorer\user shell folders[{bfb9d5e0-c6a9-404c-b2b2-ae6db6af4968}]$ 

Queries value:

 $\label{lem:hammon} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folderdescri$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{5cd7 a e e 2-2219-4a67-b85 d -6c9 c e 15660 c b\} [name]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{5cd7aee2-2219-4a67-b85d-6c9ce15660cb\} \ [parent folder]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{5cd7aee2-2219-4a67-b85d-6c9ce15660cb\} [description]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{5cd7aee2-2219-4a67-b85d-6c9ce15660cb\} \ [relative path]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder\folder \folder \folder \folder \folder \folder \folder \folder \$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \mbox{$5cd7aee2-2219-4a67-b85d-6c9ce15660cb} [infotip]$ 

Queries value:

 $\label{localized} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \current \folder \folder \current \folder \folder \current \folder \fo$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5cd7aee2-2219-4a67-b85d-6c9ce15660cb\}[icon]}$ 

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} Larrent version \explorer \folder descriptions \folder \folder descriptions \folder \fol$ 

Queries value:

b85d-6c9ce15660cb}[streamresource]

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{5cd7aee2-2219-4a67-b85d-6c9ce15660cb\}[stream resource type]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{5cd7aee2-2219-4a67-b85d-6c9ce15660cb\} [local redirect only]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{5cd7aee2-2219-4a67-b85d-6c9ce15660cb\} [roamable]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{5cd7aee2-2219-4a67-b85d-6c9ce15660cb\}[precreate]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{5cd7aee2-2219-4a67-b85d-6c9ce15660cb\} \ [stream]$ 

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5cd7aee2-2219-4a67-b85d-6c9ce15660cb}\ [publishexpandedpath]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{5cd7aee2-2219-4a67-b85d-6c9ce15660cb\}[attributes]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{5cd7aee2-2219-4a67-b85d-6c9ce15660cb\}[folder type id]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{5cd7aee2-2219-4a67-b85d-6c9ce15660cb\}[initfolder \ handler]$ 

Oueries value:

 $\label{lem:hamilton} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b94237e7-57ac-4347-9151-b08c6c32d1f7\}[category]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b94237e7-57ac-4347-9151-b08c6c32d1f7\} \ [name]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{b94237e7-57ac-4347-9151-b08c6c32d1f7\} \ [parent folder]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{b94237e7-57ac-4347-9151-b08c6c32d1f7\} \ [description]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{b94237e7-57ac-4347-9151-b08c6c32d1f7\} \ [relative path]$ 

Queries value:

 $\label{lem:hamilton} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b94237e7-57ac-4347-9151-b08c6c32d1f7\}[parsingname]}$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{b94237e7-57ac-4347-9151-b08c6c32d1f7\} \ [infotip]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b94237e7-57ac-4347-9151-b08c6c32d1f7\}[localized name]$ 

Queries value:

 $\label{lem:hamilton} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b94237e7-57ac-4347-9151-b08c6c32d1f7\}[icon]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{b94237e7-57ac-4347-9151-b08c6c32d1f7\} [security]$ 

Queries value:

 $\label{lem:hkk} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b94237e7-57ac-4347-9151-b08c6c32d1f7}\[\] streamresource\]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b94237e7-57ac-4347-9151-b08c6c32d1f7}[streamresourcetype]

Queries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b94237e7-57ac-4347-9151-b08c6c32d1f7}\[localredirectonly\]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{b94237e7-57ac-4347-9151-b08c6c32d1f7\} \ [roamable]$ 

Queries value:

 $\label{lem:hamilton} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b94237e7-57ac-4347-9151-b08c6c32d1f7\}[precreate]}$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{b94237e7-57ac-4347-9151-b08c6c32d1f7\} \ [stream]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b94237e7-57ac-4347-9151-b08c6c32d1f7}[publishexpandedpath]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{b94237e7-57ac-4347-9151-b08c6c32d1f7\} \ [attributes]$ 

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{b94237e7-57ac-4347-9151-b08c6c32d1f7\} \ [folder type id]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b94237e7-57ac-4347-9151-b08c6c32d1f7\}[initfolder \ handler]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{352481e8-33be-4251-ba85-6007caedcf9d\}[category]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '{352481e8-33be-4251-ba85-6007} caed \ 'folder \ 'folder \ 'folder \ 'explorer' \ 'folder \ 'folde$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '{352481e8-33be-4251-ba85-6007} caed \ 'folder' \ 'folde$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{352481e8-33be-4251-ba85-6007 \ caedcf9d\} \ \lceil description \rceil$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{352481e8-33be-4251-ba85-6007 \ caedcf9d\} \ [relative path]$ 

Queries value:

 $HKLM \ software \ `microsoft \ windows \ `current version \ explorer \ folder descriptions \ \ \{352481e8-33be-4251-ba85-6007 \ caedcf9d\} \ [parsing name]$ 

Queries value:

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{352481e8-33be-4251-ba85-6007 \ caedcf9d\} [localized name]$ 

Oueries value

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '{352481e8-33be-4251-ba85-6007} caed \ 'folder \$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{352481e8-33be-4251-ba85-6007caedcf9d}[security]

Queries value

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{352481e8-33be-4251-ba85-6007 caed \ ffolder \ 'folder \ 'explorer' \ 'folder \ 'explorer' \ 'folder \ 'folder \ 'explorer' \ 'folder \ 'explorer' \ 'folder \ 'folder$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{352481e8-33be-4251-ba85-6007 caed \ ff9d\} \ [stream resource type]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '{352481e8-33be-4251-ba85-6007} caed \ 'folder descriptions' \ 'folder description$ 

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{352481e8-33be-4251-ba85-6007 caed \ folder \ 'folder \ 'folder \ 'explorer' \ 'folder \ 'explorer' \ 'folder \ 'fold$ 

Queries value:

 $\label{lem:hammon} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{352481e8-33be-4251-ba85-6007caedcf9d\}[precreate]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{352481e8-33be-4251-ba85-6007 caed \ folder \ 'folder \ 'folder \ 'explorer' \ 'folder \ 'folder$ 

Queries value:

 $\label{lem:hammon} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{352481e8-33be-4251-ba85-6007caedcf9d\}[publishexpandedpath]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '{352481e8-33be-4251-ba85-6007} caed \ 'folder \ 'folder \ 'folder \ 'explorer' \ 'folder \ 'folde$ 

Queries value:

 $\label{thm:microsoftwindows} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\fo$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{352481e8-33be-4251-ba85-6007caedcf9d\}[initfolderhandler]}$ 

Queries value

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a63293e8-664e-48db-a079-df759e0509f7\}[category]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a63293e8-664e-48db-a079-df759e0509f7\} \ [name]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{a63293e8-664e-48db-a079-df759e0509f7\} \ [parent folder]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ 'a 63293e8-664e-48db-a079-df759e0509f7 \ [description]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{a63293e8-664e-48db-a079-df759e0509f7\} \ [relative path]$ 

Queries value:

 $\label{lem:hkklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \earlies \facing 1.00\% \folder \folder$ 

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{a63293e8-664e-48db-a079-df759e0509f7\}[infotip]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a63293e8-664e-48db-a079-df759e0509f7\}[localized name]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{a63293e8-664e-48db-a079-df759e0509f7\} \ [icon]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a63293e8-664e-48db-a079-df759e0509f7\}[security]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a63293e8-664e-48db-a079-df759e0509f7\}[stream resource]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{a63293e8-664e-48db-a079-df759e0509f7\} \ [stream resource type]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a63293e8-664e-48db-a079-df759e0509f7\} \ [local redirect only]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{a63293e8-664e-48db-a079-df759e0509f7\} \ [roamable]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ (a63293e8-664e-48db-a079-df759e0509f7) \ [precreate]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a63293e8-664e-48db-a079-df759e0509f7\}[stream]$ 

Oueries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a63293e8-664e-48db-a079-df759e0509f7\}[publishexpandedpath]}$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a63293e8-664e-48db-a079-df759e0509f7\} \ [attributes]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a63293e8-664e-48db-a079-df759e0509f7\}[folder type id]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a63293e8-664e-48db-a079-df759e0509f7\}[initfolder handler]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{5ce 4a 5e 9-e 4eb-479d-b 89f-130c0 2886155\} \ [category]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{5ce4a5e9-e4eb-479d-b89f-130c02886155\} \ [name]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder\folder \folder \folder \folder \folder \folder \folder \folder \$ 

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folderdescriptions\folderdescriptions\folderdescription\folderdescriptio$ 

Queries value:

 $\label{local-ham} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \{5ce 4a 5e9-e 4eb-479d-b89f-130c0 2886155\} [relative path]$ 

Queries value:

 $\label{lem:hammon} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folderdescri$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folder$ 

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5ce4a5e9-e4eb-479d-b89f-130c02886155}[localizedname]

Queries value:

 $\label{thm:local-prop} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5ce4a5e9-e4eb-479d-b89f-130c02886155\}[icon]$$ 

Queries value:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folderdescript$ 

Oueries value:

 $\label{local-ham} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{5ce4a5e9-e4eb-479d-b89f-130c02886155\} \ [stream resource type]$ 

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoft$ 

Queries value:

b89f-130c02886155}[roamable]

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{5ce4a5e9-e4eb-479d-b89f-130c02886155\} [precreate]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{5ce 4a 5e 9-e 4eb-479d-b 89f-130c0 2886155\} [stream]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{5ce4a5e9-e4eb-479d-b89f-130c02886155\} \ [publish \ expanded path]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{5ce 4a 5e 9-e 4eb-479d-b 89f-130c0 2886155\} [attributes]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{5ce 4a 5e 9-e 4eb-479d-b 89f-130c0 2886155\} \ [folder type id]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{5ce 4a 5e9-e 4eb-479d-b89f-130c02886155\} [initfolder \ handler]$ 

Queries value:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{82a74aeb-aeb4-465c-a014-d097ee346d63\}[category]}$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{82a74aeb-aeb4-465c-a014-d097ee346d63\} \ [name]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{82a74aeb-aeb4-465c-a014-d097ee346d63\} \ [parent folder]$ 

Oueries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} current version \end{allowersplorer} $$ 465c-a014-d097ee346d63 \end{allowersplorer} $$ a014-d097ee346d63 \end{allowersplorer} $$ about $$ 465c-a014-d097ee346d63 \end{allowersplorer} $$ about $$ 465c-a014-d097ee3$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{82a74aeb-aeb4-465c-a014-d097ee346d63}[relativepath]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{82a74aeb-aeb4-465c-a014-d097ee346d63}[parsingname]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{82a74aeb-aeb4-465c-a014-d097ee346d63\} \ [infotip]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{82a74aeb-aeb4-465c-a014-d097ee346d63}flocalizedname1

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{82a74aeb-aeb4-465c-a014-d097ee346d63}[security]

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{82a74aeb-aeb4-465c-a014-d097ee346d63\} \ [stream resource]$ 

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} current version \end{allowersplotten} windows \end{allowersplotten} with the content of the conten$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{82a74aeb-aeb4-465c-a014-d097ee346d63}[localredirectonly]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{82a74aeb-aeb4-465c-a014-d097ee346d63}[roamable]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{82a74aeb-aeb4-465c-a014-d097ee346d63}[precreate]

Queries value:

 $\label{lem:hkkm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{82a74aeb-aeb4-465c-a014-d097ee346d63\} \ [publish \ expanded path]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{82a74aeb-aeb4-465c-a014-d097ee346d63\[attributes]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{82a74aeb-aeb4-465c-a014-d097ee346d63\} \ [folder type id]$ 

Queries value:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{82a74aeb-aeb4-465c-a014-d097ee346d63}\[initfolderhandler]$ 

Queries value:

 $\label{thm:local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \f$ 

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7c5a40ef-a0fb-4bfc-874a-c0f2e0b9fa8e}[name]

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder\folder \folder \folder \folder \folder \folder \folder \folder \$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{7c5a40ef-a0fb-4bfc-874a-c0f2e0b9fa8e\} [description]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{7c5a40ef-a0fb-4bfc-874a-c0f2e0b9fa8e\}[relative path]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ 'ac5a40ef-a0fb-4bfc-874a-c0f2e0b9fa8e', [parsing name]$ 

Queries value:

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{7c5a40ef-a0fb-4bfc-874a-c0f2e0b9fa8e\} \ [localized name]$ 

Oueries value

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{7c5a40ef-a0fb-4bfc-874a-c0f2e0b9fa8e\} [icon]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{7c5a40ef-a0fb-4bfc-874a-c0f2e0b9fa8e\} [security]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{7c5a40ef-a0fb-4bfc-874a-c0f2e0b9fa8e\}[stream resource]$ 

Oueries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\footnote{10}{$7c5a40ef-a0fb-4bfc-874a-c0f2e0b9fa8e}[streamresourcetype]$ 

Queries value

 $\label{lem:hklmsoftwaremicrosoftwindows\currentversion\explorer\folderdescriptions\{7c5a40ef-a0fb-4bfc-874a-c0f2e0b9fa8e\}[localredirectonly]}$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{7c5a40ef-a0fb-4bfc-874a-c0f2e0b9fa8e\} \ [roamable]$ 

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\folder$ 

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\folder$ 

Oueries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7c5a40ef-a0fb-4bfc-874a-c0f2e0b9fa8e\}[publishexpandedpath]}$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ 'ac5a40ef-a0fb-4bfc-874a-c0f2e0b9fa8e' [attributes]$ 

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\folder$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{7c5a40ef-a0fb-4bfc-874a-c0f2e0b9fa8e\}[initfolder \ handler]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{43668bf8-c14e-49b2-97c9-747784d784b7\}[category]}$ 

Queries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{43668bf8-c14e-49b2-97c9-747784d784b7\}\[name]$ 

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} In the constant of the constant of$ 

Queries value:

 $\label{thm:microsoft} $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions \{43668bf8-c14e-49b2-97c9-747784d784b7\}[description]$$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{43668bf8-c14e-49b2-97c9-747784d784b7\}[relativepath]}$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{43668bf8-c14e-49b2-97c9-747784d784b7\} \ [parsing name]$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{43668bf8-c14e-49b2-97c9-747784d784b7\}[infotip]}$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{43668bf8-c14e-49b2-97c9-747784d784b7\}[localized name]}$ 

Queries value:

 $\label{lem:hkklmsoftwaremicrosoftwindows} Label{lem:hkklmsoftwaremicrosoftwindows} current version \explorer \folder descriptions \full 43668 \folds followed by $14568 \fol$ 

Oueries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{43668bf8-c14e-49b2-97c9-747784d784b7\}[security]}$ 

Queries value:

 $\label{local-operator} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{43668bf8-c14e-49b2-97c9-747784d784b7\}[streamresource]}$ 

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{43668bf8-c14e-49b2-97c9-747784d784b7\}[streamresourcetype]}$ 

Oueries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} In the constant of the constant of$ 

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} In the constant of the constant of$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '{43668bf8-c14e-49b2-97c9-747784d784b7} [precreate]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{43668bf8-c14e-49b2-97c9-747784d784b7\} [stream]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{43668bf8-c14e-49b2-97c9-747784d784b7\} \ [publish \ expanded path]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ (43668bf8-c14e-49b2-97c9-747784d784b7) \ [attributes]$ 

Queries value:

 $HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ \{43668bf8-c14e-49b2-97c9-747784d784b7\} \ [folder type id]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{43668bf8-c14e-49b2-97c9-747784d784b7\} \ [initfolder \ handler]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{915221fb-9efe-4bda-8fd7-f78dca774f87}[category]

Oueries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{915221fb-9efe-4bda-8fd7-f78dca774f87\} [name]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{915221fb-9efe-4bda-8fd7-f78dca774f87\}[parent folder]$ 

Queries value:

 $\label{thm:local-problem} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{915221fb-9efe-4bda-8fd7-f78dca774f87\}\[description]$ 

Queries value:

 $\label{thm:local-problem} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ \ \{915221fb-9efe-4bda-8fd7-f78dca774f87\} \ [relative path]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \ \{915221fb-9efe-4bda-8fd7-f78dca774f87\} [infotip]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$ 

Queries value:

 $\label{thm:local-problem} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \gamma \figure \folder \folder \folder \folder \gamma \gamm$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{915221fb-9efe-4bda-8fd7-f78dca774f87\} \ [security]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{915221fb-9efe-4bda-8fd7-f78dca774f87\}[stream resource]$ 

Queries value:

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{915221fb-9efe-4bda-8fd7-f78dca774f87\}[localredirectonly]}$ 

Queries value:

 $\label{thm:local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ \ \{915221fb-9efe-4bda-8fd7-f78dca774f87\} \ [roamable]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{915221fb-9efe-4bda-8fd7-f78dca774f87\} \ [precreate]$ 

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{915221fb-9efe-4bda-8fd7-f78dca774f87\} [stream]$ 

Queries value:

 $\label{thm:local_thm} \parbox{$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\$ 

8fd7-f78dca774f87}[publishexpandedpath] Oueries value:  $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ \ folder descriptions \ \ \{915221fb-9efe-4bda-1644, 1944, 1$ 8fd7-f78dca774f87}[attributes] Oueries value:  $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ `folder descriptions \ `\{915221fb-9efe-4bda-16416, 16$ 8fd7-f78dca774f87}[foldertypeid] Oueries value:  $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ \ folder descriptions \ \ \{915221fb-9efe-4bda-1644, 1944, 1$ 8fd7-f78dca774f87}[initfolderhandler] Oueries value: b5b4-2d72e54eaaa4}[category] Oueries value: b5b4-2d72e54eaaa4}[name] Oueries value: b5b4-2d72e54eaaa4}[parentfolder] Queries value: b5b4-2d72e54eaaa4}[description] Oueries value: b5b4-2d72e54eaaa4}[relativepath] Queries value: b5b4-2d72e54eaaa4}[parsingname] Oueries value: b5b4-2d72e54eaaa4}[infotip] Queries value: b5b4-2d72e54eaaa4}[localizedname] Oueries value: b5b4-2d72e54eaaa4}[icon] Oueries value: b5b4-2d72e54eaaa4}[security] Oueries value: b5b4-2d72e54eaaa4}[streamresource] Queries value: b5b4-2d72e54eaaa4}[streamresourcetype] Queries value: b5b4-2d72e54eaaa4}[localredirectonly] Queries value: b5b4-2d72e54eaaa4}[roamable] Queries value: b5b4-2d72e54eaaa4}[precreate] Oueries value: b5b4-2d72e54eaaa4}[stream] Oueries value: b5b4-2d72e54eaaa4}[publishexpandedpath] Oueries value: b5b4-2d72e54eaaa4}[attributes] Queries value: b5b4-2d72e54eaaa4}[foldertypeid] Queries value: b5b4-2d72e54eaaa4}[initfolderhandler] Queries value: HKCU\software\microsoft\windows\currentversion\explorer\user shell folders[{4c5c32ff-bb9d-43b0-b5b4-2d72e54eaaa4}] Oueries value: HKLM\software\microsoft\windows\currentversion\explorer\usersfiles\namespace\delegatefolders[suppressionpolicy] Queries value: HKLM\software\microsoft\windows\currentversion\explorer\usersfiles\namespace\delegatefolders[] Queries value:  $HKLM \ software \ microsoft \ windows \ current version \ explorer \ users files \ names pace \ delegate folders \ \ dff acd c 5-like \ names \ pace \ delegate folders \ \ delegate \ \ delegate \ folders \ \ delegate \$ 679f-4156-8947-c5c76bc0b67f}[suppressionpolicy]

HKCR\clsid\{dffacdc5-679f-4156-8947c5c76bc0b67f}\shellfolder[attributes] HKCR\clsid\{dffacdc5-679f-4156-8947-Oueries value: c5c76bc0b67f}\shellfolder[callforattributes]

```
HKCR\clsid\{dffacdc5-679f-4156-8947-
 Queries value:
c5c76bc0b67f}\shellfolder[restrictedattributes]
 Oueries value:
                         HKCR\clsid\{dffacdc5-679f-4156-8947-
c5c76bc0b67f}\shellfolder[wantsfordisplay]
                         HKCR\clsid\{dffacdc5-679f-4156-8947-
 Oueries value:
c5c76bc0b67f}\shellfolder[hidefolderverbs]
                         HKCR\clsid\{dffacdc5-679f-4156-8947-
 Queries value:
c5c76bc0b67f}\shellfolder[usedrophandler]
 Queries value:
                         HKCR\clsid\{dffacdc5-679f-4156-8947-
c5c76bc0b67f}\shellfolder[wantsforparsing]
                         HKCR\clsid\{dffacdc5-679f-4156-8947-
 Oueries value:
c5c76bc0b67f}\shellfolder[wantsparsedisplayname]
 Queries value:
                         HKCR\clsid\{dffacdc5-679f-4156-8947-
c5c76bc0b67f}\shellfolder[queryforoverlay]
 Queries value:
                         HKCR\clsid\{dffacdc5-679f-4156-8947-
c5c76bc0b67f}\shellfolder[mapnetdriveverbs]
                         HKCR\clsid\{dffacdc5-679f-4156-8947-
 Oueries value:
c5c76bc0b67f}\shellfolder[queryforinfotip]
 Queries value:
                         HKCR\clsid\{dffacdc5-679f-4156-8947-
c5c76bc0b67f}\shellfolder[hideinwebview]
                         HKCR\clsid\{dffacdc5-679f-4156-8947-
 Queries value:
c5c76bc0b67f}\shellfolder[hideondesktopperuser]
                         HKCR\clsid\{dffacdc5-679f-4156-8947-
 Oueries value:
c5c76bc0b67f}\shellfolder[wantsaliasednotifications]
                         HKCR\clsid\{dffacdc5-679f-4156-8947-
 Queries value:
c5c76bc0b67f}\shellfolder[wantsuniversaldelegate]
                         HKCR\clsid\{dffacdc5-679f-4156-8947-
 Queries value:
c5c76bc0b67f}\shellfolder[nofilefolderjunction]
                         HKCR\clsid\{dffacdc5-679f-4156-8947-
 Oueries value:
c5c76bc0b67f}\shellfolder[pintonamespacetree]
                         HKCR\clsid\{dffacdc5-679f-4156-8947-
 Oueries value:
c5c76bc0b67f}\shellfolder[hasnavigationenum]
HKLM\software\microsoft\windows\currentversion\policies\nonenum[{dffacdc5-679f-4156-8947-
c5c76bc0b67f}]
                         HKCR\clsid\{dffacdc5-679f-4156-8947-c5c76bc0b67f}\inprocserver32[]
 Queries value:
                         HKCR\clsid\{dffacdc5-679f-4156-8947-
 Oueries value:
c5c76bc0b67f}\inprocserver32[loadwithoutcom]
                         HKCU\software\microsoft\windows\currentversion\shell
extensions\cached[{dffacdc5-679f-4156-8947-c5c76bc0b67f} {add8ba80-002b-11d0-8f0f-00c04fd7d062}
0xffff1
                         HKCR\clsid\{dffacdc5-679f-4156-8947-c5c76bc0b67f}[]
 Queries value:
                         HKCR\clsid\{dffacdc5-679f-4156-8947-
 Oueries value:
c5c76bc0b67f}\inprocserver32[inprocserver32]
                         HKCR\clsid\{dffacdc5-679f-4156-8947-
 Oueries value:
c5c76bc0b67f}\inprocserver32[threadingmodel]
                         HKCR\clsid\{dffacdc5-679f-4156-8947-c5c76bc0b67f}\nstance[clsid]
 Queries value:
 Queries value:
                         HKCR\clsid\{0e5aae11-a475-4c5b-ab00-c66de400274e}\inprocserver32[]
                         HKCR\clsid\{0e5aae11-a475-4c5b-ab00-
 Oueries value:
c66de400274e}\inprocserver32[loadwithoutcom]
                         HKCR\clsid\{0e5aae11-a475-4c5b-ab00-c66de400274e}[]
 Oueries value:
                         HKCR\clsid\{0e5aae11-a475-4c5b-ab00-
 Oueries value:
c66de400274e}\inprocserver32[inprocserver32]
 Queries value:
                         HKCR\clsid\{0e5aae11-a475-4c5b-ab00-
c66de400274e}\inprocserver32[threadingmodel]
 Queries value:
                         HKCR\clsid\{dffacdc5-679f-4156-8947-
c5c76bc0b67f}\instance\initpropertybag[attributes]
                         HKCR\clsid\{dffacdc5-679f-4156-8947-
 Oueries value:
c5c76bc0b67f}\instance\initpropertybag[descriptionid]
                         HKCR\clsid\{dffacdc5-679f-4156-8947-
 Queries value:
c5c76bc0b67f}\instance\initpropertybag[helptopic]
 Queries value:
                         HKCR\clsid\{dffacdc5-679f-4156-8947-
c5c76bc0b67f}\instance\initpropertybag[recursivesearch]
                         HKCR\clsid\{dffacdc5-679f-4156-8947-
 Oueries value:
c5c76bc0b67f}\instance\initpropertybag[targetknownfolder]
                         HKLM\system\currentcontrolset\control\wmi\security[0cfe0455-93ba-440d-
 Oueries value:
a3fe-553973d0b723]
 Queries value:
                         b924-d51178a59ce41
                         HKCU\software\microsoft\windows\currentversion\internet
 Oueries value:
settings[fromcachetimeout]
 Oueries value:
                         HKLM\software\policies\microsoft\windows\currentversion\internet
settings[secureprotocols]
 Queries value:
                         HKCU\software\policies\microsoft\windows\currentversion\internet
settings[secureprotocols]
                         HKCU\software\microsoft\windows\currentversion\internet
 Oueries value:
settings[secureprotocols]
                         \label{lem:hkcu} \verb+KKCU\+ software\+ microsoft\+ windows\+ current version\+ internet
 Queries value:
settings[certificaterevocation]
 Queries value:
                         HKCU\software\microsoft\windows\currentversion\internet
settings[disablekeepalive]
                         HKCU\software\microsoft\windows\currentversion\internet
 Oueries value:
settings[disablepassport]
```

```
Oueries value:
                          HKCU\software\microsoft\windows\currentversion\internet
settings[idnenabled]
 Queries value:
                          HKCU\software\microsoft\windows\currentversion\internet
settings[cachemode]
                          HKLM\software\policies\microsoft\windows\currentversion\internet
 Oueries value:
settings[enablehttp1_1]
 Queries value:
                          HKCU\software\policies\microsoft\windows\currentversion\internet
settings[enablehttp1_1]
 Queries value:
                          HKCU\software\microsoft\windows\currentversion\internet
settings[enablehttp1_1]
                          HKLM\software\policies\microsoft\windows\currentversion\internet
 Oueries value:
settings[proxyhttp1.1]
 Queries value:
                          HKCU\software\policies\microsoft\windows\currentversion\internet
settings[proxyhttp1.1]
 Queries value:
                          HKCU\software\microsoft\windows\currentversion\internet
settings[proxyhttp1.1]
                          HKCU\software\microsoft\windows\currentversion\internet
 Oueries value:
settings[enablenegotiate]
                          HKCU\software\microsoft\windows\currentversion\internet
 Queries value:
settings[disablebasicoverclearchannel]
                          HKCU\software\microsoft\internet
 Queries value:
explorer\main\featurecontrol[feature_clientauthcertfilter]
                          HKLM\software\microsoft\internet
 Oueries value:
explorer\main\featurecontrol[feature_clientauthcertfilter]
                          HKCU\software\microsoft\windows\currentversion\internet
 Queries value:
settings[clientauthbuiltinui]
                          HKCU\software\microsoft\windows\currentversion\internet
 Queries value:
settings[syncmode5]
                          HKLM\software\microsoft\windows\currentversion\internet
 Oueries value:
settings\5.0\cache[sessionstarttimedefaultdeltasecs]
                          HKCU\software\microsoft\windows\currentversion\internet
 Oueries value:
settings\5.0\cache[signature]
                          \label{lem:hkcu} \verb+KKCU\+ software\+ microsoft\+ windows\+ current version\+ internet
 Queries value:
settings\5.0\cache\content[peruseritem]
 Queries value:
                          HKLM\software\microsoft\windows\currentversion\internet
settings\5.0\cache\content[peruseritem]
                          HKCU\software\microsoft\windows\currentversion\explorer\user shell
 Oueries value:
folders[cache]
                          HKCU\software\microsoft\windows\currentversion\explorer\user shell
 Queries value:
folders[local appdata]
 Queries value:
                          HKCU\software\microsoft\windows\currentversion\internet
settings\5.0\cache\content[cacheprefix]
                          HKCU\software\microsoft\windows\currentversion\internet
 Oueries value:
settings\5.0\cache\content[cachelimit]
                          HKCU\software\microsoft\windows\currentversion\internet
 Oueries value:
settings\5.0\cache\cookies[peruseritem]
 Queries value:
                          \label{lem:hklm} \verb+Kklm \+ software + microsoft + windows + current version + internet
settings\5.0\cache\cookies[peruseritem]
                          HKCU\software\microsoft\windows\currentversion\explorer\user shell
 Oueries value:
folders[cookies]
 Oueries value:
                          HKCU\software\microsoft\windows\currentversion\internet
settings\5.0\cache\cookies[cacheprefix]
 Queries value:
                          HKCU\software\microsoft\windows\currentversion\internet
settings\5.0\cache\cookies[cachelimit]
                          HKCU\software\microsoft\windows\currentversion\internet
 Oueries value:
settings\5.0\cache\history[peruseritem]
 Queries value:
                          HKLM\software\microsoft\windows\currentversion\internet
settings\5.0\cache\history[peruseritem]
 Oueries value:
                          HKCU\software\microsoft\windows\currentversion\explorer\user shell
folders[history]
                          HKCU\software\microsoft\windows\currentversion\internet
 Queries value:
settings\5.0\cache\history[cacheprefix]
                          HKCU\software\microsoft\windows\currentversion\internet
 Queries value:
settings\5.0\cache\history[cachelimit]
                          HKLM\system\currentcontrolset\control\nls\locale[00000409]
 Queries value:
                          HKLM\system\currentcontrolset\control\nls\language groups[1]
 Oueries value:
                          HKCU\software\microsoft\windows\currentversion\internet
 Queries value:
settings\5.0\cache\extensible cache\domstore[cacherepair]
 Queries value:
                          HKCU\software\microsoft\windows\currentversion\internet
settings\5.0\cache\extensible cache\domstore[cachepath]
 Queries value:
                          HKCU\software\microsoft\windows\currentversion\internet
settings\5.0\cache\extensible cache\domstore[cacheprefix]
                         HKCU\software\microsoft\windows\currentversion\internet
 Oueries value:
settings\5.0\cache\extensible cache\domstore[cachelimit]
 Queries value:
                         HKCU\software\microsoft\windows\currentversion\internet
settings\5.0\cache\extensible cache\domstore[cacheoptions]
 Queries value:
                          HKCU\software\microsoft\windows\currentversion\internet
settings\5.0\cache\extensible cache\feedplat[cacherepair]
                         HKCU\software\microsoft\windows\currentversion\internet
 Oueries value:
settings\5.0\cache\extensible cache\feedplat[cachepath]
 Queries value:
                         HKCU\software\microsoft\windows\currentversion\internet
settings\5.0\cache\extensible cache\feedplat[cacheprefix]
 Queries value:
                          HKLM\software\microsoft\windows
```

```
nt\currentversion\languagepack\datastore_v1.0[disable]
                           HKLM\software\microsoft\windows
 Oueries value:
nt\currentversion\languagepack\datastore_v1.0[datafilepath]
                           HKLM\software\microsoft\windows
 Queries value:
nt\currentversion\languagepack\surrogatefallback[plane1]
 Queries value:
                           HKLM\software\microsoft\windows
nt\currentversion\languagepack\surrogatefallback[plane2]
                           HKLM\software\microsoft\windows
 Oueries value:
nt\currentversion\languagepack\surrogatefallback[plane3]
 Oueries value:
                           HKLM\software\microsoft\windows
\verb|nt\currentversion\languagepack\surrogatefallback[plane4]|
 Queries value:
                           \label{lem:hkcu} \verb+KKCU \software \microsoft \windows \current version \cite{thm:lem:hkcu} in terms to the lemma substitution \cite{thm:lem:hkcu} and \cite{thm:lem:hkcu} are \cite{thm:lem:hkcu}.
settings\5.0\cache\extensible cache\feedplat[cachelimit]
 Oueries value:
                          HKCU\software\microsoft\windows\currentversion\internet
settings\5.0\cache\extensible cache\feedplat[cacheoptions]
 Queries value:
                           HKCU\software\microsoft\windows\currentversion\internet
settings\5.0\cache\extensible cache\iecompat[cacherepair]
 Queries value:
                           HKCU\software\microsoft\windows\currentversion\internet
settings\5.0\cache\extensible cache\iecompat[cachepath]
                          HKCU\software\microsoft\windows\currentversion\internet
 Oueries value:
settings\5.0\cache\extensible cache\iecompat[cacheprefix]
 Queries value:
                           HKCU\software\microsoft\windows\currentversion\internet
settings\5.0\cache\extensible cache\iecompat[cachelimit]
                           HKLM\software\microsoft\windows
 Queries value:
nt\currentversion\languagepack\surrogatefallback[plane5]
                          HKLM\software\microsoft\windows
 Queries value:
nt\currentversion\languagepack\surrogatefallback[plane6]
                           HKLM\software\microsoft\windows
 Queries value:
nt\currentversion\languagepack\surrogatefallback[plane7]
                           HKLM\software\microsoft\windows
 Queries value:
nt\currentversion\languagepack\surrogatefallback[plane8]
                           HKLM\software\microsoft\windows
 Queries value:
nt\currentversion\languagepack\surrogatefallback[plane9]
 Queries value:
                           HKLM\software\microsoft\windows
\verb|nt\currentversion\languagepack\surrogatefallback[plane10]|
                           HKLM\software\microsoft\windows
 Queries value:
nt\currentversion\languagepack\surrogatefallback[plane11]
                           HKLM\software\microsoft\windows
 Oueries value:
nt\currentversion\languagepack\surrogatefallback[plane12]
                           HKLM\software\microsoft\windows
 Queries value:
\verb|nt\currentversion\languagepack\surrogatefallback[plane13]|
                           HKLM\software\microsoft\windows
 Queries value:
nt\currentversion\languagepack\surrogatefallback[plane14]
                           HKCU\software\microsoft\windows\currentversion\internet
 Oueries value:
settings\5.0\cache\extensible cache\iecompat[cacheoptions]
                          HKCU\software\microsoft\windows\currentversion\internet
 Queries value:
settings\5.0\cache\extensible cache\ietld[cacherepair]
 Queries value:
                           HKCU\software\microsoft\windows\currentversion\internet
settings\5.0\cache\extensible cache\ietld[cachepath]
                          \label{thm:local_hammon_hammon} \begin{tabular}{ll} HKCU \software \mbox{$\mbox{microsoft} \windows \current version \hinternet} \end{tabular}
 Queries value:
settings\5.0\cache\extensible cache\ietld[cacheprefix]
                          HKCU\software\microsoft\windows\currentversion\internet
 Oueries value:
settings\5.0\cache\extensible cache\ietld[cachelimit]
                           HKCU\software\microsoft\windows\currentversion\internet
 Queries value:
settings\5.0\cache\extensible cache\ietld[cacheoptions]
 Queries value:
                          HKLM\software\microsoft\windows
nt\currentversion\languagepack\surrogatefallback[plane15]
                           HKLM\software\microsoft\windows
 Oueries value:
nt\currentversion\languagepack\surrogatefallback[plane16]
                           HKLM\software\microsoft\ctf\tip\{0000897b-83df-4b96-be07-
Ofb58b01c4a4}\languageprofile\0x00000000\{0001bea3-ed56-483d-a2e2-aeae25577436}[enable]
 Oueries value:
                           HKCU\software\microsoft\windows\currentversion\internet
settings\5.0\cache\extensible cache\privacie:[cacherepair]
                           HKCU\software\microsoft\windows\currentversion\internet
 Oueries value:
settings\5.0\cache\extensible cache\privacie:[cachepath]
                           HKLM\software\microsoft\ctf[enableanchorcontext]
 Oueries value:
 Queries value:
                           HKCU\software\microsoft\windows\currentversion\internet
settings\5.0\cache\extensible cache\privacie:[cacheprefix]
 Queries value:
                           HKCU\software\microsoft\windows\currentversion\internet
settings\5.0\cache\extensible cache\privacie:[cachelimit]
 Queries value:
                           HKCU\software\microsoft\windows\currentversion\internet
settings\5.0\cache\extensible cache\privacie:[cacheoptions]
                          HKCU\software\policies\microsoft\windows\currentversion\internet
 Oueries value:
settings[enableautoproxyresultcache]
 Queries value:
                           HKCU\software\policies\microsoft\windows\currentversion\internet
settings[displayscriptdownloadfailureui]
 Queries value:
                           HKCU\software\policies\microsoft\windows\currentversion\internet
settings[mbcsservername]
                           HKCU\software\policies\microsoft\windows\currentversion\internet
 Oueries value:
settings[mbcsapiforcrack]
 Queries value:
                           HKCU\software\policies\microsoft\windows\currentversion\internet
settings[utf8servernameres]
 Queries value:
                           HKCU\software\microsoft\windows\currentversion\internet
```

```
settings[disableworkerthreadhibernation]
                            HKLM\software\microsoft\windows\currentversion\internet
 Oueries value:
settings[disableworkerthreadhibernation]
 Queries value:
                            HKCU\software\microsoft\windows\currentversion\internet
settings[disablereadrange]
 Queries value:
                            \label{lem:hkcu} \verb+KKCU \software \microsoft \windows \current version \cite{thm:lem:hkcu} in terms to the lemma substitution \cite{thm:lem:hkcu} and \cite{thm:lem:hkcu} are \cite{thm:lem:hkcu}.
settings[socketsendbufferlength]
                            \label{lem:hkcu} \verb+KKCU \software \microsoft \windows \current version \cite{thm:lem:hkcu} in terms to the lemma substitution \cite{thm:lem:hkcu} and \cite{thm:lem:hkcu} are \cite{thm:lem:hkcu}.
 Oueries value:
settings[socketreceivebufferlength]
                            HKCU\software\microsoft\windows\currentversion\internet
 Queries value:
settings[keepalivetimeout]
 Queries value:
                            \label{lem:hkcu} \verb+KKCU \software \microsoft \windows \current version \cite{thm:lem:hkcu} in terms to the lemma substitution \cite{thm:lem:hkcu} and \cite{thm:lem:hkcu} are \cite{thm:lem:hkcu}.
settings[maxhttpredirects]
 Queries value:
                            HKCU\software\microsoft\windows\currentversion\internet
settings[maxconnectionsperserver]
                            HKLM\software\microsoft\windows\currentversion\internet
 Queries value:
settings[maxconnectionsperserver]
 Queries value:
                            HKCU\software\microsoft\windows\currentversion\internet
settings[maxconnectionsper1_0server]
 Queries value:
                            HKLM\software\microsoft\windows\currentversion\internet
settings[maxconnectionsper1_0server]
                            HKCU\software\microsoft\windows\currentversion\internet
 Queries value:
settings[maxconnectionsperproxy]
                            HKCU\software\microsoft\windows\currentversion\internet
 Queries value:
settings[serverinfotimeout]
                            HKCU\software\microsoft\windows\currentversion\internet
 Queries value:
settings[connecttimeout]
                            HKLM\software\microsoft\windows\currentversion\internet
 Queries value:
settings[connecttimeout]
                            HKCU\software\microsoft\windows\currentversion\internet
 Queries value:
settings[connectretries]
                            HKLM\software\microsoft\windows\currentversion\internet
 Queries value:
settings[connectretries]
                            HKCU\software\microsoft\windows\currentversion\internet
 Queries value:
settings[sendtimeout]
                            HKLM\software\microsoft\windows\currentversion\internet
 Queries value:
settings[sendtimeout]
 Queries value:
                            HKCU\software\microsoft\windows\currentversion\internet
settings[receivetimeout]
                            HKLM\software\microsoft\windows\currentversion\internet
 Queries value:
settings[receivetimeout]
                            HKCU\software\microsoft\windows\currentversion\internet
 Queries value:
settings[disablentlmpreauth]
 Queries value:
                            HKCU\software\microsoft\windows\currentversion\internet
settings[scavengecachelowerbound]
                            HKCU\software\microsoft\windows\currentversion\internet
 Queries value:
settings[certcachenovalidate]
 Queries value:
                            HKCU\software\microsoft\windows\currentversion\internet
settings\5.0\cache[scavengecachefilelifetime]
 Queries value:
                            HKCU\software\policies\microsoft\windows\currentversion\internet
settings\5.0\cache[scavengecachefilelimit]
                            HKCU\software\microsoft\windows\currentversion\internet
 Oueries value:
settings\5.0\cache[scavengecachefilelimit]
 Queries value:
                            \label{lem:hklm} \verb+ HKLM \software \microsoft \windows \current version \cite{thmosoft} internet
settings\5.0\cache[scavengecachefilelimit]
 Queries value:
                            HKCU\software\microsoft\windows\currentversion\internet
settings[httpdefaultexpirytimesecs]
                            HKCU\software\microsoft\windows\currentversion\internet
 Oueries value:
settings[ftpdefaultexpirytimesecs]
 Queries value:
                            HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_disable_unicode_handle_closing_callback[bi.exe]
 Queries value:
                            HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature disable unicode handle closing callback[*]
                            HKCU\software\microsoft\windows\currentversion\internet
 Oueries value:
settings[disablecachingofsslpages]
                            HKCU\software\microsoft\windows\currentversion\internet
 Oueries value:
settings[perusercookies]
                            HKCU\software\microsoft\windows\currentversion\internet
 Queries value:
settings[leashlegacycookies]
                            HKCU\software\microsoft\windows\currentversion\internet
 Oueries value:
settings[dialupuselansettings]
                            HKLM\software\microsoft\windows\currentversion\internet
 Oueries value:
settings[dialupuselansettings]
 Queries value:
                            HKCU\software\microsoft\windows\currentversion\internet
settings[sendextracrlf]
                            HKCU\software\microsoft\windows\currentversion\internet
 Oueries value:
settings[wpadsearchalldomains]
 Oueries value:
                            HKCU\software\microsoft\windows\currentversion\internet
settings[bypasshttpnocachecheck]
                            HKLM\software\microsoft\windows\currentversion\internet
 Queries value:
settings[bypasshttpnocachecheck]
                            HKCU\software\microsoft\windows\currentversion\internet
 Oueries value:
settings[bypasssslnocachecheck]
```

```
Oueries value:
                          HKLM\software\microsoft\windows\currentversion\internet
settings[bypasssslnocachecheck]
 Queries value:
                          HKLM\software\microsoft\windows\currentversion\internet
settings[enablehttptrace]
                          HKCU\software\microsoft\windows\currentversion\internet
 Oueries value:
settings[nocheckautodialoverride]
                          HKLM\software\microsoft\windows\currentversion\internet
 Queries value:
settings[nocheckautodialoverride]
                          \label{lem:hkcu} \verb+KKCU \software \verb+microsoft \verb+windows \verb+current version \verb+\internet+
 Queries value:
settings[dontusednsloadbalancing]
 Oueries value:
                          HKLM\software\microsoft\windows\currentversion\internet
settings[dontusednsloadbalancing]
                          HKLM\software\microsoft\windows\currentversion\internet
 Queries value:
settings[sharecredswithwinhttp]
                          \label{lem:hkcu} \verb+KKCU \software \verb+microsoft \verb+windows \verb+current version \verb+\internet+
 Queries value:
settings[mimeexclusionlistforcache]
                          HKCU\software\microsoft\windows\currentversion\internet
 Oueries value:
settings[headerexclusionlistforcache]
                          HKCU\software\microsoft\windows\currentversion\internet
 Queries value:
settings[dnscacheenabled]
                          \label{lem:hkcu} \verb+KKCU \software \verb+microsoft \verb+windows \verb+current version \verb+\internet+
 Queries value:
settings[dnscacheentries]
                          HKCU\software\microsoft\windows\currentversion\internet
 Oueries value:
settings[dnscachetimeout]
                          \label{lem:hkcu} \verb+KKCU\+ software\+ microsoft\+ windows\+ current version\+ internet
 Queries value:
settings[warnonpost]
                          HKCU\software\microsoft\windows\currentversion\internet
 Queries value:
settings[warnalwaysonpost]
                          \label{lem:hkcu} \mbox{\tt HKCU\software\mbox{\tt microsoft\windows\currentversion\linear}} \mbox{\tt internet}
 Queries value:
settings[warnonzonecrossing]
                          HKCU\software\microsoft\windows\currentversion\internet
 Oueries value:
settings[warnonbadcertrecving]
 Queries value:
                          HKCU\software\microsoft\windows\currentversion\internet
settings[warnonpostredirect]
 Queries value:
                          HKCU\software\microsoft\windows\currentversion\internet
settings[alwaysdrainonredirect]
                          HKCU\software\microsoft\windows\currentversion\internet
 Oueries value:
settings[warnonhttpstohttpredirect]
 Queries value:
                          HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_disable_unicode_handle_closing_callback[bdc27c485a35c61c7bf0bfedbf9b0b3f.exe]
 Queries value:
                          \label{lem:hklm} \verb+Kklm \+ software + microsoft + windows + current version + internet
settings[tcpautotuning]
 Oueries value:
HKLM\system\currentcontrolset\services\winsock2\parameters[winsock_registry_version]
 Oueries value:
HKLM\system\currentcontrolset\services\winsock2\parameters[namespace_callout]
 Queries value:
HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9[serial_access_num]
 Oueries value:
HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9[next_catalog_entry_id]
 Oueries value:
HKLM\system\currentcontrolset\services\winsock2\parameters\protocol catalog9[num catalog entries]
 Queries value:
HKLM \ system \ current control set \ services \ winsock 2 \ parameters \ protocol\_catalog \ entries \ 000000000001 \ [packed catalog item]
 Oueries value:
HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\000000000002[packedcatalogitem]
 Oueries value:
Oueries value:
HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\000000000004[packedcatalogitem]
 Queries value:
Queries value:
HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\00000000006[packedcatalogitem]
 Queries value:
HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\00000000007[packedcatalogitem]
 Queries value:
HKLM \ system \ current control set \ services \ winsock 2 \ parameters \ protocol\_catalog 9 \ catalog\_entries \ 000000000008 \ [packed catalog item]
 Queries value:
HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\00000000009[packedcatalogitem]
 Queries value:
HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\000000000010[packedcatalogitem]
 Oueries value:
HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\000000000011[packedcatalogitem]
 Queries value:
HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\000000000012[packedcatalogitem]
 Queries value:
HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\000000000013[packedcatalogitem]
 Oueries value:
```

HKLM\system\currentcontrolset\services\winsock2\parameters\protocol\_catalog9\catalog\_entries\000000000014[packedcatalogitem]

HKLM\system\currentcontrolset\services\winsock2\parameters\protocol\_catalog9\catalog\_entries\000000000015[packedcatalogitem]

Queries value:

- HKLM\system\currentcontrolset\services\winsock2\parameters\protocol\_catalog9\catalog\_entries\000000000016[packedcatalogitem] Oueries value:

- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace\_catalog5[serial\_access\_num]
   Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace\_catalog5[num\_catalog\_entries]
  Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace\_catalog5\catalog\_entries\00000000001[librarypath]
   Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace\_catalog5\catalog\_entries\000000000001[displaystring]
  Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace\_catalog5\catalog\_entries\000000000001[providerid] Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace\_catalog5\catalog\_entries\00000000001[addressfamily]
  Queries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace\_catalog5\catalog\_entries\000000000001[supportednamespace]
   Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace\_catalog5\catalog\_entries\00000000001[enabled] Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace\_catalog5\catalog\_entries\00000000001[version] Oueries value:
- $HKLM \system \current control set \services \winsock 2 \parameters \namespace\_catalog 5 \catalog\_entries \$
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace\_catalog5\catalog\_entries\000000000001[providerinfo] Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace\_catalog5\catalog\_entries\00000000002[librarypath]
  Queries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace\_catalog5\catalog\_entries\000000000002[displaystring]
   Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace\_catalog5\catalog\_entries\000000000002[providerid]
   Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace\_catalog5\catalog\_entries\000000000002[addressfamily] Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace\_catalog5\catalog\_entries\0000000000002[supportednamespace]
   Oueries value:
- $HKLM \ system \ current control set \ services \ winsock 2 \ parameters \ namespace\_catalog 5 \ catalog\_entries \ 00000000000002 \ [enabled] \ Oueries \ value:$
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace\_catalog5\catalog\_entries\000000000002[version]
- Queries value:

  NKLM\system\currentcontrolset\services\winsock2\parameters\namespace\_catalog5\catalog\_entries\0000000000002[storesserviceclassinfo]

  Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace\_catalog5\catalog\_entries\000000000002[providerinfo] Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace\_catalog5\catalog\_entries\000000000003[librarypath]
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace\_catalog5\catalog\_entries\000000000003[displaystring]
   Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace\_catalog5\catalog\_entries\00000000003[providerid]
  Queries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace\_catalog5\catalog\_entries\000000000003[addressfamily]
   Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace\_catalog5\catalog\_entries\000000000003[supportednamespace] Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace\_catalog5\catalog\_entries\00000000003[enabled]
  Queries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace\_catalog5\catalog\_entries\00000000003[version]
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace\_catalog5\catalog\_entries\000000000003[storesserviceclassinfo]
   Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace\_catalog5\catalog\_entries\000000000003[providerinfo]
  Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace\_catalog5\catalog\_entries\00000000004[librarypath]
  Queries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace\_catalog5\catalog\_entries\000000000004[displaystring] Queries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace\_catalog5\catalog\_entries\000000000004[providerid]
  Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace\_catalog5\catalog\_entries\000000000004[addressfamily]
- $\label{lem:hklmsystem} HKLM \system \current controlset \services \winsock 2 \parameters \namespace\_catalog5 \catalog\_entries \0000000000004 \cite{lemabled} \end{subarray} Queries value:$
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace\_catalog5\catalog\_entries\000000000004[version]
   Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace\_catalog5\catalog\_entries\000000000004[storesserviceclassinfo] Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace\_catalog5\catalog\_entries\000000000004[providerinfo]
  Oueries value:

Oueries value:

HKLM\system\currentcontrolset\services\winsock2\parameters\namespace\_catalog5\catalog\_entries\000000000005[displaystring]

Oueries value:

HKLM\system\currentcontrolset\services\winsock2\parameters\namespace\_catalog5\catalog\_entries\00000000005[providerid] Oueries value:

HKLM\system\currentcontrolset\services\winsock2\parameters\namespace\_catalog5\catalog\_entries\000000000005[addressfamily] Oueries value:

 $HKLM \ system \ (current control set \ services \ winsock 2 \ parameters \ name space \_ catalog 5 \ (catalog\_entries \ 0000000000005 [supported name space] \\$ Queries value:

HKLM\system\currentcontrolset\services\winsock2\parameters\namespace\_catalog5\catalog\_entries\000000000005[enabled] Oueries value:

Oueries value:

 $HKLM \ system \ current control set \ services \ winsock 2 \ parameters \ names pace\_catalog5 \ catalog\_entries \ 1000000000005 \ [storesservice class in fo]$ Queries value:

HKLM\system\currentcontrolset\services\winsock2\parameters\namespace\_catalog5\catalog\_entries\00000000005[providerinfo] Oueries value:

HKLM\system\currentcontrolset\services\winsock2\parameters\namespace\_catalog5\catalog\_entries\00000000006[librarypath] Queries value:

 $HKLM \ system \ (current control set \ services \ winsock 2 \ parameters \ name space\_catalog 5 \ (catalog\_entries \ 000000000006 \ [displaystring]$ 

HKLM\system\currentcontrolset\services\winsock2\parameters\namespace\_catalog5\catalog\_entries\00000000006[providerid] Oueries value:

HKLM\system\currentcontrolset\services\winsock2\parameters\namespace\_catalog5\catalog\_entries\00000000006[addressfamily] Queries value:

HKLM\system\currentcontrolset\services\winsock2\parameters\namespace catalog5\catalog entries\00000000006[enabled] Oueries value:

Oueries value:

HKCU\software\microsoft\windows\currentversion\internet

HKLM\system\currentcontrolset\services\winsock2\parameters\namespace\_catalog5\catalog\_entries\000000000006[storesserviceclassinfo]

HKLM\system\currentcontrolset\services\winsock2\parameters\namespace catalog5\catalog entries\00000000006[providerinfo] Oueries value:

HKLM\system\currentcontrolset\services\winsock2\parameters[ws2 32numhandlebuckets]

Oueries value:

HKLM\system\currentcontrolset\services\winsock2\parameters[ws2 32spincount]

HKCU\software\microsoft\windows\currentversion\internet Queries value:

settings\wpad[wpadoverride]

Queries value: HKCU\software\microsoft\windows\currentversion\internet

settings[enableautodial] Oueries value:

settings[nonetautodial]

Oueries value: HKCU\software\microsoft\windows\currentversion\internet

settings[globaluseroffline]

Queries value: HKCU\software\microsoft\windows\currentversion\internet

settings[badproxyexpirestime]

HKLM\software\microsoft\windows\currentversion\internet Oueries value:

settings[disablebranchcache]

HKLM\software\microsoft\internet Queries value:

explorer\main\featurecontrol\feature http username password disable[bi.exel

Queries value: HKLM\software\microsoft\internet

explorer\main\featurecontrol\feature\_http\_username\_password\_disable[\*]

Oueries value: HKLM\software\microsoft\internet explorer\main\featurecontrol\feature\_mime\_handling[bi.exe] Oueries value: HKLM\software\microsoft\internet explorer\main\featurecontrol\feature mime handling[\*]

Oueries value: HKLM\software\microsoft\tracing[enableconsoletracing] HKLM\software\microsoft\tracing\bi\_rasapi32[enablefiletracing] Queries value:

HKLM\software\microsoft\tracing\bi\_rasapi32[filetracingmask] Queries value: Oueries value: HKLM\software\microsoft\tracing\bi\_rasapi32[enableconsoletracing] HKLM\software\microsoft\tracing\bi\_rasapi32[consoletracingmask] Queries value: HKLM\software\microsoft\tracing\bi\_rasapi32[maxfilesize] Oueries value: Oueries value: HKLM\software\microsoft\tracing\bi\_rasapi32[filedirectory] HKLM\software\microsoft\tracing\bi\_rasmancs[enablefiletracing] Oueries value: Queries value: HKLM\software\microsoft\tracing\bi\_rasmancs[filetracingmask] Queries value: HKLM\software\microsoft\tracing\bi\_rasmancs[enableconsoletracing] Queries value: HKLM\software\microsoft\tracing\bi\_rasmancs[consoletracingmask] Oueries value: HKLM\software\microsoft\tracing\bi\_rasmancs[maxfilesize] Queries value: HKLM\software\microsoft\tracing\bi\_rasmancs[filedirectory]

HKLM\software\microsoft\windows Oueries value:

nt\currentversion\profilelist[programdata]

Queries value: HKLM\system\currentcontrolset\control\sqmservicelist[sqmservicelist] Queries value: HKLM\software\microsoft\sqmclient\windows\disabledprocesses[959385cd]

Oueries value:

HKLM\software\microsoft\sqmclient\windows\disabledsessions[machinethrottling]

Oueries value:

HKLM\software\microsoft\samclient\windows\disabledsessions[globalsession1

Oueries value: HKLM\software\microsoft\cryptography\defaults\provider\microsoft strong

cryptographic provider[type]

HKLM\software\microsoft\cryptography\defaults\provider\microsoft strong Oueries value:

cryptographic provider[image path]

```
Oueries value:
                          HKLM\system\currentcontrolset\control\session
manager[safeprocesssearchmode]
 Queries value:
                          HKLM\system\currentcontrolset\control\lsa\fipsalgorithmpolicy[enabled]
                          HKLM\system\currentcontrolset\control\lsa[fipsalgorithmpolicy]
 Queries value:
                          HKLM\software\policies\microsoft\cryptography[privkeycachemaxitems]
 Oueries value:
 Queries value:
HKLM\software\policies\microsoft\cryptography[privkeycachepurgeintervalseconds]
 Oueries value:
                          HKLM\software\policies\microsoft\cryptography[privatekeylifetimeseconds]
 Oueries value:
                          HKLM\software\microsoft\cryptography[machineguid]
 Queries value:
                          HKLM\software\policies\microsoft\windows\currentversion\internet
settings[proxysettingsperuser]
 Queries value:
                          \label{lem:hkcu} \verb+KKCU \software \microsoft \windows \current version \cite{thm:lem:hkcu} in terms to the lemma substitution \cite{thm:lem:hkcu} and \cite{thm:lem:hkcu} are \cite{thm:lem:hkcu}.
settings[migrateproxy]
                          HKCU\software\microsoft\windows\currentversion\internet
 Queries value:
settings[proxyenable]
                          HKCU\software\microsoft\windows\currentversion\internet
 Queries value:
settings[proxyserver]
 Queries value:
                          HKCU\software\microsoft\windows\currentversion\internet
settings[proxyoverride]
                          HKCU\software\microsoft\windows\currentversion\internet
 Queries value:
settings[autoconfigurl]
                          HKCU\software\microsoft\windows\currentversion\internet
 Queries value:
settings\connections[savedlegacysettings]
                          HKCU\software\microsoft\windows\currentversion\internet
 Queries value:
settings\connections[defaultconnectionsettings]
                          HKCU\software\microsoft\windows\currentversion\internet
 Queries value:
settings[autoconfigcustomua]
                          HKCR\autoproxytypes\application/x-internet-signup[dllfile]
 Queries value:
                          HKCR\autoproxytypes\application/x-internet-signup[fileextensions]
 Oueries value:
 Queries value:
                          HKCR\autoproxytypes\application/x-internet-signup[default]
 Queries value:
                          HKCR\autoproxytypes\application/x-internet-signup[flags]
                          {\it HKCR} \ `autoproxy types `application/x-ns-proxy-autoconfig[dllfile]
 Queries value:
                          \label{local-equation} HKCR \verb|\| autoproxytypes \verb|\| application/x-ns-proxy-autoconfig[file extensions]|
 Queries value:
 Queries value:
                          HKCR\autoproxytypes\application/x-ns-proxy-autoconfig[default]
 Oueries value:
                          HKCR\autoproxytypes\application/x-ns-proxy-autoconfig[flags]
                          HKLM\system\currentcontrolset\services\winsock2\parameters[autodialdll]
 Queries value:
 Oueries value:
HKLM\system\currentcontrolset\services\dnscache\parameters[queryadaptername]
HKLM\system\currentcontrolset\services\tcpip\parameters[disableadapterdomainname]
 Queries value:
HKLM\system\currentcontrolset\services\dnscache\parameters[usedomainnamedevolution]
 Oueries value:
HKLM\system\currentcontrolset\services\tcpip\parameters[usedomainnamedevolution]
 Oueries value:
HKLM\system\currentcontrolset\services\dnscache\parameters[domainnamedevolutionlevel]
 Queries value:
HKLM \setminus system \setminus current control set \setminus services \setminus dnscache \setminus parameters [prioritize record data]
 Oueries value:
HKLM\system\currentcontrolset\services\tcpip\parameters[prioritizerecorddata]
 Oueries value:
HKLM\system\currentcontrolset\services\dnscache\parameters[allowunqualifiedquery]
 Queries value:
HKLM\system\currentcontrolset\services\tcpip\parameters[allowunqualifiedquery]
 Oueries value:
HKLM\system\currentcontrolset\services\dnscache\parameters[appendtomultilabelname]
 Oueries value:
HKLM\system\currentcontrolset\services\dnscache\parameters[screenbadtlds]
 Oueries value:
HKLM\system\currentcontrolset\services\dnscache\parameters[screenunreachableservers]
 Queries value:
Queries value:
HKLM\svstem\currentcontrolset\services\dnscache\parameters[dvnamicserverguervorder]
 Queries value:
HKLM\system\currentcontrolset\services\dnscache\parameters[filterclusterip]
 Queries value:
Queries value:
                          HKLM\system\currentcontrolset\services\dnscache\parameters[useedns]
 Oueries value:
HKLM \setminus system \setminus current control set \setminus services \setminus dns cache \setminus parameters [dns secure name query fall back]
HKLM\system\currentcontrolset\services\dnscache\parameters[enabledaforallnetworks]
 Queries value:
HKLM\system\currentcontrolset\services\dnscache\parameters[directaccessqueryorder]
 Oueries value:
HKLM\system\currentcontrolset\services\dnscache\parameters[queryipmatching]
 Oueries value:
                          HKLM\system\currentcontrolset\services\dnscache\parameters[usehostsfile]
 Oueries value:
HKLM\system\currentcontrolset\services\dnscache\parameters[addrconfigcontrol]
 Queries value:
```

```
HKLM\system\currentcontrolset\services\tcpip\parameters[disabledynamicupdate]
 Oueries value:
HKLM\system\currentcontrolset\services\dnscache\parameters[registerprimaryname]
 Queries value:
HKLM\system\currentcontrolset\services\dnscache\parameters[registeradaptername]
 Queries value:
HKLM\system\currentcontrolset\services\tcpip\parameters[enableadapterdomainnameregistration]
 Oueries value:
HKLM\system\currentcontrolset\services\dnscache\parameters[registerreverselookup]
 Oueries value:
Queries value:
HKLM\system\currentcontrolset\services\dnscache\parameters[registerwanadapters]
 Oueries value:
HKLM\system\currentcontrolset\services\tcpip\parameters[disablewandynamicupdate]
 Queries value:
HKLM\system\currentcontrolset\services\dnscache\parameters[registrationttl]
 Queries value:
HKLM\system\currentcontrolset\services\tcpip\parameters[defaultregistrationttl]
 Queries value:
HKLM\system\currentcontrolset\services\dnscache\parameters[registrationrefreshinterval]
 Queries value:
HKLM\system\currentcontrolset\services\tcpip\parameters[defaultregistrationrefreshinterval]
 Queries value:
HKLM\system\currentcontrolset\services\dnscache\parameters[registrationmaxaddresscount]
 Queries value:
HKLM \verb| system| current control set \verb| services| tcpip| parameters [maxnumber of addresses to register]
 Queries value:
HKLM\system\currentcontrolset\services\tcpip\parameters[updatesecuritylevel]
 Queries value:
HKLM \setminus system \setminus current control set \setminus services \setminus dns cache \setminus parameters [update top level domain zones]
 Queries value:
HKLM\system\currentcontrolset\services\dnscache\parameters[downcasespncauseapiowneristoolazy]
HKLM\system\currentcontrolset\services\dnscache\parameters[registrationoverwrite]
                         HKLM\system\currentcontrolset\services\dnscache\parameters[maxcachesize]
 Queries value:
                         HKLM\system\currentcontrolset\services\dnscache\parameters[maxcachettl]
 Queries value:
 Queries value:
HKLM\system\currentcontrolset\services\dnscache\parameters[adaptertimeoutlimit]
 Queries value:
HKLM\system\currentcontrolset\services\dnscache\parameters[serverprioritytimelimit]
 Queries value:
HKLM \setminus system \setminus current control set \setminus services \setminus dns cache \setminus parameters [max cached sockets]
 Queries value:
HKLM\svstem\currentcontrolset\services\dnscache\parameters[enablemulticast]
 Queries value:
HKLM\system\currentcontrolset\services\dnscache\parameters[multicastresponderflags]
 Oueries value:
HKLM\system\currentcontrolset\services\dnscache\parameters[multicastsenderflags]
 Queries value:
HKLM\system\currentcontrolset\services\dnscache\parameters[multicastsendermaxtimeout]
 Queries value:
                         HKLM\system\currentcontrolset\services\dnscache\parameters[dnstest]
 Oueries value:
HKLM\system\currentcontrolset\services\dnscache\parameters[usecompartments]
 Oueries value:
HKLM\system\currentcontrolset\services\dnscache\parameters[cacheallcompartments]
 Queries value:
\label{lem:hklm} \verb+KLM\+ system \setminus current control set \setminus services \setminus dnscache \setminus parameters [use new registration]
 Queries value:
HKLM\svstem\currentcontrolset\services\dnscache\parameters[resolverregistration]
 Queries value:
HKLM\system\currentcontrolset\services\dnscache\parameters[resolverregistrationonly]
 Queries value:
HKLM \setminus system \setminus current control set \setminus services \setminus dns cache \setminus parameters [dns query time outs]
 Queries value:
HKLM\system\currentcontrolset\services\tcpip\parameters[dnsquerytimeouts]
 Queries value:
HKLM\system\currentcontrolset\services\dnscache\parameters[dnsquickquerytimeouts]
 Oueries value:
HKLM\system\currentcontrolset\services\tcpip\parameters[dnsquickquerytimeouts]
 Queries value:
                         HKLM\system\currentcontrolset\services\tcpip\parameters[hostname]
 Oueries value:
                         HKLM\system\currentcontrolset\services\tcpip\parameters[domain]
 Queries value:
                         HKLM\system\currentcontrolset\services\winsock\parameters[transports]
 Oueries value:
HKLM\system\currentcontrolset\services\tcpip6\parameters\winsock[mapping]
 Oueries value:
HKLM\system\currentcontrolset\services\psched\parameters\winsock[mapping]
                         HKLM\system\currentcontrolset\services\winsock\setup
 Oueries value:
migration\providers\psched[winsock 2.0 provider id]
```

Queries value: HKLM\system\currentcontrolset\services\tcpip\parameters\winsock[mapping]

Queries value: HKLM\system\currentcontrolset\services\winsock\setup

migration\providers\tcpip[winsock 2.0 provider id]

Queries value:

HKLM\system\currentcontrolset\services\tcpip\parameters\winsock[minsockaddrlength]
 Oueries value:

 $\label{thm:local_ham} \begin{tabular}{ll} HKLM\system\currentcontrolset\services\tcpip\parameters\winsock[maxsockaddrlength] \end{tabular}$ 

Queries value: HKLM\system\currentcontrolset\services\tcpip\parameters\winsock[usedelayedacceptance]

nktwisystemicum entcontroisetiservices (tcp1p)parameters (winsock[usede1ayedacceptance Queries value:

HKLM\system\currentcontrolset\services\tcpip\parameters\winsock[helperdllname]
Queries value: HKLM\system\currentcontrolset\services\winsock\setup

migration\providers\tcpip6[winsock 2.0 provider id]

Oueries value:

HKLM\system\currentcontrolset\services\tcpip6\parameters\winsock[minsockaddrlength]
 Oueries value:

HKLM\system\currentcontrolset\services\tcpip6\parameters\winsock[maxsockaddrlength]
Queries value:

HKLM\system\currentcontrolset\services\tcpip6\parameters\winsock[usedelayedacceptance]
 Oueries value:

HKLM\system\currentcontrolset\services\tcpip6\parameters\winsock[helperdllname]
 Oueries value:

HKLM\system\currentcontrolset\services\dnscache\parameters\dnscache[shutdownonidle]

Queries value:

 $HKLM \ system \ current control set \ services \ tcpip6 \ parameters \ interfaces \ \{128919e8-8a5e-41d1-ac17-c19ce8a73253\} \ [search list]$ 

Queries value:

 $\label{lem:hklmsystem} HKLM \system \current control set \services \troip \parameters \interfaces \{128919e8-8a5e-41d1-ac17-c19ce8a73253\} [enabled \hcp]$ 

Queries value:

 $\label{lem:hklmsystem} HKLM \system \current controls et \services \troip \parameters \troip \end{2.5} Iregistration enabled \end{2.5} Iregistration enabled \end{2.5}$ 

Queries value:

 $\label{lem:hklmsystem} HKLM \system \current control set \services \troip \parameters \interfaces \{128919e8-8a5e-41d1-ac17-c19ce8a73253\} [register adapter name]$ 

Oueries value:

HKLM\system\currentcontrolset\services\tcpip\parameters\interfaces\{128919e8-8a5e-41d1-ac17-c19ce8a73253}[domain]

Queries value:

 $\label{lem:hklmsystem} HKLM \system \current control set \services \true \parameters \true \normalfaces \no$ 

Queries value:

HKLM\system\currentcontrolset\services\tcpip6\parameters\interfaces\{128919e8-8a5e-41d1-ac17-c19ce8a73253}[dhcpv6domain]

Oueries value:

 $\label{lem:hklmsystem} HKLM \system \current control set \services \tcpip6 \parameters \time faces \ \{128919e8-8a5e-41d1-ac17-c19ce8a73253\} \ [nameserver]$ 

Queries value:

 $\label{lem:hklm} HKLM \system \current control set \services \true \parameters \true \normalised \no$ 

Queries value:

 $\label{lem:hklmsystem} HKLM \system \current control set \services \tcpip \parameters \interfaces \{128919e8-8a5e-41d1-ac17-c19ce8a73253\} [dhcpnames erver]$ 

Queries value:

HKLM\system\currentcontrolset\services\tcpip\parameters\interfaces\{e29ac6c2-7037-11de-816d-806e6f6e6963}[enabledhcp]

Oueries value:

Queries value:

Queries value:

HKLM\system\currentcontrolset\services\tcpip\parameters\interfaces\{e29ac6c2-7037-11de-816d-806e6f6e6963}[domain]

Queries value:

 $\label{lem:hklm} HKLM \ system \ current controls et \ services \ tcpip \ parameters \ interfaces \ \{e29ac6c2-7037-11de-816d-806e6f6e6963\} \ [dhcpdomain]$ 

Queries value:

 $HKLM \ system \ `current control set \ 'services \ 'tcpip \ parameters \ 'interfaces \ '\{e29ac6c2-7037-11de-816d-806e6f6e6963\} \ [names erver]$ 

Queries value:

Queries value: HKLM\system\currentcontrolset\services\tcpip\linkage[bind]

Queries value:

 $\label{lem:hklmsystem} HKLM \system \current control set \services \tcpip \parameters \interfaces \{128919e8-8a5e-41d1-ac17-c19ce8a73253\} [queryadapter name]$ 

Queries value:

 $HKLM \ system \ current controls et \ services \ tcpip \ parameters \ interfaces \ \{128919e8-8a5e-41d1-ac17-c19ce8a73253\} \ [disable adapter domain name]$ 

Queries value:

 $HKLM \ system \ current control set \ services \ trip \ parameters \ interfaces \ \{128919e8-8a5e-41d1-ac17-4144-4144, and an action \ trip \ and action \ trip \ and action \ action$ 

```
c19ce8a73253}[registrationmaxaddresscount]
  Oueries value:
HKLM\system\currentcontrolset\services\tcpip\parameters\interfaces\{128919e8-8a5e-41d1-ac17-
c19ce8a73253}[maxnumberofaddressestoregister]
  Oueries value:
HKLM\system\currentcontrolset\services\tcpip\parameters\interfaces\{128919e8-8a5e-41d1-ac17-
c19ce8a73253}[enablemulticast]
  Oueries value:
HKLM\system\currentcontrolset\services\tcpip\parameters\interfaces\{e29ac6c2-7037-11de-816d-
806e6f6e6963}[queryadaptername]
  Oueries value:
806e6f6e6963}[disableadapterdomainname]
  Oueries value:
HKLM\system\currentcontrolset\services\tcpip\parameters\interfaces\{e29ac6c2-7037-11de-816d-
806e6f6e6963}[disabledynamicupdate]
  Queries value:
HKLM\system\currentcontrolset\services\tcpip\parameters\interfaces\{e29ac6c2-7037-11de-816d-
806e6f6e6963}[enableadapterdomainnameregistration]
  Oueries value:
HKLM\system\currentcontrolset\services\tcpip\parameters\interfaces\{e29ac6c2-7037-11de-816d-
806e6f6e6963}[registrationmaxaddresscount]
  Queries value:
HKLM\system\currentcontrolset\services\tcpip\parameters\interfaces\{e29ac6c2-7037-11de-816d-
806e6f6e6963}[maxnumberofaddressestoregister]
  Oueries value:
806e6f6e6963}[enablemulticast]
  Oueries value:
                                    HKLM\system\currentcontrolset\services\tcpip\parameters[searchlist]
  Queries value:
                                    HKCR\clsid\{dcb00c01-570f-4a9b-8d69-199fdba5723b}[]
  Queries value:
                                    HKCR\clsid\{dcb00c01-570f-4a9b-8d69-
199fdba5723b}\inprocserver32[inprocserver32]
                                    HKCR\clsid\{dcb00c01-570f-4a9b-8d69-199fdba5723b}\inprocserver32[]
  Queries value:
  Queries value:
                                    HKCR\clsid\{dcb00c01-570f-4a9b-8d69-
199fdba5723b}\inprocserver32[threadingmodel]
                                    HKLM\software\microsoft\rpc\extensions[ndroleextdll]
  Queries value:
  Queries value:
                                    HKCR\clsid\{a47979d2-c419-11d9-a5b4-001185ad2b89}[]
                                    \label{lem:hklm} \verb+Kklm\+ software\+ microsoft\+ ole\+ app compat[raise default authnlevel]
  Oueries value:
  Queries value:
                                    HKLM\software\microsoft\ole[defaultaccesspermission]
  Queries value:
                                    HKLM\system\currentcontrolset\control\lsa[everyoneincludesanonymous]
                                    HKCR\interface\{00000134-0000-0000-c000-00000000046}\proxystubclsid32[]
  Oueries value:
                                    HKLM\software\microsoft\rpc\extensions[remoterpcdll]
  Queries value:
                                    HKLM\software\microsoft\ole[maximumallowedallocationsize]
  Oueries value:
                                    HKCR \verb|\interface|{d0074ffd-570f-4a9b-8d69-199fdba5723b} \verb|\proxystubclsid32[]| \\
  Queries value:
                                    HKCR\clsid\{1299cf18-c4f5-4b6a-bb0f-2299f0398e27}[]
  Oueries value:
  Queries value:
                                    HKCR\clsid\{1299cf18-c4f5-4b6a-bb0f-
2299f0398e27}\inprocserver32[inprocserver32]
  Queries value:
                                    HKCR\clsid\{1299cf18-c4f5-4b6a-bb0f-2299f0398e27}\tinprocserver32[]
                                    HKCR\clsid\{1299cf18-c4f5-4b6a-bb0f-
  Oueries value:
2299f0398e27}\inprocserver32[threadingmodel]
                                    HKCR\interface\{26656eaa-54eb-4e6f-8f85-4f0ef901a406}\proxystubclsid32[]
  Oueries value:
                                    HKCR\interface\{8a40a45d-055c-4b62-abd7-6d613e2ceaec}\proxystubclsid32[]
  Oueries value:
  Queries value:
                                    HKCR\interface\{55272a00-42cb-11ce-8135-00aa004bb851}\proxystubclsid32[]
                                    HKCR\clsid\{b196b286-bab4-101a-b69c-00aa00341d07}[]
  Queries value:
  Oueries value:
                                    HKCR\clsid\{b196b286-bab4-101a-b69c-
00aa00341d07}\inprocserver32[inprocserver32]
                                    HKCR\clsid\{b196b286-bab4-101a-b69c-00aa00341d07}\inprocserver32[]
  Queries value:
  Queries value:
                                    HKCR\clsid\{b196b286-bab4-101a-b69c-
00aa00341d07}\inprocserver32[threadingmodel]
  Queries value:
                                    HKCR \land [bcd1de7e-2db1-418b-b047-4a74e101f8c1] \land [bcd1de7e7e-2db1-418b-b047-4a74e101f8c1] \land [bcd1de7e7e-2db1-418b-b047e10f8c1] \land [bcd1de7e7e-2db1-418b-b047e10f8c1] \land [bcd1de7e7e-2db1-418b-b047e10f8c1] \land [bcd1de7e7e-2db1-418b-b047e10f8c1] \land [bcd1de7e7e-2db1-418b-b047e10f8c1] \land [bcd1
  Queries value:
                                    HKCR\interface\{2a1c9eb2-df62-4154-b800-63278fcb8037}\proxystubclsid32[]
  Oueries value:
                                    HKCU\software\microsoft\windows\currentversion\internet
settings\wpad[wpadlastnetwork]
                                    HKCU\software\microsoft\windows\currentversion\internet
  Oueries value:
settings[autoproxydetecttype]
                                    HKCU\software\microsoft\windows\currentversion\explorer\shell
  Oueries value:
folders[local appdata]
  Queries value:
                                    HKCU\software\microsoft\internet explorer\main[start page]
  Queries value:
                                    HKCU\software\microsoft\internet explorer\searchscopes[defaultscope]
  Queries value:
                                    HKCU\software\microsoft\internet explorer\searchscopes\{0633ee93-d776-
472f-a0ff-e1416b8b2e3a}[url]
                                    HKLM\system\currentcontrolset\control\session
  Oueries value:
manager\environment[processor_architecture]
                                    HKLM\software\microsoft\net framework setup\ndp\v2.0.50727[install]
  Queries value:
  Queries value:
                                    HKLM\software\microsoft\net framework setup\ndp\v2.0.50727[sp]
                                    HKLM\software\microsoft\net framework setup\ndp\v3.0[install]
  Oueries value:
  Queries value:
                                    HKLM\software\microsoft\net framework setup\ndp\v3.0[sp]
                                    HKLM\software\microsoft\net framework setup\ndp\v3.5[install]
  Oueries value:
  Oueries value:
                                    HKLM\software\microsoft\net framework setup\ndp\v3.5[sp]
  Oueries value:
                                    HKLM\software\microsoft\windows\currentversion[currentversion]
  Queries value:
                                    HKLM\software\microsoft\windows nt\currentversion[currentversion]
  Oueries value:
                                    HKCR\clsid\{8856f961-340a-11d0-a96b-00c04fd705a2}\progid[]
```

HKCR\clsid\{8856f961-340a-11d0-a96b-00c04fd705a2}[]

```
Oueries value:
                         HKCR\clsid\{8856f961-340a-11d0-a96b-
00c04fd705a2}\inprocserver32[inprocserver32]
                         HKCR\clsid\{8856f961-340a-11d0-a96b-00c04fd705a2}\inprocserver32[]
 Oueries value:
 Queries value:
                         HKCR\clsid\{8856f961-340a-11d0-a96b-
00c04fd705a2}\inprocserver32[threadingmodel]
                         HKLM\software\microsoft\internet
 Queries value:
explorer\main\featurecontrol\feature_http_username_password_disable[bdc27c485a35c61c7bf0bfedbf9b0b3f.exe]
 Oueries value:
                         HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_mime_handling[bdc27c485a35c61c7bf0bfedbf9b0b3f.exe]
 Oueries value:
HKLM \ software \ microsoft \ tracing \ bdc \ 27c485a35c61c7bf0bfedbf9b0b3f\_rasapi32[enable file tracing]
HKLM\software\microsoft\tracing\bdc27c485a35c61c7bf0bfedbf9b0b3f_rasapi32[filetracingmask]
 Oueries value:
HKLM\software\microsoft\tracing\bdc27c485a35c61c7bf0bfedbf9b0b3f_rasapi32[enableconsoletracing]
 Oueries value:
HKLM\software\microsoft\tracing\bdc27c485a35c61c7bf0bfedbf9b0b3f_rasapi32[consoletracingmask]
HKLM\software\microsoft\tracing\bdc27c485a35c61c7bf0bfedbf9b0b3f_rasapi32[maxfilesize]
 Queries value:
HKLM\software\microsoft\tracing\bdc27c485a35c61c7bf0bfedbf9b0b3f_rasapi32[filedirectory]
                         HKLM\software\microsoft\sqmclient\windows\disabledprocesses[1e7cd510]
 Queries value:
 Oueries value:
HKLM\software\microsoft\tracing\bdc27c485a35c61c7bf0bfedbf9b0b3f_rasmancs[enablefiletracing]
 Queries value:
HKLM\software\microsoft\tracing\bdc27c485a35c61c7bf0bfedbf9b0b3f_rasmancs[enableconsoletracing]
 Oueries value:
HKLM\software\microsoft\tracing\bdc27c485a35c61c7bf0bfedbf9b0b3f_rasmancs[consoletracingmask]
 Oueries value:
HKLM\software\microsoft\tracing\bdc27c485a35c61c7bf0bfedbf9b0b3f_rasmancs[maxfilesize]
HKLM\software\microsoft\tracing\bdc27c485a35c61c7bf0bfedbf9b0b3f_rasmancs[filedirectory]
 Oueries value:
                         HKLM\system\currentcontrolset\services\netbt\linkage[export]
                         \label{lem:hklm} \verb+Kklm\+ software\+ policies\+ microsoft\+ windows\+ current version\+ internet
 Queries value:
settings[createuricachesize]
 Queries value:
                         HKCU\software\policies\microsoft\windows\currentversion\internet
settings[createuricachesize]
                         HKCU\software\microsoft\windows\currentversion\internet
 Queries value:
settings[createuricachesize]
 Queries value:
                         HKLM\software\microsoft\windows\currentversion\internet
settings[createuricachesize]
 Queries value:
                         HKLM\software\policies\microsoft\windows\currentversion\internet
settings[enablepunycode]
                         HKCU\software\policies\microsoft\windows\currentversion\internet
 Queries value:
settings[enablepunycode]
 Queries value:
                         HKCU\software\microsoft\windows\currentversion\internet
settings[enablepunvcode]
 Queries value:
                         HKLM\software\microsoft\internet explorer\main[navigationdelay]
                         HKCU\software\microsoft\internet explorer\main[frametabwindow]
 Oueries value:
 Oueries value:
                         HKLM\software\microsoft\internet explorer\main[frametabwindow]
 Queries value:
                         HKCU\software\microsoft\internet explorer\main[framemerging]
 Queries value:
                         HKLM\software\microsoft\internet explorer\main[framemerging]
                         HKCU\software\microsoft\internet explorer\main[sessionmerging]
 Oueries value:
 Queries value:
                         HKLM\software\microsoft\internet explorer\main[sessionmerging]
 Oueries value:
                         HKCU\software\microsoft\internet explorer\main[admintabprocs]
 Oueries value:
                         HKLM\software\microsoft\internet explorer\main[admintabprocs]
 Oueries value:
                         HKCU\software\microsoft\internet explorer\main[tabprocgrowth]
                         HKLM\software\microsoft\internet explorer\main[tabprocgrowth]
 Queries value:
                         HKCR\clsid\{871c5380-42a0-1069-a2ea-
 Queries value:
08002b30309d}\shellfolder[attributes]
                         HKCR\clsid\{871c5380-42a0-1069-a2ea-
 Queries value:
08002b30309d}\shellfolder[callforattributes]
 Oueries value:
                         HKCR\clsid\{871c5380-42a0-1069-a2ea-
08002b30309d}\shellfolder[restrictedattributes]
                         HKCR\clsid\{871c5380-42a0-1069-a2ea-
 Queries value:
08002b30309d}\shellfolder[wantsfordisplay]
 Queries value:
                         HKCR\clsid\{871c5380-42a0-1069-a2ea-
08002b30309d}\shellfolder[hidefolderverbs]
 Queries value:
                         HKCR\clsid\{871c5380-42a0-1069-a2ea-
08002b30309d}\shellfolder[usedrophandler]
                         HKCR\clsid\{871c5380-42a0-1069-a2ea-
 Oueries value:
08002b30309d}\shellfolder[wantsforparsing]
 Queries value:
                         HKCR\clsid\{871c5380-42a0-1069-a2ea-
08002b30309d}\shellfolder[wantsparsedisplayname]
 Queries value:
                         HKCR\clsid\{871c5380-42a0-1069-a2ea-
08002b30309d}\shellfolder[queryforoverlay]
                         HKCR\clsid\{871c5380-42a0-1069-a2ea-
 Oueries value:
08002b30309d}\shellfolder[mapnetdriveverbs]
 Queries value:
                         HKCR\clsid\{871c5380-42a0-1069-a2ea-
```

08002b30309d}\shellfolder[queryforinfotip]

HKCR\clsid\{871c5380-42a0-1069-a2ea-

```
08002b30309d}\shellfolder[hideinwebview]
                          HKCR\clsid\{871c5380-42a0-1069-a2ea-
 Oueries value:
08002b30309d}\shellfolder[hideondesktopperuser]
                          HKCR\clsid\{871c5380-42a0-1069-a2ea-
 Queries value:
08002b30309d}\shellfolder[wantsaliasednotifications]
 Queries value:
                         HKCR\clsid\{871c5380-42a0-1069-a2ea-
08002b30309d}\shellfolder[wantsuniversaldelegate]
                         HKCR\clsid\{871c5380-42a0-1069-a2ea-
 Oueries value:
08002b30309d}\shellfolder[nofilefolderjunction]
 Oueries value:
                          HKCR\clsid\{871c5380-42a0-1069-a2ea-
08002b30309d}\shellfolder[pintonamespacetree]
 Queries value:
                          HKCR\clsid\{871c5380-42a0-1069-a2ea-
08002b30309d}\shellfolder[hasnavigationenum]
                          Oueries value:
42a0-1069-a2ea-08002b30309d}\shellfolder[attributes]
 Oueries value:
HKLM\software\microsoft\windows\currentversion\policies\nonenum[{871c5380-42a0-1069-a2ea-
08002b30309d}]
 Oueries value:
                          HKCR\clsid\{871c5380-42a0-1069-a2ea-08002b30309d}\inprocserver32[]
 Oueries value:
                          HKCR\clsid\{871c5380-42a0-1069-a2ea-
08002b30309d}\inprocserver32[loadwithoutcom]
 Oueries value:
                          HKCU\software\microsoft\windows\currentversion\shell
extensions\cached[{871c5380-42a0-1069-a2ea-08002b30309d} {000214e6-0000-0000-c000-000000000046}}
0xffff]
 Queries value:
                          HKCR\clsid\{871c5380-42a0-1069-a2ea-08002b30309d}[]
                         HKCR\clsid\{871c5380-42a0-1069-a2ea-
 Oueries value:
08002b30309d}\inprocserver32[inprocserver32]
 Queries value:
                         HKCR\clsid\{871c5380-42a0-1069-a2ea-
08002b30309d}\inprocserver32[threadingmodel]
 Queries value:
                          HKCR\protocols\handler\res[clsid]
 Queries value:
                          HKCR\clsid\{3050f3bc-98b5-11cf-bb82-00aa00bdce0b}[]
                         HKCR\clsid\{3050f3bc-98b5-11cf-bb82-
 Oueries value:
00aa00bdce0b}\inprocserver32[inprocserver32]
 Queries value:
                         HKCR\clsid\{3050f3bc-98b5-11cf-bb82-00aa00bdce0b}\inprocserver32[]
                         HKCR\clsid\{3050f3bc-98b5-11cf-bb82-
 Oueries value:
00aa00bdce0b}\inprocserver32[threadingmodel]
 Queries value:
                         HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_legacy_dispparams[bdc27c485a35c61c7bf0bfedbf9b0b3f.exe]
                          HKLM\software\microsoft\internet
 Queries value:
explorer\main\featurecontrol\feature_legacy_dispparams[*]
 Oueries value:
                         HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_object_caching[bdc27c485a35c61c7bf0bfedbf9b0b3f.exe]
                         HKLM\software\microsoft\internet
 Oueries value:
explorer\main\featurecontrol\feature_object_caching[*]
                          HKCU\software\microsoft\windows nt\currentversion\windows[dragdelay]
 Oueries value:
 Queries value:
                         HKLM\system\currentcontrolset\control\wmi\security[9e3b3947-ca5d-4614-
91a2-7b624e0e7244]
 Queries value:
                          HKLM\software\microsoft\internet explorer\application
compatibility[bdc27c485a35c61c7bf0bfedbf9b0b3f.exe]
                         HKCU\software\microsoft\internet explorer\domstorage[totallimit]
 Queries value:
                          HKCU\software\microsoft\internet explorer\domstorage[domainlimit]
 Oueries value:
                          HKLM\software\microsoft\windows\currentversion\policies\ratings[key]
 Oueries value:
 Queries value:
                          HKCU\software\microsoft\windows\currentversion\internet
settings[urlencoding]
                          HKLM\software\microsoft\internet
 Oueries value:
explorer\main\featurecontrol\feature_unc_savedfilecheck[bdc27c485a35c61c7bf0bfedbf9b0b3f.exe]
                          HKLM\software\microsoft\internet
 Queries value:
explorer\main\featurecontrol\feature unc savedfilecheck[*]
 Oueries value:
                          HKLM\software\policies\microsoft\internet
explorer\security[disablesecuritysettingscheck]
 Queries value:
                          HKCU\software\microsoft\windows\currentversion\internet
settings\zones\0[flags]
                          HKCU\software\microsoft\windows\currentversion\internet
 Queries value:
settings\zones\1[flags]
                          \label{lem:hkcu} \verb+KKCU \software \microsoft \windows \current version \cite{thm:lem:hkcu} in terms to the lemma soft \cite{thm:lem:hkcu} and \cite{thm:lem:hkcu} are \cite{thm:lem:hkcu}.
 Queries value:
settings\zones\2[flags]
 Queries value:
                          HKCU\software\microsoft\windows\currentversion\internet
settings\zones\3[flags]
 Queries value:
                          HKCU\software\microsoft\windows\currentversion\internet
settings\zones\4[flags]
 Queries value:
                          HKCU\software\microsoft\internet
explorer\main\featurecontrol\feature_localmachine_lockdown[bdc27c485a35c61c7bf0bfedbf9b0b3f.exe]
 Oueries value:
                         HKCU\software\microsoft\internet
explorer\main\featurecontrol\feature_localmachine_lockdown[*]
 Queries value:
                         HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_localmachine_lockdown[bdc27c485a35c61c7bf0bfedbf9b0b3f.exe]
 Queries value:
                         HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_localmachine_lockdown[*]
                         HKLM\software\policies\microsoft\windows\currentversion\internet
 Oueries value:
settings[specialfolderscachesize]
 Queries value:
                         HKCU\software\policies\microsoft\windows\currentversion\internet
settings[specialfolderscachesize]
 Queries value:
                          HKCU\software\microsoft\windows\currentversion\internet
```

```
settings[specialfolderscachesize]
                          HKLM\software\microsoft\windows\currentversion\internet
 Oueries value:
settings[specialfolderscachesize]
 Queries value:
                          HKCU\software\microsoft\internet explorer[no3dborder]
 Oueries value:
                          HKLM\software\microsoft\internet explorer[no3dborder]
 Queries value:
                          HKLM\software\policies\microsoft\windows\currentversion\internet
settings[urlencoding]
                          HKCU\software\policies\microsoft\windows\currentversion\internet
 Oueries value:
settings[urlencoding]
 Queries value:
                          HKLM\software\microsoft\internet
\verb|explorer| a in feature control feature_restrict_res_to_lmz[bdc27c485a35c61c7bf0bfedbf9b0b3f.exe]|
 Queries value:
                          HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_restrict_res_to_lmz[*]
                         HKCR\.htm[content type]
 Oueries value:
 Queries value:
                          HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_mime_sniffing[bdc27c485a35c61c7bf0bfedbf9b0b3f.exe]
                          HKLM\software\microsoft\internet
 Oueries value:
explorer\main\featurecontrol\feature_mime_sniffing[*]
 Queries value:
                          HKCU\software\microsoft\windows\currentversion\internet
settings[istextplainhonored]
                          HKLM\software\microsoft\internet
 Queries value:
explorer\main\featurecontrol\feature_safe_bindtoobject[bdc27c485a35c61c7bf0bfedbf9b0b3f.exe]
 Oueries value:
                          HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_safe_bindtoobject[*]
 Queries value:
                          HKCR\clsid\{25336920-03f9-11cf-8fd0-00aa00686f13}\progid[]
                          HKCR\clsid\{25336920-03f9-11cf-8fd0-00aa00686f13}[]
 Oueries value:
 Queries value:
                          HKCR\clsid\{25336920-03f9-11cf-8fd0-
00aa00686f13}\inprocserver32[inprocserver32]
                          HKCR\clsid\{25336920-03f9-11cf-8fd0-00aa00686f13}\inprocserver32[]
 Oueries value:
                          HKCR\clsid\{25336920-03f9-11cf-8fd0-
 Queries value:
00aa00686f13}\inprocserver32[threadingmodel]
 Queries value:
                         HKCU\software\microsoft\windows
nt\currentversion\windows[dragscrollinset]
 Queries value:
                          HKCU\software\microsoft\windows
nt\currentversion\windows[dragscrolldelay]
                          HKCU\software\microsoft\windows
 Queries value:
nt\currentversion\windows[dragscrollinterval]
                         HKLM\software\microsoft\internet
 Queries value:
explorer\main\featurecontrol\feature_restrict_filedownload[bdc27c485a35c61c7bf0bfedbf9b0b3f.exe]
                         HKLM\software\microsoft\internet
 Queries value:
\verb|explorer\main\featurecontrol\feature_restrict_filedownload[*]|
                          HKCR\protocols\handler\about[clsid]
 Queries value:
                          HKCR\clsid\{3050f406-98b5-11cf-bb82-00aa00bdce0b}[]
 Oueries value:
                          HKCR\clsid\{3050f406-98b5-11cf-bb82-
 Oueries value:
00aa00bdce0b}\inprocserver32[inprocserver32]
                          HKCR\clsid\{3050f406-98b5-11cf-bb82-00aa00bdce0b}\inprocserver32[]
 Queries value:
 Oueries value:
                          HKCR\clsid\{3050f406-98b5-11cf-bb82-
00aa00bdce0b}\inprocserver32[threadingmodel]
 Oueries value:
                          HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_protocol_lockdown[bdc27c485a35c61c7bf0bfedbf9b0b3f.exe]
                          HKLM\software\microsoft\internet
 Oueries value:
explorer\main\featurecontrol\feature protocol lockdown[*]
 Queries value:
                          HKCU\software\microsoft\windows\currentversion\internet
settings\zones\3[2106]
 Oueries value:
                          HKCU\software\microsoft\internet explorer\zoom[zoomdisabled]
 Oueries value:
                          HKLM\software\policies\microsoft\internet explorer[smartdithering]
 Queries value:
                          HKCU\software\microsoft\internet explorer[smartdithering]
 Queries value:
                          HKCU\software\microsoft\internet explorer[rtfconverterflags]
 Queries value:
                          HKCU\software\microsoft\internet explorer\main[usecleartype]
 Queries value:
                          HKCU\software\microsoft\internet explorer\main[page_transitions]
 Queries value:
                          HKCU\software\microsoft\internet explorer\main[use_dlgbox_colors]
                          \label{lem:hkcu} \verb+KKCU\+ software \verb+\microsoft\+ internet explorer \verb+\main[anchor underline]+ \\
 Oueries value:
                          HKCU\software\microsoft\internet explorer\main[css_compat]
 Queries value:
 Queries value:
                          HKCU\software\microsoft\internet explorer\main[expand alt text]
                          HKCU\software\microsoft\internet explorer\main[display inline images]
 Oueries value:
                          HKCU\software\microsoft\internet explorer\main[display inline videos]
 Oueries value:
 Queries value:
                          HKLM\software\microsoft\internet explorer\main[display inline videos]
 Oueries value:
                          HKCU \setminus software \setminus microsoft \setminus internet \ explorer \setminus main[play\_background\_sounds]
 Queries value:
                          HKCU\software\microsoft\internet explorer\main[play_animations]
 Queries value:
                          HKCU\software\microsoft\internet explorer\main[print_background]
 Queries value:
                          HKCU\software\microsoft\internet explorer\main[use stylesheets]
                          HKCU\software\microsoft\internet explorer\main[smoothscroll]
 Oueries value:
 Oueries value:
                          HKCU\software\microsoft\internet explorer\main[xmlhttp]
 Oueries value:
                          HKCU\software\microsoft\internet explorer\main[show image placeholders]
 Queries value:
                          HKCU\software\microsoft\internet explorer\main[disable script debugger]
                          HKCU\software\microsoft\internet explorer\main[disablescriptdebuggerie]
 Oueries value:
 Queries value:
                          HKCU\software\microsoft\internet explorer\main[move system caret]
                          HKCU\software\microsoft\internet explorer\main[force offscreen
 Oueries value:
composition1
                          HKCU\software\microsoft\internet explorer\main[enable autoimageresize]
 Oueries value:
 Queries value:
                          HKCU\software\microsoft\internet explorer\main[usethemes]
                          HKCU\software\microsoft\internet explorer\main[usehr]
 Oueries value:
```

 $HKCU\software\microsoft\internet\ explorer\main[q300829]$ 

HKCU\software\microsoft\internet explorer\main[cleanup htcs] Oueries value: Oueries value: HKCU\software\microsoft\internet explorer\main[xdomainrequest] Oueries value: HKLM\software\microsoft\internet explorer\main[xdomainrequest] HKCU\software\microsoft\internet explorer\main[domstorage] Queries value: HKCU\software\microsoft\internet Oueries value:

explorer\international[default\_codepage]

Oueries value: HKCU\software\microsoft\internet explorer\international[autodetect]

Oueries value: HKCU\software\microsoft\internet explorer\international\scripts[default\_iefontsizeprivate]

HKCU\software\microsoft\internet explorer\settings[anchor color] Oueries value: HKCU\software\microsoft\internet explorer\settings[anchor color visited] Oueries value: Queries value: HKCU\software\microsoft\internet explorer\settings[anchor color hover] Oueries value: HKCU\software\microsoft\internet explorer\settings[always use my colors] HKCU\software\microsoft\internet explorer\settings[always use my font Queries value:

size]

Queries value: HKCU\software\microsoft\internet explorer\settings[always use my font face1

Queries value:

HKCU\software\microsoft\internet explorer\settings[disable visited

hyperlinks]

Queries value: HKCU\software\microsoft\internet explorer\settings[use anchor hover

color]

Queries value: HKCU\software\microsoft\internet explorer\settings[miscflags] Oueries value: HKCU\software\microsoft\windows\currentversion\policies[allow

programmatic cut\_copy\_paste]

Queries value: HKLM\software\policies\microsoft\windows\currentversion\internet

settings[disablecachingofsslpages]

HKCU\software\policies\microsoft\windows\currentversion\internet Queries value:

settings[disablecachingofsslpages]

HKCU\software\microsoft\internet explorer\pagesetup[print\_background] Oueries value:

Queries value: HKLM\system\currentcontrolset\control\nls\codepage[950]

Queries value: HKCU\software\microsoft\internet

explorer\international\scripts\3[iefontsize]

HKCU\software\microsoft\internet Queries value: explorer\international\scripts\3[iefontsizeprivate] Oueries value: HKCU\software\microsoft\internet explorer\international\scripts\3[iepropfontname]

Oueries value: HKCU\software\microsoft\internet

explorer\international\scripts\3[iefixedfontname]

HKCU\software\microsoft\internet explorer\international[acceptlanguage]

HKLM\software\microsoft\internet explorer\version vector[ie] Queries value: Oueries value: HKLM\software\microsoft\internet explorer\version vector[vml]

HKLM\software\microsoft\internet explorer\version vector[windowsedition] Queries value:

Oueries value: HKLM\software\microsoft\internet

 $explorer\\ \texttt{main} \texttt{featurecontrol}\\ \texttt{feature\_zone\_elevation[bdc27c485a35c61c7bf0bfedbf9b0b3f.exe]}$ 

HKLM\software\microsoft\internet Oueries value: explorer\main\featurecontrol\feature\_zone\_elevation[\*] Queries value: HKLM\software\microsoft\internet

explorer\main\featurecontrol\feature\_sslux[bdc27c485a35c61c7bf0bfedbf9b0b3f.exe] HKLM\software\microsoft\internet

explorer\main\featurecontrol\feature\_sslux[\*] HKLM\software\microsoft\internet Oueries value:

explorer\main\featurecontrol\feature browser emulation[bdc27c485a35c61c7bf0bfedbf9b0b3f.exe]

Queries value: HKLM\software\microsoft\internet explorer\main\featurecontrol\feature\_browser\_emulation[\*]

Oueries value: HKCU\software\microsoft\windows\currentversion\internet

settings\zones\0[2700]

Oueries value:

Queries value: HKLM\software\microsoft\windows\currentversion\internet

settings\zones\0[2700]

HKLM\software\microsoft\internet Queries value:

explorer\main\featurecontrol\feature\_xssfilter[bdc27c485a35c61c7bf0bfedbf9b0b3f.exe]

Queries value: HKLM\software\microsoft\internet

explorer\main\featurecontrol\feature\_xssfilter[\*]

HKCU\software\microsoft\windows\currentversion\internet Queries value:

settings\zones[securitysafe]

HKCU\software\microsoft\internet explorer\main[noprotectedmodebanner] Queries value: HKCU\software\microsoft\internet explorer\ietld[ietlddllversionlow] Oueries value: Queries value: HKCU\software\microsoft\internet explorer\ietld[ietlddllversionhigh] Queries value: HKCU\software\microsoft\internet explorer\ietld[ietldversionlow] Queries value: HKCU\software\microsoft\internet explorer\ietld[ietldversionhigh]

HKLM\software\microsoft\internet Oueries value:

explorer\main\featurecontrol\feature\_mshtml\_autoload\_ieframe[bdc27c485a35c61c7bf0bfedbf9b0b3f.exe]

HKLM\software\microsoft\internet Oueries value: explorer\main\featurecontrol\feature mshtml autoload ieframe[\*1

Queries value: HKCU\software\microsoft\windows\currentversion\internet

settings\zones\0[2106]

HKLM\software\microsoft\windows\currentversion\internet Oueries value:

settings\zones\0[2106]

Oueries value: HKLM\software\policies\microsoft\windows\currentversion\internet

settings[cointernetcombineiuricachesize]

Queries value: HKCU\software\policies\microsoft\windows\currentversion\internet

settings[cointernetcombineiuricachesize]

HKCU\software\microsoft\windows\currentversion\internet Oueries value:

settings[cointernetcombineiuricachesize]

Oueries value: HKLM\software\microsoft\windows\currentversion\internet settings[cointernetcombineiuricachesize] Oueries value: HKLM\software\microsoft\internet explorer\main\featurecontrol\feature\_shim\_mshelp\_combine[bdc27c485a35c61c7bf0bfedbf9b0b3f.exe] Oueries value: HKLM\software\microsoft\internet explorer\main\featurecontrol\feature\_shim\_mshelp\_combine[\*] Oueries value: HKLM\software\microsoft\internet explorer\main\featurecontrol\feature\_subdownload\_lockdown[bdc27c485a35c61c7bf0bfedbf9b0b3f.exe] Oueries value: HKLM\software\microsoft\internet explorer\main\featurecontrol\feature\_subdownload\_lockdown[\*] Oueries value: HKCR\.css[content type] Queries value:  $\label{lem:hkcu} \verb+KKCU \software \microsoft \windows \current version \cite{thm:lem:hkcu} in terms to the lemma substitution \cite{thm:lem:hkcu} and \cite{thm:lem:hkcu} are \cite{thm:lem:hkcu}.$ settings\zones\0[1400] Oueries value: HKCR\.is[content type] Queries value: HKLM\software\microsoft\internet explorer\main\featurecontrol\feature\_feeds[bdc27c485a35c61c7bf0bfedbf9b0b3f.exe] HKLM\software\microsoft\internet Oueries value: explorer\main\featurecontrol\feature\_feeds[\*] Queries value: HKLM\software\microsoft\internet explorer\main\featurecontrol\feature\_block\_lmz\_script[bdc27c485a35c61c7bf0bfedbf9b0b3f.exe] Queries value: HKLM\software\microsoft\internet explorer\main\featurecontrol\feature\_block\_lmz\_script[\*] Oueries value: HKLM\software\policies\microsoft\windows\currentversion\internet settings[warnonintranet] Queries value: HKCU\software\policies\microsoft\windows\currentversion\internet settings[warnonintranet] HKCU\software\microsoft\windows\currentversion\internet Queries value: settings[warnonintranet] HKCU\software\microsoft\windows\currentversion\internet Oueries value: settings\zonemap[autodetect] HKCR\clsid\{50d5107a-d278-4871-8989-f4ceaaf59cfc}[] Oueries value: HKCR\clsid\{50d5107a-d278-4871-8989-Queries value: f4ceaaf59cfc}\inprocserver32[inprocserver32] Queries value: HKCR\clsid\{50d5107a-d278-4871-8989-f4ceaaf59cfc}\inprocserver32[] HKCR\clsid\{50d5107a-d278-4871-8989-Oueries value: f4ceaaf59cfc}\inprocserver32[threadingmodel] HKLM\software\microsoft\windows\currentversion\internet settings\url Oueries value: history[daystokeep] Queries value:  $HKCR \land \{f414c260-6ac0-11cf-b6d1-00aa00bbbb58\} \land []$ HKCR\clsid\{f414c260-6ac0-11cf-b6d1-00aa00bbbb58}[] Queries value: Oueries value: HKCR\clsid\{f414c260-6ac0-11cf-b6d1-00aa00bbbb58}\inprocserver32[inprocserver32] HKCR\clsid\{f414c260-6ac0-11cf-b6d1-00aa00bbbb58}\inprocserver32[] Oueries value:  $HKCR\clsid\f414c260-6ac0-11cf-b6d1-$ Oueries value: 00aa00bbbb58}\inprocserver32[threadingmodel] HKCU\software\microsoft\windows\currentversion\internet Queries value: settings\zones\0[1201] Queries value: HKLM\software\microsoft\windows\currentversion\internet settings\zones\0[1201] Queries value: HKLM\system\currentcontrolset\control\session manager[pendingfilerenameoperations2] HKLM\system\currentcontrolset\control\session Oueries value: manager[pendingfilerenameoperations] Queries value: HKCR\.jpg[content type] HKCR\.png[content type] Oueries value: HKLM\software\microsoft\internet Oueries value: explorer\main\featurecontrol\feature\_block\_lmz\_img[bdc27c485a35c61c7bf0bfedbf9b0b3f.exe] HKLM\software\microsoft\internet Oueries value: explorer\main\featurecontrol\feature\_block\_lmz\_img[\*] Queries value: HKCR\clsid\{30c3b080-30fb-11d0-b724-00aa006c1a01}\progid[] Queries value: HKCR\clsid\{30c3b080-30fb-11d0-b724-00aa006c1a01}[] HKCR\clsid\{30c3b080-30fb-11d0-b724-Oueries value: 00aa006c1a01}\inprocserver32[inprocserver32] HKCR\clsid\{30c3b080-30fb-11d0-b724-00aa006c1a01}\inprocserver32[] Oueries value: HKCR\clsid\{30c3b080-30fb-11d0-b724-Oueries value: 00aa006c1a01}\inprocserver32[threadingmodel] Queries value: HKCR\clsid\{6a01fda0-30df-11d0-b724-00aa006c1a01}\progid[] HKCR\clsid\{6a01fda0-30df-11d0-b724-00aa006c1a01}[] Oueries value: Queries value: HKCR\clsid\{6a01fda0-30df-11d0-b724-00aa006c1a01}\inprocserver32[inprocserver32] HKCR\clsid\{6a01fda0-30df-11d0-b724-00aa006c1a01}\inprocserver32[] Queries value: HKCR\clsid\{6a01fda0-30df-11d0-b724-Oueries value: 00aa006c1a01}\inprocserver32[threadingmodel] Oueries value: HKCR\mime\database\content type\image/bmp\bits[0] Queries value:

HKCR\mime\database\content type\image/gif\bits[0] HKCR\mime\database\content type\image/jpeg\bits[0] Oueries value: Queries value: HKCR\mime\database\content type\image/pjpeg\bits[0] HKCR\mime\database\content type\image/png\bits[0] Oueries value: Oueries value: HKCR\mime\database\content type\image/x-png\bits[0] Oueries value: HKCR\mime\database\content type\image/x-wmf\bits[0] Queries value: HKCR\mime\database\content type\image/x-png[image filter clsid] HKCR\clsid\{a3ccedf7-2de2-11d0-86f4-00a0c913f750}\progid[] Oueries value: Queries value: HKCR\clsid\{a3ccedf7-2de2-11d0-86f4-00a0c913f750}[]

Queries value: HKCR\clsid\{a3ccedf7-2de2-11d0-86f4-

00a0c913f750}\inprocserver32[inprocserver32]

Queries value: HKCR\clsid\{a3ccedf7-2de2-11d0-86f4-00a0c913f750}\inprocserver32[]

Queries value: HKCR\clsid\{a3ccedf7-2de2-11d0-86f4-

00a0c913f750}\inprocserver32[threadingmodel]

Queries value: HKCU\software\microsoft\internet explorer\recovery[autorecover]

Queries value: HKCU\software\microsoft\windows\currentversion\internet

settings\zones\0[2000]

Queries value: HKLM\software\microsoft\windows\currentversion\internet

settings\zones\0[2000]

Queries value: HKCU\software\microsoft\ftp[use web based ftp]

Queries value: HKCU\software\microsoft\internet

explorer\services[selectionactivitybuttondisable]

Queries value: HKCU\software\microsoft\internet explorer\suggested sites[enabled]
Queries value: HKLM\software\microsoft\internet explorer\feed discovery[sound]

Queries value: HKCU\software\microsoft\windows\currentversion\internet

settings\zones\3[2700]

Queries value: HKCU\software\microsoft\windows\currentversion\internet

settings\5.0\user agent[]

Queries value: HKLM\software\microsoft\windows\currentversion\internet

settings\5.0\user agent[]

Queries value: HKCU\software\microsoft\windows\currentversion\internet

settings\5.0\user agent[compatible]

Queries value: HKLM\software\microsoft\windows\currentversion\internet

settings\5.0\user agent[compatible]

Queries value: HKCU\software\microsoft\windows\currentversion\internet

settings\5.0\user agent[version]

Queries value: HKLM\software\microsoft\windows\currentversion\internet

settings\5.0\user agent[version]

Queries value: HKCU\software\microsoft\windows\currentversion\internet settings[user

agent1

Queries value: HKCU\software\microsoft\windows\currentversion\internet

settings\5.0\user agent[platform]

Queries value: HKLM\software\microsoft\windows\currentversion\internet

settings\5.0\user agent[platform]

Queries value: HKLM\software\microsoft\internet

explorer\main\featurecontrol\feature\_maxconnectionsperserver[bdc27c485a35c61c7bf0bfedbf9b0b3f.exe]

Queries value: HKLM\software\microsoft\internet explorer\main\featurecontrol\feature\_maxconnectionsperserver[\*]

Queries value: HKLM\software\microsoft\internet

 $explorer \verb|\main| featurecontrol| feature\_maxconnectionsper1\_0server[bdc27c485a35c61c7bf0bfedbf9b0b3f.exe]|$ 

Queries value: HKLM\software\microsoft\internet explorer\main\featurecontrol\feature\_maxconnectionsper1\_0server[\*]

Queries value: HKCU\software\policies\microsoft\windows\currentversion\internet

settings[enableutf8]

Queries value: HKLM\software\microsoft\internet

 $explorer \verb|\main| featurecontrol| feature\_disable\_legacy\_compression[bdc27c485a35c61c7bf0bfedbf9b0b3f.exe]|$ 

Queries value: HKLM\software\microsoft\internet

explorer\main\featurecontrol\feature\_disable\_legacy\_compression[\*]

Queries value: HKCR\clsid\{e569bde7-a8dc-47f3-893f-fd2b31b3eefd}[]

Queries value: HKCR\clsid\{e569bde7-a8dc-47f3-893f-

fd2b31b3eefd}\inprocserver32[inprocserver32]

Queries value: HKCR\clsid\{e569bde7-a8dc-47f3-893f-

fd2b31b3eefd}\inprocserver32[threadingmodel]

 $\label{lem:lem:queries} Queries \ value: \\ HKCU \ software \ microsoft \ windows \ current version \ internet$ 

settings\wpad\{ef3210ff-3762-4476-8471-7e2bc045a9b3}[wpaddecision]

 $\label{thm:condition} Queries \ value: \\ HKCU \ software \ microsoft \ windows \ current version \ internet$ 

 $settings \verb|\wpad|{ef3210ff-3762-4476-8471-7e2bc045a9b3}[wpaddecisiontime]|$ 

Queries value: HKCU\software\microsoft\windows\currentversion\internet

settings\wpad[wpadexpirationdays]

Queries value: HKCU\software\microsoft\windows\currentversion\internet

settings\wpad\{ef3210ff-3762-4476-8471-7e2bc045a9b3}[wpaddecisionreason]
Oueries value: HKCU\software\microsoft\windows\currentversion\internet

settings\zones\3[1a10]

Queries value: HKLM\system\currentcontrolset\control\wmi\security[1540ff4c-3fd7-4bba-

9938-1d1bf31573a7]

Queries value: HKCU\software\microsoft\internet explorer\main[autosearch]

Queries value: HKCU\software\microsoft\internet explorer\main[friendly http errors]
Queries value: HKCU\appevents\schemes\apps\explorer\activatingdocument\.current[]

Queries value: HKLM\software\microsoft\internet explorer[version]

 Queries value:
 HKLM\software\microsoft\windows\currentversion[productname]

 Queries value:
 HKLM\software\microsoft\windows nt\currentversion[productname]

 Queries value:
 HKLM\system\currentcontrolset\control\windows[csdversion]

 Queries value:
 HKCU\software\microsoft\windows\currentversion\internet

settings\zones\3[currentlevel]

Queries value: HKCU\appevents\schemes\apps\explorer\navigating\.current[]

Queries value: HKCU\appevents\schemes[]

Queries value: HKCU\appevents\schemes\apps\explorer\navigating\.current[default flags]

Queries value: HKCR\.htm[]

Queries value: HKLM\software\microsoft\windows nt\currentversion\drivers32[wave]
Queries value: HKLM\software\microsoft\windows nt\currentversion\drivers32[wave1]
Queries value: HKLM\software\microsoft\windows nt\currentversion\drivers32[wave2]

```
Oueries value:
                                             HKLM\software\microsoft\windows nt\currentversion\drivers32[wave3]
   Oueries value:
                                             HKLM\software\microsoft\windows nt\currentversion\drivers32[wave4]
   Oueries value:
                                             HKLM\software\microsoft\windows nt\currentversion\drivers32[wave5]
   Queries value:
                                             HKLM\software\microsoft\windows nt\currentversion\drivers32[wave6]
   Oueries value:
                                             HKLM\software\microsoft\windows nt\currentversion\drivers32[wave7]
   Queries value:
                                             HKLM\software\microsoft\windows nt\currentversion\drivers32[wave8]
   Oueries value:
                                             HKLM\software\microsoft\windows nt\currentversion\drivers32[wave9]
   Oueries value:
                                             HKLM\software\microsoft\windows nt\currentversion\drivers32[midi]
   Oueries value:
                                             HKLM\software\microsoft\windows nt\currentversion\drivers32[midi1]
   Oueries value:
                                             HKLM\software\microsoft\windows nt\currentversion\drivers32[midi2]
   Oueries value:
                                             HKLM\software\microsoft\windows nt\currentversion\drivers32[midi3]
   Queries value:
                                             HKLM\software\microsoft\windows nt\currentversion\drivers32[midi4]
   Oueries value:
                                             HKLM\software\microsoft\windows nt\currentversion\drivers32[midi5]
                                             HKLM\software\microsoft\windows nt\currentversion\drivers32[midi6]
   Oueries value:
   Oueries value:
                                             HKLM\software\microsoft\windows nt\currentversion\drivers32[midi7]
   Oueries value:
                                             HKLM\software\microsoft\windows nt\currentversion\drivers32[midi8]
   Oueries value:
                                             HKCR\htmlfile\shellex\iconhandler[]
   Queries value:
                                             HKLM\software\microsoft\windows nt\currentversion\drivers32[midi9]
   Oueries value:
Queries value:
                                             HKCR\htmlfile[docobject]
   Queries value:
                                             HKCR\systemfileassociations\.htm[docobject]
                                             HKCR\htmlfile[browseinplace]
   Queries value:
   Queries value:
                                             HKCR\systemfileassociations\.htm[browseinplace]
   Queries value:
                                             HKCR\htmlfile\clsid[]
   Oueries value:
                                             HKCR\htmlfile[isshortcut]
   Queries value:
                                             HKCR\systemfileassociations\.htm[isshortcut]
   Queries value:
                                             HKCR\htmlfile[alwaysshowext]
   Oueries value:
                                             HKCR\systemfileassociations\.htm[alwaysshowext]
   Queries value:
                                             HKCR\htmlfile[nevershowext]
   Queries value:
                                             HKCR\systemfileassociations\.htm[nevershowext]
                                             HKCR\clsid\{e7e4bc40-e76a-11ce-a9bb-00aa004ae837}\inprocserver32[]
   Queries value:
   Queries value:
                                             HKCR\clsid\{e7e4bc40-e76a-11ce-a9bb-
00aa004ae837}\inprocserver32[loadwithoutcom]
                                             HKCU\software\microsoft\windows\currentversion\shell
   Oueries value:
extensions\cached[{e7e4bc40-e76a-11ce-a9bb-00aa004ae837} {000214e6-0000-0000-c000-000000000046}}
0xffff]
   Oueries value:
                                             HKCR\clsid\{e7e4bc40-e76a-11ce-a9bb-00aa004ae837}[]
   Queries value:
                                             HKCR\clsid\{e7e4bc40-e76a-11ce-a9bb-
00aa004ae837}\inprocserver32[inprocserver32]
   Oueries value:
                                             HKCR\clsid\{e7e4bc40-e76a-11ce-a9bb-
00aa004ae837}\inprocserver32[threadingmodel]
                                             HKCR\clsid\{275c23e2-3747-11d0-9fea-00aa003f8646}[]
   Oueries value:
                                             HKCR\clsid\{275c23e2-3747-11d0-9fea-
   Oueries value:
00aa003f8646}\inprocserver32[inprocserver32]
                                             HKCR\clsid\{275c23e2-3747-11d0-9fea-00aa003f8646}\inprocserver32[]
   Queries value:
                                             HKCR\clsid\{275c23e2-3747-11d0-9fea-
   Oueries value:
00aa003f8646}\inprocserver32[threadingmodel]
                                             HKLM\system\currentcontrolset\control\nls\codepage[1250]
   Oueries value:
   Oueries value:
                                             HKLM\system\currentcontrolset\control\nls\codepage[1251]
   Queries value:
                                             HKLM\system\currentcontrolset\control\nls\codepage[1253]
   Queries value:
                                             HKLM\system\currentcontrolset\control\nls\codepage[1254]
   Oueries value:
                                             HKLM\system\currentcontrolset\control\nls\codepage[1255]
                                             HKLM\system\currentcontrolset\control\nls\codepage[1256]
   Queries value:
   Oueries value:
                                             HKLM\svstem\currentcontrolset\control\nls\codepage[1257]
   Queries value:
                                             HKLM\system\currentcontrolset\control\nls\codepage[1258]
                                             HKLM\system\currentcontrolset\control\nls\codepage[874]
   Oueries value:
   Queries value:
                                             HKLM\system\currentcontrolset\control\nls\codepage[932]
   Oueries value:
                                             HKLM\system\currentcontrolset\control\nls\codepage[936]
                                             HKLM\system\currentcontrolset\control\nls\codepage[949]
   Queries value:
   Queries value:
                                             HKLM\system\currentcontrolset\control\nls\codepage[1361]
                                             \label{lem:hkcr} $$ HKCR\clsid{ff393560-c2a7-11cf-bff4-444553540000} \in \clsid{ff393560-c2a7-11cf-bff4-444553540000} in processing the second contains the second con
   Oueries value:
                                             HKCR \verb|\clsid| \{ff 393560-c2a 7-11cf-bff 4-
   Queries value:
444553540000}\inprocserver32[loadwithoutcom]
                                             HKCU\software\microsoft\windows\currentversion\shell
   Oueries value:
extensions\cached[{ff393560-c2a7-11cf-bff4-444553540000} {000214e6-0000-0000-c000-000000000046}
0xffff]
                                             HKCR\clsid\{ff393560-c2a7-11cf-bff4-444553540000}[]
   Queries value:
   Queries value:
                                             HKCR \verb|\clsid| \{ff 393560-c2a 7-11cf-bff 4-
444553540000}\inprocserver32[inprocserver32]
   Queries value:
                                             HKCR\clsid\{ff393560-c2a7-11cf-bff4-
444553540000}\inprocserver32[threadingmodel]
   Oueries value:
                                             HKCU\software\microsoft\windows\currentversion\internet
settings\5.0\cache\extensible cache\mshist012016042820160429[cacherepair]
   Queries value:
                                             \label{lem:hkcu} \verb+KKCU \software \microsoft \windows \current version \cite{thm:lem:hkcu} in terms to the lemma substitution \cite{thm:lem:hkcu} and \cite{thm:lem:hkcu} are \cite{thm:lem:hkcu}.
settings\5.0\cache\extensible cache\mshist012016042820160429[cachepath]
   Queries value:
                                             HKCU\software\microsoft\windows\currentversion\internet
settings\5.0\cache\extensible cache\mshist012016042820160429[cacheprefix]
                                            HKCU\software\microsoft\windows\currentversion\internet
   Oueries value:
settings\5.0\cache\extensible cache\mshist012016042820160429[cachelimit]
   Queries value:
                                            HKCU\software\microsoft\windows\currentversion\internet
settings\5.0\cache\extensible cache\mshist012016042820160429[cacheoptions]
   Queries value:
                                             \label{lem:hkcu} \begin{tabular}{ll} HKCU software \verb|\microsoft| windows \verb|\currentversion| explorer \verb|\clsid| {20d04fe0-decomposition of the context of t
```

```
3aea-1069-a2d8-08002b30309d}[]
                            HKCR\clsid\{20d04fe0-3aea-1069-a2d8-08002b30309d}[localizedstring]
  Oueries value:
  Oueries value:
                            HKCU\software\microsoft\internet
explorer\main\windowssearch[enabledscopes]
                            HKLM\software\microsoft\windows search[currentversion]
  Oueries value:
  Queries value:
                            HKLM\software\microsoft\internet explorer\main[maxrenderline]
  Sets/Creates value:
                            HKCU\software\appdatalow\software\smartbar[globaluserid]
  Sets/Creates value:
                            HKLM\software\microsoft\tracing\bi_rasapi32[enablefiletracing]
  Sets/Creates value:
                            HKLM\software\microsoft\tracing\bi_rasapi32[enableconsoletracing]
  Sets/Creates value:
                            HKLM\software\microsoft\tracing\bi_rasapi32[filetracingmask]
  Sets/Creates value:
                            HKLM\software\microsoft\tracing\bi_rasapi32[consoletracingmask]
  Sets/Creates value:
                            HKLM \setminus software \setminus microsoft \setminus tracing \setminus bi\_rasapi32 [maxfilesize]
  Sets/Creates value:
                            HKLM\software\microsoft\tracing\bi_rasapi32[filedirectory]
  Sets/Creates value:
                            HKLM\software\microsoft\tracing\bi_rasmancs[enablefiletracing]
  Sets/Creates value:
                            HKLM\software\microsoft\tracing\bi_rasmancs[enableconsoletracing]
  Sets/Creates value:
                            HKLM\software\microsoft\tracing\bi_rasmancs[filetracingmask]
  Sets/Creates value:
                            HKLM\software\microsoft\tracing\bi_rasmancs[consoletracingmask]
  Sets/Creates value:
                            HKLM\software\microsoft\tracing\bi_rasmancs[maxfilesize]
  Sets/Creates value:
                            HKLM\software\microsoft\tracing\bi_rasmancs[filedirectory]
  Sets/Creates value:
HKLM\software\microsoft\tracing\bdc27c485a35c61c7bf0bfedbf9b0b3f_rasapi32[enablefiletracing]
  Sets/Creates value:
HKLM\software\microsoft\tracing\bdc27c485a35c61c7bf0bfedbf9b0b3f_rasapi32[enableconsoletracing]
  Sets/Creates value:
HKLM\software\microsoft\tracing\bdc27c485a35c61c7bf0bfedbf9b0b3f_rasapi32[filetracingmask]
  Sets/Creates value:
HKLM \ software \ microsoft \ tracing \ bdc27c485a35c61c7bf0bfedbf9b0b3f\_rasapi32[consoletracing mask]
  Sets/Creates value:
HKLM\software\microsoft\tracing\bdc27c485a35c61c7bf0bfedbf9b0b3f_rasapi32[maxfilesize]
  Sets/Creates value:
HKLM\software\microsoft\tracing\bdc27c485a35c61c7bf0bfedbf9b0b3f_rasapi32[filedirectory]
  Sets/Creates value:
HKLM \ software \ microsoft \ tracing \ bdc27c485a35c61c7bf0bfedbf9b0b3f\_rasmancs[enablefile tracing]
  Sets/Creates value:
HKLM \ software \ microsoft \ tracing \ bdc 27c485a 35c61c7bf0bfedbf9b0b3f\_rasmancs \ [enable consoletracing]
HKLM\software\microsoft\tracing\bdc27c485a35c61c7bf0bfedbf9b0b3f_rasmancs[filetracingmask]
  Sets/Creates value:
Sets/Creates value:
HKLM \setminus software \setminus microsoft \setminus tracing \setminus bdc27c485a35c61c7bf0bfedbf9b0b3f\_rasmancs[maxfilesize]
  Sets/Creates value:
HKLM\software\microsoft\tracing\bdc27c485a35c61c7bf0bfedbf9b0b3f_rasmancs[filedirectory]
 Sets/Creates value:
                            HKCU\software\microsoft\windows\currentversion\internet
settings\wpad\{ef3210ff-3762-4476-8471-7e2bc045a9b3}[wpaddecisionreason]
                            HKCU\software\microsoft\windows\currentversion\internet
 Sets/Creates value:
settings\wpad\{ef3210ff-3762-4476-8471-7e2bc045a9b3}[wpaddecisiontime]
 Sets/Creates value:
                            \label{lem:hkcu} \verb+KKCU \software \microsoft \windows \current version \cite{thm:lem:hkcu} in terms to the lemma substitution \cite{thm:lem:hkcu} and \cite{thm:lem:hkcu} are \cite{thm:lem:hkcu}.
settings\wpad\{ef3210ff-3762-4476-8471-7e2bc045a9b3}[wpaddecision]
 Sets/Creates value:
                            HKCU\software\microsoft\windows\currentversion\internet
settings\wpad\{ef3210ff-3762-4476-8471-7e2bc045a9b3}[wpadnetworkname]
 Sets/Creates value:
                            HKCU\software\microsoft\windows\currentversion\internet
settings\wpad\0a-f3-06-d9-a2-43[wpaddecisionreason]
 Sets/Creates value:
                            \label{lem:hkcu} \verb+KKCU \software \microsoft \windows \current version \cite{thm:lem:hkcu} in terms to the lemma substitution \cite{thm:lem:hkcu} and \cite{thm:lem:hkcu} are \cite{thm:lem:hkcu}.
settings\wpad\0a-f3-06-d9-a2-43[wpaddecisiontime]
 Sets/Creates value:
                            HKCU\software\microsoft\windows\currentversion\internet
settings\wpad\0a-f3-06-d9-a2-43[wpaddecision]
                            HKLM\system\currentcontrolset\control\session
 Sets/Creates value:
manager[pendingfilerenameoperations]
                            HKCU\software\conduit\distributionengine\1\offerhistory\755131[offerid]
  Sets/Creates value:
  Sets/Creates value:
                            HKCU\software\conduit\distributionengine\1\offerhistory\755131[offerurl]
  Sets/Creates value:
                            HKCU \setminus software \setminus conduit \setminus distribution engine \setminus 1 \setminus offerhistory \setminus 755131 [homapage]
  Sets/Creates value:
HKCU\software\conduit\distributionengine\1\offerhistory\755131[defaultsearch]
  Sets/Creates value:
HKCU\software\conduit\distributionengine\1\offerhistory\755131[offerdescription]
                            HKCU \setminus software \setminus conduit \setminus distribution engine \setminus 1 \setminus offerhistory \setminus 755131[ruleid]
  Sets/Creates value:
  Sets/Creates value:
HKCU \setminus software \setminus conduit \setminus distribution engine \setminus 1 \setminus offerhistory \setminus 755131 [root offerid]
                            HKCU\software\microsoft\windows\currentversion\internet
 Sets/Creates value:
settings\5.0\cache\extensible cache\mshist012016042820160429[cachepath]
 Sets/Creates value:
                            HKCU\software\microsoft\windows\currentversion\internet
settings\5.0\cache\extensible cache\mshist012016042820160429[cacheprefix]
 Sets/Creates value:
                            HKCU\software\microsoft\windows\currentversion\internet
settings\5.0\cache\extensible cache\mshist012016042820160429[cachelimit]
                            HKCU\software\microsoft\windows\currentversion\internet
 Sets/Creates value:
settings\5.0\cache\extensible cache\mshist012016042820160429[cacheoptions]
 Sets/Creates value:
                            HKCU\software\microsoft\windows\currentversion\internet
```

HKCU\software\microsoft\windows\currentversion\internet

settings\5.0\cache\extensible cache\mshist012016042820160429[cacherepair]

Value changes:

settings[proxyenable]

Value changes: HKCU\software\microsoft\windows\currentversion\internet

settings\zonemap[uncasintranet]

Value changes: HKCU\software\microsoft\windows\currentversion\internet

settings\zonemap[autodetect]

Value changes: HKCU\software\microsoft\windows\currentversion\internet

settings\wpad\{ef3210ff-3762-4476-8471-7e2bc045a9b3}[wpaddecisionreason]

Value changes: HKCU\software\microsoft\windows\currentversion\internet

 $\texttt{settings} \\ \texttt{wpad} \\ \texttt{\{ef3210ff-3762-4476-8471-7e2bc045a9b3\}[wpaddecisiontime]}$ 

Value changes: HKCU\software\microsoft\windows\currentversion\internet

settings\wpad\{ef3210ff-3762-4476-8471-7e2bc045a9b3}[wpaddecision]

Value changes: HKCU\software\microsoft\windows\currentversion\internet

settings\wpad\{ef3210ff-3762-4476-8471-7e2bc045a9b3}[wpadnetworkname]

Value changes: HKCU\software\microsoft\windows\currentversion\internet

settings\wpad\0a-f3-06-d9-a2-43[wpaddecisionreason]

 $\label{thm:condition} \mbox{Value changes:} \qquad \mbox{HKCU\software\microsoft\windows\currentversion\internet}$ 

 ${\tt settings \wpad \0a-f3-06-d9-a2-43[wpaddecisiontime]}$ 

Value changes: HKCU\software\microsoft\windows\currentversion\internet

settings\wpad\0a-f3-06-d9-a2-43[wpaddecision]

Value changes: HKCU\software\microsoft\windows\currentversion\internet

 ${\tt settings} \verb|\connections[defaultconnectionsettings]|\\$ 

Value changes: HKCU\software\microsoft\windows\currentversion\internet

settings\wpad[wpadlastnetwork]

Value changes: HKCU\software\microsoft\windows\currentversion\internet

settings\5.0\cache\extensible cache\mshist012016042820160429[cachepath]

Value changes: HKCU\software\microsoft\internet explorer\main\windowssearch[version]

Value changes: HKLM\system\currentcontrolset\control\session

manager[pendingfilerenameoperations]