# Malware Analysis Appliance by Blue Coat Systems, Inc.

Task Details

Host: mag2, Sample ID: 160, Task ID: 640

Task ID: 640 Risk Level: 4

Date Processed: 2016-04-28 13:04:44 (UTC)

Processing Time: 61.12 seconds
Virtual Environment: IntelliVM

Execution Arguments: "c:\windows\temp\85d91c1c1b1aebdf1ceb74a7ef0bed54.exe"

Sample ID: 160 Type: basic Owner: admin

Label: 85d91c1c1b1aebdf1ceb74a7ef0bed54

Date Added: 2016-04-28 12:45:06 (UTC)

File Type: PE32:win32:gui File Size: 778752 bytes

MD5: 85d91c1c1b1aebdf1ceb74a7ef0bed54

SHA256: ded6339bd07478fcdf9950a21e232ae040f90a6370e3bb30c50dfb3f8a5b2669

Description: None

### Pattern Matching Results

2 PE: Nonstandard section

3 Long sleep detected

4 Checks whether debugger is present

#### Static Events

Anomaly: PE: Contains one or more non-standard sections

#### Process/Thread Events

Creates process: C:\windows\temp\85d91c1c1b1aebdf1ceb74a7ef0bed54.exe

 $["C:\windows\temp\85d91c1c1b1aebdf1ceb74a7ef0bed54.exe"\ ]$ 

### Named Object Events

Creates mutex: \Sessions\1\BaseNamedObjects\DBWinMutex

Creates mutex: \Sessions\1\BaseNamedObjects\MSCTF.CtfMonitorInstMutexDefault1 \Creates event: \Sessions\1\BaseNamedObjects\MSCTF.CtfActivated.Default1

Creates event: \KernelObjects\MaximumCommitCondition

## File System Events

Opens: C:\Windows\Prefetch\85D91C1C1B1AEBDF1CEB74A7EF0BE-0F39EB65.pf

Opens: C:\Windows\System32

Opens: C:\Windows\System32\sechost.dll

Opens: C:\windows\temp\85d91c1c1b1aebdf1ceb74a7ef0bed54.exe.Local\

Opens: C:\Windows\winsxs\x86\_microsoft.windows.common-

 $controls\_6595b64144ccf1df\_6.0.7601.17514\_none\_41e6975e2bd6f2b2$ 

Opens: C:\Windows\winsxs\x86\_microsoft.windows.common-controls\_6595b64144ccf1df\_6.0.7601.17514\_none\_41e6975e2bd6f2b2\comct132.dll

Opens:

C:\Windows\winsxs\x86\_microsoft.windows.gdiplus\_6595b64144ccf1df\_1.1.7601.17514\_none\_72d18a4386696c80

C:\Windows\winsxs\x86\_microsoft.windows.gdiplus\_6595b64144ccf1df\_1.1.7601.17514\_none\_72d18a4386696c80\GdiPlus.dll

Opens: C:\Windows\System32\imm32.dll
Opens: C:\Windows\WindowsShell.Manifest
Opens: C:\Windows\System32\rpcss.dll
Opens: C:\Windows\temp\CRYPTBASE.dll
Opens: C:\Windows\System32\cryptbase.dll
Opens: C:\Windows\System32\uxtheme.dll
Opens: C:\Windows\System32\uxtheme.dll

Opens: C:\windows\temp\dwmapi.dll
Opens: C:\Windows\System32\dwmapi.dll

C:\Windows\System32\en-US\user32.dll.mui Opens:

Opens: C:\Windows\Globalization\Sorting\SortDefault.nls

Opens: C:\Windows\Fonts\StaticCache.dat Opens: C:\windows\temp\WindowsCodecs.dll Opens: C:\Windows\System32\WindowsCodecs.dll C:\Windows\winsxs\x86\_microsoft.windows.c..-Opens: controls.resources\_6595b64144ccf1df\_6.0.7600.16385\_en-us\_581cd2bf5825dde9 C:\Windows\winsxs\x86 microsoft.windows.c..-

controls.resources\_6595b64144ccf1df\_6.0.7600.16385\_en-us\_581cd2bf5825dde9\comctl32.dll.mui

Opens: C:\Windows\system32\uxtheme.dll.Config

Opens: C:\Windows\Temp\85d91c1c1b1aebdf1ceb74a7ef0bed54.exe

Opens: C:\

Opens:

Opens: C:\Windows

Opens: C:\windows\temp\CRYPTSP.dll Opens: C:\Windows\System32\cryptsp.dll Opens: C:\Windows\System32\rsaenh.dll Opens: C:\windows\temp\RpcRtRemote.dll Opens: C:\Windows\System32\RpcRtRemote.dll

Opens: C:\windows\temp\imageres.dll Opens: C:\Windows\System32\imageres.dll

Opens: C:\Windows\System32\en-US\imageres.dll.mui

Reads from: C:\Windows\Fonts\StaticCache.dat

### Windows Registry Events

Opens key: HKLM\system\currentcontrolset\control\session manager HKLM\system\currentcontrolset\control\safeboot\option Opens key: HKLM\system\currentcontrolset\control\srp\gp\dll Opens key:

HKLM\software\policies\microsoft\windows\safer\codeidentifiers Opens key: Opens key: HKCU\software\policies\microsoft\windows\safer\codeidentifiers

Opens key:

Opens key: HKCU\control panel\desktop\muicached\machinelanguageconfiguration

Opens key: HKLM\software\policies\microsoft\mui\settings

Opens key: HKCU\software\policies\microsoft\control panel\desktop

Opens key: HKCU\control panel\desktop\languageconfiguration

Opens key: HKCU\control panel\desktop

Opens key: HKCU\control panel\desktop\muicached

Opens key: HKLM\software\microsoft\windows\currentversion\sidebyside

Opens key:

HKLM\software\microsoft\windows\currentversion\sidebyside\assemblystorageroots Opens key: HKLM\system\currentcontrolset\control\nls\sorting\versions Opens key: HKLM\system\currentcontrolset\control\error message instrument\ Opens key: HKLM\system\currentcontrolset\control\error message instrument Opens key: HKLM\software\microsoft\windows nt\currentversion\gre\_initialize Opens key: HKLM\software\microsoft\windows nt\currentversion\compatibility32

Opens key: HKLM\software\microsoft\windows nt\currentversion\ime compatibility Opens key:

Opens key: HKLM\software\microsoft\windows nt\currentversion\windows Opens key: HKLM\software\microsoft\windows nt\currentversion\diagnostics

HKLM\software\microsoft\ole Opens key:

Opens key: HKLM\software\microsoft\ole\tracing Opens key: HKLM\software\microsoft\oleaut Opens key: HKLM\software\microsoft\rpc

HKLM\system\currentcontrolset\control\computername\activecomputername Opens key:

Opens key: HKLM\system\setup

Opens key: HKLM\software\policies\microsoft\windows nt\rpc Opens key: HKLM\software\policies\microsoft\sqmclient\windows

HKLM\software\microsoft\sqmclient\windows Opens key:

Opens key: HKCU\software\classes\

HKCU\software\classes\appid\85d91c1c1b1aebdf1ceb74a7ef0bed54.exe Opens key:

Opens key: HKCR\appid\85d91c1c1b1aebdf1ceb74a7ef0bed54.exe Opens key: HKLM\system\currentcontrolset\control\lsa

Opens key: HKLM\system\currentcontrolset\control\nls\customlocale Opens key: HKLM\system\currentcontrolset\control\nls\extendedlocale

Opens key: HKLM\system\currentcontrolset\control\nls\locale

Opens key: HKLM\system\currentcontrolset\control\nls\locale\alternate sorts

Opens key: HKLM\system\currentcontrolset\control\nls\language groups

Opens key: HKLM\system\currentcontrolset\control\cmf\config

Opens key:

HKLM\software\microsoft\ctf\compatibility\85d91c1c1b1aebdf1ceb74a7ef0bed54.exe

Opens key: HKLM\software\microsoft\windows nt\currentversion\fontsubstitutes HKLM\software\microsoft\windows nt\currentversion\fontlink\systemlink Opens key:

Opens key: HKLM\software\microsoft\windows nt\currentversion\languagepack\datastore\_v1.0

Opens key: HKLM\software\microsoft\windows

nt\currentversion\languagepack\surrogatefallback

Opens key: HKLM\software\microsoft\windows nt\currentversion\languagepack\surrogatefallback\segoe ui Opens key: HKLM\hardware\devicemap\video

Opens key: HKLM\system\currentcontrolset\control\video\{c54b6caf-be91-4a10-ab56-

fd27e3774e32}\0000

Opens key:

HKLM\system\currentcontrolset\enum\pci\ven\_80ee&dev\_beef&subsys\_00000000&rev\_00\3&267a616a&0&10

Opens key: HKCU\software\classes\clsid\{fae3d380-fea4-4623-8c75-

c6b61110b681}\instance

c6b61110b681}\instance\disabled

Opens key: HKCR\clsid\{fae3d380-fea4-4623-8c75-c6b61110b681}\instance\disabled

Opens kev: HKLM\software\microsoft\ctf\

Opens key: HKLM\software\microsoft\windows\windows error reporting\wmr

Opens key: HKLM\software\microsoft\windows nt\currentversion\languagepack\surrogatefallback\system Opens key: HKLM\software\microsoft\windows

nt\currentversion\languagepack\surrogatefallback\microsoft sans serif

Opens key: HKLM\software\microsoft\windows\currentversion\policies\explorer Opens key: HKCU\software\microsoft\windows\currentversion\policies\explorer

Opens key: HKLM\software\microsoft\ctf\knownclasses

Opens key: HKLM\software\microsoft\windows nt\currentversion\languagepack\surrogatefallback\ms shell dlg 2

Opens key:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{7c5a40ef-a0fb-4bfc-874a-c0f2e0b9fa8e\}$ 

Opens key:

 $\label{thm:local-continuous} HKLM \software \mbox{$7c5a40ef-a0fb-4bfc-874a-c0f2e0b9fa8e} \property bag$ 

Opens key: HKLM\software\microsoft\windows\currentversion

Opens key:

 $\label{thm:local-continuous} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27}$ 

Opens key:

 $\label{thm:local-continuous} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27} \property bag$ 

Opens key

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ff 38bf 404-1d43-42f2-9305-67de 0b 28fc 23 \end{substitute}$ 

Opens key:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{f38bf404-1d43-42f2-9305-67de0b28fc23\} \ property bag$ 

Opens key: HKLM\software\microsoft\com3

Opens key: HKCU\software\classes\clsid\{f7fe4993-2936-4685-aed1-6429dcb88d64}

Opens key: HKCR\clsid\{f7fe4993-2936-4685-aed1-6429dcb88d64}

Opens key: HKLM\software\microsoft\cryptography\defaults\provider\microsoft strong

cryptographic provider

 $Opens~key: \\ HKLM \ system \ current control \ sa \ fips algorithm policy$ 

Opens key:

HKLM\system\currentcontrolset\policies\microsoft\cryptography\configuration
Opens key: HKLM\software\policies\microsoft\cryptography

Opens key: HKLM\software\microsoft\cryptography

Opens key: HKLM\software\microsoft\cryptography\offload

Opens key: HKCU\software\classes\interface\{00000134-0000-0000-c000-00000000046}

Opens key: HKCR\interface\{00000134-0000-0000-c000-000000000046} Opens key: HKCU\software\classes\interface\{00000134-0000-0000-c000-

00000000046}\proxystubclsid32

Opens key: HKCR\interface\{00000134-0000-0000-c000-00000000046}\proxystubclsid32

Opens key: HKLM\software\microsoft\rpc\extensions
Opens key: HKLM\system\currentcontrolset\services\bfe

Opens key: HKLM\software\microsoft\sqmclient\windows\disabledprocesses\
Opens key: HKLM\software\microsoft\sqmclient\windows\disabledsessions\
Opens key: HKCU\software\policies\microsoft\windows\app management
Opens key: HKLM\software\policies\microsoft\windows\app management

Queries value: HKLM\system\currentcontrolset\control\session

```
manager[cwdillegalindllsearch]
  Oueries value:
HKLM\software\policies\microsoft\windows\safer\codeidentifiers[transparentenabled]
  Queries value:
                                       HKCU\control panel\desktop[preferreduilanguages]
  Queries value:
                                       HKCU\control panel\desktop\muicached[machinepreferreduilanguages]
  Queries value:
HKLM \ software \ microsoft \ windows \ current version \ side \ [prefer external manifest]
                                       HKLM\system\currentcontrolset\control\nls\sorting\versions[]
  Oueries value:
  Queries value:
                                       HKLM\system\currentcontrolset\control\session manager[safedllsearchmode]
  Queries value:
                                       HKLM\software\microsoft\windows
nt\currentversion\gre_initialize[disablemetafiles]
  Queries value:
                                      HKLM\software\microsoft\windows
nt\currentversion\compatibility32[85d91c1c1b1aebdf1ceb74a7ef0bed54]
  Oueries value:
                                      HKLM\software\microsoft\windows
nt\currentversion\windows[loadappinit_dlls]
                                       HKLM\software\microsoft\ole[pageallocatorusesystemheap]
  Queries value:
  Queries value:
                                       HKLM\software\microsoft\ole[pageallocatorsystemheapisprivate]
  Queries value:
                                      HKLM\software\microsoft\rpc[maxrpcsize]
  Queries value:
HKLM\system\currentcontrolset\control\computername\activecomputername[computername]
  Queries value:
                                       HKLM\system\setup[oobeinprogress]
  Queries value:
                                       HKLM\system\setup[systemsetupinprogress]
  Queries value:
                                       HKLM\software\microsoft\sqmclient\windows[ceipenable]
  Queries value:
                                       HKLM\system\currentcontrolset\control\lsa[everyoneincludesanonymous]
  Queries value:
                                       HKLM\system\currentcontrolset\control\nls\customlocale[en-us]
  Queries value:
                                       HKLM\system\currentcontrolset\control\nls\extendedlocale[en-us]
  Queries value:
                                       HKLM\system\currentcontrolset\control\nls\locale[00000409]
  Queries value:
                                       HKLM\system\currentcontrolset\control\nls\language groups[1]
  Queries value:
                                       HKLM\system\currentcontrolset\control\cmf\config[system]
  Queries value:
                                       HKLM\software\microsoft\windows nt\currentversion\fontsubstitutes[ms
shell dlg 2]
                                      HKLM\software\microsoft\windows
  Oueries value:
nt\currentversion\languagepack\datastore_v1.0[disable]
  Queries value:
                                      HKLM\software\microsoft\windows
nt\currentversion\languagepack\datastore_v1.0[datafilepath]
  Queries value:
                                      HKLM\software\microsoft\windows
nt\currentversion\languagepack\surrogatefallback[plane1]
                                      HKLM\software\microsoft\windows
  Queries value:
nt\currentversion\languagepack\surrogatefallback[plane2]
  Queries value:
                                       HKLM\software\microsoft\windows
nt\currentversion\languagepack\surrogatefallback[plane3]
  Queries value:
                                      HKLM\software\microsoft\windows
nt\currentversion\languagepack\surrogatefallback[plane4]
  Oueries value:
                                      HKLM\software\microsoft\windows
nt\currentversion\languagepack\surrogatefallback[plane5]
  Queries value:
                                      HKLM\software\microsoft\windows
nt\currentversion\languagepack\surrogatefallback[plane6]
  Queries value:
                                      HKLM\software\microsoft\windows
nt\currentversion\languagepack\surrogatefallback[plane7]
  Oueries value:
                                      HKLM\software\microsoft\windows
nt\currentversion\languagepack\surrogatefallback[plane8]
  Queries value:
                                      HKLM\software\microsoft\windows
nt\currentversion\languagepack\surrogatefallback[plane9]
                                      HKLM\software\microsoft\windows
  Queries value:
nt\currentversion\languagepack\surrogatefallback[plane10]
                                      HKLM\software\microsoft\windows
  Queries value:
nt\currentversion\languagepack\surrogatefallback[plane11]
  Oueries value:
                                      HKLM\software\microsoft\windows
nt\currentversion\languagepack\surrogatefallback[plane12]
  Queries value:
                                       HKLM\software\microsoft\windows
nt\currentversion\languagepack\surrogatefallback[plane13]
  Oueries value:
                                       HKLM\software\microsoft\windows
nt\currentversion\languagepack\surrogatefallback[plane14]
  Queries value:
                                       HKLM\software\microsoft\windows
nt\currentversion\languagepack\surrogatefallback[plane15]
  Queries value:
                                       HKLM\software\microsoft\windows
nt\currentversion\languagepack\surrogatefallback[plane16]
  Queries value:
                                       HKLM\hardware\devicemap\video[maxobjectnumber]
  Queries value:
                                       HKLM\hardware\devicemap\video[\device\video3]
  Queries value:
                                       HKLM\system\currentcontrolset\control\video\{c54b6caf-be91-4a10-ab56-
fd27e3774e32}\0000[pruningmode]
  Queries value:
                                       HKLM \setminus software \setminus microsoft \setminus tip \setminus \{0000897b - 83df - 4b96 - be07 - be08 - b
```

Ofb58b01c4a4}\languageprofile\0x00000000\{0001bea3-ed56-483d-a2e2-aeae25577436}[enable]

Queries value: HKLM\software\microsoft\ctf[enableanchorcontext]

Queries value: HKLM\software\microsoft\windows\windows error reporting\wmr[disable]

Queries value: HKLM\software\microsoft\windows nt\currentversion\fontsubstitutes[microsoft sans serif]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7c5a40ef-a0fb-4bfc-874a-c0f2e0b9fa8e}[category]

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{7c5a40ef-a0fb-4bfc-874a-c0f2e0b9fa8e\}[name]$ 

Queries value:

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{7c5a40ef-a0fb-4bfc-874a-c0f2e0b9fa8e\} [description]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{7c5a40ef-a0fb-4bfc-874a-c0f2e0b9fa8e\}[relative path]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{7c5a40ef-a0fb-4bfc-874a-c0f2e0b9fa8e\}[parsing name]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{7c5a40ef-a0fb-4bfc-874a-c0f2e0b9fa8e\}[infotip]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{7c5a40ef-a0fb-4bfc-874a-c0f2e0b9fa8e\}[localized name]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{7c5a40ef-a0fb-4bfc-874a-c0f2e0b9fa8e\} \ [icon]$ 

Oueries value:

 $HKLM \ software \ microsoft \ vurrent version \ explorer \ folder descriptions \ \{7c5a40ef-a0fb-4bfc-874a-c0f2e0b9fa8e\} [security]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{7c5a40ef-a0fb-4bfc-874a-c0f2e0b9fa8e\} [stream resource]$ 

Queries value:

 $\label{thm:local-continuous} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \fol$ 

Oueries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{7c5a40ef-a0fb-4bfc-874a-c0f2e0b9fa8e\} \ [roamable]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{7c5a40ef-a0fb-4bfc-874a-c0f2e0b9fa8e\} \ [precreate]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folder$ 

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{7c5a40ef-a0fb-4bfc-874a-c0f2e0b9fa8e\}[publishexpandedpath]$ 

Queries value:

Queries value:

Queries value:

 $\label{thm:local-continuous} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \fol$ 

Queries value: HKLM\software\microsoft\windows\currentversion[programfilesdir]

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ 'folder descriptions \ '\{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27\} \ [category]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27\} \ [name]$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ 'folder descriptions \ '\{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27\} \ [parent folder]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27\} \ [description]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27\} \ [relative path]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27\} \ [parsing name]$ 

Queries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27\} \ [infotip]$ 

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27\} \ [localized name]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27\} \ [icon]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27\} [security]$ 

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27\} \ [stream resource]$ 

Oueries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$ 

Queries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27\} \ [local redirect only]$ 

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \ \{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27\} \ [roamable]$ 

Queries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27\} \ [precreate]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \deformance \current \folder descriptions \deformance \deformance \current \folder \deformance \$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder descriptions \explorer \folder descriptions \folder \folder descriptions \folder \fol$ 

Oueries value:

Queries value:

Queries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \ \{d65231b0-b2f1-4857-a4ce-a8e7c6ea7d27\} \ [init folder handler]$ 

Queries value:

 $\label{thm:local-soft-windows} In the local HKLM software $$ HKLM \sim \frac{f38bf404-1d43-42f2-9305-67de0b28fc23} [category] $$$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ff 38bf 404-1d43-42f2-9305-67de \folder \figure{100} \end{100}.$ 

Queries value:

 $\label{thm:local-continuous} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \f38bf404-1d43-42f2-9305-67de0b28fc23 \cite{Continuous} \cit$ 

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \ \{f38bf404-1d43-42f2-9305-67de0b28fc23\} \ [description]$ 

Queries value:

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ \ \{f38bf404-1d43-42f2-9305-67de0b28fc23\} \ [parsing name]$ 

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f38bf404-1d43-42f2-9305-67de0b28fc23}[infotip]

Queries value:

 $\label{localized-hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \f38bf404-1d43-42f2-9305-67de0b28fc23 \cite{localized-name} \end{subarrange}$ 

Oueries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{f38bf404-1d43-42f2-9305-67de0b28fc23\} \ [icon]$ 

Queries value:

 $HKLM \ software \ microsoft \ vurrent version \ explorer \ folder descriptions \ \{f38bf404-1d43-42f2-9305-67de0b28fc23\} [security]$ 

Oueries value:

 $HKLM \ software \ microsoft \ \ current version \ \ explorer \ \ folder descriptions \ \ \{f38bf404-1d43-42f2-9305-67de0b28fc23\} \ [stream resource]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \f38bf404-1d43-42f2-9305-67de0b28fc23 \fixed mresource type]$ 

Oueries value

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{f38bf404-1d43-42f2-9305-67de0b28fc23\} \ [local redirectonly]$ 

Oueries value:

 $HKLM \ software \ microsoft \ vurrent version \ explorer \ folder descriptions \ \{f38bf404-1d43-42f2-9305-67de0b28fc23\} \ [roamable]$ 

Oueries value:

 $HKLM \ software \ microsoft \ vindows \ current version \ explorer \ folder descriptions \ \{f38bf404-1d43-42f2-9305-67de0b28fc23\} \ [precreate]$ 

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \f38bf404-1d43-42f2-9305-67 de 0b28 fc23 \fixed \cite{texture} \end{substitute} \label{lem:hklm}$ 

Oueries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{f38bf404-1d43-42f2-9305-67de0b28fc23\} \ [publish expanded path]$ 

Oueries value:

 $HKLM \ software \ microsoft \ vurrent version \ explorer \ folder descriptions \ \{f38bf404-1d43-42f2-9305-67de0b28fc23\} [attributes]$ 

Queries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{f38bf404-1d43-42f2-9305-67de0b28fc23\} \ [folder type id]$ 

Queries value:

 $\label{thm:local-continuous} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \f38bf404-1d43-42f2-9305-67de0b28fc23 \cite{linitfolder} \cite{linitfolder} \end{subarray} % \label{thm:local-continuous} % \cite{linitfolder} \ci$ 

Queries value: HKLM\software\microsoft\com3[com+enabled]
Queries value: HKLM\software\microsoft\ole[maxsxshashcount]

Queries value: HKLM\software\microsoft\cryptography\defaults\provider\microsoft strong

cryptographic provider[type]

Queries value: HKLM\software\microsoft\cryptography\defaults\provider\microsoft strong

cryptographic provider[image path]

Queries value: HKLM\system\currentcontrolset\control\session

manager[safeprocesssearchmode]

Queries value: HKLM\system\currentcontrolset\control\lsa\fipsalgorithmpolicy[enabled]

Queries value: HKLM\system\currentcontrolset\control\lsa[fipsalgorithmpolicy]

Queries value: HKLM\software\policies\microsoft\cryptography[privkeycachemaxitems]

Queries value:

HKLM\software\policies\microsoft\cryptography[privkeycachepurgeintervalseconds]

Queries value: HKLM\software\policies\microsoft\cryptography[privatekeylifetimeseconds]

Queries value: HKLM\software\microsoft\cryptography[machineguid]

Queries value: HKCR\interface\{00000134-0000-0000-0000-00000000046}\proxystubclsid32[]

Queries value: HKLM\software\microsoft\rpc\extensions[ndroleextdll]
Queries value: HKLM\software\microsoft\rpc\extensions[remoterpcdll]

 $Queries\ value: \\ HKLM\software\microsoft\sqmclient\windows\disabledprocesses \cite{bad60e5}$ 

Queries value:

HKLM\software\microsoft\sqmclient\windows\disabledsessions[machinethrottling]

Queries value:

 $HKLM \setminus software \setminus microsoft \setminus sqmclient \setminus windows \setminus disabledsessions [global session]$