Malware Analysis Appliance by Blue Coat Systems, Inc.

Task Details

Host: mag2, Sample ID: 101, Task ID: 404

Task ID: 404 Risk Level: 3

Date Processed: 2016-04-28 12:57:56 (UTC)

Processing Time: 61.68 seconds
Virtual Environment: IntelliVM

Execution Arguments: "c:\windows\temp\00aca0729582792a46b971951043ff06.exe"

Sample ID: 101
Type: basic
Owner: admin

Label: 00aca0729582792a46b971951043ff06

Date Added: 2016-04-28 12:45:00 (UTC)

File Type: PE32:win32:gui File Size: 203723 bytes

MD5: 00aca0729582792a46b971951043ff06

SHA256: 0afff2c277d7116b78d29818c8a9422daea4846a70a311c1696f262597209006

Description: None

Pattern Matching Results

1 HTTP connection - response code 404 (file not found) [HTTP, GET, POST, web, network, response code]

3 Long sleep detected

Static Events

Anomaly: PE: Contains a virtual section

Process/Thread Events

Creates process: C:\windows\temp\00aca0729582792a46b971951043ff06.exe

["C:\windows\temp\00aca0729582792a46b971951043ff06.exe"]

Named Object Events

Creates mutex: \Sessions\1\BaseNamedObjects\DBWinMutex
Creates mutex: \Sessions\1\BaseNamedObjects_!MSFTHISTORY!_

Creates mutex:

 $\verb|\Sessions|| 1 \\ | Base Named Objects \\ | c: !users! admin! appdata! local! microsoft! windows! temporary internet | continuous! temporary | contin$

files!content.ie5! Creates mutex:

\Sessions\1\BaseNamedObjects\c:!users!admin!appdata!roaming!microsoft!windows!cookies!

Creates mutex:

\Sessions\1\BaseNamedObjects\c:!users!admin!appdata!local!microsoft!windows!history!history.ie5!

Creates mutex: \Sessions\1\BaseNamedObjects\WininetStartupMutex
Creates mutex: \Sessions\1\BaseNamedObjects\WininetConnectionMutex
Creates mutex: \Sessions\1\BaseNamedObjects\WininetProxyRegistryMutex

Creates mutex: \Sessions\1\BaseNamedObjects\RasPbFile
Creates mutex: \Sessions\1\BaseNamedObjects\IESQMMUTEX_0_208
Creates mutex: \Sessions\1\BaseNamedObjects\ZonesCounterMutex

Creates mutex: \Sessions\1\BaseNamedObjects\ZonesCounterMutex
Creates mutex: \Sessions\1\BaseNamedObjects\ZoneAttributeCacheCounterMutex
Creates mutex: \Sessions\1\BaseNamedObjects\ZonesCacheCounterMutex
Creates mutex: \Sessions\1\BaseNamedObjects\ZonesLockedCacheCounterMutex

Creates mutex: \Sessions\1\BaseNamedObjects\!IETld!Mutex
Creates event: \Security\LSA_AUTHENTICATION_INITIALIZED
Creates event: \BaseNamedObjects\SvcctrlStartEvent_A3752DX

Creates event: \BaseNamedObjects\BFE_Notify_Event_{ea4984cf-ef3a-4329-887f-

12c7112c75a0}

Creates event: \KernelObjects\MaximumCommitCondition

File System Events

Creates: C:\Users\Admin

Creates: C:\Users\Admin\AppData\Local
Creates: C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet Files

Creates: C:\Users\Admin\AppData\Roaming

Creates: C:\Users\Admin\AppData\Roaming\Microsoft\Windows\Cookies
Creates: C:\Users\Admin\AppData\Local\Microsoft\Windows\History

Creates: C:\Windows\Temp\HandWalletUpdate.original

Opens: C:\Windows\Prefetch\00ACA0729582792A46B971951043F-1D996432.pf

Opens: C:\Windows\System32

Opens: C:\Windows\System32\sechost.dll

Opens: C:\windows\temp\00aca0729582792a46b971951043ff06.exe.Local\

Opens: C:\Windows\winsxs\x86_microsoft.windows.common-

controls_6595b64144ccf1df_6.0.7601.17514_none_41e6975e2bd6f2b2

 $Opens: C: \windows \winsxs \x 86_microsoft. windows.common-controls_6595b64144ccf1df_6.0.7601.17514_none_41e6975e2bd6f2b2 \comctl32.dll$

Opens: C:\Windows\System32\imm32.dll
Opens: C:\Windows\WindowsShell.Manifest

Opens: C:\windows\temp\00aca0729582792a46b971951043ff06.ENU

```
C:\windows\temp\00aca0729582792a46b971951043ff06.ENU.DLL
 Opens:
                         C:\windows\temp\00aca0729582792a46b971951043ff06.EN
 Opens:
 Opens:
                         C:\windows\temp\00aca0729582792a46b971951043ff06.EN.DLL
 Opens:
 Opens:
                         C:\Windows\Temp\00aca0729582792a46b971951043ff06.exe
 Opens:
                         C:\Windows\System32\uxtheme.dll
                         C:\windows\temp\dwmapi.dll
 Opens:
                         C:\Windows\System32\dwmapi.dll
 Opens:
 Opens:
                         C:\Windows\Globalization\Sorting\SortDefault.nls
 Opens:
                         C:\windows\temp\HandWalletUpdate.original
 Opens:
                         C:http:\www.handwallet.com\update\
 Opens:
                         C:\Windows\System32\wininet.dll
 Opens:
                         C:\windows\temp\SspiCli.dll
 Opens:
                         C:\Windows\System32\sspicli.dll
 Opens:
                         C:\windows\temp\profapi.dll
 Opens:
                         C:\Windows\System32\profapi.dll
 Opens:
                         C:\Users\Admin
 Opens:
                         C:\Users\Admin\AppData\Local
 Opens:
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet Files
 Opens:
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
Files\desktop.ini
 Opens:
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
Files\Content.IE5
 Opens:
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet
Files\Content.IE5\desktop.ini
                         C:\Users\Admin\AppData\Roaming
 Opens:
 Opens:
                         C:\Users\Admin\AppData\Roaming\Microsoft\Windows\Cookies
 Opens:
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\History
 Opens:
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\History\desktop.ini
 Opens:
                         C:\Users\Admin\AppData\Local\Microsoft\Windows\History\History.IE5
 Opens:
C:\Users\Admin\AppData\Local\Microsoft\Windows\History\History.IE5\desktop.ini
                         \verb|C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet| \\
 Opens:
Files\Content.IE5\index.dat
                         C:\Users\Admin\AppData\Roaming\Microsoft\Windows\Cookies\index.dat
 Opens:
 Opens:
C:\Users\Admin\AppData\Local\Microsoft\Windows\History\History.IE5\index.dat
                         C:\windows\temp\ntmarta.dll
 Opens:
 Opens:
                         C:\Windows\System32\ntmarta.dll
 Opens:
                         C:\windows\temp\dnsapi.DLL
 Opens:
                         C:\Windows\System32\dnsapi.dll
 Opens:
                         C:\windows\temp\iphlpapi.DLL
 Opens:
                         C:\Windows\System32\IPHLPAPI.DLL
 Opens:
                         C:\windows\temp\WINNSI.DLL
 Opens:
                         C:\Windows\System32\winnsi.dll
 Opens:
                         C:\windows\temp\RASAPI32.dll
 Opens:
                         C:\Windows\System32\rasapi32.dll
 Opens:
                         C:\windows\temp\rasman.dll
 Opens:
                         C:\Windows\Svstem32\rasman.dll
 Opens:
                         C:\windows\temp\rtutils.dll
 Opens:
                         C:\Windows\System32\rtutils.dll
 Opens:
                         C:\ProgramData\Microsoft\Network\Connections\Pbk\
 Opens:
                         C:\Windows\System32\ras
                         C:\windows\temp\CRYPTBASE.dll
 Opens:
 Opens:
                         C:\Windows\Svstem32\crvptbase.dll
 Opens:
                         C:\Users\Admin\AppData\Roaming\Microsoft\Network\Connections\Pbk
 Opens:
                         C:\windows\temp\sensapi.dll
 Opens:
                         C:\Windows\System32\SensApi.dll
                         C:\Windows\System32\rpcss.dll
 Opens:
 Opens:
                         C:\Windows\System32\nlaapi.dll
 Opens:
                         C:\Windows\System32\NapiNSP.dll
 Opens:
                         C:\Windows\System32\pnrpnsp.dll
 Opens:
                         C:\Windows\System32\mswsock.dll
 Opens:
                         C:\Windows\System32\winrnr.dll
 Opens:
                         {\tt C:\Windows\System32\WSHTCPIP.DLL}
 Opens:
                         C:\Windows\System32\wship6.dll
 Opens:
                         C:\windows\temp\dhcpcsvc6.DLL
 Opens:
                         C:\Windows\System32\dhcpcsvc6.dll
 Opens:
                         C:\windows\temp\dhcpcsvc.DLL
 Opens:
                         C:\Windows\System32\dhcpcsvc.dll
 Opens:
                         C:\windows\temp\rasadhlp.dll
 Opens:
                         C:\Windows\System32\rasadhlp.dll
 Opens:
                         C:\Windows\System32\drivers\etc\hosts
 Opens:
                         C:\Windows\System32\FWPUCLNT.DLL
 Opens:
                         C:\Windows\System32\netprofm.dll
                         C:\windows\temp\CRYPTSP.dll
 Opens:
 Opens:
                         C:\Windows\System32\cryptsp.dll
 Opens:
                         C:\Windows\System32\rsaenh.dll
 Opens:
                         C:\windows\temp\RpcRtRemote.dll
 Opens:
                         C:\Windows\System32\RpcRtRemote.dll
 Opens:
                         C:\Windows\System32\npmproxy.dll
                         C:\windows\temp\VERSION.dll
 Opens:
 Opens:
                         C:\Windows\System32\version.dll
```

Opens: C:\Windows\System32\en-US\urlmon.dll.mui
Opens: C:\Windows\Temp\HandWalletUpdate.original
Opens: C:\windows\temp\HandWalletUpdate.info
Writes to: C:\Windows\Temp\HandWalletUpdate.original

Reads from: C:\Windows\Temp\00aca0729582792a46b971951043ff06.exe

Reads from: C:\Windows\System32\drivers\etc\hosts
Reads from: C:\Windows\Temp\HandWalletUpdate.original

Network Events

DNS query: wpad

DNS query: www.handwallet.com

DNS response: handwallet.com ⇒ 198.71.157.117

 Connects to:
 198.71.157.117:80

 Sends data to:
 0.0.0.0:5355

 Sends data to:
 224.0.0.252:5355

 Sends data to:
 8.8.8.8:53

Sends data to: handwallet.com:80 (198.71.157.117)

Receives data from: 8.8.8.8:53

Receives data from: handwallet.com:80 (198.71.157.117)

Windows Registry Events

Creates key: HKCU\software\microsoft\windows\currentversion\internet settings

Creates key: HKLM\software\microsoft\tracing

Creates key:

 $HKLM \setminus software \setminus microsoft \setminus tracing \setminus 00aca0729582792a46b971951043ff06_rasapi32$

Creates key:

HKLM\software\microsoft\tracing\00aca0729582792a46b971951043ff06_rasmancs

Creates key: HKCU\software\microsoft\windows\currentversion\internet

settings\connections

Creates key: HKLM\system\currentcontrolset\services\tcpip\parameters
Creates key: HKCU\software\microsoft\windows\currentversion\internet

settings\wpad\{74b1e0bf-aea3-4a90-8faf-011a15d24826}

Creates key: HKCU\software\microsoft\windows\currentversion\internet

settings\wpad\{74b1e0bf-aea3-4a90-8faf-011a15d24826}\66-bc-c7-95-88-39

Creates key: HKCU\software\microsoft\windows\currentversion\internet

settings\wpad\66-bc-c7-95-88-39

Creates key: HKCU\software\microsoft\windows nt\currentversion\network\location

awareness

Deletes value: HKCU\software\microsoft\windows\currentversion\internet

settings[proxyserver]

Deletes value: HKCU\software\microsoft\windows\currentversion\internet

settings[proxyoverride]
Deletes value:

Deletes value: HKCU\software\microsoft\windows\currentversion\internet

settings[autoconfigurl]

Deletes value: HKCU\software\microsoft\windows\currentversion\internet

settings\zonemap[proxybypass]
Deletes value: HKLM\software\microsoft\windows\currentversion\internet

settings\zonemap[proxybypass]

Deletes value: HKCU\software\microsoft\windows\currentversion\internet

settings\zonemap[intranetname]
Deletes value: HKLM\software\microsoft\windows\currentversion\internet

Deletes value: HKLM\
settings\zonemap[intranetname]

Opens key: HKLM\system\currentcontrolset\control\session manager
Opens key: HKLM\system\currentcontrolset\control\terminal server
Opens key: HKLM\system\currentcontrolset\control\safeboot\option
Opens key: HKLM\system\currentcontrolset\control\srp\gp\dll

Opens key: HKLM\software\policies\microsoft\windows\safer\codeidentifiers
Opens key: HKCU\software\policies\microsoft\windows\safer\codeidentifiers

Opens key: HKCU\

Opens key: HKCU\control panel\desktop\muicached\machinelanguageconfiguration

Opens key: HKLM\software\policies\microsoft\mui\settings

Opens key: HKCU\software\policies\microsoft\control panel\desktop
Opens key: HKCU\control panel\desktop\languageconfiguration

Opens key: HKCU\control panel\desktop

Opens key: HKCU\control panel\desktop\muicached

Opens key: HKLM\software\microsoft\windows\currentversion\sidebyside

Opens key:

Opens key: HKLM\system\currentcontrolset\control\nls\sorting\versions
Opens key: HKLM\system\currentcontrolset\control\error message instrument\
Opens key: HKLM\system\currentcontrolset\control\error message instrument
Opens key: HKLM\software\microsoft\windows nt\currentversion\gre_initialize
Opens key: HKLM\software\microsoft\windows nt\currentversion\compatibility32
Opens key: HKLM\software\microsoft\windows nt\currentversion\ime compatibility

Opens key: HKLM\

Opens key: HKLM\software\microsoft\windows nt\currentversion\windows
Opens key: HKLM\software\microsoft\windows nt\currentversion\diagnostics

Opens key: HKLM\software\microsoft\ole

Opens key: HKLM\software\microsoft\ole\tracing
Opens key: HKLM\software\microsoft\oleaut
Opens key: HKCU\software\borland\locales
Opens key: HKLM\software\borland\locales

```
HKCU\software\borland\delphi\locales
    Opens key:
    Opens key:
                                                             HKLM\system\currentcontrolset\control\nls\customlocale
    Opens key:
                                                             HKLM\system\currentcontrolset\control\nls\extendedlocale
                                                             HKLM\software\microsoft\windows\windows error reporting\wmr
    Opens key:
    Opens key:
                                                             HKCU\software\pantaray\qsetup\autoupdate
    Opens key:
                                                             HKLM\system\currentcontrolset\services\crypt32
    Opens key:
                                                             HKLM\software\microsoft\windows\currentversion\internet settings
    Opens key:
                                                             HKLM\software\policies\microsoft\windows\currentversion\internet
settings
    Opens key:
                                                             HKCU\software\policies\microsoft\windows\currentversion\internet
settings
    Opens key:
                                                             HKCU\software\microsoft\windows\currentversion\internet settings
    Opens key:
                                                             HKLM\software\policies
                                                             HKCU\software\policies
    Opens key:
    Opens key:
                                                             HKCU\software
    Opens key:
                                                             HKLM\software
                                                            HKLM\software\policies\microsoft\internet explorer
    Opens kev:
    Opens key:
                                                             HKLM\software\policies\microsoft\internet explorer\main
    Opens key:
                                                             HKLM\software\policies\microsoft\internet explorer\main\featurecontrol
    Opens key:
                                                             \label{lem:hccu} \verb+KCU\+ software\+ policies\+ microsoft\+ internet\ explorer\+ main\+ feature control
    Opens key:
                                                             HKCU\software\microsoft\internet explorer\main\featurecontrol
    Opens key:
                                                             HKLM\software\microsoft\internet explorer\main\featurecontrol
    Opens key:
                                                            HKLM\software\microsoft\rpc
    Opens key:
                                                             HKLM\system\currentcontrolset\control\computername\activecomputername
    Opens key:
                                                             HKLM\system\setup
    Opens key:
                                                            HKLM\software\policies\microsoft\windows nt\rpc
    Opens key:
                                                             HKLM\software\policies\microsoft\sqmclient\windows
    Opens key:
                                                             HKLM\software\microsoft\sqmclient\windows
                                                             HKLM\software\microsoft\windows\currentversion\internet
    Opens key:
settings\5.0\cache
    Opens key:
                                                             HKCU\software\microsoft\windows\currentversion\internet
settings\5.0\cache
                                                             HKCU\software\microsoft\windows\currentversion\internet
    Opens key:
settings\5.0\cache\content
                                                            \label{lem:hklm} \verb+Kklm \+ software + microsoft + windows + current version + internet
    Opens key:
settings\5.0\cache\content
    Opens kev:
HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions
ba85-6007caedcf9d}
    Opens key:
HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{352481e8-33be-4251-
ba85\text{-}6007 caedcf9d} \setminus property bag
                                                             HKCU\software\microsoft\windows\currentversion\explorer
    Opens kev:
    Opens key:
                                                             HKCU\software\microsoft\windows\currentversion\explorer\sessioninfo\1
    Opens key:
Opens kev:
                                                            HKCU\software\microsoft\windows\currentversion\explorer\user shell
folders
    Opens key:
                                                             HKLM\software\policies\microsoft\windows\explorer
    Opens key:
                                                            HKCU\software\policies\microsoft\windows\explorer
    Opens key:
HKLM \label{lem:hklm} HKLM \label{lem:hklm} HKLM \label{lem:hklm} Software \label{lem:hklm} irror \label{lem:hklm} Software \label{lem:hklm} HKLM \label{lem:hklm} Software \label{lem:hkklm} Software \label{lem:hkklm
9d55-7b8e7f157091}
    Opens key:
9d55-7b8e7f157091}\propertybag
    Opens kev:
HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\xi 5e6c858f-0e22-4760-1260 \ 'explorer' \ 'folder descriptions' \ 'folder de
9afe-ea3317b67173}
    Opens key:
9afe-ea3317b67173}\propertybag
                                                            \label{lem:hklm} \mbox{HKLM} \mbox{ software} \mbox{ microsoft} \mbox{ windows } \mbox{ nt} \mbox{ currentversion} \mbox{ profilelist} \mbox{ software} \mbox{ microsoft} \mbox{ windows } \mbox{ nt} \mbox{ currentversion} \mbox{ profilelist} \mbox{ software} \mbox{ microsoft} \mbo
    Opens key:
2160590473-689474908-1361669368-1002
    Opens key:
HKLM \setminus software \setminus microsoft \setminus windows \setminus current version \setminus explorer \setminus known folders ettings
    Opens key:
                                                            \label{lem:hkcu} \verb+KKCU \software \microsoft \windows \current version \current \end{tensor}
settings\5.0\cache\cookies
                                                            \label{lem:hklm} \verb+ HKLM \+ software \+ microsoft \+ windows \+ current version \+ internet
    Opens key:
settings\5.0\cache\cookies
    Opens kev:
908e-08a611b84ff6}
    Opens kev:
908e-08a611b84ff6}\propertybag
    Opens key:
HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3eb685db-65f9-4cf6-
a03a-e3ef65729f3d}
```

Opens kev:

```
a03a-e3ef65729f3d}\propertybag
                         HKCU\software\microsoft\windows\currentversion\internet
 Opens key:
settings\5.0\cache\history
                         HKLM\software\microsoft\windows\currentversion\internet
 Opens key:
settings\5.0\cache\history
 Opens key:
HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d9dc8a3b-b784-432e-
a781-5a1130a75963}
 Opens key:
a781-5a1130a75963}\propertybag
 Opens key:
                         \label{lem:hkcu} \verb+KKCU \software \microsoft \windows \current version \cite{thm:lem:hkcu} in terms to the lemma substitution \cite{thm:lem:hkcu} and \cite{thm:lem:hkcu} are \cite{thm:lem:hkcu}.
settings\5.0\cache\extensible cache
                         HKCU\software\microsoft\windows\currentversion\internet
 Opens key:
settings\5.0\cache\extensible cache\domstore
 Opens key:
                         HKCU\software\microsoft\windows\currentversion\internet
settings\5.0\cache\extensible cache\feedplat
 Opens key:
                         HKCU\software\microsoft\windows\currentversion\internet
settings\5.0\cache\extensible cache\iecompat
                         HKCU\software\microsoft\windows\currentversion\internet
 Opens key:
settings\5.0\cache\extensible cache\ietld
 Opens key:
                         HKCU\software\microsoft\windows\currentversion\internet
settings\5.0\cache\extensible cache\privacie:
 Opens key:
                         HKCU\software\microsoft\internet
explorer\main\featurecontrol\retry_headeronlypost_onconnectionreset
                         HKLM\software\microsoft\internet
 Opens key:
explorer\main\featurecontrol\retry_headeronlypost_onconnectionreset
 Opens key:
                         HKCU\software\microsoft\internet
explorer\main\featurecontrol\feature_bufferbreaking_818408
 Opens key:
                         HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_bufferbreaking_818408
                         HKCU\software\microsoft\internet
 Opens key:
explorer\main\featurecontrol\feature_skip_post_retry_on_internetwritefile_kb895954
 Opens key:
                         HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_skip_post_retry_on_internetwritefile_kb895954
 Opens key:
                         HKLM\software\policies\microsoft\windows\currentversion\internet
settings\5.0\cache
                         HKCU\software\policies\microsoft\windows\currentversion\internet
 Opens key:
settings\5.0\cache
                         HKCU\software\microsoft\internet
 Opens key:
explorer\main\featurecontrol\feature_fix_chunked_proxy_script_download_kb843289
                         HKLM\software\microsoft\internet
 Opens key:
explorer\main\featurecontrol\feature_fix_chunked_proxy_script_download_kb843289
                         HKCU\software\microsoft\internet
 Opens key:
explorer\main\featurecontrol\feature_use_cname_for_spn_kb911149
                         HKLM\software\microsoft\internet
 Opens key:
explorer\main\featurecontrol\feature_use_cname_for_spn_kb911149
                         HKCU\software\microsoft\internet
explorer\main\featurecontrol\feature_disable_notify_unverified_spn_kb2385266
 Opens key:
                         HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_disable_notify_unverified_spn_kb2385266
 Opens key:
                         HKCU\software\microsoft\internet
explorer\main\featurecontrol\feature_compat_use_connection_based_negotiate_auth_kb2151543
                         HKLM\software\microsoft\internet
 Opens key:
explorer\main\featurecontrol\feature_compat_use_connection_based_negotiate_auth_kb2151543
 Opens key:
                         HKCU\software\microsoft\internet
explorer\main\featurecontrol\feature_allow_long_international_filenames
 Opens key:
                         HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_allow_long_international_filenames
 Opens key:
                         HKCU\software\microsoft\internet
explorer\main\featurecontrol\feature_permit_cache_for_authenticated_ftp_kb910274
 Opens key:
                         HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_permit_cache_for_authenticated_ftp_kb910274
                         HKCU\software\microsoft\internet
 Opens kev:
explorer\main\featurecontrol\feature_disable_unicode_handle_closing_callback
 Opens key:
                         HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_disable_unicode_handle_closing_callback
 Opens key:
                         HKCU\software\microsoft\internet
explorer\main\featurecontrol\feature_disallow_null_in_response_headers
 Opens key:
                         HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_disallow_null_in_response_headers
                         HKCU\software\microsoft\internet
 Opens kev:
explorer\main\featurecontrol\feature digest no extras in uri
 Opens key:
                         HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_digest_no_extras_in_uri
 Opens key:
                         HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_enable_passport_session_store_kb948608
 Opens kev:
                         HKCU\software\microsoft\internet
explorer\main\featurecontrol\feature exclude invalid client cert kb929477
 Opens key:
                         HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_exclude_invalid_client_cert_kb929477
 Opens key:
                         HKCU\software\microsoft\internet
explorer\main\featurecontrol\feature_use_utf8_for_basic_auth_kb967545
```

Opens key: HKLM\software\microsoft\internet explorer\main\featurecontrol\feature_use_utf8_for_basic_auth_kb967545 Opens key: HKCU\software\microsoft\internet explorer\main\featurecontrol\feature_release_keys_on_unload_kb975619 HKLM\software\microsoft\internet Opens kev: explorer\main\featurecontrol\feature_release_keys_on_unload_kb975619 Opens key: HKCU\software\microsoft\internet explorer\main\featurecontrol\feature_security_flag_ignore_revocation_kb2275828 Opens key: HKLM\software\microsoft\internet explorer\main\featurecontrol\feature_security_flag_ignore_revocation_kb2275828 Opens key: HKLM\system\currentcontrolset\control\lsa\accessproviders Opens key: HKLM\system\currentcontrolset\services\ldap Opens key: HKLM\system\currentcontrolset\services\winsock2\parameters Opens key: HKLM\system\currentcontrolset\services\winsock2\parameters\appid_catalog Opens key: HKLM\system\currentcontrolset\services\winsock2\parameters\appid_catalog\1a6fc743 Opens key: HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9 Opens key: Opens key: HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries Opens kev: HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\000000000001 Opens key: Opens key: HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\000000000003 Opens kev: HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\000000000004 Opens kev: Opens key: HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\000000000006 Opens kev: Opens kev: Opens key: Opens key: Opens kev: HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\00000000011 Opens kev: HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\00000000012 Opens key: Opens kev: HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\00000000014 Opens kev: HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\00000000015 Opens key: Opens kev: HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\00000000017 Opens kev: HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\00000000018 Opens key: HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5 Opens key: Opens key: HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries Opens key: $HKLM \ system \ (current control set \ services \ winsock 2 \ parameters \ name space_catalog 5 \ (catalog_entries \ 0000000000001)$ Opens key: HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000000 Opens key: HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000003 Opens key: HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000004 Opens kev: HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000005 Opens key: HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000006 Opens key: HKCU\software\microsoft\windows\currentversion\internet settings\wpad

Opens kev: $HKLM \setminus software \setminus microsoft \setminus tracing \setminus 00aca0729582792a46b971951043ff06_rasapi32$

HKCU\software\microsoft\internet explorer\main\featurecontrol\feature return failed connect content kb942615

HKLM\software\microsoft\internet explorer\main\featurecontrol\feature_return_failed_connect_content_kb942615

Opens kev:

Opens key:

```
Opens key:
HKLM\software\microsoft\tracing\00aca0729582792a46b971951043ff06_rasmancs
                        \label{lem:hklm} \verb+Kklm\+ software\+ microsoft\+ windows nt\+ current version\+ profile list
 Opens kev:
                        HKLM\system\currentcontrolset\control\sqmservicelist
 Opens key:
 Opens key:
                        HKLM\software\microsoft\sqmclient\windows\disabledprocesses\
 Opens key:
                        HKLM\software\microsoft\sqmclient\windows\disabledsessions\
 Opens key:
                        HKCU\software\classes\
 Opens key:
 Opens key:
                        HKCU\software\classes\autoproxytypes
 Opens key:
                        HKCR\autoproxytypes
                        HKCU\software\classes\autoproxytypes\application/x-internet-signup
 Opens key:
 Opens key:
                        HKCR\autoproxytypes\application/x-internet-signup
 Opens key:
                        HKCU\software\classes\autoproxytypes\application/x-ns-proxy-autoconfig
                        HKCR\autoproxytypes\application/x-ns-proxy-autoconfig
 Opens key:
 Opens key:
                        HKCU\software\microsoft\internet
explorer\main\featurecontrol\feature_http_username_password_disable
                        HKLM\software\microsoft\internet
 Opens key:
explorer\main\featurecontrol\feature_http_username_password_disable
 Opens key:
                        HKLM\system\currentcontrolset\services\dnscache\parameters
 Opens key:
                        HKLM\software\policies\microsoft\windows nt\dnsclient
 Opens key:
                        HKLM\system\currentcontrolset\services\dns
                        HKLM\software\policies\microsoft\windows nt\dnsclient\dnspolicyconfig
 Opens key:
 Opens kev:
HKLM\system\currentcontrolset\services\dnscache\parameters\dnspolicyconfig
 Opens key:
                        HKLM\software\policies\microsoft\system\dnsclient
                        HKLM\system\currentcontrolset\services\winsock\parameters
 Opens key:
 Opens key:
                        HKLM\system\currentcontrolset\services\tcpip6\parameters\winsock
 Opens key:
                        HKLM\system\currentcontrolset\services\psched\parameters\winsock
 Opens key:
                        HKLM\system\currentcontrolset\services\winsock\setup migration\providers
 Opens key:
                        HKLM\system\currentcontrolset\services\winsock\setup
migration\providers\psched
 Opens key:
                        HKLM\system\currentcontrolset\services\tcpip\parameters\winsock
 Opens key:
                        HKLM\system\currentcontrolset\services\winsock\setup
migration\providers\tcpip
                        {\tt HKLM \ } system \verb| current control set \verb| services \verb| winsock \verb| setup| \\
 Opens kev:
migration\providers\tcpip6
 Opens key:
                        HKLM\system\currentcontrolset\services\dnscache\parameters\dnscache
 Opens key:
c19ce8a73253}
 Opens key:
                        \label{lem:hklm} \verb+Kklm \system \current control set \services \tcpip \parameters \time faces
 Opens key:
HKLM\system\currentcontrolset\services\tcpip\parameters\interfaces\{128919e8-8a5e-41d1-ac17-
c19ce8a73253}
HKLM\system\currentcontrolset\services\tcpip6\parameters\interfaces\{e29ac6c2-7037-11de-816d-
806e6f6e6963}
 Opens key:
806e6f6e6963}
 Opens kev:
1709a0196aed}
HKLM\system\currentcontrolset\services\tcpip\parameters\interfaces\{7b9cb019-1924-49a5-867c-
a68f334c8d34}
 Opens key:
                        HKLM\system\currentcontrolset\services\tcpip\linkage
                        HKLM\software\microsoft\com3
 Opens key:
                        HKCU\software\classes\clsid\{dcb00c01-570f-4a9b-8d69-199fdba5723b}
 Opens key:
 Opens key:
                        HKCR\clsid\{dcb00c01-570f-4a9b-8d69-199fdba5723b}
 Opens key:
                        HKCU\software\classes\clsid\{dcb00c01-570f-4a9b-8d69-
199fdba5723b}\treatas
                        HKCR\clsid\{dcb00c01-570f-4a9b-8d69-199fdba5723b}\treatas
 Opens key:
 Opens key:
                        HKCU\software\classes\clsid\{dcb00c01-570f-4a9b-8d69-
199fdba5723b}\progid
 Opens key:
                        HKCR\clsid\{dcb00c01-570f-4a9b-8d69-199fdba5723b}\progid
 Opens key:
                        HKCU\software\classes\clsid\{dcb00c01-570f-4a9b-8d69-
199fdba5723b}\inprocserver32
 Opens key:
                        HKCR\clsid\{dcb00c01-570f-4a9b-8d69-199fdba5723b}\inprocserver32
                        HKCU\software\classes\clsid\{dcb00c01-570f-4a9b-8d69-
 Opens kev:
199fdba5723b}\inprochandler32
 Opens key:
                        HKCR\clsid\dcb00c01-570f-4a9b-8d69-199fdba5723b\\\inprochandler32
 Opens key:
                        HKCU\software\classes\clsid\{dcb00c01-570f-4a9b-8d69-
199fdba5723b}\inprochandler
 Opens key:
                        HKCR\clsid\\\{dcb00c01-570f-4a9b-8d69-199fdba5723b\\\}\inprochandler
                        HKLM\software\microsoft\rpc\extensions
 Opens kev:
 Opens key:
                        HKCU\software\classes\clsid\{a47979d2-c419-11d9-a5b4-001185ad2b89}
```

 $\label{lem:hkcrclsid} $$HKCR\clsid{a47979d2-c419-11d9-a5b4-001185ad2b89}$$HKCU\software\classes\clsid{a47979d2-c419-11d9-a5b4-6419-11d9-a5b4-6419-11d9-a5b4-6419-11d9-a5b4-6419-11d9-a5b4-6419-11d9-a5b4-6419-11d9-a5b4-6419-11d9-a5b4-6419-11d9-a5b4-6419-11d9-a5b4-6419-11d9-a5b4-6419-11d9-a5b4-6419-11d9-a5b4-6419-11d9-a5b4-6419-11d9-a5b4-6419-11d9-a5b4-6419-11d9-a5b4-6419-11d9-a5b4-6419-11d9-a5b4-6419-11d9-a5b4-6419-11d9-a5b4-6419-11d9-a5b4-6419-11d9-a5b4-6419-11d9-a5b4-6419-11d9-a5b4-6419-11d9-a5b4-6419-11d9-a5b4-6419-11d9-a5b4-6419-11d9-a5b4-6419-11d9-a5b4-6419-11d9-a5b4-6419-11d9-a5b4-6419-11d9-a5b4-6419-11d9-a5b4-6419-11d9-a5b4-6419-11d9-a5b4-6419-11d9-a5b4-6419-11d9-a5b4-6419-11d9-a5b4-6419-11d9-a5b4-6419-11d9-a5b4-6419-11d9-a5b4-6419-11d9-a5b4-6419-11d9-a5b4-6419-11d9-a5b4-6419-11d9-a5b4-6419-11d9-a5b4-6419-11d9-a5b4-6419-11d9-a5b4-6419-11d9-a5b4-6419-11d9-a5b4-6419-11d9-a5b4-6419-11d9-a5b4-6419-11d9-a5b4-6419-11d9-a5b4-6419-11d9-a5b4-6419-11d9-a5b4-6419-11d9-a5b4-6419-11d9-a5b4-6419-11d9-a5b4-6419-11d9-a5b4-6419-11d9-a5b4-6419-11d9-a5b4-6419-11d9-a5b4-6419-11d9-a5b4-6419-11d9-a5b4-6419-11d9-a5b4-6419-11d9-a5b4-6419-11d9-a5b4-6419-11d9-a5b4-6419-11d9-a5b4-6419-11d9-a5b4-6419-11d9-a5b4-6419-11d9-a5b4-6419-11d9-a5b4-6419-11d9-a5b4-6419-11d9-a5b4-6419-11d9-a5b4-6419-11d9-a5b4-6419-11d9-a5b4-6419-11d9-a5b4-6419-11d9-a5b4-6419-11d9-a5b4-6419-11d9-a5b4-6419-11d9-a5b4-6419-11d9-a5b4-6419-11d9-a5b4-6419-11d9-a5b4-6419-11d9-a5b4-6419-11d9-a5b4-6419-11d9-a5b4-6419-11d9-a5b4-6419-11d9-a5b4-6419-11d9-a5b4-6419-11d9-a5b4-6419-11d9-a5b4-6419-11d9-a5b4-6419-11d9-a5b4-6419-11d9-a5b4-6419-11d9-a5b4-6419-11d9-a5b4-6419-11d9-a5b4-6419-11d9-a5b4-6419-11d9-a5b4-6419-11d9-a5b4-6419-11d9-a5b4-6419-11d9-a5b4-6419-11d9-a5b4-6419-11d9-a5b4-6419-11d9-a5b4-6419-11d9-a5b4-6419-11d9-a5b4-6419-11d9-a5b4-6419-11d9-a5b4-6419-11d9-a5b4-6419-11d9-a5b4-6419-11d9-a5b4-6419-11d9-a5b4-6419-11d9-a5b4-6419-11d9-a5b4-6419-11d9-a5b4-6419-11d9-a5b4-6419-11d9-a5b4-6419-11d9-a5b4-6419-11d9-a5b4-6419-11d9-a5b4-6419-11d9-a5b4-6419-11d9-a5b4-6419-11d9-a5b$

Opens key:

Opens key:

001185ad2b89}\treatas

 $HKCR\clsid\a47979d2-c419-11d9-a5b4-001185ad2b89\progid$ Opens key: HKCU\software\classes\clsid\{a47979d2-c419-11d9-a5b4-Opens key:

001185ad2b89}\inprocserver32

HKCR\clsid\{a47979d2-c419-11d9-a5b4-001185ad2b89}\inprocserver32 Opens key:

Opens kev: HKCU\software\classes\clsid\{a47979d2-c419-11d9-a5b4-

001185ad2b89}\inprochandler32

Opens key: $HKCR\clsid\{a47979d2-c419-11d9-a5b4-001185ad2b89}\inprochandler 32$

HKCU\software\classes\clsid\{a47979d2-c419-11d9-a5b4-Opens key:

001185ad2b89}\inprochandler

 $HKCR\clsid\{a47979d2-c419-11d9-a5b4-001185ad2b89}\$ Opens key: Opens key: HKCU\software\classes\appid\00aca0729582792a46b971951043ff06.exe

Opens key: HKCR\appid\00aca0729582792a46b971951043ff06.exe

Opens key: HKLM\software\microsoft\ole\appcompat HKLM\system\currentcontrolset\control\lsa Opens key:

Opens key: HKLM\software\microsoft\cryptography\defaults\provider\microsoft strong

cryptographic provider

Opens key: HKLM\system\currentcontrolset\control\lsa\fipsalgorithmpolicy

Opens key: HKLM\system\currentcontrolset\policies\microsoft\cryptography\configuration HKLM\software\policies\microsoft\cryptography Opens key:

Opens key: HKLM\software\microsoft\cryptography

HKLM\software\microsoft\cryptography\offload Opens key:

HKCU\software\classes\interface\{00000134-0000-0000-c000-00000000046} Opens key:

Opens key: HKCR\interface\{00000134-0000-0000-c000-00000000046} Opens key: HKCU\software\classes\interface\{00000134-0000-0000-c000-

000000000046}\proxystubclsid32

Opens key: HKCR\interface\{00000134-0000-0000-c000-00000000046}\proxystubclsid32

Opens key: HKLM\system\currentcontrolset\services\bfe

 $\label{local-eq:hkcu} \begin{tabular}{ll} HKCU \software \classes \interface \door4ffd-570f-4a9b-8d69-199fdba5723b} \end{tabular}$ Opens key:

Opens key: HKCR\interface\{d0074ffd-570f-4a9b-8d69-199fdba5723b} Opens key: HKCU\software\classes\interface\{d0074ffd-570f-4a9b-8d69-

199fdba5723b}\proxystubclsid32

Opens key: $HKCR\ interface \\ \{d0074ffd-570f-4a9b-8d69-199fdba5723b\} \\ \ proxystubclsid32$ Opens key: HKCU\software\classes\clsid\{1299cf18-c4f5-4b6a-bb0f-2299f0398e27}

HKCR\clsid\{1299cf18-c4f5-4b6a-bb0f-2299f0398e27} Opens key: Opens key: HKCU\software\classes\clsid\{1299cf18-c4f5-4b6a-bb0f-

2299f0398e27}\treatas

HKCR\clsid\{1299cf18-c4f5-4b6a-bb0f-2299f0398e27}\treatas Opens key: Opens key: HKCU\software\classes\clsid\{1299cf18-c4f5-4b6a-bb0f-2299f0398e27}\progid

HKCR\clsid\{1299cf18-c4f5-4b6a-bb0f-2299f0398e27}\progid Opens key: Opens key: HKCU\software\classes\clsid\{1299cf18-c4f5-4b6a-bb0f-

2299f0398e27}\inprocserver32

HKCR\clsid\{1299cf18-c4f5-4b6a-bb0f-2299f0398e27}\inprocserver32 Opens key:

Opens key: HKCU\software\classes\clsid\{1299cf18-c4f5-4b6a-bb0f-

2299f0398e27}\inprochandler32

 $HKCR \ clsid \ \{1299cf18-c4f5-4b6a-bb0f-2299f0398e27\} \ \ in prochandler 32$ Opens key:

Opens key: HKCU\software\classes\clsid\{1299cf18-c4f5-4b6a-bb0f-

2299f0398e27}\inprochandler

 $HKCR \verb|\clsid|{1299cf18-c4f5-4b6a-bb0f-2299f0398e27} \verb|\inprochandler| \\$ Opens key: Opens key: $HKCU \setminus software \setminus classes \setminus interface \setminus \{26656eaa - 54eb - 4e6f - 8f85 - 4f0ef901a406\}$

Opens key: HKCR\interface\{26656eaa-54eb-4e6f-8f85-4f0ef901a406} HKCU\software\classes\interface\{26656eaa-54eb-4e6f-8f85-Opens key:

4f0ef901a406}\proxystubclsid32

Opens kev: HKCR\interface\{26656eaa-54eb-4e6f-8f85-4f0ef901a406}\proxystubclsid32 HKCU\software\classes\interface\{8a40a45d-055c-4b62-abd7-6d613e2ceaec} Opens key:

Opens key: HKCR\interface\{8a40a45d-055c-4b62-abd7-6d613e2ceaec} Opens key: HKCU\software\classes\interface\{8a40a45d-055c-4b62-abd7-

6d613e2ceaec}\proxystubclsid32

Opens key: $HKCR \land 13e2 ceaec \rbrace \land 13e2 ceaec \rbrace$ Opens key: HKCU\software\classes\interface\{55272a00-42cb-11ce-8135-00aa004bb851}

HKCR\interface\{55272a00-42cb-11ce-8135-00aa004bb851} Opens key: Opens key: HKCU\software\classes\interface\{55272a00-42cb-11ce-8135-

00aa004bb851}\proxystubclsid32

Opens key: HKCR\interface\{55272a00-42cb-11ce-8135-00aa004bb851}\proxystubclsid32 Opens key: HKCU\software\classes\clsid\{b196b286-bab4-101a-b69c-00aa00341d07}

Opens key: HKCR\clsid\{b196b286-bab4-101a-b69c-00aa00341d07} HKCU\software\classes\clsid\{b196b286-bab4-101a-b69c-Opens key:

00aa00341d07}\treatas

Opens key: HKCR\clsid\{b196b286-bab4-101a-b69c-00aa00341d07}\treatas HKCU\software\classes\clsid\{b196b286-bab4-101a-b69c-Opens key:

00aa00341d07}\progid

Opens key: HKCR\clsid\{b196b286-bab4-101a-b69c-00aa00341d07}\progid HKCU\software\classes\clsid\{b196b286-bab4-101a-b69c-Opens key:

00aa00341d07}\inprocserver32

HKCR\clsid\{b196b286-bab4-101a-b69c-00aa00341d07}\inprocserver32 Opens kev:

Opens key: HKCU\software\classes\clsid\{b196b286-bab4-101a-b69c-

00aa00341d07}\inprochandler32

Opens key: HKCR\clsid\{b196b286-bab4-101a-b69c-00aa00341d07}\inprochandler32

HKCU\software\classes\clsid\{b196b286-bab4-101a-b69c-Opens key:

00aa00341d07}\inprochandler

 $HKCR \c1sid \b196b286-bab4-101a-b69c-00aa00341d07 \c1sid \align{transfer} \c1sid \c1$ Opens kev: Opens key: $HKCU \setminus software \setminus classes \setminus interface \setminus \{bcd1de7e-2db1-418b-b047-4a74e101f8c1\}$

HKCR\interface\{bcd1de7e-2db1-418b-b047-4a74e101f8c1} Opens key: Opens key: HKCU\software\classes\interface\{bcd1de7e-2db1-418b-b047-

4a74e101f8c1}\proxystubclsid32

 $HKCR\ interface \\ \{bcd1de7e-2db1-418b-b047-4a74e101f8c1\} \\ \ proxystubclsid32$ Opens key: Opens key: HKCU\software\classes\interface\{2a1c9eb2-df62-4154-b800-63278fcb8037}

Opens key: HKCR\interface\{2a1c9eb2-df62-4154-b800-63278fcb8037} HKCU\software\classes\interface\{2a1c9eb2-df62-4154-b800-Opens key:

63278fcb8037}\proxystubclsid32

Opens key:

Opens key: HKCU\software\microsoft\windows\currentversion\internet

settings\wpad\{74b1e0bf-aea3-4a90-8faf-011a15d24826}

Opens key: HKLM\system\currentcontrolset\services\netbt\linkage

Opens key: HKCU\software\microsoft\internet

explorer\main\featurecontrol\feature_include_port_in_spn_kb908209 Opens key: HKLM\software\microsoft\internet explorer\main\featurecontrol\feature_include_port_in_spn_kb908209

Opens key: HKCU\software\microsoft\internet explorer\main\featurecontrol\feature_mime_handling Opens key: HKLM\software\microsoft\internet

explorer\main\featurecontrol\feature_mime_handling

Opens key: HKLM\software\policies\microsoft\windows\currentversion\internet

settings\

HKCU\software\microsoft\internet Opens kev:

explorer\main\featurecontrol\feature_ignore_policies_zonemap_if_esc_enabled_kb918915

Opens key: HKLM\software\microsoft\internet

explorer\main\featurecontrol\feature_ignore_policies_zonemap_if_esc_enabled_kb918915 Opens key: HKLM\software\policies\microsoft\windows\currentversion\internet

settings\zonemap\domains\

 $\label{lem:hkcu} \verb+KKCU\+ software\+ policies\+ microsoft\+ windows\+ current version\+ internet$ Opens kev:

settings\zonemap\domains\

Opens key: HKLM\software\policies\microsoft\windows\currentversion\internet

settings\zonemap\ranges\

HKCU\software\policies\microsoft\windows\currentversion\internet Opens key:

settings\zonemap\ranges\

HKCU\software\microsoft\internet Opens key: explorer\main\featurecontrol\feature_unc_savedfilecheck HKLM\software\microsoft\internet Opens kev: explorer\main\featurecontrol\feature_unc_savedfilecheck

HKCU\software\microsoft\windows\currentversion\internet Opens key:

settings\zonemap\

HKCU\software\microsoft\internet Opens key:

explorer\main\featurecontrol\feature_zones_check_zonemap_policy_kb941001

HKLM\software\microsoft\internet Opens kev:

explorer\main\featurecontrol\feature_zones_check_zonemap_policy_kb941001

 $\label{thm:local_hammon_hammon} \begin{tabular}{ll} HKLM \label{thm:local_hammon} soft \end{tabular} windows \current version \current versi$ Opens key: settings\zonemap

Opens key:

 $\label{lem:hkcu} \begin{tabular}{ll} HKCU \software \policies \microsoft \windows \current version \end{tabular} internet \end{tabular}$ settings\zonemap

HKCU\software\microsoft\windows\currentversion\internet

Opens kev: settings\zonemap\ranges\

HKCU\software\microsoft\windows\currentversion\internet Opens key:

settings\zonemap\protocoldefaults\

HKCU\software\microsoft\windows\currentversion\internet Opens key:

settings\zonemap\domains\

HKLM\software\microsoft\windows\currentversion\internet Opens kev:

settings\zonemap\domains\

Opens key: HKLM\software\policies\microsoft\internet explorer\security

Opens key: HKCU\software\microsoft\windows\currentversion\internet settings\zones\ HKCU\software\microsoft\windows\currentversion\internet settings\zones\0 Opens key: Opens key: HKCU\software\microsoft\windows\currentversion\internet settings\zones\1 Opens key: HKCU\software\microsoft\windows\currentversion\internet settings\zones\2 Opens key: HKCU\software\microsoft\windows\currentversion\internet settings\zones\3 Opens key: HKCU\software\microsoft\windows\currentversion\internet settings\zones\4

Opens key: HKLM\software\policies\microsoft\windows\currentversion\internet

settings\zones\

Opens key: HKCU\software\policies\microsoft\windows\currentversion\internet

settings\zones\

Opens key: $HKLM \verb|\software\policies\microsoft\windows\currentversion\ | internet$

settings\zones\0

HKCU\software\policies\microsoft\windows\currentversion\internet Opens kev:

settings\zones\0

HKLM\software\policies\microsoft\windows\currentversion\internet Opens key:

settings\zones\1

Opens key: HKCU\software\policies\microsoft\windows\currentversion\internet

settings\zones\1

Opens key: settings\zonemap\

Opens key: HKLM\software\policies\microsoft\windows\currentversion\internet

HKLM\software\microsoft\windows\currentversion\internet

settings\zones\2

Opens key: HKCU\software\policies\microsoft\windows\currentversion\internet

settings\zones\2

Opens key: HKLM\software\policies\microsoft\windows\currentversion\internet

settings\zones\3

```
Opens key:
                          HKCU\software\policies\microsoft\windows\currentversion\internet
settings\zones\3
 Opens key:
                          HKLM\software\policies\microsoft\windows\currentversion\internet
settings\zones\4
                          HKCU\software\policies\microsoft\windows\currentversion\internet
 Opens kev:
settings\zones\4
 Opens key:
                          HKCU\software\microsoft\internet
explorer\main\featurecontrol\feature_localmachine_lockdown
 Opens key:
                          HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_localmachine_lockdown
                          HKLM\software\policies\microsoft\windows\currentversion\internet
 Opens kev:
settings\lockdown_zones\
 Opens key:
                          HKCU\software\policies\microsoft\windows\currentversion\internet
settings\lockdown_zones\
 Opens key:
                          HKCU\software\microsoft\windows\currentversion\internet
settings\lockdown_zones\
                          HKCU\software\microsoft\windows\currentversion\internet
 Opens kev:
settings\lockdown_zones\0
 Opens key:
                          HKLM\software\policies\microsoft\windows\currentversion\internet
settings\lockdown_zones\0
                          HKCU\software\policies\microsoft\windows\currentversion\internet
 Opens key:
settings\lockdown_zones\0
                          HKCU\software\microsoft\windows\currentversion\internet
 Opens kev:
settings\lockdown_zones\1
                          HKLM\software\policies\microsoft\windows\currentversion\internet
 Opens key:
settings\lockdown_zones\1
                          HKCU\software\policies\microsoft\windows\currentversion\internet
 Opens key:
settings\lockdown_zones\1
                         HKCU\software\microsoft\windows\currentversion\internet
 Opens key:
settings\lockdown_zones\2
                          HKLM\software\policies\microsoft\windows\currentversion\internet
 Opens kev:
settings\lockdown_zones\2
                          HKCU\software\policies\microsoft\windows\currentversion\internet
 Opens key:
settings\lockdown_zones\2
                          HKCU\software\microsoft\windows\currentversion\internet
 Opens key:
settings\lockdown_zones\3
                          HKLM\software\policies\microsoft\windows\currentversion\internet
 Opens kev:
settings\lockdown_zones\3
                          HKCU\software\policies\microsoft\windows\currentversion\internet
 Opens key:
settings\lockdown_zones\3
                          HKCU\software\microsoft\windows\currentversion\internet
 Opens key:
settings\lockdown_zones\4
                         HKLM\software\policies\microsoft\windows\currentversion\internet
 Opens kev:
settings\lockdown_zones\4
                          HKCU\software\policies\microsoft\windows\currentversion\internet
 Opens key:
settings\lockdown_zones\4
 Opens key:
                         HKCU\software\microsoft\internet
explorer\main\featurecontrol\feature_allow_reverse_solidus_in_userinfo_kb932562
 Opens key:
                         HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_allow_reverse_solidus_in_userinfo_kb932562
 Opens key:
                          HKCU\software\microsoft\internet
explorer\main\featurecontrol\feature use ietldlist for domain determination
 Opens key:
                          HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_use_ietldlist_for_domain_determination
                         HKCU\software\microsoft\internet explorer\ietld
 Opens kev:
 Opens key:
                          HKLM\system\currentcontrolset\control\cmf\config
                          HKLM\software\microsoft\windows\currentversion\policies\explorer
 Opens key:
                          HKCU\software\microsoft\windows\currentversion\policies\explorer
 Opens key:
 Queries value:
                         HKLM\system\currentcontrolset\control\session
manager[cwdillegalindllsearch]
 Queries value:
                         HKLM\system\currentcontrolset\control\terminal server[tsappcompat]
 Oueries value:
                         HKLM\system\currentcontrolset\control\terminal server[tsuserenabled]
 Queries value:
HKLM\software\policies\microsoft\windows\safer\codeidentifiers[transparentenabled]
 Oueries value:
                          HKCU\control panel\desktop[preferreduilanguages]
                          HKCU\control panel\desktop\muicached[machinepreferreduilanguages]
 Oueries value:
 Queries value:
HKLM \setminus software \setminus microsoft \setminus windows \setminus current version \setminus side by side [preferex ternal manifest]
 Queries value:
                          HKLM\system\currentcontrolset\control\nls\sorting\versions[]
 Oueries value:
                          HKLM\svstem\currentcontrolset\control\session manager[safedllsearchmode]
 Queries value:
                         HKLM\software\microsoft\windows
nt\currentversion\gre_initialize[disablemetafiles]
                         HKLM\software\microsoft\windows
 Oueries value:
nt\currentversion\compatibility32[00aca0729582792a46b971951043ff06]
 Queries value:
                         HKLM\software\microsoft\windows
nt\currentversion\windows[loadappinit dlls]
 Queries value:
                          HKLM\software\microsoft\ole[pageallocatorusesystemheap]
 Oueries value:
                          HKLM\software\microsoft\ole[pageallocatorsystemheapisprivate]
```

Queries value: HKLM\software\microsoft\ole[pageallocatorusesystemheap]
Queries value: HKLM\software\microsoft\ole[pageallocatorsystemheapisprivate]
Queries value: HKLM\system\currentcontrolset\control\nls\customlocale[en-us]
Queries value: HKLM\system\currentcontrolset\control\nls\extendedlocale[en-us]
Queries value: HKLM\system\microsoft\windows\windows error reporting\wmr[disable]
Queries value: HKLM\system\currentcontrolset\services\crypt32[debugheapflags]
Queries value: HKLM\software\microsoft\windows\currentversion\internet

```
settings[disableimprovedzonecheck]
                         HKLM\software\policies\microsoft\windows\currentversion\internet
 Oueries value:
settings[security_hklm_only]
 Queries value:
                         HKLM\system\currentcontrolset\control\wmi\security[0cfe0455-93ba-440d-
a3fe-553973d0b7231
 Queries value:
                         HKLM\system\currentcontrolset\control\wmi\security[797fabac-7b58-4796-
b924-d51178a59ce4]
                         HKCU\software\microsoft\windows\currentversion\internet
 Oueries value:
settings[fromcachetimeout]
 Queries value:
                         HKLM\software\policies\microsoft\windows\currentversion\internet
settings[secureprotocols]
 Queries value:
                         \label{lem:hkcu} \begin{tabular}{ll} HKCU \software \policies \microsoft \windows \current version \end{tabular} in termet \end{tabular}
settings[secureprotocols]
                         \label{lem:hkcu} \verb+KKCU \software \microsoft \windows \current version \cite{thm:lem:hkcu} in terms to the lemma substitution \cite{thm:lem:hkcu} and \cite{thm:lem:hkcu} are \cite{thm:lem:hkcu}.
 Queries value:
settings[secureprotocols]
                         HKCU\software\microsoft\windows\currentversion\internet
 Queries value:
settings[certificaterevocation]
 Queries value:
                         HKCU\software\microsoft\windows\currentversion\internet
settings[disablekeepalive]
                         HKCU\software\microsoft\windows\currentversion\internet
 Queries value:
settings[disablepassport]
                         HKCU\software\microsoft\windows\currentversion\internet
 Queries value:
settings[idnenabled]
 Queries value:
                         HKCU\software\microsoft\windows\currentversion\internet
settings[cachemode]
                         \label{lem:hklm} \verb+Kklm\+ software\+ policies\+ microsoft\+ windows\+ current version\+ internet
 Queries value:
settings[enablehttp1_1]
                         HKCU\software\policies\microsoft\windows\currentversion\internet
 Queries value:
settings[enablehttp1_1]
                         HKCU\software\microsoft\windows\currentversion\internet
 Queries value:
settings[enablehttp1_1]
                         HKLM\software\policies\microsoft\windows\currentversion\internet
 Queries value:
settings[proxyhttp1.1]
                         HKCU\software\policies\microsoft\windows\currentversion\internet
 Queries value:
settings[proxyhttp1.1]
                         HKCU\software\microsoft\windows\currentversion\internet
 Queries value:
settings[proxvhttp1.1]
                         HKCU\software\microsoft\windows\currentversion\internet
 Queries value:
settings[enablenegotiate]
                         HKCU\software\microsoft\windows\currentversion\internet
 Queries value:
settings[disablebasicoverclearchannel]
                         HKCU\software\microsoft\internet
 Queries value:
explorer\main\featurecontrol[feature_clientauthcertfilter]
 Queries value:
                         HKLM\software\microsoft\internet
explorer\main\featurecontrol[feature_clientauthcertfilter]
 Queries value:
                         HKCU\software\microsoft\windows\currentversion\internet
settings[clientauthbuiltinui]
 Queries value:
                         HKLM\software\microsoft\rpc[maxrpcsize]
 Oueries value:
HKLM\system\currentcontrolset\control\computername\activecomputername[computername]
                         HKLM\system\setup[oobeinprogress]
 Oueries value:
 Oueries value:
                         HKLM\system\setup[systemsetupinprogress]
 Queries value:
                         HKLM\software\microsoft\sqmclient\windows[ceipenable]
                         \label{lem:hkcu} \verb+KKCU \software \verb+ microsoft \verb+ windows \verb+ current version \verb+ internet+ \\
 Queries value:
settings[syncmode5]
 Queries value:
                         HKLM\software\microsoft\windows\currentversion\internet
settings\5.0\cache[sessionstarttimedefaultdeltasecs]
                         HKCU\software\microsoft\windows\currentversion\internet
 Oueries value:
settings\5.0\cache[signature]
                         HKCU\software\microsoft\windows\currentversion\internet
 Queries value:
settings\5.0\cache\content[peruseritem]
 Queries value:
                         HKLM\software\microsoft\windows\currentversion\internet
settings\5.0\cache\content[peruseritem]
 Oueries value:
ba85-6007caedcf9d}[category]
 Queries value:
HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \ \ 352481e8-33be-4251-4251-4251e
ba85-6007caedcf9d}[name]
 Oueries value:
ba85-6007caedcf9d}[parentfolder]
 Oueries value:
HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{352481e8-33be-4251-
ba85-6007caedcf9d}[description]
 Oueries value:
ba85-6007caedcf9d}[relativepath]
 Oueries value:
HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{352481e8-33be-4251-
ba85-6007caedcf9d}[parsingname]
 Oueries value:
```

ba85-6007caedcf9d}[infotip]

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{352481e8-33be-4251-ba85-6007 \ caedcf9d\} [localized name]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{352481e8-33be-4251-ba85-6007 \ caedcf9d\} \ 'icon' \ 'explorer' \ 'explorer$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '{352481e8-33be-4251-ba85-6007} caed \ 'folder \ 'folder \ 'folder \ 'explorer' \ 'folder \ 'folde$

Oueries value:

 $HKLM \ software \ `microsoft \ windows \ `current version \ explorer \ folder descriptions \ \ \{352481e8-33be-4251-ba85-6007 caed \ folder \ descriptions \ \ \ \ \} \ [stream resource]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{352481e8-33be-4251-ba85-6007 \ caedcf9d\} \ [stream resource type]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '{352481e8-33be-4251-ba85-6007} caed \ 'folder descriptions' \ 'folder descr$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{352481e8-33be-4251-ba85-6007 \ caedcf9d\} \ [roamable]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{352481e8-33be-4251-ba85-6007 caed \ folder \ 'folder \ 'folder \ 'explorer' \ 'folder \ 'explorer' \ 'folder \ 'fold$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{352481e8-33be-4251-ba85-6007 caed \ folder \ 'folder \ 'folder \ 'explorer' \ 'folder \ 'folder$

Oueries value:

 $HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{352481e8-33be-4251-ba85-6007 \ caedcf9d\} \ [attributes]$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '{352481e8-33be-4251-ba85-6007} \ [folder type id]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{352481e8-33be-4251-ba85-6007 \ caedcf9d\} \ [initfolder \ handler]$

Queries value:

 $\label{local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-local-loc$

folders[cache]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{f1b32785-6fba-4fcf-9d55-7b8e7f157091\} \ [category]$

Queries value:

 $\label{lem:hklm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \fill 157091 \cite{Long-Long-Particles} \end{substitute} In a median \cite{Long-Particles} \mbox{\cite{Long-Particles} \cite{Long-Particles} \mbox{\cite{Long-Particles} \cite{Long-Particles} \mbox{\cite{Long-Particles} \cite{Long-Particles} \mbox{\cite{Long-Particles} \cite{Long-Particles} \mbox{\cite{Long-Particles} \$

Queries value:

 $\label{thm:local-ham} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f1b32785-6fba-4fcf-9d55-7b8e7f157091\}[parentfolder]$$

Oueries value:

 $\label{thm:local-prop} $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions \fib32785-6fba-4fcf-9d55-7b8e7f157091\fidescription]$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{f1b32785-6fba-4fcf-9d55-7b8e7f157091\} [relative path]$

Oueries value:

 $HKLM \label{lem:hklm} HKLM \label{lem:hklm} HKLM \label{lem:hklm} Software \mbox{$microsoft$} windows \current version \explorer \folder descriptions \fill{lem:hklm} $\{f1b32785-6fba-4fcf-9d55-7b8e7f157091\} [parsing name] \label{lem:hklm} $\{f1b3$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{f1b32785-6fba-4fcf-9d55-7b8e7f157091\} [infotip]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{f1b32785-6fba-4fcf-9d55-7b8e7f157091\}[localized name]$

Queries value:

 $\label{thm:local-prop} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f1b32785-6fba-4fcf-9d55-7b8e7f157091\}\[icon]$$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} current version \end{fib32785-6fba-4fcf-9d55-7b8e7f157091} [security]$

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\fifth{1}b32785-6fba-4fcf-9d55-7b8e7f157091\fifth{1}fth{1}b32785-6fba-4fcf-9d55-7b8e7f157091\fifth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}fth{1}ft$

Queries value:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\fifth{1}{5}2785-6fba-4fcf-9d55-7b8e7f157091\}[streamresourcetype]$

Queries value:

Queries value:

9d55-7b8e7f157091}[roamable]

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{f1b32785-6fba-4fcf-9d55-7b8e7f157091\}[precreate]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \find 2785-6 fba-4 fcf-9 d55-7 b8e7 f157091 \find \cite{157091} [stream]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{f1b32785-6fba-4fcf-9d55-7b8e7f157091\} [publish expanded path]$

Oueries value:

 $\label{lem:hklmsoftware} HKLM \software \mbox{f1b32785-6fba-4fcf-9d55-7b8e7f157091} [attributes]$

Queries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$

Oueries value:

 $\label{lem:hklmsoftware} HKLM \software \mbox{f1b32785-6fba-4fcf-9d55-7b8e7f157091} [initfolder \mbox{handler}]$

Queries value: HKCU\software\microsoft\windows\currentversion\explorer\user shell

folders[local appdata]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5e6c858f-0e22-4760-9afe-ea3317b67173}[category]

Queries value:

 $HKLM \ software \ `microsoft \ 'encountersion' \ explorer \ 'folder descriptions' \ \{5e6c858f-0e22-4760-9afe-ea3317b67173\} \ [name]$

Queries value:

 $HKLM software \mbox{$microsoft} windows \mbox{$currentversion} explorer \mbox{$folderdescriptions} \$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{5e6c858f-0e22-4760-9afe-ea3317b67173\} \ [description]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{5e6c858f-0e22-4760-9afe-ea3317b67173\} \ [relative path]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{5e6c858f-0e22-4760-9afe-ea3317b67173\} \ [parsing name]$

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5e6c858f-0e22-4760-9afe-ea3317b67173\}[infotip]}$

Queries value:

 $\label{thm:localized} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5e6c858f-0e22-4760-9afe-ea3317b67173\}[localizedname]}$

Queries value:

 $\label{lem:hklm} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5e6c858f-0e22-4760-9afe-ea3317b67173\}[icon]}$

Queries value:

 $HKLM \ software \ `microsoft \ 'current version \ 'explorer \ 'folder descriptions \ '\{5e6c858f-0e22-4760-9afe-ea3317b67173\} [security]$

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5e6c858f-0e22-4760-9afe-ea3317b67173\}[streamresource]}$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5e6c858f-0e22-4760-9afe-ea3317b67173}[streamresourcetype]

Queries value:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5e6c858f-0e22-4760-9afe-ea3317b67173\}[localredirectonly]}$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5e6c858f-0e22-4760-9afe-ea3317b67173\}[roamable]}$

Queries value:

 $\label{local-HKLM} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5e6c858f-0e22-4760-9afe-ea3317b67173\}[precreate]$$

Queries value:

 $\label{thm:local-prop} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5e6c858f-0e22-4760-9afe-ea3317b67173\}[stream]$$$

Queries value:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5e6c858f-0e22-4760-9afe-ea3317b67173\}[publishexpandedpath]}$

Queries value:

 $\label{local-HKLM-software-microsoft-windows-current-version-explorer-folder-descriptions-folder-descriptions-folder-descriptions-folder-descriptions-folder-descriptions-folder-descriptions-folder-descriptions-folder-descriptions-folder-descriptions-folder-descriptions-folder-descriptions-folder-descriptions-folder-descriptions-folder-descriptions-folder-descriptions-folder-descriptions-folder-descriptions-folder-descriptions-folder-descriptions-folder-descriptions-folder-descriptions-folder-descriptions-folder-descriptions-folder-descriptions-folder-descriptions-folder-descriptions-folder-descriptions-folder-descriptions-folder-descriptions-folder-descriptions-folder-descriptions-folder-descriptions-folder-descriptions-folder-descriptions-folder-descriptions-folder-descriptions-folder-descriptions-folder-descriptions-folder-descriptions-folder-descriptions-folder-descriptions-folder-descriptions-folder-descriptions-folder-descriptions-folder-descriptions-folder-descriptions-folder-descriptions-folder-descriptions-folder-descriptions-folder-descriptions-folder-descriptions-folder-descriptions-folder-descriptions-folder-descriptions-folder-descriptions-folder-descriptions-folder-descriptions-folder-descriptions-folder-descriptions-folder-descriptions-folder-descriptions-folder-descriptions-folder-descriptions-folder-descriptions-folder-descriptions-folder-descriptions-folder-descriptions-folder-descriptions-folder-descriptions-folder-descriptions-folder-descriptions-folder-descriptions-folder-descriptions-folder-descriptions-folder-descriptions-folder-descriptions-folder-descriptions-folder-descriptions-folder-descriptions-folder-descriptions-folder-descriptions-folder-descriptions-folder-descriptions-folder-descriptions-folder-descriptions-folder-descriptions-folder-descriptions-folder-descriptions-folder-descriptions-folder-descriptions-folder-descriptions-folder-descriptions-folder-descriptions-folder-descriptions-folder-descriptions-folder-descriptions-folder-descriptions-folder-descriptions-folder-descrip$

Oueries value:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5e6c858f-0e22-4760-9afe-ea3317b67173\}[foldertypeid]}$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} current version \verb| explorer folder descriptions $$\{5e6c858f-0e22-4760-9afe-ea3317b67173\}[initfolder handler]$$

Queries value: HKLM\software\microsoft\windows nt\currentversion\profilelist\s-1-5-21-2160590473-689474908-1361669368-1002[profileimagepath]

Queries value: HKCU\software\microsoft\windows\currentversion\internet

settings\5.0\cache\content[cacheprefix]

Queries value: HKCU\software\microsoft\windows\currentversion\internet

settings\5.0\cache\content[cachelimit]

Queries value: HKCU\software\microsoft\windows\currentversion\internet

settings\5.0\cache\cookies[peruseritem]

Queries value: HKLM\software\microsoft\windows\currentversion\internet

settings\5.0\cache\cookies[peruseritem]

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{2b0f765d-c0e9-4171-908e-08a611b84ff6} [category]$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{2b0f765d-c0e9-4171-908e-08a611b84ff6\} \ [name]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{2b0f765d-c0e9-4171-908e-08a611b84ff6\} \ [parent folder]$

Queries value:

 $HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \folder \current \folder \folder \current \folder \current \folder \fold$

Oueries value

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{2b0f765d-c0e9-4171-908e-08a611b84ff6\} \ [parsing name]$

Oueries value

 $\label{lem:hklmsoftware} HKLM \software \end{arrange} HKLM \software \end{arrange} Ne-08e-08a611b84ff6 \end{arrange} [infotip]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{2b0f765d-c0e9-4171-908e-08a611b84ff6\}[localized name]$

Queries value:

Queries value

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2b0f765d-c0e9-4171-908e-08a611b84ff6\}[security]}$

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2b0f765d-c0e9-4171-908e-08a611b84ff6\}[streamresource]}$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{2b0f765d-c0e9-4171-908e-08a611b84ff6\} [stream resource type]$

Oueries value:

 $\label{thm:local-condition} HKLM \software \mbox{$2b0f765d-c0e9-4171-908e-08a611b84ff6} [local-redirectonly]$

Queries value:

 $\label{thm:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2b0f765d-c0e9-4171-908e-08a611b84ff6\}[roamable]}$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{2b0f765d-c0e9-4171-908e-08a611b84ff6\}[precreate]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ \{2b0f765d-c0e9-4171-908e-08a611b84ff6\} \[\mbox{stream} \]$

Oueries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsof$

Queries value

 $\label{thm:condition} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current version \explorer \folder descriptions \current version \explorer \folder descriptions \current version \explorer \folder \current \current$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2b0f765d-c0e9-4171-908e-08a611b84ff6\}[foldertypeid]}$

Queries value

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{2b0f765d-c0e9-4171-908e-08a611b84ff6} [initfolder \mbox{handler}]$

Queries value:

HKCU\software\microsoft\windows\currentversion\explorer\user shell

folders[cookies]

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \calebox{3eb685db-65f9-4cf6-a03a-e3ef65729f3d} [category]$

Queries value:

 $HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \folder \descriptions \current \folder \fol$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\} \ [parent folder]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3eb685db-65f9-4cf6-a03a-e3ef65729f3d}[description]

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\}[relativepath]}$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3eb685db-65f9-4cf6a03a-e3ef65729f3d}[parsingname]

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\} [infotip]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\} \ [localized name]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\} \ [icon]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\} \ [security]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\} \ [stream resource]$

Oueries value

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\} \ [stream resource type]$

Oueries value

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\} \ [local redirectonly]$

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\}[roamable]}$

Oueries value

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\}[precreate]}$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\} \ [stream]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\}[publishexpandedpath]}$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\}[attributes]$

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\}[foldertypeid]}$

Oueries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\}[initfolderhandler]$

Queries value: HKCU\software\microsoft\windows\currentversion\explorer\user shell

folders[appdata]

 $\label{thm:cosoftware} Queries \ value: \\ HKCU \ software \ microsoft \ windows \ current version \ internet$

settings\5.0\cache\cookies[cacheprefix]

Queries value: HKCU\software\microsoft\windows\currentversion\internet

settings\5.0\cache\cookies[cachelimit]

Queries value: HKCU\software\microsoft\windows\currentversion\internet

settings\5.0\cache\history[peruseritem]

Queries value: HKLM\software\microsoft\windows\currentversion\internet

settings\5.0\cache\history[peruseritem]

Oueries value:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d9dc8a3b-b784-432e-a781-5a1130a75963\}\[category\]$

Queries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{d9dc8a3b-b784-432e-a781-5a1130a75963\} \ [name]$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d9dc8a3b-b784-432e-a781-5a1130a75963}[parentfolder]

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{d9dc8a3b-b784-432e-a781-5a1130a75963\} \ [description]$

Oueries value:

 $HKLM \\ software \\ | microsoft \\ windows \\ current \\ version \\ explorer \\ folder \\ descriptions \\ \{d9dc8a3b-b784-432e-a781-5a1130a75963\} \\ [relative path]$

Oueries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d9dc8a3b-b784-432e-a781-5a1130a75963\}\[parsingname]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{d9dc8a3b-b784-432e-a781-5a1130a75963\} \ [infotip]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{d9dc8a3b-b784-432e-a781-5a1130a75963\} \ [localized name]$

Queries value:

```
a781-5a1130a75963}[icon]
      Oueries value:
a781-5a1130a75963}[security]
      Oueries value:
HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ `folder descriptions \ `\{d9dc8a3b-b784-432e-draward \ and \ and
a781-5a1130a75963}[streamresource]
      Oueries value:
a781-5a1130a75963}[streamresourcetype]
      Oueries value:
HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ `folder descriptions \ `\{d9dc8a3b-b784-432e-draward \ and \ and
a781-5a1130a75963}[localredirectonly]
      Oueries value:
a781-5a1130a75963}[roamable]
      Oueries value:
HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{d9dc8a3b-b784-432e-d9dc8a3b-b784-432e-d9dc8a3b-b784-432e-d9dc8a3b-b784-432e-d9dc8a3b-b784-432e-d9dc8a3b-b784-432e-d9dc8a3b-b784-432e-d9dc8a3b-b784-432e-d9dc8a3b-b784-432e-d9dc8a3b-b784-432e-d9dc8a3b-b784-432e-d9dc8a3b-b784-432e-d9dc8a3b-b784-432e-d9dc8a3b-b784-432e-d9dc8a3b-b784-432e-d9dc8a3b-b784-432e-d9dc8a3b-b784-432e-d9dc8a3b-b784-432e-d9dc8a3b-b784-432e-d9dc8a3b-b784-432e-d9dc8a3b-b784-432e-d9dc8a3b-b784-432e-d9dc8a3b-b784-432e-d9dc8a3b-b784-432e-d9dc8a3b-b784-432e-d9dc8a3b-b784-432e-d9dc8a3b-b784-432e-d9dc8a3b-b784-432e-d9dc8a3b-b784-432e-d9dc8a3b-b784-432e-d9dc8a3b-b784-432e-d9dc8a3b-b784-432e-d9dc8a3b-b784-432e-d9dc8a3b-b784-432e-d9dc8a3b-b784-432e-d9dc8a3b-b784-432e-d9dc8a3b-b784-432e-d9dc8a3b-b784-432e-d9dc8a3b-b784-432e-d9dc8a3b-b784-432e-d9dc8a3b-b784-432e-d9dc8a3b-b784-432e-d9dc8a3b-b784-432e-d9dc8a3b-b784-432e-d9dc8a3b-b784-432e-d9dc8a3b-b784-432e-d9dc8a3b-b784-432e-d9dc8a3b-b784-432e-d9dc8a3b-b784-432e-d9dc8a3b-b784-432e-d9dc8a3b-b784-432e-d9dc8a3b-b784-432e-d9dc8a3b-b784-432e-d9dc8a3b-b784-432e-d9dc8a3b-b784-432e-d9dc8a3b-b784-432e-d9dc8a3b-b784-432e-d9dc8a3b-b784-432e-d9dc8a3b-b784-432e-d9dc8a3b-b784-432e-d9dc8a3b-b784-432e-d9dc8a3b-b784-432e-d9dc8a3b-b784-432e-d9dc8a3b-b784-432e-d9dc8a3b-b784-432e-d9dc8a3b-b784-432e-d9dc8a3b-b784-432e-d9dc8a3b-b784-432e-d9dc8a3b-b784-432e-d9dc8a3b-b784-432e-d9dc8a3b-b784-432e-d9dc8a3b-b784-432e-d9dc8a3b-b784-432e-d9dc8a3b-b784-432e-d9dc8a3b-b784-432e-d9dc8a3b-b784-432e-d9dc8a3b-b784-432e-d9dc8a3b-b784-432e-d9dc8a3b-b784-432e-d9dc8a3b-b784-432e-d9dc8a3b-b784-432e-d9dc8a3b-b784-432e-d9dc8a3b-b784-432e-d9dc8a3b-b784-432e-d9dc8a3b-b784-432e-d9dc8a3b-b784-432e-d9dc8a3b-b784-432e-d9dc8a3b-b784-432e-d9dc8a3b-b784-432e-d9dc8a3b-b784-432e-d9dc8a3b-b784-432e-d9dc8a3b-b784-432e-d9dc8a3b-b784-432e-d9dc8a3b-b784-432e-d9dc8a3b-b784-432e-d9dc8a3b-b784-432e-d9dc8a3b-b784-432e-d9dc8a3b-b784-432e-d9dc8a3b-b784-432e-d9dc8a5b-b784-432e-d9dc8a5b-b784-432e-d9dc8a5b-b784-432e-d9dc8a5b-b
a781-5a1130a75963}[precreate]
      Queries value:
a781-5a1130a75963}[stream]
      Oueries value:
a781-5a1130a75963}[publishexpandedpath]
      Queries value:
HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ 'folder descriptions \ '\{d9dc8a3b-b784-432e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d742e-d
a781-5a1130a75963}[attributes]
      Oueries value:
HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ `folder descriptions \ `\{d9dc8a3b-b784-432e-draward \ and \ and
a781-5a1130a75963}[foldertypeid]
      Queries value:
HKLM \ software \ microsoft \ windows \ current version \ (explorer) folder descriptions \ (explo
a781-5a1130a75963}[initfolderhandler]
      Oueries value:
                                                                                            HKCU\software\microsoft\windows\currentversion\explorer\user shell
 folders[history]
                                                                                            HKCU\software\microsoft\windows\currentversion\internet
      Oueries value:
 settings\5.0\cache\history[cacheprefix]
                                                                                             HKCU\software\microsoft\windows\currentversion\internet
      Queries value:
 settings\5.0\cache\history[cachelimit]
      Queries value:
                                                                                            \label{lem:hkcu} \mbox{\tt HKCU\software\mbox{\tt microsoft\windows\currentversion\linear}} \mbox{\tt internet}
 settings\5.0\cache\extensible cache\domstore[cacherepair]
                                                                                            HKCU\software\microsoft\windows\currentversion\internet
      Oueries value:
 settings\5.0\cache\extensible cache\domstore[cachepath]
      Oueries value:
                                                                                            HKCU\software\microsoft\windows\currentversion\internet
 settings\5.0\cache\extensible cache\domstore[cacheprefix]
      Queries value:
                                                                                            \label{lem:hkcu} \verb+KCU \software \verb+microsoft \verb+windows \verb+current version \verb+\internet+ \\
 settings\5.0\cache\extensible cache\domstore[cachelimit]
                                                                                           HKCU\software\microsoft\windows\currentversion\internet
      Oueries value:
 settings\5.0\cache\extensible cache\domstore[cacheoptions]
      Oueries value:
                                                                                            HKCU\software\microsoft\windows\currentversion\internet
 settings\5.0\cache\extensible cache\feedplat[cacherepair]
                                                                                            HKCU\software\microsoft\windows\currentversion\internet
      Queries value:
 settings\5.0\cache\extensible cache\feedplat[cachepath]
                                                                                           HKCU\software\microsoft\windows\currentversion\internet
      Oueries value:
 settings\5.0\cache\extensible cache\feedplat[cacheprefix]
      Queries value:
                                                                                           HKCU\software\microsoft\windows\currentversion\internet
 settings\5.0\cache\extensible cache\feedplat[cachelimit]
      Queries value:
                                                                                            HKCU\software\microsoft\windows\currentversion\internet
 settings\5.0\cache\extensible cache\feedplat[cacheoptions]
                                                                                          HKCU\software\microsoft\windows\currentversion\internet
      Queries value:
 settings\5.0\cache\extensible cache\iecompat[cacherepair]
      Queries value:
                                                                                           HKCU\software\microsoft\windows\currentversion\internet
settings\5.0\cache\extensible cache\iecompat[cachepath]
      Queries value:
                                                                                            HKCU\software\microsoft\windows\currentversion\internet
 settings\5.0\cache\extensible cache\iecompat[cacheprefix]
                                                                                          HKCU\software\microsoft\windows\currentversion\internet
      Queries value:
 settings\5.0\cache\extensible cache\iecompat[cachelimit]
      Queries value:
                                                                                          HKCU\software\microsoft\windows\currentversion\internet
settings\5.0\cache\extensible cache\iecompat[cacheoptions]
      Queries value:
                                                                                            HKCU\software\microsoft\windows\currentversion\internet
 settings\5.0\cache\extensible cache\ietld[cacherepair]
                                                                                          HKCU\software\microsoft\windows\currentversion\internet
      Oueries value:
 settings\5.0\cache\extensible cache\ietld[cachepath]
      Queries value:
                                                                                           HKCU\software\microsoft\windows\currentversion\internet
settings\5.0\cache\extensible cache\ietld[cacheprefix]
                                                                                            HKCU\software\microsoft\windows\currentversion\internet
      Queries value:
```

settings\5.0\cache\extensible cache\ietld[cachelimit]

settings\5.0\cache\extensible cache\ietld[cacheoptions]

settings\5.0\cache\extensible cache\privacie:[cacherepair]

Oueries value:

Queries value:

Queries value:

HKCU\software\microsoft\windows\currentversion\internet

HKCU\software\microsoft\windows\currentversion\internet

 $\label{lem:hkcu} \verb+KKCU \software \microsoft \windows \current version \cite{thm:lem:hkcu} in terms to the lemma substitution \cite{thm:lem:hkcu} and \cite{thm:lem:hkcu} are \cite{thm:lem:hkcu}.$

```
settings\5.0\cache\extensible cache\privacie:[cachepath]
                                        HKCU\software\microsoft\windows\currentversion\internet
  Oueries value:
settings\5.0\cache\extensible cache\privacie:[cacheprefix]
  Queries value:
                                        HKCU\software\microsoft\windows\currentversion\internet
settings\5.0\cache\extensible cache\privacie:[cachelimit]
                                        \label{lem:hkcu} \verb+KKCU \software \microsoft \windows \current version \cite{thm:lem:hkcu} in terms to the lemma substitution \cite{thm:lem:hkcu} and \cite{thm:lem:hkcu} are \cite{thm:lem:hkcu}.
  Queries value:
settings\5.0\cache\extensible cache\privacie:[cacheoptions]
                                        \label{lem:hkcu} \mbox{\tt HKCU\software\policies\mbox{\tt microsoft\windows\currentversion\linear}} \mbox{\tt internet}
  Oueries value:
settings[enableautoproxyresultcache]
                                        HKCU\software\policies\microsoft\windows\currentversion\internet
  Queries value:
settings[displayscriptdownloadfailureui]
  Queries value:
                                        \label{lem:hkcu} \begin{tabular}{ll} HKCU \software \policies \microsoft \windows \current version \end{tabular} in termet \end{tabular}
settings[mbcsservername]
                                        \label{lem:hkcu} \begin{tabular}{ll} HKCU \software \policies \microsoft \windows \current version \end{tabular} in termet \end{tabular}
  Queries value:
settings[mbcsapiforcrack]
                                        HKCU\software\policies\microsoft\windows\currentversion\internet
  Queries value:
settings[utf8servernameres]
  Queries value:
                                        HKCU\software\microsoft\windows\currentversion\internet
settings[disableworkerthreadhibernation]
                                        HKLM\software\microsoft\windows\currentversion\internet
  Oueries value:
settings[disableworkerthreadhibernation]
                                        HKCU\software\microsoft\windows\currentversion\internet
  Queries value:
settings[disablereadrange]
                                        HKCU\software\microsoft\windows\currentversion\internet
  Queries value:
settings[socketsendbufferlength]
                                        \label{lem:hkcu} \verb+KKCU \software \microsoft \windows \current version \cite{thm:lem:hkcu} in terms to the lemma substitution \cite{thm:lem:hkcu} and \cite{thm:lem:hkcu} are \cite{thm:lem:hkcu}.
  Queries value:
settings[socketreceivebufferlength]
  Queries value:
                                        HKCU\software\microsoft\windows\currentversion\internet
settings[keepalivetimeout]
                                        HKCU\software\microsoft\windows\currentversion\internet
  Queries value:
settings[maxhttpredirects]
                                        HKCU\software\microsoft\windows\currentversion\internet
  Queries value:
settings[maxconnectionsperserver]
                                        HKLM\software\microsoft\windows\currentversion\internet
  Queries value:
settings[maxconnectionsperserver]
                                        \label{lem:hkcu} \verb+KKCU \software \microsoft \windows \current version \cite{thm:lem:hkcu} in terms to the lemma substitution \cite{thm:lem:hkcu} and \cite{thm:lem:hkcu} are \cite{thm:lem:hkcu}.
  Queries value:
settings[maxconnectionsper1 Oserver]
  Queries value:
                                        HKLM\software\microsoft\windows\currentversion\internet
settings[maxconnectionsper1_0server]
                                        HKCU\software\microsoft\windows\currentversion\internet
  Queries value:
settings[maxconnectionsperproxy]
  Queries value:
                                        HKCU\software\microsoft\windows\currentversion\internet
settings[serverinfotimeout]
  Queries value:
                                        HKCU\software\microsoft\windows\currentversion\internet
settings[connecttimeout]
                                        HKLM\software\microsoft\windows\currentversion\internet
  Queries value:
settings[connecttimeout]
  Queries value:
                                        HKCU\software\microsoft\windows\currentversion\internet
settings[connectretries]
  Queries value:
                                        HKLM\software\microsoft\windows\currentversion\internet
settings[connectretries]
                                        HKCU\software\microsoft\windows\currentversion\internet
  Oueries value:
settings[sendtimeout]
  Queries value:
                                        HKLM\software\microsoft\windows\currentversion\internet
settings[sendtimeout]
  Queries value:
                                        HKCU\software\microsoft\windows\currentversion\internet
settings[receivetimeout]
                                        HKLM\software\microsoft\windows\currentversion\internet
  Oueries value:
settings[receivetimeout]
                                        HKCU\software\microsoft\windows\currentversion\internet
  Queries value:
settings[disablentlmpreauth]
  Queries value:
                                        HKCU\software\microsoft\windows\currentversion\internet
settings[scavengecachelowerbound]
                                        HKCU\software\microsoft\windows\currentversion\internet
  Oueries value:
settings[certcachenovalidate]
  Oueries value:
                                        HKCU\software\microsoft\windows\currentversion\internet
settings\5.0\cache[scavengecachefilelifetime]
  Queries value:
                                        HKCU\software\policies\microsoft\windows\currentversion\internet
settings\5.0\cache[scavengecachefilelimit]
  Oueries value:
                                        HKCU\software\microsoft\windows\currentversion\internet
settings\5.0\cache[scavengecachefilelimit]
  Oueries value:
                                        HKLM\software\microsoft\windows\currentversion\internet
settings\5.0\cache[scavengecachefilelimit]
  Queries value:
                                        HKCU\software\microsoft\windows\currentversion\internet
settings[httpdefaultexpirytimesecs]
                                        HKCU\software\microsoft\windows\currentversion\internet
  Oueries value:
settings[ftpdefaultexpirytimesecs]
  Queries value:
                                        HKLM\software\microsoft\internet
explorer \verb|\main| featurecontrol| feature_disable_unicode_handle_closing_callback [00aca0729582792a46b971951043ff06.exe]| the substitution of th
  Oueries value:
                                        HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_disable_unicode_handle_closing_callback[*]
  Oueries value:
                                        HKCU\software\microsoft\windows\currentversion\internet
settings[disablecachingofsslpages]
```

```
Oueries value:
                                     HKCU\software\microsoft\windows\currentversion\internet
settings[perusercookies]
                                     HKCU\software\microsoft\windows\currentversion\internet
  Queries value:
settings[leashlegacycookies]
                                     HKCU\software\microsoft\windows\currentversion\internet
  Oueries value:
settings[dialupuselansettings]
  Queries value:
                                     HKLM\software\microsoft\windows\currentversion\internet
settings[dialupuselansettings]
  Queries value:
                                     HKCU\software\microsoft\windows\currentversion\internet
settings[sendextracrlf]
                                     HKCU\software\microsoft\windows\currentversion\internet
  Oueries value:
settings[wpadsearchalldomains]
                                     HKCU\software\microsoft\windows\currentversion\internet
  Queries value:
settings[bypasshttpnocachecheck]
                                     HKLM\software\microsoft\windows\currentversion\internet
  Queries value:
settings[bypasshttpnocachecheck]
                                     HKCU\software\microsoft\windows\currentversion\internet
  Oueries value:
settings[bypasssslnocachecheck]
                                     HKLM\software\microsoft\windows\currentversion\internet
  Queries value:
settings[bypasssslnocachecheck]
                                     HKLM\software\microsoft\windows\currentversion\internet
  Queries value:
settings[enablehttptrace]
                                     \label{lem:hkcu} \verb+KKCU\+ software\+ microsoft\+ windows\+ current version\+ internet
  Oueries value:
settings[nocheckautodialoverride]
                                     HKLM\software\microsoft\windows\currentversion\internet
  Queries value:
settings[nocheckautodialoverride]
                                     HKCU\software\microsoft\windows\currentversion\internet
  Queries value:
settings[dontusednsloadbalancing]
  Oueries value:
                                     HKLM\software\microsoft\windows\currentversion\internet
settings[dontusednsloadbalancing]
                                     HKLM\software\microsoft\windows\currentversion\internet
  Oueries value:
settings[sharecredswithwinhttp]
                                     HKCU\software\microsoft\windows\currentversion\internet
  Queries value:
settings[mimeexclusionlistforcache]
  Oueries value:
                                     HKCU\software\microsoft\windows\currentversion\internet
settings[headerexclusionlistforcache]
                                     HKCU\software\microsoft\windows\currentversion\internet
  Oueries value:
settings[dnscacheenabled]
                                     HKCU\software\microsoft\windows\currentversion\internet
  Queries value:
settings[dnscacheentries]
                                     \label{lem:hkcu} \verb+KKCU \software \verb+ microsoft \verb+ windows \verb+ current version \verb+ internet+ \\
  Queries value:
settings[dnscachetimeout]
                                     HKCU\software\microsoft\windows\currentversion\internet
  Oueries value:
settings[warnonpost]
  Oueries value:
                                     HKCU\software\microsoft\windows\currentversion\internet
settings[warnalwaysonpost]
  Queries value:
                                     HKCU\software\microsoft\windows\currentversion\internet
settings[warnonzonecrossing]
                                     HKCU\software\microsoft\windows\currentversion\internet
  Oueries value:
settings[warnonbadcertrecving]
  Oueries value:
                                     HKCU\software\microsoft\windows\currentversion\internet
settings[warnonpostredirect]
  Queries value:
                                     HKCU\software\microsoft\windows\currentversion\internet
settings[alwaysdrainonredirect]
                                     HKCU\software\microsoft\windows\currentversion\internet
  Oueries value:
settings[warnonhttpstohttpredirect]
  Oueries value:
HKLM \verb|\system| current control \verb|\sa| access providers [marta extension]
                                     HKLM\system\currentcontrolset\services\ldap[ldapclientintegrity]
  Queries value:
                                     \label{thm:local_thm} \begin{tabular}{ll} HKLM \end{tabular} is system \end{tabular} \begin{tabular}{ll} HKLM \end{tabular} is system \end{tabular} is system \end{tabular} \begin{tabular}{ll} HKLM \end{tabular} is system \end{tabular} is system \end{tabular} \begin{tabular}{ll} HKLM \end{tabular} is system \end{tabular} is system \end{tabular} \begin{tabular}{ll} HKLM \end{tabular} is system \end{tabular} \begin{tabular}{ll} HKLM \end{tabular} is system \end{tabular} is system \end{tabular} \begin{tabular}{ll} HKLM \end{tabular} is system \end{tabular} is system \end{tabular} \begin{tabular}{ll} HKLM \end{tabular} is system \end{tabular} \begin{tabular}{ll} HKLM \end{tabular} \begin{tabular}{ll} HKLM \end{tabular} \begin{tabular}{ll} HKLM \end{tabular} is system \end{tabular} \begin{tabular}{ll} HKLM \end{tabular} \begin{ta
  Queries value:
  Queries value:
                                     HKLM\system\currentcontrolset\services\ldap[usehostnameasalias]
  Oueries value:
                                     HKLM\software\microsoft\windows\currentversion\internet
settings[tcpautotuning]
  Oueries value:
HKLM\system\currentcontrolset\services\winsock2\parameters[winsock_registry_version]
HKLM\system\currentcontrolset\services\winsock2\parameters[namespace_callout]
  Queries value:
HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9[serial_access_num]
  Oueries value:
HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9[next_catalog_entry_id]
  Oueries value:
HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9[num_catalog_entries]
  Queries value:
Oueries value:
HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\000000000002[packedcatalogitem]
  Oueries value:
HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\000000000003[packedcatalogitem]
  Queries value:
HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\000000000004[packedcatalogitem]
  Oueries value:
```

Oueries value:

- HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\000000000006[packedcatalogitem]
 Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\000000000007[packedcatalogitem]
 Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\000000000008[packedcatalogitem] Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\000000000009[packedcatalogitem] Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\000000000010[packedcatalogitem]
 Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\000000000011[packedcatalogitem] Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\000000000012[packedcatalogitem]
 Queries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\000000000013[packedcatalogitem]
 Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\000000000014[packedcatalogitem] Queries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\000000000015[packedcatalogitem]
 Queries value:
- $HKLM \ system \ current control set \ services \ winsock 2 \ parameters \ protocol_catalog9 \ catalog_entries \ 000000000016 \ [packed catalog item] \\ Queries \ value:$
- HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\000000000018[packedcatalogitem] Queries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5[serial_access_num]
 Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5[num_catalog_entries]
 Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000001[librarypath]
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000001[displaystring]
 Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\00000000001[providerid]
 Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\00000000001[addressfamily]
 Queries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000001[supportednamespace]
 Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\00000000001[enabled]
 Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\00000000001[version]
 Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\00000000001[storesserviceclassinfo] Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000001[providerinfo]
 Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000002[librarypath]
 Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000002[displaystring] Queries value:
- $HKLM \ system \ (current control set \ services \ winsock 2 \ parameters \ name space_catalog \ services \ winsock 2 \ parameters \ name space_catalog \ services \ value:$
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000002[addressfamily]
 Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\0000000000002[supportednamespace]
 Queries value:
- $HKLM \ system \ current control set \ services \ winsock 2 \ parameters \ name space_catalog 5 \ catalog_entries \ 00000000000002 \ [enabled] \ Oueries \ value:$
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000002[version]
 Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000002[storesserviceclassinfo] Queries value:
- $HKLM \ system \ current control set \ services \ winsock 2 \ parameters \ namespace_catalog 5 \ catalog_entries \ 00000000000002 [provider info] \ Oueries \ value:$
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\00000000003[librarypath]
 Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000003[displaystring] Queries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\00000000003[providerid]
 Queries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\00000000003[addressfamily] Queries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000003[supportednamespace]
 Queries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\00000000003[enabled]
 Queries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\00000000003[version]
 Queries value:
- $HKLM \ system \ current control set \ services \ winsock 2 \ parameters \ namespace_catalog5 \ catalog_entries \ 000000000003 \ [storesserviceclassinfo] \ Queries \ value:$

```
Oueries value:
HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\00000000004[librarypath]
  Queries value:
HKLM \ system \ (current control set \ services \ winsock 2 \ parameters \ name space\_catalog 5 \ (catalog\_entries \ 0000000000004 \ [displaystring]
  Queries value:
HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000004[providerid]
  Oueries value:
HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000004[addressfamily]
  Oueries value:
HKLM \ system \ (current control set \ services \ winsock 2 \ parameters \ name space\_catalog 5 \ (catalog\_entries \ 0000000000004 [supported name space]]
  Queries value:
Oueries value:
HKLM \setminus system \setminus current control set \setminus services \setminus winsock 2 \cap ameters \setminus namespace\_catalog \\ \setminus catalog\_entries \setminus 0000000000004 [version]
  Queries value:
HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog_\catalog_entries\00000000004[storesserviceclassinfo]
  Queries value:
Queries value:
HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\00000000005[librarypath]
  Oueries value:
HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\00000000005[displaystring]
Queries value:
HKLM \ system \ (current control set \ services \ winsock 2 \ parameters \ name space\_catalog 5 \ (catalog\_entries \ 0000000000005 \ [address family]
  Queries value:
HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\00000000005[enabled]
  Queries value:
HKLM \ system \ (current control set \ services \ winsock 2 \ parameters \ namespace\_catalog \ services \ (version) \ and \ services \ (version) \ and \ (
  Queries value:
HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\00000000005[storesserviceclassinfo]
HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\00000000005[providerinfo]
  Queries value:
HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\00000000006[librarypath]
  Queries value:
HKLM \ system \ (current control set \ services \ winsock 2 \ parameters \ name space\_catalog 5 \ (catalog\_entries \ 000000000006 \ [displaystring]
HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000006[providerid]
  Queries value:
HKLM \ system \ (current control set \ services \ winsock 2 \ parameters \ name space\_catalog 5 \ (catalog\_entries \ 0000000000006 \ [address family]
  Queries value:
Queries value:
HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000006[enabled]
  Queries value:
HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000006[version]
  Oueries value:
HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog_entries\00000000006[storesserviceclassinfo]
  Queries value:
HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\00000000006[providerinfo]
  Queries value:
HKLM\system\currentcontrolset\services\winsock2\parameters[ws2_32numhandlebuckets]
  Oueries value:
HKLM\system\currentcontrolset\services\winsock2\parameters[ws2 32spincount]
                                 HKCU\software\microsoft\windows\currentversion\internet
  Queries value:
settings\wpad[wpadoverride]
  Queries value:
                                 HKCU\software\microsoft\windows\currentversion\internet
settings[enableautodial]
                                 HKCU\software\microsoft\windows\currentversion\internet
  Oueries value:
settings[nonetautodial]
                                 HKCU\software\microsoft\windows\currentversion\internet
  Oueries value:
settings[globaluseroffline]
  Queries value:
                                HKCU\software\microsoft\windows\currentversion\internet
settings[badproxyexpirestime]
  Oueries value:
                                HKLM\software\microsoft\windows\currentversion\internet
settings[disablebranchcache]
  Oueries value:
                                 HKLM\software\microsoft\tracing[enableconsoletracing]
  Oueries value:
HKLM\software\microsoft\tracing\00aca0729582792a46b971951043ff06_rasapi32[enablefiletracing]
  Queries value:
HKLM\software\microsoft\tracing\00aca0729582792a46b971951043ff06_rasapi32[filetracingmask]
  Queries value:
HKLM\software\microsoft\tracing\00aca0729582792a46b971951043ff06_rasapi32[enableconsoletracing]
  Oueries value:
HKLM\software\microsoft\tracing\00aca0729582792a46b971951043ff06_rasapi32[consoletracingmask]
  Queries value:
HKLM \setminus software \setminus microsoft \setminus tracing \setminus 00aca0729582792a46b971951043ff06\_rasapi32[maxfilesize]
```

Queries value:

```
HKLM\software\microsoft\tracing\00aca0729582792a46b971951043ff06_rasapi32[filedirectory]
 Oueries value:
HKLM\software\microsoft\tracing\00aca0729582792a46b971951043ff06_rasmancs[enablefiletracing]
 Queries value:
HKLM \ software \ microsoft \ tracing \ 00aca0729582792a46b971951043ff06\_rasmancs [file tracing mask]
 Queries value:
HKLM\software\microsoft\tracing\00aca0729582792a46b971951043ff06_rasmancs[enableconsoletracing]
 Oueries value:
HKLM\software\microsoft\tracing\00aca0729582792a46b971951043ff06_rasmancs[consoletracingmask]
 Oueries value:
HKLM \setminus software \setminus microsoft \setminus tracing \setminus 00 aca 0729582792 a 46 b 971951043 ff 06\_ras mancs [maxfilesize]
 Queries value:
HKLM\software\microsoft\tracing\00aca0729582792a46b971951043ff06_rasmancs[filedirectory]
 Oueries value:
                          HKLM\software\microsoft\windows
nt\currentversion\profilelist[programdata]
                          HKLM\system\currentcontrolset\control\sqmservicelist[sqmservicelist]
 Queries value:
                         HKLM\software\microsoft\sqmclient\windows\disabledprocesses[5aa764841]
 Oueries value:
 Queries value:
HKLM\software\microsoft\sqmclient\windows\disabledsessions[machinethrottling]
 Queries value:
HKLM\software\microsoft\sqmclient\windows\disabledsessions[globalsession]
                          HKLM\software\policies\microsoft\windows\currentversion\internet
 Queries value:
settings[proxysettingsperuser]
                          HKCU\software\microsoft\windows\currentversion\internet
 Queries value:
settings[migrateproxy]
                          HKCU\software\microsoft\windows\currentversion\internet
 Queries value:
settings[proxyenable]
                          HKCU\software\microsoft\windows\currentversion\internet
 Queries value:
settings[proxyserver]
                          HKCU\software\microsoft\windows\currentversion\internet
 Queries value:
settings[proxvoverride]
                          HKCU\software\microsoft\windows\currentversion\internet
 Queries value:
settings[autoconfigurl]
                          HKCU\software\microsoft\windows\currentversion\internet
 Queries value:
settings\connections[savedlegacysettings]
                          HKCU\software\microsoft\windows\currentversion\internet
 Queries value:
settings\connections[defaultconnectionsettings]
                         HKCU\software\microsoft\windows\currentversion\internet
 Queries value:
settings[autoconfigcustomua]
 Queries value:
                          HKCR\autoproxytypes\application/x-internet-signup[dllfile]
 Oueries value:
                          HKCR\autoproxytypes\application/x-internet-signup[fileextensions]
                          HKCR\autoproxytypes\application/x-internet-signup[default]
 Queries value:
 Oueries value:
                          HKCR\autoproxytypes\application/x-internet-signup[flags]
 Queries value:
                          HKCR\autoproxytypes\application/x-ns-proxy-autoconfig[dllfile]
                          HKCR\autoproxytypes\application/x-ns-proxy-autoconfig[fileextensions]
 Oueries value:
 Queries value:
                          HKCR\autoproxytypes\application/x-ns-proxy-autoconfig[default]
 Queries value:
                          HKCR \verb| autoproxytypes \verb| application/x-ns-proxy-autoconfig[flags]| \\
 Queries value:
                          HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_http_username_password_disable[00aca0729582792a46b971951043ff06.exe]
 Queries value:
                         HKLM\software\microsoft\internet
explorer\main\featurecontrol\feature_http_username_password_disable[*]
 Oueries value:
HKLM\system\currentcontrolset\services\dnscache\parameters[queryadaptername]
 Queries value:
HKLM \setminus system \setminus current control set \setminus services \setminus tcpip \setminus parameters [disable adapter domain name]
 Queries value:
HKLM\system\currentcontrolset\services\dnscache\parameters[usedomainnamedevolution]
 Oueries value:
HKLM\system\currentcontrolset\services\tcpip\parameters[usedomainnamedevolution]
HKLM\system\currentcontrolset\services\dnscache\parameters[domainnamedevolutionlevel]
 Oueries value:
HKLM\system\currentcontrolset\services\dnscache\parameters[prioritizerecorddata]
 Oueries value:
HKLM\system\currentcontrolset\services\tcpip\parameters[prioritizerecorddata]
HKLM\system\currentcontrolset\services\dnscache\parameters[allowunqualifiedquery]
 Queries value:
HKLM\system\currentcontrolset\services\tcpip\parameters[allowunqualifiedquery]
 Oueries value:
HKLM\system\currentcontrolset\services\dnscache\parameters[appendtomultilabelname]
HKLM\system\currentcontrolset\services\dnscache\parameters[screenbadtlds]
 Queries value:
HKLM\system\currentcontrolset\services\dnscache\parameters[screenunreachableservers]
 Oueries value:
HKLM\system\currentcontrolset\services\dnscache\parameters[screendefaultservers]
 Oueries value:
HKLM\system\currentcontrolset\services\dnscache\parameters[dynamicserverqueryorder]
 Oueries value:
HKLM\system\currentcontrolset\services\dnscache\parameters[filterclusterip]
 Oueries value:
```

Oueries value: HKLM\system\currentcontrolset\services\dnscache\parameters[useedns] Oueries value: HKLM\system\currentcontrolset\services\dnscache\parameters[dnssecurenamequeryfallback] Queries value: HKLM\system\currentcontrolset\services\dnscache\parameters[enabledaforallnetworks] Queries value: HKLM\system\currentcontrolset\services\dnscache\parameters[directaccessqueryorder] Oueries value: HKLM\system\currentcontrolset\services\dnscache\parameters[queryipmatching] Oueries value: HKLM\system\currentcontrolset\services\dnscache\parameters[usehostsfile] Oueries value: HKLM\system\currentcontrolset\services\dnscache\parameters[addrconfigcontrol] Oueries value: HKLM\system\currentcontrolset\services\dnscache\parameters[registrationenabled] Queries value: HKLM\system\currentcontrolset\services\tcpip\parameters[disabledynamicupdate] Oueries value: HKLM\system\currentcontrolset\services\dnscache\parameters[registerprimaryname] Queries value: HKLM\system\currentcontrolset\services\dnscache\parameters[registeradaptername] Queries value: HKLM\system\currentcontrolset\services\tcpip\parameters[enableadapterdomainnameregistration] Oueries value: HKLM\system\currentcontrolset\services\dnscache\parameters[registerreverselookup] Queries value: Queries value: HKLM\system\currentcontrolset\services\dnscache\parameters[registerwanadapters] Oueries value: HKLM\system\currentcontrolset\services\tcpip\parameters[disablewandynamicupdate] Oueries value: HKLM\system\currentcontrolset\services\dnscache\parameters[registrationttl] HKLM\system\currentcontrolset\services\tcpip\parameters[defaultregistrationttl] Oueries value: Oueries value: HKLM\system\currentcontrolset\services\tcpip\parameters[defaultregistrationrefreshinterval] Queries value: HKLM\system\currentcontrolset\services\dnscache\parameters[registrationmaxaddresscount] Oueries value: HKLM\system\currentcontrolset\services\tcpip\parameters[maxnumberofaddressestoregister] Oueries value: HKLM\system\currentcontrolset\services\dnscache\parameters[updatesecuritylevel] Oueries value: HKLM\system\currentcontrolset\services\tcpip\parameters[updatesecuritylevel] Queries value: Oueries value: HKLM\system\currentcontrolset\services\dnscache\parameters[downcasespncauseapiowneristoolazy] Oueries value: $HKLM \setminus system \setminus current control set \setminus services \setminus dns cache \setminus parameters [registration overwrite]$ Queries value: HKLM\system\currentcontrolset\services\dnscache\parameters[maxcachesize] Queries value: HKLM\system\currentcontrolset\services\dnscache\parameters[maxcachettl] Oueries value: HKLM\system\currentcontrolset\services\dnscache\parameters[maxnegativecachettl] Oueries value: HKLM\system\currentcontrolset\services\dnscache\parameters[adaptertimeoutlimit] Oueries value: HKLM\system\currentcontrolset\services\dnscache\parameters[serverprioritytimelimit] Queries value: $HKLM \setminus system \setminus current control set \setminus services \setminus dns cache \setminus parameters [max cached sockets]$ Queries value: HKLM\system\currentcontrolset\services\dnscache\parameters[enablemulticast] Queries value: $\label{lem:hklm} \verb+Kklm \system \current control set \services \label{lem:hklm} \verb+ dn scache \parameters [multicastresponder flags] \\$ Queries value: HKLM\system\currentcontrolset\services\dnscache\parameters[multicastsenderflags] Queries value: HKLM\svstem\currentcontrolset\services\dnscache\parameters[multicastsendermaxtimeout] Queries value: HKLM\system\currentcontrolset\services\dnscache\parameters[dnstest] Oueries value: HKLM\system\currentcontrolset\services\dnscache\parameters[usecompartments] Queries value: HKLM\system\currentcontrolset\services\dnscache\parameters[cacheallcompartments] Oueries value: HKLM\system\currentcontrolset\services\dnscache\parameters[usenewregistration] Oueries value: HKLM\system\currentcontrolset\services\dnscache\parameters[resolverregistration] Oueries value: HKLM\system\currentcontrolset\services\dnscache\parameters[resolverregistrationonly] Oueries value:

 $HKLM \setminus system \setminus current control set \setminus services \setminus dns cache \setminus parameters [dns query time outs]$

Oueries value: HKLM\system\currentcontrolset\services\tcpip\parameters[dnsquerytimeouts] Oueries value: HKLM\system\currentcontrolset\services\dnscache\parameters[dnsquickquerytimeouts] Oueries value: HKLM\system\currentcontrolset\services\tcpip\parameters[dnsquickquerytimeouts] Oueries value: HKLM\system\currentcontrolset\services\tcpip\parameters[hostname] HKLM\system\currentcontrolset\services\tcpip\parameters[domain] Oueries value: Oueries value: HKLM\system\currentcontrolset\services\winsock\parameters[transports] Oueries value: HKLM\system\currentcontrolset\services\tcpip6\parameters\winsock[mapping] Queries value: HKLM\system\currentcontrolset\services\psched\parameters\winsock[mapping] HKLM\system\currentcontrolset\services\winsock\setup Oueries value: migration\providers\psched[winsock 2.0 provider id] Queries value: HKLM\system\currentcontrolset\services\tcpip\parameters\winsock[mapping] HKLM\system\currentcontrolset\services\winsock\setup Oueries value: migration\providers\tcpip[winsock 2.0 provider id] Queries value: Queries value: HKLM\system\currentcontrolset\services\tcpip\parameters\winsock[maxsockaddrlength] Oueries value: HKLM\system\currentcontrolset\services\tcpip\parameters\winsock[usedelayedacceptance] Queries value: HKLM\system\currentcontrolset\services\tcpip\parameters\winsock[helperdllname] HKLM\system\currentcontrolset\services\winsock\setup migration\providers\tcpip6[winsock 2.0 provider id] Oueries value: HKLM\system\currentcontrolset\services\tcpip6\parameters\winsock[minsockaddrlength] Oueries value: HKLM\system\currentcontrolset\services\tcpip6\parameters\winsock[maxsockaddrlength] Oueries value: HKLM\system\currentcontrolset\services\tcpip6\parameters\winsock[helperdllname] Oueries value: c19ce8a73253}[searchlist] c19ce8a73253}[enabledhcp] c19ce8a73253}[registrationenabled] HKLM\system\currentcontrolset\services\tcpip\parameters\interfaces\{128919e8-8a5e-41d1-ac17c19ce8a73253}[registeradaptername] Oueries value: c19ce8a73253}[domain] Queries value: c19ce8a73253}[dhcpdomain] Oueries value: c19ce8a73253}[dhcpv6domain] c19ce8a73253}[nameserver] Queries value: c19ce8a73253}[nameserver] c19ce8a73253}[dhcpnameserver] Queries value: 806e6f6e6963}[enabledhcp] 806e6f6e6963}[registrationenabled] Queries value: HKLM\system\currentcontrolset\services\tcpip\parameters\interfaces\{e29ac6c2-7037-11de-816d-806e6f6e6963}[registeradaptername] HKLM\system\currentcontrolset\services\tcpip\parameters\interfaces\{e29ac6c2-7037-11de-816d-

Queries value: HKLM\system\currentcontrolset\services\tcpip\parameters\interfaces\{e29ac6c2-7037-11de-816d-806e6f6e6963}[dhcpdomain]

806e6f6e6963}[domain]

```
Oueries value:
```

 $HKLM \ system \ current control set \ services \ tcpip \ parameters \ interfaces \ \{e29ac6c2-7037-11de-816d-806e6f6e6963\} \ [names er ver]$

Oueries value

Queries value: HKLM\system\currentcontrolset\services\tcpip\linkage[bind]

Oueries value:

 $HKLM \ system \ `current control set \ 'services \ 'tcpip \ parameters \ 'interfaces \ '{128919e8-8a5e-41d1-ac17-c19ce8a73253} \ [query adapter name]$

Oueries value:

HKLM\system\currentcontrolset\services\tcpip\parameters\interfaces\{128919e8-8a5e-41d1-ac17-c19ce8a73253}[disableadapterdomainname]

Oueries value:

 $HKLM \ system \ `current control set \ 'services \ 'tcpip \ parameters \ 'interfaces \ '\{128919e8-8a5e-41d1-ac17-c19ce8a73253\} \ [registration max address count]$

Queries value:

 $HKLM \ system \ `current control set \ 'services \ 'tcpip \ parameters \ 'interfaces \ '\{128919e8-8a5e-41d1-ac17-c19ce8a73253\} \ [maxnumber of addresses to register]$

Oueries value:

 $HKLM \ system \ current controls et \ services \ tcpip \ parameters \ interfaces \ \{128919e8-8a5e-41d1-ac17-c19ce8a73253\} \ [enablemulticast]$

Queries value:

 $HKLM \ system \ current control set \ services \ tcpip \ parameters \ interfaces \ \{e29ac6c2-7037-11de-816d-806e6f6e6963\} \ [queryadaptername]$

Queries value:

 $HKLM \ system \ `current control set \ 'services \ 'tcpip \ parameters \ 'interfaces \ '\{e29ac6c2-7037-11de-816d-806e6f6e6963\} \ [disable adapter domain name]$

Queries value:

 $HKLM \ system \ current control set \ services \ tcpip \ parameters \ interfaces \ \{e29ac6c2-7037-11de-816d-806e6f6e6963\} \ [disable dynamic update]$

Queries value:

 $HKLM \ system \ current controls et \ services \ tcpip \ parameters \ interfaces \ \{e29ac6c2-7037-11de-816d-806e6f6e6963\} \ [enable adapter domain name registration]$

Queries value:

 $HKLM \ system \ `current control set \ 'services \ 'tcpip \ parameters \ 'interfaces \ '\{e29ac6c2-7037-11de-816d-806e6f6e6963\} \ [registration maxaddress count]$

Queries value:

Queries value:

HKLM\system\currentcontrolset\services\tcpip\parameters\interfaces\{e29ac6c2-7037-11de-816d-806e6f6e6963}[enablemulticast]

Queries value: HKLM\system\currentcontrolset\services\tcpip\parameters[searchlist]
Queries value: HKLM\system\currentcontrolset\services\winsock2\parameters[autodialdll]

Queries value: HKLM\software\microsoft\com3[com+enabled]

Queries value: HKCR\clsid\{dcb00c01-570f-4a9b-8d69-199fdba5723b}[]

Queries value: HKCR\clsid\{dcb00c01-570f-4a9b-8d69-

199fdba5723b}\inprocserver32[inprocserver32]

Queries value: HKCR\clsid\{dcb00c01-570f-4a9b-8d69-199fdba5723b}\inprocserver32[]

Queries value: HKCR\clsid\{dcb00c01-570f-4a9b-8d69-

199fdba5723b}\inprocserver32[threadingmodel]

Queries value: HKLM\software\microsoft\ole\appcompat[raisedefaultauthnlevel]

Queries value: HKLM\software\microsoft\ole[defaultaccesspermission]

Queries value: HKLM\system\currentcontrol\set\control\lsa[everyoneincludesanonymous]
Queries value: HKLM\software\microsoft\cryptography\defaults\provider\microsoft strong
cryptographic provider[type]

Queries value: HKLM\software\microsoft\cryptography\defaults\provider\microsoft strong cryptographic provider[image path]

Queries value: HKLM\system\currentcontrolset\control\session

manager[safeprocesssearchmode]

Queries value: HKLM\system\currentcontrol\sa\fipsalgorithmpolicy[enabled]
Queries value: HKLM\system\currentcontrol\sa[fipsalgorithmpolicy]
Queries value: HKLM\software\policies\microsoft\cryptography[privkeycachemaxitems]
Oueries value:

 $HKLM \setminus software \setminus policies \setminus microsoft \setminus cryptography [privkey cachepurge interval seconds]$

Queries value: HKLM\software\policies\microsoft\cryptography[privatekeylifetimeseconds]

Queries value: HKLM\software\microsoft\cryptography[machineguid]

 $Queries\ value: \\ HKCR \ interface \\ \{00000134-0000-0000-000000000046\} \\ proxystubclsid32[]$

Queries value: HKLM\software\microsoft\rpc\extensions[remoterpcdl1] Queries value: HKLM\software\microsoft\ole[maximumallowedallocationsize]

Queries value: HKCR\interface\{d0074ffd-570f-4a9b-8d69-199fdba5723b}\proxystubclsid32[]

Queries value: HKCR\clsid\{1299cf18-c4f5-4b6a-bb0f-2299f0398e27}[]

Queries value: HKCR\clsid\{1299cf18-c4f5-4b6a-bb0f-

2299f0398e27}\inprocserver32[inprocserver32]

Queries value: HKCR\clsid\{1299cf18-c4f5-4b6a-bb0f-2299f0398e27}\inprocserver32[]

Queries value: HKCR\clsid\{1299cf18-c4f5-4b6a-bb0f-

2299f0398e27}\inprocserver32[threadingmodel]

 $\begin{array}{lll} \textbf{Queries value:} & \textbf{HKCR} & \textbf{HKCR} & \textbf{15.656} & \textbf{16.656} & \textbf{16$

HKCR\interface\{55272a00-42cb-11ce-8135-00aa004bb851}\proxystubclsid32[] Oueries value: HKCR\clsid\{b196b286-bab4-101a-b69c-00aa00341d07}[] Oueries value: Oueries value: HKCR\clsid\{b196b286-bab4-101a-b69c-00aa00341d07}\inprocserver32[inprocserver32] HKCR\clsid\{b196b286-bab4-101a-b69c-00aa00341d07}\inprocserver32[] Oueries value: Queries value: HKCR\clsid\{b196b286-bab4-101a-b69c-00aa00341d07}\inprocserver32[threadingmodel] HKCR\interface\{bcd1de7e-2db1-418b-b047-4a74e101f8c1}\proxystubclsid32[] Oueries value: Oueries value: HKCR\interface\{2a1c9eb2-df62-4154-b800-63278fcb8037}\proxystubclsid32[] Oueries value: HKCU\software\microsoft\windows\currentversion\internet settings\wpad[wpadlastnetwork] Queries value: HKCU\software\microsoft\windows\currentversion\internet settings[autoproxydetecttype] HKLM\system\currentcontrolset\services\netbt\linkage[export] Oueries value: Queries value: HKLM\software\microsoft\internet explorer\main\featurecontrol\feature_mime_handling[00aca0729582792a46b971951043ff06.exe] HKLM\software\microsoft\internet Oueries value: explorer\main\featurecontrol\feature_mime_handling[*] Queries value: HKLM\software\microsoft\internet explorer\main\featurecontrol\feature_unc_savedfilecheck[00aca0729582792a46b971951043ff06.exe] Queries value: HKLM\software\microsoft\internet explorer\main\featurecontrol\feature_unc_savedfilecheck[*] Oueries value: HKLM\software\policies\microsoft\internet explorer\security[disablesecuritysettingscheck] HKCU\software\microsoft\windows\currentversion\internet Queries value: settings\zones\0[flags] HKCU\software\microsoft\windows\currentversion\internet Queries value: settings\zones\1[flags] HKCU\software\microsoft\windows\currentversion\internet Oueries value: settings\zones\2[flags] HKCU\software\microsoft\windows\currentversion\internet Oueries value: settings\zones\3[flags] HKCU\software\microsoft\windows\currentversion\internet Queries value: settings\zones\4[flags] HKCU\software\microsoft\internet Queries value: explorer\main\featurecontrol\feature_localmachine_lockdown[00aca0729582792a46b971951043ff06.exe] HKCU\software\microsoft\internet Oueries value: explorer\main\featurecontrol\feature_localmachine_lockdown[*] HKLM\software\microsoft\internet Queries value: explorer\main\featurecontrol\feature_localmachine_lockdown[00aca0729582792a46b971951043ff06.exe] Queries value: HKLM\software\microsoft\internet explorer\main\featurecontrol\feature_localmachine_lockdown[*] Oueries value: HKLM\software\policies\microsoft\windows\currentversion\internet settings[createuricachesize] Oueries value: HKCU\software\policies\microsoft\windows\currentversion\internet settings[createuricachesize] Queries value: HKCU\software\microsoft\windows\currentversion\internet settings[createuricachesize] HKLM\software\microsoft\windows\currentversion\internet Oueries value: settings[createuricachesize] Oueries value: HKLM\software\policies\microsoft\windows\currentversion\internet settings[enablepunycode] Queries value: HKCU\software\policies\microsoft\windows\currentversion\internet settings[enablepunycode] HKCU\software\microsoft\windows\currentversion\internet Oueries value: settings[enablepunycode] Queries value: HKCU\software\microsoft\internet explorer\ietld[ietlddllversionlow] Oueries value: HKCU\software\microsoft\internet explorer\ietld[ietlddllversionhigh] HKLM\system\currentcontrolset\control\cmf\config[system] Oueries value: HKCU\software\microsoft\internet explorer\ietld[ietldversionlow] Queries value: Queries value: HKCU\software\microsoft\internet explorer\ietld[ietldversionhigh] Oueries value: HKCU\software\microsoft\windows\currentversion\internet settings\zonemap[autodetect] Oueries value: HKCU\software\microsoft\windows\currentversion\internet settings\zones\3[1a10] Sets/Creates value: $HKLM \setminus software \setminus microsoft \setminus tracing \setminus 00aca0729582792a46b971951043ff06_rasapi32[enable file tracing]$ Sets/Creates value: $HKLM \setminus software \setminus microsoft \setminus tracing \setminus 00 aca 0729582792 a46 b971951043 ff 06_rasapi 32 [enable consolet racing]$ Sets/Creates value: HKLM\software\microsoft\tracing\00aca0729582792a46b971951043ff06_rasapi32[filetracingmask] HKLM\software\microsoft\tracing\00aca0729582792a46b971951043ff06_rasapi32[consoletracingmask] Sets/Creates value:

HKLM\software\microsoft\tracing\00aca0729582792a46b971951043ff06_rasapi32[maxfilesize] Sets/Creates value: HKLM\software\microsoft\tracing\00aca0729582792a46b971951043ff06_rasapi32[filedirectory] Sets/Creates value: HKLM\software\microsoft\tracing\00aca0729582792a46b971951043ff06_rasmancs[enablefiletracing] Sets/Creates value: $HKLM \setminus software \setminus microsoft \setminus tracing \setminus 00 aca 0729582792a46b971951043ff 06_rasmancs [enable consolet racing]$ Sets/Creates value: $HKLM \ software \ microsoft \ tracing \ 00aca0729582792a46b971951043ff06_rasmancs[file tracing mask]$

Sets/Creates value:

HKLM\software\microsoft\tracing\00aca0729582792a46b971951043ff06_rasmancs[consoletracingmask]

Sets/Creates value:

HKLM\software\microsoft\tracing\00aca0729582792a46b971951043ff06_rasmancs[maxfilesize] Sets/Creates value:

 $HKLM \ software \ microsoft \ tracing \ 00aca0729582792a46b971951043ff06_rasmancs[filedirectory]$ Sets/Creates value:

HKCU\software\microsoft\windows\currentversion\internet

settings\wpad\{74b1e0bf-aea3-4a90-8faf-011a15d24826}[wpaddecisionreason]

Sets/Creates value: HKCU\software\microsoft\windows\currentversion\internet

settings\wpad\{74b1e0bf-aea3-4a90-8faf-011a15d24826}[wpaddecisiontime]

HKCU\software\microsoft\windows\currentversion\internet Sets/Creates value:

settings\wpad\{74b1e0bf-aea3-4a90-8faf-011a15d24826}[wpaddecision]

Sets/Creates value: HKCU\software\microsoft\windows\currentversion\internet

settings\wpad\{74b1e0bf-aea3-4a90-8faf-011a15d24826}[wpadnetworkname]

Sets/Creates value: HKCU\software\microsoft\windows\currentversion\internet

settings\wpad\66-bc-c7-95-88-39[wpaddecisionreason] Sets/Creates value:

HKCU\software\microsoft\windows\currentversion\internet settings\wpad\66-bc-c7-95-88-39[wpaddecisiontime]

Sets/Creates value:

HKCU\software\microsoft\windows\currentversion\internet

settings\wpad\66-bc-c7-95-88-39[wpaddecision]

Value changes: HKCU\software\microsoft\windows\currentversion\internet

settings[proxyenable]

HKCU\software\microsoft\windows\currentversion\internet Value changes:

settings\connections[savedlegacysettings]

Value changes: HKCU\software\microsoft\windows\currentversion\internet

settings\connections[defaultconnectionsettings]

Value changes: $\label{lem:hkcu} \verb+KKCU\+ software\+ microsoft\+ windows\+ current version\+ internet$

settings\wpad[wpadlastnetwork]

HKCU\software\microsoft\windows\currentversion\internet Value changes:

settings\zonemap[uncasintranet]

Value changes: HKCU\software\microsoft\windows\currentversion\internet

settings\zonemap[autodetect]

HKCU\software\microsoft\windows\currentversion\internet Value changes:

settings\wpad\{74b1e0bf-aea3-4a90-8faf-011a15d24826}[wpaddecisionreason]

Value changes: HKCU\software\microsoft\windows\currentversion\internet

settings\wpad\{74b1e0bf-aea3-4a90-8faf-011a15d24826}[wpaddecisiontime]

HKCU\software\microsoft\windows\currentversion\internet Value changes:

settings\wpad\{74b1e0bf-aea3-4a90-8faf-011a15d24826}[wpaddecision]

HKCU\software\microsoft\windows\currentversion\internet Value changes:

settings\wpad\{74b1e0bf-aea3-4a90-8faf-011a15d24826}[wpadnetworkname]

Value changes: HKCU\software\microsoft\windows\currentversion\internet settings\wpad\66-bc-c7-95-88-39[wpaddecisionreason]

HKCU\software\microsoft\windows\currentversion\internet Value changes:

settings\wpad\66-bc-c7-95-88-39[wpaddecisiontime]

 $\label{thm:local_hammon_hammon} \begin{tabular}{ll} HKCU \software \mbox{$\operatorname{$\mathbf{M}$} \software} \mbox{$\operatorname{\mathbf{M}}$} \software \mbox$ Value changes:

settings\wpad\66-bc-c7-95-88-39[wpaddecision]