Malware Analysis Appliance by Blue Coat Systems, Inc.

Task Details

Host: mag2, Sample ID: 59, Task ID: 236

Task ID: 236 Risk Level: 4

Date Processed: 2016-04-28 12:53:43 (UTC)

Processing Time: 61.13 seconds
Virtual Environment: IntelliVM

Execution Arguments: "c:\windows\temp\394c529a998f001b2544559ea85b0e07.exe"

Sample ID: 59
Type: basic
Owner: admin

Label: 394c529a998f001b2544559ea85b0e07

Date Added: 2016-04-28 12:44:55 (UTC)

File Type: PE32:win32:gui File Size: 757856 bytes

MD5: 394c529a998f001b2544559ea85b0e07

SHA256: fdf973b3a46c7aa7bbf3f4235cbf3b2d77247c11eedf287861d334ba4275e5ce

Description: None

Pattern Matching Results

2 PE: Nonstandard section

4 Packer: NSIS [Nullsoft Scriptable Install System]

Static Events

Anomaly: PE: Contains a virtual section

Anomaly: PE: Contains one or more non-standard sections

Process/Thread Events

Creates process: C:\windows\temp\394c529a998f001b2544559ea85b0e07.exe

["C:\windows\temp\394c529a998f001b2544559ea85b0e07.exe"]

Named Object Events

Creates mutex: \Sessions\1\BaseNamedObjects\DBWinMutex

Creates mutex: \Sessions\1\BaseNamedObjects\CicLoadWinStaWinSta0

Creates mutex: \Sessions\1\BaseNamedObjects\MSCTF.CtfMonitorInstMutexDefault1

Creates event: \KernelObjects\MaximumCommitCondition

Creates event: \Sessions\1\BaseNamedObjects\MSCTF.CtfActivated.Default1

Creates event: \BaseNamedObjects\SvcctrlStartEvent_A3752DX

Creates event: \BaseNamedObjects\BFE_Notify_Event_{89e8c8c3-3bd1-4744-997d-

64e33230ff1b}

File System Events

Creates: C:\Users\Admin\AppData\Local\Microsoft\Windows\Caches

Creates: C:\Users\Admin\AppData\Local\Temp\

Creates: C:\Users\Admin\AppData\Local\Temp\nsaDA66.tmp
Creates: C:\Users\Admin\AppData\Local\Temp\nsiDAA3.tmp
Creates: C:\Users\Admin\AppData\Local\Temp\nssDAAE.tmp

Creates: C:\Users
Creates: C:\Users\Admin

Creates: C:\Users\Admin\AppData
Creates: C:\Users\Admin\AppData\Local
Creates: C:\Users\Admin\AppData\Local\Temp

C:\Users\Admin\AppData\Local\Temp\nssDAAE.tmp\System.dll Creates: C:\Users\Admin\AppData\Local\Temp\nssDAAE.tmp\lua51.dll Creates: C:\Users\Admin\AppData\Local\Temp\nssDAAE.tmp\LuaXml_lib.dll Creates: C:\Users\Admin\AppData\Local\Temp\nssDAAE.tmp\LuaBridge.dll Creates: Creates: C:\Users\Admin\AppData\Local\Temp\nssDAAE.tmp\definitions.lua C:\Users\Admin\AppData\Local\Temp\nssDAAE.tmp\utils.lua Creates: C:\Users\Admin\AppData\Local\Temp\nssDAAE.tmp\LuaSocket Creates: $\label{thm:local-temp} $$C:\Users\Admin\AppData\Local\Temp\nssDAAE.tmp\LuaSocket\socket$$$ Creates: ${\tt C:\Users\Admin\AppData\Local\Temp\nssDAAE.tmp\LuaSocket\mimes and the control of the contro$ Creates: C:\Users\Admin\AppData\Local\Temp\nssDAAE.tmp\LuaSocket\lua Creates:

Creates: C:\Users\Admin\AppData\Local\Temp\nssDAAE.tmp\LuaSocket\lua Creates: C:\Users\Admin\AppData\Local\Temp\nssDAAE.tmp\LuaSocket\lua\socket Creates: C:\Users\Admin\AppData\Local\Temp\nssDAAE.tmp\LuaSocket\lua\mime.lua Creates: C:\Users\Admin\AppData\Local\Temp\nssDAAE.tmp\LuaSocket\lua\socket.lua C:\Users\Admin\AppData\Local\Temp\nssDAAE.tmp\LuaSocket\lua\ltn12.lua

Creates:

 $\verb| C: Users Admin App Data Local Temp \nssDAAE.tmp \lua Socket \lua \socket \ftp. lua \creates: \\$

C:\Users\Admin\AppData\Local\Temp\nssDAAE.tmp\LuaSocket\lua\socket\tp.lua
Creates:

 $\hbox{$C:\Users\land Admin\AppData\Local\Temp\nssDAAE.tmp\LuaSocket\lua\socket\smtp.lua Creates:} \\$

```
C:\Users\Admin\AppData\Local\Temp\nssDAAE.tmp\LuaSocket\socket\core.dll
 Creates:
 Creates:
                        C:\Users\Admin\AppData\Local\Temp\nssDAAE.tmp\LuaSocket\mime\core.dll
 Creates:
                        C:\Users\Admin\AppData\Local\Temp\nssDAAE.tmp\LuaXml.lua
 Creates:
                        C:\Users\Admin\AppData\Local\Temp\nssDAAE.tmp\json.lua
 Creates:
                        C: \verb|\Users\Admin\AppData\Local\Temp\nssDAAE.tmp\luacom.dll|
                        C:\Users\Admin\AppData\Local\Temp\nssDAAE.tmp\Env.lua
 Creates:
                        C:\Users\Admin\AppData\Local\Temp\nssDAAE.tmp\Sandbox.lua
 Creates:
 Creates:
                        C:\Users\Admin\AppData\Local\Temp\nssDAAE.tmp\Downloads.lua
 Creates:
                        C:\Users\Admin\AppData\Local\Temp\nssDAAE.tmp\NotifyIcon.lua
 Creates:
 Creates:
                        C: \verb|\USers\Admin\AppData\Local\Temp\nssDAAE.tmp\CallbackProxy.lua| \\
 Creates:
                        C:\Users\Admin\AppData\Local\Temp\nssDAAE.tmp\UiState.lua
                        C:\Users\Admin\AppData\Local\Temp\nssDAAE.tmp\ProcessFreeFile.lua
 Creates:
 Creates:
                        C:\Users\Admin\AppData\Local\Temp\nssDAAE.tmp\extension.tlb
                        C:\Users\Admin\AppData\Local\Temp\nssDAAE.tmp\GuiInit.lua
 Creates:
                        C:\Users\Admin\AppData\Local\Temp\nssDAAE.tmp\DownloadList.lua
 Creates:
 Creates:
                        C:\Users\Admin\AppData\Local\Temp\nssDAAE.tmp\Events.lua
 Creates:
                        C: \verb|\USers\Admin\AppData\Local\Temp\nssDAAE.tmp\DownloadThread.lua| \\
                        \verb|C:\Users\Admin\AppData\Local\Temp\nssDAAE.tmp\IntegratedOffer.lua| \\
 Creates:
 Creates:
                        C:\Users\Admin\AppData\Local\Temp\nssDAAE.tmp\BrowserControl.lua
                        C:\Users\Admin\AppData\Local\Temp\nssDAAE.tmp\res
 Creates:
                        C:\Users\Admin\AppData\Local\Temp\nssDAAE.tmp\bullet
 Creates:
 Creates:
                        C:\Users\Admin\AppData\Local\Temp\nssDAAE.tmp\res\jquery.js
 Creates:
                        C:\Users\Admin\AppData\Local\Temp\nssDAAE.tmp\res\common.js
                        C:\Users\Admin\AppData\Local\Temp\nssDAAE.tmp\res\common.css
 Creates:
 Creates:
                        Creates:
                        C:\Users\Admin\AppData\Local\Temp\nssDAAE.tmp\bullet\accept.png
                        C:\Users\Admin\AppData\Local\Temp\nssDAAE.tmp\bullet\back.png
 Creates:
                        C:\Users\Admin\AppData\Local\Temp\nssDAAE.tmp\bullet\cancel.png
 Creates:
 Creates:
                        C:\Users\Admin\AppData\Local\Temp\nssDAAE.tmp\bullet\close.png
                        C:\Users\Admin\AppData\Local\Temp\nssDAAE.tmp\bullet\decline.png
 Creates:
                        \label{thm:local} $$C:\Users\Admin\AppData\Local\Temp\nssDAAE.tmp\bullet\next.png
 Creates:
 Creates:
                        C:\Users\Admin\AppData\Local\Temp\nssDAAE.tmp\bullet\progress.gif
                        C:\Users\Admin\AppData\Local\Temp\nssDAAE.tmp\bullet\progressPause.gif
 Creates:
                        C:\Users\Admin\AppData\Local\Temp\nssDAAE.tmp\bullet\skin.jpg
 Creates:
 Creates:
                        C:\Users\Admin\AppData\Local\Temp\nssDAAE.tmp\__localxml.xml
                        C: \verb|\USers\Admin\AppData\Local\Temp\nssDAAE.tmp\AdvancedTests.lua| \\
 Creates:
                        C:\Users\Admin\AppData\Local\Temp\nssDAAE.tmp\version.dll
 Creates:
 Creates:
                        C:\Users\Admin\AppData\Local\Temp\nssDAAE.tmp\UACInfo.dll
                        C:\Windows\Resources\0409
 Creates:
                        \verb|C:\Users\Admin\AppData\Local\Temp\nssDAAE.tmp\FloatingProgress.dll| \\
 Creates:
 Creates:
                        C:\Users\Admin\AppData\Local\Temp\nssDAAE.tmp\__web.xml
                        C:\Windows\Prefetch\394C529A998F001B2544559EA85B0-455D4D16.pf
 Opens:
 Opens:
                        C:\Windows\System32
 Opens:
                        C:\Windows\System32\sechost.dll
                        C:\windows\temp\394c529a998f001b2544559ea85b0e07.exe.Local\
 Opens:
 Opens:
                        C:\Windows\winsxs\x86_microsoft.windows.common-
controls_6595b64144ccf1df_6.0.7601.17514_none_41e6975e2bd6f2b2
 Opens:
                        C:\Windows\winsxs\x86_microsoft.windows.common-
controls_6595b64144ccf1df_6.0.7601.17514_none_41e6975e2bd6f2b2\comctl32.dll
                        C:\windows\temp\VERSION.dll
 Opens:
 Opens:
                        C:\Windows\System32\version.dll
 Opens:
                        C:\Windows\System32\imm32.dll
 Opens:
                        C:\Windows\WindowsShell.Manifest
 Opens:
                        C:\Windows\System32\rpcss.dll
 Opens:
                        C:\windows\temp\CRYPTBASE.dll
 Opens:
                        C:\Windows\System32\cryptbase.dll
                        C:\Windows\System32\uxtheme.dll
 Opens:
 Opens:
                        C:\windows\temp\SHFOLDER.DLL
 Opens:
                        C:\Windows\System32\shfolder.dll
 Opens:
                        {\tt C:\Windows\Globalization\Sorting\SortDefault.nls}
 Opens:
                        C:\Windows\System32\shell32.dll
 Opens:
                        C:\
                        C:\Windows
 Opens:
 Opens:
                        C:\Windows\System32\propsys.dll
 Opens:
                        C:\Users\Admin\AppData\Local\Microsoft\Windows\Caches\cversions.1.db
 Opens:
                        C:\windows\temp\ntmarta.dll
 Opens:
                        C:\Windows\System32\ntmarta.dll
 Opens:
                        C:\Users\Admin\AppData\Local\Microsoft\Windows\Caches\{AFBF9F1A-8EE8-
4C77-AF34-C647E37CA0D9}.1.ver0x0000000000000006.db
 Opens:
                        C:\Users\Admin\Desktop\desktop.ini
 Opens:
                        C:\windows\temp\profapi.dll
 Opens:
                        C:\Windows\System32\profapi.dll
 Opens:
                        C:\Users\Admin\AppData\Local\Temp
                        C:\Windows\System32\en-US\setupapi.dll.mui
 Opens:
 Opens:
                        C:\Users\Admin\AppData\Local\Temp\nsaDA66.tmp
 Opens:
                        C:\Windows\Temp\394c529a998f001b2544559ea85b0e07.exe
 Opens:
                        C:\Users\Admin\AppData\Local\Temp\nssDAAE.tmp
 Opens:
                        C:\Users
 Opens:
                        C:\Users\Admin
                        C:\Users\Admin\AppData
 Opens:
 Opens:
                        C:\Users\Admin\AppData\Local
```

```
C:\Users\Admin\AppData\Local\Temp\nssDAAE.tmp\System.dll
   Opens:
   Opens:
                                               C:\windows\temp\winmm.DLL
                                               C:\Windows\System32\winmm.dll
   Opens:
   Opens:
                                               C:\Users\Admin\AppData\Local\Temp\nssDAAE.tmp\lua51.dll
   Opens:
                                               C:\Users\Admin\AppData\Local\Temp\nssDAAE.tmp\LuaXml_lib.dll
   Opens:
                                               C:\Users\Admin\AppData\Local\Temp\nssDAAE.tmp\LuaBridge.dll
                                               C:\Users\Admin\AppData\Local\Temp\nssDAAE.tmp\IPHLPAPI.DLL
   Opens:
                                               C:\Windows\System32\IPHLPAPI.DLL
   Opens:
                                               C:\Users\Admin\AppData\Local\Temp\nssDAAE.tmp\WINNSI.DLL
   Opens:
   Opens:
                                               C:\Windows\System32\winnsi.dll
   Opens:
                                               C:\Users\Admin\AppData\Local\Temp\nssDAAE.tmp\definitions.lua
   Opens:
                                               Opens:
                                               C:\Users\Admin\AppData\Local\Temp\nssDAAE.tmp\LuaSocket
                                               Opens:
   Opens:
                                                C: \Users \land Admin \land PpData \land Local \land Temp \land SDAAE.tmp \land LuaSocket \land LuaSock
   Opens:
                                               Opens:
Opens:
Opens:
C:\Users\Admin\AppData\Local\Temp\nssDAAE.tmp\LuaSocket\lua\socket\tp.lua
   Opens:
C:\Users\Admin\AppData\Local\Temp\nssDAAE.tmp\LuaSocket\lua\socket\smtp.lua
   Opens:
Opens:
                                               \verb|C:\Users\landAdmin\landAppData\landLocal\landTemp\landnssDAAE.tmp\landLuaSocket\landsocket\landcore.dl|\\
   Opens:
                                               C:\Users\Admin\AppData\Local\Temp\nssDAAE.tmp\LuaSocket\mime\core.dll
   Opens:
                                               C:\Users\Admin\AppData\Local\Temp\nssDAAE.tmp\LuaXml.lua
   Opens:
                                               C:\Users\Admin\AppData\Local\Temp\nssDAAE.tmp\json.lua
   Opens:
                                               C:\Users\Admin\AppData\Local\Temp\nssDAAE.tmp\luacom.dll
   Opens:
                                               C:\Users\Admin\AppData\Local\Temp\nssDAAE.tmp\Env.lua
   Opens:
                                               Opens:
                                               C:\Users\Admin\AppData\Local\Temp\nssDAAE.tmp\BundleInstall.lua
   Opens:
                                               \label{local-temp} $$C:\Users\Admin\AppData\Local\Temp\nssDAAE.tmp\Downloads.lua $$
   Opens:
                                               C:\Users\Admin\AppData\Local\Temp\nssDAAE.tmp\NotifyIcon.lua
   Opens:
                                               C:\Users\Admin\AppData\Local\Temp\nssDAAE.tmp\CallbackProxy.lua
   Opens:
                                               C: \verb|\USers\Admin\AppData\Local\Temp\nssDAAE.tmp\UiState.lua| \\
   Opens:
                                               Opens:
                                               C:\Users\Admin\AppData\Local\Temp\nssDAAE.tmp\extension.tlb
                                               C: \verb|\USers\Admin\AppData\Local\Temp\nssDAAE.tmp\GuiInit.lua| \\
   Opens:
   Opens:
                                               {\tt C:\Users\Admin\AppData\Local\Temp\nssDAAE.tmp\DownloadList.lua}
   Opens:
                                               C:\Users\Admin\AppData\Local\Temp\nssDAAE.tmp\Events.lua
   Opens:
C:\Users\Admin\AppData\Local\Temp\nssDAAE.tmp\473cc25d62ab653c6f7e53a704dc6e0ff7a8b71b
   Opens:
C:\Users\Admin\AppData\Local\Temp\nssDAAE.tmp\d5d7f3f32daa4938801b818601d43b728214a756
   Opens:
Opens:
                                               C:LuaXML lib.lua
                                               C:\windows\temp\lua\LuaXML_lib.lua
   Opens:
   Opens:
                                               C:\windows\temp\lua\LuaXML_lib\init.lua
   Opens:
                                               C:\windows\temp\LuaXML_lib.lua
   Opens:
                                               C:\windows\temp\LuaXML_lib\init.lua
                                               C:\Users\Admin\AppData\Local\Temp\nssDAAE.tmp\LuaXML_lib.lua
   Opens:
   Opens:
Opens:
                                               C:\windows\temp\LuaXML_lib.dll
   Opens:
                                               C:\Windows\system32\LuaXML_lib.dll
                                               C:\Windows\system\LuaXML_lib.dll
   Opens:
   Opens:
                                               C:\Windows\LuaXML_lib.dll
   Opens:
C:\Users\Admin\AppData\Local\Temp\nssDAAE.tmp\897d21056a341314b60764c31b36c1fad542e78a
   Opens:
Opens:
                                               C:socket.lua
   Opens:
                                               C:\windows\temp\lua\socket.lua
   Opens:
                                               C:\windows\temp\lua\socket\init.lua
   Opens:
                                               C:\windows\temp\socket.lua
   Opens:
                                               C:\windows\temp\socket\init.lua
   Opens:
                                               C:\Users\Admin\AppData\Local\Temp\nssDAAE.tmp\socket.lua
   Opens:
C: \verb|VBers\Admin\AppData\Local\Temp\nssDAAE.tmp\87a5250e7389d052be3fdc257872ebd873ef2deb| | A the control of 
   Opens:
Opens:
                                               C:socket\core.lua
   Opens:
                                               C:\windows\temp\lua\socket\core.lua
   Opens:
                                               C:\windows\temp\lua\socket\core\init.lua
   Opens:
                                               C:\windows\temp\socket\core.lua
                                               C:\windows\temp\socket\core\init.lua
   Opens:
   Opens:
                                               C: \verb|\USers\Admin\AppData\Local\Temp\nssDAAE.tmp\socket\core.lua| \\
```

```
Opens:
\verb|C:\Users\land Admin\land AppData\land Local\land Temp\land ssDAAE.tmp\land LuaSocket\land lua\land socket\land core.lua| | luaSocket\land lua\land socket\land lua \land luaSocket \land luaSo
    Opens:
                                                       C:socket\core.dll
                                                       C:\windows\temp\socket\core.dll
    Opens:
    Opens:
                                                      C:\windows\temp\loadall.dll
    Opens:
                                                       C: \verb|\USers\Admin\AppData\Local\Temp\nssDAAE.tmp\socket\core.dll|\\
    Opens:
Opens:
C:socket\http.lua
    Opens:
    Opens:
                                                       C:\windows\temp\lua\socket\http.lua
    Opens:
                                                       C:\windows\temp\lua\socket\http\init.lua
                                                      C:\windows\temp\socket\http.lua
    Opens:
    Opens:
                                                       C:\windows\temp\socket\http\init.lua
    Opens:
                                                       C:\Users\Admin\AppData\Local\Temp\nssDAAE.tmp\socket\http.lua
    Opens:
C:\Users\Admin\AppData\Local\Temp\nssDAAE.tmp\c27913efc6edcc938c504fa24651c7f3d95f51cc
    Opens:
C:\Users\Admin\AppData\Local\Temp\nssDAAE.tmp\c27913efc6edcc938c504fa24651c7f3d95f51cc.dll
    Opens:
                                                       C:socket\url.lua
    Opens:
                                                       C:\windows\temp\lua\socket\url.lua
                                                      C:\windows\temp\lua\socket\url\init.lua
    Opens:
    Opens:
                                                      C:\windows\temp\socket\url.lua
    Opens:
                                                       C:\windows\temp\socket\url\init.lua
    Opens:
                                                       \verb|C:\Users\Admin\AppData\Local\Temp\nssDAAE.tmp\socket\url.lua| \\
    Opens:
Opens:
Opens:
                                                      C:ltn12.lua
    Opens:
                                                       C:\windows\temp\lua\ltn12.lua
    Opens:
                                                      C:\windows\temp\lua\ltn12\init.lua
    Opens:
                                                      C:\windows\temp\ltn12.lua
    Opens:
                                                       C:\windows\temp\ltn12\init.lua
    Opens:
                                                       Opens:
C:\Users\Admin\AppData\Local\Temp\nssDAAE.tmp\c6d51ab09f96b7569326130e860517b7d87e866d
Opens:
                                                       C:mime.lua
    Opens:
                                                       C:\windows\temp\lua\mime.lua
                                                      C:\windows\temp\lua\mime\init.lua
    Opens:
                                                      C:\windows\temp\mime.lua
    Opens:
    Opens:
                                                       C:\windows\temp\mime\init.lua
    Opens:
                                                      C:\Users\Admin\AppData\Local\Temp\nssDAAE.tmp\mime.lua
    Opens:
C:\Users\Admin\AppData\Local\Temp\nssDAAE.tmp\f40368059830399ce8189100003d317f2739d087
    Opens:
\verb|C:\Users\land Admin\land AppData\land Local\land Temp\land SDAAE.tmp\land f40368059830399ce8189100003d317f2739d087.dl1| | C:\Users\land Admin\land AppData\land Local\land Temp\land f40368059830399ce8189100003d317f2739d087.dl1| | C:\Users\land Admin\land AppData\land AppData، AppData، AppData، AppData, AppData، AppData، AppData، AppData, AppD
                                                      C:mime\core.lua
    Opens:
                                                      C:\windows\temp\lua\mime\core.lua
    Opens:
    Opens:
                                                      C:\windows\temp\lua\mime\core\init.lua
    Opens:
                                                      C:\windows\temp\mime\core.lua
                                                       C:\windows\temp\mime\core\init.lua
    Opens:
    Opens:
                                                       C:\Users\Admin\AppData\Local\Temp\nssDAAE.tmp\mime\core.lua
    Opens:
C:\Users\Admin\AppData\Local\Temp\nssDAAE.tmp\LuaSocket\lua\mime\core.lua
    Opens:
                                                       C:mime\core.dll
    Opens:
                                                       C:\windows\temp\mime\core.dll
    Opens:
                                                       C:\Users\Admin\AppData\Local\Temp\nssDAAE.tmp\mime\core.dll
    Opens:
Opens:
C:\Users\Admin\AppData\Local\Temp\nssDAAE.tmp\f45008e3c900e7920effac3ed6f377dd0caf0cf1.dll
                                                       C:socket\ftp.lua
    Opens:
    Opens:
                                                       C:\windows\temp\lua\socket\ftp.lua
    Opens:
                                                       C:\windows\temp\lua\socket\ftp\init.lua
    Opens:
                                                       C:\windows\temp\socket\ftp.lua
                                                       C:\windows\temp\socket\ftp\init.lua
    Opens:
    Opens:
                                                       C:\Users\Admin\AppData\Local\Temp\nssDAAE.tmp\socket\ftp.lua
    Opens:
C:\Users\Admin\AppData\Local\Temp\nssDAAE.tmp\a317db596f44efe64d2468fcc06f25e9e5c24881
    Opens:
Opens:
                                                      C:socket\tp.lua
    Opens:
                                                       C:\windows\temp\lua\socket\tp.lua
                                                       C:\windows\temp\lua\socket\tp\init.lua
    Opens:
    Opens:
                                                      C:\windows\temp\socket\tp.lua
    Opens:
                                                       C:\windows\temp\socket\tp\init.lua
    Opens:
                                                       Opens:
C:\Users\Admin\AppData\Local\Temp\nssDAAE.tmp\05d97e6e9834ccf063c552e404b9ecafc5e4d662
```

Opens:

- C:\Users\Admin\AppData\Local\Temp\nssDAAE.tmp\05d97e6e9834ccf063c552e404b9ecafc5e4d662.dll
 Opens:
- C:\Users\Admin\AppData\Local\Temp\nssDAAE.tmp\9ed037b84943c4caa3a520e48a5540181c46c98c
 Opens:
- C:\Users\Admin\AppData\Local\Temp\nssDAAE.tmp\9ed037b84943c4caa3a520e48a5540181c46c98c.dll
 Opens:
- $\hbox{C:\scal}$$ C:\scal^m_\a2562690818 adae 41c773c584b6f6c09ebb4d39c Opens: \\$
- $\label{local-Temp} $$C:\Users\land Admin\AppData\Local\Temp\nssDAAE.tmp\a2562690818adae41c773c584b6f6c09ebb4d39c.dll Opens:$
- $\label{local-temp} $$C:\Users\wedge Admin\AppData\Local\Temp\nssDAAE.tmp\\54785412a7c2f25a4535a5b8a463d4b9c179408b$$ Opens:$
- $\label{local-Temp} $$C:\Users\Lambda \addinAppData\Local\Temp\nssDAAE.tmp\54785412a7c2f25a4535a5b8a463d4b9c179408b.dll Opens:$
- C:\Users\Admin\AppData\Local\Temp\nssDAAE.tmp\a862c2b21b5e1337de2b76d5e43ae1375117d34d
 Opens:

Opens: C:\windows\temp\dhcpcsvc.DLL
Opens: C:\Windows\System32\dhcpcsvc.dll

Opens: C:\Users\Admin\AppData\Local\Temp\nssDAAE.tmp\DownloadThread.lua
Opens: C:\Users\Admin\AppData\Local\Temp\nssDAAE.tmp\IntegratedOffer.lua
Opens: C:\Users\Admin\AppData\Local\Temp\nssDAAE.tmp\BrowserControl.lua

Opens:

 $\hbox{$C: \space{0.15cm} C: \sp$

Opens: C:luacom.lua

Opens: C:\Users\Admin\AppData\Local\Temp\nssDAAE.tmp\luacom.lua

Opens: C:\Users\Admin\AppData\Local\Temp\nssDAAE.tmp\LuaSocket\lua\luacom.lua

Opens: C:\windows\temp\luacom.dll
Opens: C:\Windows\system32\luacom.dll
Opens: C:\Windows\system\luacom.dll

Opens: C:\Windows\luacom.dll

 Opens:
 C:\Users\Admin\AppData\Local\Temp\nssDAAE.tmp\res\jquery.js

 Opens:
 C:\Users\Admin\AppData\Local\Temp\nssDAAE.tmp\res\common.js

 Opens:
 C:\Users\Admin\AppData\Local\Temp\nssDAAE.tmp\res\knockout.js

 Opens:
 C:\Users\Admin\AppData\Local\Temp\nssDAAE.tmp\res\knockout.js

Opens: C:\Users\Admin\AppData\Local\Temp\nssDAAE.tmp\bullet

C:\Users\Admin\AppData\Local\Temp\nssDAAE.tmp\bullet\accept.png Opens: Opens: C:\Users\Admin\AppData\Local\Temp\nssDAAE.tmp\bullet\back.png Opens: C:\Users\Admin\AppData\Local\Temp\nssDAAE.tmp\bullet\cancel.png Opens: ${\tt C:\Users\Admin\AppData\Local\Temp\nssDAAE.tmp\bullet\close.png}$ Opens: C:\Users\Admin\AppData\Local\Temp\nssDAAE.tmp\bullet\decline.png C:\Users\Admin\AppData\Local\Temp\nssDAAE.tmp\bullet\next.png Opens: Opens: C:\Users\Admin\AppData\Local\Temp\nssDAAE.tmp\bullet\progress.gif Opens: $C: \verb|\USers\Admin\AppData\Local\Temp\nssDAAE.tmp\bullet\progressPause.gif|$

 Opens:
 C:\Users\Admin\AppData\Local\Temp\nssDAAE.tmp\bullet\skin.jpg

 Opens:
 C:\Users\Admin\AppData\Local\Temp\nssDAAE.tmp_localxml.xml

 Opens:
 C:\Users\Admin\AppData\Local\Temp\nssDAAE.tmp\AdvancedTests.lua

 Opens:
 C:\Users\Admin\AppData\Local\Temp\nssDAAE.tmp\version.dll

 Opens:
 C:\Users\Admin\AppData\Local\Temp\nssDAAE.tmp\UACInfo.dll

Opens: C:\Users\Admin\Desktop

Opens: C:\Users\Admin\AppData\Roaming\Microsoft\Windows\Start Menu\Programs

Opens: C:\Users\Admin\AppData\Roaming\Microsoft\Windows\Start

Menu\Programs\Startup

Opens: C:\Users\Admin\AppData\Roaming
Opens: C:\Users\Admin\Documents

Opens: C:\Users\Admin\AppData\Roaming\Microsoft\Windows\SendTo
Opens: C:\Users\Admin\AppData\Roaming\Microsoft\Windows\Recent

Opens: C:\Users\Admin\Favorites
Opens: C:\Users\Admin\Music
Opens: C:\Users\Admin\Pictures
Opens: C:\Users\Admin\Videos

Opens: C:\Windows\Fonts

Opens: C:\Users\Admin\AppData\Roaming\Microsoft\Windows\Templates
Opens: C:\Users\Admin\AppData\Roaming\Microsoft\Windows\Printer Shortcuts

Opens: C:\Users\Admin\AppData\Local\Microsoft\Windows\Temporary Internet Files
Opens: C:\Users\Admin\AppData\Roaming\Microsoft\Windows\Cookies

Opens: C:\Users\Admin\AppData\Roaming\Microsoft\Windows\History
Opens: C:\Users\Admin\AppData\Roaming\Microsoft\Windows\Start

Menu\Programs\Administrative Tools

Opens: C:\Windows\Resources
Opens: C:\Windows\resources\0409

Opens: C:\Users\Admin\AppData\Local\Microsoft\Windows\Burn\Burn

 $\label{lem:continuous} Opens: $$C:\Users\Admin\AppData\Local\Temp\nssDAAE.tmp\FloatingProgress.dll $$Opens: $$C:\Windows\Fonts\tahoma.ttf$$

```
C:\windows\temp\dwmapi.dll
                         C:\Windows\System32\dwmapi.dll
 Opens:
 Opens:
                         C:\Windows\Fonts\StaticCache.dat
                         C:\Windows\System32\mswsock.dll
 Opens:
 Opens:
                         C:\Windows\System32\WSHTCPIP.DLL
 Opens:
                         C:\Windows\System32\nlaapi.dll
 Opens:
                         C:\Windows\System32\NapiNSP.dll
 Opens:
                         C:\Windows\System32\pnrpnsp.dll
 Opens:
                         C:\windows\temp\DNSAPI.dll
 Opens:
                         C:\Windows\System32\dnsapi.dll
 Opens:
                         C:\Windows\System32\winrnr.dll
 Opens:
                         C:\windows\temp\dhcpcsvc6.DLL
 Opens:
                         C:\Windows\System32\dhcpcsvc6.dll
                         C:\Windows\System32\drivers\etc\hosts
 Opens:
 Opens:
                         C:\Windows\System32\FWPUCLNT.DLL
 Opens:
                         C:\windows\temp\rasadhlp.dll
 Opens:
                         C:\Windows\System32\rasadhlp.dll
 Writes to:
                         C:\Users\Admin\AppData\Local\Temp\nsiDAA3.tmp
 Writes to:
                         C:\Users\Admin\AppData\Local\Temp\nssDAAE.tmp\System.dll
                         C:\Users\Admin\AppData\Local\Temp\nssDAAE.tmp\lua51.dll
 Writes to:
 Writes to:
                         C:\Users\Admin\AppData\Local\Temp\nssDAAE.tmp\LuaXml_lib.dll
 Writes to:
                         C:\Users\Admin\AppData\Local\Temp\nssDAAE.tmp\LuaBridge.dll
                         C:\Users\Admin\AppData\Local\Temp\nssDAAE.tmp\definitions.lua
 Writes to:
 Writes to:
                         Writes to:
                         C: \verb|\USers\Admin\AppData\Local\Temp\nssDAAE.tmp\LuaSocket\lua\mime.lua| \\
 Writes to:
                         \verb|C:\Users\Admin\AppData\Local\Temp\nssDAAE.tmp\LuaSocket\lua\socket.lua| \\
 Writes to:
                         \label{thm:label} C: \label{thm:label} C: \label{thm:label} Admin\appData\Local\Temp\nssDAAE.tmp\LuaSocket\lua\ltn12.lua
 Writes to:
C:\Users\Admin\AppData\Local\Temp\nssDAAE.tmp\LuaSocket\lua\socket\http.lua
 Writes to:
C:\Users\Admin\AppData\Local\Temp\nssDAAE.tmp\LuaSocket\lua\socket\ftp.lua
 Writes to:
Writes to:
C:\Users\Admin\AppData\Local\Temp\nssDAAE.tmp\LuaSocket\lua\socket\smtp.lua
C:\Users\Admin\AppData\Local\Temp\nssDAAE.tmp\LuaSocket\lua\socket\url.lua
                         C:\Users\Admin\AppData\Local\Temp\nssDAAE.tmp\LuaSocket\socket\core.dll
 Writes to:
 Writes to:
                         C: \verb|\USers\Admin\AppData\Local\Temp\nssDAAE.tmp\LuaSocket\mime\core.dll|
 Writes to:
                         C:\Users\Admin\AppData\Local\Temp\nssDAAE.tmp\LuaXml.lua
                         {\tt C:\Users\Admin\AppData\Local\Temp\nssDAAE.tmp\json.lua}
 Writes to:
 Writes to:
                         C:\Users\Admin\AppData\Local\Temp\nssDAAE.tmp\luacom.dll
 Writes to:
                         C:\Users\Admin\AppData\Local\Temp\nssDAAE.tmp\Env.lua
                         \verb|C:\Users\Admin\AppData\Local\Temp\nssDAAE.tmp\Sandbox.lua| \\
 Writes to:
                         Writes to:
 Writes to:
                         C:\Users\Admin\AppData\Local\Temp\nssDAAE.tmp\Downloads.lua
 Writes to:
                         {\tt C:\Users\Admin\AppData\Local\Temp\nssDAAE.tmp\NotifyIcon.lua}\\
 Writes to:
                         C: \verb|\USers\Admin\AppData\Local\Temp\nssDAAE.tmp\CallbackProxy.lua| \\
                         C:\Users\Admin\AppData\Local\Temp\nssDAAE.tmp\UiState.lua
 Writes to:
 Writes to:
                         C:\Users\Admin\AppData\Local\Temp\nssDAAE.tmp\ProcessFreeFile.lua
                         Writes to:
                         C:\Users\Admin\AppData\Local\Temp\nssDAAE.tmp\GuiInit.lua
 Writes to:
 Writes to:
                         C:\Users\Admin\AppData\Local\Temp\nssDAAE.tmp\DownloadList.lua
                         C:\Users\Admin\AppData\Local\Temp\nssDAAE.tmp\Events.lua
 Writes to:
 Writes to:
                         C: \verb|\USers\Admin\AppData\Local\Temp\nssDAAE.tmp\DownloadThread.lua| \\
 Writes to:
                         C: \verb|\USers\Admin\AppData\Local\Temp\nssDAAE.tmp\BrowserControl.lua| \\
 Writes to:
                         C:\Users\Admin\AppData\Local\Temp\nssDAAE.tmp\res\jquery.js
 Writes to:
                         C: \verb|\Users\Admin\AppData\Local\Temp\nssDAAE.tmp\res\common.js|
 Writes to:
 Writes to:
                         C:\Users\Admin\AppData\Local\Temp\nssDAAE.tmp\res\common.css
 Writes to:
                         C:\Users\Admin\AppData\Local\Temp\nssDAAE.tmp\res\knockout.js
 Writes to:
                         C:\Users\Admin\AppData\Local\Temp\nssDAAE.tmp\bullet\accept.png
                         C: \verb|\USers\Admin\AppData\Local\Temp\nssDAAE.tmp\bullet\back.png|
 Writes to:
 Writes to:
                         C:\Users\Admin\AppData\Local\Temp\nssDAAE.tmp\bullet\cancel.png
                         {\tt C:\Users\Admin\AppData\Local\Temp\nssDAAE.tmp\bullet\close.png}
 Writes to:
 Writes to:
                         C:\Users\Admin\AppData\Local\Temp\nssDAAE.tmp\bullet\decline.png
 Writes to:
                         C:\Users\Admin\AppData\Local\Temp\nssDAAE.tmp\bullet\next.png
                         \verb|C:\Users\Admin\AppData\Local\Temp\nssDAAE.tmp\bullet\progress.gif|
 Writes to:
 Writes to:
                         C:\Users\Admin\AppData\Local\Temp\nssDAAE.tmp\bullet\skin.jpg
 Writes to:
 Writes to:
                         C:\Users\Admin\AppData\Local\Temp\nssDAAE.tmp\__localxml.xml
                         C:\Users\Admin\AppData\Local\Temp\nssDAAE.tmp\AdvancedTests.lua
 Writes to:
 Writes to:
                         C:\Users\Admin\AppData\Local\Temp\nssDAAE.tmp\version.dll
 Writes to:
                         C:\Users\Admin\AppData\Local\Temp\nssDAAE.tmp\UACInfo.dll
 Writes to:
                         \verb|C:\Users\landAdmin\landAppData\landLocal\landTemp\landnssDAAE.tmp\landFloatingProgress.dll|\\
 Reads from:
                         C:\Users\Admin\Desktop\desktop.ini
                         C:\Windows\Temp\394c529a998f001b2544559ea85b0e07.exe
 Reads from:
                         C:\Users\Admin\AppData\Local\Temp\nsiDAA3.tmp
 Reads from:
 Reads from:
                         C:\Users\Admin\AppData\Local\Temp\nssDAAE.tmp\definitions.lua
 Reads from:
                         C:\Users\Admin\AppData\Local\Temp\nssDAAE.tmp\utils.lua
 Reads from:
                         C:\Users\Admin\AppData\Local\Temp\nssDAAE.tmp\GuiInit.lua
 Reads from:
                         C:\Users\Admin\AppData\Local\Temp\nssDAAE.tmp\LuaXml.lua
```

Opens:

Reads from:

Reads from:

Reads from:

C:\Users\Admin\AppData\Local\Temp\nssDAAE.tmp\LuaSocket\lua\socket\url.lua

Reads from: C:\Users\Admin\AppData\Local\Temp\nssDAAE.tmp\LuaSocket\lua\ltn12.lua
Reads from: C:\Users\Admin\AppData\Local\Temp\nssDAAE.tmp\LuaSocket\lua\mime.lua

Reads from:

Reads from:

C:\Users\Admin\AppData\Local\Temp\nssDAAE.tmp\LuaSocket\lua\socket\tp.lua

Reads from: C:\Users\Admin\AppData\Local\Temp\nssDAAE.tmp\json.lua

Reads from: C:\Users\Admin\AppData\Local\Temp\nssDAAE.tmp\Sandbox.lua

Reads from: C:\Users\Admin\AppData\Local\Temp\nssDAAE.tmp\Env.lua

Reads from: C:\Users\Admin\AppData\Local\Temp\nssDAAE.tmp\CallbackProxy.lua
Reads from: C:\Users\Admin\AppData\Local\Temp\nssDAAE.tmp\Downloads.lua
Reads from: C:\Users\Admin\AppData\Local\Temp\nssDAAE.tmp\DownloadList.lua
Reads from: C:\Users\Admin\AppData\Local\Temp\nssDAAE.tmp\DownloadThread.lua
Reads from: C:\Users\Admin\AppData\Local\Temp\nssDAAE.tmp\DownloadThread.lua
Reads from: C:\Users\Admin\AppData\Local\Temp\nssDAAE.tmp\BrowserControl.lua
Reads from: C:\Users\Admin\AppData\Local\Temp\nssDAAE.tmp\AdvancedTests.lua

Reads from: C:\Windows\Fonts\StaticCache.dat

Reads from: C:\Users\Admin\AppData\Local\Temp\nssDAAE.tmp__localxml.xml

Reads from: C:\Windows\System32\drivers\etc\hosts
Deletes: C:\Users\Admin\AppData\Local\Temp\nsaDA66.tmp
Deletes: C:\Users\Admin\AppData\Local\Temp\nssDAAE.tmp

Network Events

DNS query: service.downloadadmin.com

DNS response: service.downloadadmin.com ⇒ 50.22.63.138
DNS response: service.downloadadmin.com ⇒ 50.22.63.140

 Connects to:
 50.22.63.138:80

 Connects to:
 50.22.63.140:80

 Sends data to:
 8.8.8.8:53

Sends data to:service.downloadadmin.com:80 (50.22.63.138)Sends data to:service.downloadadmin.com:80 (50.22.63.140)Receives data from:8.8.8.8:53

Receives data from: service.downloadadmin.com:80 (50.22.63.138)
Receives data from: service.downloadadmin.com:80 (50.22.63.140)

Windows Registry Events

Creates key: HKLM\system\currentcontrolset\services\tcpip\parameters
Opens key: HKLM\system\currentcontrolset\control\session manager
Opens key: HKLM\system\currentcontrolset\control\safeboot\option
Opens key: HKLM\system\currentcontrolset\control\srp\gp\dll

Opens key: HKLM\software\policies\microsoft\windows\safer\codeidentifiers
Opens key: HKCU\software\policies\microsoft\windows\safer\codeidentifiers

Opens key: HKCU\

Opens key: HKCU\control panel\desktop\muicached\machinelanguageconfiguration

Opens key: HKLM\software\policies\microsoft\mui\settings
Opens key: HKCU\software\policies\microsoft\control panel\desktop

Opens key: HKCU\control panel\desktop

Opens key: HKCU\control panel\desktop\muicached

Opens key: HKLM\software\microsoft\windows\currentversion\sidebyside

Opens key:

HKLM\software\microsoft\windows\currentversion\sidebyside\assemblystorageroots

Opens key: HKLM\system\currentcontrolset\control\nls\sorting\versions
Opens key: HKLM\system\currentcontrolset\control\error message instrument\
Opens key: HKLM\system\currentcontrolset\control\error message instrument
Opens key: HKLM\software\microsoft\windows nt\currentversion\gre_initialize
Opens key: HKLM\software\microsoft\windows nt\currentversion\compatibility32
Opens key: HKLM\software\microsoft\windows nt\currentversion\ime compatibility

Opens key: HKLM\

Opens key: HKLM\software\microsoft\windows nt\currentversion\windows
Opens key: HKLM\software\microsoft\windows nt\currentversion\diagnostics

Opens key: HKLM\software\microsoft\ole

Opens key: HKLM\software\microsoft\ole\tracing

Opens key: HKLM\software\microsoft\windows\currentversion\policies\explorer
Opens key: HKCU\software\microsoft\windows\currentversion\policies\explorer

Opens key: HKLM\system\currentcontrolset\control\nls\customlocale Opens key: HKLM\system\currentcontrolset\control\nls\extendedlocale

Opens key:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version' shell compatibility \ 'applications' \ '394c529a998f001b2544559ea85b0e07.exe$

Opens key: HKLM\software\microsoft\oleaut

Opens key: HKCU\software\classes\

Opens key: HKCU\software\classes\clsid\{20d04fe0-3aea-1069-a2d8-

 $08002b30309d \} \verb|\shellfolder|$

Opens key: $\label{local-equation} \mbox{HKCR\clsid\{20d04fe0-3aea-1069-a2d8-08002b30309d\}\shellfolder}} \mbox{ } \mbox{ } \mbox{HKCR\clsid\{20d04fe0-3aea-1069-a2d8-08002b30309d\}\shellfolder} \mbox{ } \mbox{ }$

Opens key: HKCU\software\microsoft\windows\currentversion\explorer\clsid\{20d04fe0-

3aea-1069-a2d8-08002b30309d}\shellfolder

Opens key: HKLM\software\microsoft\windows\currentversion\explorer\clsid\{20d04fe0-

3aea-1069-a2d8-08002b30309d}\shellfolder

Opens key: HKCU\software\microsoft\windows\currentversion\policies\nonenum
Opens key: HKLM\software\microsoft\windows\currentversion\policies\nonenum

Opens kev:

HKCU\software\microsoft\windows\currentversion\explorer\mountpoints2\cpc\volume

Opens key:

11e3-b3bc-806e6f6e6963}\

Opens key: HKCU\software\classes\drive\shellex\folderextensions

Opens key: HKCR\drive\shellex\folderextensions

Opens key: HKCU\software\classes\drive\shellex\folderextensions\{fbeb8a05-beee-

4442-804e-409d6c4515e9}

Opens key: HKCR\drive\shellex\folderextensions\{fbeb8a05-beee-4442-804e-

409d6c4515e9}

Opens key: HKLM\software\policies\microsoft\windows\explorer
Opens key: HKCU\software\policies\microsoft\windows\explorer
Opens key: HKCU\software\microsoft\windows\currentversion\explorer
Opens key: HKCU\software\microsoft\windows\currentversion\explorer\

Opens key: HKCU\software\microsoft\windows\currentversion\explorer\advanced

Opens key:

 $\label{thm:local-prop} HKLM \software \microsoft \windows \shell registered applications \urlassociations \directory \shell \noindent \noindent$

Opens key:

HKCU\software\microsoft\windows\shell\associations\urlassociations\directory

Opens key: HKCU\software\classes\directory

Opens key: HKCR\directory

Opens key: HKCU\software\classes\directory\curver

Opens key: HKCR\directory\curver

Opens key: HKCR\directory\

Opens key: HKCU\software\classes\directory\shellex\iconhandler

Opens key: HKCR\directory\shellex\iconhandler
Opens key: HKCU\software\classes\folder

Opens key: HKCR\folder

Opens key: HKCU\software\classes\folder\shellex\iconhandler

Opens key: HKCR\folder\shellex\iconhandler

Opens key: HKCU\software\classes\allfilesystemobjects

Opens key: HKCR\allfilesystemobjects

Opens key: HKCU\software\classes\allfilesystemobjects\shellex\iconhandler

Opens key: HKCR\allfilesystemobjects\shellex\iconhandler
Opens key: HKCU\software\classes\directory\docobject
Opens key: HKCR\directory\docobject
Opens key: HKCU\software\classes\folder\docobject

Opens key: HKCR\folder\docobject

Opens key: HKCU\software\classes\allfilesystemobjects\docobject

Opens key: HKCR\allfilesystemobjects\docobject

Opens key: HKCU\software\classes\directory\browseinplace

Opens key: HKCR\directory\browseinplace

Opens key: HKCU\software\classes\folder\browseinplace

Opens key: HKCR\folder\browseinplace

Opens key: HKCU\software\classes\allfilesystemobjects\browseinplace

Opens key: HKCR\allfilesystemobjects\browseinplace
Opens key: HKCU\software\classes\directory\clsid
Opens key: HKCR\directory\clsid
Opens key: HKCU\software\classes\folder\clsid

Opens key: HKCR\folder\clsid

Opens key: HKCU\software\classes\allfilesystemobjects\clsid

Opens key: HKCR\allfilesystemobjects\clsid

Opens key:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions

Opens kev:

b029-7fe99a87c641}

Opens key:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b4bfcc3a-db2c-424c-b030.7fs00007sc441\}paragetybs=

 $b029\text{-}7fe99a87c641} \setminus property bag$

 $Opens\ key: \\ HKCU \ software \ microsoft \ windows \ current version \ explorer \ session in folding the continuous \ description \ for the continuous \ description \$

Opens key:

 $\label{thm:linear} \begin{tabular}{ll} HKCU \software \microsoft \windows \current version \explorer \session in folders \end{tabular}$

Opens key: HKCU\software\microsoft\windows\currentversion\explorer\user shell

folders

Opens key: HKLM\software\microsoft\com3

 $Opens~key: \\ HKCU \setminus software \setminus \{1f486a52-3cb1-48fd-8f50-b8dc300d9f9d\} \\$

b8dc300d9f9d}\treatas

 $\label{lem:continuous} Opens \; key: & HKCR\clsid\{1f486a52-3cb1-48fd-8f50-b8dc300d9f9d}\treatas \\ Opens \; key: & HKCU\software\classes\clsid\{1f486a52-3cb1-48fd-8f50-b8dc30d9f9d}\treatas \\ Opens \; key: & HKCU\software\classes\clsid\cls$

b8dc300d9f9d}\progid

 Opens key:
 HKCR\clsid\{1f486a52-3cb1-48fd-8f50-b8dc300d9f9d}\progid

 Opens key:
 HKCU\software\classes\clsid\{1f486a52-3cb1-48fd-8f50

b8dc300d9f9d}\inprocserver32

Opens key: HKCR\clsid\{1f486a52-3cb1-48fd-8f50-b8dc300d9f9d}\inprocserver32

Opens key: HKCU\software\classes\clsid\{1f486a52-3cb1-48fd-8f50-

b8dc300d9f9d}\inprochandler32

Opens key: $\label{eq:hkcr_lsid} $$ HKCR\clsid_{1f486a52-3cb1-48fd-8f50-b8dc300d9f9d} \in HKCR_{clsid_{1f486a52-3cb1-48fd-8f50-b8dc300d9f9d} : $$ hkcr_{clsid_{1f486a52-3cb1-48fd-8f50-b8dc300d9f9d} :$

Opens key: HKCU\software\classes\clsid\{1f486a52-3cb1-48fd-8f50b8dc300d9f9d}\inprochandler Opens key: HKCR\clsid\{1f486a52-3cb1-48fd-8f50-b8dc300d9f9d}\inprochandler Opens key: HKLM\system\currentcontrolset\control\lsa\accessproviders HKLM\svstem\currentcontrolset\services\ldap Opens key: Opens key: HKLM\software\microsoft\windows\currentversion\explorer\knownfoldersettings Opens key: b4ef-bd1dc332aeae} Opens kev: $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ `folder descriptions \ `\{1b3ea5dc-b587-4786-b587-47$ b4ef-bd1dc332aeae}\propertybag Opens key: a03a-e3ef65729f3d} Opens kev: a03a-e3ef65729f3d}\propertybag Opens key: 9afe-ea3317b67173} Opens kev: HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5e6c858f-0e22-4760-9afe-ea3317b67173}\propertybag $\label{thm:local_hammon_hammon} \begin{tabular}{ll} HKLM \software \mbox{\sc microsoft} \windows & nt\current version \profile list \sc -1-5-21-1000 \end{tabular} \begin{tabular}{ll} HKLM \sc microsoft \mbox{\sc microsoft} \mbox{\sc micro$ Opens key: 2160590473-689474908-1361669368-1002 Opens key: HKLM\system\currentcontrolset\control\cmf\config Opens key: HKLM\software\microsoft\windows\windows error reporting\wmr Opens key: HKLM\software\microsoft\windows\currentversion\setup Opens key: HKLM\software\microsoft\windows\currentversion HKLM\software\microsoft\rpc Opens key: Opens key: HKLM\system\currentcontrolset\control\computername\activecomputername Opens key: HKLM\system\setup Opens key: HKLM\software\policies\microsoft\windows nt\rpc Opens key: HKLM\software\policies\microsoft\sqmclient\windows HKLM\software\microsoft\sqmclient\windows Opens kev: Opens key: 11e3-b3bc-806e6f6e6963}\ Opens key: $HKLM \setminus system \setminus current control set \setminus services \setminus winsock 2 \setminus parameters$ Opens key: HKLM\system\currentcontrolset\services\winsock2\parameters\appid_catalog Opens kev: HKLM\system\currentcontrolset\services\winsock2\parameters\appid_catalog\379173ad Opens kev: HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9 Opens key: Opens kev: HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries Opens kev: HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\000000000001 Opens key: Opens kev: HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\000000000003 Opens key: HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\000000000004 Opens key: Opens key: Opens key: HKLM\svstem\currentcontrolset\services\winsock2\parameters\protocol catalog9\catalog entries\0000000000007 Opens key: HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\000000000008 Opens key: Opens key: HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\00000000010

Opens key:

HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\00000000011 Opens kev:

HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\00000000012 Opens key:

HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\00000000013 Opens key:

HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\00000000014 Opens key:

HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\00000000015 Opens key:

HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog_entries\000000000016 Opens key:

```
HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\000000000017
Opens kev:
```

 $\label{lem:hklmsystem} HKLM \system \current controls et \services \winsock 2 \parameters \protocol_catalog 9 \catalog_entries \noone00000000018 \parameters \end{subarray} Opens \end{subarray} key:$

Opens key:

HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\0000000c
Opens key:

HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries
 Opens key:

HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000001
Opens key:

Opens key: HKLM\system\currentcontrolset\services\tcpip\parameters\interfaces

Opens key:

c19ce8a73253}

Opens key: HKLM\system\currentcontrolset\services\tcpip\linkage

 $Opens\ key: \\ HKLM\software\microsoft\windows\currentversion\policies\system$

Opens key:

 $HKCU \ software \ microsoft \ windows \ shell \ associations \ urlassociations \ http \ userchoice$

Opens key: HKCU\software\classes\http\shell\open\command
Opens key: HKLM\software\microsoft\internet explorer
Opens key: HKLM\software\mozilla\mozilla firefox

Opens key: HKLM\software\microsoft\net framework setup\ndp

Opens key:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{625b53c3-ab48-4ec1-ba1f-a1ef4146fc19\}$

Opens kev:

 $\label{thm:local-ball-algebra} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\$

Opens key:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a77f5d77-2e2b-44c3-a6a2-aba601054a51\}$

Opens key:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a77f5d77-2e2b-44c3-a6a2-aba601054a51\}\propertybag$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{b97d20bb-f46a-4c97-ba10-5e3608430854\}$

Opens key:

 $\label{thm:local-property} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folde$

Opens key:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\f(fdd39ad0-238f-46af-adb4-6c85480369c7)$

Opens key:

 $\label{thm:local-property} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{fdd39ad0-238f-46af-adb4-6c85480369c7\}\property\bag}$

Opens key:

 $\label{thm:local-prop} HKL\dot{M}\software\microsoft\windows\currentversion\explorer\folderdescriptions\{8983036c-27c0-404b-8f08-102d10dcfd74\}}$

Opens key:

 $\label{thm:local-bound} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\eqref{8983036c-27c0-404b-8f08-102d10dcfd74}\property\bag$

Opens kev:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{ae50c081-ebd2-438a-8655-8a092e34987a\}$

Opens key:

 $\label{lem:hklmsoftwaremicrosoftwindows} In the label of the label o$

Opens key:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1777f761-68ad-4d8a-87bd-30b759fa33dd}

Opens key:

Opens kev:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{4bd8d571-6d19-48d3-be97-422220080e43\}$

Opens key:

 $\label{thm:local-property} HKL\dot{M}\software\mbox{$4bd8d571-6d19-48d3-be97-422220080e43}\propertybag$

Opens key:

835a-98395c3bc3bb}

Opens key:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '{33e28130-4e1e-4676-835a-98395c3bc3bb} \ property bag$

Opens key:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Opens key:

 $HKLM \ software \ `microsoft \ 'unidows \ 'current version \ 'explorer \ 'folder descriptions \ '\{18989b1d-99b5-455b-841c-ab7c74e4ddfc\} \ 'property bag$

Opens kev:

Opens key:

 $HKLM \software \microsoft \windows \current version \explorer \folder descriptions \c 5abbf 53-e17f-4121-8900-86626fc \c 2c973 \property bag$

Opens kev:

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{fd 228 cb 7-ae 11-4ae 3-864 c-16f 3910 ab 8 fe\} \ property bag$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{a63293e8-664e-48db-a079-df759e0509f7\}$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ a 63293e8-664e-48db-a079-df759e0509f7 \ property bag$

Opens key:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \fill 152785-6 fba-4 fcf-9 d55-7 b8e7 f157091 \end{substitute}$

Opens key:

Opens key:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{9274bd8d-cfd1-41c3-b35e-b13f55a758f4\}$

Opens key:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$

Opens key:

 $\label{lem:hammon} HKLM software \microsoft \windows \current version \explorer \folder descriptions \folder \folder$

Opens key:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{352481e8-33be-4251-ba85-6007caedcf9d}\propertybag$

Opens key:

 $\label{lem:hklmsoftwaremicrosoftwindows\currentversion\explorer\folderdescriptions\{2b0f765d-c0e9-4171-908e-08a611b84ff6\}}$

Opens key:

 $\label{thm:local-bound} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2b0f765d-c0e9-4171-908e-08a611b84ff6}\propertybag$

Opens key:

 $\label{lem:hklmsoftwaremicrosoftwindows\currentversion\explorer\folderdescriptions\{d9dc8a3b-b784-432e-a781-5a1130a75963\}}$

Opens key:

 $\label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwaremicrosoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoft$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{724ef170-a42d-4fef-9f26-b60e846fba4f\}$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{724ef170-a42d-4fef-9f26-b60e846fba4f\} \ property bag$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{8ad10c31-2adb-4296-a8f7-e4701232c972\}$

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{8ad10c31-2adb-4296-a8f7-e4701232c972\} \ property bag$

Opens key:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{2a00375e-224c-49de-b8d1-440df7ef3ddc}$

Opens key:

 $\label{thm:local-continuous} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2a00375e-224c-49de-b8d1-440df7ef3ddc}\propertybag$

Opens key: HKCU\software\microsoft\windows\currentversion\app

paths\394c529a998f001b2544559ea85b0e07.exe

Opens key: HKLM\software\microsoft\windows\currentversion\app

paths\394c529a998f001b2544559ea85b0e07.exe

Opens key:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{9e52ab10-f80d-49df-acb8-4330f5687855\}$

HKLM\system\currentcontrolset\control\nls\language groups

HKLM\software\microsoft\windows nt\currentversion\fontlink\systemlink

Opens key: HKLM\software\microsoft\windows

nt\currentversion\languagepack\datastore_v1.0

 $\label{thm:local-prop} Opens \ key: \\ HKLM \ software \ microsoft \ windows \\ nt \ current version \ language pack \ surrogate fallback$

Opens key: HKLM\software\microsoft\windows nt\currentversion\languagepack\surrogatefallback\segoe ui

Opens key:

Opens key:

Opens key:

Opens key: HKLM\software\microsoft\ctf\

Opens key: HKLM\software\microsoft\ctf\knownclasses

Opens key: HKLM\software\microsoft\windows nt\currentversion\languagepack\surrogatefallback\ms shell dlg 2

Opens key: HKLM\system\currentcontrolset\services\winsock\parameters
Opens key: HKLM\system\currentcontrolset\services\tcpip6\parameters\winsock
Opens key: HKLM\system\currentcontrolset\services\psched\parameters\winsock
Opens key: HKLM\system\currentcontrolset\services\winsock\setup migration\providers

Openis key.

Opens key: HKLM\system\currentcontrolset\services\winsock\setup

migration\providers\psched

Opens key: HKLM\system\currentcontrolset\services\tcpip\parameters\winsock

Opens key: HKLM\system\currentcontrolset\services\winsock\setup

migration\providers\tcpip

Opens key: HKLM\system\currentcontrolset\services\dnscache\parameters
Opens key: HKLM\software\policies\microsoft\windows nt\dnsclient
Opens key: HKLM\software\policies\microsoft\system\dnsclient
Opens key: HKLM\system\currentcontrolset\control\sqmservicelist

Opens key: HKLM\system\currentcontrolset\services\dnscache\parameters\dnscache

Opens key: HKLM\system\currentcontrolset\services\dns

Opens key: HKLM\software\policies\microsoft\windows nt\dnsclient\dnspolicyconfig

Opens key:

HKLM\system\currentcontrolset\services\dnscache\parameters\dnspolicyconfig

Opens key:

 $HKLM \ system \ current control set \ services \ tcpip6 \ parameters \ interfaces \ \{128919e8-8a5e-41d1-ac17-c19ce8a73253\}$

Opens key:

 $HKLM \ system \ current control set \ services \ tcpip6 \ parameters \ interfaces \ \{e29ac6c2-7037-11de-816d-806e6f6e6963\}$

Opens key:

Opens key:

 $HKLM \ system \ `current control set \ 'services \ 'tcpip \ 'parameters \ 'interfaces \ '{8ff7f47b-d658-4061-baea-1709a0196aed}'$

Opens key:

HKLM\system\currentcontrolset\control\session

Queries value:

manager[cwdillegalindllsearch]

Queries value:

 $HKLM \setminus software \setminus policies \setminus microsoft \setminus windows \setminus safer \setminus code identifiers [transparent enabled]$

Queries value: HKCU\control panel\desktop[preferreduilanguages]

Queries value: HKCU\control panel\desktop\muicached[machinepreferreduilanguages]

Queries value:

HKLM\software\microsoft\windows\currentversion\sidebyside[preferexternalmanifest]
Queries value: HKLM\system\currentcontrolset\control\nls\sorting\versions[]

Queries value: HKLM\system\currentcontrolset\control\session manager[safedllsearchmode]

Queries value: HKLM\software\microsoft\windows nt\currentversion\gre_initialize[disablemetafiles]
Queries value: HKLM\software\microsoft\windows

nt\currentversion\compatibility32[394c529a998f001b2544559ea85b0e07]

Queries value: HKLM\software\microsoft\windows

 $\verb|nt\currentversion\windows[loadappinit_dlls]|$

Queries value: HKCR\clsid\{20d04fe0-3aea-1069-a2d8-

08002b30309d}\shellfolder[attributes]

Queries value: HKCR\clsid\{20d04fe0-3aea-1069-a2d8-

08002b30309d}\shellfolder[callforattributes]

Queries value: HKCR\clsid\{20d04fe0-3aea-1069-a2d8-

08002b30309d}\shellfolder[restrictedattributes]

Queries value: HKCR\clsid\{20d04fe0-3aea-1069-a2d8-

08002b30309d}\shellfolder[wantsfordisplay]

Queries value: HKCR\clsid\{20d04fe0-3aea-1069-a2d8-

```
08002b30309d}\shellfolder[hidefolderverbs]
                                                  HKCR\clsid\{20d04fe0-3aea-1069-a2d8-
   Oueries value:
08002b30309d}\shellfolder[usedrophandler]
                                                  HKCR\clsid\{20d04fe0-3aea-1069-a2d8-
   Queries value:
08002b30309d}\shellfolder[wantsforparsing]
   Queries value:
                                                  HKCR\clsid\{20d04fe0-3aea-1069-a2d8-
08002b30309d}\shellfolder[wantsparsedisplayname]
                                                  HKCR\clsid\{20d04fe0-3aea-1069-a2d8-
   Oueries value:
08002b30309d}\shellfolder[queryforoverlay]
   Oueries value:
                                                  HKCR\clsid\{20d04fe0-3aea-1069-a2d8-
08002b30309d}\shellfolder[mapnetdriveverbs]
   Queries value:
                                                  HKCR\clsid\{20d04fe0-3aea-1069-a2d8-
08002b30309d}\shellfolder[queryforinfotip]
   Oueries value:
                                                 HKCR\clsid\{20d04fe0-3aea-1069-a2d8-
08002b30309d}\shellfolder[hideinwebview]
   Queries value:
                                                  HKCR\clsid\{20d04fe0-3aea-1069-a2d8-
08002b30309d \} \verb|\shellfolder[hideondesktopperuser]|
                                                  HKCR\clsid\{20d04fe0-3aea-1069-a2d8-
   Queries value:
08002b30309d}\shellfolder[wantsaliasednotifications]
                                                 HKCR\clsid\{20d04fe0-3aea-1069-a2d8-
   Oueries value:
08002b30309d}\shellfolder[wantsuniversaldelegate]
                                                  HKCR\clsid\{20d04fe0-3aea-1069-a2d8-
   Queries value:
08002b30309d}\shellfolder[nofilefolderjunction]
                                                  HKCR\clsid\{20d04fe0-3aea-1069-a2d8-
08002b30309d}\shellfolder[pintonamespacetree]
                                                  HKCR\clsid\{20d04fe0-3aea-1069-a2d8-
   Queries value:
08002b30309d}\shellfolder[hasnavigationenum]
   Queries value:
08002b30309d}1
   Oueries value:
11e3-b3bc-806e6f6e6963}[data]
   Queries value:
HKCU\software\microsoft\windows\currentversion\explorer\mountpoints2\cpc\volume\{69d250e4-6c18-
11e3-b3bc-806e6f6e6963}[generation]
                                                  HKCR\drive\shellex\folderextensions\{fbeb8a05-beee-4442-804e-
   Oueries value:
409d6c4515e9}[drivemask]
   Queries value:
                                                  HKCU\software\microsoft\windows\currentversion\explorer[shellstate]
   Queries value:
                                                  HKCU\software\microsoft\windows\currentversion\explorer\advanced[hidden]
   Oueries value:
HKCU\software\microsoft\windows\currentversion\explorer\advanced[showcompcolor]
   Oueries value:
HKCU\software\microsoft\windows\currentversion\explorer\advanced[hidefileext]
HKCU\software\microsoft\windows\currentversion\explorer\advanced[dontprettypath]
   Oueries value:
\label{lem:hkcu} \begin{tabular}{ll} HKCU \software \microsoft \windows \current version \explorer \advanced \cite{tabular} is a constant \cite{tabular} and \cite{tabular
   Oueries value:
HKCU\software\microsoft\windows\currentversion\explorer\advanced[hideicons]
HKCU\software\microsoft\windows\currentversion\explorer\advanced[mapnetdrvbtn]
   Queries value:
HKCU\software\microsoft\windows\currentversion\explorer\advanced[webview]
                                                  HKCU\software\microsoft\windows\currentversion\explorer\advanced[filter]
   Oueries value:
   Queries value:
HKCU\software\microsoft\windows\currentversion\explorer\advanced[showsuperhidden]
   Oueries value:
HKCU\software\microsoft\windows\currentversion\explorer\advanced[separateprocess]
HKCU\software\microsoft\windows\currentversion\explorer\advanced[nonetcrawling]
   Oueries value:
HKCU\software\microsoft\windows\currentversion\explorer\advanced[autocheckselect]
   Oueries value:
HKCU\software\microsoft\windows\currentversion\explorer\advanced[iconsonly]
HKCU\software\microsoft\windows\currentversion\explorer\advanced[showtypeoverlay]
   Queries value:
                                                  HKCR\directory[docobject]
   Queries value:
                                                  HKCR\folder[docobject]
   Oueries value:
                                                  HKCR\allfilesvstemobiects[docobiect]
   Queries value:
                                                  HKCR\directory[browseinplace]
                                                  HKCR\folder[browseinplace]
   Oueries value:
   Oueries value:
                                                  HKCR\allfilesystemobjects[browseinplace]
   Queries value:
                                                  HKCR\directory[isshortcut]
   Queries value:
                                                  HKCR\folder[isshortcut]
                                                  HKCR\allfilesystemobjects[isshortcut]
   Oueries value:
   Queries value:
                                                  HKCR\directory[alwaysshowext]
   Oueries value:
                                                  HKCR\directory[nevershowext]
   Oueries value:
                                                  HKCR\folder[nevershowext]
   Oueries value:
                                                  HKCR\allfilesystemobjects[nevershowext]
   Queries value:
HKLM \ software \ microsoft \ windows \ current version \ (b4bfcc3a-db2c-424c-db2c-42b) \ descriptions \ (b4bfcc3a-db2c-424c-db2c-42b) \ descriptions \ de
b029-7fe99a87c641}[category]
```

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{b4bfcc3a-db2c-424c-b029-7fe99a87c641\} \ [name]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b4bfcc3a-db2c-424c-b029-7fe99a87c641\}[parent folder]$

Queries value:

Oueries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsof$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b4bfcc3a-db2c-424c-b029-7fe99a87c641\} [parsing name]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b4bfcc3a-db2c-424c-b029-7fe99a87c641\}[infotip]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{b4bfcc3a-db2c-424c-b029-7fe99a87c641\} \ [localized name]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{b4bfcc3a-db2c-424c-b029-7fe99a87c641\} \ [icon]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{b4bfcc3a-db2c-424c-b029-7fe99a87c641\}[security]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{b4bfcc3a-db2c-424c-b029-7fe99a87c641\} \ [stream resource]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{b4bfcc3a-db2c-424c-b029-7fe99a87c641\} [stream resource type]$

Queries value:

 $\label{local-equation} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b4bfcc3a-db2c-424c-b029-7fe99a87c641\}\[local\cute{local\cutebox}\]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{b4bfcc3a-db2c-424c-b029-7fe99a87c641\} \ [roamable]$

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b4bfcc3a-db2c-424c-b029-7fe99a87c641\}[precreate]}$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b4bfcc3a-db2c-424c-b029-7fe99a87c641\}[stream]$

Queries value:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b4bfcc3a-db2c-424c-b029-7fe99a87c641}\[publishexpandedpath]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b4bfcc3a-db2c-424c-b029-7fe99a87c641\}[attributes]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Lab$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b4bfcc3a-db2c-424c-b029-7fe99a87c641\}[initfolder \ handler]$

Queries value: HKCU\software\microsoft\windows\currentversion\explorer\user shell

folders[desktop]

Queries value: HKLM\software\microsoft\com3[com+enabled]

Queries value: HKCR\clsid\{1f486a52-3cb1-48fd-8f50-b8dc300d9f9d}[]

Queries value: HKCR\clsid\{1f486a52-3cb1-48fd-8f50-

b8dc300d9f9d}\inprocserver32[inprocserver32]

 $Queries\ value: \\ HKCR\clsid\{1f486a52-3cb1-48fd-8f50-b8dc300d9f9d}\ \ inprocserver32[]$

Queries value: HKCR\clsid\{1f486a52-3cb1-48fd-8f50-

b8dc300d9f9d}\inprocserver32[threadingmodel]

Queries value: HKLM\software\microsoft\ole[maxsxshashcount]

Queries value:

HKLM\system\currentcontrolset\control\lsa\accessproviders[martaextension]

Queries value: HKLM\system\currentcontrolset\services\ldap[ldapclientintegrity]
Queries value: HKLM\system\currentcontrolset\services\ldap[useoldhostresolutionorder]
Queries value: HKLM\system\currentcontrolset\services\ldap[usehostnameasalias]

Oueries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\} [name]$

Queries value:

 $HKLM\ software\ microsoft\ windows\ current version\ explorer\ folder descriptions\ \{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\}\ [parentfolder]$

Queries value:

b4ef-bd1dc332aeae}[description]

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\} [relative path]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\} [parsing name]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\} [infotip]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'unidows \ 'current version \ 'explorer \ 'folder descriptions \ '\{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\} [localized name]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\} [icon]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\} [security]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\}[stream resource]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\}[stream resource type]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\} \ [local redirector \ local \ redirector \ redirector \ local \ redirector \ redirector \ local \ redirector \ redirector \ redirector \ redirector \ redir \ redirector \ redirector \ redirector \ redirector \ redirecto$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\} \ [roamable]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae}[precreate]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\} \ folder \ based on the sum of th$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\} \ [publish \ expanded path]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae}[attributes]

Queries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'folder descriptions \ '\{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\} [folder type id]$

Queries value:

 $\label{thm:local-basis} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\}[initfolderhandler]}$

Queries value: $HKCU \setminus software irrosoft \in current version \in shell folders [\{1b3ea5dc-b587-4786-b4ef-bd1dc332aeae\}]$

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\}\category\cite{Acf6-a03a-e3ef65729f3d}\cite{Acf6-a$

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\}[name]$

Queries value:

 $HKLM \\ software \\ | microsoft \\ windows \\ current \\ version \\ explorer \\ folder \\ descriptions \\ \{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\} \\ [parent folder]$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folderdescriptions\folderdescriptions\folderdescription\folder$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\} \ [relative path]$

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\}\ [parsing name]$

Oueries value:

 $HKLM \software \mbox{$\tt microsoft} \windows \current version \explorer \folder descriptions \folder \folder$

Queries value:

 $\label{lem:hklmsoftware} HkLM \software \microsoft \windows \current version \explorer \folder descriptions \called \footnote{1.5} \cal$

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\}[icon]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} current version \explorer \folder descriptions \folder \folder descriptions \folder \fol$

Queries value:

a03a-e3ef65729f3d}[streamresource]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\} \ [stream resource type]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\} \ [local redirect only]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\} \ [roamable]$

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\}[precreate]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\} \ [stream]$

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\}[publishexpandedpath]}$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\} \ [attributes]$

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\}[foldertypeid]}$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{3eb685db-65f9-4cf6-a03a-e3ef65729f3d\} \ [initfolder \ handler]$

Queries value:

HKCU\software\microsoft\windows\currentversion\explorer\user shell

folders[appdata]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{5e6c858f-0e22-4760-9afe-ea3317b67173\} \ [category]$

Queries value:

 $HKLM \ software \ `microsoft \ 'current version \ 'explorer \ 'folder descriptions \ '\{5e6c858f-0e22-4760-9afe-ea3317b67173\} \ [name]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{5e6c858f-0e22-4760-9afe-ea3317b67173\} \ [parent folder]$

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions \currentversion\explorer\folderdescriptions \currentversion\explorer\folderdescriptions \currentversion\explorer\folderdescriptions \currentversion\explorer\folderdescriptions \currentversion\explorer\folderdescription\explorer\folderdescription\explorer\folderdescription\explorer\folderdescription\explorer\folderdescription\explorer\folderdescription\explorer\explor$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \mbox{$5e6c858f-0e22-4760-9afe-ea3317b67173} [relative path]$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5e6c858f-0e22-4760-9afe-ea3317b67173\}[parsingname]}$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \end{are} Windows \current version \explorer \folder descriptions \end{are} $$ 4760-9afe-ea3317b67173 \end{are} infotip \end{are} $$ 1756-173 \end{are} $$ 1$

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5e6c858f-0e22-4760-9afe-ea3317b67173\}[localized name]}$

Queries value:

 $HKLM \ software \ `microsoft \ 'enclose \$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{5e6c858f-0e22-4760-9afe-ea3317b67173\} \ [security]$

Queries value:

 $\label{thm:local-prop} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5e6c858f-0e22-4760-9afe-ea3317b67173\}[streamresource]$$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{5e6c858f-0e22-4760-9afe-ea3317b67173\} \ [stream resource type]$

Queries value:

 $\label{thm:local-condition} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{2-4760-9afe-ea3317b67173} [local redirect only]$

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5e6c858f-0e22-4760-9afe-ea3317b67173\}[roamable]}$

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5e6c858f-0e22-4760-9afe-ea3317b67173\}[precreate]}$

Oueries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{5e6c858f-0e22-4760-9afe-ea3317b67173\}[stream]}$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows\currentversion\explorer\folderdescriptions\{5e6c858f-0e22-4760-9afe-ea3317b67173\}[publishexpandedpath]}$

Queries value:

 $\label{thm:local_thm} \parbox{$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\footnote{1.5} \parbox{4.500} \pa$

9afe-ea3317b67173}[attributes] Oueries value: 9afe-ea3317b67173}[foldertypeid] Oueries value: $HKLM \ software \ `microsoft \ 'windows \ 'current version' \ explorer \ 'folder descriptions \ '\xi 5e6c858f-0e22-4760-1000 \ explorer \ 'folder descriptions' \ 'folder desc$ 9afe-ea3317b67173}[initfolderhandler] HKLM\software\microsoft\windows nt\currentversion\profilelist\s-1-5-21-Oueries value: 2160590473-689474908-1361669368-1002[profileimagepath] Oueries value: HKLM\system\currentcontrolset\control\cmf\config[system] HKLM\software\microsoft\windows\windows error reporting\wmr[disable] Oueries value: Queries value: HKLM\software\microsoft\windows\currentversion\setup[sourcepath] Queries value: HKLM\software\microsoft\windows\currentversion[devicepath] Oueries value: HKLM\software\microsoft\rpc[maxrpcsize] Oueries value: HKLM\system\currentcontrolset\control\computername\activecomputername[computername] HKLM\svstem\setup[oobeinprogress] Oueries value: Queries value: HKLM\system\setup[systemsetupinprogress] Queries value: HKLM\software\microsoft\sqmclient\windows[ceipenable] Oueries value: 11e3-b3bc-806e6f6e6963}[data] Oueries value: 11e3-b3bc-806e6f6e6963}[generation] Oueries value: HKLM\system\currentcontrolset\services\winsock2\parameters[winsock_registry_version] Queries value: $HKLM \setminus system \setminus current control set \setminus services \setminus winsock 2 \setminus parameters [namespace_callout]$ HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9[serial_access_num] Queries value: Queries value: HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9[num_catalog_entries] HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\00000000001[packedcatalogitem] Oueries value: HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\000000000002[packedcatalogitem] Queries value: HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\000000000004[packedcatalogitem] Queries value: HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\000000000005[packedcatalogitem] Queries value: HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\00000000007[packedcatalogitem] Queries value: HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\000000000008[packedcatalogitem] Oueries value: HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\00000000009[packedcatalogitem] Queries value: HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\000000000010[packedcatalogitem] Queries value: HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\000000000011[packedcatalogitem] Oueries value: HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\000000000012[packedcatalogitem] Oueries value: HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\000000000014[packedcatalogitem] Oueries value: HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\000000000015[packedcatalogitem] HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\000000000016[packedcatalogitem] Queries value: HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\000000000017[packedcatalogitem] Oueries value: HKLM\system\currentcontrolset\services\winsock2\parameters\protocol_catalog9\catalog_entries\000000000018[packedcatalogitem] HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5[serial_access_num] Queries value: HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5[num_catalog_entries] Oueries value: HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\00000000001[librarypath] Oueries value:

HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\00000000001[displaystring]

 $HKLM \ system \ (current control set \ services \ winsock 2 \ parameters \ name space_catalog 5 \ (catalog_entries \ 00000000001 \ [address family]$

Oueries value:

- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000001[supportednamespace]
 Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\00000000001[enabled]
 Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\00000000001[version]
 Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000001[storesserviceclassinfo]

 Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000001[providerinfo]
 Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000002[librarypath]
 Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000002[displaystring]
 Queries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000002[providerid]
 Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000002[addressfamily]
 Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\0000000000002[supportednamespace]
 Queries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000002[enabled]
 Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000002[version] Oueries value:
- $HKLM \system \current control set \services \winsock 2 \parameters \namespace_catalog 5 \catalog_entries \$
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000002[providerinfo] Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\00000000003[librarypath]
 Queries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000003[displaystring]
 Queries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000003[providerid]
 Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000003[addressfamily]
 Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000003[supportednamespace]
 Queries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000003[enabled] Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\00000000003[version]
 Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000003[storesserviceclassinfo]
 Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\00000000003[providerinfo]
 Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000004[librarypath]
 Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000004[displaystring]
 Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\00000000004[providerid]
 Queries value:
- $HKLM \ system \ current control set \ services \ winsock 2 \ parameters \ names pace_catalog 5 \ catalog_entries \ 000000000000004 [address family] \\ Queries \ value:$
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\0000000000004[supportednamespace]
 Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000004[enabled]
 Queries value:
- $HKLM \ system \ current control set \ services \ winsock 2 \ parameters \ name space_catalog 5 \ catalog_entries \ 0000000000004 \ [version] \ Oueries \ value:$
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000004[storesserviceclassinfo] Oueries value:
- $HKLM \ system \ current control set \ services \ winsock 2 \ parameters \ namespace_catalog5 \ catalog_entries \ 0000000000004 \ [provider info] \ Queries \ value:$
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\00000000005[librarypath]
 Queries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000005[displaystring]
 Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\00000000005[providerid]
 Oueries value:
- $HKLM \system \current control set \services \winsock 2 \parameters \namespace_catalog 5 \catalog_entries \namespace] \\ Queries value:$
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\00000000005[enabled]
 Oueries value:
- HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\00000000005[version]
 Queries value:
- $HKLM \ system \ current control set \ services \ winsock 2 \ parameters \ namespace_catalog 5 \ catalog_entries \ 0000000000005 [storesservice class info] \\ Oueries \ value:$
- $\label{lem:hklmsystem} HKLM \system \current controls et \services \winsock 2 \parameters \namespace_catalog 5 \catalog_entries \namespace_catal$

HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\00000000006[librarypath] Oueries value: HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000006[displaystring] Queries value: $HKLM \setminus system \setminus current control set \setminus services \setminus winsock 2 \cap ameters \setminus namespace_catalog S \setminus catalog_entries \setminus 0000000000006[providerid]$ Queries value: HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\00000000006[addressfamily] Oueries value: $HKLM \ system \ (current control set \ services \ winsock 2 \ parameters \ name space_catalog 5 \ (catalog_entries \ 0000000000006 [supported name space]]$ Queries value: Queries value: HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\00000000006[version] Queries value: HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\000000000006[storesserviceclassinfo] Queries value: HKLM\system\currentcontrolset\services\winsock2\parameters\namespace_catalog5\catalog_entries\00000000006[providerinfo] Queries value: HKLM\system\currentcontrolset\services\winsock2\parameters[ws2_32numhandlebuckets] Queries value: HKLM\system\currentcontrolset\services\winsock2\parameters[ws2_32spincount] Queries value: HKLM\system\currentcontrolset\services\tcpip\parameters\interfaces\{128919e8-8a5e-41d1-ac17c19ce8a73253}[enabledhcp] HKLM\system\currentcontrolset\services\tcpip\linkage[bind] Queries value: Queries value: HKLM\software\microsoft\windows\currentversion\policies\system[enablelua] HKLM\software\microsoft\internet explorer[version] Queries value: Oueries value: HKLM\software\microsoft\windows\currentversion[programfilesdir] HKLM\software\microsoft\windows\currentversion[commonfilesdir] Queries value: Oueries value: ba1f-a1ef4146fc19}[category] Queries value: ba1f-a1ef4146fc19}[name] Oueries value: ba1f-a1ef4146fc19}[parentfolder] Queries value: $HKLM \ software \ `microsoft \ 'windows \ 'current version' \ explorer \ 'folder descriptions' \ ' \{625b53c3-ab48-4ec1-ab48$ ba1f-a1ef4146fc19}[description] Oueries value: HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{625b53c3-ab48-4ec1ba1f-a1ef4146fc19}[relativepath] Queries value: $HKLM \ software \ `microsoft \ 'windows \ 'current version' \ explorer \ 'folder descriptions' \ ' \{625b53c3-ab48-4ec1-ab48$ ba1f-a1ef4146fc19}[parsingname] Oueries value: HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{625b53c3-ab48-4ec1ba1f-a1ef4146fc19}[infotip] Oueries value: ba1f-a1ef4146fc19}[localizedname] Oueries value: HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{625b53c3-ab48-4ec1ba1f-a1ef4146fc19}[icon] Oueries value: ba1f-a1ef4146fc19}[security] Queries value: $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{625b53c3-ab48-4ec1-ab48$ ba1f-a1ef4146fc19}[streamresource] Oueries value: ba1f-a1ef4146fc19}[streamresourcetype] Queries value: $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{625b53c3-ab48-4ec1-ab48$ ba1f-a1ef4146fc19}[localredirectonly] Oueries value:

ba1f-a1ef4146fc19}[roamable]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{625b53c3-ab48-4ec1ba1f-a1ef4146fc19}[precreate]

Oueries value:

ba1f-a1ef4146fc19}[stream]

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{625b53c3-ab48-4ec1ba1f-a1ef4146fc19}[publishexpandedpath]

Oueries value:

ba1f-a1ef4146fc19}[attributes]

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{625b53c3-ab48-4ec1-ba1f-a1ef4146fc19\}[folder type id]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{625b53c3-ab48-4ec1-ba1f-a1ef4146fc19\} [initfolder handler]$

Queries value: HKCU\software\microsoft\windows\currentversion\explorer\user shell

folders[start menu]

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a77f5d77-2e2b-44c3-a6a2-aba601054a51\}[category]$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{a77f5d77-2e2b-44c3-a6a2-aba601054a51\} [name]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ 'a77f5d77-2e2b-44c3-a6a2-aba601054a51 \ [parent folder]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a77f5d77-2e2b-44c3-a6a2-aba601054a51\} [description]$

Queries value:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a77f5d77-2e2b-44c3-a6a2-aba601054a51\}[relativepath]}$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a77f5d77-2e2b-44c3-a6a2-aba601054a51\}[parsingname]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a77f5d77-2e2b-44c3-a6a2-aba601054a51\}[infotip]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a77f5d77-2e2b-44c3-a6a2-aba601054a51\} [localized name]$

Queries value:

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ 'a77f5d77-2e2b-44c3-a6a2-aba601054a51 \ [security]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a77f5d77-2e2b-44c3-a6a2-aba601054a51\}[streamresource]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{a77f5d77-2e2b-44c3-a6a2-aba601054a51\} [stream resource type]$

Queries value:

 $\label{thm:local-condition} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a77f5d77-2e2b-44c3-a6a2-aba601054a51\}[local\cutrectonly]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a77f5d77-2e2b-44c3-a6a2-aba601054a51\}[precreate]$

Queries value:

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a77f5d77-2e2b-44c3-a6a2-aba601054a51\}[attributes]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{a77f5d77-2e2b-44c3-a6a2-aba601054a51\} \ [folder type id]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a77f5d77-2e2b-44c3-a6a2-aba601054a51\}[initfolder \ handler]$

Queries value:

HKCU\software\microsoft\windows\currentversion\explorer\user shell

folders[programs]

Queries value:

 $\label{lem:hamilton} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folderdesc$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b97d20bb-f46a-4c97-ba10-5e3608430854\}[name]}$

Queries value:

 $\label{lem:hamilton} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folderdesc$

Queries value:

 $\label{lem:hamilton} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folderdescriptions\folderdescriptions\folderdescription\fo$

 $\label{lem:hamilton} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b97d20bb-f46a-4c97-ba10-5e3608430854\}\[relative\path]\]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ (b97d20bb-f46a-4c97-ba10-5e3608430854) \ [parsing name]$

Queries value:

 $\label{lem:hammon} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folde$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} In the constant of the constant of$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows current version explorer folder descriptions \ \{b97d20bb-f46a-4c97-ba10-5e3608430854\} [icon]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b97d20bb-f46a-4c97-ba10-5e3608430854\} [security]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b97d20bb-f46a-4c97-ba10-5e3608430854\} [stream resource]$

Queries value:

 $\label{lem:hammon} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folderdescri$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b97d20bb-f46a-4c97-ba10-5e3608430854\}[localredirectonly]}$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} In the constant of the constant of$

Oueries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} In the constant of the constant of$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b97d20bb-f46a-4c97-ba10-5e3608430854\} [stream]$

Oueries value:

 $\label{lem:hammon} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \folde$

Queries value:

 $\label{lem:hamilton} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b97d20bb-f46a-4c97-ba10-5e3608430854\}[attributes]}$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{b97d20bb-f46a-4c97-ba10-5e3608430854\} \ [folder type id]$

Queries value:

 $\label{lem:hkk} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{b97d20bb-f46a-4c97-ba10-5e3608430854\}[initfolderhandler]}$

Queries value:

HKCU\software\microsoft\windows\currentversion\explorer\user shell

folders[startup]

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\f(fdd39ad0-238f-46af-adb4-6c85480369c7)\category\cite{Abstraction}.$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{fdd39ad0-238f-46af-adb4-6c85480369c7\}[name]}$

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folder descriptions\fidd39ad0-238f-46af-adb4-6c85480369c7\[parentfolder]$

Queries value

 $\label{thm:microsoft} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\f(fdd39ad0-238f-46af-adb4-6c85480369c7)\[description]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} In the constant of the constant of$

Queries value

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{fdd39ad0-238f-46af-adb4-6c85480369c7\}[parsingname]}$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\f(fdd39ad0-238f-46af-adb4-6c85480369c7)\[infotip]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} current version \end{folder descriptions} \fid 39 ad 0-238 f-46 af-ad b4-6 c85480369 c7 [localized name]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\fidd39ad0-238f-46af-adb4-6c85480369c7\ficon\fidelity for the control of the control$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{fdd39ad0-238f-46af-adb4-6c85480369c7\} \ [security]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{fdd39ad0-238f-46af-adb4-6c85480369c7\}[streamresource]$

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{fdd39ad0-238f-46af-adb4-6c85480369c7\}[stream resource type]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{fdd39ad0-238f-46af-adb4-6c85480369c7\}[local redirectonly]$

Queries value:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\fdd39ad0-238f-46af-adb4-6c85480369c7\[roamable]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{fdd39ad0-238f-46af-adb4-6c85480369c7\}[precreate]}$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{fdd39ad0-238f-46af-adb4-6c85480369c7\} [stream]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{fdd39ad0-238f-46af-adb4-6c85480369c7\}[publish expanded path]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{fdd39ad0-238f-46af-adb4-6c85480369c7\}[attributes]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{fdd39ad0-238f-46af-adb4-6c85480369c7\}[folder type id]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\f(fdd39ad0-238f-46af-adb4-6c85480369c7)\[initfolderhandler]$

Queries value:

HKCU\software\microsoft\windows\currentversion\explorer\user shell

folders[personal]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{8983036c-27c0-404b-8f08-102d10dcfd74\} \ [category]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{8983036c-27c0-404b-8f08-102d10dcfd74\} \ [name]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{8983036c-27c0-404b-8f08-102d10dcfd74\} \ [parentfolder]$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{8983036c-27c0-404b-8608-102d10dcfd74\} \ [description]$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{8983036c-27c0-404b-8f08-102d10dcfd74\} \ [relative path]$

Oueries value:

 $\label{thm:local-bound} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{8983036c-27c0-404b-8f08-102d10dcfd74\}[parsingname]}$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{8983036c-27c0-404b-8f08-102d10dcfd74\} \ [infotip]$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{8983036c-27c0-404b-8f08-102d10dcfd74\} \ [localized name]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \explorer \folder descriptions \explorer \folder descriptions \explorer \folder \$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{8983036c-27c0-404b-8f08-102d10dcfd74\} \ [security]$

Queries value

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{8983036c-27c0-404b-8f08-102d10dcfd74\}[streamresourcetype]}$

Queries value

 $\label{thm:hklm} HKL^{M} software \microsoft \windows \current version \explorer \folder descriptions \eqref{8983036c-27c0-404b-8f08-102d10dcfd74} \cite{10calredirectonly} \eqref{10calredirectonly}$

Queries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$

Queries value:

 $\label{local-equation} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{8983036c-27c0-404b-8f08-102d10dcfd74\}[precreate]}$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{8983036c-27c0-404b-8f08-102d10dcfd74\}[stream]}$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{8983036c-27c0-404b-8f08-102d10dcfd74\} \ [publish \ expanded path]$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ 'folder descriptions \ '\{8983036c-27c0-404b-8f08-102d10dcfd74\} [attributes]$

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\folderdescriptions\currentversion\explorer\currentversion\explorer\explorer\currentversion\explorer\e$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{8983036c-27c0-404b-8f08-102d10dcfd74\}[initfolderhandler]}$

Queries value: HKCU\software\microsoft\windows\currentversion\explorer\user shell

folders[sendto]

Queries value:

 $HKLM \ software \ `microsoft \ 'endows \ 'en$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ 'ae 50 c 0 81 - ebd 2 - 438 a - 8655 - 8a0 92 e 349 87a \ 'lname' \ 'explorer' \ 'explore$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ ae 50c081-ebd2-438a-8655-8a092e34987a \ [parent folder]$

Queries value

 $HKLM \ software \ `microsoft \ 'endows \ 'en$

Oueries value

 $HKLM \ software \ `microsoft \ 'endows \ 'endows' \ endows \ 'endows' \ endows \ 'endows' \ endows' \ endows'' \ endows' \ endows' \ endows'' \ en$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ 'ae 50 c 0 81 - ebd 2 - 438 a - 8655 - 8a 0 92 e 34 987 a \ '[parsing name]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'urrent version \ 'explorer \ 'folder descriptions \ 'ae 50 c 0 81 - ebd 2 - 438 a-8655 - 8a 0 92 e 34 987 a \ '[infotip]$

Oueries value

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ 'ae 50c081-ebd2-438a-8655-8a092e34987a \ [localized name]$

Queries value:

Queries value

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{ae50c081-ebd2-438a-8655-8a092e34987a\} [security]$

Queries value:

 $\label{lem:hkkkk} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{ae50c081-ebd2-438a-8655-8a092e34987a\}[streamresource]$

Queries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$

Oueries value:

 $\label{lem:hklmsoftwaremicrosoftwindows\currentversion\explorer\folderdescriptions\\ \{ae 50c 081-ebd 2-438a-8655-8a092e 34987a\}[local redirectonly]$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{ae50c081-ebd2-438a-8655-8a092e34987a\}[roamable]$

Queries value:

 $HKLM \ software \ `microsoft \ 'endows \ 'en$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows\currentversion\explorer\folderdescriptions\{ae50c081-ebd2-438a-8655-8a092e34987a\}[stream]} \\$

Oueries value:

 $HKLM\software\mbox{microsoft\windows\currentversion\explorer\folderdescriptions} \{ae 50c 081-ebd 2-438a-8655-8a092e 34987a\} [publish expanded path]$

Queries value

 $\label{lem:hklm} $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{ae50c081-ebd2-438a-8655-8a092e34987a\}[attributes]$$

Queries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$

Queries value

 $\label{thm:main} $HKL^M\software\microsoft\windows\currentversion\explorer\folderdescriptions\{ae50c081-ebd2-438a-8655-8a092e34987a}[initfolderhandler]$

Queries value:

HKCU\software\microsoft\windows\currentversion\explorer\user shell

folders[recent]

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} In the constant of the constant of$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ current version \ explorer \ folder descriptions \ \{1777f761-68ad-4d8a-87bd-30b759fa33dd\} [name]$

Queries value:

 $HKLM \ software \ `microsoft \ 'current version \ 'explorer \ 'folder descriptions \ '\{1777f761-68ad-4d8a-87bd-30b759fa33dd\} \ [parent folder]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1777f761-68ad-4d8a-87bd-30b759fa33dd}[description]

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1777f761-68ad-4d8a-87bd-30b759fa33dd}\[relative\path]$

Oueries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Queries value:

 $HKLM \ software \ `microsoft \ 'current version \ 'explorer \ 'folder descriptions \ '\{1777f761-68ad-4d8a-87bd-30b759fa33dd\} [infotip]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{1777f761-68ad-4d8a-87bd-30b759fa33dd\} [localized name]$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '{1777f761-68ad-4d8a-87bd-30b759fa33dd}[icon]$

Queries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$

Queries value

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{1777f761-68ad-4d8a-87bd-30b759fa33dd\} [stream resource]$

Oueries value

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{1777f761-68ad-4d8a-87bd-30b759fa33dd\} [stream resource type]$

Oueries value

 $\label{local-equation} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \fo$

Oueries value:

 $HKLM \ software \ `microsoft \ 'unrent version \ 'explorer \ 'folder descriptions \ '\{1777f761-68ad-4d8a-87bd-30b759fa33dd\} \ [roamable]$

Ougrige value

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{1777f761-68ad-4d8a-87bd-30b759fa33dd\}[precreate]$

Oueries value

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{1777f761-68ad-4d8a-87bd-30b759fa33dd\}[stream]$

Queries value:

 $\label{thm:local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \equiv 1777 f761-68 ad-4d8 a-87 bd-30 b759 fa 33 dd \cup [publish expanded path]$

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{1777f761-68ad-4d8a-87bd-30b759fa33dd}\[attributes\]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows\currentversion\explorer\folderdescriptions\{1777f761-68ad-4d8a-87bd-30b759fa33dd\}[foldertypeid]}$

Oueries value:

 $HKLM \ software \ `microsoft \ 'current version \ 'explorer \ 'folder descriptions \ '\{1777f761-68ad-4d8a-87bd-30b759fa33dd\} [initfolder handler]$

Queries value:

HKCU\software\microsoft\windows\currentversion\explorer\user shell

folders[favorites]

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{4bd8d571-6d19-48d3-be97-422220080e43\} \ [category]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows\currentversion\explorer\folderdescriptions\{4bd8d571-6d19-48d3-be97-422220080e43\}[name]}$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{4bd8d571-6d19-48d3-be97-422220080e43\} \ [parentfolder]$

Queries value:

 $\label{thm:local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \fo$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{4bd8d571-6d19-48d3-be97-422220080e43\} \ [relative path]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows\currentversion\explorer\folderdescriptions\{4bd8d571-6d19-48d3-be97-42222080e43\}[parsingname]}$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{4bd8d571-6d19-48d3-be97-422220080e43\} [infotip]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \ \ \{4bd8d571-6d19-48d3-be97-422220080e43\} \ [localized name]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{4bd8d571-6d19-48d3-be97-422220080e43\} \ [icon]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} In the constant of the constant of$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{4bd8d571-6d19-48d3-be97-422220080e43\} \ [stream resource]$

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{4bd8d571-6d19-48d3-be97-422220080e43\} [stream resource type]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{4bd8d571-6d19-48d3-be97-422220080e43\} [local redirectonly]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{4bd8d571-6d19-48d3-be97-422220080e43\} \ [roamable]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{4bd8d571-6d19-48d3-be97-422220080e43\} \ [precreate]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{4bd8d571-6d19-48d3-be97-422220080e43\} \ [stream]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{4bd8d571-6d19-48d3-be97-422220080e43\} \ [publish \ expanded path]$

Queries value

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{4bd8d571-6d19-48d3-be97-422220080e43\} \ [attributes]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{4bd8d571-6d19-48d3-be97-422220080e43\} \ [folder type id]$

Queries value

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{4bd8d571-6d19-48d3-be97-422220080e43\} \ [initfolder \ handler]$

Queries value:

 $\label{lem:hkcu} \mbox{\tt HKCU\software\mbox{\tt microsoft\windows\currentversion\explorer\user\ shell}$

folders[my music]

Queries value:

 $\label{thm:local-prop} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{33e28130-4e1e-4676-835a-98395c3bc3bb\}\[[category] \]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '{33e28130-4e1e-4676-835a-98395c3bc3bb} \ [name]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{33e28130-4e1e-4676-835a-98395c3bc3bb\} \ for \ explorer \ folder \ folde$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{33e28130-4e1e-4676-835a-98395c3bc3bb}[description]

Queries value:

 $\label{thm:local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{33e28130-4e1e-4676-835a-98395c3bc3bb} [relative path]$

Queries value:

 $\label{thm:local-prop} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{33e28130-4e1e-4676-835a-98395c3bc3bb\}[parsingname]$$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{33e28130-4e1e-4676-835a-98395c3bc3bb}[infotip]

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{33e28130-4e1e-4676-835a-98395c3bc3bb\} [localized name]$

Queries value:

 $\label{thm:local-prop} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{33e28130-4e1e-4676-835a-98395c3bc3bb\}[icon]$$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cite{233e28130-4e1e-4676-835a-98395c3bc3bb} [security]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{33e28130-4e1e-4676-835a-98395c3bc3bb}[streamresource]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{33e28130-4e1e-4676-835a-98395c3bc3bb}[streamresourcetype]

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{33e28130-4e1e-4676-835a-98395c3bc3bb\}[localredirectonly]$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '{33e28130-4e1e-4676-835a-98395c3bc3bb} \ [roamable]$

Queries value:

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{33e28130-4e1e-4676-835a-98395c3bc3bb}[stream]

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} current version \end{align* lem:hklmsoftware in the software in the$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{33e28130-4e1e-4676-835a-98395c3bc3bb\} [attributes]$

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{33e28130-4e1e-4676-835a-98395c3bc3bb\}[initfolderhandler]$

Queries value: HKCU\software\microsoft\windows\currentversion\explorer\user shell

folders[my pictures]

Oueries value:

 $HKLM \ software \ `microsoft \ 'unrent version \ 'explorer \ 'folder descriptions \ '\{18989b1d-99b5-455b-841c-ab7c74e4ddfc\} \ [category]$

Oueries value:

 $\label{thm:local-prop} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{18989b1d-99b5-455b-841c-ab7c74e4ddfc}[name]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{18989b1d-99b5-455b-841c-ab7c74e4ddfc\} \ [parentfolder]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{18989b1d-99b5-455b-841c-ab7c74e4ddfc\} [description]$

Queries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$

Queries value:

 $\label{thm:local-prop} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{18989b1d-99b5-455b-841c-ab7c74e4ddfc}\[parsingname]$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{18989b1d-99b5-455b-841c-ab7c74e4ddfc\}[infotip]$

Oueries value:

 $\label{thm:localized} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{18989b1d-99b5-455b-841c-ab7c74e4ddfc}\[localizedname]$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{18989b1d-99b5-455b-841c-ab7c74e4ddfc\} \ [icon]$

Queries value:

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{18989b1d-99b5-455b-841c-ab7c74e4ddfc\} \ [stream resource]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{18989b1d-99b5-455b-841c-ab7c74e4ddfc\} \ folder \ fold$

Queries value:

 $\label{thm:local-continuous} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{18989b1d-99b5-455b-841c-ab7c74e4ddfc\}\[local\cutrectonly]\]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{18989b1d-99b5-455b-841c-ab7c74e4ddfc\} \ for a mable \ 18989b1d-99b5-455b-841c-ab7c74e4ddfc \ for$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '{18989b1d-99b5-455b-841c-ab7c74e4ddfc} [precreate]$

Queries value:

 $\label{local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \folder$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{18989b1d-99b5-455b-841c-ab7c74e4ddfc}[publishexpandedpath]

Queries value:

 $HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \folder \current \folder \folder \current \folder \current \folder \fold$

Queries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$

Queries value:

 $\label{lem:hkk} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{18989b1d-99b5-455b-841c-ab7c74e4ddfc}\ [initfolder\handler]$

Queries value: HKCU\software\microsoft\windows\currentversion\explorer\user shell

folders[my video]

Oueries value:

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cal{lem:hklk} a software \microsoft \microsoft \cal{lem:hklk} in \microsoft \microsoft \cal{lem:hklk} a software \microsoft \microsoft \cal{lem:hklk} in \microsoft \cal{lem:hklk} a software \microsoft \cal{lem:hklkk} a software \microsoft \microsoft \cal{lem:hklkk} a software \microsoft \microsoft$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{c5abbf53-e17f-4121-8900-86626fc2c973\} \ [parent folder]$

Queries value:

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{c5abbf53-e17f-4121-e17$

8900-86626fc2c973}[relativepath]

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c5abbf53-e17f-4121-8900-86626fc2c973}[parsingname]

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \end{area} In forces \software \end{area} $$1-4121-8900-86626 \fc2c973 \end{area} In forces \software \end{area} $$1-4121-8900-86626 \fc2c973 \end{area} $$1-4121-8900-86626 \end{are$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{c5abbf53-e17f-4121-8900-86626fc2c973\} \ [localized name]$

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c5abbf53-e17f-4121-8900-86626fc2c973\}[icon]}$

Oueries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{c5abbf53-e17f-4121-8900-86626fc2c973\} [security]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{c5abbf53-e17f-4121-8900-86626fc2c973\} \ [stream resource]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{c5abbf53-e17f-4121-8900-86626fc2c973\} \ [stream resource type]$

Queries value:

 $HKLM \ software \ `microsoft \ 'c5abbf53-e17f-4121-8900-86626fc2c973 \ [local redirectonly]$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{c5abbf53-e17f-4121-8900-86626fc2c973\} \ [roamable]$

Oueries value:

Queries value:

Queries value:

Oueries value:

 $\label{thm:local-ham} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{c5abbf53-e17f-4121-8900-86626fc2c973\}[attributes]$$

Queries value:

 $\label{thm:local-bound} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \colongraph \colo$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{c5abbf53-e17f-4121-8900-86626fc2c973\} [initfolder \ handler]$

Queries value:

 $\label{lem:hkcu} \verb+KKCU\+ software \verb+\microsoft\+ windows \verb+\currentversion\+ explorer \verb+\user+ shell+ \\$

folders[nethood]

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \end{area} $4c-16f3910ab8fe\category \]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{fd228cb7-ae11-4ae3-864c-16f3910ab8fe\}[name]$

Queries value:

 $\label{lem:hamman} $$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{fd228cb7-ae11-4ae3-864c-16f3910ab8fe}[parentfolder]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{fd228cb7-ae11-4ae3-864c-16f3910ab8fe\} [description]$

Queries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ explorer \ folder descriptions \ \{fd 228 cb 7-ae 11-4ae 3-864 c-16f 3910 ab 8fe \} [relative path]$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{fd228cb7-ae11-4ae3-864c-16f3910ab8fe}[parsingname]

Queries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre \ 'folder descriptions \ 'fd 228 cb7-ae 11-4ae 3-864c-16f 3910 ab 8fe \ [info tip]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{fd228cb7-ae11-4ae3-864c-16f3910ab8fe\}[localized name]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows\currentversion} Hklm\software\mbox{fd228cb7-ae11-4ae3-864c-16f3910ab8fe}[icon]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{fd228cb7-ae11-4ae3-864c-16f3910ab8fe\}[security]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{fd228cb7-ae11-4ae3-864c-16f3910ab8fe\} [stream resource]$

Queries value:

 $\label{thm:local_explorer_folder_folder_folder} HKLM \software \microsoft \windows \current version \explorer \folder_f$

864c-16f3910ab8fe}[streamresourcetype]

Queries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre \ 'folder descriptions \ 'fd228 cb7-ae11-4ae3-864c-16f3910ab8fe \ [local redirectonly]$

Queries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre \ 'folder descriptions \ 'fd228 cb7-ae11-4ae3-864c-16f3910ab8fe \ 'folder \ 'folder \ 'folder \ 'entre \ 'folder \ 'f$

Oueries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre \ 'folder descriptions \ 'fd228 cb7-ae11-4ae3-864c-16f3910ab8fe \ [precreate]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'current version \ 'explorer \ 'folder descriptions \ '\{fd 228 cb 7-ae 11-4ae 3-864 c-16f 3910 ab 8fe\} [stream]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre \ 'folder descriptions \ 'fd228 cb7-ae11-4ae3-864c-16f3910ab8fe \ [publish \ expanded path]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{fd 228 cb 7-ae 11-4ae 3-864 c-16f 3910 ab 8fe\}[attributes]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{fd 228 cb 7-ae 11-4ae 3-864 c-16f 3910 ab 8 fe\} [folder type id]$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{fd 228 cb 7-ae 11-4ae 3-864 c-16f 3910 ab 8fe \} [init folder handler]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a63293e8-664e-48db-a079-df759e0509f7\} \ [category]$

Oueries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{a63293e8-664e-48db-a079-df759e0509f7\} \ [name]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a63293e8-664e-48db-a079-df759e0509f7}[parentfolder]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{a63293e8-664e-48db-a079-df759e0509f7\} \ \lceil description \rceil$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a63293e8-664e-48db-a079-df759e0509f7\} \ [relative path]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a63293e8-664e-48db-a079-df759e0509f7}[parsingname]

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{a63293e8-664e-48db-a079-df759e0509f7\} \ [localized name]$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{a63293e8-664e-48db-a079-df759e0509f7\}[icon]$

Queries value:

 $\label{lem:hklm} HKLM software \microsoft \windows \current version \explorer \folder descriptions \earlies \folder descriptions \folder \folder$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a63293e8-664e-48db-a079-df759e0509f7\}[stream resource]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a63293e8-664e-48db-a079-df759e0509f7}[streamresourcetype]

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ 'a 63293e8-664e-48db-a079-df759e0509f7 \ [local redirectonly]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} In the constant of the constant of$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{a63293e8-664e-48db-a079-df759e0509f7\} \ [precreate]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{a63293e8-664e-48db-a079-df759e0509f7\}[stream]}$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{a63293e8-664e-48db-a079-df759e0509f7\} \ [publish \ expanded path]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ 'a63293e8-664e-48db-a079-df759e0509f7 \ [attributes]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{a63293e8-664e-48db-a079-df759e0509f7\} \ [folder type id]$

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{a63293e8-664e-48db-a079-df759e0509f7\}[initfolder \ handler]$

Queries value: HKCU\software\microsoft\windows\currentversion\explorer\user shell

folders[templates]

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \mbox{f1b32785-6fba-4fcf-9d55-7b8e7f157091} [category]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{f1b32785-6fba-4fcf-9d55-7b8e7f157091\}[name]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{f1b32785-6fba-4fcf-9d55-7b8e7f157091\} \ [parent folder]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{f1b32785-6fba-4fcf-9d55-7b8e7f157091\} [description]$

Queries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{f1b32785-6fba-4fcf-9d55-7b8e7f157091\} \ [parsing name]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \fill 152785-6 fba-4 fcf-9 d55-7 b8e7 f157091 \fill 157091 \fill$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{f1b32785-6fba-4fcf-9d55-7b8e7f157091\} [localized name]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \mbox{f1b32785-6fba-4fcf-9d55-7b8e7f157091} [icon]$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{f1b32785-6fba-4fcf-9d55-7b8e7f157091\} [security]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f1b32785-6fba-4fcf-9d55-7b8e7f157091}Fstreamresourcel

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{f1b32785-6fba-4fcf-9d55-7b8e7f157091\} \ [stream resource type]$

Queries value:

 $\label{lem:hklm} HKLM software \microsoft \windows \current version \explorer \folder descriptions \fill 152785-6 fba-4 fcf-9 d55-7 b8e7 f157091 \footnote{1} flocal redirection \footnote{1} flocal \footnote{1} flocal$

Queries value:

 $HKLM \ software \ `microsoft \ 'entre \ 'entre$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f1b32785-6fba-4fcf-9d55-7b8e7f157091}{precreatel

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ 'folder descriptions \ '\{f1b32785-6fba-4fcf-9d55-7b8e7f157091\} [stream]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows\currentversion\explorer\folderdescriptions\{f1b32785-6fba-4fcf-9d55-7b8e7f157091\}[publishexpandedpath]}$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{f1b32785-6fba-4fcf-9d55-7b8e7f157091}[attributes]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{f1b32785-6fba-4fcf-9d55-7b8e7f157091\} \ [folder type id]$

Queries value:

 $HKLM \label{eq:hklm} HKLM \label{eq:hklm} HKLM \label{eq:hklm} Software \label{eq:hklm} with the last software \label{eq:hkklm} With t$

Queries value:

HKCU\software\microsoft\windows\currentversion\explorer\user shell

folders[local appdata]

Queries value:

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{9274bd8d-cfd1-41c3-b35e-b13f55a758f4\} [name]$

Queries value:

 $\label{local-ham} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{9274bd8d-cfd1-41c3-b35e-b13f55a758f4} [parent folder]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{9274bd8d-cfd1-41c3-b35e-b13f55a758f4\} [description]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{9274bd8d-cfd1-41c3-b35e-b13f55a758f4\} \ [relative path]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \ \{9274bd8d-cfd1-41c3-dg14d-dg14d$

b35e-b13f55a758f4}[parsingname]

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{9274bd8d-cfd1-41c3-b35e-b13f55a758f4\}[infotip]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{9274bd8d-cfd1-41c3-b35e-b13f55a758f4\}[localized name]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{9274bd8d-cfd1-41c3-b35e-b13f55a758f4\} [icon]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{9274bd8d-cfd1-41c3-b35e-b13f55a758f4\} [security]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{9274bd8d-cfd1-41c3-b35e-b13f55a758f4\} \ [stream resource]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{9274bd8d-cfd1-41c3-b35e-b13f55a758f4\}[stream resource type]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{9274bd8d-cfd1-41c3-b35e-b13f55a758f4\} [local redirectonly]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{9274bd8d-cfd1-41c3-b35e-b13f55a758f4\} \ [roamable]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{9274bd8d-cfd1-41c3-b35e-b13f55a758f4\}[precreate]$

Oueries value:

 $\label{thm:local-base} HKLM \software \mbox{\scriptions} \scriptions \script$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \{9274bd8d-cfd1-41c3-b35e-b13f55a758f4\} \ [publish \ expanded path]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{9274bd8d-cfd1-41c3-b35e-b13f55a758f4\}[attributes]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{9274bd8d-cfd1-41c3-b35e-b13f55a758f4\} \ folder type id \ label{eq:helmonth}$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{9274bd8d-cfd1-41c3-b35e-b13f55a758f4\} \ finitfolder \ handler \ label{eq:helmonton}$

 $\label{thm:linear} Queries \ value: \\ HKCU \ software \ microsoft \ windows \ current version \ version$

folders[printhood]

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{352481e8-33be-4251-ba85-6007caedcf9d\}[category]$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{352481e8-33be-4251-ba85-6007 \ caedcf9d\} \ [name]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{352481e8-33be-4251-ba85-6007caedcf9d\}[parentfolder]}$

Queries value:

 $\label{local-operator} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \called{4.5} $152481e8-33be-4251-ba85-6007 \called{4.5} $1685-6007 \called{4.5} $1695-6007 \called{4.5} $1695-6007$

Oueries value:

 $HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{352481e8-33be-4251-ba85-6007caedcf9d\}[parsingname]}$

Oueries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{352481e8-33be-4251-ba85-6007caedcf9d\}[infotip]}$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '{352481e8-33be-4251-ba85-6007} caed \ 'folder \ 'folder \ 'folder \ 'explorer' \ 'folder \ 'folde$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions \currentversion\explorer\folderdescriptions \currentversion\explorer\folderdescriptions \currentversion\explorer\folderdescriptions \currentversion\explorer\folderdescriptions \currentversion\explorer\folderdescriptions \currentversion\explorer\explorer\folderdescriptions \currentversion\explorer$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{352481e8-33be-4251-ba85-6007 caed \ folder \ 'folder \ '$

Oueries value:

 $HKLM \software \mbox{$microsoft\windows\currentversion} \explorer \folder descriptions \folder \fold$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{352481e8-33be-4251-ba85-6007 \ caedcf9d\} \ [stream resource type]$

Queries value:

 $\label{thm:local_thm:loc$

ba85-6007caedcf9d}[localredirectonly]

Queries value:

 $HKLM \ software \ `microsoft \ windows \ `current version \ explorer \ folder descriptions \ \ \{352481e8-33be-4251-ba85-6007 \ caedcf9d\} \ [roamable]$

Queries value:

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{352481e8-33be-4251-ba85-6007 caedcf9d\} [stream]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '{352481e8-33be-4251-ba85-6007} caed \ 'folder \ 'folder \ 'folder \ 'explorer' \ 'folder \ 'folde$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{352481e8-33be-4251-ba85-6007 \ caedcf9d\} \ [attributes]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '{352481e8-33be-4251-ba85-6007} \ [folder type id]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{352481e8-33be-4251-ba85-6007 \ caedcf9d\} \ [initfolder \ handler]$

Queries value:

HKCU\software\microsoft\windows\currentversion\explorer\user shell

folders[cache]

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{2b0f765d-c0e9-4171-908e-08a611b84ff6\} \ [category]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2b0f765d-c0e9-4171-908e-08a611b84ff6\}[name]}$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{2b0f765d-c0e9-4171-908e-08a611b84ff6\} \ [parent folder]$

Queries value:

Oueries value:

 $HKLM \software \microsoft \windows \current version \explorer \folder descriptions \current \folder \current \folder \folder \current \folder \current \folder \current \folder \fol$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosof$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \end{align*} HKLM \software \end{align*} Mkl \software \end{align*} HKLM \software \end{align*} Mkl \software \end{align*} HKLM \software \end{align*} Mkl \software \end{align*} HKLM \software \end{align*} HKLM \software \end{align*} Mkl \software \end{align*} HKLM \software \end{align*} Mkl \software \end{align*} HKLM \software \end{align*} Mkl \software \end{align*} Mkl \software \end{align*} HKLM \software \end{align*} Mkl \software \end{align*} HKLM \software \end{align*} Mkl \software \end{align*} HKLM \software \end{align*} Mkl \software \end{align*} Mkl \software \end{align*} HKLM \software \end{align*} Mkl \software \end{align*} HKLM \software \end{align*} Mkl \sof$

Queries value:

 $\label{thm:local-condition} HKL\dot{M}\software\mbox{microsoft\windows\currentversion}\explorer\folderdescriptions\{2b0f765d-c0e9-4171-908e-08a611b84ff6\}[localizedname]}$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{2b0f765d-c0e9-4171-908e-08a611b84ff6\} \ [icon]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2b0f765d-c0e9-4171-908e-08a611b84ff6\}[security]}$

Queries value:

 $HKLM \ software \ `microsoft \ 'current version \ 'explorer \ 'folder descriptions \ '\{2b0f765d-c0e9-4171-908e-08a611b84ff6\} [stream resource]$

Oueries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2b0f765d-c0e9-4171-908e-08a611b84ff6}[streamresourcetype]

Queries value:

 $\label{thm:local-condition} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{2b0f765d-c0e9-4171-908e-08a611b84ff6} [local redirect only]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{2b0f765d-c0e9-4171-908e-08a611b84ff6\} \ [roamable]$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{2b0f765d-c0e9-4171-908e-08a611b84ff6\}[precreate]$

Queries value:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2b0f765d-c0e9-4171-908e-08a611b84ff6\}[stream]}$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{2b0f765d-c0e9-4171-908e-08a611b84ff6} [publish expanded path]$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{2b0f765d-c0e9-4171-908e-08a611b84ff6\}[attributes]$

Queries value:

 $HKLM \ software \ `microsoft \ windows \ `current version \ explorer \ folder descriptions \ \{2b0f765d-c0e9-4171-908e-08a611b84ff6\} \ [folder type id]$

Queries value:

 $\label{thm:local_explorer_folder} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \cdot \$

908e-08a611b84ff6}[initfolderhandler]

Queries value: HKCU\software\microsoft\windows\currentversion\explorer\user shell

folders[cookies]

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Queries value:

 $HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d9dc8a3b-b784-432e-a781-5a1130a75963\}\[name]$

Queries value:

 $HKLM \ software \ `microsoft \ 'current version \ 'explorer \ 'folder descriptions \ '\{d9dc8a3b-b784-432e-a781-5a1130a75963\} \ [parent folder]$

Queries value:

 $HKLM \ software \ icrosoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{d9dc8a3b-b784-432e-a781-5a1130a75963\} \ [description]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{d9dc8a3b-b784-432e-a781-5a1130a75963\} \ [relative path]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{d9dc8a3b-b784-432e-a781-5a1130a75963\} \ [parsing name]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{d9dc8a3b-b784-432e-a781-5a1130a75963\} \ [infotip]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{d9dc8a3b-b784-432e-a781-5a1130a75963\} \ [localized name]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{d9dc8a3b-b784-432e-a781-5a1130a75963\} \ [icon]$

Oueries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} In the constant of the constant of$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{d9dc8a3b-b784-432e-a781-5a1130a75963\} \ [stream resource]$

Oueries value:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d9dc8a3b-b784-432e-a781-5a1130a75963\}[streamresourcetype]}$

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d9dc8a3b-b784-432e-a781-5a1130a75963\}[localredirectonly]}$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ (d9dc8a3b-b784-432e-a781-5a1130a75963) \ [roamable]$

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d9dc8a3b-b784-432e-a781-5a1130a75963\}[precreate]}$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Oueries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\{d9dc8a3b-b784-432e-a781-5a1130a75963\}[publishexpandedpath]}$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{d9dc8a3b-b784-432e-a781-5a1130a75963\} [attributes]$

Oueries value:

 $\label{thm:local-problem} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\f(d9dc8a3b-b784-432e-a781-5a1130a75963)\foldertypeid\]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{d9dc8a3b-b784-432e-a781-5a1130a75963\} \ [initfolder \ handler]$

Queries value:

 $\label{local-objective} \begin{tabular}{ll} HKCU \software \verb|\microsoft| windows \current version \explorer \user shell \end{tabular}$

folders[history]

Queries value:

 $\label{thm:local-continuous} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \folder \fol$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{724ef170-a42d-4fef-9f26-b60e846fba4f\} [name]$

Queries value:

 $\label{local-prop} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{724ef170-a42d-4fef-9f26-b60e846fba4f\}[parentfolder]}$

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\folderdescriptions\folderdescriptions\folderdescription\folderdescriptio$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{724ef170-a42d-4fef-9f26-b60e846fba4f\} \ [relative path]$

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\folder$

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folder$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{724ef170-a42d-4fef-9f26-b60e846fba4f\}[localized name]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folder$

Oueries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\folder$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{724ef170-a42d-4fef-9f26-b60e846fba4f\} \ [stream resource]$

Queries value:

 $HKLM \ software \ `microsoft \ 'current version \ 'explorer \ 'folder descriptions \ '{724ef170-a42d-4fef-9f26-b60e846fba4f}[stream resource type]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{724ef170-a42d-4fef-9f26-b60e846fba4f\} [local redirectonly]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{724ef170-a42d-4fef-9f26-b60e846fba4f\} \ [roamable]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{724ef170-a42d-4fef-9f26-b60e846fba4f\}[precreate]$

Queries value:

 $\label{lem:hklmsoftware} Hklm\software\microsoft\windows\currentversion\explorer\folderdescriptions\folder$

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\folder$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{724ef170-a42d-4fef-9f26-b60e846fba4f\}[attributes]$

Queries value:

 $\label{thm:local-prop} HKL\dot{M}\software\mbox{microsoft\windows\currentversion}\explorer\folderdescriptions$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows\currentversion\explorer\folderdescriptions\{724ef170-a42d-4fef-9f26-b60e846fba4f\}[initfolderhandler]}$

Queries value: HKCU\software\microsoft\windows\currentversion\explorer\user shell

folders[administrative tools]
 Oueries value:

 $\label{thm:local_thm:loc$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{8ad10c31-2adb-4296-a8f7-e4701232c972\} \ [name]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{8ad10c31-2adb-4296-a8f7-e4701232c972\} \ [parent folder]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Oueries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \explorer \folder descriptions \explorer \folder \folder\folder \folder \folder \folder \folder \folder \folder \folder \$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{8ad10c31-2adb-4296-a8f7-e4701232c972\}[parsingname]}$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows\currentversion\explorer\folderdescriptions\{8ad10c31-2adb-4296-a8f7-e4701232c972\}[infotip]} In the property of the p$

Queries value

 $\label{thm:microsoft} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{8ad10c31-2adb-4296-a8f7-e4701232c972\}\[localized\name]\]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{8ad10c31-2adb-4296-a8f7-e4701232c972\} \ [security]$

Queries value:

HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{8ad10c31-2adb-4296-a8f7-e4701232c972}[streamresource]

Queries value:

 $\label{local-prop} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \folder$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{8ad10c31-2adb-4296-a8f7-e4701232c972\} \ [local redirectonly]$

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{8ad10c31-2adb-4296-a8f7-e4701232c972\}[roamable]}$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{8ad10c31-2adb-4296-a8f7-e4701232c972\}[precreate]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{8ad10c31-2adb-4296-a8f7-e4701232c972\} [stream]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} Label{lem:hklmsoftwaremicrosoftwindows} A significant with the second content of the second c$

Oueries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{8ad10c31-2adb-4296-a8f7-e4701232c972\}[attributes]$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{8ad 10c 31-2ad b-4296-a8f7-e4701232c 972\} \ [folder type id]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{8ad10c31-2adb-4296-a8f7-e4701232c972\} \ [initfolder \ handler]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{2a00375e-224c-49de-b8d1-440df7ef3ddc\} \ [category]$

Queries value:

 $HKLM \ software \ `microsoft \ `windows \ `current version \ `explorer \ folder descriptions \ `\{2a00375e-224c-49de-b8d1-440df7ef3ddc\}[name]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{2a00375e-224c-49de-b8d1-440df7ef3ddc\} \ [parent folder]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{2a00375e-224c-49de-b8d1-440df7ef3ddc\} [description]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{2a00375e-224c-49de-b8d1-440df7ef3ddc\} \ [relative path]$

Oueries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} In the label of the label o$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows\currentversion} Hklm\software\mbox{2a00375e-224c-49de-b8d1-440df7ef3ddc} [infotip]$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \eqref{2a00375e-224c-49de-b8d1-440df7ef3ddc} [localized name]$

Queries value:

 $\label{lem:hklm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2a00375e-224c-49de-b8d1-440df7ef3ddc\}[icon]}$

Queries value:

 $HKLM \ software \ `microsoft \ 'current version \ 'explorer \ 'folder descriptions \ '\{2a00375e-224c-49de-b8d1-440df7ef3ddc\} [security]$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2a00375e-224c-49de-b8d1-440df7ef3ddc\}[streamresource]}$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{2a00375e-224c-49de-b8d1-440df7ef3ddc\}[stream resource type]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{2a00375e-224c-49de-b8d1-440df7ef3ddc\} \ [local redirectonly]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{2a00375e-224c-49de-b8d1-440df7ef3ddc\} \ [roamable]$

Oueries value:

 $\label{lem:hkkm} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{2a00375e-224c-49de-b8d1-440df7ef3ddc\}[precreate]}$

Queries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \explorer \folder \folder$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} current version \explorer $$ folder descriptions \explorer $$ b8d1-440df7ef3ddc} [publish expanded path] $$$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} current version \verb| version \verb| explorer | folder descriptions | \{2a00375e-224c-49de-b8d1-440df7ef3ddc\}[attributes]| | for the first of the folder description | for the form | for the folder description | for the form | for t$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{2a00375e-224c-49de-b8d1-440df7ef3ddc\} \ [folder type id]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} current version \end{allower} and the software \end{allower} and \end{allower} and the software \end{allower} and the software \end{allower} and \end{al$

Queries value:

 $\label{thm:local_thm} \parbox{$HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\gamma\$

```
acb8-4330f5687855}[category]
```

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{9e52ab10-f80d-49df-acb8-4330f5687855\} \ [name]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{9e52ab10-f80d-49df-acb8-4330f5687855\} \ [parent folder]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{9e52ab10-f80d-49df-acb8-4330f5687855\} \ [description]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{9e52ab10-f80d-49df-acb8-4330f5687855\} \ [relative path]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ (9e52ab10-f80d-49df-acb8-4330f5687855) \ [parsing name]$

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{9e52ab10-f80d-49df-acb8-4330f5687855\}[infotip]$

Queries value:

 $HKLM \ software \ `microsoft \ 'windows \ 'current version \ 'explorer \ 'folder descriptions \ '\{9e52ab10-f80d-49df-acb8-4330f5687855\} \ [localized name]$

Oueries value:

 $\label{lem:hklmsoftware} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \explorer \folder descriptions \folder \$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ (9e52ab10-f80d-49df-acb8-4330f5687855) \ [security]$

Oueries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{9e52ab10-f80d-49df-acb8-4330f5687855\}[streamresource]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{9e52ab10-f80d-49df-acb8-4330f5687855\} \ [stream resource type]$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{9e52ab10-f80d-49df-acb8-4330f5687855\} \ flocal redirect \ folder \ fold$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ \ explorer \ folder descriptions \ \ \{9e52ab10-f80d-49df-acb8-4330f5687855\} \ [roamable]$

Oueries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{9e52ab10-f80d-49df-acb8-4330f5687855\} \ for exercise \ for example \ for exa$

Queries value:

 $\label{lem:hkkm} HKLM \software \microsoft \windows \current version \explorer \folder descriptions \general \folder \general \$

Queries value:

 $HKLM \ software \ microsoft \ windows \ current version \ explorer \ folder descriptions \ \{9e52ab10-f80d-49df-acb8-4330f5687855\} \ publishex \ panded path 1$

Queries value:

 $HKLM \ software \ `microsoft \ 'explorer \ 'folder descriptions \ '\{9e52ab10-f80d-49df-acb8-4330f5687855\} [attributes]$

Queries value:

 $\label{lem:hklmsoftwaremicrosoftwindows} current version \end{error} $$ Hklm\software\microsoft\windows\current version\end{error} $$ explorer\folder descriptions\folder\folde$

Queries value:

 $\label{lem:hklmsoftware} HKLM\software\microsoft\windows\currentversion\explorer\folderdescriptions\{9e52ab10-f80d-49df-acb8-4330f5687855\}[initfolderhandler]}$

Queries value: HKCU\software\microsoft\windows\currentversion\explorer\user shell

folders[cd burning]

Queries value: HKLM\system\currentcontrol\set\control\nls\locale[00000409] Queries value: HKLM\system\currentcontrol\set\control\nls\language groups[1]

Queries value: HKLM\software\microsoft\windows
nt\currentversion\languagepack\datastore_v1.0[disable]
Queries value: HKLM\software\microsoft\windows
nt\currentversion\languagepack\datastore_v1.0[datafilepath]
Queries value: HKLM\software\microsoft\windows
nt\currentversion\languagepack\surrogatefallback[plane1]
Queries value: HKLM\software\microsoft\windows
nt\currentversion\languagepack\surrogatefallback[plane2]

Queries value: HKLM\software\microsoft\windows nt\currentversion\languagepack\surrogatefallback[plane3]

Queries value: HKLM\software\microsoft\windows

nt\currentversion\languagepack\surrogatefallback[plane4] Queries value: HKLM\software\microsoft\windows nt\currentversion\languagepack\surrogatefallback[plane5]

Queries value: HKLM\software\microsoft\windows nt\currentversion\languagepack\surrogatefallback[plane6]

Queries value: HKLM\software\microsoft\windows nt\currentversion\languagepack\surrogatefallback[plane7] Queries value: HKLM\software\microsoft\windows

nt\currentversion\languagepack\surrogatefallback[plane8]
Queries value: HKLM\software\microsoft\windows

```
nt\currentversion\languagepack\surrogatefallback[plane9]
                        HKLM\software\microsoft\windows
 Oueries value:
nt\currentversion\languagepack\surrogatefallback[plane10]
                        HKLM\software\microsoft\windows
 Queries value:
\verb|nt\currentversion\language| pack\surrogatefallback[plane11]|
 Queries value:
                        HKLM\software\microsoft\windows
nt\currentversion\languagepack\surrogatefallback[plane12]
                        HKLM\software\microsoft\windows
 Oueries value:
nt\currentversion\languagepack\surrogatefallback[plane13]
 Oueries value:
                        HKLM\software\microsoft\windows
nt\currentversion\languagepack\surrogatefallback[plane14]
 Queries value:
                        HKLM\software\microsoft\windows
nt\currentversion\languagepack\surrogatefallback[plane15]
 Oueries value:
                        HKLM\software\microsoft\windows
nt\currentversion\languagepack\surrogatefallback[plane16]
                        HKLM\software\microsoft\ctf\tip\{0000897b-83df-4b96-be07-
 Queries value:
Queries value:
                        HKLM\software\microsoft\ctf[enableanchorcontext]
 Oueries value:
                        HKLM\system\currentcontrolset\services\winsock\parameters[transports]
 Oueries value:
HKLM\system\currentcontrolset\services\tcpip6\parameters\winsock[mapping]
 Oueries value:
HKLM\system\currentcontrolset\services\psched\parameters\winsock[mapping]
                        HKLM\system\currentcontrolset\services\winsock\setup
 Queries value:
migration\providers\psched[winsock 2.0 provider id]
                        HKLM\system\currentcontrolset\services\tcpip\parameters\winsock[mapping]
 Queries value:
                        HKLM\system\currentcontrolset\services\winsock\setup
 Queries value:
migration\providers\tcpip[winsock 2.0 provider id]
 Oueries value:
HKLM\system\currentcontrolset\services\tcpip\parameters\winsock[minsockaddrlength]
 Oueries value:
HKLM\system\currentcontrolset\services\tcpip\parameters\winsock[maxsockaddrlength]
 Queries value:
HKLM\system\currentcontrolset\services\tcpip\parameters\winsock[usedelayedacceptance]
 Oueries value:
HKLM\system\currentcontrolset\services\tcpip\parameters\winsock[helperdllname]
                        HKLM\system\currentcontrolset\services\tcpip\parameters[hostname]
 Oueries value:
 Oueries value:
                        HKLM\system\currentcontrolset\services\tcpip\parameters[domain]
                        HKLM\system\currentcontrolset\control\sqmservicelist[sqmservicelist]
 Queries value:
 Queries value:
HKLM\system\currentcontrolset\services\dnscache\parameters[queryadaptername]
 Queries value:
HKLM\system\currentcontrolset\services\tcpip\parameters[disableadapterdomainname]
 Queries value:
HKLM \verb| system| current control set \verb| services| dns cache \verb| parameters[used omain name devolution]|
HKLM\system\currentcontrolset\services\tcpip\parameters[usedomainnamedevolution]
 Queries value:
HKLM\system\currentcontrolset\services\dnscache\parameters[domainnamedevolutionlevel]
 Oueries value:
HKLM\system\currentcontrolset\services\dnscache\parameters[prioritizerecorddata]
HKLM\system\currentcontrolset\services\tcpip\parameters[prioritizerecorddata]
 Queries value:
HKLM\system\currentcontrolset\services\dnscache\parameters[allowunqualifiedquery]
 Oueries value:
HKLM\system\currentcontrolset\services\tcpip\parameters[allowunqualifiedquery]
HKLM\system\currentcontrolset\services\dnscache\parameters[appendtomultilabelname]
 Oueries value:
HKLM\system\currentcontrolset\services\dnscache\parameters[screenbadtlds]
 Oueries value:
HKLM\system\currentcontrolset\services\dnscache\parameters[screenunreachableservers]
HKLM\system\currentcontrolset\services\dnscache\parameters[screendefaultservers]
 Oueries value:
Oueries value:
HKLM\system\currentcontrolset\services\dnscache\parameters[filterclusterip]
HKLM\svstem\currentcontrolset\services\dnscache\parameters[waitfornameerroronall1]
 Queries value:
                        HKLM\system\currentcontrolset\services\dnscache\parameters[useedns]
 Queries value:
HKLM\svstem\currentcontrolset\services\dnscache\parameters[dnssecurenamequervfallback]
 Queries value:
HKLM\system\currentcontrolset\services\dnscache\parameters[enabledaforallnetworks]
 Oueries value:
HKLM\system\currentcontrolset\services\dnscache\parameters[directaccessqueryorder]
 Queries value:
HKLM\system\currentcontrolset\services\dnscache\parameters[queryipmatching]
 Queries value:
                        HKLM\system\currentcontrolset\services\dnscache\parameters[usehostsfile]
```

Oueries value: HKLM\system\currentcontrolset\services\dnscache\parameters[addrconfigcontrol] Oueries value: HKLM\system\currentcontrolset\services\dnscache\parameters[registrationenabled] Oueries value: HKLM\system\currentcontrolset\services\tcpip\parameters[disabledynamicupdate] Oueries value: HKLM\system\currentcontrolset\services\dnscache\parameters[registerprimaryname] Oueries value: HKLM\system\currentcontrolset\services\dnscache\parameters[registeradaptername] Oueries value: HKLM\system\currentcontrolset\services\tcpip\parameters[enableadapterdomainnameregistration] Oueries value: HKLM\system\currentcontrolset\services\dnscache\parameters[registerreverselookup] Queries value: HKLM\system\currentcontrolset\services\tcpip\parameters[disablereverseaddressregistrations] Oueries value: HKLM\system\currentcontrolset\services\dnscache\parameters[registerwanadapters] Oueries value: HKLM\system\currentcontrolset\services\tcpip\parameters[disablewandynamicupdate] Queries value: HKLM\system\currentcontrolset\services\dnscache\parameters[registrationttl] Oueries value: HKLM\system\currentcontrolset\services\tcpip\parameters[defaultregistrationttl] Queries value: HKLM\system\currentcontrolset\services\tcpip\parameters[defaultregistrationrefreshinterval] Oueries value: HKLM\system\currentcontrolset\services\dnscache\parameters[registrationmaxaddresscount] Oueries value: HKLM\system\currentcontrolset\services\tcpip\parameters[maxnumberofaddressestoregister] HKLM\system\currentcontrolset\services\dnscache\parameters[updatesecuritylevel] Oueries value: HKLM\system\currentcontrolset\services\tcpip\parameters[updatesecuritylevel] Oueries value: HKLM\system\currentcontrolset\services\dnscache\parameters[updatetopleveldomainzones] HKLM\system\currentcontrolset\services\dnscache\parameters[downcasespncauseapiowneristoolazy] Oueries value: HKLM\system\currentcontrolset\services\dnscache\parameters[registrationoverwrite] HKLM\system\currentcontrolset\services\dnscache\parameters[maxcachesize] Oueries value: $HKLM \setminus system \setminus current control set \setminus services \setminus dnscache \setminus parameters [maxcachettl]$ Oueries value: HKLM\system\currentcontrolset\services\dnscache\parameters[maxnegativecachettl] Oueries value: HKLM\system\currentcontrolset\services\dnscache\parameters[adaptertimeoutlimit] Oueries value: HKLM\system\currentcontrolset\services\dnscache\parameters[serverprioritytimelimit] Oueries value: HKLM\system\currentcontrolset\services\dnscache\parameters[maxcachedsockets] Queries value: HKLM\system\currentcontrolset\services\dnscache\parameters[enablemulticast] Oueries value: HKLM\system\currentcontrolset\services\dnscache\parameters[multicastresponderflags] Oueries value: HKLM\system\currentcontrolset\services\dnscache\parameters[multicastsenderflags] Oueries value: $HKLM \setminus system \setminus current control set \setminus services \setminus dns cache \setminus parameters [multicasts endermax time out]$ Queries value: HKLM\system\currentcontrolset\services\dnscache\parameters[dnstest] Oueries value: $HKLM \setminus system \setminus current control set \setminus services \setminus dns cache \setminus parameters [use compartments]$ Oueries value: HKLM\system\currentcontrolset\services\dnscache\parameters[cacheallcompartments] HKLM\system\currentcontrolset\services\dnscache\parameters[usenewregistration] Oueries value: Oueries value: HKLM\system\currentcontrolset\services\dnscache\parameters[resolverregistrationonly] HKLM\system\currentcontrolset\services\dnscache\parameters[dnsquerytimeouts] Queries value: HKLM\system\currentcontrolset\services\tcpip\parameters[dnsquerytimeouts] Oueries value: HKLM\system\currentcontrolset\services\dnscache\parameters[dnsquickquerytimeouts] HKLM\system\currentcontrolset\services\tcpip\parameters[dnsquickquerytimeouts] Oueries value: HKLM\system\currentcontrolset\services\tcpip6\parameters\interfaces\{128919e8-8a5e-41d1-ac17-

c19ce8a73253}[searchlist]

 $HKLM \ system \ `current controlset \ 'services \ 'tcpip \ parameters \ 'interfaces \ '\{128919e8-8a5e-41d1-ac17-c19ce8a73253\} \ [registration enabled]$

Queries value:

Queries value:

HKLM\system\currentcontrolset\services\tcpip\parameters\interfaces\{128919e8-8a5e-41d1-ac17-c19ce8a73253}[domain]

Queries value:

 $\label{lem:hklmsystem} HKLM \system \current control set \services \troip \parameters \ interfaces \ \{128919e8-8a5e-41d1-ac17-c19ce8a73253\} \ [dhcpdomain]$

Queries value:

HKLM\system\currentcontrolset\services\tcpip6\parameters\interfaces\{128919e8-8a5e-41d1-ac17-c19ce8a73253}[dhcpv6domain]

Queries value:

HKLM\system\currentcontrolset\services\tcpip6\parameters\interfaces\{128919e8-8a5e-41d1-ac17-c19ce8a73253}[nameserver]

Queries value:

 $HKLM \ system \ current control set \ services \ tcpip \ parameters \ interfaces \ \{128919e8-8a5e-41d1-ac17-c19ce8a73253\} \ [nameserver]$

Queries value:

 $\label{lem:hkklm} HKLM \system \current control set \services \tcpip \parameters \interfaces \ \{128919e8-8a5e-41d1-ac17-c19ce8a73253\} \ [dhcpnameserver]$

Queries value:

 $HKLM \ system \ current controls et \ e29 ac 6c 2-7037-11 de-816 de6f 6e 6963 \ [enabled hcp]$

Queries value:

HKLM\system\currentcontrolset\services\tcpip\parameters\interfaces\{e29ac6c2-7037-11de-816d-806e6f6e6963}[registrationenabled]

Queries value:

Oueries value:

 $HKLM \ system \ `current control set \ 'services \ 'tcpip \ parameters \ 'interfaces \ '\{e29ac6c2-7037-11de-816d-806e6f6e6963\} \ [domain]$

Queries value:

HKLM\system\currentcontrolset\services\tcpip\parameters\interfaces\{e29ac6c2-7037-11de-816d-806e6f6e6963}[dhcpdomain]

Queries value:

Queries value:

HKLM\system\currentcontrolset\services\tcpip\parameters\interfaces\{e29ac6c2-7037-11de-816d-806e6f6e6963}[dhcpnameserver]

Queries value:

 $\label{lem:hklmsystem} HKLM \system \current control set \services \true \parameters \true \normalfaces \no$

Queries value:

 $\label{lem:hammeters} HKLM \system \current controls et \services \tcpip \parameters \interfaces \{128919e8-8a5e-41d1-ac17-c19ce8a73253\} [disable adapter domain name]$

Queries value:

 $HKLM \ system \ `current control set \ 'services \ 'tcpip \ parameters \ 'interfaces \ '\{128919e8-8a5e-41d1-ac17-c19ce8a73253\} \ [registration max address count]$

Queries value:

 $\label{lem:hklmsystem} HKLM \system \current control set \services \troip \parameters \ interfaces \ \{128919e8-8a5e-41d1-ac17-c19ce8a73253\} \ [maxnumber of addresses to register]$

Queries value:

 $HKLM \ system \ `current control set \ 'services \ 'tcpip \ parameters \ 'interfaces \ '\{128919e8-8a5e-41d1-ac17-c19ce8a73253\} \ [enablemulticast]$

Queries value:

Queries value:

 $HKLM \ system \ `current control set \ 'services \ 'tcpip \ parameters \ 'interfaces \ '\{e29ac6c2-7037-11de-816d-806e6f6e6963\} \ [disable adapter domain name]$

Queries value:

 $\label{lem:hklm} HKLM \system \current control set \services \true \parameters \true \end{tension} I disable dynamic update \parameters \pa$

Queries value:

 $\label{lem:hklm} HKLM \ system \ `current controlset \ services \ 'tcpip \ parameters \ 'interfaces \ '\{e29ac6c2-7037-11de-816d-806e6f6e6963\} \ [enable adapter domain name registration]$

Queries value:

 $HKLM \ system \ `current control set \ 's ervices \ 'tcpip \ parameters \ 'interfaces \ '\{e29ac6c2-7037-11de-816d-806e6f6e6963\} \ [registration maxaddress count]$

Queries value:

 $HKLM \ system \ current control set \ services \ tcpip \ parameters \ interfaces \ \{e29ac6c2-7037-11de-816d-806e6f6e6963\} \ [maxnumber of addresses to register]$

Queries value:

 $HKLM \ system \ current control set \ services \ tcpip \ parameters \ interfaces \ \{e29ac6c2-7037-11de-816d-806e6f6e6963\} \ [enable multicast]$

9938-1d1bf31573a7]

Queries value: HKLM\system\currentcontrolset\services\winsock2\parameters[autodialdl1]